

Malware Analysis Report For

51f89c352242f8783af95099c649111c82664ccf4e660811193518f3d17b29d3

Binary Type

PE (Portable Executable File) (Approved)

Analyzing File

- File Name:** 51f89c352242f8783af95099c649111c82664ccf4e660811193518f3d17b29d3
- File Extension:** .exe
- File Type:** EXE (Executable File).
- MD5 Hash:** dd7c5cbd278ec76885c4c3b314e4b7f0
- SHA256 Hash:** 51f89c352242f8783af95099c649111c82664ccf4e660811193518f3d17b29d3

File Identification

File detected as a valid Windows executable (DLL or EXE).

PE File Analysis

PE File Analysis: True

PE File Imports

- _CorExeMain

PE File Exports

No Exported functions were found.

String Analysis

ASCII Strings

- !This program cannot be run in DOS mode.
- `.rsrc
- @.reloc
- v4.0.30319
- #Strings
- Action`10
- <>p__0
- IEnumerable`1
- CallSite`1
- List`1
- __StaticArrayInitTypeSize=32
- Microsoft.Win32
- ToUInt32
- ToInt32
- SwapInt32
- <>o__2
- X509Certificate2
- WriteUInt64
- ToUInt64
- GetAsUInt64
- SetAsUInt64
- ToInt64
- SwapInt64
- ToUInt16
- ToInt16
- SwapInt16
- HMACSHA256
- Sha256
- Aes256
- aes256
- __StaticArrayInitTypeSize=6
- get_UTF8
-
- MessagePackLib.
- 1DB2A1F9902B35F8F880EF1692CE9947A193D5A698D8F568BDA721658ED4C58B
- ESSYSTEMREQUIRED
- ESDISPLAYREQUIRED
- MapNameToOID
- get_FormatID
- EXECUTION_STATE
- 87639126EA77B358F26532367DBA67C5310EF50A8D9888ED070CD40E1F605A8F
- get_ASCII
- System.IO

- ES_CONTINUOUS
- get_IV
- set_IV
- GenerateIV
- value__
- ReadServerData
- mscorlib
- System.Collections.Generic
- Microsoft.VisualBasic
- get_SendSync
- EndRead
- BeginRead
- Thread
- InnerAdd
- SHA256Managed
- get_Connected
- get_IsConnected
- set_IsConnected
- Received
- get_Guid
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- InnerAddMapChild
- InnerAddArrayChild
- Append
- RegistryValueKind
- Replace
- CreateInstance
- set_Mode
- FileMode
- PaddingMode
- EnterDebugMode
- CryptoStreamMode
- CompressionMode
- CipherMode
- SelectMode
- utf8Encode
- DeleteSubKeyTree
- get_Message
- DetectSandboxie
- Invoke
- IEnumerable
- IDisposable
- ToDouble
- SwapDouble
- get_Handle
- RuntimeFieldHandle
- GetModuleHandle
- RuntimeTypeHandle
- GetTypeFromHandle
- WaitHandle
- WriteSingle
- ToSingle
- SetAsSingle
- InstallFile
- DecodeFromFile
- SaveBytesToFile
- IsInRole
- WindowsBuiltInRole
- GetActiveWindowTitle
- get_MainModule
- ProcessModule
- set_WindowStyle
- ProcessWindowStyle
- get_Name
- get_FileName
- set_FileName
- GetTempFileName
- GetFileName
- fileName
- lpModuleName
- get_MachineName
- get_OSFullName
- get_FullName

- IsValidDomainName
- get_UserName
- lowerName
- SetName
- CheckHostName
- DateTime
- get_LastWriteTime
- ToUniversalTime
- WriteLine
- Combine
- UriHostNameType
- get_ValueType
- valueType
- MsgPackType
- ProtocolType
- GetType
- SocketType
- FileShare
- System.Core
- Serversignature
- Dispose
- StrReverse
- X509Certificate
- ValidateServerCertificate
- certificate
- Create
- SetThreadExecutionState
- Delete
- CallSite
- CompilerGeneratedAttribute
- DebuggableAttribute
- ComVisibleAttribute
- AssemblyTitleAttribute
- AssemblyTrademarkAttribute
- TargetFrameworkAttribute
- AssemblyFileVersionAttribute
- AssemblyConfigurationAttribute
- AssemblyDescriptionAttribute
- DefaultMemberAttribute
- CompilationRelaxationsAttribute
- AssemblyProductAttribute
- AssemblyCopyrightAttribute
- AssemblyCompanyAttribute
- RuntimeCompatibilityAttribute
- set_UseShellExecute
- ReadByte
- WriteByte
- DeleteValue
- innerValue
- GetValue
- SetValue
- get_KeepAlive
- set_KeepAlive
- Remove
- rat.exe
- set_BlockSize
- get_TotalSize
- get_HeaderSize
- set_HeaderSize
- set_SendBufferSize
- set_ReceiveBufferSize
- set_KeySize
- IndexOf
- strFlag
- CryptoConfig
- get_Ping
- set_Ping
- System.Threading
- set_Padding
- add_SessionEnding
- SystemEvents_SessionEnding
- UTF8Encoding
- System.Drawing.Imaging
- System.Runtime.Versioning
- FromBase64String
- ToBase64String
- ReadString
- DownloadString
- WriteString
- ToString
- get_AsString
- set_AsString
- BytesAsString

- GetAsString
- SetAsString
- GetString
- BytesAsHexString
- Substring
- System.Drawing
- get_ActivatePong
- set_ActivatePong
- set_ErrorDialog
- ComputeHash
- strToHash
- GetHash
- VerifyHash
- get_ExecutablePath
- GetTempPath
- HmacSha256Length
- get_Length
- IvLength
- AuthKeyLength
- msgpackObj
- listObj
- MessagePackLib.MessagePack
- MsgPack
- AsyncCallback
- RemoteCertificateValidationCallback
- TimerCallback
- unpack_msgpack
- RegistryKeyPermissionCheck
- FlushFinalBlock
- IsSmallDisk
- strVal
- RtlSetProcessIsCritical
- ProcessCritical
- NetworkCredential
- System.Security.Principal
- WindowsPrincipal
- AreEqual
- get_Interval
- set_Interval
- Client.Install
- kernel32.dll
- user32.dll
- ntdll.dll
- WriteNull
- SetAsNull
- MutexControl
- Encode2Stream
- FileStream
- NetworkStream
- SslStream
- DecodeFromStream
- CryptoStream
- GZipStream
- MemoryStream
- Program
- get_Item
- get_Is64BitOperatingSystem
- Client.Algorithm
- SymmetricAlgorithm
- AsymmetricAlgorithm
- HashAlgorithm
- Random
- ICryptoTransform
- MsgPackEnum
- WriteBoolean
- ToBoolean
- SetAsBoolean
- HwidGen
- children
- X509Chain
- AppDomain
- get_CurrentDomain
- Pastebin
- IsAdmin
- GetFileNameWithoutExtension
- get_OSVersion
- System.IO.Compression
- Application
- System.Security.Authentication
- System.Reflection
- X509CertificateCollection
- ManagementObjectCollection
- Client.Connection

- set_Position
- position
- CryptographicException
- ArgumentNullException
- ArgumentException
- Unknown
- ImageCodecInfo
- SendInfo
- FileInfo
- DriveInfo
- FileSystemInfo
- ComputerInfo
- CSharpArgumentInfo
- ProcessStartInfo
- WriteMap
- PreventSleep
- currentApp
- Microsoft.CSharp
- NormalStartup
- System.Linq
- InvokeMember
- MD5CryptoServiceProvider
- RSACryptoServiceProvider
- AesCryptoServiceProvider
- StringBuilder
- InstallFolder
- IdSender
- sender
- Microsoft.CSharp.RuntimeBinder
- CallSiteBinder
- GetEncoder
- get_Buffer
- set_Buffer
- WriteInteger
- get_AsInteger
- set_AsInteger
- GetAsInteger
- SetAsInteger
- DetectDebugger
- ManagementObjectSearcher
- SessionEndingEventHandler
- Client.Helper
- ToUpper
- DetectManufacturer
- CurrentUser
- StreamWriter
- TextWriter
- BitConverter
- ToLower
- IEnumerator
- ManagementObjectEnumerator
- System.Collections.IEnumerable.GetEnumerator
- Activator
- .cctor
- Monitor
- CreateDecryptor
- CreateEncryptor
- IntPtr
- System.Diagnostics
- NativeMethods
- Microsoft.VisualBasic.Devices
- System.Runtime.InteropServices
- System.Runtime.CompilerServices
- DebuggingModes
- ExpandEnvironmentVariables
- GetProcesses
- GetHostAddresses
- System.Security.Cryptography.X509Certificates
- Encode2Bytes
- GetUtf8Bytes
- utf8Bytes
- Rfc2898DeriveBytes
- ReadAllBytes
- DecodeFromBytes
- SwapBytes
- LoadFileAsBytes
- GetAsBytes
- SetAsBytes
- GetBytes
- rawBytes
- CSharpArgumentInfoFlags
- CSharpBinderFlags
- esFlags

- Strings
- InitializeSettings
- SessionEndingEventArgs
- Anti_Analysis
- RunAntiAnalysis
- ICredentials
- set_Credentials
- Equals
- SslProtocols
- ReadTools
- WriteTools
- BytesTools
- System.Windows.Forms
- Contains
- System.Collections
- StringSplitOptions
- GetImageDecoders
- RuntimeHelpers
- SslPolicyErrors
- sslPolicyErrors
- FileAccess
- hProcess
- GetCurrentProcess
- IPAddress
- Compress
- Decompress
- System.Net.Sockets
- set_Arguments
- SystemEvents
- Exists
- Antivirus
- Concat
- ImageFormat
- format
- WriteFloat
- get_AsFloat
- set_AsFloat
- GetAsFloat
- SetAsFloat
- FindObject
- ManagementBaseObject
- ForcePathObject
- Collect
- Connect
- Reconnect
- System.Net
- Target
- Client.Handle_Packet
- KeepAlivePacket
- ClientSocket
- System.Collections.IEnumerator.Reset
- get_Offset
- set_Offset
- ClientOnExit
- IAsyncResult
- ToUpperInvariant
- WebClient
- InitializeClient
- get_SslClient
- set_SslClient
- get_TcpClient
- set_TcpClient
- AuthenticateAsClient
- System.Management
- Environment
- parent
- System.Collections.IEnumerator.Current
- System.Collections.IEnumerator.get_Current
- GetCurrent
- CheckRemoteDebuggerPresent
- isDebuggerPresent
- get_RemoteEndPoint
- get_Count
- get_ProcessorCount
- GetPathRoot
- Decrypt
- Encrypt
- ParameterizedThreadStart
- Convert
- FailFast
- ToList
- System.Collections.IEnumerator.MoveNext
- System.Text

No detected.

- SHA256
- 7FTg66XtuYpSR6tVe+MVTtUYpINXUf0nuyEBYlgJR3AC+4i6A+oqOXkFC0VP3QoNScYBIl4f1tG7TtduXDGjg==
- dOUGi92rQaWdrWUKX8mVf3OcNE6iYkriPvXNeQklczLTvYwNbDBIN4UV41LbJdA4f1I6U00zbL9mYkMcWz2oLTnQ==
- 9c0k6lRgV848Xxsm57SuY9wmlmgj7U2kczWlRQcQv7b4mngUaZF7uVOZ0RJ+clcKFag09i0l7RtOsJ8+h9EGncCXxw==
- WLWgQ8pK7+GGZ6z+ttHzclvnJYCzqJ1Prtv2cr04EYH28+bSAutGqLUXr97cNA+KUC92GKCIeQpV6KywzaiJlw==
- %AppData%
- a2xXaJaeVBmWExGVlJGYmNIWNe3SnpBNWRmbjhTNUs=
- /r+mVyJQprytkKBQBIckZ62+PGEIXbA4IzZq4wlgaa9a2Q/CDcNt0UFDNbGALe4dx85Q+ZxIdp7tlivqxn95PA==
- vk2sO/sx2aPMafdh8XAT70a4EFxaopHNX2C8lrg58R3J8wVS2Kpmspkv0uX5a9i7IEii1L7GZpZaeGCUpHi0QMopMb7AH31SJrtA1zsrBf46i1krg0qS0j4CPGRpFD4Y0nAl/aA5EffeUE/wu7JbBTrnifONe6+

- 9dgg2lqV9fQ+uuTIXDkPuYPHZ4csZU0h0kjDiG0Q4HggLFdcqGOP6eZbskOsNJUzPmvFrjleHpUVmiU1q+ngZbD5/Kz8BkSbPOAPrzJvQhr4Z1LThuD7u1O374F0DPnS7v7KdBHif7eCMtdkasv7YPK+lat
- 4lc3f4iDyqYTLEtRU6d/h8cCaQiKb0vXNg1qnDhVd4GWnjfGECpYBPixReA3jARTVl2Nxb8wc9ymS0xa5478Q==
- SXKQlZCY4bVupSCN7wYzXNaMnT5vS7ZdFTDDQWk6agxwnHyWHMGuYU8N5WTbH1GPjhG3NEypODtSQyWsfCFmg==
- NO8O0N1RxPf0V6yX+GMnY+1Vn35VyQcFH3dj89NduWZ0fof9rX+AfQeByoOPvnJLmKLJ9JZgTg2+ZjJgEXbUA==
- 4Za2wWGWWRwWCX/xX2kBQS5Bqd/MsO/2OBbeV3tVjZbj6l6peV/MJ3sV7T9PKed6ggkc1CrmYWkEE6NoDvtpFMQ==
- Packet
- Message
- /c schtasks /create /f /sc onlogon /rl highest /tn "
- " /tr ""
- "" & exit
- \nuR\noiseV\tnemuC\swodniW\tfosorciM\erawtfoS
- @echo off
- timeout 3 > NUL
- START "" ""
- " /f /q
- Select * from Win32_ComputerSystem
- Manufacturer
- microsoft corporation
- VIRTUAL
- vmware
- VirtualBox
- SbieDll.dll
- Err HWID
- ClientInfo
- Microsoft
- Version
- Performance
- Pastebin
- Antivirus
- Installed
- \root\SecurityCenter2
- Select * from AntivirusProduct
- displayName
- Software\
- plugin
- savePlugin
- sendPlugin
- Hashes
- Plugin.Plugin
- Msgpack
- Received
- masterKey can not be null or empty.
- input can not be null.
- Invalid message authentication code (MAC).
- {0:D3}
- {0:X2}
- (never used) type \$c1
- (ext8,ext16,ex32) type \$c7,\$c8,\$c9
- VSVERSIONINFO
- VarFileInfo
- Translation
- StringFileInfo
- 000004b0
- Comments
- CompanyName
- FileDescription
- FileVersion
- 1.0.0.0
- InternalName
- Stub.exe
- LegalCopyright
- LegalTrademarks
- OriginalFilename
- Stub.exe
- ProductName
- ProductVersion
- 1.0.0.0
- Assembly Version
- 1.0.0.0

Extracted URLs

- <http://schemas.microsoft.com/SMI/2005/WindowsSettings>

Base64 Strings

- Possible Base64 Encoded String: SystemEvents -> Decoded: K+-za/z{!
- Possible Base64 Encoded String: SystemEvents -> Decoded: K+-za/z{!

File Entropy Analysis

- **Entropy:** 5.45
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

Scan Date: 2025-02-21 16:13:37

Scan Results

- Malicious: 61
- Suspicious: 0
- Undetected: 11
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 4

Community Votes

- Harmless: 0
- Malicious: 3

Detailed Engine Results

Engine Name	Detection Category	Detection
Bkav	malicious	W32.AIDetectMalware.CS
Lionic	malicious	Trojan.Win32.AsyncRAT.m!c
Elastic	malicious	Windows.Generic.Threat
MicroWorld-eScan	malicious	Generic.AsyncRAT.Marte.B.8B3E29EF
CTX	malicious	exe.trojan.msil
CAT-QuickHeal	malicious	Trojan.IgenericFC.S14890850
Skyhigh	malicious	BehavesLike.Win32.Fareit.pm
McAfee	malicious	Fareit-FZT!DD7C5CBD278E
Malwarebytes	malicious	Generic.Malware.AI.DDS
VIPRE	malicious	Generic.AsyncRAT.Marte.B.8B3E29EF
Sangfor	malicious	Suspicious.Win32.Save.a
K7AntiVirus	malicious	Trojan (005678321)
Alibaba	malicious	Backdoor:MSIL/AsyncRat.3fbc07ca
K7GW	malicious	Trojan (005678321)
CrowdStrike	malicious	win/maliciousconfidence100% (W)
VirIT	malicious	Trojan.Win32.MSIL_Heur.A
Symantec	malicious	Downloader
ESET-NOD32	malicious	a variant of MSIL/AsyncRAT.A
Paloalto	malicious	generic.ml
ClamAV	malicious	Win.Packed.Razy-9625918-0
GData	malicious	MSIL.Backdoor.DCRat.D
Kaspersky	malicious	HEUR:Backdoor.MSIL.Crysan.gen
BitDefender	malicious	Generic.AsyncRAT.Marte.B.8B3E29EF
NANO-Antivirus	malicious	Trojan.Win32.Crysan.kvpqgd
SUPERAntiSpyware	malicious	Trojan.Agent/Gen-Kryptik
Avast	malicious	Win32:DropperX-gen [Drp]
Rising	malicious	Trojan.AntiVM!1.CF63 (CLASSIC)
Emsisoft	malicious	Trojan.Agent (A)
F-Secure	malicious	Trojan.TR/Dropper.Gen
DrWeb	malicious	Trojan.Siggen9.56514
Zillya	malicious	Trojan.Agent.Win32.1341615
TrendMicro	malicious	Backdoor.MSIL.ASYNCRAT.SMXSR
McAfeeD	malicious	ti!51F89C352242
SentinelOne	malicious	Static AI - Malicious PE
Trapmine	malicious	suspicious.low.ml.score
Sophos	malicious	Troj/AsyncRat-B
Ikarus	malicious	Backdoor.AsyncRat
FireEye	malicious	Generic.mg.dd7c5cbd278ec768
Jiangmin	malicious	Backdoor.MSIL.gguk
Varist	malicious	W32/Samas.B.gentEldorado
Avira	malicious	TR/Dropper.Gen

Engine Name	Detection Category	Detection
Kingsoft	malicious	malware.kb.c.1000
Gridinsoft	malicious	Trojan.Win32.Agent.sa
Xcitium	malicious	Malware@#2ody1vazae5bc
Arcabit	malicious	Generic.AsyncRAT.Marte.B.8B3E29EF
ViRobot	malicious	Trojan.Win.Z.Asyncrat.46080.AMF
Microsoft	malicious	Backdoor:MSIL/AsyncRat.AD!MTB
AhnLab-V3	malicious	Malware/Win32.RL_Generic.C3558490
VBA32	malicious	OScope.Backdoor.MSIL.Crysan
ALYac	malicious	Generic.AsyncRAT.Marte.B.8B3E29EF
Panda	malicious	Trj/CIA
Tencent	malicious	Trojan.Msil.Agent.zap
Yandex	malicious	Trojan.AsyncRAT!hpTvo5uVSKo
huorong	malicious	Backdoor/MSIL.DcRat.a
MaxSecure	malicious	Trojan.Malware.300983.susgen
Fortinet	malicious	MSIL/Agent.CFQ!tr
AVG	malicious	Win32:DropperX-gen [Drp]