

Malware Analysis Report For

8a54d056aeda3294b96434794bfc06246f4d88585773b0da3fdd1aebdae80da4

Binary Type

PE (Portable Executable File) (Approved)

Analyzing File

- File Name:** 8a54d056aeda3294b96434794bfc06246f4d88585773b0da3fdd1aebdae80da4
- File Extension:** .exe
- File Type:** EXE (Executable File).
- MD5 Hash:** f605752fad4e292cf6b1073e3ab590ee
- SHA256 Hash:** 8a54d056aeda3294b96434794bfc06246f4d88585773b0da3fdd1aebdae80da4

File Identification

File detected as a valid Windows executable (DLL or EXE).

PE File Analysis

PE File Analysis: True

PE File Imports

- _CorExeMain

PE File Exports

No Exported functions were found.

String Analysis

ASCII Strings

- !This program cannot be run in DOS mode.
- `.rsrc
- @.reloc
- cZjX}v
- !System.Resources.ResourceReader, mscorlib, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b77a5c5
- hSystem.Drawing.Bitmap, System.Drawing, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d
- QSystem.Drawing, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- System.Drawing.Bitmap
- tEXtSoftware
- Adobe ImageReadyq
- IDAT8O]
- V:>zp3
- f{9D}r
- \\vZ"ZB!
- v4.0.30319
- #Strings
- !.5!|!
- ##\$>#d#
- \$0\$D\$o\$
- +) ,C,X,q,
- ./!/:/_/
- 0*0@0g0
- 1\$2A2c2
- 5 515]5s5
- 757]7s7
- 9!9J9#.):e:p:
- ;E

- >&>T>gD
- -P.`.p.\$1
- 586{6J7
- 7,898l8=;S;T<
- Client.exe
- Client
- mscorlib
- System.Core
- System.Windows.Forms
- System
- System.Drawing
- System.Runtime.Serialization
- System.Xml
- System.Management
- System.Security
- Microsoft.VisualBasic
- user32.dll
- kernel32.dll
- gdi32.dll
- msvcrt.dll
- advapi32.dll
- shlwapi.dll
- Kernel32.dll
- shell32.dll
- iphlapi.dll
- ole32.dll
- ntdll.dll
- oleaut32.dll
- xClient.Properties.Resources.resources
- Object
- ApplicationContext
- Application
- EnableVisualStyles
- SetCompatibleTextRenderingDefault
- AppDomain
- get_CurrentDomain
- UnhandledExceptionEventHandler
- add_UnhandledException
- STAThreadAttribute
- get_MessageLoop
- Environment
- UnhandledExceptionEventArgs
- get_IsTerminating
- String
- IsNullOrEmpty
- ProcessStartInfo
- System.Diagnostics
- set_WindowStyle
- ProcessWindowStyle
- set_UseShellExecute
- set_FileName
- Process
- sender
- ExitThread
- Dispose
- Concat
- System.IO
- Combine
- op_Equality
- SetAttributes
- FileAttributes
- GetDirectoryName
- DirectoryInfo
- FileSystemInfo
- get_Attributes
- set_Attributes
- ThreadStart

- System.Threading
- Thread
- set_IsBackground
- Exception
- .cctor
- CompilerGeneratedAttribute
- System.Runtime.CompilerServices
- ResourceManager
- System.Resources
- CultureInfo
- System.Globalization
- GetTypeFromHandle
- RuntimeTypeHandle
- get_Assembly
- Assembly
- System.Reflection
- GetObject
- Bitmap
- EditorBrowsableAttribute
- System.ComponentModel
- EditorBrowsableState
- Culture
- information
- GeneratedCodeAttribute
- System.CodeDom.Compiler
- DebuggerNonUserCodeAttribute
- ApplicationSettingsBase
- System.Configuration
- SettingsBase
- Synchronized
- Default
- SpecialFolder
- GetFolderPath
- Socket
- System.Net.Sockets
- get_ConnectionId
- set_ConnectionId
- get_Handle
- set_Handle
- get_Target
- set_Target
- get_Port
- set_Port
- get_Client
- set_Client
- AddressFamily
- SocketType
- ProtocolType
- AsyncCallback
- BeginConnect
- IAsyncResult
- command
- client
- IPEndPoint
- System.Net
- EndConnect
- get_Connected
- BeginReceive
- SocketFlags
- get_LocalEndPoint
- EndPoint
- get_Address
- IPAddress
- EndReceive
- ConnectionId
- Handle
- Target

- GetType
- packet
- ReverseProxyConnect
- xClient.Core.ReverseProxy.Packets
- k__BackingField
- k__BackingField
- k__BackingField
- connectionId
- target
- Execute
- ReverseProxyConnectResponse
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- get_IsConnected
- set_IsConnected
- get_LocalAddress
- set_LocalAddress
- get_LocalPort
- set_LocalPort
- get_HostName
- set_HostName
- IPEndPoint
- GetHostEntry
- isConnected
- localAddress
- localPort
- targetServer
- IsConnected
- LocalAddress
- LocalPort
- HostName
- ReverseProxyData
- k__BackingField
- get_Data
- set_Data
- ReverseProxyDisconnect
- add_KeyDown
- KeyEventHandler
- remove_KeyDown
- add_KeyPress
- KeyPressEventHandler
- remove_KeyPress
- add_KeyUp
- remove_KeyUp
- IKeyboardMouseEvents
- xClient.Core.MouseKeyHook
- IDisposable
- add_MouseMove
- MouseEventHandler
- remove_MouseMove
- add_MouseMoveExt
- EventHandler`1
- remove_MouseMoveExt
- add_MouseClick
- remove_MouseClick
- add_MouseDown
- remove_MouseDown
- add_MouseDownExt
- remove_MouseDownExt
- add_MouseUp
- remove_MouseUp
- add_MouseUpExt
- remove_MouseUpExt
- add_MouseWheel
- remove_MouseWheel

- add_MouseDoubleClick
- remove_MouseDoubleClick
- KeyEventArgs
- keyData
- timestamp
- isKeyDown
- isKeyUp
- get_Timestamp
- set_Timestamp
- get_IsKeyDown
- set_IsKeyDown
- get_IsKeyUp
- set_IsKeyUp
- get_TickCount
- IntPtr
- ToInt64
- op_Explicit
- Marshal
- System.Runtime.InteropServices
- PtrToStructure
- Timestamp
- IsKeyDown
- IsKeyUp
- KeyPressEventArgs
- keyChar
- get_IsNonChar
- set_IsNonChar
- IEnumerable`1
- System.Collections.Generic
- IsNonChar
- d__10
- IEnumerable
- System.Collections
- IEnumerator`1
- IEnumerator
- <>1__state
- <>2__current
- <>1__initialThreadId
- <>3__data
- <>7__wrap1
- <>7__wrap2
- get_CurrentThread
- get_ManagedThreadId
- DebuggerHiddenAttribute
- System.IDisposable.Dispose
- MoveNext
- System.Collections.Generic.IEnumerator.get_Current
- get_Current
- NotSupportedException
- System.Collections.IEnumerator.Reset
- System.Collections.IEnumerator.get_Current
- System.Collections.Generic.IEnumerable.GetEnumerator
- GetEnumerator
- System.Collections.IEnumerable.GetEnumerator
- System.Collections.Generic.IEnumerator.Current
- System.Collections.IEnumerator.Current
- d__11
- 5__1
- 5__2
- 5__3
- 5__4
- MouseEventArgs
- MouseButton
- buttons
- clicks
- isMouseKeyDown
- isMouseKeyUp

- get_Handled
- set_Handled
- get_Delta
- get_Clicks
- get_IsMouseKeyDown
- set_IsMouseKeyDown
- get_IsMouseKeyUp
- set_IsMouseKeyUp
- wParam
- mouseInfo
- get_Button
- Handled
- WheelScrolled
- Clicked
- IsMouseKeyDown
- IsMouseKeyUp
- ValueType
- lParam
- wParam
- lParam
- callback
- SafeHandle
- get_IsInvalid
- hookId
- GetCurrentProcess
- get_MainModule
- ProcessModule
- get_BaseAddress
- GetLastError
- Win32Exception
- idHook
- CallNextHookEx
- dwThreadId
- SetWindowsHookEx
- UnhookWindowsHookEx
- MulticastDelegate
- object
- method
- Invoke
- BeginInvoke
- EndInvoke
- result
- SafeHandleZeroOrMinusOneIsInvalid
- Microsoft.Win32.SafeHandles
- EventHandler
- add_ApplicationExit
- handle
- ReleaseHandle
- EventArgs
- HookResult
- xClient.Core.MouseKeyHook.WinApi
- m_Handle
- m_Procedure
- procedure
- get_Procedure
- Procedure
- virtualKeyCode
- fuState
- scanCode
- StringBuilder
- System.Text
- get_Capacity
- get_Length
- get_Chars
- ToAscii
- uVirtKey
- uScanCode

- lpbKeyState
- lpwTransKey
- ObsoleteAttribute
- wVirtKey
- wScanCode
- lpKeyState
- pwszBuff
- cchBuff
- wFlags
- ToUnicodeEx
- pbKeyState
- GetKeyboardState
- GetKeyState
- uMapType
- MapVirtualKeyEx
- dwLayout
- GetKeyboardLayout
- GetDoubleClickTime
- op_Inequality
- Equals
- GetHashCode
- GetCurrentThreadId
- GetForegroundWindow
- lpString
- nMaxCount
- GetWindowText
- processId
- GetWindowThreadProcessId
- CreateMouseListener
- CreateKeyListener
- GetPressEventArgs
- GetDownUpEventArgs
- GetEventArgs
- BaseListener
- xClient.Core.MouseKeyHook.Implementation
- k__BackingField
- subscribe
- Callback
- element
- EventFacade
- m_KeyListenerCache
- m_MouseListenerCache
- GetKeyListener
- GetMouseListener
- KeyDown
- KeyPress
- MouseMove
- MouseMoveExt
- MouseClick
- MouseDown
- MouseDownExt
- MouseUp
- MouseUpExt
- MouseWheel
- MouseDoubleClick
- ProcessDown
- ProcessUp
- keyboardStateNative
- ArgumentOutOfRangeException
- KeyListener
- Delegate
- Interlocked
- CompareExchange
- Remove
- InvokeKeyDown
- InvokeKeyPress
- InvokeKeyUp

- MouseListener
- m_DoubleDown
- m_SingleDown
- m_PreviousPosition
- ProcessWheel
- ProcessMove
- HasMoved
- actualPoint
- OnMove
- OnMoveExt
- OnClick
- OnDown
- OnDownExt
- OnUpExt
- OnWheel
- OnDoubleClick
- callbck
- DateTime
- triggeredAt
- Dictionary`2
- hotkeys
- get_Name
- set_Name
- get_Description
- set_Description
- get_Count
- add_OnHotKeysDownHold
- remove_OnHotKeysDownHold
- add_OnHotKeysUp
- remove_OnHotKeysUp
- add_OnHotKeysDownOnce
- remove_OnHotKeysDownOnce
- get_Now
- hotKeyDelegate
- ContainsKey
- set_Item
- List`1
- Enumerator
- KeyValuePair`2
- ContainsValue
- get_Value
- get_Key
- anyKeyInTheExclusiveOrSet
- orKeySet
- get_Item
- get_KeyCode
- Description
- HotKeys
- HotKeysActivated
- Enabled
- get_Path
- set_Path
- get_LastError
- set_LastError
- FileInfo
- get_Exists
- FileNotFoundException
- Ceiling
- PathTooLongException
- UnauthorizedAccessException
- IOException
- length
- FileStream
- Monitor
- OpenRead
- Stream
- SeekOrigin

- get_Position
- DirectoryNotFoundException
- blockNumber
- readBytes
- Exists
- FileMode
- FileAccess
- LastError
- MaxBlocks
- Queue`1
- Enqueue
- Dequeue
- TryParse
- get_AddressFamily
- get_OSSupportsIPv6
- get_AddressList
- IsEmpty
- DeleteFile
- lpFileName
- LoadLibrary
- hModule
- procName
- GetProcAddress
- GetLastInputInfo
- SetCursorPos
- dwFlags
- cButtons
- dwExtraInfo
- mouse_event
- keybd_event
- nXDest
- nYDest
- nWidth
- nHeight
- hdcSrc
- BitBlt
- lpszDriver
- lpszDevice
- lpszOutput
- lpInitData
- CreateDC
- DeleteDC
- memcmp
- memcpy
- uAction
- uParam
- lpvParam
- SystemParametersInfo
- PostMessage
- hDesktop
- inherit
- desiredAccess
- OpenDesktop
- CloseDesktop
- EnumDesktopWindows
- IsWindowVisible
- SizeOf
- UnsafeStreamCodec
- xClient.Core.Utilities
- k__BackingField
- k__BackingField
- k__BackingField
- _imageQuality
- _encodeBuffer
- _decodedBitmap
- _encodedFormat
- PixelFormat

- System.Drawing.Imaging
- _encodedWidth
- _encodedHeight
- _imageProcessLock
- _jpgCompression
- get_Monitor
- set_Monitor
- get_Resolution
- set_Resolution
- get_CheckBlock
- set_CheckBlock
- get_ImageQuality
- set_ImageQuality
- imageQuality
- monitor
- resolution
- SuppressFinalize
- disposing
- Rectangle
- BitmapData
- ToInt32
- get_CanWrite
- ToString
- get_Width
- get_Height
- BitConverter
- GetBytes
- get_PixelFormat
- LockBits
- ImageLockMode
- get_Scan0
- ToPointer
- set_Position
- UnlockBits
- CodeImage
- scanArea
- imageSize
- format
- outStream
- MemoryStream
- FromStream
- DecodeData
- codecBuffer
- Graphics
- FromImage
- get_Location
- DrawImage
- inStream
- Resolution
- CheckBlock
- ImageQuality
- _readLock
- _readStreamLock
- _encoding
- Encoding
- _inputWriter
- StreamWriter
- get_InstalledUICulture
- get_TextInfo
- TextInfo
- get_OEMCodePage
- GetEncoding
- set_RedirectStandardInput
- set_RedirectStandardOutput
- set_RedirectStandardError
- set_StandardOutputEncoding
- set_StandardErrorEncoding

- set_CreateNoWindow
- GetPathRoot
- set_WorkingDirectory
- set_Arguments
- set_StartInfo
- get_CodePage
- get_NewLine
- CreateSession
- WaitCallback
- ThreadPool
- QueueUserWorkItem
- RedirectOutputs
- Append
- TextReader
- ReadStream
- StreamReader
- firstCharRead
- streamReader
- isError
- get_UTF8
- Convert
- GetString
- set_Length
- SendAndFlushBuffer
- textbuffer
- get_StandardOutput
- get_HasExited
- ApplicationException
- InvalidOperationException
- Format
- ObjectDisposedException
- RedirectStandardOutput
- get_StandardError
- RedirectStandardError
- get_StandardInput
- get_BaseStream
- TextWriter
- WriteLine
- ExecuteCommand
- Component
- b_70
-
- b_71
- Keylogger
- Instance
- k__BackingField
- _timerFlush
- System.Timers
- _logFileBuffer
- _pressedKeys
- _pressedKeyChars
- _lastWindowTitle
- _ignoreSpecialKeys
- _mEvents
- get_IsDisposed
- set_IsDisposed
- get_LogDirectory
- set_Interval
- ElapsedEventHandler
- add_Elapsed
- flushInterval
- Subscribe
- events
- Unsubscribe
- Contains
- OnKeyDown
- get_KeyChar

- OnKeyPress
- ToArray
- OnKeyUp
- AppendFormat
- HighlightSpecialKeys
- timerFlush_Elapsed
- ElapsedEventArgs
- Create
- WriteFile
- IsDisposed
- LogDirectory
- RegistryEditor
- xClient.Core.Registry
- REGISTRYKEYCREATE_ERROR
- REGISTRYKEYDELETE_ERROR
- REGISTRYKEYRENAME_ERROR
- REGISTRYVALUECREATE_ERROR
- REGISTRYVALUEDELETE_ERROR
- REGISTRYVALUERENAME_ERROR
- REGISTRYVALUECHANGE_ERROR
- RegistryKey
- Microsoft.Win32
- get_Message
- CreateRegistryKey
- parentPath
- errorMsg
- DeleteRegistryKey
- RenameRegistryKey
- oldName
- newName
- CreateRegistryValue
- RegistryValueKind
- keyPath
- DeleteRegistryValue
- RenameRegistryValue
- ChangeRegistryValue
- Substring
- GetWritableRegistryKey
- RegistrySeeker
- locker
- matches
- get_Matches
- BeginSeeking
- rootKeyName
- rootKey
- GetSubKeyNames
- Search
- GetValueNames
- GetValueKind
- GetValue
- get_SubKeyCount
- ProcessKey
- keyName
- AddMatch
- values
- subkeycount
- OpenBaseKey
- RegistryHive
- RegistryView
- SystemException
- GetRootKey
- subkeyFullPath
- GetRootKeys
- Matches
- RegSeekerMatch
- k__BackingField
- k__BackingField

- set_Key
- get_HasSubKeys
- set_HasSubKeys
- HasSubKeys
- RegValueData
- k__BackingField
- k__BackingField
- get_Kind
- set_Kind
- datapath
- browser
- dataPath
- get_Default
- ProtectedData
- System.Security.Cryptography
- Unprotect
- DataProtectionScope
- EncryptedData
- get_HostKey
- set_HostKey
- set_Value
- get_ExpiresUTC
- set_ExpiresUTC
- get_LastAccessUTC
- set_LastAccessUTC
- get_Secure
- set_Secure
- get_HttpOnly
- set_HttpOnly
- get_Expired
- set_Expired
- get_Persistent
- set_Persistent
- get_Priority
- set_Priority
- get_Browser
- set_Browser
- Boolean
- HostKey
- ExpiresUTC
- LastAccessUTC
- Secure
- HttpOnly
- Expired
- Persistent
- Priority
- Browser
- DataContract.JsonSerializer
- System.Runtime.Serialization.Json
- XmlObjectSerializer
- WriteObject
- ReadObject
- RuntimeHelpers
- InitializeArray
- RuntimeFieldHandle
- FileSystem
- FileOpen
- OpenMode
- OpenAccess
- OpenShare
- Strings
- FileGet
- FileClose
- CompareTo
- Decimal
- Compare
- baseName

- startIndex
- endIndex
- Microsoft.VisualBasic.CompilerServices
- CopyArray
- row_num
- ToLower
- Subtract
- ToUInt16
- ToUInt64
- get_Unicode
- get_BigEndianUnicode
- Multiply
- Offset
- IndexOf
- TrimStart
- TableName
- Conversions
- NullReferenceException
- get_FullName
- ReadToEnd
- get_AbsoluteUri
- FileVersionInfo
- GetVersionInfo
- get_FileVersion
- Version
- get_Major
- GetDelegateForFunctionPointer
- firefoxProfilePath
- firefoxPath
- DateTimeKind
- AddSeconds
- unixTime
- TimeSpan
- ToLocalTime
- op_Subtraction
- get_TotalSeconds
- Directory
- GetDirectories
- IndexOutOfRangeException
- GetFiles
- profilePath
- searchTerm
- OpenSubKey
- ArgumentNullException
- IDictionary
- libPath
- loadCerts
- arenaOpt
- outItemOpt
- cypherText
- configdir
- UnmanagedFunctionPointerAttribute
- CallingConvention
- __result
- get_id
- set_id
- get_hostname
- set_hostname
- get_httpRealm
- set_httpRealm
- get_formSubmitURL
- set_formSubmitURL
- get_usernameField
- set_usernameField
- get_passwordField
- set_passwordField
- get_encryptedUsername

- set_encryptedUsername
- get_encryptedPassword
- set_encryptedPassword
- get_guid
- set_guid
- get_encType
- set_encType
- get_timeCreated
- set_timeCreated
- get_timeLastUsed
- set_timeLastUsed
- get_timePasswordChanged
- set_timePasswordChanged
- get_timesUsed
- set_timesUsed
- hostname
- httpRealm
- formSubmitURL
- usernameField
- passwordField
- encryptedUsername
- encryptedPassword
- encType
- timeCreated
- timeLastUsed
- timePasswordChanged
- timesUsed
- get_nextId
- set_nextId
- get_logins
- set_logins
- get_disabledHosts
- set_disabledHosts
- get_version
- set_version
- nextId
- logins
- disabledHosts
- version
- get_Username
- set_Username
- get_Password
- set_Password
- get_Host
- set_Host
- Username
- Password
- GCHandle
- GCHandleType
- AddrOfPinnedObject
- ToCharArray
- Buffer
- BlockCopy
- dataList
- Func`2
- Enumerable
- System.Linq
- urlHash
- wstrURL
- phProv
- pszContainer
- pszProvider
- dwProvType
- CryptAcquireContext
- phHash
- CryptCreateHash
- pbData

- dwDataLen
- CryptHashData
- CryptDestroyHash
- dwParam
- pdwDataLen
- CryptGetHashParam
- CryptReleaseContext
- ExplorerUrlHistory
- xClient.Core.Recovery.Browsers
- urlHistory
- _urlHistoryList
- ReleaseComObject
- AddHistoryEntry
- pocsUrl
- pocsTitle
- DeleteHistoryEntry
- QueryUrl
- ClearHistory
- DefaultMemberAttribute
- STATURLEnumerator
- _enumerator
- _index
- _staturl
- enumerator
- SetFilter
- poszFilter
- GetUrlHistory
- Current
- pszUrl
- pszCanonicalized
- pcchCanonicalized
- UrlCanonicalize
- set_Capacity
- FILETIME
- System.Runtime.InteropServices.ComTypes
- FileTime
- SystemTime
- FileTimeToSystemTime
- filetime
- lpSystemTime
- lpFileTime
- SystemTimeToFileTime
- get_Year
- get_Month
- get_Day
- get_Hour
- get_Minute
- get_Second
- get_Millisecond
- datetime
- lpFileTime1
- lpFileTime2
- CompareFileTime
- pszPath
- dwFileAttributes
- cbSizeFileInfo
- uFlags
- SHGetFileInfo
- FlagsAttribute
- SortFileTimeAscendingHelper
- IComparer
- System.Collections.IComparer.Compare
- SortFileTimeAscending
- StartsWith
- Replace
- UriString
- LastVisited

- LastUpdated
- Expires
- pcelltFetched
- ppenum
- InterfaceTypeAttribute
- ComInterfaceType
- GuidAttribute
- AddUrl
- DeleteUrl
- IpSTATURL
- BindToObject
- ppvOut
- get_EnumUrls
- EnumUrls
- IUrlHistoryStg2
- AddUrlAndNotify
- fWriteHistory
- poctNotify
- punkISFolder
- XmlTextReader
- XmlNode
- XmlDocument
- XmlReader
- get_DocumentElement
- XmlElement
- get_ChildNodes
- XmlNodeList
- get_ItemOf
- get_InnerText
- FromBase64String
- szInput
- UnescapeDataString
- Select
- ToList
- StringComparison
- DoWebcamStop
- xClient.Core.Packets.ServerPackets
- DoAskElevate
- DoChangeRegistryValue
- k__BackingField
- k__BackingField
- get_KeyPath
- set_KeyPath
- KeyPath
- DoCloseConnection
- k__BackingField
- get_RemotePort
- set_RemotePort
- localport
- remoteport
- RemotePort
- DoCreateRegistryKey
- k__BackingField
- get_ParentPath
- set_ParentPath
- ParentPath
- DoCreateRegistryValue
- DoDeleteRegistryKey
- k__BackingField
- get_KeyName
- set_KeyName
- KeyName
- DoDeleteRegistryValue
- k__BackingField
- get_ValueName
- set_ValueName
- valueName

- ValueName
- DoKeyboardEvent
- k__BackingField
- get_KeyDown
- set_KeyDown
- keyDown
- DoLoadRegistryKey
- k__BackingField
- get_RootKeyName
- set_RootKeyName
- RootKeyName
- DoRenameRegistryKey
- k__BackingField
- k__BackingField
- get_OldKeyName
- set_OldKeyName
- get_NewKeyName
- set_NewKeyName
- oldKeyName
- newKeyName
- OldKeyName
- NewKeyName
- DoRenameRegistryValue
- k__BackingField
- k__BackingField
- get_OldValueName
- set_OldValueName
- get_NewValueName
- set_NewValueName
- oldValueName
- newValueName
- OldValueName
- NewValueName
- GetConnections
- GetWebcam
- k__BackingField
- get_Webcam
- set_Webcam
- webcam
- Webcam
- GetWebcams
- GetPasswords
- SetAuthenticationSuccess
- DoShutdownAction
- k__BackingField
- get_Action
- set_Action
- action
- Action
- DoStartupItemAdd
- k__BackingField
- k__BackingField
- get_Type
- set_Type
- DoUploadFile
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- get_ID
- set_ID
- get_RemotePath
- set_RemotePath
- get_Block
- set_Block
- get_MaxBlocks

- set_MaxBlocks
- get_CurrentBlock
- set_CurrentBlock
- remotepath
- maxblocks
- currentblock
- RemotePath
- CurrentBlock
- GetDesktop
- k__BackingField
- get_Quality
- set_Quality
- quality
- Quality
- GetDirectory
- DoPathDelete
- k__BackingField
- get_PathType
- set_PathType
- pathtype
- PathType
- DoPathRename
- k__BackingField
- get_NewPath
- set_NewPath
- newpath
- NewPath
- DoDownloadFile
- DoDownloadFileCancel
- GetDrives
- GetKeyloggerLogs
- GetStartupItems
- GetSystemInfo
- DoProcessKill
- k__BackingField
- get_PID
- set_PID
- GetMonitors
- DoStartupItemRemove
- DoShellExecute
- k__BackingField
- get_Command
- set_Command
- Command
- DoShowMessageBox
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- get_Caption
- set_Caption
- get_Text
- set_Text
- get_MessageboxButton
- set_MessageboxButton
- get_MessageboxIcon
- set_MessageboxIcon
- caption
- messageboxbutton
- messageboxicon
- Caption
- MessageBoxButton
- MessageBoxIcon
- DoClientUpdate
- k__BackingField
- k__BackingField
- get_DownloadURL

- set_DownloadURL
- get_FileName
- downloadurl
- filename
- DownloadURL
- FileName
- DoUploadAndExecute
- k__BackingField
- get_RunHidden
- set_RunHidden
- runhidden
- RunHidden
- DoVisitWebsite
- k__BackingField
- k__BackingField
- get_URL
- set_URL
- get_Hidden
- set_Hidden
- hidden
- Hidden
- DoMouseEvent
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- get_IsMouseDown
- set_IsMouseDown
- get_MonitorIndex
- set_MonitorIndex
- isMouseDown
- monitorIndex
- IsMouseDown
- MonitorIndex
- DoProcessStart
- k__BackingField
- get_Processname
- set_Processname
- processname
- Processname
- GetProcesses
- DoClientDisconnect
- DoDownloadAndExecute
- DoClientUninstall
- GetAuthentication
- DoClientReconnect
- GetChangeRegistryValueResponse
- xClient.Core.Packets.ClientPackets
- k__BackingField
- k__BackingField
- get_IsError
- set_IsError
- get_ErrorMsg
- set_ErrorMsg
- IsError
- ErrorMsg
- GetConnectionsResponse
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- get_Processes
- set_Processes
- get_LocalAddresses
- set_LocalAddresses

- get_LocalPorts
- set_LocalPorts
- get_RemoteAddresses
- set_RemoteAddresses
- get_RemotePorts
- set_RemotePorts
- get_States
- set_States
- processes
- localaddresses
- localports
- remoteaddresses
- remoteports
- states
- Processes
- LocalAddresses
- LocalPorts
- RemoteAddresses
- RemotePorts
- States
- GetCreateRegistryKeyResponse
- k__BackingField
- get_Match
- set_Match
- GetCreateRegistryValueResponse
- GetDeleteRegistryKeyResponse
- GetDeleteRegistryValueResponse
- GetWebcamResponse
- k__BackingField
- get_Image
- set_Image
- GetWebcamsResponse
- k__BackingField
- get_Webcams
- set_Webcams
- webcams
- Webcams
- GetPasswordsResponse
- k__BackingField
- get_Passwords
- set_Passwords
- Passwords
- GetRegistryKeysResponse
- k__BackingField
- k__BackingField
- set_Matches
- get_RootKey
- set_RootKey
- RootKey
- GetRenameRegistryKeyResponse
- GetRenameRegistryValueResponse
- SetStatusFileManager
- k__BackingField
- k__BackingField
- set_Message
- get_SetLastDirectorySeen
- set_SetLastDirectorySeen
- message
- setLastDirectorySeen
- Message
- SetLastDirectorySeen
- GetDesktopResponse
- GetDirectoryResponse
- k__BackingField
- k__BackingField
- k__BackingField
- get_Files

- set_Files
- get_Folders
- set_Folders
- get_FilesSize
- set_FilesSize
- folders
- filesize
- Folders
- FilesSize
- DoDownloadFileResponse
- k__BackingField
- k__BackingField
- get_Filename
- set_Filename
- get_CustomMessage
- set_CustomMessage
- custommessage
- Filename
- CustomMessage
- GetDrivesResponse
- k__BackingField
- k__BackingField
- get_DriveDisplayName
- set_DriveDisplayName
- get_RootDirectory
- set_RootDirectory
- driveDisplayName
- rootDirectory
- DriveDisplayName
- RootDirectory
- GetKeyloggerLogsResponse
- k__BackingField
- k__BackingField
- get_Index
- set_Index
- get_FileCount
- set_FileCount
- fileCount
- FileCount
- GetProcessesResponse
- k__BackingField
- k__BackingField
- get_IDs
- set_IDs
- get_Titles
- set_Titles
- titles
- Titles
- GetStartupItemsResponse
- k__BackingField
- get_StartupItems
- set_StartupItems
- startupitems
- StartupItems
- GetSystemInfoResponse
- k__BackingField
- get_SystemInfos
- set_SystemInfos
- systeminfos
- SystemInfos
- GetMonitorsResponse
- k__BackingField
- get_Number
- set_Number
- number
- Number
- DoShellExecuteResponse

- k__BackingField
- get_Output
- set_Output
- output
- Output
- SetUserStatus
- SetStatus
- GetAuthenticationResponse
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- k__BackingField
- get_Version
- set_Version
- get_OperatingSystem
- set_OperatingSystem
- get_AccountType
- set_AccountType
- get_Country
- set_Country
- get_CountryCode
- set_CountryCode
- get_Region
- set_Region
- get_City
- set_City
- get_ImageIndex
- set_ImageIndex
- get_Id
- set_Id
- get_PCName
- set_PCName
- get_Tag
- set_Tag
- operatingsystem
- accounttype
- country
- countrycode
- region
- imageindex
- username
- pcname
- OperatingSystem
- AccountType
- Country
- CountryCode
- Region
- ImageIndex
- PCName
- IsNameOrValueNull
- ExtensionAttribute
- GetValueSafe
- defaultValue
- OpenReadOnlySubKeySafe
- OpenWritableSubKeySafe
- CreateSubKey
- CreateSubKeySafe
- DeleteSubKeyTree
- DeleteSubKeyTreeSafe

- RenameSubKeySafe
- CopyKey
- SetValue
- sourceKey
- destKey
- SetValueSafe
- DeleteValue
- DeleteValueSafe
- RenameValueSafe
- CopyValue
- ContainsSubKey
- GetFormattedKeyValues
- GetDefault
- valueKind
- keyVal
- d__15
- <>3__key
- <>8__1
- <>m__Finally1
- System.Collections.Generic.IEnumerator.get_Current
- System.Collections.Generic.IEnumerable.GetEnumerator
- System.Collections.Generic.IEnumerator.Current
- AllocHGlobal
- StructureToPtr
- FreeHGlobal
- IOControl
- IOControlCode
- SetKeepAliveEx
- socket
- keepAliveInterval
- keepAliveTime
- Rfc2898DeriveBytes
- DeriveBytes
- authKey
- ToBase64String
- AesCryptoServiceProvider
- CryptoStream
- HMACSHA256
- ArgumentException
- SymmetricAlgorithm
- set_KeySize
- set_BlockSize
- set_Mode
- CipherMode
- set_Padding
- PaddingMode
- GenerateIV
- CreateEncryptor
- ICryptoTransform
- CryptoStreamMode
- get_IV
- FlushFinalBlock
- HashAlgorithm
- ComputeHash
- set_IV
- CreateDecryptor
- SHA256Managed
- ToUpper
- source
- compressible
- sizeCompressed
- sizeDecompressed
- numbytes
- JpgCompression
- xClient.Core.Compression
- _encoderInfo
- ImageCodecInfo

- _encoderParams
- EncoderParameters
- EncoderParameter
- Encoder
- get_Param
- Compression
- Compress
- targetStream
- GetImageEncoders
- get_MimeType
- GetEncoderInfo
- mimeType
- add_ClientFail
- remove_ClientFail
- add_ClientState
- remove_ClientState
- connected
- add_ClientRead
- remove_ClientRead
- add_ClientWrite
- remove_ClientWrite
- rawData
- set_Connected
- get_Serializer
- set_Serializer
- Connect
- payload
- FirstOrDefault
- RemoveAt
- BUFFER_SIZE
- KEEPALIVETIME
- KEEPALIVEINTERVAL
- HEADER_SIZE
- MAXPACKETSIZE
- ProxyClients
- Connected
- Serializer
- get_Exiting
- set_Exiting
- get_Authenticated
- set_Authenticated
- hostsManager
- Random
- DoEvents
- Exiting
- Authenticated
- TypeData
- xClient.Core.NetSerializer
- TypeID
- TypeSerializer
- WriterMethodInfo
- MethodInfo
- ReaderMethodInfo
- k__BackingField
- typeId
- serializer
- MethodBase
- GetParameters
- ParameterInfo
- writer
- reader
- get_IsGenerated
- get_NeedsInstanceParameter
- set_NeedsInstanceParameter
- IsGenerated
- NeedsInstanceParameter
- CodeGenContext

- m_typeMap
- k__BackingField
- k__BackingField
- typeMap
- get_SerializerSwitchMethodInfo
- set_SerializerSwitchMethodInfo
- get_DeserializerSwitchMethodInfo
- set_DeserializerSwitchMethodInfo
- GetWriterMethodInfo
- GetReaderMethodInfo
- get_TypeMap
- IDictionary`2
- get_IsValueType
- get_IsArray
- get_IsSealed
- CanCallDirect
- GetTypeInfoData
- GetTypeInfoDataForCall
- SerializerSwitchMethodInfo
- DeserializerSwitchMethodInfo
- TypeMap
- Helpers
- ExceptionCtorInfo
- ConstructorInfo
- IObservableEnumerable`1
- FieldInfo
- GetFields
- BindingFlags
- StringComparer
- get_Ordinal
- OrderBy
- IComparer`1
- get_BaseType
- GetFieldInfos
- DynamicMethod
- System.Reflection.Emit
- DefineParameter
- ParameterBuilder
- ParameterAttributes
- GenerateDynamicSerializerStub
- MakeByRefType
- GenerateDynamicDeserializerStub
- GetConstructor
- Binder
- ParameterModifier
- <>9_10
- <>9_11
- FieldAttributes
- b_10
- MemberInfo
- b_11
- ITypeSerializer
- Handles
- GetSubtypes
- IStaticTypeSerializer
- GetStaticMethods
- IDynamicTypeSerializer
- GenerateWriterMethod
- ILGenerator
- GenerateReaderMethod
- Primitives
- s_stringHelper
- ThreadStaticAttribute
- s_emptyByteArray
- GetMethod
- GetWritePrimitive
- GetReaderPrimitive

- EncodeZigZag32
- EncodeZigZag64
- DecodeZigZag32
- DecodeZigZag64
- ReadByte
- EndOfStreamException
- InvalidDataException
- ReadVarint32
- stream
- WriteByte
- WriteVarint32
- ReadVarint64
- WriteVarint64
- WritePrimitive
- ReadPrimitive
- ToBinary
- FromBinary
- get_OffsetToStringData
- GetByteCount
- Decoder
- StringHelper
- BYTEBUFFERLEN
- CHARBUFFERLEN
- m_encoder
- m_decoder
- m_byteBuffer
- m_charBuffer
- k__BackingField
- UTF8Encoding
- get_Encoding
- set_Encoding
- GetEncoder
- get_Encoder
- GetDecoder
- get_Decoder
- get_ByteBuffer
- get_CharBuffer
- ByteBuffer
- CharBuffer
- m_typeIDMap
- m_serializerSwitch
- m_deserializerSwitch
- s_typeSerializers
- m_userTypeSerializers
- rootTypes
- ToDictionary
- userTypeSerializers
- Serialize
- Deserialize
- Stack`1
- get_IsAbstract
- get_IsInterface
- get_ContainsGenericParameters
- GenerateTypeData
- GetILGenerator
- CreateDelegate
- GenerateDynamic
- TryGetValue
- GetTypeID
- SerializerSwitch
- DeserializerSwitch
- <>9_80
- <>9_81
- <>9_82
- <.ctor>b_80
- <.ctor>b_81
- <.ctor>b_82

- <>c_DisplayClass110
- b__0
- b__1
- ArraySerializer
- xClient.Core.NetSerializer.TypeSerializers
- GetArrayRank
- LocalBuilder
- GetElementType
- DefineLabel
- OpCodes
- Ldarg_2
- OpCode
- Brtrue_S
- Ldarg_1
- Ldc/40
- Tailcall
- UInt32
- MarkLabel
- Ldc/41
- DeclareLocal
- Stloc_S
- Ldarg_0
- Ldloc_S
- Ldelem
- Conv_I4
- Ldloca_S
- Ldnull
- Stind_Ref
- Newarr
- Ldelema
- d__1
- <>3__type
- System.Collections.Generic.IEnumerator.get_Current
- System.Collections.Generic.IEnumerable.GetEnumerator
- System.Collections.Generic.IEnumerator.Current
- DictionarySerializer
- get_IsGenericType
- GetGenericTypeDefinition
- GetGenericArguments
- MakeGenericMethod
- GetMethods
- get_ParameterType
- GetGenWriter
- containerType
- genType
- get_IsByRef
- GetGenReader
- MakeGenericType
- MakeArrayType
- <>9_30
- <>9_40
- get_IsGenericMethod
- b_30
- b_40
- EnumSerializer
- get_IsEnum
- GetUnderlyingType
- GenericSerializer
- get_IsSerializable
- ISerializable
- IsAssignableFrom
- get_FieldType
- Ldarga_S
- get_IsClass
- FormatterServices
- Ldtoken
- Castclass

- Ldind_Ref
- Ldflda
- IDeserializationCallback
- Constrained
- Callvirt
- ObjectSerializer
- UInt16
- ICollection`1
- Switch
- Newobj
- Unbox_Any
- obtype
- LocalVariableInfo
- get_LocalIndex
- Ldloca
- PrimitivesSerializer
- s_primitives
- GetSupportedTypes
- UInt64
- Single
- Double
- d__2
- CreateDirectory
- Delete
- GetFileNameWithoutExtension
- GetProcessesByName
- ReadAllBytes
- newFilePath
- WaitForExit
- get_ExitCode
- WaitHandle
- get_LastUserStatus
- set_LastUserStatus
- get_UserName
- WindowsIdentity
- System.Security.Principal
- WindowsPrincipal
- GetCurrent
- IsInRole
- WindowsBuiltInRole
- Stopwatch
- GetTimestamp
- LastUserStatus
- extension
- GetTempPath
- filePath
- WriteAllText
- isFileHidden
- appendText
- System.Text.RegularExpressions
- macAddress
- DriveType
- LastIndexOf
- rawHosts
- scrollDown
- ManagementObjectSearcher
- ManagementObjectCollection
- ManagementObjectEnumerator
- get_OSVersion
- get_Platform
- PlatformID
- op_GreaterThanOrEqual
- ManagementBaseObject
- ManagementObject
- TrimEnd
- get_Is64BitOperatingSystem
- set_FullName

- get_Is64Bit
- set_Is64Bit
- get_RunningOnMono
- set_RunningOnMono
- get_Win32NT
- set_Win32NT
- get_XpOrHigher
- set_XpOrHigher
- get_VistaOrHigher
- set_VistaOrHigher
- get_SevenOrHigher
- set_SevenOrHigher
- get_EightOrHigher
- set_EightOrHigher
- get_EightPointOneOrHigher
- set_EightPointOneOrHigher
- get_TenOrHigher
- set_TenOrHigher
- FullName
- Is64Bit
- RunningOnMono
- Win32NT
- XpOrHigher
- VistaOrHigher
- SevenOrHigher
- EightOrHigher
- EightPointOneOrHigher
- TenOrHigher
- EndsWith
- addQuotes
- GetHdc
- ReleaseHdc
- screenNumber
- Screen
- get_AllScreens
- get_Bounds
- get_HardwareId
- set_HardwareId
- ToDouble
- NetworkInterface
- System.Net.NetworkInformation
- UnicastIPAddressInformation
- GetAllNetworkInterfaces
- GetIPProperties
- IPInterfaceProperties
- get_GatewayAddresses
- GatewayIPAddressInformationCollection
- GatewayIPAddressInformation
- get_NetworkInterfaceType
- NetworkInterfaceType
- get_OperationalStatus
- OperationalStatus
- get_UnicastAddresses
- UnicastIPAddressInformationCollection
- IPAddressInformation
- get_AddressPreferredLifetime
- GetPhysicalAddress
- PhysicalAddress
- HardwareId
- ManagementDateTimeConverter
- ToDateTime
- get_Ticks
- FromTicks
- get_Days
- get_Hours
- get_Minutes
- get_Seconds

- get_MachineName
- IsModifierKeysSet
- pressedKeys
- IsModifierKey
- ContainsKeyChar
- IsExcludedKey
- Predicate`1
- FindAll
- search
- get_GeoInfo
- set_GeoInfo
- get_LastLocated
- set_LastLocated
- get_LocationCompleted
- set_LocationCompleted
- get_UtcNow
- get_TotalMinutes
- HttpWebResponse
- WebRequest
- HttpWebRequest
- set_UserAgent
- set_Proxy
- WebProxy
- set_Timeout
- GetResponse
- WebResponse
- GetResponseStream
- LoadXml
- SelectSingleNode
- get_InnerXml
- GeoInfo
- LastLocated
- LocationCompleted
- get_CurrentPath
- set_CurrentPath
- get_InstallPath
- set_InstallPath
- get_AddToStartupFailed
- set_AddToStartupFailed
- get_ExecutablePath
- CurrentPath
- InstallPath
- AddToStartupFailed
- get_As
- set_As
- get_Lsp
- set_Lsp
- get_Lat
- set_Lat
- get_Lon
- set_Lon
- get_Org
- set_Org
- get_Ip
- set_Ip
- get_RegionName
- set_RegionName
- get_Status
- set_Status
- get_Timezone
- set_Timezone
- get_Zip
- set_Zip
- DataMemberAttribute
- RegionName
- Status
- Timezone

- DataContractAttribute
- get_Hostname
- set_Hostname
- get_IpAddress
- set_IpAddress
- Hostname
- IpAddress
- get_Application
- set_Application
- Semaphore
- ToByte
- GetProcessByld
- get_ProcessName
- AllocCoTaskMem
- pTcpTable
- dwOutBufLen
- ipVersion
- tblClass
- reserved
- GetExtendedTcpTable
- pTcprow
- SetTcpEntry
- CollectionBase
- ImageFormat
- get_Bmp
- Action`1
- SecurityException
- GetExtension
- IsWellFormedUriString
- UriKind
- set_AllowAutoRedirect
- set_Method
- AddRange
- DriveInfo
- get_VolumeLabel
- get_DriveType
- get_DriveFormat
- SetSuspendState
- PowerState
- IPGlobalProperties
- GetIPGlobalProperties
- get_DomainName
- get_SystemDirectory
- get_MainWindowTitle
- set_Verb
- RemoteAddress
- WebClient
- DownloadFile
- WaitOne
- GetFileName
- Release
- MessageBoxButtons
- MessageBoxIcon
- MessageBox
- DialogResult
- MessageBoxDefaultButton
- MessageBoxOptions
- get_IsReady
- formattedKeyValue
- add_NewFrame
- remove_NewFrame
- add_VideoSourceError
- remove_VideoSourceError
- add_PlayingFinished
- remove_PlayingFinished
- get_Source
- get_FramesReceived

- get_BytesReceived
- get_IsRunning
- SignalToStop
- WaitForStop
- Source
- FramesReceived
- BytesReceived
- IsRunning
- eventArgs
- reason
- description
- FilterInfo
- AForge.Video.DirectShow
- IComparable
- k__BackingField
- get_MonikerString
- set_MonikerString
- monikerString
- IMoniker
- moniker
- IBindCtx
- get_GUID
- CreateFilter
- filterMoniker
- GetDisplayName
- GetMonikerString
- BindToStorage
- ThrowExceptionForHR
- GetName
- MonikerString
- category
- get_InnerList
- ArrayList
- IEnumMoniker
- GetTypeFromCLSID
- Activator
- CreateInstance
- ComVisibleAttribute
- get_Values
- ValueCollection
- CopyTo
- videoStreamConfig
- FrameRate
- VideoCaptureDevice
- deviceMoniker
- framesReceived
- bytesReceived
- videoResolution
- snapshotResolution
- provideSnapshots
- thread
- stopEvent
- ManualResetEvent
- videoCapabilities
- snapshotCapabilities
- needToSetVideoInput
- needToSimulateTrigger
- needToDisplayPropertyPage
- needToDisplayCrossBarPropertyPage
- parentWindowForPropertyPage
- sourceObject
- startTime
- isCrossbarAvailable
- Nullable`1
- crossbarVideoInputs
- crossbarVideoInput
- cacheVideoCapabilities

- cacheSnapshotCapabilities
- cacheCrossbarVideoInputs
- NewFrame
- SnapshotFrame
- VideoSourceError
- PlayingFinished
- get_CrossbarVideoInput
- set_CrossbarVideoInput
- get_AvailableCrossbarVideoInputs
- get_ProvideSnapshots
- set_ProvideSnapshots
- add_SnapshotFrame
- remove_SnapshotFrame
- set_Source
- get_DesiredFrameSize
- set_DesiredFrameSize
- get_DesiredSnapshotSize
- set_DesiredSnapshotSize
- get_DesiredFrameRate
- set_DesiredFrameRate
- get_VideoResolution
- set_VideoResolution
- get_SnapshotResolution
- set_SnapshotResolution
- get_VideoCapabilities
- get_SnapshotCapabilities
- get_SourceObject
- EventWaitHandle
- DisplayPropertyPage
- parentWindow
- get_HasValue
- DisplayCrossbarPropertyPage
- CheckIfCrossbarAvailable
- SimulateTrigger
- SetCameraProperty
- property
- controlFlags
- GetCameraProperty
- GetCameraPropertyRange
- minValue
- maxValue
- stepSize
- WorkerThread
- runGraph
- SetResolution
- streamConfig
- InvalidCastException
- GetPinCapabilitiesAndConfigureSizeAndRate
- graphBuilder
- baseFilter
- pinCategory
- resolutionToSet
- capabilities
- FreeCoTaskMem
- ColletCrossbarVideoInputs
- crossbar
- GetCurrentCrossbarInput
- SetCurrentCrossbarInput
- videoInput
- GetPixelFormatSize
- OnNewFrame
- OnSnapshotFrame
- CrossbarVideoInput
- AvailableCrossbarVideoInputs
- ProvideSnapshots
- DesiredFrameSize
- DesiredSnapshotSize

- DesiredFrameRate
- VideoResolution
- SnapshotResolution
- VideoCapabilities
- SnapshotCapabilities
- SourceObject
- Grabber
- parent
- snapshotMode
- height
- set_Width
- set_Height
- SampleCB
- sampleTime
- sample
- get_Stride
- BufferCB
- buffer
- bufferLen
- Height
- GetRange
- Property
- pSteppingDelta
- pDefault
- pCapsFlags
- lValue
- get_PinCounts
- outputPinCount
- inputPinCount
- CanRoute
- outputPinIndex
- inputPinIndex
- get_IsRoutedTo
- get_CrossbarPinInfo
- isInputPin
- pinIndex
- pinIndexRelated
- physicalType
- SuppressUnmanagedCodeSecurityAttribute
- SetFormat
- mediaType
- GetFormat
- GetNumberOfCapabilities
- GetStreamCaps
- streamConfigCaps
- GetCaps
- SetMode
- GetMode
- GetCurrentActualFrameRate
- actualFrameRate
- GetMaxAvailableFrameRate
- dimensions
- maxAvailableFrameRate
- GetFrameRateList
- listSize
- frameRate
- GetClassID
- ClassID
- GetState
- milliSecsTimeout
- filterState
- SetSyncSource
- GetSyncSource
- EnumPins
- enumPins
- FindPin
- QueryFilterInfo

- filterInfo
- JoinFilterGraph
- QueryVendorInfo
- vendorInfo
- SetFiltergraph
- GetFiltergraph
- SetOutputFileName
- fileName
- fileSinkFilter
- FindInterface
- interfaceID
- retInterface
- RenderStream
- compressor
- renderer
- ControlStream
- filter
- startCookie
- stopCookie
- AllocCapFile
- CopyCaptureFile
- oldFileName
- newFileName
- allowEscAbort
- pinDirection
- unconnected
- CreateClassEnumerator
- enumMoniker
- cFilters
- filters
- filtersFetched
- enumFilters
- pinsFetched
- AddFilter
- RemoveFilter
- EnumFilters
- FindFilterByName
- ConnectDirect
- pinOut
- Reconnect
- Disconnect
- SetDefaultSyncSource
- Render
- RenderFile
- playList
- AddSourceFilter
- filterName
- SetLogFile
- ShouldOperationContinue
- AddSourceFilterForMoniker
- bindContext
- ReconnectEx
- RenderEx
- outputPin
- context
- timeout
- get_FilterCollection
- collection
- get_RegFilterCollection
- StopWhenReady
- GetEventHandle
- hEvent
- GetEvent
- IEventCode
- IParam1
- IParam2
- msTimeout

- WaitForCompletion
- pEvCode
- CancelDefaultHandling
- IEvCode
- RestoreDefaultHandling
- FreeEventParams
- SetNotifyWindow
- InstanceData
- SetNotifyFlags
- INoNotifyFlags
- GetNotifyFlags
- IplNoNotifyFlags
- receivePin
- ReceiveConnection
- ConnectedTo
- ConnectionMediaType
- QueryPinInfo
- pinInfo
- QueryDirection
- QueryId
- QueryAccept
- EnumMediaTypes
- QueryInternalConnections
- EndOfStream
- BeginFlush
- EndFlush
- NewSegment
- propertyName
- pErrorLog
- GetTime
- AdviseTime
- baseTime
- streamTime
- pdwAdviseCookie
- AdvisePeriodic
- periodTime
- hSemaphore
- Unadvise
- dwAdviseCookie
- SetOneShot
- oneShot
- SetMediaType
- GetConnectedMediaType
- SetBufferSamples
- bufferThem
- GetCurrentBuffer
- bufferSize
- GetCurrentSample
- SetCallback
- whichMethodToCallback
- GetPages
- pPages
- AMMediaType
- AForge.Video.DirectShow.Internals
- MajorType
- SubType
- FixedSizeSamples
- TemporalCompression
- SampleSize
- FormatType
- unkPtr
- FormatSize
- FormatPtr
- Finalize
- CreateBindCtx
- szUserName
- pchEaten

- MkParseDisplayName
- hwndOwner
- cObjects
- cPages
- lpPageCisID
- dwReserved
- lpvReserved
- OleCreatePropertyFrame
- TValue
- CompilationRelaxationsAttribute
- RuntimeCompatibilityAttribute
- DebuggableAttribute
- DebuggingModes
- AssemblyTitleAttribute
- AssemblyDescriptionAttribute
- AssemblyConfigurationAttribute
- AssemblyCompanyAttribute
- AssemblyProductAttribute
- AssemblyCopyrightAttribute
- AssemblyTrademarkAttribute
- InternalsVisibleToAttribute
- AssemblyFileVersionAttribute
- TargetFrameworkAttribute
- System.Runtime.Versioning
- UnverifiableCodeAttribute
- 3System.Resources.Tools.StronglyTypedResourceBuilder
- 4.0.0.0
- KMicrosoft.VisualStudio.Editors.SettingsDesigner.SettingsSingleFileGenerator
- 12.0.0.0
- Use ToUnicodeEx instead
- \$3C374A42-BAE4-11CF-BF7D-00AA006946EE
- \$3C374A41-BAE4-11CF-BF7D-00AA006946EE
- \$AFA0DC11-C313-11D0-831A-00C04FD5AE38
- \$3C374A40-BAE4-11CF-BF7D-00AA006946EE
- country
- countryCode
- region
- regionName
- status
- timezone
- 2No longer supported. Use AverageFrameRate instead.
- \$C6E13370-30AC-11d0-A18C-00A0C9118956
- \$C6E13380-30AC-11D0-A18C-00A0C9118956
- \$C6E13340-30AC-11d0-A18C-00A0C9118956
- \$6A2E0670-28E4-11D0-A18c-00A0C9118956
- \$56A86895-0AD4-11CE-B03A-0020AF0BA770
- \$93E5A4E0-2D50-11d2-ABFA-00A0C9C6E38D
- \$29840822-5B84-11D0-BD3B-00A0C911CE86
- \$56A86893-0AD4-11CE-B03A-0020AF0BA770
- \$56A86892-0AD4-11CE-B03A-0020AF0BA770
- \$56A8689F-0AD4-11CE-B03A-0020AF0BA770
- \$36B73882-C2C8-11CF-8B46-00805F6CEF60
- \$56A868A9-0AD4-11CE-B03A-0020AF0BA770
- \$56A868B1-0AD4-11CE-B03A-0020AF0BA770
- \$56a868c0-0ad4-11ce-b03a-0020af0ba770
- \$56A86891-0AD4-11CE-B03A-0020AF0BA770
- \$55272A00-42CB-11CE-8135-00AA004BB851
- \$56a86897-0ad4-11ce-b03a-0020af0ba770
- \$6B652FFF-11FE-4FCE-92AD-0266B5D7C78F
- \$0579154A-2B53-4994-B0D0-E773148EFF85
- \$B196B28B-BAB4-101A-B69C-00AA00341D07
- WrapNonExceptionThrows
- Client.Tests
- 1.3.0.0
-).NETFramework,Version=v4.0,Profile=Client
- FrameworkDisplayName
- .NET Framework 4 Client Profile

- [illegible]

UTF-8 Strings

No detected.

UTF-16LE Strings

- information
- 3L3H3P3
- %\$0)*;<+@0A3E4G8!J;K>MA[M[_^bfjglpmsstt
- #"&=CBDBMLPOQOROUTVTWXTYTZT[T\T`abcdegfihjhyz
- xClient.Properties.Resources
- information
- zN6aXeB5YisAyaeAiQsLISMK8YdMbFfZ3jWRYuzvWt+jfcf185ZDudQzKxeIRwMdf/lt+r9kaB5NAUw36TRw==
- Z6HgpqOU5Tkhw12A9yQWktjZB Gg2hMLShvm3sX5YawDKtjhm5uurG0cSCF+11DuX2Wlq8r8GDgNr4MZtMVRyyl/rUv299uwPHYxqOgtLg=
- 0vBfddtBaFhANi6EbAHP8A==
- 49FIOC8Kup/PcDUwmlbg7R7Mkere5luyKUD/knYwHgLSZ1D6Am3zk6uK7/tzFxdI76Vl5bOelqPO9qSZINDDA==
- 3orf9cxfOGFFa79SGnZNSptPZs4qollLkLiGtqchcBhwC1PRnLnkdnG2DgPsj5a93nAyuMeNW2dF4RqmbSw6hw==
- rKJQm3yWv3kTshU8plU6xrp+Kv5Ap+vwm+URNVV50koaY/opQqXLO9NDH+Zxv7tyCXZSLBjXEBufvs7Fp1L4Ew==
- pob65o4QS3SneCpXh8j9nPTA54+4bm20plFDXGfnrDU5cDJE2yAdobMYZgk9h0OxtVQrfb3Y/zvzGz5hBFLTJV3iXLJde86g1hmFATwM/w=
- /K+pDmANCDExbrfXlUBWEGayhbyvE2Rpz0O0iXtDjkQnAxdurK4P9tWt0iiXnyVtrUtyZ4dju068KFRaBUIMQVgghjYyYlDoo0kaXdJPCw=
- gj45F7l9UftmOOGvZded
- wxUWd+Ybsq5w64uKiXAe5M6MXBOl0l3EWUIG/ag6Ha/BYDrZEyoZ07cJfbIz06llokWCFHRVLG546mR1Zu7A==
- S2A1qzgmtKlgCfxdeKANlbWlBig+eh2sv5sXPSWfG7BID0i50BdvpiErFlw7Zw72WSOeePE3E3fzTXmnkdQ==
- The value must be between 0 and 255.
- Access denied
- File not found
- Path is too long
- negative length
- BlockNumber bigger than MaxBlocks
- Directory not found
- Unable to read from File Stream
- Unable to write to File Stream
- Must have access to Write in the Stream
- PixelFormat is not equal to previous Bitmap
- Bitmap width/height are not equal to previous bitmap

- >> New Session created
- session unexpectedly closed
- {0}>> Session unexpectedly closed{0}
-

[
•]

- - {0}

- [{0}
- Return
- Escape
- [Enter]
- [Esc]
- [
• MM-dd-yyyy
- Log created on
- dd.MM.yyyy HH:mm
-

-
- You do not have write access to registry:
- , try running client as administrator
- New Key #{0}
- Cannot create key: Error writing to the registry
- The registry:
- does not exist in:
- Cannot delete key: Error writing to the registry
- Cannot rename key: Error writing to the registry
- New Value #{0}
- Cannot create value: Error writing to the registry
- The value:
- Cannot delete value: Error writing to the registry
- Cannot rename value: Error writing to the registry
- Cannot change value: Error writing to the registry
- HKEYCLASSESROOT
- HKEYCURRENTUSER
- HKEYLOCALMACHINE
- HKEYUSERS
- HKEYCURRENTCONFIG
- *Invalid rootkey, could not be found.*
- *Unable to open root registry key, you do not have the needed permissions.*
- *Could not open root registry keys, you may not have the needed permission*
- ({0}:{1})
- ({0}:{1}:{2})
- *logins*
- *originurl*
- *usernamevalue*
- *passwordvalue*
- *cookies*
- *hostkey*
- *encryptedvalue*
- *expiresutc*
- *lastaccessutc*
- *secure*
- *httponly*
- *hasexpired*
- *persistent*
- *priority*
- Domain: {1}{0}Cookie Name: {2}{0}Value: {3}{0}Path: {4}{0}Expired: {5}{0}HttpOnly: {6}{0}Secure: {7}
- SQLite format 3
- Not a valid SQLite 3 Database File
- Auto-vacuum capable database is not supported
- UNIQUE

- Google\Chrome\User Data\Default\Login Data
- Chrome
- Google\Chrome\User Data\Default\Cookies
- Firefox is not installed, or the install path could not be located
- Firefox does not have any profiles, has it ever been launched?
- logins.json
- Firefox does not have any logins.json file
- cookies.sqlite
- Firefox does not have any cookie file
- Firefox
- mozcookies
- *Could not read cookie table*
- *isSecure*
- *expiry*
- *firefox.exe*
- 35.0.0
- *msvcr100.dll*
- *msvcp100.dll*
- *msvcr120.dll*
- *msvcp120.dll*
- *mozglue.dll*
- *nss3.dll*
- *NSSInit*
- \Mozilla\Firefox\Profiles
- Firefox Application Data folder does not exist!
- No Firefox profiles could be found
- No Firefox logins.json was found
- SOFTWARE\Mozilla\Mozilla Firefox
- SOFTWARE\Wow6432Node\Mozilla\Mozilla Firefox
- No installs of firefox recorded in its key.
- Install Directory
- Install string was null or empty
- libPath
- LastWin32Error
- can't load DLL
- *PK11GetInternalKeySlot*
- *PK11Authenticate*
- *NSSBase64DecodeBuffer*
- *PK11SDRDecrypt*
- User: {0}{3}Pass: {1}{3}Host: {2}
- InternetExplorer
- Software\Microsoft\Internet Explorer\IntelliForms\Storage2
- {0:X2}
- Opera Software\Opera Stable\Login Data
- Opera Software\Opera Stable\Cookies
- Yandex\YandexBrowser\User Data\Default\Login Data
- Yandex
- Yandex\YandexBrowser\User Data\Default\Cookies
- FileZilla
- {0}\FileZilla\recentservers.xml
- {0}\FileZilla\sitemanager.xml
- SOFTWARE\Martin Prikyr\WinSCP 2\Sessions
- HostName
- UserName
- Password
- PublicKeyFile
- PortNumber
- [PRIVATE KEY LOCATION: "{0}"]
- WinSCP
- ABCDEF
- {0}{1}
- Key can not be empty.
- Input can not be empty.
- C# version only supports level 1 and 3
- image/jpeg
- no bytes transferred
- invalid header

- Serialize
- serializer
- stream
- Deserialize
- WritePrimitive
- ReadPrimitive
- TypeSerializers have to implement IDynamicTypeSerializer or IStaticTypeSerializer
- Type {0} contains generic parameters
- No serializer for {0}
- Unknown type {0}
- Multi-dim arrays not supported: {0}
- Type {0} is not marked as Serializable
- Cannot serialize {0}: ISerializable not supported
- GetTypeFromHandle
- GetUninitializedObject
- OnDeserialization
- GetTypeId
- Could not create uninstall-batch file
- Uninstallation failed: {0}
- no pe file
- Could not create update batch file.
- Update failed: {0}
- schtasks
- /create /tn "
- " /sc ONLOGON /tr "
- " /rl HIGHEST /f
- Software\Microsoft\Windows\CurrentVersion\Run
- /delete /tn "
- Unknown
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
- :Zone.Identifier
- @echo off
- chcp 65001
- echo DONT CLOSE THIS WINDOW!
- ping -n 10 localhost > nul
- del /a /q /f "
- rmdir /q /s "
- del /a /q /f "
- move /y "
- start "" "
- @echo off
- chcp 65001
- echo DONT CLOSE THIS WINDOW!
- ping -n 10 localhost > nul
- start "" "
- (.{2})(.{2})(.{2})(.{2})(.{2})(.{2})
- \$1:\$2:\$3:\$4:\$5:\$6
- 00:00:00:00:00:00
- Local Disk
- Network Drive
- Removable Drive
- {0}x{1}
- Screen-saver
- Mono.Runtime
- Unknown OS
- SELECT Caption FROM Win32OperatingSystem
- Caption
- ^.*(?=Windows)
- {0} {1} Bit
- DISPLAY
- SELECT * FROM Win32BIOS
- Manufacturer
- SELECT * FROM Win32BaseBoard
- SerialNumber
- SELECT * FROM Win32Processor
- Select * From Win32ComputerSystem
- TotalPhysicalMemory

- *SELECT * FROM Win32DisplayConfiguration*
- Description
- *SELECT * FROM Win32OperatingSystem WHERE Primary='true'*
- *LastBootUpTime*
- *{0}d : {1}h : {2}m : {3}s*
- *Getting uptime failed*
- *root\SecurityCenter*
- *root\SecurityCenter2*
- *SELECT * FROM AntivirusProduct*
- *displayName*
- *SELECT * FROM FirewallProduct*
- *"*
- *'*
-
- *ControlKey*
- *Control*
- *catalonia*
- *england*
- *europeanunion*
- *scotland*
- *http://ip-api.com/json/*
- *Mozilla/5.0 (Windows NT 6.3; rv:48.0) Gecko/20100101 Firefox/48.0*
- *http://freegeoip.net/xml/*
- *Response//IP*
- *Response//CountryName*
- *Response//CountryCode*
- *Response//RegionName*
- *Response//City*
- *Response//TimeZone*
- *http://api.ipify.org/*
- *PID: {0}*
- *Adding to startup failed.*
- *No executable file*
- *Updating...*
- *Uninstalling... bye ;(*
- *GetDirectory No permission*
- *GetDirectory Path too long*
- *GetDirectory Directory not found*
- *GetDirectory File not found*
- *GetDirectory I/O error*
- *GetDirectory Failed*
- *canceled*
- *Canceled*
- *Deleted directory*
- *Deleted file*
- *DeletePath No permission*
- *DeletePath Path too long*
- *DeletePath Path not found*
- *DeletePath I/O error*
- *DeletePath Failed*
- *Renamed directory*
- *Renamed file*
- *RenamePath No permission*
- *RenamePath Path too long*
- *RenamePath Path not found*
- *RenamePath I/O error*
- *RenamePath Failed*
- *Downloading file...*
- *Executed File!*
- *Execution failed: {0}*
- *http://*
- *Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_3) AppleWebKit/537.75.14 (KHTML, like Gecko) Version/7.0.3 Safari/7046A194A*
- *Visited Website*
- *Showed Messagebox*
- *{0}{4}{1}{4}{2}{4}{3}*
- *StreamCodec can not be null.*
- *GetDrives I/O error*

- *GetDrives No permission*
- *GetDrives No drives*
- *{0} [{1}, {2}]*
- *{0} ({1}) [{2}, {3}]*
- */s /t 0*
- *shutdown*
- */r /t 0*
- *Action failed: {0}*
- *SOFTWARE\Microsoft\Windows\CurrentVersion\Run*
- *SOFTWARE\Microsoft\Windows\CurrentVersion\RunOnce*
- *SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Run*
- *SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\RunOnce*
- *Getting Autostart Items failed: {0}*
- *Could not add value*
- *Only on 64-bit systems supported*
- *[InternetShortcut]*
- *URL=file:///*
- *IconIndex=0*
- *IconFile=*
- *Adding Autostart Item failed: {0}*
- *Could not remove value*
- *File does not exist*
- *Removing Autostart Item failed: {0}*
- *Processor (CPU)*
- *Memory (RAM)*
- *{0} MB*
- *Video Card (GPU)*
- *Username*
- *PC Name*
- *Domain Name*
- *Host Name*
- *System Drive*
- *System Directory*
- *Uptime*
- *MAC Address*
- *LAN IP Address*
- *WAN IP Address*
- *Antivirus*
- *Firewall*
- *Time Zone*
- *Country*
- *Process could not be started!*
- */k START "" "*
- *" & EXIT*
- *User refused the elevation request.*
- *Process already elevated.*
- *Download failed!*
- *Downloaded File!*
- *Execution failed!*
- *desktop.ini*
- *FriendlyName*
- *Failed creating device enumerator*
- *No devices of the category*
- *videoStreamConfig*
- *This video device does not report capabilities.*
- *Unable to retrieve video device capabilities. This video device requires a larger VideoStreamConfigCaps structure.*
- *Unsupported format found.*
- *Video source is not specified.*
- *Failed creating device object for moniker.*
- *The video source does not support configuration property page.*
- *The video source must be running in order to display crossbar property page.*
- *Crossbar configuration is not supported by currently running video source.*
- *The video source does not support camera control.*
- *Failed creating capture graph builder*
- *Failed creating filter graph*
- *Failed creating device object for moniker*
- *Failed creating sample grabber*

- *source*
- *grabbervideo*
- grabber_snapshot
- Cannot create key: Error writing to the registry
- Cannot delete key: Error writing to the registry
- Cannot rename key: Error writing to the registry
- Cannot create value: Error writing to the registry
- Cannot delete value: Error writing to the registry
- Cannot rename value: Error writing to the registry
- Cannot change value: Error writing to the registry
- Software\Microsoft\Internet Explorer\IntelliForms\Storage2
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
- VSVERSIONINFO
- VarFileInfo
- Translation
- StringFileInfo
- 000004b0
- Comments
- CompanyName
- FileDescription
- FileVersion
- 1.3.0.0
- InternalName
- Client.exe
- LegalCopyright
- LegalTrademarks
- OriginalFilename
- Client.exe
- ProductName
- ProductVersion
- 1.3.0.0
- Assembly Version
- 1.3.0.0

Extracted URLs

- <http://schemas.microsoft.com/SMI/2005/WindowsSettings>
- <http://ip-api.com/json/>
- <http://freegeoip.net/xml/>
- <http://api.ipify.org/>

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 6.43
- **Status:** This file is likely packed or encrypted.

VirusTotal Analysis

Scan Date: 2025-02-08 19:28:53

Scan Results

- Malicious: 62
- Suspicious: 0
- Undetected: 9
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 4

Community Votes

- Harmless: 0
- Malicious: 3

Detailed Engine Results

Engine Name	Detection Category	Detection
Bkav	malicious	W32.AIDetectMalware.CS
Lionic	malicious	Trojan.MSIL.Agent.mCnJ
Elastic	malicious	Windows.Trojan.Quasarat
MicroWorld-eScan	malicious	Generic.MSIL.PasswordStealerA.61833FC1
CTX	malicious	exe.trojan.msil
CAT-QuickHeal	malicious	Trojan.Quasarat.S34876081
Skyhigh	malicious	BehavesLike.Win32.Generic.fh
McAfee	malicious	PWS-FCO!F605752FAD4E
Zillya	malicious	Trojan.Agent.Win32.1054848
CrowdStrike	malicious	win/malicious <i>confidence</i> 100% (W)
Alibaba	malicious	Backdoor.MSIL/Quasar.b4b0e849
K7GW	malicious	Trojan (00521dab1)
K7AntiVirus	malicious	Trojan (00521dab1)
Arcabit	malicious	Generic.MSIL.PasswordStealerA.61833FC1
VirIT	malicious	Trojan.Win32.MSIL <i>Heur.B</i>
Symantec	malicious	Trojan.Gen.MBT
ESET-NOD32	malicious	a variant of MSIL/Spy.Agent.AES
Paloalto	malicious	generic.ml
ClamAV	malicious	Win.Packed.Generic-9829635-0
Kaspersky	malicious	Trojan.MSIL.Agent.foww
BitDefender	malicious	Generic.MSIL.PasswordStealerA.61833FC1
NANO-Antivirus	malicious	Trojan.Win32.FCO!kvnevI
SUPERAntiSpyware	malicious	Trojan.Agent/Gen-PasswordStealer
Avast	malicious	MSIL:Rat-B [Trj]
Tencent	malicious	Trojan.Msil.Agent.zc
Emsisoft	malicious	Generic.MSIL.PasswordStealerA.61833FC1 (B)
F-Secure	malicious	Trojan:w32/QuasarRAT.A1
DrWeb	malicious	Trojan.DownLoader27.59888
VIPRE	malicious	Generic.MSIL.PasswordStealerA.61833FC1
TrendMicro	malicious	TSPYTINCLEX.SM1
McAfeeD	malicious	Real Protect-LS!F605752FAD4E
SentinelOne	malicious	Static AI - Malicious PE
Trampoline	malicious	malicious.moderate.ml.score
Sophos	malicious	ATK/Zaquar-D
Ikarus	malicious	Backdoor.QuasarRat
FireEye	malicious	Generic.mg.f605752fad4e292c
Jiangmin	malicious	Trojan.Generic.ajfvk
Webroot	malicious	W32.Malware.Gen
Varist	malicious	W32/MSIL <i>Mintluks.A.gen!Eldorado</i>
Avira	malicious	HEUR/AGEN.1307329
Antiy-AVL	malicious	Trojan/MSIL.Agent

Engine Name	Detection Category	Detection
Kingsoft	malicious	malware.kb.c.1000
Gridinsoft	malicious	Backdoor.Win32.Quasar.tr
Xcitium	malicious	Malware@#37k3y40998dib
Microsoft	malicious	Backdoor:MSIL/Quasar.GG!MTB
GData	malicious	MSIL.Backdoor.Quasar.D
AhnLab-V3	malicious	Trojan/Win32.Subti.R285137
VBA32	malicious	Trojan.MSIL.Quasar.Heur
ALYac	malicious	Generic.MSIL.PasswordStealerA.61833FC1
Malwarebytes	malicious	Generic.Malware.AI.DDS
Panda	malicious	Trj/CIA
TrendMicro-HouseCall	malicious	TSPYTINCLEX.SM1
Rising	malicious	Backdoor.xRAT!1.D01D (CLASSIC)
huorong	malicious	TrojanSpy/Agent.cq
MaxSecure	malicious	Trojan.Malware.300983.susgen
Fortinet	malicious	MSIL/Emotet.5C62!tr
AVG	malicious	MSIL:Rat-B [Trj]
alibabacloud	malicious	Backdoor:MSIL/Quasar.server