

Malware Analysis Report For elf-Linux-lib-x86

Binary Type

ELF (Executable and Linkable Format). (Approved)

Analyzing File

- **File Name:** elf-Linux-lib-x86
 - **File Extension:** .so
 - **File Type:** ELF (Executable and Linkable Format).
 - **MD5 Hash:** df9fd3ec63ac207b9fa193b8dcea7eb7
 - **SHA256 Hash:** 5d86e0aec4d7ba2e1c043848aaa143178073675a21a93259d4ff81dd963d1da6
-

File Identification

File detected as a valid Linux executable.

ELF File Analysis

ELF File Analysis: True

ELF File Imports

- libpthread.so.0
- libpixman-1.so.0
- libfontconfig.so.1
- libfreetype.so.6
- libEGL.so.1
- libdl.so.2
- libpng15.so.15
- libXrender.so.1
- libX11.so.6
- libXext.so.6
- libz.so.1
- libGL.so.1
- librt.so.1
- libm.so.6
- libc.so.6

ELF File Exports

No Exported functions were found.

String Analysis

ASCII Strings

- U;!=G
- ~/ WRG
- K5To+I
- **gmon_start**
- *ITM*deregisterTMCloneTable
- *ITM*registerTMCloneTable
- _cxafinalize
- JvRegisterClasses
- _assertfail
- malloc
- sincos
- realloc
- memcpy
- memset
- _longjmpchk
- _setjmp
- _fprintfchk
- stderr
- cairo_create
- cairo_reference
- cairo_destroy
- cairogetuser_data
- cairosetuser_data
- cairogetreference_count
- cairo_save
- cairo_restore
- *cairopushgroupwithcontent*
- *cairopushgroup*
- *cairopopgroup*
- cairosetoperator
- cairosetsource_rgb
- cairosetsource_rgba
- cairosetsource_surface
- cairosetsource
- *cairopopgrouptosource*
- *cairogetsource*
- cairosettolerance
- cairosetantialias
- cairosetfill_rule
- cairosetline_width
- cairosetline_cap
- cairosetline_join
- cairosetdash
- *cairogetdash_count*
- *cairogetdash*
- *cairosetmiter_limit*
- cairo_translate
- cairo_scale
- cairo_rotate
- cairo_transform
- *cairosetmatrix*

- *cairoidentitymatrix*
- *cairouser_to_device*
- *cairouser_to_device_distance*
- *cairodevice_to_user*
- *cairodevice_to_user_distance*
- *caironewpath*
- *caironewsub_path*
- *caiomoveto*
- *cairolineto*
- *cairocurveto*
- *cairo_arc*
- *cairoarcnegative*
- *cairorelmove_to*
- *cairorelline_to*
- *cairorelcurve_to*
- *cairo_rectangle*
- *cairoclosepath*
- *cairopathextents*
- *cairo_paint*
- *cairopaintwith_alpha*
- *cairo_mask*
- *caiomasksurface*
- *cairo_stroke*
- *cairostrokepreserve*
- *cairo_fill*
- *cairofillpreserve*
- *cairocopypage*
- *cairoshowpage*
- *cairoinstroke*
- *cairoinfill*
- *cairostrokeextents*
- *cairofillextents*
- *cairo_clip*
- *cairoclippreserve*
- *cairoresetclip*
- *cairoclipextents*
- *cairoinclip*
- *cairocopycliprectanglelist*
- *cairoselectfont_face*
- *cairofontextents*
- *cairosetfont_face*
- *cairogetfont_face*
- *cairosetfont_size*
- *cairosetfont_matrix*
- *cairogetfont_matrix*
- *cairosetfont_options*
- *cairogetfont_options*
- *cairosetscaled_font*
- *cairogetscaled_font*
- *cairoglyphextents*

- `cairoshowglyphs`
- `cairoshowtext_glyphs`
- `strlen`
- `cairoglyphpath`
- `cairogetoperator`
- `cairogettolerance`
- `cairogetantialias`
- `cairohascurrent_point`
- `cairogetcurrent_point`
- `cairotextpath`
- `cairotextextents`
- `cairogetfill_rule`
- `cairogetline_width`
- `cairogetline_cap`
- `cairogetline_join`
- `cairogetmiter_limit`
- `cairogetmatrix`
- `cairogettarget`
- `cairoshowtext`
- `cairogetgroup_target`
- `cairocopypath`
- `cairocopypath_flat`
- `cairoappendpath`
- `cairo_status`
- `memcmp`
- `fwrite`
- `cairorectanglelist_destroy`
- `cairodebugresetstaticdata`
- `putchar`
- `pthreadmutexattrinit`
- `pthreadmutexattrsettype`
- `pthreadmutexinit`
- `pthreadmutexattrdestroy`
- `cairodevicereference`
- `cairodevicestatus`
- `cairodeviceget_type`
- `pthreadmutexunlock`
- `cairodevicerelease`
- `pthreadmutexlock`
- `cairodeviceacquire`
- `cairodeviceflush`
- `cairodevicefinish`
- `pthreadmutexdestroy`
- `cairodevicedestroy`
- `cairodevicegetreferencecount`
- `cairodevicegetuserdata`
- `cairodevicesetuserdata`
- `cairofontface_reference`
- `cairofontface_destroy`
- `cairofontface_gettype`

- `cairofontfacegetreference_count`
- `cairofontface_status`
- `cairofontfacegetuser_data`
- `cairofontfacesetuser_data`
- `strncmp`
- `strtol`
- `cairofontoptions_create`
- `cairofontoptions_copy`
- `cairofontoptions_destroy`
- `cairofontoptions_status`
- `cairofontoptions_merge`
- `cairofontoptions_equal`
- `cairofontoptions_hash`
- `cairofontoptionssetantialias`
- `cairofontoptionsgetantialias`
- `cairofontoptionssetsubpixel_order`
- `cairofontoptionsgetsubpixel_order`
- `cairofontoptionssethint_style`
- `cairofontoptionsgethint_style`
- `cairofontoptionssethint_metrics`
- `cairofontoptionsgethint_metrics`
- `calloc`
- `pixmanimagecomposite32`
- `pixmanimageunref`
- `pixman_blt`
- `pixmanglyphcache_freeze`
- `pixmanglyphcache_lookup`
- `pixmanglyphcache_insert`
- `pixmanglyphgetmaskformat`
- `pixmancompositегlyphs`
- `pixmanglyphcache_thaw`
- `pixmancompositегlyphsnomask`
- `pixmanglyphcache_create`
- `pixmanimageget_data`
- `pixman_fill`
- `pixmanimagesetclipregion32`
- `pixmanimagecreate_bits`
- `pixmanimageget_stride`
- `pixmanimagesetdestroyfunction`
- `pixmanrasterizetrapezoid`
- `pixmanaddtriangles`
- `pixmanglyphcache_remove`
- `pixmanimageset_transform`
- `pixmanimageset_filter`
- `pixmanimageset_repeat`
- `pixmanimagesetcomponentalpha`
- `pixmanimagecreatesolidfill`
- `pixmanimagecreateradialgradient`
- `pixmanimagecreatelineargradient`
- `pixmanimageref`

- `pixmanimageget_width`
- `pixmanimageget_height`
- `pixmanimageget_depth`
- `pixmanformatsupported_destination`
- `cairoimagesurface_create`
- `cairoimagesurfacegetdata`
- `cairoimagesurfacegetformat`
- `cairoimagesurfacegetwidth`
- `cairoimagesurfacegetheight`
- `cairoimagesurfacegetstride`
- `cairoformatstrideforwidth`
- `cairoimagesurfacecreatefor_data`
- `caiomatrixinit_identity`
- `caiomatrixinit`
- `caiomatrixinit_translate`
- `caiomatrixinit_scale`
- `caiomatrixinit_rotate`
- `caiomatrixmultiply`
- `caiomatrixrotate`
- `caiomatrixscale`
- `caiomatrixtranslate`
- `caiomatrixtransform_distance`
- `caiomatrixtransform_point`
- `caiomatrixinvert`
- `pixmantransformpoint_3d`
- `pixmanregion32rectangles`
- `cairostatusto_string`
- `cairoglyphallocate`
- `cairoglyphfree`
- `cairotextcluster_allocate`
- `cairotextcluster_free`
- `fflush`
- `ferror`
- `fclose`
- `localeconv`
- `_snprintfchk`
- `memmove`
- `_memcpychk`
- `fopen64`
- `_ermolocation`
- `cairopathdestroy`
- `cairopatterncreate_rgba`
- `cairopatterncreate_rgb`
- `cairopatterncreateforsurface`
- `cairopatterncreate_linear`
- `cairopatterncreate_radial`
- `cairopatterncreate_mesh`
- `cairopatternreference`
- `cairopatternget_type`
- `cairopatternstatus`

- *cairopatterndestroy*
- *cairopatterngetreferencecount*
- *cairopatterngetuserdata*
- *cairopatternsetuserdata*
- *cairomeshpatternbeginpatch*
- *cairomeshpatternmoveto*
- *cairomeshpatterncurveto*
- *cairomeshpatternlineto*
- *cairomeshpatternendpatch*
- *cairomeshpatternsetcontrol_point*
- *cairomeshpatternsetcornercolorrgba*
- *cairomeshpatternsetcornercolorrgb*
- *cairopatternaddcolorstop_rgba*
- *cairopatternaddcolorstop_rgb*
- *cairopatternset_matrix*
- *cairopatternget_matrix*
- *cairopatternset_filter*
- *cairopatternget_filter*
- *cairopatternset_extend*
- *cairopatternget_extend*
- *cairopatternget_rgba*
- *cairopatternget_surface*
- *cairopatterngetcolorstop_rgba*
- *cairopatterngetcolorstop_count*
- *cairopatterngetlinearpoints*
- *cairopatterngetradialcircles*
- *cairomeshpatterngetpatch_count*
- *cairomeshpatterngetpath*
- *cairomeshpatterngetcornercolorrgba*
- *cairomeshpatterngetcontrol_point*
- *_printfchk*
- *cairopatterncreaterastersource*
- *caiorastersourcepatternsetcallbackdata*
- *caiorastersourcepatterngetcallbackdata*
- *caiorastersourcepatternset_acquire*
- *caiorastersourcepatternget_acquire*
- *caiorastersourcepatternset_snapshot*
- *caiorastersourcepatternget_snapshot*
- *caiorastersourcepatternset_copy*
- *caiorastersourcepatternget_copy*
- *caiorastersourcepatternset_finish*
- *caiorastersourcepatternget_finish*
- *cairorecordingsurface_create*
- *cairorecordingsurfaceinkextents*
- *cairorecordingsurfacegetextents*
- *pixmanregion32init*
- *pixmanregion32init_rect*
- *pixmanregion32fini*
- *cairoregioncreate*
- *pixmanregion32init_rects*

- `cairoregioncreate_rectangles`
- `cairoregioncreate_rectangle`
- `cairoregionreference`
- `cairoregiondestroy`
- `pixmanregion32copy`
- `cairoregioncopy`
- `pixmanregion32n_rects`
- `cairoregionnum_rectangles`
- `cairoregionget_rectangle`
- `pixmanregion32extents`
- `cairoregionget_extents`
- `cairoregionstatus`
- `pixmanregion32subtract`
- `cairoregionsubtract`
- `cairoregionsubtract_rectangle`
- `pixmanregion32intersect`
- `cairoregionintersect`
- `cairoregionintersect_rectangle`
- `pixmanregion32union`
- `cairoregionunion`
- `cairoregionunion_rectangle`
- `cairoregionxor`
- `cairoregionxor_rectangle`
- `pixmanregion32not_empty`
- `cairoregionis_empty`
- `pixmanregion32translate`
- `cairoregiontranslate`
- `pixmanregion32contains_rectangle`
- `cairoregioncontains_rectangle`
- `pixmanregion32contains_point`
- `cairoregioncontains_point`
- `pixmanregion32equal`
- `cairoregionequal`
- `cairoscaledfontgettype`
- `cairoscaledfont_status`
- `cairoscaledfont_reference`
- `cairoscaledfont_destroy`
- `cairoscaledfont_create`
- `cairoscaledfontgetreference_count`
- `cairoscaledfontgetuser_data`
- `cairoscaledfontsetuser_data`
- `cairoscaledfont_extents`
- `cairoscaledfonttextto_glyphs`
- `cairoscaledfontglyphextents`
- `cairoscaledfonttextextents`
- `cairoscaledfontgetfont_face`
- `cairoscaledfontgetfont_matrix`
- `cairoscaledfontgetctm`
- `cairoscaledfontgetscale_matrix`
- `cairoscaledfontgetfont_options`

- `cairo_surface_get_type`
- `cairo_surface_get_content`
- `cairo_surface_status`
- `cairo_surface_get_device`
- `cairo_surface_reference`
- `cairo_surface_get_reference_count`
- `cairo_surface_get_user_data`
- `cairo_surface_set_user_data`
- `strcmp`
- `cairo_surface_get_mime_data`
- `cairo_surface_set_mime_data`
- `cairo_surface_supports_mime_type`
- `cairo_surface_get_font_options`
- `cairo_surface_destroy`
- `cairo_surface_finish`
- `cairo_surface_flush`
- `cairo_surface_mark_dirty_rectangle`
- `cairo_surface_set_device_offset`
- `cairo_surface_get_device_offset`
- `cairo_surface_set_fallback_resolution`
- `cairo_surface_get_fallback_resolution`
- `cairo_surface_unmap_image`
- `cairo_surface_copy_page`
- `cairo_surface_show_page`
- `cairo_surface_mark_dirty`
- `cairo_surface_has_show_text_glyphs`
- `cairo_surface_map_to_image`
- `cairo_surface_create_similar_image`
- `cairo_surface_create_similar`
- `cairo_surface_create_observer`
- `cairo_surface_observer_add_paint_callback`
- `cairo_surface_observer_add_mask_callback`
- `cairo_surface_observer_add_fill_callback`
- `cairo_surface_observer_add_stroke_callback`
- `cairo_surface_observer_add_glyphs_callback`
- `cairo_surface_observer_add_flush_callback`
- `cairo_surface_observer_add_finish_callback`
- `cairo_surface_observer_print`
- `cairo_surface_observer_elapsed`
- `cairo_device_observer_print`
- `cairo_device_observer_elapsed`
- `cairo_device_observer_paint_elapsed`
- `cairo_device_observer_mask_elapsed`
- `cairo_device_observer_fill_elapsed`
- `cairo_device_observer_stroke_elapsed`
- `cairo_device_observer_glyph_elapsed`
- `cairo_surface_create_for_rectangle`
- `clock_gettime`
- `__strdup`
- `cairo_to_font_face_create`

- `cairotoyfontfaceget_family`
- `cairotoyfontfaceget_slant`
- `cairotoyfontfaceget_weight`
- `cairouserfontfacecreate`
- `cairouserfontfacesetinitfunc`
- `cairouserfontfacesetrenderglyph_func`
- `cairouserfontfacesettexttoglyphsfunc`
- `cairouserfontfacesetunicodetoglyphfunc`
- `cairouserfontfacegetinitfunc`
- `cairouserfontfacegetrenderglyph_func`
- `cairouserfontfacegettexttoglyphsfunc`
- `cairouserfontfacegetunicodetoglyphfunc`
- `cairo_version`
- `cairoversionstring`
- `strchr`
- `_strncpychk`
- `strncpy`
- `strcpy`
- `sscanf`
- `_ctypeb_loc`
- `deflate`
- `deflateEnd`
- `deflateInit_`
- `XSetErrorHandler`
- `XRenderQueryVersion`
- `getenv`
- `strstr`
- `XAddExtension`
- `XESetCloseDisplay`
- `XRenderFindFormat`
- `XRenderFindStandardFormat`
- `cairoxlibdevicedebugcapxrenderversion`
- `cairoxlibdevicedebugset_precision`
- `cairoxlibdevicedebugget_precision`
- `XCopArea`
- `XFillRectangle`
- `XChangeGC`
- `XRenderFreeGlyphSet`
- `XRenderFreeGlyphs`
- `XExtendedMaxRequestSize`
- `XMaxRequestSize`
- `XRenderCompositeTriStrip`
- `XRenderComposite`
- `XSetClipRectangles`
- `XSetClipMask`
- `XRenderSetPictureClipRectangles`
- `XRenderChangePicture`
- `XRenderFillRectangles`
- `XRenderFillRectangle`
- `XRenderCompositeTrapezoids`
- `XRenderCompositeText32`

- XRenderCompositeText16
- XRenderCompositeText8
- XRenderAddGlyphs
- XRenderCreateGlyphSet
- XGetDefault
- FcNameConstant
- XFreeGC
- XCreateGC
- XScreenNumberOfScreen
- XRenderQuerySubpixelOrder
- XRenderFreePicture
- XFreePixmap
- XRenderSetPictureFilter
- XRenderCreatePicture
- XRenderCreateSolidFill
- XCreatePixmap
- XRenderSetPictureTransform
- XRenderCreateRadialGradient
- XRenderCreateLinearGradient
- XRenderFindVisualFormat
- XGetImage
- XShmGetImage
- XInitImage
- XShmPutImage
- XPutImage
- *cairoxlibsurface_create*
- *cairoxlibsurfacecreatefor_bitmap*
- *cairoxlibsurfacecreatewithxrenderformat*
- *cairoxlibsurfacegetxrender_format*
- *cairoxlibsurfacessize*
- *cairoxlibsurfacesetqdrawable*
- *cairoxlibsurfacegetdisplay*
- *cairoxlibsurfacegetdrawable*
- *cairoxlibsurfacegetscreen*
- *cairoxlibsurfacegetvisual*
- *cairoxlibsurfacegetdepth*
- *cairoxlibsurfacegetwidth*
- *cairoxlibsurfacegetheight*
- XShmDetach
- XSendEvent
- XEventsQueued
- _XReadEvents
- shmget
- XShmAttach
- shmctl
- XShmCreatePixmap
- XShmQueryExtension
- XShmQueryVersion
- XLockDisplay
- XUnlockDisplay
- XInitExtension

- XCreateWindow
- XDestroyWindow
- XAllocColor
- XQueryColors
- pngcreateread_struct
- pngcreateinfo_struct
- pngsetread_fn
- pngsetlongjmp_fn
- pngreadinfo
- pnggetlHDR
- pnggetvalid
- pngsetfiller
- pngreadupdate_info
- pngdestroyread_struct
- pngsetinterlace_handling
- pngsetgraytorgb
- pngsetpacking
- pngsettRNS α
- pngsetexpandgray124to8
- pngsetstrip_16
- pngsetpalette $\rightarrow$ rgb
- pngsetreadusertransform_fn
- pngreadimage
- pngreadend
- pnggeterror_ptr
- pnggetio_ptr
- png_error
- pngcreatewrite_struct
- pngdestroywrite_struct
- pngsetwrite_fn
- pngsetlHDR
- pngsetbKGD
- pngwriteinfo
- pngwriteimage
- pngwriteend
- pngsetpackswap
- pngsetwriteusertransform_fn
- cairosurfacewritetopng
- cairosurfacewritetopng_stream
- cairoimagesurfacecreatefrom_png
- cairoimagesurfacecreatefrompngstream
- glTexParameterf
- glScissor
- glEnable
- glDrawArrays
- glDrawElements
- glBlendFunc
- glBlendFuncSeparate
- glActiveTexture
- glBindTexture
- glGetError

- glDisable
- glDepthMask
- glClearStencil
- glClear
- glStencilOp
- glStencilFunc
- glColorMask
- glDrawBuffer
- glReadBuffer
- glClearColor
- glGetIntegerv
- glViewport
- cairog/devicesetthread_aware
- dlopen
- dlclose
- glGenTextures
- glTexImage2D
- glDeleteTextures
- glGetString
- *_strcpychk*
- *_sprintfchk*
- gllsEnabled
- glPixelStorei
- glReadPixels
- cairog/surface_create
- cairog/surfacecreatefor_texture
- cairog/surfacesetsize
- cairog/surfacegetwidth
- cairog/surfacegetheight
- cairog/surface_swapbuffers
- glTexSubImage2D
- eglMakeCurrent
- eglDestroySurface
- eglSwapBuffers
- eglGetCurrentSurface
- eglGetCurrentContext
- cairoeg/device_create
- eglQueryString
- eglGetProcAddress
- eglQueryContext
- eglChooseConfig
- eglCreatePbufferSurface
- cairog/surfacecreatefor_egl
- glXMakeCurrent
- glXSwapBuffers
- glXGetCurrentDrawable
- glXGetCurrentContext
- cairog/xdevice_create
- glXQueryContext
- glXChooseFBConfig
- glXGetVisualFromFBConfig

- XCreateColormap
- XFreeColormap
- XFlush
- glXGetProcAddress
- glXQueryExtensionsString
- *cairoglxdevicegetdisplay*
- *cairoglxdevicegetcontext*
- *cairoglxsurfacecreatefor_window*
- *cairoscriptcreate*
- *cairoscriptcreateforstream*
- *cairoscriptwrite_comment*
- *cairoscriptset_mode*
- *cairoscriptget_mode*
- *cairoscriptsurface_create*
- *cairoscriptsurfacecreatefor_target*
- *cairoscriptfromrecordingsurface*
- FcPatternDestroy
- FcPatternGet
- FcPatternAddInteger
- FcPatternAddBool
- FcPatternDel
- *FTInitFreeType*
- FcPatternGetBool
- FcPatternGetInteger
- FcPatternDuplicate
- *FTVectorTransform*
- *FTOutlineTranslate*
- *FTSetTransform*
- *FTSetChar_Size*
- FcPatternCreate
- FcPatternAddString
- *FTDoneFace*
- *FTNewFace*
- *FTGetGlyph_Name*
- *FTGetFirst_Char*
- *FTGetNext_Char*
- FcFreeTypeCharIndex
- *FTLoadGlyph*
- *FTRenderGlyph*
- *FTGlyphSlotOblique*
- *FTGlyphSlotEmbolden*
- *FTOutlineGet_CBox*
- *FTLibrarySetLcdFilter*
- *FTOutlineTransform*
- *FTOutlineDecompose*
- *FTGetX11FontFormat*
- *FTLoadSfnt_Table*
- FcPatternGetFTFace
- FcPatternGetString
- access
- FcInitBringUpToDate

- FcConfigGetCurrent
- FcPatternAddDouble
- FcConfigSubstitute
- FcDefaultSubstitute
- FcFontMatch
- *cairofffontoptionssubstitute*
- *cairofffontfacecreateforpattern*
- *cairofffontfacecreateforft_face*
- *cairofffontfaceset_synthesize*
- *cairofffontfaceunset_synthesize*
- *cairofffontfaceget_synthesize*
- *cairoftscaledfontlock_face*
- *cairoftscaledfontunlock_face*
- FTDoneFreeType
- tmpfile64
- rewind
- ctime_r
- *cairopssurface_create*
- *cairopssurfacecreatefor_stream*
- *cairopssurfacerestrictto_level*
- *cairopsget_levels*
- *cairopsleveltostring*
- *cairopssurfacesteps*
- *cairopssurfacegetsteps*
- *cairopssurfacesetsize*
- *cairopssurfacedsccomment*
- *cairopssurfacedscbegin_setup*
- *cairopssurfacedscbeginpagesetup*
- *cairopdfsurfacecreatefor_stream*
- *cairopdfsurface_create*
- *cairopdfsurfacerestrictto_version*
- *cairopdfget_versions*
- *cairopdfversiontostring*
- *cairopdfsurfacesetsize*
- *cairosvgsurfacecreatefor_stream*
- *cairosvgsurface_create*
- *cairosvgsurfacerestrictto_version*
- *cairosvgget_versions*
- *cairosvgversiontostring*
- *cairoteesurface_create*
- *cairoteesurface_add*
- *cairoteesurface_remove*
- *cairoteesurface_index*
- libpthread.so.0
- libpixman-1.so.0
- libfontconfig.so.1
- libfreetype.so.6
- libEGL.so.1
- libdl.so.2
- libpng15.so.15
- libXrender.so.1

- libX11.so.6
- libXext.so.6
- libz.so.1
- libGL.so.1
- librt.so.1
- libm.so.6
- libc.so.6
- _edata
- _bssstart
- libcairo.so.2
- GLIBC_2.2
- GLIBC_2.1
- GLIBC_2.0
- PNG15_0
- GLIBC_2.1.3
- GLIBC_2.3
- GLIBC_2.11
- GLIBC_2.3.4
- |\$8}+9
- D\$p9D\$Lt
- D\$89D\$0
- D\$<9D\$4
- t\$@+t\$4
- L\$X3L\$@x
- t\$<9t\$8
- t\$T+D\$<
- D\$\9D\$D}
- +l\$P+l\$h
- T\$L9T\$D|
- l\$(t)D\$P
- D\$@3D\$X1
- T\$\9T\$D}n
- +l\$P+l\$h
- T\$L9T\$D
- L\$H9L\$@
- T\$X9T\$@
- L\$X9L\$@f
- L\$H9L\$@
- |\$`~%
- T\$H+T\$0
- <;l\$Ptn
- 9t\$`~(9|D\$~"
- L\$(9t\$`
- D\$@+D\$D+T\$8
- T\$@3T\$XJ
- D\$P+D\$T
- T\$h+T\$X
- 3T\$I3D\$h
- D\$@+D\$D+T\$8
- T\$@3T\$Xh
- D\$P+D\$T
- T\$h+T\$X

- T\$h3T\$
- +L\$8+T\$@
- xH+D\$T
- T\$D+T\$P
- T\$h3T\$X
- +L\$8+T\$@
- xH+D\$T
- T\$D+T\$P
- T\$h3T\$X
- T\$X9T\$T
- T\$X9T\$T
- I\$H;T\$H
- I\$D;D\$D
- T\$<9T\$L|
- I\$89I\$H
- T\$<9T\$L
- L\$89L\$H
- T\$\9T\$<
- L\$X9L\$8
- D\$0+D\$D+T\$8
- T\$03T\$\$xJ
- D\$T+D\$X
- T\$h+T\$p
- T\$43T\$I3D\$h
- T\$\9T\$<
- T\$p9T\$X
- T\$T9T\$P
- T\$T9T\$P
- |\$@;D\$@
- T\$<9T\$4
- L\$89L\$0
- T\$\9T\$<
- L\$X9L\$8sn
- I\$|9I\$x
- I\$D9I\$H
- L\$X9L\$8
- D\$\$9p4x~
- D\$8;p4y2
- D\$8;p4x
- r49w4yx
- >;|\$(t
- D\$ 9p4x>
- D\$L;p4
- 89~ ~.
- L\$\$)T\$\$
- t\$\$9t\$
- ;I\$\$t!
- t\$,9t\$(t
- I\$,9I\$(t
- T\$49V
- L\$<9L\$8t
- t\$@+t\$4

- L\$X3L\$@x
- t\$<9t\$8
- t\$T+D\$<
- L\$49L\$,
- D\$H+D\$
- |\$D;T\$D
- L\$`+L\$p
- T\$`+T\$d+D\$P
- D\$L9D\$<}
- t\$P+t\$X
- L\$d+L\$`
- T\$D9T\$<|
- l\$t)D\$P
- l\$x)D\$X
- T\$L9T\$<}n
- t\$P+t\$X
- L\$d+L\$`
- T\$D9T\$<
- L\$@9L\$8
- T\$H9T\$8
- L\$H9L\$8r
- L\$@9L\$8
- 3T\$I3D\$h
- 3T\$d3D\$`
- u0+q0u
- +t\$\$9w
- t\$,9t\$(t
- }-;t\$(t"
- D\$,9p<
- D\$@;p
- D\$@;p
- ;D\$4t{
- D\$(9x
- D\$T;x
- D\$T;x
- +T\$ 9U
- +T\$ 9U
- D\$L;D\$8t
- D\$(;|
- L\$,9L\$(
- D\$0;|4t
- r 9q t
- r\$f9q\$t
- H&f9J&t
- H 9J u
- H\$f9J\$u
- T\$4w*r
- D\$09D\$8s
- 9t\$Pt<
- T\$<9T\$Dw'r
- D\$89D\$@s
- ;T\$8t%

- T\$,9T\$T
- t\$(t`8
- tf9D\$4~`
- T\$89T\$
- T\$H9T\$@t
- T\$\$3T\$,3D\$(
- T\$,9T\$\$
- D\$(9D\$ r-
- L\$H+D\$8
- |\$d+\$d
- |\$P+B,
- t\$X+|\$
- L\$(+L\$I
- L\$0+|\$
- |\$I+I\$I
- D\$I+T\$I
- L\$d+D\$4
- L\$d+D\$4
- D\$<+D\$L;G<~
- D\$<;D\$L
- I\$t+D\$L
- ;D\$Htc
- |\$x+D\$H
- D\$4+D\$H9D\$@
- |\$H9|\$4ty
- D\$4+D\$H
- L\$I+T\$I
- T\$<9T\$0tO
- T\$@9T\$H
- D\$@9D\$H
- D\$(9D\$
- L\$(+L\$|
- T\$H9T\$4
- +T\$<+L\$8
- =RDHlu
- T\$h9T\$`t
- 9D\$P|8
- D\$@;D\$<
- T\$4+L\$I
- D\$0+L\$h
- D\$T;D\$X
- L\$H;T\$H
- ND+T\$H
- D\$49D\$H
- |\$ 9|\$@
- t\$,9t\$
- (;L\$\$wN
- T\$(9T\$
- 9T\$DtK
- L\$D9L\$L
- D\$D+D\$H
- L\$D9L\$L

- ~+=233
- D\$(+D\$\$
- D\$/0123
- D\$34567
- D\$789ab
- D\$;cdef
- z 9y u
- 9D\$4t'
- T\$d9T\$
- 3T\$\$3D\$
- D\$@;|\$0
- D\$ +D\$@)
- D\$8+|\$<
- +t\$,+L\$@
- D\$,+D\$<+T\$0)
- |\$,)D\$
- +t\$D+L\$0
- T\$\$9T\$
- D\$ 9D\$
- D\$49D\$D
- T\$ 9T\$@
- D\$,9D\$<
- L\$(9L\$
- t\$09t\$\$
- L\$49L\$
- D\$\$9D\$
- L\$49L\$(
- t\$09t\$
- |\$\$9|\$(
- M|\$(9|\$,
- 9T\$,|,
- T\$P;T\$T
- T\$P9T\$Tu
- T\$P;T\$T
- 9T\$T{
- L\$D9L\$L
- T\$X9T\$T
- D\$)D\$4
- T\$ +D\$
- T\$)T\$4
- L\$()L\$
- t\$()t\$
- |\$\$eff
- |\$\$eff
- D\$H#;L\$X|
- L\$X+L\$0
- D\$0+D\$
- D\$;D\$\$tV
- D\$ 9D\$\$u
- |\$(;D\$\$u
- D\$0t-9D\$8u
- |\$(9|\$\$

- t\$(;D\$
- T\$(;L\$
- D\$\$9D\$
- |\$@9|\$0
- |\$@9|\$D
- G(9F(u
- L\$(+I\$,
- ~#=TUU
- D\$@+t\$
- ;D\$ ~h
- ;T\$XtK
- T\$\$tk)
- T\$T+T\$(
- D\$,9D\$<
- T\$89T\$(
- T\$,9T\$8
- D\$09D\$D
- N!\$D9I\$4
- T\$(9T\$<
- D\$8+D\$,
- D\$(+D\$,
- t!;\$
- D\$8+D\$,
- D\$(9D\$,
- LI\$49I\$0
- D\$09D\$4t9
- L\$ 9y(
- D\$<9D\$(
- T\$09T\$L
- N!\$L9I\$4
- T\$,9T\$8
- I\$0|;\$4
- LI\$49I\$0
- D\$8+D\$(
- D\$,+D\$(
- t!;\$
- D\$8+D\$(
- D\$,9D\$(
- LI\$49I\$0
- T\$D9I\$(
- D\$\$9D\$(
- D\$L9D\$Dtw9D\$H
- T\$H+T\$D
- T\$L+T\$D
- D\$89D\$Dtw9D\$H
- T\$H+T\$D
- T\$8+T\$D
- L\$ 9y(
- T\$,9T\$8
- I\$(9I\$,~
- I\$L+I\$8
- I\$L+I\$8

- T\$T9T\$<
- I\$P9I\$8
- I\$I3I\$`
- I\$H9I\$D
- I\$+D\$H
- T\$T9T\$d
- I\$P9I\$`
- D\$\\9D\$D}
- +I\$P+L\$h
- T\$L9T\$D|
- I\$t)D\$P
- D\$@3D\$X1
- T\$\\9T\$D}n
- +I\$P+L\$h
- T\$L9T\$D
- L\$H9L\$@
- T\$X9T\$@
- L\$X9L\$@f
- L\$H9L\$@
- T\$0+T\$
- D\$X+D\$
- <9i,~H
- kD\$0<1
- L\$ +L\$X
- +T\$X+L\$@
- <9M,~F
- t\$D9t\$0
- P ;I\$p
- T\$<9T\$4|
- |\$89|\$0
- T\$<9T\$4
- L\$89L\$0
- T\$L9T\$<
- T\$<9T\$4
- 3T\$L3D\$H
- D\$@3D\$Pxx
- T\$L3T\$T3D\$P
- T\$T3T\$L3D\$H
- T\$@9T\$D
- T\$49T\$\$
- L\$09L\$
- T\$X9T\$D
- L\$89L\$0
- L\$H9L\$8
- T\$D9T\$@
- I\$L+I\$8
- I\$L+I\$8
- T\$T9T\$<
- I\$P9I\$8
- I\$I3I\$`
- I\$H9I\$D
- I\$+D\$H

- T\$T9T\$d
- l\$P9l\$`
- D\$\\9D\$D}
- +l\$P+L\$h
- T\$L9T\$D|
- l\$(t)D\$P
- D\$@3D\$X1
- T\$\\9T\$D}n
- +l\$P+L\$h
- T\$L9T\$D
- L\$H9L\$@
- T\$X9T\$@
- L\$X9L\$@f
- L\$H9L\$@
- |\$0!""
- T\$4+T\$(
- D\$D+D\$(
- 8;l\$@tj
- D\$@3D\$`xX
- T\$\\3T\$d3D\$`
- D\$43D\$XxX
- T\$T3T\$\\3D\$X
- D\$03D\$P`x`
- T\$\\3T\$T3D\$P
- T\$P9T\$H
- T\$P9T\$H
- T\$@9T\$H
- T\$@9T\$H
- T\$@9T\$4
- T\$@9T\$4
- D\$@+D\$4)
- T\$H3T\$p
- T\$d3T\$t3D\$p
- T\$X9T\$P
- T\$X9T\$P
- T\$T9T\$<
- T\$<9T\$,
- L\$89L\$(
- T\$T9T\$<
- L\$P9L\$8
- T\$T9T\$<
- L\$P9L\$8
- T\$X9T\$P
- T\$<9T\$,
- L\$89L\$(
- t\$x9t\$l
- L\$P9L\$8
- D\$\$9D\$(
- T\$x+T\$htV
- D\$(+D\$
- D\$,+D\$\$
- }2;,}\$-

- L\$ 9L\$
- D\$8*D\$<
- L\$<9L\$4
- G(+I\$0
- V&+T\$49
- P&;T\$X
- G\$9D\$T
- G&9D\$X
- #D\$Xu
- T\$49T\$
- D\$H9T\$du
- L\$49|
- |\$`9t\$ }
- t\$h9T\$0~
- T\$d9D\$4}
- L\$h9L\$`
- Eh9D\$P
- D\$P;D\$T
- D\$p9D\$X
- D\$t9D\$X
- T\$,,J
- |\$0;/t
- D\$8)D\$(
- 9T\$8t%
- f+D\$@f
- L\$T;D\$T
- 9L\$pt5
- L\$L9L\$x
- 8L\$3t99T\$4}3
- 8L\$3t+
- +D\$(:;\$0
- D\$ +|\$(
- D\$8+I\$(
- |\$\$yww
- D\$\$)D\$(
- |\$0yww
- 9L\$\t5
- I\$89I\$I
- L\$09L\$d}"
- L\$d9L\$h|!
- D\$`9D\$h|8
- t"9|\$h~
- D\$ 9E,
- I\$dkD\$
- |\$(:;I\$0
- D\$<+L\$
- L|\$(;t\$8
- D\$(9|\$
- D\$ +|\$(
- L\$\$9|\$(
- D\$8+D\$
- t\$\9L\$

- T\$H+T\$L
- t\$P9L\$8tD
- T\$@+T\$D
- l\$Xt69
- D\$\$+D\$
- F(9G(t
- F ;F\$tZ
- l\$,~l9
- l\$\$9l\$`
- L\$09L\$@
- |\$49|\$D
- L\$89L\$H
- |\$<9|\$L
- L|\$;\$;T\$,
- D\$49D\$0};
- ;D\$\$}_
- t5+L\$,
- t++T\$,
- ;|\$(~_
- F ;D\$(~G
- |\$ 9y
- D\$ (9z ~9
- T\$,9T\$(
- T\$ 9J
- +T\$(+D\$
- T\$ +T\$
- D\$<;|\$
- L\$ +L\$
- L\$0;t\$4
- +D\$\$+L\$,
- L\$4+L\$,
- D\$;|\$;t7
- +T\$\$+L\$,
- L\$4+L\$,
- P09PP|
- FD+T\$4
- T\$\$+T\$4
- T\$\$+T\$4
- |\$@+|\$P+t\$L+L\$P
- G89D\$P
- G@9D\$Pt:
- G@9G ~X
- D\$D;D\$H
- |\$0+t\$<
- |\$@+T\$4
- 3L\$ 3T\$
- T\$(9T\$ v
- |\$T9|\$H
- |\$T9|\$H
- L\$(wBs:
- L\$<9L\$8
- |\$(9L\$0~"

- L\$\$9L\$,u
- B 9A t
- T\$d;|\$
- V\$;V,t8
- L\$0+D\$4
- D\$P+D\$4
- D\$ 9D\$(u
- L\$0;N|
- |\$\$Uw!
- D\$\
- D\$`
- D\$d
- D\$h
- D\$l
- D\$p
- D\$t
- D\$x
- D\$|
- L\$0;H
- l\$0+E@
- L\$D+E@+ED
- ;t\$(t&
- 9|\$4~L
- t\$89|\$4
- 9t\$ vb
- X9l\$
- L\$x;l\$`
- ;T\$0v'
- D\$@9T\$`
- ti9~@u
- t 9j@u
- T\$,9V`
- 9D\$dt+
- D\$,u}1
- D\$,9D\$(t
- f+!\$Nf
- f+!\$Lf
- D\$`9D\$Pt
- 3~Q=233
- T\$@9P
- t\$\v##=
- L\$X)L\$|
- L\$T9t\$|
- T\$D9T\$@t\$
- D\$`9D\$Ht
- T\$D9T\$@
- T\$,9T\$(t
- |\$l9|\$<~
- T\$`9P(
- D\$(9D\$ u
- D\$09D\$,u
- D\$49D\$

- J@9A\xl
- D\$490s
- D\$@90v/
- D\$@90w
- D\$490s
- D\$D90v/
- D\$D90w
- D\$090s
- D\$D90v/
- D\$D90w
- v@9N\l
- D\$f33f
- +T\$(+D\$(
- +T\$\$+D\$
- D\$L\$9D\$H
- u\$kD\$(l
- uFkD\$(l
- L\$4;L\$H
- D\$@zHuL
- |\$(9zhu
- ~@9z@u
- ND9JD u
- q(9r(u
- y49z4u
- y 9z u
- y\$9z\$u
- y(9z(u
- y09z0u
- q49r4u
- L\$ t`rW
- L\$ t`rW
- D\$D3D\$4
- L\$(9L\$\$t
- T\$d9T\$\\t
- D\$`9D\$Xt
- t\$(;t\$
- L\$\\L\$|
- D\$(9D\$H
- D\$(9D\$L
- D\$,+I\$<
- l\$*+L\$8
- ~Hltuo
- ~Hltuo
- t\$x+t\$|
- ~Hstibu0
- +t\$(;T\$(
- D\$p9D\$@
- D\$t9D\$D
- D\$x9D\$H
- D\$|;D\$L
- 9D\$
- T\$@9T\$\$u

- T\$D9T\$(u
- D\$D9D\$(u
- D\$D9D\$(u
- 9t\$ ~1
- T\$ 9T\$()e
- n,;\$\$(
- D\$H;h r
- D\$H;h r
- ;!\$8t;
- T\$89r w
- T\$D9z w
- T\$H;r r
- 9|\$\\vj
- t\$09t\$hvw
- D\$09A
- D\$(9D\$
- D\$,9T\$4
- |\$8eff
- P9t\$Xu
- P9t\$Xu
- P9t\$8u
- ~}90t{
- cairo-analysis-surface.c
- ! (statusa != CAIROINTSTATUSSUCCESS && statusa < CAIROINTSTATUSLAST_STATUS)
- ! (statusb != CAIROINTSTATUSSUCCESS && statusb < CAIROINTSTATUSLAST_STATUS)
- statusa == CAIROINTSTATUSSUCCESS && statusb == CAIROINTSTATUSSUCCESS
- pattern->type == CAIROPATTERN_TYPE_SURFACE
- surfacepattern->surface->type == CAIRO_SURFACE_TYPE_RECORDING
- cairoanalysisissurfacemerge_status
- analyzerecordingsurfacepattern
- cairo-arc.c
- anglemax >= anglemin
- 1?es-8R
- >es-8R
- E>cairoarcindirection
- UUUUUU
- ?cairo-array.c
- index < array->num_elements
- array->numelements + numelements <= array->size
- cairoarray_index
- cairoarrayindexconst
- cairoarray_allocate
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/z
- cairo-bentley-ottmann-rectangular.c
- left->right == ((void *)0)
- traps->is_rectangular
- cairobentleyottmantessellaterectangulartraps
- activeedgesto_traps
- cairobentleyottmantessellate_boxes
- cairo-bentley-ottmann-rectilinear.c
- traps->is_rectilinear

- *cairobentleyottmantessellaterectilineartraps*
- boxes x %d: (%f, %f) x (%f, %f)
- box[%d]: (%f, %f), (%f, %f)
- ;cairo-boxes-intersect.c
- j == count
- *cairoboxes_intersect*
- cairo.c
- status == cr->status
- *cairoerror* (status) < CAIROSTATUSLAST_STATUS
- status != CAIROSTATUSSUCCESS
- ((*&(cr->refcount)->refcount) > 0)
- *cairocreateinerror*
- cairo_reference
- cairo_destroy
- *cairoset_error*
- Acairo-cache.c
- cache->size == 0
- cache->freeze_count >= 0
- cache->freeze_count > 0
- *cairocache_fini*
- *cairocache_freeze*
- *cairocache_thaw*
- cairo-clip.c
- clip->num_boxes
- no clip
- clip: all-clipped
- num_boxes = %d
- [%d] = (%f, %f), (%f, %f)
- ((*&(clippath->refcount)->ref_count) > 0)
- extents: (%d, %d) x (%d, %d), is-region? %d
- path: aa=%d, tolerance=%f, rule=%d:
- *cairoclippathreference*
- *cairoclippathdestroy*
- *cairoclipcopypath*
- *cairoclipcopyregion*
- cairo-clip-polygon.c
- clip && (clip->path || clip->num_boxes)
- *cairoclipgetpolygon*
- cairo-color.c
- !"reached"
- *cairostock_color*
- Gcairo-contour.c
- tail->next == ((void *)0)
- (*chain)->next
- *chain != &contour->chain
- [%d] = (%f, %f)
- contour: direction=%d, num_points=%d / %d
- *_cairocontouraddpoint*
- first_inc
- last_dec
- *cairocontour_simplify*

- `cairo-debug.c`
- `[box (%d, %d), (%d, %d)]`
- `path: extents=(%f, %f), (%f, %f)`
- `polygon: extents=(%f, %f), (%f, %f)`
- `: limit=(%f, %f), (%f, %f) x %d`
- `[%d] = [(%f, %f), (%f, %f)], top=%f, bottom=%f, dir=%d`
- `cairodebugprintpath`
- `cairo-default-context.c`
- `cairodefaultcontextpop_group`
- `?cairo-device.c`
- `device->mutex_depth > 0`
- `device->mutex_depth == 0`
- `cairodevicecreatein_error`
- `cairodevicereference`
- `cairodevicedestroy`
- `cairodevicerelease`
- `cairodeviceseterror`
- `((*&device->refcount)->refcount) > 0)`
- `status < CAIROSTATUSLAST_STATUS`
- `cairo-error.c`
- `(status != CAIROSTATUSSUCCESS && status < CAIROSTATUSLAST_STATUS)`
- `cairoerror`
- `cairo-font-face.c`
- `((*&fontface->refcount)->ref_count) > 0)`
- `((*&unscaledfont->refcount)->ref_count) > 0)`
- `cairofontfaceset_error`
- `cairofontface_destroy`
- `cairounscaledfontreference`
- `cairounscaledfontdestroy`
- `cairo-font-face-twin.c`
- `n <= 4`
- `n <= 7`
- Normal
- weight
- stretch
- smallcaps
- monospace
- `twincomputesnap`
- Ultra-Light
- Extra-Light
- Regular
- Medium
- Semi-Bold
- Demi-Bold
- Ultra-Bold
- Extra-Bold
- Ultra-Heavy
- Extra-Heavy
- Ultra-Black
- Extra-Black
- Oblique

- Italic
- Ultra-Condensed
- Extra-Condensed
- Condensed
- Semi-Condensed
- Semi-Expanded
- Expanded
- Extra-Expanded
- Ultra-Expanded
- Small-Caps
- Monospace
- ?UUUUUU
- ?UUUUUU
- eXXXXXX
- eXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
- eXXXXXXXXXXXX
- EXXXXXXXXX
- EXXXXXXXXX
- eXXXXXXXXX
- eXXXXXX
- eXXXXXXXXXXXX
- eXXXXXXXXX
- eXXXXXXXXXXXX
- eXXXXXX
- eXXXXXXXXXXXX
- eXXXXXXXXXXXX
- eXXXXXX
- cairo-gstate.c
- gstate->opacity == 1.0
- gstate->parent_target == ((void *)0)
- *cairogstatereirecttarget*
- *cairogstatesetmatrix*
- *cairogstate_mask*
- *cairogstate_stroke*
- *cairogstate_fill*
- Fcairo-hash.c
- hashtable->liveentries == 0
- hash_table->iterating == 0
- predicate != ((void *)0)
- tmp.table.size - hashtablesizes < ((int) (sizeof (hashtablesizes) / sizeof (hashtable_sizes[0]))
- 1:3#*cairohashtabledestroy*
- *cairohashtablelookup*
- *cairohashtablerandom_entry*
- *cairohashtableinsert*
- *cairohashtablemanage*
- *cairohashtablelookupuniquekey*
- *cairohashtablelookupexactkey*
- cairo-image-compositor.c
- *pixmanoperator*
- *inplacerendererinit*

- `((dst->pixman_format) >> 24) == 32`
- `cairo-image-source.c`
- `pixmanimageforpattern`
- `pixmanimageforrecording`
- `pixelto_solid`
- `pixmanimageforaster`
- `image->width == pattern->extents.width`
- `image->height == pattern->extents.height`
- `Fcairo-image-surface.c`
- `cairoformatfromcontent`
- `cairocontentfromformat`
- `cairoformatbitsper_pixel`
- `cairo-lzw.c`
- `value <= (1 << num_bits) - 1`
- `buf->pending_bits < 8`
- `buf.status == CAIROSTATUSSUCCESS`
- `cairolzw_compress`
- `/zlibstorebits`
- `/zlibstorepending`
- `8Bcairo-mask-compositor.c`
- `src_pattern == ((void *)0)`
- `op == CAIROOPERATORSOURCE`
- `boxes->ispixelaligned`
- `fixupunboundedboxes`
- `compositemaskclip_boxes`
- `compositeopacityboxes`
- `Gcairo-mesh-pattern-rasterizer.c`
- `mesh->base.status == CAIROSTATUSSUCCESS`
- `mesh->current_patch == ((void *)0)`
- `cairomeshpatternrasterize`
- `@cairo-mempool.c`
- `block != ((void *)0)`
- `offset + (1 << bits) <= pool->num_blocks`
- `((unsigned long) base) & ((1 << min_bits) - 1) == 0`
- `num_sizes < ((int) (sizeof (pool->free) / sizeof (pool->free[0])))`
- `cairomempool_init`
- `buddy_malloc`
- `get_buddy`
- no error has occurred
- out of memory
- no current point defined
- NULL pointer
- input string not valid UTF-8
- input path data not valid
- file not found
- invalid value for stride
- the user-font is immutable
-
- `cairo-misc.c`
- `cairorestore()` without matching `cairosave()`
- no saved group to pop, i.e. `cairopopgroup()` without matching `cairopushgroup()`

- invalid matrix (not invertible)
- invalid value for an input *cairostatust*
- error while reading from input stream
- error while writing to output stream
- the target surface has been finished
- the surface type is not appropriate for the operation
- the pattern type is not appropriate for the operation
- invalid value for an input *cairocontentt*
- invalid value for an input *cairoformat*
- invalid value for an input Visual*
- invalid value for a dash setting
- invalid value for a DSC comment
- invalid index passed to getter
- clip region not representable in desired format
- error creating or writing to a temporary file
- the font type is not appropriate for the operation
- error occurred in a user-font callback function
- negative number used where it is not allowed
- input clusters do not represent the accompanying text and glyph arrays
- invalid value for an input *cairofontslant_t*
- invalid value for an input *cairofontweight_t*
- invalid value (typically too big) for the size of the input (surface, pattern, etc.)
- user-font method not implemented
- the device type is not appropriate for the operation
- an operation to the device caused an unspecified error
- invalid operation during mesh pattern construction
- the target device has been finished
- *cairooperatorboundedby_mask*
- *cairooperatorboundedby_source*
- *cairooperatorboundedby_either*
- *cairo-no-compositor.c*
- *caironocompositorglyphs*
- *caironocompositorfill*
- *caironocompositorstroke*
- *caironocompositomask*
- *caironocompositorpaint*
- *cairo-output-stream.c*
- *decimalpointlen != 0*
- *stream != ((void *)0)*
- *singlefmtlength + 1 <= 32*
- *cairooutputstreamdestroy*
- *cairooutputstreamvprintf*
- *cairodtostr*
- *cairomemorystreamdestroy*
- *cairo-paginated-surface.c*
- *analysis->status == CAIROSTATUSSUCCESS*
- *status != CAIROINTSTATUS_UNSUPPORTED*
- *cairosurfaceispaginated (surface)*
- *paintpage*
- *cairpaginatedsurfaceget_target*
- *cairpaginatedsurfaceget_recording*

- *caiopaginatedsurfaceset_size*
- *cairo-path-bounds.c*
- *!status*
- *caiopathboulderextents*
- *cairo-path.c*
- *cpp.data - path->data == path->num_data*
- *caiopath_populate*
- *cairo-path-fixed.c*
- *buf->num_ops != 0*
- *has_extents*
- *caiopathfixedlastop (path) == CAIROPATHOPLINE_TO*
- *prevbuf->numpoints >= 2 - buf->num_points*
- *caiopathfixedlast_op*
- *caiopathfixedpenultimate_point*
- *caiopathfixeddroplinetto*
- *caiopathfixedcurve_to*
- *caiopathfixedinterpret*
- *caiopathfixedtransform*
- *cairo-path-in-fill.c*
- *caiopathfixedin_fill*
- *cairo-path-stroke.c*
- *stroker->pen.num_vertices*
- *tessellatefan*
- *cairo-path-stroke-boxes.c*
- *a->x == b->x || a->y == b->y*
- *caiopathfixedstrokeisrectilinear (path)*
- *status == CAIROINTSTATUS_SUCCESS*
- *caiopathfixedstrokeirectilinearto_boxes*
- *cairorectilinearstrokerline_to*
- *cairorectilinearstrokerline todashed*
- *?cairo-path-stroke-polygon.c*
- *dx0 != 0.0 || dy0 != 0.0*
- *add_fan*
- *normalize_slope*
- *_cairo-path-stroke-traps.c*
- *caiopathfixedstroke tottraps*
- *%cairo-path-stroke-tristrip.c*
- *normalize_slope*
- *cairo-pattern.c*
- *mesh->current_side >= -1*
- *x0 < x1*
- *y0 < y1*
- *gradient->n_stops >= 1*
- *n >= 1*
- *gradient->n_stops > 0*
- *raster*
- *repeat*
- *reflect*
- *nearest*
- *bilinear*
- *guassian*

- pattern: %s
- extend: %s
- filter: %s
- content: %x, size %dx%d
- surface type: %d
- ! *linearpatternisdegenerate* (linear)
- other->status == CAIROSTATUSSUCCESS
- ((*&(pattern->refcount)->refcount) > 0)
- pattern->status == CAIROSTATUSSUCCESS
- pattern->nstops <= pattern->stopssize
- gradient->base.type == CAIROPATTERNTYPELINEAR || gradient->base.type == CAIROPATTERNTYPERADIAL
- ! *radialpatternisdegenerate* (radial)
- fabs (dr) >= ((double)2.22044604925031308085e-16L)
- gradient->base.extend != CAIROEXTENDNONE
- matrix: [%g %g %g %g %g %g]
- *cairopatternseterror*
- *cairopatterninitstatic_copy*
- *cairopatterncreatecopy*
- *cairopatternreference*
- *cairopatterndestroy*
- *cairomeshpatterncurveto*
- *cairopatterngradientgrow*
- *cairogradientpatternboxtopparameter*
- *cairolinearpatternboxtopparameter*
- *caioradialpatternboxtopparameter*
- *cairogradientpatterninterpolate*
- *cairogradientpatternfittorange*
- *cairopatternalpharange*
- *cairomeshpatterncoord_box*
- *cairogradientpatternis_solid*
- *gradientcolor_average*
- *cairopatternisopaque*
- *cairopatternisclear*
- *cairopatterngettextents*
- *cairopatterngetink_extents*
- *cairopattern_hash*
- *cairopattern_equal*
- *cairopatternprintpattern*
- @cairo-polygon.c
- top < bottom
- *addedge*
- *cairopolygon_intersect*
- *active_edges*
- *edgesstartor_continue*
- *edges_end*
- *cairo-polygon-intersect.c*
- j == num_events
- right->deferred.other == ((void *)0)
- ((winding)[0] == 0 || (winding)[1] == 0)
- old->deferred.other == ((void *)0)
- old->edge.line.p2.y > old->edge.line.p1.y

- `cairo-recording-surface.c`
- `! surface->unbounded`
- `cairo_recordingsurface_copy`
- `cairo_recordingsurface_acquire_source_image`
- `cairo_recordingsurface_finish`
- `cairo_recordingsurface_get_path`
- `cairo_recordingsurface_replay_one`
- `cairo_recordingsurface_replay_internal`
- `cairo_surface_is_recording (&surface->base)`
- `(status != CAIRO_INT_STATUS_SUCCESS && status < CAIRO_INT_STATUS_LAST_STATUS)`
- `cairo-rectangle.c`
- `num_boxes > 0`
- `cairo_boxes_get_extents`
- `cairo_box_add_curve_to`
- `cairo-region.c`
- `! ((*(®ion->refcount)->refcount) > 0)`
- `((*(®ion->refcount)->refcount) > 0)`
- `cairo_region_create_in_error`
- `cairo_region_fini`
- `cairo_region_reference`
- `cairo_region_destroy`
- `cairo_region_set_error`
- `cairo-rtree.c`
- `node->pinned == 0`
- `node->state == CAIRO_RTREENODE_DIVIDED`
- `node->state == CAIRO_RTREENODE_AVAILABLE`
- `node->state == CAIRO_RTREENODE_OCCUPIED`
- `node_size >= (int) sizeof (cairo_treenode_t)`
- `cairo_treenode_collapse`
- `cairo_treenode_insert`
- `cairo_treenode_remove`
- `cairo_tree_init`
- `cairo-scaled-font.c`
- `hash != 0`
- `! scaledfont->cache_frozen`
- `! scaledfont->cache_frozen`
- `font_map != ((void *)0)`
- `! scaled_font->placeholder`
- `num_glyphs`
- `! scaledfont->global_cache_frozen`
- `! cairo_list_is_empty (&page->link)`
- `! cairo_list_is_empty (&scaledfont->glyph_pages)`
- `scaledglyph == &page->glyphs[page->num_glyphs-1]`
- `scaledfont->status == CAIRO_STATUS_SUCCESS`
- `! scaledfont->global_cache_frozen`
- `((*(&scaledfont->refcount)->ref_count) > 0)`
- `! ((*(&lru->refcount)->refcount) > 0)`
- `scaledfont->hashentry.hash != 0`
- `scaledfont->fontface == font_face`
- `placeholder_scaledfont != ((void *)0)`

- `placeholder_scaledfont->placeholder`
- `! ((*&(&scaledfont->refcount)->ref_count) > 0)`
- `cairo_scaledfontset_error`
- `cairo_scaledfontmap_destroy`
- `cairo_scaledfont_compute_hash`
- `cairo_scaledfont_fini_internal`
- `cairo_scaledfont_unregister_placeholder_and_lockfont_map`
- `cairo_scaledfont_freeze_cache`
- `cairo_scaledfont_thaw_cache`
- `cairo_scaledfont_reset_cache`
- `cairo_scaledglyphpage_destroy`
- `cairo_scaledfont_create`
- `cairo_scaledfont_create_in_error`
- `cairo_scaledfont_reference`
- `cairo_scaledfont_destroy`
- `cairo_scaledfont_glyph_approximate_extents`
- `cairo_scaledglyph_lookup`
- `cairo_scaledfont_allocate_glyph`
- `cairo_scaledglyphpage_pluck`
- `cairo_scaledfont_free_last_glyph`
- `cairo-spans.c`
- `cairo_scan_converter_set_error`
- `cairo_scan_converter_create_in_error`
- `cairo_span_renderer_set_error`
- `cairo_span_renderer_create_in_error`
- `cairo-spans-compositor.c`
- `clip->path`
- `fixup_unbounded_boxes`
- `get_clip_surface`
- `cairo-stroke-style.c`
- `cairo_stroke_style_dash_stroked`
- `cairo_stroke_style_dash_approximate`
- `?cairo-surface.c`
- `extents != ((void *)0)`
- `surface->owns_device`
- `surface != snapshot`
- `! surface->finished`
- `! surface->finished`
- `surface->backend->source`
- `image->is_clear`
- `surface->is_clear`
- `surface->snapshot_of == ((void *)0)`
- `! cairo_surface_has_snapshots (surface)`
- `((*&(&surface->refcount)->refcount) > 0)`
- `! cairo_surface_has_snapshots (surface)`
- `! ((*&(&surface->refcount)->refcount) > 0)`
- `snapshot->snapshot_of != ((void *)0)`
- `snapshot->snapshot_of != surface`
- `cairo_surface_has_snapshot (surface, snapshot->backend) == snapshot`
- `surface->status == CAIRO_STATUS_SUCCESS`
- `! cairo_surface_has_mime_data (surface)`

- *cairosurfacedetachsnapshot*
- *cairosurfaceattachsnapshot*
- *cairosurfacebeginmodification*
- *cairosurfacecreate_similar*
- *cairosurfacecreatein_error*
- *cairosurfacecreatesimilarimage*
- *cairosurfacemapto_image*
- *cairosurfacereference*
- *cairosurfacedestroy*
- *cairosurface_finish*
- *cairosurfacereleasedevice_reference*
- *cairosurfacesetFont_options*
- *cairosurfacemarkdirtyrectangle*
- *cairosurfacesetdevice_scale*
- *cairosurfacesetdeviceoffset*
- *cairosurfacefallbackresolution*
- *cairosurfaceacquiresource_image*
- *cairosurfacereleasesource_image*
- *cairosurfacegetsource*
- *cairosurfacecopy_page*
- Ccairo-surface-clipper.c
- !*cairoclipisall_clipped* (clip)
- *cairosurfaceclipperset_clip*
- extents: total %g, avg %g [unbounded %d]
- mark-dirty (%d, %d) x (%d, %d)
- count < ((int) (sizeof (order) / sizeof (order[0])))
- paint: count %d [no-op %d], elapsed %f [%f%%]
- mask: count %d [no-op %d], elapsed %f [%f%%]
- fill: count %d [no-op %d], elapsed %f [%f%%]
- stroke: count %d [no-op %d], elapsed %f [%f%%]
- glyphs: count %d [no-op %d], elapsed %f [%f%%]
- op: %s
- source: %s
- mask: %s
- num_glyphs: %d
- path: %s
- fill rule: %s
- antialias: %s
- clip: %s
- elapsed: %f ns
- cairo-surface-observer.c
- %d %s%s
- path:
- antialias:
- clip:
- elapsed: %f
- surfaces: %d
- contexts: %d
- sources acquired: %d
- slowest paint: %f%%
- slowest mask: %f%%

- fill rule:
- slowest fill: %f%%
- caps:
- joins:
- slowest stroke: %f%%
- slowest glyphs: %f%%
- non-zero
- even-odd
- pixel-aligned
- rectilinear
- straight
- curved
- default
- subpixel
- square
- DEST_OVER
- DEST_IN
- DEST_OUT
- DEST_ATOP
- SATURATE
- MULTIPLY
- SCREEN
- OVERLAY
- DARKEN
- LIGHTEN
- HARD_LIGHT
- SOFT_LIGHT
- DIFFERENCE
- EXCLUSION
- HSL_HUE
- HSL_SATURATION
- HSL_COLOR
- HSL_LUMINOSITY
- native
- record
- other surface
- region
- single path
- polygon
- general
- *addrecordglyphs*
- *add_record*
- *addrecordfill*
- *addrecordstroke*
- *addrecordmask*
- *addrecordpaint*
- *print_array*
- *replay_record*
- *zD(knNcairo-surface-snapshot.c*
- *clone->status || ! cairo_surface_is_snapshot (clone)*
- *cairo_surface_snapshot_copy_on_write*
- *cairo-surface-subsurface.c*

- *cairo*matrixistranslation (&target->device_transform)
- target->backend->type != CAIROSURFACETYPE_SUBSURFACE
- *cairo*surfacecreateforrectangle
- *cairo*surfacecreateforrectangleint
- cairo-surface-wrapper.c
- *cairo*surfacewrapperpaint
- *cairo*surfacewrappermask
- *cairo*surfacewrapperstroke
- *cairo*surfacewrapperfill_stroke
- *cairo*surfacewrapperfill
- *cairo*surfacewrappershowtextglyphs
- *cairo*surfacewrappersetinversetransform
- *cairo*surfacewrappergetinversetransform
- cairo-clip-to-scan-converter.c
- cell != &cells->tail
- applynonzerofillrulefor_subrow
- applyevenoddfillrulefor_subrow
- blit_coverages
- cairo-toy-font-face.c
- hash_table != ((void *)0)
- @cairo:
- toyfontface->owns_family
- fontface->base.hashentry.hash == key.base.hash_entry.hash
- *cairo*toyfontfacecreate
- *cairo*toyfontfacescaledfont_create
- *cairo*toyfontface_destroy
- *cairo*toyfontface_fini
- *cairo*toyfontfaceget_family
- extents=(%d, %d, %d, %d)
- cairo-traps.c
- %d %d L:(%d, %d), (%d, %d) R:(%d, %d), (%d, %d)
- antialias == CAIROANTIALIASNONE
- *cairo*rasterisepolygonto_traps
- cairo-traps-compositor.c
- boxes.ispixelaligned
- extents->clip->path == ((void *)0)
- addrectwith_offset
- fixup_unbounded
- add_rect
- clipandcomposite_polygon
- :1.12.14
- decode_real
- *cairo*cfffontwriteprivate_dict
- *cairo*cfffontwritelocal_sub
- *cairo*cfffontsettopdictoperator_tocurpos
- *cairo*cfffontwritefdselect
- *cairo*cfffontwritecid_charset
- *cairo*cfffontgetsidforwinansi_char
- cairo-cff-subset.c
- offset > 0
- Identity

- [illegible]

- quotedbl
- numbersign
- dollar
- percent
- ampersand
- quoteright
- parenleft
- parenright
- asterisk
- hyphen
- period
- semicolon
- greater
- question
- bracketleft
- backslash
- bracketright
- asciicircum
- underscore
- quoteleft
- braceleft
- braceright
- asciitilde
- exclamdown
- sterling
- fraction
- florin
- section
- currency
- quotesingle
- quotedblleft
- guillemotleft
- guilsinglleft
- guilsinglright
- endash
- dagger
- daggerdbl
- periodcentered
- paragraph
- bullet
- quotesinglbase
- quotedblbase
- quotedblright
- guillemotright
- ellipsis
- perthousand
- questiondown
- circumflex
- macron
- dotaccent
- dieresis
- cedilla

- hungarumlaut
- ogonek
- emdash
- ordfeminine
- Lslash
- Oslash
- ordmasculine
- dotlessi
- lslash
- oslash
- germandbls
- Scaron
- Zcaron
- trademark
- scaron
- zcaron
- Ydieresis
- brokenbar
- copyright
- logicalnot
- registered
- degree
- plusminus
- twosuperior
- threesuperior
- onesuperior
- onequarter
- onehalf
- threequarters
- Agrave
- Aacute
- Acircumflex
- Atilde
- Adieresis
- Ccedilla
- Egrave
- Eacute
- Ecircumflex
- Edieresis
- Igrave
- Iacute
- Icircumflex
- Idieresis
- Ntilde
- Ograve
- Oacute
- Ocircumflex
- Otilde
- Odieresis
- multiply
- Ugrave
- Uacute

- [illegible]

- /Encoding 256 array
- 0 1 255 {1 index exch /.notdef put} for
- q %f %f %f %f %f %f cm
- cairo-type3-glyph-surface.c
- %f 0 %f %f %f %f d1
- status2 == CAIRO_INTSTATUS_SUCCESS
- *cairotype3glyphsurfaceemitimage_pattern*
- *cairotype3glyphsurfaceemitglyph*
- %g %g %g %g %g %g c
- %g %g l
- %g %g m
- cairo-pdf-operators.c
- %g %g %g %g re
- /f-%d-%d 1 Tf
- %f %f Td
- /Span << /ActualText
- > >> BDC
- 0 0 m
-] %f d
- [] 0.0 d
- %f %f %f %f %f %f Tm
- *wordwrapstreamwrite*
- *cairopdfoperatorsclip*
- *cairopdflinecap*
- *cairopdflinejoin*
- *cairopdfoperatorsfill*
- *cairopdfoperatorsfill_stroke*
- *cairopdfoperatorsshowtextglyphs*
- *cairopdfoperatorssettextmatrix*
- *cairopdfoperatorssettextposition*
- >cairo-pdf-shading.c
- is_valid
- shading->decodearray[1] - shading->decodearray[0] >= ((double)2.22044604925031308085e-16L)
- shading->decodearray[3] - shading->decodearray[2] >= ((double)2.22044604925031308085e-16L)
- p == shading->data + shading->data_length
- *cairopdfshadinginit*
- *cairopdfshadinggenerateddecodearray*
- *cairopdfshadinggenerate_data*
- A1.2.7
- CAIRO_DEBUG
- xrender-version=
- XFree86
- cairo-xlib-display.c
- *cairoxlibdisplaygetxrenderformat*
- cairo-xlib-render-compositor.c
- shm->pixmanformat == image->pixmanformat
- font_private
- image->depth == dst->depth
- j == boxes->num_boxes
- format == CAIRO_FORMAT_ARGB32
- nelt == num_elts

- src != dst
- d != 0
- *renderoperator*
- *cairoxlibsurfaceadd_glyph*
- *cairoxlibgetglyphsetindexfor_format*
- *cairoxlibglyphfini*
- *emitglyphs_chunk*
- composite_boxes
- copy_boxes
- drawimageboxes
- copyimageboxes
- antialias
- lcdfilter
- hinting
- hintstyle
- cairo-xlib-source.c
- display->solid[i]
- transparent_source
- extendtorepeat
- gradient_source
- display->solid[display->lastsolidcache[1].index]
- cairo-xlib-surface.c
- s->base.damage != ((void *)0)
- s->shm != ((void *)0)
- s->shm->damage != ((void *)0)
- extents->x >= 0
- extents->y >= 0
- surface->base.damage
- ret != 0
- surface->fallback
- extents->x + extents->width <= surface->width
- extents->y + extents->height <= surface->height
- *cairoxlibsurfacedraw_image*
- get_compositor
- getimage_surface
- swapimagetonative
- *cairoxlibsurfaceunmap_image*
- *cairoxlibsurfacemaptoimage*
- cairo-xlib-surface-shm.c
- *ptr != ((void *)0)
- mem != ((void *)0)
- shm->active == 0 || will_sync
- surface->shm
- surface->shm->damage
- shm->active == 0
- MIT-SHM
- surface->base.damage == ((void *)0)
- *cairoxlibsurfaceget_shm*
- *cairoxlibshmsurface_create*
- *cairoxlibshminfo_create*
- *cairoxlibshmpool_create*

- *cairoxlibsurfaceclear_shm*
- *cairoxlibsurfacecreatesimilarshm*
- *cairoxlibshmsurfacegetimage*
- 1.5.15
- *cairo-png.c*
- *image/png*
- *read_png*
- *cairo-gl-composite.c*
- *numberofnew_indices > 0*
- *ModelViewProjectionMatrix*
- *setup->dst*
- *! cairogldevicerequirespoweroftwotextures (&ctx->base) || (extend != CAIROEXTENDREPEAT &&*
- *ctx->primitivetype == CAIROGLPRIMITIVETYPE_TRIANGLES*
- *op < ((int) (sizeof (blendfactors) / sizeof (blendfactors[0])))*
- *!setup->clip_region || !setup->clip*
- *cairoglcontextdestroy_operand*
- *cairoglcontextsetup_operand*
- *cairogltextureset_filter*
- *cairogltextureset_extend*
- *cairoglsetoperator*
- *cairoglcompositebegin*
- *cairoglcompositesetup_clipping*
- *cairoglcompositeflush*
- *cairoglcontextchooseemitspan*
- *cairoglcontextchooseemitglyph*
- *cairoglcompositeappendvertexindices*
- incomplete attachment
- incomplete/missing attachment
- incomplete draw buffer
- incomplete read buffer
- unsupported
- incomplete multiple
- unknown error
- *cairo-gl-device.c*
- *surface->supports_msaa*
- *CAIROGLCOMPOSITOR*
- *GLARBtexture_rectangle*
- *GLOEStexture_npot*
- *GLIMGtexture_npot*
- *GLARBpixelbufferobject*
- *GLOESmapbuffer*
- *EXTreadformat_bgra*
- *GLMESApack_invert*
- *GLEXTpackeddepthstencil*
- *GLOESpackeddepthstencil*
- *GLARBframebuffer_object*
- *GLEXTframebuffer_blit*
- *destination is framebuffer incomplete: %s [%#x]*
- *ctx->glflavor == CAIROGLFLAVORDESKTOP*
- *GLARBtexturenonpoweroftwo*
- *GLEXTtextureformatBGRA8888*

- `glflavor == CAIROGLFLAVORES`
- `GLEXTframebuffer_multisample`
- `testcanread_bgra`
- `cairoglensurmultisampling`
- `cairoglactivatesurfaceasnonmultisampling`
- `cairoglactivatesurfaceasmultisampling`
- `GLARBvertexbufferobject`
- `GLARBshader_objects`
- `GLEXTframebuffer_object`
- `glGenFramebuffers`
- `glGenFramebuffersEXT`
- `glBindFramebuffer`
- `glBindFramebufferEXT`
- `glFramebufferTexture2D`
- `glFramebufferTexture2DEXT`
- `glCheckFramebufferStatus`
- `glCheckFramebufferStatusEXT`
- `glDeleteFramebuffers`
- `glDeleteFramebuffersEXT`
- `glGenRenderbuffers`
- `glGenRenderbuffersEXT`
- `glBindRenderbuffer`
- `glBindRenderbufferEXT`
- `glRenderbufferStorage`
- `glRenderbufferStorageEXT`
- `glFramebufferRenderbuffer`
- `glFramebufferRenderbufferEXT`
- `glDeleteRenderbuffers`
- `glDeleteRenderbuffersEXT`
- `glBlitFramebuffer`
- `glBlitFramebufferEXT`
- `glCreateShader`
- `glCreateShaderObjectARB`
- `glShaderSource`
- `glShaderSourceARB`
- `glCompileShader`
- `glCompileShaderARB`
- `glGetShaderiv`
- `glGetObjectParameterivARB`
- `glGetShaderInfoLog`
- `glGetInfoLogARB`
- `glDeleteShader`
- `glDeleteObjectARB`
- `glCreateProgram`
- `glCreateProgramObjectARB`
- `glAttachShader`
- `glAttachObjectARB`
- `glDeleteProgram`
- `glLinkProgram`
- `glLinkProgramARB`
- `glUseProgram`
- `glUseProgramObjectARB`

- glGetProgramiv
- glGetProgramInfoLog
- glGetUniformLocation
- glGetUniformLocationARB
- glUniform1f
- glUniform1fARB
- glUniform2f
- glUniform2fARB
- glUniform3f
- glUniform3fARB
- glUniform4f
- glUniform4fARB
- glUniformMatrix3fv
- glUniformMatrix3fvARB
- glUniformMatrix4fv
- glUniformMatrix4fvARB
- glUniform1i
- glUniform1iARB
- glBindAttribLocation
- glBindAttribLocationARB
- glVertexAttribPointer
- glVertexAttribPointerARB
- glEnableVertexAttribArray
- glEnableVertexAttribArrayARB
- glDisableVertexAttribArray
- glDisableVertexAttribArrayARB
- glGenBuffers
- glGenBuffersARB
- glBindBuffer
- glBindBufferARB
- glBufferData
- glBufferDataARB
- glMapBuffer
- glMapBufferARB
- glMapBufferOES
- glUnmapBuffer
- glUnmapBufferARB
- glUnmapBufferOES
- GL_IMG_multisampledrenderto_texture
- GL_EXT_multisampledrenderto_texture
- glRenderbufferStorageMultisample
- glRenderbufferStorageMultisampleEXT
- glRenderbufferStorageMultisampleIMG
- glFramebufferTexture2DMultisample
- glFramebufferTexture2DMultisampleEXT
- glFramebufferTexture2DMultisampleIMG
- cairo-gl-glyphs.c
- cairo-rtree-private.h
- priv->glyph
- priv->glyph == ((void *)0)
- cairoglcontextgetglyph_cache
- cairoglglyphfini

- *cairotree_pin*
- *Ccairo-gl-gradient.c*
- *((*&gradient->refcount)->refcount) > 0)*
- *cairoglgradientreference*
- *cairoglgradientdestroy*
- OpenGL ES
- *cairo-gl-operand.c*
- *%s_texgen*
- *cairogloperandcopy*
- *cairogloperanddestroy*
- *cairogloperandbindtoshader*
- *cairogloperandneeds_setup*
- *cairogloperandgetvertexsize*
- *cairogloperandemit*
- *Avec2 %sborderfade (vec2 coords, vec2 dims)*
- *return clamp(-abs(dims * (coords - 0.5)) + (dims + vec2(1.0)) * 0.5, 0.0, 1.0);*
- *float %sborderfade (float x, float dim)*
- *return clamp(-abs(dim * (x - 0.5)) + (dim + 1.0) * 0.5, 0.0, 1.0);*
- *bvec2 in_tex1 = greaterThanEqual (coords, vec2 (0.0));*
- *bvec2 in_tex2 = lessThan (coords, vec2 (1.0));*
- *return vec2 (float (all (intex1) && all (intex2)));*
- *bool in_tex = x >= 0.0 && x < 1.0;*
- *return float (in_tex);*
- OpenGL shader compilation failed.
- OpenGL shader compilation failed. Shader:
- *return mix(fract(coords), 1.0 - fract(coords), floor(mod(coords, 2.0)));*
- *vec4 get_%s()*
- *return vec4 (0, 0, 0, 1);*
- *uniform vec4 %s_constant;*
- *vec4 get_%s()*
- *return %s_constant;*
- *uniform sampler2D%s %s_sampler;*
- *uniform vec2 %s_texdims;*
- *varying vec2 %s_texcoords;*
- *vec4 get_%s()*
- *vec2 borderfade = %sborderfade (%stexcoords, %s_texdims);*
- *vec4 texel = texture2D%s (%ssampler, %stexcoords);*
- *return texel * borderfade.x * borderfade.y;*
- *return texture2D%s (%ssampler, %swrap (%s_texcoords));*
- *varying vec2 %s_texcoords;*
- *uniform vec2 %s_texdims;*
- *uniform sampler2D%s %s_sampler;*
- *vec4 get_%s()*
- *float borderfade = %sborderfade (%stexcoords.x, %s_texdims.x);*
- *vec4 texel = texture2D%s (%ssampler, vec2 (%stexcoords.x, 0.5));*
- *return texel * border_fade;*
- *return texture2D%s (%ssampler, %swrap (vec2 (%s_texcoords.x, 0.5)));*
- *varying vec2 %s_texcoords;*
- *uniform vec2 %s_texdims;*
- *uniform sampler2D%s %s_sampler;*
- *uniform vec3 %scircled;*

- uniform float %sradius0;
- vec4 get_%s()
- vec3 pos = vec3 (%stexcoords, %sradius_0);
- float B = dot (pos, %scircled);
- float C = dot (pos, vec3 (pos.xy, -pos.z));
- float t = 0.5 * C / B;
- float isvalid = step (-%sradius0, t * %scircle_d.z);
- float borderfade = %sborderfade (t, %stexdims.x);
- vec4 texel = texture2D%s (%s_sampler, vec2 (t, 0.5));
- return mix (vec4 (0.0), texel * borderfade, isvalid);
- vec4 texel = texture2D%s (%ssampler, %swrap (vec2 (t, 0.5)));
- return mix (vec4 (0.0), texel, is_valid);
- varying vec2 %s_texcoords;
- uniform vec2 %s_texdims;
- uniform sampler2D%s %s_sampler;
- uniform vec3 %scircled;
- uniform float %s_a;
- uniform float %sradius0;
- vec4 get_%s()
- vec3 pos = vec3 (%stexcoords, %sradius_0);
- float B = dot (pos, %scircled);
- float C = dot (pos, vec3 (pos.xy, -pos.z));
- float det = dot (vec2 (B, %s_a), vec2 (B, -C));
- float sqrtdet = sqrt (abs (det));
- vec2 t = (B + vec2 (sqrtdet, -sqrtdet)) / %s_a;
- vec2 is_valid = step (vec2 (0.0), t) * step (t, vec2(1.0));
- float hascolor = step (0., det) * max (isvalid.x, is_valid.y);
- float uppert = mix (t.y, t.x, isvalid.x);
- float borderfade = %sborderfade (uppert, %s_texdims.x);
- vec4 texel = texture2D%s (%ssampler, vec2 (uppert, 0.5));
- return mix (vec4 (0.0), texel * borderfade, hascolor);
- vec4 texel = texture2D%s (%ssampler, %swrap (vec2(upper_t, 0.5)));
- return mix (vec4 (0.0), texel, has_color);
- varying vec2 %s_texcoords;
- uniform sampler2D%s %s_sampler;
- uniform vec3 %scircled;
- uniform float %s_a;
- uniform float %sradius0;
- vec4 get_%s()
- vec3 pos = vec3 (%stexcoords, %sradius_0);
- float B = dot (pos, %scircled);
- float C = dot (pos, vec3 (pos.xy, -pos.z));
- float det = dot (vec2 (B, %s_a), vec2 (B, -C));
- float sqrtdet = sqrt (abs (det));
- vec2 t = (B + vec2 (sqrtdet, -sqrtdet)) / %s_a;
- vec2 isvalid = step (vec2 (-%sradius0), t * %scircle_d.z);
- float hascolor = step (0., det) * max (isvalid.x, is_valid.y);
- float uppert = mix (t.y, t.x, isvalid.x);
- vec4 texel = texture2D%s (%ssampler, %swrap (vec2(upper_t, 0.5)));
- return mix (vec4 (0.0), texel, has_color);
- attribute vec4 MultiTexCoord%d;

- varying vec2 %s_texcoords;
- uniform mat3 %s_texgen;
- varying vec2 %s_texcoords;
- %s_texcoords = MultiTexCoord%d.xy;
- %stexcoords = (%stexgen * Vertex.xyw).xy;
- attribute vec4 Vertex;
- attribute vec4 Color;
- uniform mat4 ModelViewProjectionMatrix;
- void main()
- gl_Position = ModelViewProjectionMatrix * Vertex;
- OpenGL shader link failed:
- Error: The cairo gl backend requires shader support!
- #ifdef GL_ES
- precision mediump float;
- #endif
- uniform vec4 color;
- void main()
- gl_FragColor = color;
- #ifdef GL_ES
- precision mediump float;
- #endif
- glFragColor = getsource() * get_mask().a%s;
- glFragColor = getsource() * get_mask()%;s;
- glFragColor = getsource().a * get_mask()%;s;
- cairo-gl-shaders.c
- OpenGL compilation log:
- vec2 %s_wrap(vec2 coords)
- return fract(coords);
- return coords;
- shader->program == 0
- varying float coverage;
- coverage = Color.a;
- Vertex
- MultiTexCoord0
- MultiTexCoord1
- OpenGL shader link failed.
- GLARBfragment_shader
- GLARBvertex_shader
- location != -1
- - coverage
- entry->shader.program
- void main()
- *sourcesampler*
- *masksampler*
- *cairoglshadercompileandlink*
- *cairoglshaderemitvariable*
- *cairoglshaderemitvertex*
- *compileshader*
- *linkshaderprogram*
- *cairoglshaderbindfloat*

- *cairooglshaderbindvec2*
- *cairooglshaderbindvec3*
- *cairooglshaderbindvec4*
- *cairooglshaderbindmatrix*
- *cairooglshaderbindmatrix4f*
- *cairooglgetshaderbytype*
- *cairooglshadergetfragmentsource*
- *cairooglshaderemitcolor*
- *cairoogloperandgetvartype*
- *cairo-gl-surface.c*
- *width > 0 && height > 0*
- *issupported*
- *!needsswap*
- *width <= ctx->maxframebuffersize && height <= ctx->maxframebuffersize*
- *cairoglsurfaceinit*
- *cairoglsurfacemaptoimage*
- *createscratchinternal*
- *cairoglsurfacecreatescratchfortexture*
- *cairoglsurfacedrawimage*
- *EGLKHRsurfacelesscontext*
- *EGLKHRsurfacelessopengl*
- *GLXMESAmultithreadmakecurrent*
- *COLORALPHA*
- *<< /content // %s*
- */width %f /height %f*
- */fallback-resolution [%f %f]*
- *>> surface context*
- *cairo-script-surface.c*
- *%d index*
- */target get exch pop*
- *%d -1 roll*
- */s%d undef*
- */f%lu undef /sf%lu undef*
- *%f %f %f %f rectangle*
- *! surface->active*
- *exch pop*
- *%d -1 roll pop*
- */s%u undef*
- *old->emitted*
- *surface->defined*
- *s%u context*
- *%d -1 roll*
- *show-page*
- *copy-page*
- *RGB16565*
- *INVALID*
- *~> >> image*
- *image/jpeg*
- *(%s) <~*
- *~> set-mime-data*
- *image/jp2*

- *targetisactive (surface)*
- *//%s set-operator*
- *//%s set-fill-rule*
- *%f set-tolerance*
- *dup /s%d exch def*
- *surface->active > 0*
- *ctx->active > 0*
- *//%s set-antialias*
- *[%f %f %f %f]*
- *record*
- *dup context*
- *identity set-matrix*
- *x1 > -9999*
- *%f %f %f %f rgba*
- *%f %f %f rgb*
- *%f %f %f %f linear*
- *%f %f %f %f %f %f radial*
- *begin-patch*
- *%f %f m*
- *%f %f l*
- *%f %f %f %f %f %f c*
- *%d %f %f set-control-point*
- *end-patch*
- *s%d pattern*
- *%d %d %d %d subsurface*
- *pattern*
- *//%s set-filter*
- *//%s set-extend*
- *set-source*
- */source get*
- *%f %f scale*
- *[%f %f %f %f 0 0] set-matrix*
- *%f set-line-width*
- *//%s set-line-cap*
- *//%s set-line-join*
- *%f set-miter-limit*
- *] %f set-dash*
- *stroke+*
- *reset-clip*
- */antialias //%*
- */subpixel-order //%*
- */hint-style //%*
- */hint-metrics //%*
- *>> set-font-options*
- *sf%lu set-scaled-font*
- *f%lu /glyphs get*
- *} >> set*
- *pop pop*
- *[%f %f*
- *~> %f <~*
- *] %f [*
- *~> %f %f <~*

-] %f %f [
- %d %d
- // %s show-text-glyphs
-] show-glyphs
- identity set-font-matrix
- %!CairoScript
- FILTERFAST
- FILTERGOOD
- FILTERBEST
- FILTERNEAREST
- FILTERBILINEAR
- FILTERGAUSSIAN
- EXTENDNONE
- EXTENDREPEAT
- EXTENDREFLECT
- EXTENDPAD
- SUBPIXELORDERDEFAULT
- SUBPIXELORDERRGB
- SUBPIXELORDERBGR
- SUBPIXELORDERVRGB
- SUBPIXELORDERVBGR
- HINTSTYLEDEFAULT
- HINTSTYLENONE
- HINTSTYLESLIGHT
- HINTSTYLEMEDIUM
- HINTSTYLEFULL
- HINTMETRICSDEFAULT
- HINTMETRICSOFF
- HINTMETRICSON
- ANTIALIASDEFAULT
- ANTIALIASNONE
- ANTIALIASGRAY
- ANTIALIASSUBPIXEL
- ANTIALIASFAST
- ANTIALIASGOOD
- ANTIALIASBEST
- FORWARD
- BACKWARD
- WINDING
- EVENODD
- LINECAPBUTT
- LINECAPROUND
- LINECAPSQUARE
- LINEJOINMITER
- LINEJOINROUND
- LINEJOINBEVEL
- %f %f %f %f %f add-color-stop
- ! cairolistisempty (&surface->operand.link)
- %u %u // %s similar dup /s %u exch def context
- /target get /s %u exch def pop
- << /width %d /height %d /format // %s /mime-type (image/png) /source <~

- << /width %d /height %d /format //s /source
- op < ((int) (sizeof (names) / sizeof (names[0])))
- rule < ((int) (sizeof (names) / sizeof (names[0])))
- *cairosurfacewrapperisactive* (&surface->wrapper)
- *antialias* < ((int) (sizeof (names) / sizeof (names[0])))
- *caiomatrixisidentity* (&surface->cr.currentctm)
- %lu <<
- /metrics [%f %f %f %f %f %f]
- /render {
- [%f %f %f %f %f %f] transform
- %d %f %f %f %f set-corner-color
- filter < ((int) (sizeof (names) / sizeof (names[0])))
- extend < ((int) (sizeof (names) / sizeof (names[0])))
- [%f %f %f %f %f %f] set-matrix
- surface->cr.currentoperator == op
- *linecap* < ((int) (sizeof (names) / sizeof (names[0])))
- *linejoin* < ((int) (sizeof (names) / sizeof (names[0])))
- << /type 42 /index 0 /flags %d /source <|
- ~> >> font dup /f%lu exch def set-font-face
- /type 3 set
- /metrics [%f %f %f %f %f %f] set
- /glyphs array set
- font dup /f%lu exch def set-font-face
- /scaled-font get /sf%lu exch def
- %lu <<
- /metrics [%f %f %f %f %f %f]
- /render {
- %f %f translate
- backward < ((int) (sizeof (names) / sizeof (names[0])))
- [%f %f %f %f %f %f] set-font-matrix
- [%f %f %f %f %f %f] set-matrix
- *cairoscriptsurfaceshowtextglyphs*
- *emitcontext*
- *emitsource*
- *emitidentity*
- *emitpattern*
- *emitrecordingsurfacepattern*
- *gettarget*
- *emitimagesurface*
- *formattostring*
- *writeimagesurface*
- *emitrasterpattern*
- *filtertostring*
- *extendtostring*
- *emitscaledfont*
- *emitscalingmatrix*
- *emitfontmatrix*
- *antialiastosting*
- *emitoperator*
- *operatorosting*
- *directionosting*

- *inactive*
- *emitfillrule*
- *fillruletostring*
- *emittolerance*
- *emitantialias*
- *emitpath*
- *emitstrokestyle*
- *emitlinecap*
- *linecaptostring*
- *emitlinejoin*
- *linejointostring*
- *emitmiterlimit*
- *emitdash*
- *cairoscriptsurfacemask*
- *cairoscriptsurfacerelease_sourceimage*
- *cairoscriptsurfacefinish*
- *embeddedbitmap*
- *autohint*
- *verticallayout*
- *embolden*
- *cairo-ft-font.c*
- *unscaled->face != ((void *)0)*
- *unscaled->lock_count > 0*
- *unscaled->face == ((void *)0)*
- *stride == bitmap->pitch*
- *own_buffer != 0*
- *!unscaled->from_face*
- *font_face->unscaled*
- *length != ((void *)0)*
- *Type 1*
- *ftface*
- *pixelsize*
- *fontmap->numopen_faces == 0*
- *unscaled->from_face && unscaled->faces->next == ((void *)0)*
- *bitmap->pixelmode != FT_PIXELMODE_GRAY*
- *unscaled->faces->next == ((void *)0)*
- *unscaled->base.hashentry.hash == key.base.hashentry.hash*
- *cairoftloadtype1_data*
- *cairoftunscaledfontcreateinternal*
- *cairoftunscaledfont_destroy*
- *cairoftunscaledfont_fini*
- *cairoftfontface_create*
- *cairoftfontfacescaledfont_create*
- *cairoftunscaledfontsetscale*
- *cairoftunscaledfontlockface*
- *cairoftunscaledfontunlockface*
- *cairoftloadtruetype_table*
- *getbitmap_surface*
- *cairoftunscaledfontmapdestroy*
- *showpage*
- *cairo-ps-surface.c*

- /DataSource {<
- imagemask
- %%%%Page: %d %d
- %%%%BeginPageSetup
- %%PageMedia:
- %%PageBoundingBox:
- %dx%ymm
- %%%%PageMedia: %s
- /Bounds [
- /CairoData exch def
- [%f %f %f %f %f %f]
- makepattern
- setpattern
- shfill
- currentdict /CairoData undef
- /Glyphs [
- Encoding %d /%s put
- Encoding %d /g%d put
- { % % %d
- f-%d-%d
- Encoding %d /g%ld put
- end readonly def
- /sfnts [
- /%s %d def
- /g%d %d def
- EPSF-3.0
- %%%%DocumentMedia:
- %%%%+
- %s %d %d 0 () ()
- %%%%BoundingBox: %d %d %d %d
- %%BoundingBox:
- %%%%EndComments
- %%%%BeginProlog
- 50 dict begin
- %%%%EndProlog
- %%%%BeginSetup
- %%%%EndSetup
- %%%%Trailer
- end restore
- pattern->n_stops != 0
- /CairoFunction
- >> def
- /Extend [true true]
- %f %f %f rg
- /DeviceGray
- /DeviceRGB
- 0 1 0 1 0 1 0 1
- /DeviceCMYK
- LZWDecode
- FlateDecode
- imagemask
- 0 g %d %d %d %d rectfill

- */CairoImageData [*
- */CairoImageDataIndex 0 def*
- *%s setcolorspace*
- */CairoPattern {*
- *%d g 0 0 0 %f %f rectfill*
- *} bind def*
- */XStep %f /YStep %f*
- */BBox [0 0 %f %f]*
- */BBox [0 0 %d %d]*
- *makepattern setpattern*
- *res=%fppi*
- *res=%fx%fppi*
- *size=%ld*
- *[%f %f %f %f %f %f] concat*
- *[%f %f %f %f %f %f] concat*
- *Letter*
- *Tabloid*
- *Ledger*
- *Statement*
- *Executive*
- *Quarto*
- *PS Level 2*
- *PS Level 3*
- */ImageType 1*
- */Width %d*
- */Height %d*
- */ImageMatrix [%d 0 0 %d 0 %d]*
- */Decode [1 0]*
- */BitsPerComponent 1*
- *%%%%PageBoundingBox: %d %d %d %d*
- *%%%%EndPageSetup*
- *q %d %d %d %d rectclip q*
- *<< /FunctionType 2*
- */Domain [0 1]*
- */C0 [%f %f %f]*
- */C1 [%f %f %f]*
- */N 1*
- *<< /FunctionType 3*
- */Domain [0 1]*
- */Functions [*
- */Encode [1 1 %d { pop 0 1 } for]*
- *surface->paginatedmode != CAIROPAGINATEDMODEANALYZE*
- *currentfile*
- */ASCII85Decode filter /FlateDecode filter /ReusableStreamDecode filter*
- *<< /PatternType 2*
- */Shading*
- *<< /ShadingType %d*
- */ColorSpace /DeviceRGB*
- */DataSource CairoData*
- */BitsPerCoordinate %d*
- */BitsPerComponent %d*
- */BitsPerFlag %d*

- /Decode [
- 8 dict begin
- /FontType 3 def
- /FontMatrix [1 0 0 1 0 0] def
- /Encoding 256 array def
- 0 1 255 { Encoding exch /.notdef put } for
- /FontBBox [%f %f %f %f] def
- /BuildChar{
- exch /Glyphs get
- exch get
- 10 dict begin exec end
- } bind def
- currentdict
- /f-%d-%d exch definefont pop
- 11 dict begin
- /FontType 42 def
- /FontName /%s def
- /PaintType 0 def
- /FontMatrix [1 0 0 1 0 0] def
- /FontBBox [0 0 0 0] def
- /Encoding 256 array def
- 0 1 255 { Encoding exch /.notdef put } for
- /CharStrings %d dict dup begin
- /.notdef 0 def
- /f-%d-%d currentdict end definefont pop
- %%!PS-Adobe-3.0%
- %%%Creator: cairo %s (<http://cairographics.org>)
- %%%CreationDate: %s%%Pages: %d
- %%%DocumentData: Clean7Bit
- %%%LanguageLevel: %d
- /languagelevel where
- { pop languagelevel } { 1 } ifelse
- %d lt { /Helvetica findfont 12 scalefont setfont 50 500 moveto
- (This print job requires a PostScript Language Level %d printer.) show
- showpage quit } if
- /q { gsave } bind def
- /Q { grestore } bind def
- /cm { 6 array astore concat } bind def
- /w { setlinewidth } bind def
- /J { setlinecap } bind def
- /j { setlinejoin } bind def
- /M { setmiterlimit } bind def
- /d { setdash } bind def
- /m { moveto } bind def
- /l { lineto } bind def
- /c { curveto } bind def
- /h { closepath } bind def
- /re { exch dup neg 3 1 roll 5 3 roll moveto 0 rlineto
- 0 exch rlineto 0 rlineto closepath } bind def
- /S { stroke } bind def
- /f { fill } bind def
- /f { eofill } bind def

- /n { newpath } bind def
- /W { clip } bind def
- /W* { eoclip } bind def
- /BT { } bind def
- /ET { } bind def
- /pdfmark where { pop globaldict /?pdfmark /exec load put }
- { globaldict begin /?pdfmark /pop load def /pdfmark
- /cleartomark load def end } ifelse
- /BDC { mark 3 1 roll /BDC pdfmark } bind def
- /EMC { mark /EMC pdfmark } bind def
- /cairostorepoint { /cairopointy exch def /cairopointx exch def } def
- /Tj { show currentpoint cairostorepoint } bind def
- dup
- type /stringtype eq
- { show } { -0.001 mul 0 cairofontmatrix dtransform rmoveto } ifelse
- } forall
- currentpoint cairostorepoint
- } bind def
- /cairolelectfont { cairofontmatrix aload pop pop pop 0 0 6 array astore
- cairofont exch selectfont cairopointx cairopointy moveto } bind def
- /Tf { pop /cairolelectfont exch def /cairolelectfontmatrix where
- { pop cairolelectfont } if } bind def
- /Td { matrix translate cairolelectfontmatrix matrix concatmatrix dup
- /cairolelectfontmatrix exch def dup 4 get exch 5 get cairostorepoint
- /cairolelectfont where { pop cairolelectfont } if } bind def
- /Tm { 2 copy 8 2 roll 6 array astore /cairolelectfontmatrix exch def
- cairostorepoint /cairolelectfont where { pop cairolelectfont } if } bind def
- /g { setgray } bind def
- /rg { setrgbcolor } bind def
- /d1 { setcachedevice } bind def
- pattern->base.extend == CAIROEXTENDPAD
- /CairoFunction
- << /FunctionType 3
- /Domain [%d %d]
- /Functions [%d {CairoFunction} repeat]
- /Bounds [%d 1 %d {} for]
- /Encode [%d 1 %d { 2 mod 0 eq {0 1} {1 0} ifelse } for]
- /Encode [%d 1 %d { pop 0 1 } for]
- << /ShadingType 2
- /ColorSpace /DeviceRGB
- /Coords [%f %f %f %f]
- << /ShadingType 3
- /ColorSpace /DeviceRGB
- /Coords [%f %f %f %f %f %f]
- /Extend [false false]
- /Function CairoFunction
- /Function <<
- /FunctionType 3
- /Domain [0 1]
- /Bounds []
- /Encode [%f %f]

- /Functions [CairoFunction]
- >>
- [%f %f %f %f %f %f]
- makepattern setpattern
- *cairo*surface/isimage (surf)
- %s setcolorspace
- 8 dict dup begin
- /ImageType 1 def
- /Width %d def
- /Height %d def
- /BitsPerComponent %d def
- /Decode [%s] def
- /DataSource {
- CairoImageData CairoImageDataIndex get
- /CairoImageDataIndex CairoImageDataIndex 1 add def
- CairoImageDataIndex CairoImageData length 1 sub gt
- { /CairoImageDataIndex 0 def } if
- } /ASCII85Decode filter /DCTDecode filter def
- /DataSource currentfile /ASCII85Decode filter /DCTDecode filter def
- /ImageMatrix [1 0 0 -1 0 %d] def
- %s setcolorspace
- 5 dict dup begin
- /ImageType 3 def
- /InterleaveType 2 def
- /DataDict 8 dict def
- DataDict begin
- /ImageType 1 def
- /Width %d def
- /Height %d def
- /Interpolate %s def
- /BitsPerComponent %d def
- /Decode [%s] def
- /DataSource {
- CairoImageData CairoImageDataIndex get
- /CairoImageDataIndex CairoImageDataIndex 1 add def
- CairoImageDataIndex CairoImageData length 1 sub gt
- { /CairoImageDataIndex 0 def } if
- } /ASCII85Decode filter /%s filter def
- /DataSource currentfile /ASCII85Decode filter /%s filter def
- /ImageMatrix [1 0 0 -1 0 %d] def
- /MaskDict 8 dict def
- MaskDict begin
- /ImageType 1 def
- /Width %d def
- /Height %d def
- /Interpolate %s def
- /BitsPerComponent 1 def
- /Decode [1 0] def
- /ImageMatrix [1 0 0 -1 0 %d] def
- 8 dict dup begin
- /ImageType 1 def
- /Width %d def

- /Height %d def
- /Interpolate %s def
- /BitsPerComponent %d def
- /Decode [%s] def
- /DataSource {
- CairoImageData CairoImageDataIndex get
- /CairoImageDataIndex CairoImageDataIndex 1 add def
- CairoImageDataIndex CairoImageData length 1 sub gt
- { /CairoImageDataIndex 0 def } if
- } /ASCII85Decode filter /%s filter def
- /DataSource currentfile /ASCII85Decode filter /%s filter def
- /Interpolate %s def
- /ImageMatrix [1 0 0 -1 0 0 %d] def
- source->type == CAIRO_SURFACE_TYPE_IMAGE
- << /PatternType 1
- /PaintType 1
- /TilingType 1
- /BBox [0 0 %d %d]
- /PaintProc {
- CairoPattern
- [-1 0 0 1 %d 0] concat CairoPattern
- [1 0 0 -1 0 %d] concat CairoPattern
- [-1 0 0 1 %d 0] concat CairoPattern
- CairoPattern
- } bind
- /PaintProc { CairoPattern }
- cairopssurfaceoperationsupported (surface, op, source, ((void *)0), &extents.bounded)
- %% Fallback Image: x=%f y=%f w=%d h=%d
- cairopssurfaceoperationsupported (surface, op, source, mask, &extents.bounded)
- cairopssurfaceshowtextglyphs
- patternsupported
- cairopssurfaceanalyzeurfacepatterntransparency
- cairopssurfaceacquiresourcesurfacefrompattern
- cairopssurfaceleasesourcesurfacefrompattern
- cairopssurfaceemitsurfacepattern
- cairopssurfaceemitrecordingsubsurface
- cairopssurfaceemitrecordingsurface
- cairopssurfaceemitimage
- cairopssurfaceemitgradient
- cairopssurfaceemitpatternstops
- cairopssurfaceemitmeshpattern
- cairopssurfacefill
- canpaintpattern
- cairopssurfacepaintsurface
- pathfixedinitrectangle
- cairopssurfacepaintgradient
- cairopssurfacepaintpattern
- cairopssurfacestroke
- cairopssurfacemask
- cairopssurfacepaint
- cairopsemitimagemask
- cairopssurfaceemitscaledfontsubset

- *cairopdfsurfaceemitunscaledfontsubset*
- *cairopdfsurfaceclipperintersectclippath*
- *fffff9@*
- *cairopdfsurfaceshowtextglyphs*
- *patternsupported*
- *surfacepatternsupported*
- *cairopdfsurfacefillstroke*
- *cairopdfsurfacefill*
- *cairopdfsurfaceclosecontentstream*
- *cairopdfsurfaceopencontentstream*
- *cairopdfsurfaceopenstream*
- *canpaintpattern*
- *cairopdfsurfacepaintpattern*
- *cairopdfsurfacepaintgradient*
- *cairopdfsurfacepaintsurfacepattern*
- *cairopdfsurfaceacquiresourceimagefrompattern*
- *cairopdfsurfaceleasesourceimagefrompattern*
- *cairopdfsurfacestroke*
- *cairopdfsurfacemask*
- *cairopdfsurfacepaint*
- *cairopdfsurfaceopengroup*
- *cairopdfsurfaceclosegroup*
- *cairopdfsurfacewritesmaskgroup*
- *cairopdfsurfaceemitpattern*
- *cairopdfsurfaceemitsurfacepattern*
- *cairopdfsurfaceemitgradient*
- *cairopdfsurfaceemitpatternstops*
- *cairopdfsurfaceemitmeshpattern*
- *cairopdfsurfaceemitrecordingsurface*
- *cairopdfsurfaceemitsmask*
- *cairopdfemitimagemask*
- *cairopdfsurfaceemitscaledfontsubset*
- *cairopdfsurfaceemitunscaledfontsubset*
- */a%d gs*
- */Pattern CS /p%d SCN*
- */Pattern cs /p%d scn*
- *%%PDF-%s*
- *%%c%c%c%c*
- *cairo-pdf-surface.c*
- *%d 0 obj*
- *<< /Length %d 0 R*
- */Filter /FlateDecode*
- *bbox != ((void *)0)*
- */b%d gs*
- *%d 0 obj*
- */Domain [%f %f]*
- */Functions [*
- *%d 0 R*
- */Encode [*
- *endstream*
- *endobj*

- %d 0 obj
- %ld
- endobj
- /a0 gs /sh%d sh
- /Count %d
- 0000000000 65535 f
- startxref
- %%%EOF
- %010ld
- %s 00000 n
- Multiply
- Screen
- Overlay
- Darken
- Lighten
- ColorDodge
- ColorBurn
- HardLight
- SoftLight
- Difference
- Exclusion
- Saturation
- Luminosity
- /ExtGState <<
- /b%d << /BM /%s >>
- /s%d %d 0 R
- /Pattern <<
- /p%d %d 0 R
- /Shading <<
- /sh%d %d 0 R
- /XObject <<
- /x%d %d 0 R
- /Font <<
- /f-%d-%d %d 0 R
- /K true
- /Resources
- <0000>
- <00>
- endcodespacerange
- endbfchar
- endbfchar
- %d beginbfchar
- <%02x>
- <%04x>
- %d 0 obj
- /%d %d 0 R
- /Widths [
- /ToUnicode %d 0 R
- /Subtype /Type1C
- /Subtype /CIDFontType0C
- /FontFamily %s
- endobj

- *CairoFont-%d-%d*
- */Length1 %lu*
- *gstateres.id == 0*
- *q /s%d gs /x%d Do Q*
- *application/x-cairo.uuid*
- */a%d gs /x%d Do*
- */s%d gs /sh%d sh*
- */a%d gs /sh%d sh*
- *0 0 %f %f re f*
- *%f %f %f %f re f*
- *q %d 0 0 %d 0 0 cm /x%d Do Q*
- */Length %ld*
- *stream*
- *PDF 1.4*
- *PDF 1.5*
- *surface->pdfstream.oldoutput == ((void *)0)*
- *surface->pdfstream.active == 0*
- *surface->groupstream.active == 0*
- */Type /XObject*
- */Subtype /Form*
- */BBox [%f %f %f %f]*
- */Group <<*
- */Type /Group*
- */S /Transparency*
- */I true*
- */CS /DeviceRGB*
- */Resources %d 0 R*
- */IM true*
- */BPC 1*
- */D [1 0]*
- *<< /Type /Pattern*
- */PatternType 2*
- */Matrix [%f %f %f %f %f %f]*
- */Shading*
- *<< /ShadingType 2*
- */ColorSpace %s*
- */Coords [%f %f %f %f]*
- *<< /ShadingType 3*
- */ColorSpace %s*
- */Coords [%f %f %f %f %f %f]*
- */Extend [true true]*
- */Extend [false false]*
- */Function %d 0 R*
- *>>*
- *%d 0 obj*
- *<< /FunctionType 3*
- */Domain [%d %d]*
- *%d 0 obj*
- *<< /FunctionType 2*
- */Domain [0 1]*
- */C0 [%f]*
- */C1 [%f]*

- /N 1
- endobj
- /Shading
- << /sh%d %d 0 R >>
- /Pattern
- << /p%d %d 0 R >>
- /Type /XObject
- /Subtype /Form
- /FormType 1
- /BBox [%f %f %f %f]
- /Resources
- << /ExtGState
- << /a0 << /ca 1 /CA 1 >> >>
- %s >>
- /Group
- << /Type /Group
- /S /Transparency
- /I true
- /CS /DeviceGray
- >>
- /a0 gs
- /Pattern cs /p%d scn
- 0 0 %f %f re
- %d 0 obj
- << /Type /Mask
- /S /Luminosity
- /G %d 0 R
- endobj
- %d 0 obj
- << /Type /ExtGState
- /SMask %d 0 R
- /ca 1
- /CA 1
- /AIS false
- endobj
- image->format == CAIROFORMATARGB32 || image->format == CAIROFORMATA8 || image->format == CAIROF
- transparency == CAIROIMAGEISOPAQUE || transparency == CAIROIMAGEHASBILEVELALPHA
- /Type /XObject
- /Subtype /Image
- /ImageMask true
- /Width %d
- /Height %d
- /Interpolate %s
- /BitsPerComponent 1
- /Decode [1 0]
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace /DeviceGray
- /Interpolate %s
- /BitsPerComponent %d

- %d 0 obj
- << /Type /Pages
- /Kids [
- %d 0 obj
- << /Creator (cairo %s (<http://cairographics.org>))
- /Producer (cairo %s (<http://cairographics.org>))
- endobj
- %d 0 obj
- << /Type /Catalog
- /Pages %d 0 R
- endobj
- trailer
- << /Size %d
- /Root %d 0 R
- /Info %d 0 R
- /a%d << /CA %f /ca %f >>
- surface->pdfstream.active == 1
- surface->groupstream.active == 1
- %d 0 obj
- << /Type /XObject
- /Length %d
- /Subtype /Form
- /BBox [%f %f %f %f]
- /Group <<
- /Type /Group
- /S /Transparency
- /I true
- /CS /DeviceRGB
- %d 0 obj
- << /FunctionType 2
- /Domain [0 1]
- /C0 [%f %f %f]
- /C1 [%f %f %f]
- /N 1
- endobj
- %d 0 obj
- << /FunctionType 3
- /Domain [%f %f]
- /CIDInit /ProcSet findresource begin
- 12 dict begin
- begincmap
- /CIDSystemInfo
- << /Registry (Adobe)
- /Ordering (UCS)
- /Supplement 0
- >> def
- /CMapName /Adobe-Identity-UCS def
- /CMapType 2 def
- 1 begincodespacerange
- endcmap
- CMapName currentdict /CMap defineresource pop
- %d 0 obj

- << /Type /Encoding
- /Differences [0
- %d 0 obj
- << /Type /Font
- /Subtype /Type3
- /FontBBox [%f %f %f %f]
- /FontMatrix [1 0 0 1 0 0]
- /Encoding %d 0 R
- /CharProcs %d 0 R
- /FirstChar 0
- /LastChar %d
- %d 0 obj
- << /Type /FontDescriptor
- /FontName /%s+%s
- /Flags 4
- /FontBBox [%ld %ld %ld %ld]
- /ItalicAngle 0
- /Ascent %ld
- /Descent %ld
- /CapHeight %ld
- /StemV 80
- /StemH 80
- /FontFile3 %u 0 R
- endobj
- %d 0 obj
- << /Type /Font
- /Subtype /Type1
- /BaseFont /%s+%s
- /FirstChar 32
- /LastChar %d
- /FontDescriptor %d 0 R
- /Encoding /WinAnsiEncoding
- /Widths [
- %d 0 obj
- << /Type /Font
- /Subtype /CIDFontType0
- /BaseFont /%s+%s
- /CIDSystemInfo
- << /Registry (Adobe)
- /Ordering (Identity)
- /Supplement 0
- /FontDescriptor %d 0 R
- /W [0 [
- %d 0 obj
- << /Type /Font
- /Subtype /Type0
- /BaseFont /%s+%s
- /Encoding /Identity-H
- /DescendantFonts [%d 0 R]
- /Length1 %lu
- /Length2 %lu
- /Length3 %lu

- %d 0 obj
- << /Type /FontDescriptor
- /FontName /%s+%s
- /Flags 4
- /FontBBox [%ld %ld %ld %ld]
- /ItalicAngle 0
- /Ascent %ld
- /Descent %ld
- /CapHeight %ld
- /StemV 80
- /StemH 80
- /FontFile %u 0 R
- endobj
- %d 0 obj
- << /Type /Font
- /Subtype /Type1
- /BaseFont /%s+%s
- /FirstChar %d
- /LastChar %d
- /FontDescriptor %d 0 R
- /Encoding /WinAnsiEncoding
- /Flags %d
- /FontBBox [%ld %ld %ld %ld]
- /ItalicAngle 0
- /Ascent %ld
- /Descent %ld
- /CapHeight %ld
- /StemV 80
- /StemH 80
- /FontFile2 %u 0 R
- endobj
- %d 0 obj
- << /Type /Font
- /Subtype /TrueType
- /BaseFont /%s+%s
- /FirstChar 32
- /LastChar %d
- /FontDescriptor %d 0 R
- /Encoding /WinAnsiEncoding
- /Widths [
- %d 0 obj
- << /Type /Font
- /Subtype /CIDFontType2
- /BaseFont /%s+%s
- /CIDSystemInfo
- << /Registry (Adobe)
- /Ordering (Identity)
- /Supplement 0
- /FontDescriptor %d 0 R
- /W [0 [
- *cairopdfsurfaceoperationsupported (surface, op, source, &extents.bounded)*
- *cairopdfsurfaceoperationsupported (surface, op, mask, &extents.bounded)*

- %d 0 obj
- << /Type /Mask
- /S /Alpha
- /G %d 0 R
- endobj
- /PatternType 1
- /BBox [%f %f %f %f]
- /XStep %f
- /YStep %f
- /TilingType 1
- /PaintType 1
- /Matrix [%f %f %f %f %f %f]
- /Resources << /XObject << /x%d %d 0 R >> >>
- q 0 0 %d %d re W n %s Q
- q -1 0 0 1 %d 0 cm 0 0 %d %d re W n %s Q
- q 1 0 0 -1 0 %d cm 0 0 %d %d re W n %s Q
- q -1 0 0 -1 %d %d cm 0 0 %d %d re W n %s Q
- pdfpattern->gstateres.id != 0
- %d 0 obj
- << /ShadingType %d
- /ColorSpace /DeviceRGB
- /BitsPerCoordinate %d
- /BitsPerComponent %d
- /BitsPerFlag %d
- /Decode [
- %d 0 obj
- << /Type /Pattern
- /PatternType 2
- /Matrix [%f %f %f %f %f %f]
- /Shading %d 0 R
- endobj
- %d 0 obj
- << /ShadingType %d
- /ColorSpace /DeviceGray
- /BitsPerCoordinate %d
- /BitsPerComponent %d
- /BitsPerFlag %d
- /Decode [
- q /a%d gs 0 0 0 rg 0 0 %f %f re f Q
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /Filter /JPXDecode
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace %s
- /BitsPerComponent %d
- /Filter /DCTDecode
- /Type /XObject

- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace %s
- /Interpolate %s
- /BitsPerComponent %d
- /SMask %d 0 R
- /Type /XObject
- /Subtype /Image
- /Width %d
- /Height %d
- /ColorSpace %s
- /Interpolate %s
- /BitsPerComponent %d
- %d 0 obj
- << /Type /Page
- /Parent %d 0 R
- /MediaBox [0 0 %f %f]
- /Contents %d 0 R
- /Group <<
- /Type /Group
- /S /Transparency
- /I true
- /CS /DeviceRGB
- /Resources %d 0 R
- endobj
- C %f %f %f %f %f %f
- L %f %f
- M %f %f
-
-
-
-
-
-
-
-
- spreadMethod="repeat"
- spreadMethod="reflect"
- cairo-svg-surface.c
- evenodd
- nonzero
-
- comp-op="%s"
- clip-to-self="true"
- comp-op:%s;
- clip-to-self:true;
-
- transform
-
- patternTransform
-

-
- *isbounded*
- *xlink:href=*"
- *text/x-uri*
- *"*
- *data:image/jpeg;base64,*
- *data:image/png;base64,*
-
- *stroke*
- *%s:url(#pattern%d);*
- *gradientTransform*
-
- *%s:url(#linear%d);*
-
- *%s:url(#radial%d);*
- *stroke-dasharray:*
- *stroke-dashoffset:%f;*
- *stroke-miterlimit:%f;*
-
-
- *stroke:none;"*
-
- *%s*
- *mask="url(#mask%d)"*
-
-
- *src-over*
- *src-in*
- *src-out*
- *src-atop*
- *dst-over*
- *dst-in*
- *dst-out*
- *dst-atop*
- *color-dodge*
- *multiply*
- *screen*
- *overlay*
- *darken*
- *lighten*
- *color-burn*
- *hard-light*
- *soft-light*
- *difference*
- *exclusion*
- *SVG 1.1*
- *SVG 1.2*
-
-
- *%s="matrix(%f,%f,%f,%f,%f,%f)"*
-
-

- [illegible]

Extracted URLs

- <http://cairographics.org>)
- <http://cairographics.org>))
- <http://cairographics.org>))
- <http://www.w3.org/2000/svg>
- <http://www.w3.org/1999/xlink>

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 6.26
- **Status:** *This file is likely packed or encrypted.*

VirusTotal Analysis

****Scan Date**:** 2021-08-09 02:45:55

Scan Results

- *Malicious:* 0
- *Suspicious:* 0
- *Undetected:* 60
- *Harmless:* 0
- *Timeout:* 0
- *Confirmed-timeout:* 0
- *Failure:* 0
- *Type-unsupported:* 13

Community Votes

- *Harmless:* 0
- *Malicious:* 0

Detailed Engine Results

Engine Name	Detection Category	Detection
No results	No results	No results
