

Malware Analysis Report For MachO-iOS-armv7-armv7s-arm64-Helloworld

Binary Type

Mach-O (Mach Object). (Approved)

Analyzing File

- **File Name:** MachO-iOS-armv7-armv7s-arm64-Helloworld
 - **File Extension:**
 - **File Type:** Fat Mach-O (Contains multiple architectures)
 - **MD5 Hash:** 750338e86da4e5c8c318b885ba341d82
 - **SHA256 Hash:** 8f8221e6723a7770e38daf61d35c624d88f7742e953fb19a9e1ed7a4131615b7
-

File Identification

File detected as a valid macOS/iOS executable.

Mach-O File Analysis

Mach-O File Analysis: True

Mach-O File Imports

- CoreData
- CoreFoundation
- CoreGraphics
- Foundation
- UIKit
- libSystem.B.dylib
- libobjc.A.dylib

Mach-O File Exports

No exported functions were found.

String Analysis

ASCII Strings

- __PAGEZERO
- __TEXT
- __text
- __TEXT
- _stubhelper
- __TEXT

- `__cstring`
- `__TEXT`
- `_objcmethname`
- `__TEXT`
- **`objc_classname`**`TEXT`
- `_objcmethtype`
- `__TEXT`
- `__symbolstub1`
- `__TEXT`
- `__DATA`
- `_lazy symbol`
- `__DATA`
- `_n/symbol_ptr`
- `__DATA`
- **`objc_classlist`**`DATA`
- **`objc_protolist`**`DATA`
- **`objc_imageinfo`**`DATA`
- `_objcconst`
- `__DATA`
- `_objcselfrefs`
- `__DATA`
- **`objc_classrefs`**`DATA`
- **`objc_superrefs`**`DATA`
- `_objcdata`
- `__DATA`
- `_objcivar`
- `__DATA`
- `__cstring`
- `__DATA`
- `__data`
- `__DATA`
- `__LINKEDIT`
- `/usr/lib/dyld`
- `/System/Library/Frameworks/CoreGraphics.framework/CoreGraphics`
- `/System/Library/Frameworks/CoreData.framework/CoreData`
- `/System/Library/Frameworks/UIKit.framework/UIKit`
- `/System/Library/Frameworks/Foundation.framework/Foundation`
- `/usr/lib/libobjc.A.dylib`
- `/usr/lib/libSystem.B.dylib`
- `/System/Library/Frameworks/CoreFoundation.framework/CoreFoundation`
- `}D-h$h`
- `timeStamp`
- `Master`
- `detailItem`
- `T@,&,N,V_detailItem`
- `detailDescriptionLabel`
- `T@"UILabel",W,N,V_detailDescriptionLabel`
- `masterPopoverController`
- `T@"UIPopoverController",&,N,V_masterPopoverController`
- `Unresolved error %@, %@`
- `showDetail`
- `detailViewController`

- T@"DetailViewController",&,N,V_detailViewController
- fetchedResultsController
- T@"NSFetchedResultsController",&,N,V_fetchedResultsController
- managedObjectContext
- T@"NSManagedObjectContext",&,N,V_managedObjectContext
- dv_test08
- dv_test08.sqlite
- window
- T@"UWindow",&,N
- T@"UWindow",&,N,V_window
- T@"NSManagedObjectContext",R,N,V_managedObjectContext
- managedObjectModel
- T@"NSManagedObjectModel",R,N,V_managedObjectModel
- persistentStoreCoordinator
- T@"NSPersistentStoreCoordinator",R,N,V_persistentStoreCoordinator
- configureView
- masterPopoverController
- dismissPopoverAnimated:
- detailItem
- detailDescriptionLabel
- valueForKey:
- description
- setText:
- viewDidLoad
- didReceiveMemoryWarning
- mainBundle
- localizedStringForKey:value:table:
- setTitle:
- navigationItem
- setLeftBarButtonItem:animated:
- setMasterPopoverController:
- splitViewController:willHideViewController:withBarButtonItem:forPopoverController:
- splitViewController:willShowViewController:invalidatingBarButtonItem:
- splitViewController:popoverController:willPresentViewController:
- splitViewController:shouldHideViewController:inOrientation:
- splitViewControllerSupportedInterfaceOrientations:
- splitViewControllerPreferredInterfaceOrientationForPresentation:
- setDetailItem:
- .cxx_destruct
- setDetailDescriptionLabel:
- _detailItem
- _detailDescriptionLabel
- _masterPopoverController
- currentDevice
- userInterfaceIdiom
- setClearsSelectionOnViewWillAppear:
- setPreferredContentSize:
- awakeFromNib
- editButtonItem
- setLeftBarButtonItem:
- insertNewObject:
- initWithBarButtonItemSystemItem:target:action:

- setRightBarButtonItem:
- splitViewController
- viewControllers
- lastObject
- topViewController
- setDetailViewController:
- fetchedResultsController
- managedObjectContext
- fetchRequest
- entity
- insertNewObjectForEntityForName:inManagedObjectContext:
- setValue:forKey:
- userInfo
- sections
- objectAtIndexedSubscript:
- numberOfObjects
- dequeueReusableCellWithIdentifier:forIndexPath:
- configureCell:indexPath:
- objectAtIndex:
- deleteObject:
- detailViewController
- identifier
- isEqualToString:
- tableView
- indexPathForSelectedRow
- destinationViewController
- entityForName:inManagedObjectContext:
- setEntity:
- setFetchBatchSize:
- initWithKey:ascending:
- arrayWithObjects:count:
- setSortDescriptors:
- initWithFetchRequest:managedObjectContext:sectionNameKeyPath:cacheName:
- setDelegate:
- setFetchedResultsController:
- performFetch:
- beginUpdates
- indexSetWithIndex:
- insertSections:withRowAnimation:
- deleteSections:withRowAnimation:
- insertRowsAtIndexPaths:withRowAnimation:
- deleteRowsAtIndexPaths:withRowAnimation:
- cellForRowAtIndex:
- endUpdates
- textLabel
- controller:didChangeObject:indexPath:forChangeType:newIndexPath:
- controller:didChangeSection:atIndex:forChangeType:
- controllerWillChangeContent:
- controllerDidChangeContent:
- controller:sectionIndexTitleForSectionName:
- numberOfSectionsInTableView:
- tableView:numberOfRowsInSection:

- tableView:cellForRowAtIndexPath:
- tableView:canEditRowAtIndexPath:
- tableView:commitEditingStyle:forRowAtIndexPath:
- tableView:canMoveRowAtIndexPath:
- tableView:didSelectRowAtIndexPath:
- prepareForSegue:sender:
- setManagedObjectContext:
- _detailViewController
- _fetchedResultsController
- _managedObjectContext
- window
- rootViewController
- saveContext
- hasChanges
- persistentStoreCoordinator
- setPersistentStoreCoordinator:
- URLForResource:withExtension:
- initWithContentsOfURL:
- applicationDocumentsDirectory
- URLByAppendingPathComponent:
- managedObjectModel
- initWithManagedObjectModel:
- addPersistentStoreWithType:configuration:URL:options:error:
- defaultManager
- URLsForDirectory:inDomains:
- applicationDidFinishLaunching:
- application:willFinishLaunchingWithOptions:
- application:didFinishLaunchingWithOptions:
- applicationDidBecomeActive:
- applicationWillResignActive:
- application:handleOpenURL:
- application:openURL:sourceApplication:annotation:
- applicationDidReceiveMemoryWarning:
- applicationWillTerminate:
- applicationSignificantTimeChange:
- application:willChangeStatusBarOrientation:duration:
- application:didChangeStatusBarOrientation:
- application:willChangeStatusBarFrame:
- application:didChangeStatusBarFrame:
- application:didRegisterForRemoteNotificationsWithDeviceToken:
- application:didFailToRegisterForRemoteNotificationsWithError:
- application:didReceiveRemoteNotification:
- application:didReceiveLocalNotification:
- application:didReceiveRemoteNotification:fetchCompletionHandler:
- application:performFetchWithCompletionHandler:
- application:handleEventsForBackgroundURLSession:completionHandler:
- applicationDidEnterBackground:
- applicationWillEnterForeground:
- applicationProtectedDataWillBecomeUnavailable:
- applicationProtectedDataDidBecomeAvailable:
- application:supportedInterfaceOrientationsForWindow:
- application:viewControllerWithRestorationIdentifierPath:coder:

- application:shouldSaveApplicationState:
- application:shouldRestoreApplicationState:
- application:willEncodeRestorableStateWithCoder:
- application:didDecodeRestorableStateWithCoder:
- setWindow:
- isEqual:
- superclass
- performSelector:
- performSelector:withObject:
- performSelector:withObject:withObject:
- isProxy
- isKindOfClass:
- isMemberOfClass:
- conformsToProtocol:
- respondsToSelector:
- retain
- release
- autorelease
- retainCount
- debugDescription
- _managedObjectModel
- _persistentStoreCoordinator
- _window
- DetailViewController
- UISplitViewControllerDelegate
- MasterViewController
- NSFetchedResultsControllerDelegate
- AppDelegate
- UIApplicationDelegate
- NSObject
- v24@0:4@8@12@16@20
- v24@0:4@"UISplitViewController"8@"UIViewController"12@"UIBarButtonItem"16@"UIPopoverController"20
- v20@0:4@8@12@16
- v20@0:4@"UISplitViewController"8@"UIViewController"12@"UIBarButtonItem"16
- v20@0:4@"UISplitViewController"8@"UIPopoverController"12@"UIViewController"16
- c20@0:4@8@12i16
- c20@0:4@"UISplitViewController"8@"UIViewController"12i16
- l12@0:4@8
- l12@0:4@"UISplitViewController"8
- i12@0:4@8
- i12@0:4@"UISplitViewController"8
- v12@0:4@8
- v8@0:4
- @8@0:4
- @"UILabel"
- @"UIPopoverController"
- v28@0:4@8@12@16l20@24
- v28@0:4@"NSFetchedResultsController"8@12@"NSIndexPath"16l20@"NSIndexPath"24
- v24@0:4@8@12l16l20
- v24@0:4@"NSFetchedResultsController"8@""12l16l20
- v12@0:4@"NSFetchedResultsController"8
- @16@0:4@8@12

- @"NSString"16@0:4@"NSFetchResultsController"8@"NSString"12
- i16@0:4@8i12
- c16@0:4@8@12
- v20@0:4@8i12@16
- v16@0:4@8@12
- @"DetailViewController"
- @"NSFetchResultsController"
- @"NSManagedObjectContext"
- v12@0:4@"UIApplication"8
- c16@0:4@"UIApplication"8@"NSDictionary"12
- c16@0:4@"UIApplication"8@"NSURL"12
- c24@0:4@8@12@16@20
- c24@0:4@"UIApplication"8@"NSURL"12@"NSString"16@20
- v24@0:4@8i12d16
- v24@0:4@"UIApplication"8i12d16
- v16@0:4@8i12
- v16@0:4@"UIApplication"8i12
- v28@0:4@8{CGRect={CGPoint=ff}{CGSize=ff}}12
- v28@0:4@"UIApplication"8{CGRect={CGPoint=ff}{CGSize=ff}}12
- v16@0:4@"UIApplication"8@"NSData"12
- v16@0:4@"UIApplication"8@"NSError"12
- v16@0:4@"UIApplication"8@"NSDictionary"12
- v16@0:4@"UIApplication"8@"UILocalNotification"12
- v20@0:4@8@12@?16
- v20@0:4@"UIApplication"8@"NSDictionary"12@?16
- v16@0:4@8@?12
- v16@0:4@"UIApplication"8@?12
- v20@0:4@"UIApplication"8@"NSString"12@?16
- l16@0:4@8@12
- l16@0:4@"UIApplication"8@"UINavigationController"12
- @20@0:4@8@12@16
- @"UIViewController"20@0:4@"UIApplication"8@"NSArray"12@"NSCoder"16
- c16@0:4@"UIApplication"8@"NSCoder"12
- v16@0:4@"UIApplication"8@"NSCoder"12
- @"UINavigationController"8@0:4
- v12@0:4@"UINavigationController"8
- c12@0:4@8
- l8@0:4
- #8@0:4
- ^{ _NSZone=}8@0:4
- @12@0:4:8
- @16@0:4:8@12
- @20@0:4:8@12@16
- c8@0:4
- c12@0:4#8
- c12@0:4@"Protocol"8
- c12@0:4:8
- Vv8@0:4
- @"NSString"8@0:4
- @"NSManagedObjectContextModel"
- @"NSPersistentStoreCoordinator"
- @"UINavigationController"

- EWERARARARARAVAp
- ` \$BSBSBSDVCWBRARARARARBUAp
- `HBSBSBSEVCUAp
- RARARARARARARARARARARARARARARARARARARCRA`
- RARC`#Ap
- *BSBSBSBSDXCUA _NTCp
- @_NSSQLiteStoreType
- @OBJCCLASS\$NSEntityDescription
- @OBJCCLASS\$NSFetchRequest
- @OBJCCLASS\$NSFetchedResultsController
- @OBJCCLASS\$NSManagedObjectContext
- @OBJCCLASS\$NSManagedObjectModel
- @OBJCCLASS\$NSPersistentStoreCoordinator
- @OBJCCLASS\$UIBarButtonItem
- @OBJCCLASS\$UIDevice
- @OBJCCLASS\$UIResponder
- @OBJCCLASS\$UITableViewController
- @OBJCCLASS\$UIViewController
- @OBJCMETACLASS\$UIResponder
- @OBJCMETACLASS\$UITableViewController
- @OBJCMETACLASS\$UIViewController
- @OBJCCLASS\$NSBundle
- @OBJCCLASS\$NSFileManager
- @OBJCCLASS\$NSIndexSet
- @OBJCCLASS\$NSSortDescriptor
- @OBJCMETACLASS\$NSObject
- @_objcempty_cache
- @objcmsgSend
- @objcmsgSendSuper2
- @dyldstubfinder
- @OBJCCLASS\$NSArray
- @OBJCCLASS\$NSDate
- @_CFConstantStringClassReference
- @_UIApplicationMain
- @_NSLog
- @_NSStringFromClass
- @objcautoreleasePoolPop
- @objcautoreleasePoolPush
- @objcautoreleaseReturnValue
- @objcdestroyWeak
- @objcloadWeakRetained
- @objcmsgSend
- @objcrelease
- @objcretain
- @objcretainAutoreleasedReturnValue
- @objcstoreStrong
- @objcstoreWeak
- @_abort
- mhexecute_header
- .OBJC

- CLASS\$
- MMETACLASS\$
- DetailViewController
- MasterViewController
- AppDelegate
- DetailViewController
- MasterViewController
- AppDelegate
- com.apple.CoreGraphics
- com.apple.CoreData
- com.apple.UIKit
- com.apple.Foundation
- libobjc.A
- libSystem.B
- com.apple.CoreFoundation
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/
- DetailViewController.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[DetailViewController setDetailItem:]
- -[DetailViewController configureView]
- -[DetailViewController viewDidLoad]
- -[DetailViewController didReceiveMemoryWarning]
- -[DetailViewController splitViewController:willHideViewController:withBarButtonItem:forPopoverContro
- -[DetailViewController splitViewController:willShowViewController:invalidatingBarButtonItem:]
- -[DetailViewController detailItem]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/DetailViewController
- -[DetailViewController detailDescriptionLabel]
- -[DetailViewController setDetailDescriptionLabel:]
- -[DetailViewController masterPopoverController]
- -[DetailViewController setMasterPopoverController:]
- -[DetailViewController .cxx_destruct]
- OBJCCLASS\$DetailViewController
- OBJCMETACLASS\$DetailViewController
- OBJCVAR\$DetailViewController._detailItem
- OBJCVAR\$DetailViewController._detailDescriptionLabel
- OBJCVAR\$DetailViewController._masterPopoverController
- MasterViewController.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[MasterViewController awakeFromNib]
- _CGSizeMake
- /Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/Developer/SDKs/iPhoneOS7.1.sd
- -[MasterViewController viewDidLoad]
- -[MasterViewController didReceiveMemoryWarning]
- -[MasterViewController insertNewObject:]
- -[MasterViewController numberOfSectionsInTableView:]
- -[MasterViewController tableView:numberOfRowsInSection:]
- -[MasterViewController tableView:cellForRowAtIndexPath:]
- -[MasterViewController tableView:canEditRowAtIndexPath:]
- -[MasterViewController tableView:commitEditingStyle:forRowAtIndexPath:]
- -[MasterViewController tableView:canMoveRowAtIndexPath:]
- -[MasterViewController tableView:didSelectRowAtIndexPath:]
- -[MasterViewController prepareForSegue:sender:]

- -[MasterViewController fetchedResultsController]
- -[MasterViewController controllerWillChangeContent:]
- -[MasterViewController controller:didChangeSection:atIndex:forChangeType:]
- -[MasterViewController controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:]
- -[MasterViewController controllerDidChangeContent:]
- -[MasterViewController configureCell:atIndexPath:]
- -[MasterViewController detailViewController]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/MasterViewCont
- -[MasterViewController setDetailViewController:]
- -[MasterViewController setFetchedResultsController:]
- -[MasterViewController managedObjectContext]
- -[MasterViewController setManagedObjectContext:]
- -[MasterViewController .cxx_destruct]
- OBJCCLASS\$MasterViewController
- OBJCMETACLASS\$MasterViewController
- OBJCIVAR\$MasterViewController._fetchedResultsController
- OBJCIVAR\$MasterViewController._detailViewController
- OBJCIVAR\$MasterViewController._managedObjectContext
- AppDelegate.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[AppDelegate application:didFinishLaunchingWithOptions:]
- -[AppDelegate applicationWillResignActive:]
- -[AppDelegate applicationDidEnterBackground:]
- -[AppDelegate applicationWillEnterForeground:]
- -[AppDelegate applicationDidBecomeActive:]
- -[AppDelegate applicationWillTerminate:]
- -[AppDelegate saveContext]
- -[AppDelegate managedObjectContext]
- -[AppDelegate managedObjectModel]
- -[AppDelegate persistentStoreCoordinator]
- -[AppDelegate applicationDocumentsDirectory]
- -[AppDelegate window]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/AppDelegate.h
- -[AppDelegate setWindow:]
- -[AppDelegate .cxx_destruct]
- OBJCMETACLASS\$AppDelegate
- OBJCCLASS\$AppDelegate
- OBJCIVAR\$AppDelegate._managedObjectContext
- OBJCIVAR\$AppDelegate._managedObjectModel
- OBJCIVAR\$AppDelegate._persistentStoreCoordinator
- OBJCIVAR\$AppDelegate._window
- main.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[DetailViewController setDetailItem:]
- -[DetailViewController configureView]
- -[DetailViewController viewDidLoad]
- -[DetailViewController didReceiveMemoryWarning]
- -[DetailViewController splitViewController:willHideViewController:withBarButtonItem:forPopoverContro
- -[DetailViewController splitViewController:willShowViewController:invalidatingBarButtonItem:]
- -[DetailViewController detailItem]
- -[DetailViewController detailDescriptionLabel]
- -[DetailViewController setDetailDescriptionLabel:]

- -[DetailViewController masterPopoverController]
- -[DetailViewController setMasterPopoverController:]
- -[DetailViewController .cxx_destruct]
- -[MasterViewController awakeFromNib]
- _CGSizeMake
- -[MasterViewController viewDidLoad]
- -[MasterViewController didReceiveMemoryWarning]
- -[MasterViewController insertNewObject:]
- -[MasterViewController numberOfSectionsInTableView:]
- -[MasterViewController tableView:numberOfRowsInSection:]
- -[MasterViewController tableView:cellForRowAtIndexPath:]
- -[MasterViewController tableView:canEditRowAtIndexPath:]
- -[MasterViewController tableView:commitEditingStyle:forRowAtIndexPath:]
- -[MasterViewController tableView:canMoveRowAtIndexPath:]
- -[MasterViewController tableView:didSelectRowAtIndexPath:]
- -[MasterViewController prepareForSegue:sender:]
- -[MasterViewController fetchedResultsController]
- -[MasterViewController controllerWillChangeContent:]
- -[MasterViewController controller:didChangeSection:atIndex:forChangeType:]
- -[MasterViewController controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:]
- -[MasterViewController controllerDidChangeContent:]
- -[MasterViewController configureCell:atIndexPath:]
- -[MasterViewController detailViewController]
- -[MasterViewController setDetailViewController:]
- -[MasterViewController setFetchedResultsController:]
- -[MasterViewController managedObjectContext]
- -[MasterViewController setManagedObjectContext:]
- -[MasterViewController .cxx_destruct]
- -[AppDelegate application:didFinishLaunchingWithOptions:]
- -[AppDelegate applicationWillResignActive:]
- -[AppDelegate applicationDidEnterBackground:]
- -[AppDelegate applicationWillEnterForeground:]
- -[AppDelegate applicationDidBecomeActive:]
- -[AppDelegate applicationWillTerminate:]
- -[AppDelegate saveContext]
- -[AppDelegate managedObjectContext]
- -[AppDelegate managedObjectModel]
- -[AppDelegate persistentStoreCoordinator]
- -[AppDelegate applicationDocumentsDirectory]
- -[AppDelegate window]
- -[AppDelegate setWindow:]
- -[AppDelegate .cxx_destruct]
- objcautoreleaseReturnValue\$shim
- stub helpers
- OBJCIVAR\$DetailViewController._detailItem
- OBJCIVAR\$DetailViewController._detailDescriptionLabel
- OBJCIVAR\$DetailViewController._masterPopoverController
- OBJCIVAR\$MasterViewController._fetchedResultsController
- OBJCIVAR\$MasterViewController._detailViewController
- OBJCIVAR\$MasterViewController._managedObjectContext
- OBJCIVAR\$AppDelegate._managedObjectContext
- OBJCIVAR\$AppDelegate._managedObjectModel

- *OBJCIVAR\$AppDelegate._persistentStoreCoordinator*
- *OBJCIVAR\$AppDelegate._window*
- *OBJCCLASS\$AppDelegate*
- *OBJCCLASS\$DetailViewController*
- *OBJCCLASS\$MasterViewController*
- *OBJCMETACLASS\$AppDelegate*
- *OBJCMETACLASS\$DetailViewController*
- *OBJCMETACLASS\$MasterViewController*
- *_mhexecute_header*
- *_NSLog*
- *_NSSQLiteStoreType*
- *_NSStringFromClass*
- *OBJCCLASS\$NSArray*
- *OBJCCLASS\$NSBundle*
- *OBJCCLASS\$NSDate*
- *OBJCCLASS\$NSEntityDescription*
- *OBJCCLASS\$NSFetchRequest*
- *OBJCCLASS\$NSFetchedResultsController*
- *OBJCCLASS\$NSFileManager*
- *OBJCCLASS\$NSIndexSet*
- *OBJCCLASS\$NSManagedObjectContext*
- *OBJCCLASS\$NSManagedObjectModel*
- *OBJCCLASS\$NSPersistentStoreCoordinator*
- *OBJCCLASS\$NSSortDescriptor*
- *OBJCCLASS\$UIBarButtonItem*
- *OBJCCLASS\$UIDevice*
- *OBJCCLASS\$UIResponder*
- *OBJCCLASS\$UITableViewController*
- *OBJCCLASS\$UIViewController*
- *OBJCMETACLASS\$NSObject*
- *OBJCMETACLASS\$UIResponder*
- *OBJCMETACLASS\$UITableViewController*
- *OBJCMETACLASS\$UIViewController*
- *_UIApplicationMain*
- *_CFConstantStringClassReference*
- *_objcempty_cache*
- *_abort*
- *objcautoreleasePoolPop*
- *objcautoreleasePoolPush*
- *objcautoreleaseReturnValue*
- *objcdestroyWeak*
- *objcloadWeakRetained*
- *objcmsgSend*
- *objcmsgSendSuper2*
- *objcrelease*
- *objcretain*
- *objcretainAutoreleasedReturnValue*
- *objcstoreStrong*
- *objcstoreWeak*
- *dyldstubbinder*

- Lcom.alephvoid.dv-test08
- Q75J9U4VW4
- com.alephvoid.dv-test08
- subject.CN
- .iPhone Developer: Nicholas Starke (759RKATQVB)
- com.apple.CoreGraphics
- com.apple.CoreData
- com.apple.UIKit
- com.apple.Foundation
- libobjc.A
- libSystem.B
- com.apple.CoreFoundation
-
-
-
-
- application-identifier
- Q75J9U4VW4.com.alephvoid.dv-test08
- get-task-allow
-
- keychain-access-groups
-
- Q75J9U4VW4.com.alephvoid.dv-test08
-
-
-
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 080214185635Z
- 160214185635Z0
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority0
- %http://www.apple.com/appleca/root.crl0
- ^s./%u
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 060425214036Z
- 350209214036Z0b1
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- https://www.apple.com/appleca/0
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority0
- 140104202650Z
- 150104202650Z0
- TMJ8NUWSK71705

- .iPhone Developer: Nicholas Starke (759RKATQVB)1
- Q75J9U4VW41
- Nicholas Starke1
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- <http://www.apple.com/appleca/0M>
-
- Wh3eR9
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority
- 140610221619Z0#
- __PAGEZERO
- __TEXT
- __text
- __TEXT
- _stubhelper
- __TEXT
- __cstring
- __TEXT
- _objcmethname
- __TEXT
- **objc_classname**TEXT
- _objcmethtype
- __TEXT
- __symbolstub1
- __TEXT
- __DATA
- _lazyymbol
- __DATA
- _n/symbol_ptr
- __DATA
- **objc_classlist**DATA
- **objc_protolist**DATA
- **objc_imageinfo**DATA
- _objcconst
- __DATA
- _objcselrefs
- __DATA
- **objc_classrefs**DATA
- **objc_superrefs**DATA
- _objcdata
- __DATA
- _objcivar
- __DATA
- __cstring
- __DATA
- __data
- __DATA
- __LINKEDIT
- /usr/lib/dyld
- /System/Library/Frameworks/CoreGraphics.framework/CoreGraphics
- /System/Library/Frameworks/CoreData.framework/CoreData

- /System/Library/Frameworks/UIKit.framework/UIKit
- /System/Library/Frameworks/Foundation.framework/Foundation
- /usr/lib/libobjc.A.dylib
- /usr/lib/libSystem.B.dylib
- /System/Library/Frameworks/CoreFoundation.framework/CoreFoundation
- }D-h\$h
- timeStamp
- Master
- detailItem
- T@,&,N,V_detailItem
- detailDescriptionLabel
- T@"UILabel",W,N,V_detailDescriptionLabel
- masterPopoverController
- T@"UIPopoverController",&,N,V_masterPopoverController
- Unresolved error %@, %@
- showDetail
- detailViewController
- T@"DetailViewController",&,N,V_detailViewController
- fetchedResultsController
- T@"NSFetchedResultsController",&,N,V_fetchedResultsController
- managedObjectContext
- T@"NSManagedObjectContext",&,N,V_managedObjectContext
- dv_test08
- dv_test08.sqlite
- window
- T@"UWindow",&,N
- T@"UWindow",&,N,V_window
- T@"NSManagedObjectContext",R,N,V_managedObjectContext
- managedObjectModel
- T@"NSManagedObjectModel",R,N,V_managedObjectModel
- persistentStoreCoordinator
- T@"NSPersistentStoreCoordinator",R,N,V_persistentStoreCoordinator
- configureView
- masterPopoverController
- dismissPopoverAnimated:
- detailItem
- detailDescriptionLabel
- valueForKey:
- description
- setText:
- viewDidLoad
- didReceiveMemoryWarning
- mainBundle
- localizedStringForKey:value:table:
- setTitle:
- navigationItem
- setLeftBarButtonItem:animated:
- setMasterPopoverController:
- splitViewController:willHideViewController:withBarButtonItem:forPopoverController:
- splitViewController:willShowViewController:invalidatingBarButtonItem:
- splitViewController:popoverController:willPresentViewController:
- splitViewController:shouldHideViewController:inOrientation:

- splitViewControllerSupportedInterfaceOrientations:
- splitViewControllerPreferredInterfaceOrientationForPresentation:
- setDetailItem:
- .cxx_destruct
- setDetailDescriptionLabel:
- _detailItem
- _detailDescriptionLabel
- _masterPopoverController
- currentDevice
- userInterfaceIdiom
- setClearsSelectionOnViewWillAppear:
- setPreferredContentSize:
- awakeFromNib
- editButtonItem
- setLeftBarButtonItem:
- insertNewObject:
- initWithBarButtonItemSystemItem:target:action:
- setRightBarButtonItem:
- splitViewController
- viewControllers
- lastObject
- topViewController
- setDetailViewController:
- fetchedResultsController
- managedObjectContext
- fetchRequest
- entity
- insertNewObjectForEntityForName:inManagedObjectContext:
- setValue:forKey:
- userInfo
- sections
- objectAtIndexedSubscript:
- numberOfObjects
- dequeueReusableCellWithIdentifier:forIndexPath:
- configureCell:indexPath:
- objectAtIndex:
- deleteObject:
- detailViewController
- identifier
- isEqualToString:
- tableView
- indexPathForSelectedRow
- destinationViewController
- entityForName:inManagedObjectContext:
- setEntity:
- setFetchBatchSize:
- initWithKey:ascending:
- arrayWithObjects:count:
- setSortDescriptors:
- initWithFetchRequest:managedObjectContext:sectionNameKeyPath:cacheName:
- setDelegate:
- setFetchedResultsController:

- performFetch:
- beginUpdates
- indexSetWithIndex:
- insertSections:withRowAnimation:
- deleteSections:withRowAnimation:
- insertRowsAtIndexPaths:withRowAnimation:
- deleteRowsAtIndexPaths:withRowAnimation:
- cellForRowAtIndexPath:
- endUpdates
- .textLabel
- controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:
- controller:didChangeSection:atIndex:forChangeType:
- controllerWillChangeContent:
- controllerDidChangeContent:
- controller:sectionIndexTitleForSectionName:
- numberOfSectionsInTableView:
- tableView:numberOfRowsInSection:
- tableView:cellForRowAtIndexPath:
- tableView:canEditRowAtIndexPath:
- tableView:commitEditingStyle:forRowAtIndexPath:
- tableView:canMoveRowAtIndexPath:
- tableView:didSelectRowAtIndexPath:
- prepareForSegue:sender:
- setManagedObjectContext:
- _detailViewController
- _fetchedResultsController
- _managedObjectContext
- window
- rootViewController
- saveContext
- hasChanges
- persistentStoreCoordinator
- setPersistentStoreCoordinator:
- URLForResource:withExtension:
- initWithContentsOfURL:
- applicationDocumentsDirectory
- URLByAppendingPathComponent:
- managedObjectModel
- initWithManagedObjectModel:
- addPersistentStoreWithType:configuration:URL:options:error:
- defaultManager
- URLsForDirectory:inDomains:
- applicationDidFinishLaunching:
- application:willFinishLaunchingWithOptions:
- application:didFinishLaunchingWithOptions:
- applicationDidBecomeActive:
- applicationWillResignActive:
- application:handleOpenURL:
- application:openURL:sourceApplication:annotation:
- applicationDidReceiveMemoryWarning:
- applicationWillTerminate:
- applicationSignificantTimeChange:

- application:willChangeStatusBarOrientation:duration:
- application:didChangeStatusBarOrientation:
- application:willChangeStatusBarFrame:
- application:didChangeStatusBarFrame:
- application:didRegisterForRemoteNotificationsWithDeviceToken:
- application:didFailToRegisterForRemoteNotificationsWithError:
- application:didReceiveRemoteNotification:
- application:didReceiveLocalNotification:
- application:didReceiveRemoteNotification:fetchCompletionHandler:
- application:performFetchWithCompletionHandler:
- application:handleEventsForBackgroundURLSession:completionHandler:
- applicationDidEnterBackground:
- applicationWillEnterForeground:
- applicationProtectedDataWillBecomeUnavailable:
- applicationProtectedDataDidBecomeAvailable:
- application:supportedInterfaceOrientationsForWindow:
- application:viewControllerWithRestorationIdentifierPath:coder:
- application:shouldSaveApplicationState:
- application:shouldRestoreApplicationState:
- application:willEncodeRestorableStateWithCoder:
- application:didDecodeRestorableStateWithCoder:
- setWindow:
- isEqual:
- superclass
- performSelector:
- performSelector:withObject:
- performSelector:withObject:withObject:
- isProxy
- isKindOfClass:
- isMemberOfClass:
- conformsToProtocol:
- respondsToSelector:
- retain
- release
- autorelease
- retainCount
- debugDescription
- _managedObjectModel
- _persistentStoreCoordinator
- _window
- DetailViewController
- UISplitViewControllerDelegate
- MasterViewController
- NSFetchedResultsControllerDelegate
- AppDelegate
- UIApplicationDelegate
- NSObject
- v24@0:4@8@12@16@20
- v24@0:4@"UISplitViewController"8@"UIViewController"12@"UIBarButtonItem"16@"UIPopoverController"20
- v20@0:4@8@12@16
- v20@0:4@"UISplitViewController"8@"UIViewController"12@"UIBarButtonItem"16
- v20@0:4@"UISplitViewController"8@"UIPopoverController"12@"UIViewController"16

- c20@0:4@8@12i16
- c20@0:4@"UISplitViewController"8@"UIViewController"12i16
- l12@0:4@8
- l12@0:4@"UISplitViewController"8
- i12@0:4@8
- i12@0:4@"UISplitViewController"8
- v12@0:4@8
- v8@0:4
- @8@0:4
- @"UILabel"
- @"UIPopoverController"
- v28@0:4@8@12@16l20@24
- v28@0:4@"NSFetchedResultsController"8@12@"NSIndexPath"16l20@"NSIndexPath"24
- v24@0:4@8@12l16l20
- v24@0:4@"NSFetchedResultsController"8@""12l16l20
- v12@0:4@"NSFetchedResultsController"8
- @16@0:4@8@12
- @"NSString"16@0:4@"NSFetchedResultsController"8@"NSString"12
- i16@0:4@8i12
- c16@0:4@8@12
- v20@0:4@8i12@16
- v16@0:4@8@12
- @"DetailViewController"
- @"NSFetchedResultsController"
- @"NSManagedObjectContext"
- v12@0:4@"UIApplication"8
- c16@0:4@"UIApplication"8@"NSDictionary"12
- c16@0:4@"UIApplication"8@"NSURL"12
- c24@0:4@8@12@16@20
- c24@0:4@"UIApplication"8@"NSURL"12@"NSString"16@20
- v24@0:4@8i12d16
- v24@0:4@"UIApplication"8i12d16
- v16@0:4@8i12
- v16@0:4@"UIApplication"8i12
- v28@0:4@8{CGRect={CGPoint=ff}{CGSize=ff}}12
- v28@0:4@"UIApplication"8{CGRect={CGPoint=ff}{CGSize=ff}}12
- v16@0:4@"UIApplication"8@"NSData"12
- v16@0:4@"UIApplication"8@"NSError"12
- v16@0:4@"UIApplication"8@"NSDictionary"12
- v16@0:4@"UIApplication"8@"UILocalNotification"12
- v20@0:4@8@12@?16
- v20@0:4@"UIApplication"8@"NSDictionary"12@?16
- v16@0:4@8@?12
- v16@0:4@"UIApplication"8@?12
- v20@0:4@"UIApplication"8@"NSString"12@?16
- l16@0:4@8@12
- l16@0:4@"UIApplication"8@"UINavigationController"12
- @20@0:4@8@12@16
- @"UIViewController"20@0:4@"UIApplication"8@"NSArray"12@"NSCoder"16
- c16@0:4@"UIApplication"8@"NSCoder"12
- v16@0:4@"UIApplication"8@"NSCoder"12
- @"UINavigationController"8@0:4

- v12@0:4@"UIMWindow"8
- c12@0:4@8
- l8@0:4
- #8@0:4
- ^_NSZone=}8@0:4
- @12@0:4:8
- @16@0:4:8@12
- @20@0:4:8@12@16
- c8@0:4
- c12@0:4#8
- c12@0:4@"Protocol"8
- c12@0:4:8
- Vv8@0:4
- @ "NSString"8@0:4
- @ "NSManagedObjectModel"
- @ "NSPersistentStoreCoordinator"
- @ "UIWindow"
- EWEERARARARARAVAp
- `\$BSBSBSDVCWBRARARARARBUAp
- `HBSBSBSEVCUAp
- RARARARARARARARARARARARARARARARARARCRA`
- RARC`#Ap
- *BSBSBSBSDXCUA _NTCp
- @_NSSQLiteStoreType
- @OBJCCLASS\$NSEntityDescription
- @OBJCCLASS\$NSFetchRequest
- @OBJCCLASS\$NSFetchedResultsController
- @OBJCCLASS\$NSManagedObjectContext
- @OBJCCLASS\$NSManagedObjectModel
- @OBJCCLASS\$NSPersistentStoreCoordinator
- @OBJCCLASS\$UIBarButtonItem
- @OBJCCLASS\$UIDevice
- @OBJCCLASS\$UIResponder
- @OBJCCLASS\$UITableViewController
- @OBJCCLASS\$UIViewController
- @OBJCMETACLASS\$UIResponder
- @OBJCMETACLASS\$UITableViewController
- @OBJCMETACLASS\$UIViewController
- @OBJCCLASS\$NSBundle
- @OBJCCLASS\$NSFileManager
- @OBJCCLASS\$NSIndexSet
- @OBJCCLASS\$NSSortDescriptor
- @OBJCMETACLASS\$NSObject
- @_objcempty_cache
- @objcmgSend
- @objcmgSendSuper2
- @dyldstubbinder
- @OBJCCLASS\$NSArray
- @OBJCCLASS\$NSDate
- @_CFConstantStringClassReference
- @ UIApplicationMain

- @_NSLog
- @_NSStringFromClass
- @objcautoreleasePoolPop
- @objcautoreleasePoolPush
- @objcautoreleaseReturnValue
- @objcdestroyWeak
- @objcloadWeakRetained
- @objcmsgSend
- @objcrelease
- @objcretain
- @objcretainAutoreleasedReturnValue
- @objcstoreStrong
- @objcstoreWeak
- @_abort
- mhexecute_header
- ,OBJC_
- CLASS\$
- MMETAClass\$
- DetailViewController
- MasterViewController
- AppDelegate
- DetailViewController
- MasterViewController
- AppDelegate
- com.apple.CoreGraphics
- com.apple.CoreData
- com.apple.UIKit
- com.apple.Foundation
- libobjc.A
- libSystem.B
- com.apple.CoreFoundation
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/
- DetailViewController.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[DetailViewController setDetailItem:]
- -[DetailViewController configureView]
- -[DetailViewController viewDidLoad]
- -[DetailViewController didReceiveMemoryWarning]
- -[DetailViewController splitViewController:willHideViewController:withBarButtonItem:forPopoverContro
- -[DetailViewController splitViewController:willShowViewController:invalidatingBarButtonItem:]
- -[DetailViewController detailItem]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/DetailViewController
- -[DetailViewController detailDescriptionLabel]
- -[DetailViewController setDetailDescriptionLabel:]
- -[DetailViewController masterPopoverController]
- -[DetailViewController setMasterPopoverController:]
- -[DetailViewController .cxx_destruct]
- OBJCCLASS\$DetailViewController
- OBJCMETAClass\$DetailViewController
- OBJCVAR\$DetailViewController._detailItem
- OBJCVAR\$DetailViewController._detailDescriptionLabel

- OBJCIVAR\$DetailViewController._masterPopoverController
- MasterViewController.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[MasterViewController awakeFromNib]
- _CGSizeMake
- /Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/Developer/SDKs/iPhoneOS7.1.sd
- -[MasterViewController viewDidLoad]
- -[MasterViewController didReceiveMemoryWarning]
- -[MasterViewController insertNewObject:]
- -[MasterViewController numberOfSectionsInTableView:]
- -[MasterViewController tableView:numberOfRowsInSection:]
- -[MasterViewController tableView:cellForRowAtIndexPath:]
- -[MasterViewController tableView:canEditRowAtIndexPath:]
- -[MasterViewController tableView:commitEditingStyle:forRowAtIndexPath:]
- -[MasterViewController tableView:canMoveRowAtIndexPath:]
- -[MasterViewController tableView:didSelectRowAtIndexPath:]
- -[MasterViewController prepareForSegue:sender:]
- -[MasterViewController fetchedResultsController]
- -[MasterViewController controllerWillChangeContent:]
- -[MasterViewController controller:didChangeSection:atIndex:forChangeType:]
- -[MasterViewController controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:]
- -[MasterViewController controllerDidChangeContent:]
- -[MasterViewController configureCell:atIndexPath:]
- -[MasterViewController detailViewController]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/MasterViewCont
- -[MasterViewController setDetailViewController:]
- -[MasterViewController setFetchedResultsController:]
- -[MasterViewController managedObjectContext]
- -[MasterViewController setManagedObjectContext:]
- -[MasterViewController .cxx_destruct]
- OBJCCLASS\$MasterViewController
- OBJCMETACLASS\$MasterViewController
- OBJCIVAR\$MasterViewController._fetchedResultsController
- OBJCIVAR\$MasterViewController._detailViewController
- OBJCIVAR\$MasterViewController._managedObjectContext
- AppDelegate.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[AppDelegate application:didFinishLaunchingWithOptions:]
- -[AppDelegate applicationWillResignActive:]
- -[AppDelegate applicationDidEnterBackground:]
- -[AppDelegate applicationWillEnterForeground:]
- -[AppDelegate applicationDidBecomeActive:]
- -[AppDelegate applicationWillTerminate:]
- -[AppDelegate saveContext]
- -[AppDelegate managedObjectContext]
- -[AppDelegate managedObjectModel]
- -[AppDelegate persistentStoreCoordinator]
- -[AppDelegate applicationDocumentsDirectory]
- -[AppDelegate window]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/AppDelegate.h
- -[AppDelegate setWindow:]
- -[AppDelegate .cxx_destruct]

- OBJCMETACLASS\$AppDelegate
- OBJCCLASS\$AppDelegate
- OBJCNVAR\$AppDelegate._managedObjectContext
- OBJCNVAR\$AppDelegate._managedObjectModel
- OBJCNVAR\$AppDelegate._persistentStoreCoordinator
- OBJCNVAR\$AppDelegate._window
- main.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[DetailViewController setDetailItem:]
- -[DetailViewController configureView]
- -[DetailViewController viewDidLoad]
- -[DetailViewController didReceiveMemoryWarning]
- -[DetailViewController splitViewController:willHideViewController:withBarButtonItem:forPopoverContro
- -[DetailViewController splitViewController:willShowViewController:invalidatingBarButtonItem:]
- -[DetailViewController detailItem]
- -[DetailViewController detailDescriptionLabel]
- -[DetailViewController setDetailDescriptionLabel:]
- -[DetailViewController masterPopoverController]
- -[DetailViewController setMasterPopoverController:]
- -[DetailViewController .cxx_destruct]
- -[MasterViewController awakeFromNib]
- _CGSizeMake
- -[MasterViewController viewDidLoad]
- -[MasterViewController didReceiveMemoryWarning]
- -[MasterViewController insertNewObject:]
- -[MasterViewController numberOfSectionsInTableView:]
- -[MasterViewController tableView:numberOfRowsInSection:]
- -[MasterViewController tableView:cellForRowAtIndexPath:]
- -[MasterViewController tableView:canEditRowAtIndexPath:]
- -[MasterViewController tableView:commitEditingStyle:forRowAtIndexPath:]
- -[MasterViewController tableView:canMoveRowAtIndexPath:]
- -[MasterViewController tableView:didSelectRowAtIndexPath:]
- -[MasterViewController prepareForSegue:sender:]
- -[MasterViewController fetchedResultsController]
- -[MasterViewController controllerWillChangeContent:]
- -[MasterViewController controller:didChangeSection:atIndex:forChangeType:]
- -[MasterViewController controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:]
- -[MasterViewController controllerDidChangeContent:]
- -[MasterViewController configureCell:atIndexPath:]
- -[MasterViewController detailViewController]
- -[MasterViewController setDetailViewController:]
- -[MasterViewController setFetchedResultsController:]
- -[MasterViewController managedObjectContext]
- -[MasterViewController setManagedObjectContext:]
- -[MasterViewController .cxx_destruct]
- -[AppDelegate application:didFinishLaunchingWithOptions:]
- -[AppDelegate applicationWillResignActive:]
- -[AppDelegate applicationDidEnterBackground:]
- -[AppDelegate applicationWillEnterForeground:]
- -[AppDelegate applicationDidBecomeActive:]
- -[AppDelegate applicationWillTerminate:]
- -[AppDelegate saveContext]

- `-[AppDelegate managedObjectContext]`
- `-[AppDelegate managedObjectModel]`
- `-[AppDelegate persistentStoreCoordinator]`
- `-[AppDelegate applicationDocumentsDirectory]`
- `-[AppDelegate window]`
- `-[AppDelegate setWindow:]`
- `-[AppDelegate .cxx_destruct]`
- `objcautoreleaseReturnValue$shim`
- stub helpers
- `OBJCIVAR$DetailViewController._detailItem`
- `OBJCIVAR$DetailViewController._detailDescriptionLabel`
- `OBJCIVAR$DetailViewController._masterPopoverController`
- `OBJCIVAR$MasterViewController._fetchResultsController`
- `OBJCIVAR$MasterViewController._detailViewController`
- `OBJCIVAR$MasterViewController._managedObjectContext`
- `OBJCIVAR$AppDelegate._managedObjectContext`
- `OBJCIVAR$AppDelegate._managedObjectModel`
- `OBJCIVAR$AppDelegate._persistentStoreCoordinator`
- `OBJCIVAR$AppDelegate._window`
- `OBJCCLASS$AppDelegate`
- `OBJCCLASS$DetailViewController`
- `OBJCCLASS$MasterViewController`
- `OBJCMETACLASS$AppDelegate`
- `OBJCMETACLASS$DetailViewController`
- `OBJCMETACLASS$MasterViewController`
- `_mhexecute_header`
- `_NSLog`
- `_NSSQLiteStoreType`
- `_NSStringFromClass`
- `OBJCCLASS$NSArray`
- `OBJCCLASS$NSBundle`
- `OBJCCLASS$NSDate`
- `OBJCCLASS$NSEntityDescription`
- `OBJCCLASS$NSFetchRequest`
- `OBJCCLASS$NSFetchResultsController`
- `OBJCCLASS$NSFileManager`
- `OBJCCLASS$NSIndexSet`
- `OBJCCLASS$NSManagedObjectContext`
- `OBJCCLASS$NSManagedObjectModel`
- `OBJCCLASS$NSPersistentStoreCoordinator`
- `OBJCCLASS$NSSortDescriptor`
- `OBJCCLASS$UIBarButtonItem`
- `OBJCCLASS$UIDevice`
- `OBJCCLASS$UIResponder`
- `OBJCCLASS$UITableViewController`
- `OBJCCLASS$UIViewController`
- `OBJCMETACLASS$NSObject`
- `OBJCMETACLASS$UIResponder`
- `OBJCMETACLASS$UITableViewController`
- `OBJCMETACLASS$UIViewController`

- _UIApplicationMain
- _CFConstantStringClassReference
- _objcempty_cache
- _abort
- objcautoreleasePoolPop
- objcautoreleasePoolPush
- objcautoreleaseReturnValue
- objcdestroyWeak
- objcdloadWeakRetained
- objcmsgSend
- objcmsgSendSuper2
- objcrelease
- objcretain
- objcretainAutoreleasedReturnValue
- objcstoreStrong
- objcstoreWeak
- dyldstubbinder
- Lcom.alephvoid.dv-test08
- Q75J9U4VW4
- com.alephvoid.dv-test08
- subject.CN
- .iPhone Developer: Nicholas Starke (759RKATQVB)
- com.apple.CoreGraphics
- com.apple.CoreData
- com.apple.UIKit
- com.apple.Foundation
- libobjc.A
- libSystem.B
- com.apple.CoreFoundation
-
-
-
-
- application-identifier
- Q75J9U4VW4.com.alephvoid.dv-test08
- get-task-allow
-
- keychain-access-groups
-
- Q75J9U4VW4.com.alephvoid.dv-test08
-
-
-
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 080214185635Z
- 160214185635Z0
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority0

- %http://www.apple.com/appleca/root.crl0
- ^s./%u
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 060425214036Z
- 350209214036Z0b1
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- https://www.apple.com/appleca/0
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority0
- 140104202650Z
- 150104202650Z0
- TMJ8NUWSK71705
- .iPhone Developer: Nicholas Starke (759RKATQVB)1
- Q75J9U4VW41
- Nicholas Starke1
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- http://www.apple.com/appleca/0M
-
- Wh3eR9
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority
- 140610221619Z0#
- 66Ja9F
- __PAGEZERO
- __TEXT
- __text
- __TEXT
- __stubs
- __TEXT
- _stubhelper
- __TEXT
- _objcmethname
- __TEXT
- __cstring
- __TEXT
- **objc_classname**TEXT
- _objcmethtype
- __TEXT
- __const
- __TEXT
- _unwindinfo
- __TEXT
- __DATA
- __DATA
- _/asymbol_ptr

- `__DATA`
- `objc_classlist`DATA
- `objc_protolist`DATA
- `objc_imageinfo`DATA
- `_objcconst`
- `__DATA`
- `_objcselrefs`
- `__DATA`
- `objc_classrefs`DATA
- `objc_superrefs`DATA
- `_objcdata`
- `__DATA`
- `_objcivar`
- `__DATA`
- `__cfstring`
- `__DATA`
- `__data`
- `__DATA`
- `__LINKEDIT`
- `/usr/lib/dyld`
- `/System/Library/Frameworks/CoreGraphics.framework/CoreGraphics`
- `/System/Library/Frameworks/CoreData.framework/CoreData`
- `/System/Library/Frameworks/UIKit.framework/UIKit`
- `/System/Library/Frameworks/Foundation.framework/Foundation`
- `/usr/lib/libobjc.A.dylib`
- `/usr/lib/libSystem.B.dylib`
- `/System/Library/Frameworks/CoreFoundation.framework/CoreFoundation`
- `configureView`
- `masterPopoverController`
- `dismissPopoverAnimated:`
- `detailItem`
- `detailDescriptionLabel`
- `valueForKey:`
- `description`
- `setText:`
- `viewDidLoad`
- `didReceiveMemoryWarning`
- `mainBundle`
- `localizedStringForKey:value:table:`
- `setTitle:`
- `navigationItem`
- `setLeftBarButtonItem:animated:`
- `setMasterPopoverController:`
- `splitViewController:willHideViewController:withBarButtonItem:forPopoverController:`
- `splitViewController:willShowViewController:invalidatingBarButtonItem:`
- `splitViewController:popoverController:willPresentViewController:`
- `splitViewController:shouldHideViewController:inOrientation:`
- `splitViewControllerSupportedInterfaceOrientations:`
- `splitViewControllerPreferredInterfaceOrientationForPresentation:`
- `setDetailItem:`
- `.cxx_destruct`
- `setDetailDescriptionLabel:`

- _detailItem
- _detailDescriptionLabel
- _masterPopoverController
- currentDevice
- userInterfaceIdiom
- setClearsSelectionOnViewWillAppear:
- setPreferredContentSize:
- awakeFromNib
- editButtonItem
- setLeftBarButtonItem:
- insertNewObject:
- initWithBarButtonItemSystemItem:target:action:
- setRightBarButtonItem:
- splitViewController
- viewControllers
- lastObject
- topViewController
- setDetailViewController:
- fetchedResultsController
- managedObjectContext
- fetchRequest
- entity
- insertNewObjectForEntityForName:inManagedObjectContext:
- setValue:forKey:
- userInfo
- sections
- objectAtIndexedSubscript:
- numberOfObjects
- dequeueReusableCellWithIdentifier:forIndexPath:
- configureCell:indexPath:
- objectAtIndex:
- deleteObject:
- detailViewController
- identifier
- isEqualToString:
- tableView
- indexPathForSelectedRow
- destinationViewController
- entityForName:inManagedObjectContext:
- setEntity:
- setFetchBatchSize:
- initWithKey:ascending:
- arrayWithObjects:count:
- setSortDescriptors:
- initWithFetchRequest:managedObjectContext:sectionNameKeyPath:cacheName:
- setDelegate:
- setFetchedResultsController:
- performFetch:
- beginUpdates
- indexSetWithIndex:
- insertSections:withRowAnimation:
- deleteSections:withRowAnimation:

- insertRowsAtIndexPaths:withRowAnimation:
- deleteRowsAtIndexPaths:withRowAnimation:
- cellForRowAtIndexPath:
- endUpdates
- textLabel
- controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:
- controller:didChangeSection:atIndex:forChangeType:
- controllerWillChangeContent:
- controllerDidChangeContent:
- controller:sectionIndexTitleForSectionName:
- numberOfSectionsInTableView:
- tableView:numberOfRowsInSection:
- tableView:cellForRowAtIndexPath:
- tableView:canEditRowAtIndexPath:
- tableView:commitEditingStyle:forRowAtIndexPath:
- tableView:canMoveRowAtIndexPath:
- tableView:didSelectRowAtIndexPath:
- prepareForSegue:sender:
- setManagedObjectContext:
- _detailViewController
- _fetchedResultsController
- _managedObjectContext
- window
- rootViewController
- saveContext
- hasChanges
- persistentStoreCoordinator
- setPersistentStoreCoordinator:
- URLForResource:withExtension:
- initWithContentsOfURL:
- applicationDocumentsDirectory
- URLByAppendingPathComponent:
- managedObjectModel
- initWithManagedObjectModel:
- addPersistentStoreWithType:configuration:URL:options:error:
- defaultManager
- URLsForDirectory:inDomains:
- applicationDidFinishLaunching:
- application:willFinishLaunchingWithOptions:
- application:didFinishLaunchingWithOptions:
- applicationDidBecomeActive:
- applicationWillResignActive:
- application:handleOpenURL:
- application:openURL:sourceApplication:annotation:
- applicationDidReceiveMemoryWarning:
- applicationWillTerminate:
- applicationSignificantTimeChange:
- application:willChangeStatusBarOrientation:duration:
- application:didChangeStatusBarOrientation:
- application:willChangeStatusBarFrame:
- application:didChangeStatusBarFrame:
- application:didRegisterForRemoteNotificationsWithDeviceToken:

- application:didFailToRegisterForRemoteNotificationsWithError:
- application:didReceiveRemoteNotification:
- application:didReceiveLocalNotification:
- application:didReceiveRemoteNotification:fetchCompletionHandler:
- application:performFetchWithCompletionHandler:
- application:handleEventsForBackgroundURLSession:completionHandler:
- applicationDidEnterBackground:
- applicationWillEnterForeground:
- applicationProtectedDataWillBecomeUnavailable:
- applicationProtectedDataDidBecomeAvailable:
- application:supportedInterfaceOrientationsForWindow:
- application:viewControllerWithRestorationIdentifierPath:coder:
- application:shouldSaveApplicationState:
- application:shouldRestoreApplicationState:
- application:willEncodeRestorableStateWithCoder:
- application:didDecodeRestorableStateWithCoder:
- setWindow:
- isEqual:
- superclass
- performSelector:
- performSelector:withObject:
- performSelector:withObject:withObject:
- isProxy
- isKindOfClass:
- isKindOfClass:
- conformsToProtocol:
- respondsToSelector:
- retain
- release
- autorelease
- retainCount
- debugDescription
- _managedObjectModel
- _persistentStoreCoordinator
- _window
- timeStamp
- Master
- detailItem
- T@,&,N,V_detailItem
- detailDescriptionLabel
- T@"UILabel",W,N,V_detailDescriptionLabel
- masterPopoverController
- T@"UIPopoverController",&,N,V_masterPopoverController
- Unresolved error %@, %@
- showDetail
- detailViewController
- T@"DetailViewController",&,N,V_detailViewController
- fetchedResultsController
- T@"NSFetchedResultsController",&,N,V_fetchedResultsController
- managedObjectContext
- T@"NSManagedObjectContext",&,N,V_managedObjectContext
- dv_test08

- dv_test08.sqlite
- window
- T@"UWindow",&,N
- T@"UWindow",&,N,V_window
- T@"NSManagedObjectContext",R,N,V_managedObjectContext
- managedObjectModel
- T@"NSManagedObjectContext",R,N,V_managedObjectModel
- persistentStoreCoordinator
- T@"NSPersistentStoreCoordinator",R,N,V_persistentStoreCoordinator
- DetailViewController
- UISplitViewControllerDelegate
- MasterViewController
- NSFetchedResultsControllerDelegate
- AppDelegate
- UIApplicationDelegate
- NSObject
- v48@0:8@16@24@32@40
- v48@0:8@"UISplitViewController"16@"UIViewController"24@"UIBarButtonItem"32@"UIPopoverController"40
- v40@0:8@16@24@32
- v40@0:8@"UISplitViewController"16@"UIViewController"24@"UIBarButtonItem"32
- v40@0:8@"UISplitViewController"16@"UIPopoverController"24@"UIViewController"32
- B40@0:8@16@24q32
- B40@0:8@"UISplitViewController"16@"UIViewController"24q32
- Q24@0:8@16
- Q24@0:8@"UISplitViewController"16
- q24@0:8@16
- q24@0:8@"UISplitViewController"16
- v24@0:8@16
- v16@0:8
- @16@0:8
- @"UILabel"
- @"UIPopoverController"
- v56@0:8@16@24@32Q40@48
- v56@0:8@"NSFetchedResultsController"16@24@"NSIndexPath"32Q40@"NSIndexPath"48
- v48@0:8@16@24Q32Q40
- v48@0:8@"NSFetchedResultsController"16@""24Q32Q40
- v24@0:8@"NSFetchedResultsController"16
- @32@0:8@16@24
- @"NSString"32@0:8@"NSFetchedResultsController"16@"NSString"24
- q32@0:8@16q24
- B32@0:8@16@24
- v40@0:8@16q24@32
- v32@0:8@16@24
- @"DetailViewController"
- @"NSFetchedResultsController"
- @"NSManagedObjectContext"
- v24@0:8@"UIApplication"16
- B32@0:8@"UIApplication"16@"NSDictionary"24
- B32@0:8@"UIApplication"16@"NSURL"24
- B48@0:8@16@24@32@40
- B48@0:8@"UIApplication"16@"NSURL"24@"NSString"32@40
- v40@0:8@16q24d32

- v40@0:8@"UIApplication"16q24d32
- v32@0:8@16q24
- v32@0:8@"UIApplication"16q24
- v56@0:8@16{CGRect={CGPoint=dd}{CGSize=dd}}24
- v56@0:8@"UIApplication"16{CGRect={CGPoint=dd}{CGSize=dd}}24
- v32@0:8@"UIApplication"16@"NSData"24
- v32@0:8@"UIApplication"16@"NSError"24
- v32@0:8@"UIApplication"16@"NSDictionary"24
- v32@0:8@"UIApplication"16@"UILocalNotification"24
- v40@0:8@16@24@?32
- v40@0:8@"UIApplication"16@"NSDictionary"24@?32
- v32@0:8@16@?24
- v32@0:8@"UIApplication"16@?24
- v40@0:8@"UIApplication"16@"NSString"24@?32
- Q32@0:8@16@24
- Q32@0:8@"UIApplication"16@"UIWindow"24
- @40@0:8@16@24@32
- @"UIViewController"40@0:8@"UIApplication"16@"NSArray"24@"NSCoder"32
- B32@0:8@"UIApplication"16@"NSCoder"24
- v32@0:8@"UIApplication"16@"NSCoder"24
- @"UIWindow"16@0:8
- v24@0:8@"UIWindow"16
- B24@0:8@16
- Q16@0:8
- #16@0:8
- ^{ _NSZone=}16@0:8
- @24@0:8:16
- @32@0:8:16@24
- @40@0:8:16@24@32
- B16@0:8
- B24@0:8#16
- B24@0:8@"Protocol"16
- B24@0:8:16
- Vv16@0:8
- @"NSString"16@0:8
- @"NSManagedObjectModel"
- @"NSPersistentStoreCoordinator"
- @"UIWindow"
- BRARARARARARAVAp p
- p`\$ASASASBVBWARARARARARAUAp p
- p`HASASASBVBUAp
- RARARARARARARARARARARARARARARARARARARARBRA`
- RARB`#Ap p
- p`*ASASASASBXBUA _NTCp RCp p RCp8
- @_NSSQLiteStoreType
- @OBJCCLASS\$NSEntityDescription
- @OBJCCLASS\$NSFetchRequest
- @OBJCCLASS\$NSFetchedResultsController
- @OBJCCLASS\$NSManagedObjectContext
- @OBJCCLASS\$NSManagedObjectModel
- @OBJCCLASS\$NSPersistentStoreCoordinator
- @OBJCCLASS\$UIBarButtonItem

- @OBJCCLASS\$UIDevice
- @OBJCCLASS\$UIResponder
- @OBJCCLASS\$UITableViewController
- @OBJCCLASS\$UIViewController
- @OBJCMETACLASS\$UIResponder
- @OBJCMETACLASS\$UITableViewController
- @OBJCMETACLASS\$UIViewController
- @OBJCCLASS\$NSBundle
- @OBJCCLASS\$NSFileManager
- @OBJCCLASS\$NSIndexSet
- @OBJCCLASS\$NSSortDescriptor
- @OBJCMETACLASS\$NSObject
- @_objcempty_cache
- @_stackchkguard
- @dyldstubbinder
- @OBJCCLASS\$NSArray
- @OBJCCLASS\$NSDate
- @_CFConstantStringClassReference
- @_UIApplicationMain
- @_NSLog
- @_NSStringFromClass
- @objcautoreleasePoolPop
- @objcautoreleasePoolPush
- @objcautoreleaseReturnValue
- @objcdestroyWeak
- @objcloadWeakRetained
- @objcmsgSend
- @objcmsgSendSuper2
- @objcrelease
- @objcretain
- @objcretainAutoreleasedReturnValue
- @objcstoreStrong
- @objcstoreWeak
- @_stackchkfail
- @_abort
- mhexecute_header
- ,OBJC_
- CLASS\$
- MMETACLASS\$
- DetailViewController
- MasterViewController
- AppDelegate
- DetailViewController
- MasterViewController
- AppDelegate
- com.apple.CoreGraphics
- com.apple.CoreData
- com.apple.UIKit
- com.apple.Foundation
- libobjc.A
- libSystem.B

- com.apple.CoreFoundation
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/
- DetailViewController.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[DetailViewController setDetailItem:]
- -[DetailViewController configureView]
- -[DetailViewController viewDidLoad]
- -[DetailViewController didReceiveMemoryWarning]
- -[DetailViewController splitViewController:willHideViewController:withBarButtonItem:forPopoverContro
- -[DetailViewController splitViewController:willShowViewController:invalidatingBarButtonItem:]
- -[DetailViewController detailItem]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/DetailViewCont
- -[DetailViewController detailDescriptionLabel]
- -[DetailViewController setDetailDescriptionLabel:]
- -[DetailViewController masterPopoverController]
- -[DetailViewController setMasterPopoverController:]
- -[DetailViewController .cxx_destruct]
- OBJCCLASS\$DetailViewController
- OBJCMETACLASS\$DetailViewController
- OBJCVAR\$DetailViewController._detailItem
- OBJCVAR\$DetailViewController._detailDescriptionLabel
- OBJCVAR\$DetailViewController._masterPopoverController
- MasterViewController.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[MasterViewController awakeFromNib]
- _CGSizeMake
- /Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/Developer/SDKs/iPhoneOS7.1.sd
- -[MasterViewController viewDidLoad]
- -[MasterViewController didReceiveMemoryWarning]
- -[MasterViewController insertNewObject:]
- -[MasterViewController numberOfSectionsInTableView:]
- -[MasterViewController tableView:numberOfRowsInSection:]
- -[MasterViewController tableView:cellForRowAtIndexPath:]
- -[MasterViewController tableView:canEditRowAtIndexPath:]
- -[MasterViewController tableView:commitEditingStyle:forRowAtIndexPath:]
- -[MasterViewController tableView:canMoveRowAtIndexPath:]
- -[MasterViewController tableView:didSelectRowAtIndexPath:]
- -[MasterViewController prepareForSegue:sender:]
- -[MasterViewController fetchedResultsController]
- -[MasterViewController controllerWillChangeContent:]
- -[MasterViewController controller:didChangeSection:atIndex:forChangeType:]
- -[MasterViewController controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:]
- -[MasterViewController controllerDidChangeContent:]
- -[MasterViewController configureCell:atIndexPath:]
- -[MasterViewController detailViewController]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/MasterViewCont
- -[MasterViewController setDetailViewController:]
- -[MasterViewController setFetchedResultsController:]
- -[MasterViewController managedObjectContext]
- -[MasterViewController setManagedObjectContext:]
- -[MasterViewController .cxx_destruct]
- OBJCCLASS\$MasterViewController

- OBJCMETACLASS\$MasterViewController
- OBJCVAR\$MasterViewController._fetchedResultsController
- OBJCVAR\$MasterViewController._detailViewController
- OBJCVAR\$MasterViewController._managedObjectContext
- AppDelegate.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[AppDelegate application:didFinishLaunchingWithOptions:]
- -[AppDelegate applicationWillResignActive:]
- -[AppDelegate applicationDidEnterBackground:]
- -[AppDelegate applicationWillEnterForeground:]
- -[AppDelegate applicationDidBecomeActive:]
- -[AppDelegate applicationWillTerminate:]
- -[AppDelegate saveContext]
- -[AppDelegate managedObjectContext]
- -[AppDelegate managedObjectModel]
- -[AppDelegate persistentStoreCoordinator]
- -[AppDelegate applicationDocumentsDirectory]
- -[AppDelegate window]
- /Users/nicholasstarke/Documents/development/aleph-void/native/ios/dv-test08/dv-test08/AppDelegate.h
- -[AppDelegate setWindow:]
- -[AppDelegate .cxx_destruct]
- OBJCMETACLASS\$AppDelegate
- OBJCCLASS\$AppDelegate
- OBJCVAR\$AppDelegate._managedObjectContext
- OBJCVAR\$AppDelegate._managedObjectModel
- OBJCVAR\$AppDelegate._persistentStoreCoordinator
- OBJCVAR\$AppDelegate._window
- main.m
- /Users/nicholasstarke/Library/Developer/Xcode/DerivedData/dv-test08-fbnuvrmiwjendrffkitbuhimhftb/Bui
- -[DetailViewController setDetailItem:]
- -[DetailViewController configureView]
- -[DetailViewController viewDidLoad]
- -[DetailViewController didReceiveMemoryWarning]
- -[DetailViewController splitViewController:willHideViewController:withBarButtonItem:forPopoverContro
- -[DetailViewController splitViewController:willShowViewController:invalidatingBarButtonItem:]
- -[DetailViewController detailItem]
- -[DetailViewController detailDescriptionLabel]
- -[DetailViewController setDetailDescriptionLabel:]
- -[DetailViewController masterPopoverController]
- -[DetailViewController setMasterPopoverController:]
- -[DetailViewController .cxx_destruct]
- -[MasterViewController awakeFromNib]
- _CGSizeMake
- -[MasterViewController viewDidLoad]
- -[MasterViewController didReceiveMemoryWarning]
- -[MasterViewController insertNewObject:]
- -[MasterViewController numberOfSectionsInTableView:]
- -[MasterViewController tableView:numberOfRowsInSection:]
- -[MasterViewController tableView:cellForRowAtIndexPath:]
- -[MasterViewController tableView:canEditRowAtIndexPath:]
- -[MasterViewController tableView:commitEditingStyle:forRowAtIndexPath:]
- -[MasterViewController tableView:canMoveRowAtIndexPath:]

- -[MasterViewController tableView:didSelectRowAtIndexPath:]
- -[MasterViewController prepareForSegue:sender:]
- -[MasterViewController fetchedResultsController]
- -[MasterViewController controllerWillChangeContent:]
- -[MasterViewController controller:didChangeSection:atIndex:forChangeType:]
- -[MasterViewController controller:didChangeObject:atIndexPath:forChangeType:newIndexPath:]
- -[MasterViewController controllerDidChangeContent:]
- -[MasterViewController configureCell:atIndexPath:]
- -[MasterViewController detailViewController]
- -[MasterViewController setDetailViewController:]
- -[MasterViewController setFetchedResultsController:]
- -[MasterViewController managedObjectContext]
- -[MasterViewController setManagedObjectContext:]
- -[MasterViewController .cxx_destruct]
- -[AppDelegate application:didFinishLaunchingWithOptions:]
- -[AppDelegate applicationWillResignActive:]
- -[AppDelegate applicationDidEnterBackground:]
- -[AppDelegate applicationWillEnterForeground:]
- -[AppDelegate applicationDidBecomeActive:]
- -[AppDelegate applicationWillTerminate:]
- -[AppDelegate saveContext]
- -[AppDelegate managedObjectContext]
- -[AppDelegate managedObjectModel]
- -[AppDelegate persistentStoreCoordinator]
- -[AppDelegate applicationDocumentsDirectory]
- -[AppDelegate window]
- -[AppDelegate setWindow:]
- -[AppDelegate .cxx_destruct]
- OBJCIVAR\$DetailViewController._detailItem
- OBJCIVAR\$DetailViewController._detailDescriptionLabel
- OBJCIVAR\$DetailViewController._masterPopoverController
- OBJCIVAR\$MasterViewController._fetchedResultsController
- OBJCIVAR\$MasterViewController._detailViewController
- OBJCIVAR\$MasterViewController._managedObjectContext
- OBJCIVAR\$AppDelegate._managedObjectContext
- OBJCIVAR\$AppDelegate._managedObjectModel
- OBJCIVAR\$AppDelegate._persistentStoreCoordinator
- OBJCIVAR\$AppDelegate._window
- OBJCCLASS\$AppDelegate
- OBJCCLASS\$DetailViewController
- OBJCCLASS\$MasterViewController
- OBJCMETACLASS\$AppDelegate
- OBJCMETACLASS\$DetailViewController
- OBJCMETACLASS\$MasterViewController
- _mhexecute_header
- _NSLog
- _NSSQLiteStoreType
- _NSStringFromClass
- OBJCCLASS\$NSArray
- OBJCCLASS\$NSBundle
- OBJCCLASS\$NSDate

- OBJCCLASS\$NSEntityDescription
- OBJCCLASS\$NSFetchRequest
- OBJCCLASS\$NSFetchedResultsController
- OBJCCLASS\$NSFileManager
- OBJCCLASS\$NSIndexSet
- OBJCCLASS\$NSManagedObjectContext
- OBJCCLASS\$NSManagedObjectModel
- OBJCCLASS\$NSPersistentStoreCoordinator
- OBJCCLASS\$NSSortDescriptor
- OBJCCLASS\$UIBarButtonItem
- OBJCCLASS\$UIDevice
- OBJCCLASS\$UIResponder
- OBJCCLASS\$UITableViewController
- OBJCCLASS\$UIViewController
- OBJCMETACLASS\$NSObject
- OBJCMETACLASS\$UIResponder
- OBJCMETACLASS\$UITableViewController
- OBJCMETACLASS\$UIViewController
- _UIApplicationMain
- _CFConstantStringClassReference
- _stackchkfail
- _stackchkguard
- _objcempty_cache
- _abort
- objcautoreleasePoolPop
- objcautoreleasePoolPush
- objcautoreleaseReturnValue
- objcdestroyWeak
- objcloadWeakRetained
- objcmsgSend
- objcmsgSendSuper2
- objcrelease
- objcretain
- objcretainAutoreleasedReturnValue
- objcstoreStrong
- objcstoreWeak
- dyldstubfinder
- Lcom.alephvoid.dv-test08
- Q75J9U4VW4
- #gUAd
- com.alephvoid.dv-test08
- subject.CN
- .iPhone Developer: Nicholas Starke (759RKATQVB)
- com.apple.CoreGraphics
- com.apple.CoreData
- com.apple.UIKit
- com.apple.Foundation
- libobjc.A
- libSystem.B
- com.apple.CoreFoundation
-

-
-
-
- application-identifier
- Q75J9U4VW4.com.alephvoid.dv-test08
- get-task-allow
-
- keychain-access-groups
-
- Q75J9U4VW4.com.alephvoid.dv-test08
-
-
-
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 080214185635Z
- 160214185635Z0
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority0
- %http://www.apple.com/appleca/root.crl0
- ^s./%u
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- 060425214036Z
- 350209214036Z0b1
- Apple Inc.1&0\$
- Apple Certification Authority1
- Apple Root CA0
- https://www.apple.com/appleca/0
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority0
- 140104202650Z
- 150104202650Z0
- TMJ8NUWSK71705
- .iPhone Developer: Nicholas Starke (759RKATQVB)1
- Q75J9U4VW41
- Nicholas Starke1
- Reliance on this certificate by any party assumes acceptance of the then applicable standard terms a
- http://www.apple.com/appleca/0M
-
- Wh3eR9
- Apple Inc.1,0*
- #Apple Worldwide Developer Relations1D0B
- ;Apple Worldwide Developer Relations Certification Authority
- 140610221619Z0#

UTF-8 Strings

No detected.

UTF-16LE Strings

No detected.

Extracted URLs

- <http://www.apple.com/DTDs/PropertyList-1.0.dtd>
- <http://www.apple.com/appleca/root.crl0>
- <https://www.apple.com/appleca/0>
- <http://www.apple.com/appleca/0M>
- <http://developer.apple.com/certificationauthority/wwdrca.crl0>
- <http://www.apple.com/DTDs/PropertyList-1.0.dtd>
- <http://www.apple.com/appleca/root.crl0>
- <https://www.apple.com/appleca/0>
- <http://www.apple.com/appleca/0M>
- <http://developer.apple.com/certificationauthority/wwdrca.crl0>
- <http://www.apple.com/DTDs/PropertyList-1.0.dtd>
- <http://www.apple.com/appleca/root.crl0>
- <https://www.apple.com/appleca/0>
- <http://www.apple.com/appleca/0M>
- <http://developer.apple.com/certificationauthority/wwdrca.crl0>

Base64 Strings

- Possible Base64 Encoded String: applicationWillTerminate -> Decoded: KyAjn"
- Possible Base64 Encoded String: com/appleca/root -> Decoded: KyAjn"
- Possible Base64 Encoded String: setLeftBarButtonItem -> Decoded: jeYSz^

File Entropy Analysis

- **Entropy:** 3.69
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

Scan Date: 2021-08-08 19:36:47

Scan Results

- Malicious: 0
- Suspicious: 0
- Undetected: 60
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 14

Community Votes

- Harmless: 0
- Malicious: 0

Virus Total Permalink

- No VirusTotal link available.

Detailed Engine Results

Engine Name	Detection Category	Detection
No results	No results	No results
