

# Malware Analysis Report For 0a79399c441fca30d20e79fdabdd23ae33f3e16bf9c012cd1492604a03e656bb

## Binary Type

ELF (Executable and Linkable Format). (Approved)

## Analyzing File

- **File Name:** 0a79399c441fca30d20e79fdabdd23ae33f3e16bf9c012cd1492604a03e656bb
- **File Extension:**
- **File Type:** ELF (Executable and Linkable Format).
- **MD5 Hash:** 15ef5bc64545fcb21b168697a1314cf1
- **SHA256 Hash:** 0a79399c441fca30d20e79fdabdd23ae33f3e16bf9c012cd1492604a03e656bb

## File Identification

File detected as a valid Linux executable.

## ELF File Analysis

ELF File Analysis: True

### ELF File Imports

No Imported functions were found.

### ELF File Exports

No Exported functions were found.

## String Analysis

### ASCII Strings

- AWAVAUUA
- H+D\$HH9
- [\A\A]A^A\_
- [\A\A]
- ([\A\A]
- AWAVAUATUSH
- D\$u#H
- [\A\A]A^A\_
- AWAVAUATUSH
- ++CCUNGH
- 
- ]A\A]A^
- AUATUSH
- [\A\A]
- ([\A\A]A^A\_
- X[\A\A]
- Z[\A\A]A^A\_
- [\A\A]A^A\_
- [\A\A]A^
- ]A\A]A^
- AVAUATUSH
- [\A\A]A^
- AVAUATI
- ([\A\A]A^A\_
- [\A\A]
- [\A\A]

- AUATUSAPL  
[A^]  
JA^  
[A^]  
ATUAPH  
JA^  
[A^]A^  
[A^]A^\_  
[A^]A^\_  
JA^  
[A^]A^  
JA^A^\_  
Z[A^]A^A\_  
JA^  
Y[A^]  
G8;G<  
D\$(dH3  
\$<;w0H  
C@[A\  
X[A^]  
AVAUAUTH  
AZJA^JA^A^  
AYJA^JA^A^  
JA^JA^  
JA^JA^  
@80u-H  
AVAUAUTH  
[A^]JA^  
uD<.t@  
AWAVAUAUTI  
[A^]JA^A^\_  
AWAVAUAUTH  
[A^]JA^A^\_  
AWAVAUAUTH  
<\$Gu3H  
<\$9u#I  
</u5I  
[A^]JA^A^\_  
AWAVAUAU  
X[A^]JA^A^\_  
[A^]JA^  
AWAVAUA  
JA^JA^A^\_  
X[A^]  
AVAUATU  
.br/>Z[A^]JA^A^\_  
AWAVAUAUTI  
\$<;w5H  
[A^]JA^A^\_]  
AVAUAUTUSH  
D\$(dH3  
[A^]JA^A^  
PfffdH  
PfffdH  
([A^]JA^A^A^\_  
[A^]JA^A^A^\_  
X[A^]  
JA^]  
JA^]  
JA^]  
JA^]  
JA^]  
JA^]  
JA^]  
JA^]  
JA^]

- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- ]A\A]
- AUATUSH
- ([A\A]A^A\_
- ]A\A]
- ]A\A]
- AUATUSAPL
- ]A\A]
- AVAUATI
- ]A\A]A^
- ]A\A]
- ATUAPH
- Z[A\A]
- ]A\A]A^A\_
- Z[A\A]A^A\_
- Z[A\A]
- ]A\A]A^
- ]A\A]A^
- AUATUSQH
- ]A\A]
- D\$(dH3
- 8[A\A]A^A\_
- ]A\A]A^
- ]A\A]
- A\A]A^
- ]A\A]A^
- ]A\A]
- ]A\A]
- ]A\A]A^
- AVAUATI
- ]A\A]A^
- AVAUATI
- ]A\A]A^
- I9<\$t-H
- ]A\A]A^
- AWAVAUATUH9
- A\A]A^A\_
- AWAVAUATUH9
- A\A]A^A\_
- Z[A\A]
- \$Z[A\A]
- AWAVAUATUH9
- A\A]A^A\_
- ]A\A]A^A\_
- ]A\A]A^
- GenuuT
- X[A\A]
- dH34%(
- GenuuT
- X[A\A]
- L;D\$0u
- ]A\A]A^
- [A\A]A^A\_]
- 8[A\A]A^A\_
- ]A\A]A^
- ]A\A]A^A\_
- ]A\A]

- AWAVAUUA
- [A\A]A^A\_
- AWAVAUATA
- [A\A]A^A\_
- AWAVAUATI
- [A\A]A^A\_]
- [A\A]A^A\_
- X[A\A]A^A\_
- [A\A]A^
- [A\A]A^A\_
- AWAVAUATUSH
- W(uuH9
- H[A\A]A^A\_
- [A\A]
- [A\A]A^A\_
- ([A\A]A^A\_
- AWAVAUATI
- [A\A]A^A\_
- T\$(!;\\$
- <\$H9:r
- [A\A]A^
- H9D\$xu
- [A\A]
- AWAVAUUL
- M94\$u9I
- [A\A]A^A\_
- [A\A]A^A\_
- AWAVAUATI
- [A\A]A^A\_
- ([A\A]A^A\_
- AWAVAUATUSH
- [A\A]A^A\_
- AWAVAUATUSH
- [A\A]A^A\_
- AVAUATUSH
- [A\A]A^
- [A\A]A^
- AVAUATUSH
- [A\A]A^A\_
- X[A\A]
- JhH9(u
- E8H9E(t
- E8H9E(t 1
- AVAUATUH
- ]A\A]A^
- C(H;C t
- ;B8u)A
- W(H;W t
- E H+E(L9
- Z[A\A]
- [A\A]A^A\_
- D\$X[]
- A\A]A^
- |\$ H+|\$pH
- [A\A^
- AVAUATUH
- [A\A]A^
- AUATUSH
- [A\A]A^A\_
- Z[A\A]
- AWAVAUATUSH
- [A\A]A^A\_
- AVAUATI
- [A\A]A^A\_
- S(H;S u
- Hc{xc

- `[]A\A]A^A_`
- `AUATUS`
- `[]A\A]`
- `AWAVAUATUH`
- `!$NHcD$`
- `D$kH+D$ L9`
- `[]A\A]A^A_`
- `AWAVAUATUH`
- `[]A\A]A^A_`
- `AVAUATA`
- `[]A\A]A^A_`
- `AVAULc`
- `[]A\A]A^`
- `AVAUATUSH`
- `([]A\A]A^A_`
- `E8H9E(t`
- `G8H9G(t`
- `basicstring::M_construct` null not valid
- `xmrigMiner`
- `basic_string::append`
- `--daemonized`
- `terminate` called recursively
- `terminate` called after throwing an instance of '
- `terminate` called without an active exception
- `what()`:
- not enough space for format expansion (Please submit full bug report at <https://gcc.gnu.org/bugs/>):
- 0123456789
- `basicstring::M_create`
- `%s: __pos` (which is %zu) > `this->size()` (which is %zu)
- `basicstring::at: _n` (which is %zu) >= `this->size()` (which is %zu)
- `basic_string::erase`
- `basicstring::Mreplaceaux`
- `basic_string::insert`
- `basic_string::replace`
- `basicstring::M_replace`
- `basic_string::assign`
- `basic_string::copy`
- `basic_string::compare`
- `basicstring::M_construct` null not valid
- `string::string`
- `basicstring::basicstring`
- `basic_string::substr`
- `std::bad_alloc`
- `St9bad_alloc`
- `std::bad_cast`
- `St8bad_cast`
- `std::bad_typeid`
- `St10bad_typeid`
- `GLOBAL`
- (anonymous namespace)
- `decltype(auto)`
- string literal
- {default arg#
- `JArray`
- template parameter object for
- `VTT` for
- construction vtable for
- `typeinfo` for
- `typeinfo` name for
- `typeinfo` fn for
- non-virtual thunk to
- covariant return thunk to
- java Class for
- guard variable for
- TLS init function for
- TLS wrapper function for

- reference temporary #
- hidden alias for
- non-transaction clone for
- \_Accum
- \_Fract
- operator
- operator
- java resource
- decltype (
- {parm#
- global constructors keyed to
- global destructors keyed to
- {lambda(
- {unnamed type#
- [clone
- restrict
- volatile
- const
- transaction\_safe
- noexcept
- throw
- complex
- imaginary
- \_\_vector(
- std::allocator
- std::basic\_string
- std::string
- std::basicstringtraits, std::allocator >
- std::istream
- std::basicistreamtraits >
- basic\_istream
- std::ostream
- std::basicostreamtraits >
- basic\_ostream
- std::iostream
- std::basiciostreamtraits >
- basic\_iostream
- alignof
- const\_cast
- delete[]
- dynamic\_cast
- delete
- operator""
- reinterpret\_cast
- sizeof...
- static\_cast
- sizeof
- throw
- boolean
- long double
- \_\_float128
- unsigned char
- unsigned int
- unsigned
- unsigned long
- unsigned \_\_int128
- unsigned short
- wchar\_t
- unsigned long long
- decimal32
- decimal64
- decimal128
- char8\_t
- char16\_t
- char32\_t
- decltype(nullptr)

- **gnucxx::concurrency::lock\_error**
- **gnucxx::concurrency::unlock\_error**
- **N9gnucxx24concurrency::lock\_errorE**
- **N9gnucxx26concurrency::unlock\_errorE**
- **std::exception**
- **std::bad\_exception**
- **St9exception**
- **St13bad\_exception**
- **N10cxxabiv115forced\_unwindE**
- **N10cxxabiv119foreign\_exceptionE**
- *pure virtual method called*
- *deleted virtual method called*
- **N10cxxabiv120std::type\_infoE**
- **St9type\_info**
- **St11logic\_error**
- **St12domain\_error**
- **St16invalid\_argument**
- **St12length\_error**
- **St12out\_of\_range**
- **St13runtime\_error**
- **St11range\_error**
- **St14overflow\_error**
- **St15underflow\_error**
- **basic\_string::S\_create**
- **basic\_string::resize**
- **basic\_string::S\_construct null not valid**
- **/dev/urandom**
- **default**
- **/dev/random**
- **random\_device::random\_device(const std::string&)**
- **mt19937**
- **random\_device::x86rdrand(void)**
- **random\_device::could\_not\_be\_read**
- **random\_device::M\_strtoul(const std::string&)**
- **N10cxxabiv117std::type\_infoE**
- **/dev/null**
- **/proc/self/exe**
- **!"#\$%&'()\*+,-./:;<=>?@[]\_`{|}~\*\*+++,-----.....////////-c**
- **/bin/sh**
- **-0X+0X 0X-0x+0x 0x**
- **-+ 0X0x**
- **(null)**
- **0123456789ABCDEF**
- **\_vdsoclock\_gettime**
- **LINUX\_2.6**
- **No error information**
- **Illegal byte sequence**
- **Domain error**
- **Result not representable**
- **Not a tty**
- **Permission denied**
- **Operation not permitted**
- **No such file or directory**
- **No such process**
- **File exists**
- **Value too large for data type**
- **No space left on device**
- **Out of memory**
- **Resource busy**
- **Interrupted system call**
- **Resource temporarily unavailable**
- **Invalid seek**
- **Cross-device link**
- **Read-only file system**
- **Directory not empty**
- **Connection reset by peer**

- *Operation timed out*
- *Connection refused*
- *Host is down*
- *Host is unreachable*
- *Address in use*
- *Broken pipe*
- *I/O error*
- *No such device or address*
- *Block device required*
- *No such device*
- *Not a directory*
- *Is a directory*
- *Text file busy*
- *Exec format error*
- *Invalid argument*
- *Argument list too long*
- *Symbolic link loop*
- *Filename too long*
- *Too many open files in system*
- *No file descriptors available*
- *Bad file descriptor*
- *No child process*
- *Bad address*
- *File too large*
- *Too many links*
- *No locks available*
- *Resource deadlock would occur*
- *State not recoverable*
- *Previous owner died*
- *Operation canceled*
- *Function not implemented*
- *No message of desired type*
- *Identifier removed*
- *Device not a stream*
- *No data available*
- *Device timeout*
- *Out of streams resources*
- *Link has been severed*
- *Protocol error*
- *Bad message*
- *File descriptor in bad state*
- *Not a socket*
- *Destination address required*
- *Message too large*
- *Protocol wrong type for socket*
- *Protocol not available*
- *Protocol not supported*
- *Socket type not supported*
- *Not supported*
- *Protocol family not supported*
- *Address family not supported by protocol*
- *Address not available*
- *Network is down*
- *Network unreachable*
- *Connection reset by network*
- *Connection aborted*
- *No buffer space available*
- *Socket is connected*
- *Socket not connected*
- *Cannot send after socket shutdown*
- *Operation already in progress*
- *Operation in progress*
- *Stale file handle*
- *Remote I/O error*
- *Quota exceeded*
- *No medium found*

- *Wrong medium type*
- *Multihop attempted*
- *GCC: (Alpine 9.3.0) 9.3.0*
- *.shstrtab*
- *.gnu.hash*
- *.dynsym*
- *.dynstr*
- *.rela.dyn*
- *.plt.got*
- *.rodata*
- *.ehframehdr*
- *.eh\_frame*
- *.gccexceptable*
- *.init\_array*
- *.ctors*
- *.dtors*
- *.data.rel.ro*
- *.dynamic*
- *.comment*

UTF-8 Strings

No detected.

UTF-16LE Strings

No detected.

Extracted URLs

- *https://gcc.gnu.org/bugs/*:

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 5.85
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

Scan Date: 2025-01-22 01:09:51

Scan Results

- *Malicious:* 39
- *Suspicious:* 0
- *Undetected:* 25
- *Harmless:* 0
- *Timeout:* 0
- *Confirmed-timeout:* 0
- *Failure:* 0
- *Type-unsupported:* 12

Community Votes

- *Harmless:* 0
- *Malicious:* 0

Detailed Engine Results

| Engine Name      | Detection Category | Detection                       |
|------------------|--------------------|---------------------------------|
| Lionic           | malicious          | Riskware.Linux.BitCoinMiner.1!c |
| MicroWorld-eScan | malicious          | Application.Linux.Miner.KA      |

| Engine Name          | Detection Category | Detection                                        |
|----------------------|--------------------|--------------------------------------------------|
| CTX                  | malicious          | elf.miner.generic                                |
| Skyhigh              | malicious          | RDN/Generic PUP.x                                |
| McAfee               | malicious          | RDN/Generic PUP.x                                |
| Arcabit              | malicious          | Application.Linux.Miner.KA                       |
| huorong              | malicious          | Trojan/Linux.CoinMiner.bp                        |
| Symantec             | malicious          | PUA.Gen.2                                        |
| ESET-NOD32           | malicious          | a variant of Generik.HNKKTZW                     |
| Cynet                | malicious          | Malicious (score: 99)                            |
| TrendMicro-HouseCall | malicious          | TROJ_GEN.R002C0PIP24                             |
| Avast                | malicious          | ELF:Miner-FD [PUP]                               |
| Kaspersky            | malicious          | not-a-virus:HEUR:RiskTool.Linux.BitCoinMiner.gen |
| BitDefender          | malicious          | Application.Linux.Miner.KA                       |
| Tencent              | malicious          | Win32.Trojan.Miner.Vggz                          |
| Emsisoft             | malicious          | Application.Linux.Miner.KA (B)                   |
| F-Secure             | malicious          | PotentialRisk.PUA/LNX.CoinMiner.jggmg            |
| DrWeb                | malicious          | Tool.Linux.BtcMine.2746                          |
| VIPRE                | malicious          | Application.Linux.Miner.KA                       |
| TrendMicro           | malicious          | TROJ_GEN.R002C0PIP24                             |
| Sophos               | malicious          | Generic Reputation PUA (PUA)                     |
| Ikarus               | malicious          | PUA.Inx.CoinMiner                                |
| FireEye              | malicious          | Application.Linux.Miner.KA                       |
| Jiangmin             | malicious          | Trojan.Linux.aww                                 |
| Varist               | malicious          | E64/ABApplication.ZG                             |
| Avira                | malicious          | PUA/LNX.CoinMiner.jggmg                          |
| Fortinet             | malicious          | Riskware/GenericPUABJ                            |
| Antiy-AVL            | malicious          | Trojan/Linux.Teamtnt                             |
| Kingsoft             | malicious          | Win32.Troj.Generic.yl                            |
| Xcitium              | malicious          | Malware@#1mqkjrn8kty                             |
| Microsoft            | malicious          | Trojan:Win32/Zpeldo.B                            |
| Avast-Mobile         | malicious          | ELF:Miner-FG [PUP]                               |
| AhnLab-V3            | malicious          | CoinMiner/Linux.Agent.153696                     |
| ALYac                | malicious          | Trojan.Linux.CoinMiner                           |
| Rising               | malicious          | Trojan.Zpeldo!8.F912 (TFE:14:uPExaZAKqqF)        |
| GData                | malicious          | Application.Linux.Miner.KA                       |
| AVG                  | malicious          | ELF:Miner-FD [PUP]                               |
| Panda                | malicious          | ELF/TrojanGen.A                                  |