

Malware Analysis Report For

0dcfa54a7e8a4e631ef466670ce604a61f3b0e8b3e9cf72c943278c0f77c31a2

Binary Type

ELF (Executable and Linkable Format). (Approved)

Analyzing File

- **File Name:** 0dcfa54a7e8a4e631ef466670ce604a61f3b0e8b3e9cf72c943278c0f77c31a2
- **File Extension:**
- **File Type:** ELF (Executable and Linkable Format).
- **MD5 Hash:** c76b11be6fdeb10b7fccd678b42a7c97
- **SHA256 Hash:** 0dcfa54a7e8a4e631ef466670ce604a61f3b0e8b3e9cf72c943278c0f77c31a2

File Identification

File detected as a valid Linux executable.

ELF File Analysis

ELF File Analysis: True

ELF File Imports

No Imported functions were found.

ELF File Exports

No Exported functions were found.

String Analysis

ASCII Strings

- H9|\$0t
- D\$@H;\$
- |\$@H;|\$ t
- |\$`H;\$8t
- |\$PH;\$
- |\$OH;\$ t
- |\$OH;\$
- <\$H;\$ t
- |\$@H;|\$0t
- AVAUATUS
- AVAUATUSH
- |\$ Y^1
- ([\A\A]^A_
- AWAVAUATUSH
- X[\A\A]^A_
- [\A\A]^A_
- ([\A\A]^A_
- AWAVAUATI
- [A\A]^A_]
- [\A\A]^A_
- AWAVAUATA
- D\$@H;\$
- [\A\A]^A_
- [\A\A]
- [\A\A]

- AVAUATE
- []A\A]A^A_
-]A\A]A^A_
-]A\A]A^A_
- G AVAUI
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUUI
- []A\A]A^A_
- []A\A]A^A_
- AUATUC
- A\A]H
- =3333w
- AWAVAUATI
- 4.19t\$
- []A\A]A^A_
- AUATUS
- A\A]A^A_
- &=3333
- A\A]A^A_
- A\A]A^A_
- &=3333
- A\A]A^A_
- &=3333
- &=3333
- 4.19t\$
- []A\A]A^A_
- AWAVAUATUSH
- H;|\$ v
- H;|\$ v
- H;|\$Ht
- H;|\$Ht
- H;|\$Ht
- H;|\$8t
- H;|\$ (t
- []A\A]A^A_
- L;|\$ (t
- d\$pHcl\$
- H;|\$Ht
- H;|\$8t
- H;|\$ (t
- H[]A\A]A^A_
- []A\A]A^A_
- H[]A\A]A^A_
- H[]A\A]A^A_
- |KH9t\$
- +D\$\$lc
- AVAUATI
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- AWAVAUUA
- []A\A]A^A_
- AVAUATI
- []A\A]A^A_
- 4.19t\$
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
-]A\A]A^
-]A\A]A^
- AWAVE1
- [A\A]A^A_]

- AWAVE1
- AUATSH
- [A\A]A^A_
- AWAVAUATSH
- [A\A]A^A_
- AVAUATI
- []A\A]A^
- 8[]A\A]A^A_
- 8[]A\A]A^A_
- []A\A]A^A_
- T\$'t1L
- AWAVAU
- []A\A]A^A_
- AUATUSH
- []A\A]A^A_
- AWAVE1
- [A\A]A^A_
- AWAVE1
- AUATSH
- [A\A]A^A_
- ([[]A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- ([[]A\A]A^A_
- []A\A]A^A_
- ([[]A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- AVAUATM
- X[]A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- H[]A\A]A^A_
- AVAUATM
- h[]A\A]A^A_
- AVAUATM
- H[]A\A]A^A_
- D\$ _AXH
- D\$ AYAZ
- AVAUATM
- h[]A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- X[]A\A]A^A_
- AVAUATM
- []A\A]A^A_
- AVAUATM
- X[]A\A]A^A_
- \\$(s'I
- []A\A]A^A_
- AWAVAUATSH
- [A\A]A^A_
- h[]A\A]A^A_
- AVAUATM
- []A\A]A^A_
- AVAUATM
- h[]A\A]A^A_
- AWAVAUATUH
- []A\A]A^A_

- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AUATUH
- []A\A]A^A_
- ot\$0fl
- AVAUATUSH
- []A\A]A^A_
- AUATUSH
- []A\A]A^A_
- []A\A]A^A_
- S09U0u
- teATUH
- tSATUH
- AWAVAUATUSH
- H3D\$ H3T\$
- p[]A\A]A^A_
- AWAVAUUA
- []A\A]A^A_
- AVAUATI
- []A\A]A^
- []A\A]A^
- []A\A]A^A_
- []A\A]A^
- []A\A]A^
- AUATUSH
- []A\A]A^A_
- AVAUATI
- []A\A]A^
- []A\A]A^
- []A\A]A^
- AUATUSH
- []A\A]A^A_
- []A\A]
- AWAVAUATUSH
- ([]A\A]A^A_
- []A\A]A^A_
- AUATUSH
- H;G(t(
- []A\A]
- []A\A]
- AWAVAUATUH
- D\$0L;gp
- P@H+P8H
- X[]A\A]A^A_
- H;E(t@
- AVAUATUSH
- |\$@H;|\$ t
- D\$pH;|\$
- []A\A]A^A_
- AWAVAUATUSH
- |\$`H;|\$8t
- []A\A]A^A_
- ~D\$`E1
- AWAVAUATUSH
- ([]A\A]A^A_
- AWAVAUATUSH
- ([]A\A]A^A_
- AUATUSH
- []A\A]
- AUATUSH
- []A\A]
- AVAUATUSH
- []A\A]A^

- []A\A]A^
- []A\A]A^
- []A\A]A^
- []A\A]A^A_
-]A\A]A^A_
- AUATUSH
- []A\A]A^A_
- []A\A]A^A_
- UUUUUUU
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^
-]A\A]A^
- AVAUATUSH
- []A\A]A^
- []A\A]A^
- []A\A]A^
- A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- @88u%H9
- []A\A]A^A_
- AVAUATUSH
- ([A\A]A^A_
- AWAVAUATUH
- 8[]A\A]A^A_
- H9\$ t
- @H;{HtB
- H;{HtPH
- AUATUSH
- {@H;{HtWH
- []A\A]
- AUATUSH
- {@H;{HtXH
- []A\A]
- t"[]A\
- t4[]A\
- t"[]A\
- t4[]A\
- {@H;{HtXH
- []A\A]
- AUATUSH
- {@H;{HtXH
- []A\A]
- AWAVAUATUH
- @8uxt+H
- x[]A\A]A^A_
- w M:g(
- w@M:gH
- w`M:gh
- :D\$ tMH
- w`M:gh
- d\$8M9g
- d\$8M9g
- d\$8M:g
- AWAVAUATUSH
- T\$ 8T\$
- @8sxt4H

- []A\A]A^A_
- \ \$OD# \$
- :D\$(tPL
- d\$HM9g
- d\$HM9g
- d\$HM9g
- <\$[]A\
- AWAVAUATI
- |\$ H;|\$
- []A\A]A^A_
- |\$ H;|\$
- h[]A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- H9E(tGD
- EtH;E
- H;E(tD
-)D\$@fH
-)D\$PH+Q8H
- []A\A]
- AUATUH
-)D\$@fH
-)D\$PH+Q8H
- r@L+r8H
- []A\A]A^
- AWAVAUATI
- 8[]A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- H;E(tED
- []A\A]A^A_
- H;E(t-
- AWAVAUATL
- 8[]A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSH
- V@H+V8H
- ~@L+~8I
- D\$0H;D\$8u
- []A\A]A^A_
- J@H+J8f
- D\$0H;D\$8u
- []A\A]A^
- AUATUSH
- []A\A]
- D\$@A\A]A^
- AWAVAUATUH
- S0H+S8M
- []A\A]A^A_
- AVAUATI
- []A\A]A^A_
- G0[]A\
- gHH+G8H
- UUUUUUU
- C@[]A\
- AUATUSH
- X[]A\A]
- AUATUSH
- X[]A\A]
- W0H+W8H
- UUUUUUU
- C@[]A\
- AWAVAUATUSH
- ([A\A]A^A_
- AVAUATUH

- []A\A]A^A_
- AVAUATUH
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSH
- @8kxt.H
- n M;~(tvM
- n@M;~H
- n`M;~h
- n`M;~h
- []A\A]A^A_
- AVAUATUH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- @H9\$\$(
- } M;u(
- }@M;uH
- }`M;uh
- }`M;uh
- AVAUATUH
- []A\A]A^A_
- AWAVAUATUH
- |\$ H;|\$(
- H[]A\A]A^A_
- |\$ H;|\$(
- AVAUATI
- }M9I\$
- ~|M9I\$
- []A\A]A^A_
- D\$ L;p ~MI
- []A\A]A^A_
- AVAUATI
- {@H;{H
- C@H+C8H
- D\$ I9D\$
- H;p }2H
- I;N }(L
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- T\$`H9D\$
- }@H; }H
- AVAUATUH
- ([]A\A]A^A_
- AVAUATUSH
-]A\A]A^
- M+|\$0H
- M+|\$HH
- +[]A\A]A^
- AWAVAUATI
- []A\A]A^A_
- E0I+^0f
- @H9,\$u
- ^P|+^HI
- AVAUATUSH
-]A\A]A^
- M+|\$0H
- M+|\$HH
- []A\A]A^
- AWAVAUATI
- []A\A]A^A_
- E0I+^0f
- @H9,\$u
- ^P|+^HI

- AWAVAUl
- ([\A\A]A^A_
- AWAVAUATl
- [\A\A]A^A_
- [\A\A]
- [\A\A]
- [\A\A]
- [\A\A]
- AWAVAUATUSH
- ([\A\A]A^A_
- AWAVAUATUSH
- [\A\A]A^A_
- uPH;uX
- } H;){
- T\$PH;u@tof
- D\$Q-H;u@t4
- AVAUATUH
- [\A\A]A^A_
- AWAVAUATUSH
- [\A\A]A^A_
- uPH;uX
- } H;){
- T\$@H;u@t_f
- D\$A-H;u@t4
- AVAUATUH
- t\$XH;t\$`
- [\A\A]A^A_
- AWAVAUATUH
- ([\A\A]A^A_
- AWAVAUATUSH
- [\A\A]A^A_
- AWAVAUATUSH
- [\A\A]A^A_
- uPH;uX
- } H;){
- AVAUATUH
- [\A\A]A^A_
- AWAVAUATUSH
- [\A\A]A^A_
- AWAVAUATUSH
- [\A\A]A^A_
- uPH;uX
- } H;){
- AVAUATUH
- [\A\A]A^A_
- AVAUATUH
-]A\A]A^
-]A\A]A^
- |\$@!;\$H
- H+D\$8l
- }@H;H
- AWAVAUATUSH
- [\A\A]A^A_
- |\$@!;\$H
- D\$@H+D\$8l
- }@H;H
- E@H+E8H
- T\$(!;t\$
- |\$@!;\$H
- M+t\$8L
- ~@!;~H
- F@H+F8H
- [\A\A]A^A_
- AVAUATUSH
- [\A\A]A^
- ([\A\A]A^A_

- ([A\A]A^A_
- ([A\A]A^A_
- AWAVAUI
- [A\A]A^A_
- [A\A]A^A_
- AWAVAUI
- [A\A]A^A_
- [A\A]A^A_
- AWAVAUI
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- ([A\A]A^A_
- ([A\A]A^A_
- ([A\A]A^A_
- ([A\A]A^A_
- ([A\A]A^A_
- ([A\A]A^A_
- ([A\A]A^A_
- AWAVAUI
- \$PH;\$
- \$OH;\$ t
- [A\A]A^A_
- AWAVAUATUSH
- H[A\A]A^A_
- AVAUATUH
-]A\A]A^
-]A\A]A^
- AWAVAUATUSH
- [A\A]A^A_
- [A\A]A^A_
- AWAVAUATUSH
- [A\A]A^A_
- [A\A]A^A_
- AWAVAUATUSH
- [A\A]A^A_
- [A\A]A^A_
- AWAVAUATUSH
- H[A\A]A^A_
- H[A\A]A^A_
- AWAVAUATUSH
- H[A\A]A^A_
- H[A\A]A^A_
- AWAVAUATUSH
- H[A\A]A^A_
- H[A\A]A^A_
- AWAVAUATUSH
- H[A\A]A^A_
- H[A\A]A^A_
- AWAVAUATUSH
- H[A\A]A^A_
- H[A\A]A^A_
- AWAVAUATI
-)D\$OL9
- [A\A]A^A_
- H;7w>H
- [A\A]A^A_
-)D\$pH
- [A\A]
- D\$ H+T\$
-]A\A]A^

- []A\A]A^
-]A\A]A^
- UUUUUUU
- AWAVAUATUSH
- []A\A]A^A_
- AVAUATI
- [A\A]A^A_
- AVAUATI
- [A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AVAUE1
- H[]A\A]A^A_
- H+D\$ @
- H[]A\A]A^A_
- H;0v]M9t\$
- AWAVAU
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AWAVAU
- H[]A\A]A^A_
- H[]A\A]A^A_
- H;0woH
- AWAVAUATUSH
- ([]A\A]A^A_
- AVAUATI
- []A\A]
- []A\A]
- AUATUSH
- []A\A]
- AWAVAUATI
- |\$0H;|\$
- []A\A]A^A_
- x[]A\A]A^A_
- |\$0H;|\$
- x[]A\A]A^A_
- |\$0H;|\$
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^
- tQATUH
- AUATUH
- h([]A\
- AWAVAUATI
- []A\A]A^A_
- AWAVAUATE1
- []A\A]A^A_
- AWAVAUATI
- 8[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AVAUATUH
- []A\A]A^
- AUATUSH
- []A\A]
- AWAVAU
- x[]A\A]A^A_
- H#D\$PL
- x[]A\A]A^A_
- AWAVAU

- x[]A\A]A^A_
- H#D\$PL
- x[]A\A]A^A_
-]A\A]A^A_
- D\$0H9P
- D\$8tLH
- H#D\$PH
- AWAVAUATUSH
- h[]A\A]A^A_
- []A\A]A^A_
- vPM9|\$
- H#D\$ L
- vNM9|\$
- AWAVAU
- X[]A\A]A^A_
- []A\A]A^A_
- X[]A\A]A^A_
- AWAVAU
- []A\A]A^A_
- X[]A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- oL\$@H!
- AWAVAU
-)D\$ f.
- []A\A]A^A_
- AVAUATI
- h[]A\A]A^A_
- h[]A\A]A^A_
-]A\A]A^A_
- D\$0H9P
- D\$8tLH
- H#D\$PH
- x[]A\A]A^A_
- D\$8tQH
- H#D\$PH
- H;0w7H
- AWAVAUATUSH
- ([]A\A]A^A_
- AVAUATUSH
- 0[]A\A]A^
- AWAVAUATI
- []A\A]A^A_
- AWAVAUATUSH
- ([]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- G`H+GXH
- WHH+W@H
- GHH+G@H
- []A\A]
- []A\A]
- []A\A]H
- []A\A]
- AUATUH
- []A\A]
- |\$H!;|\$P
- |\$`!;|\$Ht!H
- D\$@!9D\$Ht!A

- D\$Xl9D\$`
- tKH;O rEH
- AVAUATUH
- l;u sh
- []A\A]A^A_
- AVAUATUSH
- UUUUUUU
- []A\A]A^A_
- L9n vcL
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]
- C(f9E(
- AWAVAUATI
- H[]A\A]A^A_
- AVAUATL
- H+UHfA
- []A\A]A^
- []A\A]A^
- AUATUSH
- tbH9u
- []A\A]
- []A\A]
- AWAVAUATUH
- ?H+D\$8H9
- ?H+D\$XH
- []A\A]A^A_
- AWAVAUATUSH
- 8[]A\A]A^A_
- AWAVAUATUSH
- ([]A\A]A^A_
- AWAVAUATUSH
- ([]A\A]A^A_
-]A\A]A^
-]A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- u
- l9D\$ }0l
- AWAVAUl
- 8[]A\A]A^A_
- H9E }3H
- []A\A]A^A_
- H9E }M1
- []A\A]A^A_
- []A\A]
- []A\A]
- H;H s(H
- H;E ~6D
- H[]A\A]A^A_
- H[]A\A]A^A_
- AWAVAUl
- ([]A\A]A^A_
- []A\A]A^A_
- {0[]A\
- AWAVAUATUH
- []A\A]A^A_
- t7H;p w
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- F@H9FHtZ
- F`H9FXu

- H9E }5
- H9G }5
- tKH;O rEH
- trH;O rIH
- F@H9FHt]
- FXH9F`u
- []A\A]
- AVAUATUSH
- []A\A]A^A_
- t/H;p w
- []A\A]A^A_
- []A\A]A^A_
- 8[]A\A]
- AUATUH
- L\$0t|H
- []A\A]A^A_
- AUATUH
- []A\A]A^
- AVAUATUSH
- H#T\$HH
- []A\A]A^A_
- t\$ H9p
- AWAVAUATUH
- tWl;v rQH
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- []A\A]A^A_
- ATUSH9
- AUATUH
- []A\A]A^A_
- AWAVAUATUSH
- ([]A\A]A^A_
- {0[]A\
- []A\A]A^A_
- []A\A]A^A_
- l;|\$ A
- AWAVAUl
- []A\A]A^A_
- xXuYE1
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- 8[]A\A]A^A_
- []A\A]A^A_
- 8[]A\A]A^A_
- L9n ~cL
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- L9n vcL
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- ([]A\A]A^A_
- ([]A\A]A^A_
- ([]A\A]A^A_
- ([]A\A]A^A_
- AWAVAUl
- []A\A]A^A_
- []A\A]A^A_

- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- vRM9|\$
- tkATUH
- []A\A]
- []A\A]
- []A\A]
- []A\A]
- []A\A]
- AWAVAUATUSH
- ([[]A\A]A^A_
- AVAUATI
- []A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- >fD;;r
- AUATUH
- 0[]A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- A\A]A^H
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- G@H9F@t
- AWAVAU
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- self-seH
- D\$Xlect
- H;t\$(H
- |\$@H;|\$0t
- AWAVAUATU
- A\A]A^A_
- A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- ([[]A\A]A^A_
- AWAVAU
- \$vvI9w
- \$vsI9W
- H[]A\A]A^A_
- AWAVAUATI
-]A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- AVAUATUSH
- []A\A]A^
- AWAVAU
- []A\A]A^A_
- xXuYE1
- []A\A]A^A_
- []A\A]
- []A\A]
- []A\A]A^
- []A\A]
- []A\A]

- []A\A]A^
- []A\A]
- []A\A]
- s8H+s0H
- s8H;s@t
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]
- AWAVAUATU
- []A\A]A^A_
- C(f9E(
- AVAUATI
- []A\A]A^
-]A\A]A^
- AWAVAU
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
-]A\A]A^
-]A\A]A^
- AWAVAUATUSH
- ([[]A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- []A\A]A^
- []A\A]A^
- AWAVAUATUH
- t3H9u w-H
- []A\A]A^A_
- AWAVAUATUSH
- t3H9] w-H
- []A\A]A^A_
- AUATUSH
- v{M9~
- []A\A]A^A_
- F L;h vOI
- []A\A]A^A_
- AWAVAU
- ohATUH
- tcl;p r]H
- L9uxu+M9
- ([[]A\A]A^A_
- M;t\$ @
- l;D\$ A
- A\A]A^
- A\A]A^
- l;\\$ @
- L9n vcL
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AVAUATUH
- []A\A]A^
- A\A]A^
- AWAVAUATUH
- []A\A]A^A_
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^
- []A\A]A^
- []A\A]

- AVAUATUSH
- ([A^A]A^A_
- AVAUATUSH
- ([A^A]A^A_
- AVAUATUSH
- ([A^A]A^A_
- AVAUATI
- J^A]A^
- J^A]A^
- [A^A]
- AWAVAUATI
- [A^A]A^A_
- AWAVAU
- [A^A]A^A_
- [A^A]A^
- [A^A]A^
- [A^A]A^
- AVAUATUSH
- ([A^A]A^A_
- UXH+U`L)
- AWAVAUATI
- [A^A]A^A_
- MHH+u`M
- AUATUSH
- [A^A]
- [A^A]
- ([A^A]
- E0[A^A]A^A_
- ([A^A]A^A_
- ([A^A]A^A_
- AWAVAU
- [A^A]A^A_
- A;H }E
- t\$@H9t\$H
- AWAVAUATUSH
- h[A^A]A^A_
- AUATUSH
- [A^A]A^A_
- [A^A]A^A_
- [A^A]A^A_
- A;`\$ A
- [A^A]A^A_
- [A^A]A^A_
- A;`\$ A
- AWAVAU
- \$@H9\$H
- [A^A]A^A_
- \$@H9\$H
- L\$`uQf
- M9eHtRL
- D9n ~{L
- [A^A]A^A_
- [A^A]A^A_
- [A^A]A^A_
- [A^A]A^A_
- [A^A]A^A_
- [A^A]A^A_
- AWAVAUATUSH
- L9<\$t>I
- [A^A]A^A_
- [A^A]A^
- AWAVAUATUSH
- [A^A]A^A_
- AWAVAU
- ([A^A]A^A_
- [A^A]

- AWAVAUl
- C8H;C@taH
- X[]A\A]A^A_
- H;C@##H
- []A\A]A^A_
- X[]A\A]A^A_
- pXH9p`
- PXH;P`t
- X[]A\A]A^A_
- AWAVAUATI
- HXH9H`
- PXH;P`t
- A]A^A_]
- {XH9{
- PXH;P`t
- C`H+CXH
- [A\A]A^A_]
- [A\A]A^A_]
- HXH9H`
- PXH;P`t
- []A\A]
- AWAVAUl
- H;4\$vuI9F
- H;4\$vuI9F
- \$vuI9F
- \$vuI9F
- \$vuI9F
- H;4\$vuI9F
- \$vxl9v
- []A\A]A^A_
- [A\A]A^A_]
- AVAUATUSH
- []A\A]A^A_
- \ \$8L9t\$
- l\$HH9L\$
- l\$@H9T\$
- \\$(L9\$
- l\$8H9T\$
- mAWAVl
- AUATUSH
- 8[]A\A]A^A_
- []A\A]
- AVAUATI
- A\A]A^
-]A\A]A^
- 8[]A\A]
- []A\A]
- AVAUATUSH
- ([[]A\A]A^A_
- AUATUH
- []A\A]A^A_
- H;u t2
- AWAVAUATI
- []A\A]A^A_
- H;0vyH
- AWAVAUATUSH
- ([[]A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^
- []A\A]A^
- []A\A]A^A_
- []A\A]A^
- []A\A]A^

- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- SxH3E H3U(H
- H3E0H3U8H
- AVAUATUH
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^
- []A\A]A^
- AWAVAUATI
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATUH
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^
- []A\A]A^
- AWAVAUATI
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- L\$xH3E
- []A\A]A^A_
- []A\A]A^
- []A\A]A^
- AWAVAUATI
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- L\$xH3E
- []A\A]A^A_
- AVAUATSH
- [A\A]A^A_]
- AVAUATSH
- [A\A]A^A_]
- AVAUATE1
- [A\A]A^A_]
- AVAUATE1
- [A\A]A^A_]
- AVAUATE1
- [A\A]A^A_]
- AVAUATUSH
- []A\A]A^
- []A\A]A^
- AVAUATUSH
- h[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AUATUSH
- x[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AVAUATUH
- x[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AUATUSH
- x[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- AUATUH

- []A\A]
- AWAVAUATUSH
- ([\A\A]A^A_
- AWAVAUATUSH
- ([\A\A]A^A_
- AWAVAUATUSH
- ([\A\A]A^A_
- AUATUSH
- []A\A]
- []A\A]
- AWAVAUATUH
- \$vul9u
- \$vzl9u
- H;4\$vwI9E
- H;4\$vwI9E
- H;4\$vwI9E
- \$vul9u
- \$vzl9u
- \$vzl9u
- \$vul9u
- H;4\$vwI9E
- X[\A\A]A^A_
- t([\A\
- AWAVAUATUH
- x[\A\A]A^A_
- DD\$!
- x[\A\A]A^A_
- H#D\$@H
-]A\A]A^
-]A\A]A^
-]A\A]A^
-]A\A]A^
-]A\A]A^
-]A\A]A^
-]A\A]A^
-]A\A]A^
- AWAVAUATI
- []A\A]A^A_
- H#D\$`L
- s[M9I\$
- D\$(tiH
- I\$(H#D\$@I
- AWAVAUATI
- []A\A]A^A_
- H#D\$`L
- s[M9I\$
- D\$(tiH
- I\$(H#D\$@I
- AWAVAUATUH
- DD\$0H!
- D\$`L#y
- x[\A\A]A^A_
- x[\A\A]A^A_
- s[M9I\$
- D\$(tiH
- I\$(H#D\$PI
- AWAVAUATUSH
- ([\A\A]A^A_
- AUATUSH
- ~zM9~
- []A\A]A^A_
- F D;h ~OI
- []A\A]A^A_
- []A\A]
- []A\A]
- G @8p"

- AWAVAUl
- []A\A]A^A_
- ;N }H
- ;~ }*H
- u5[]A\A]A^
-]A\A]A^
- AWAVAUATl
- []A\A]A^A_
- PHL9l\$ u
- []A\A]A^A_
- ;V }%H
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATl
- ([[]A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AUATUSH
- []A\A]
- AVAUATL
- []A\A]A^
- []A\A]
- []A\A]
- AWAVAUl
- ([[]A\A]A^A_
- ([[]A\A]A^A_
- AWAVAUATUH
- A]A^A_
- []A\A]A^A_
- A\A]A^A_
- AWAVAUl
- ([[]A\A]A^A_
- ([[]A\A]A^A_
- AWAVAUATUH
- []A\A]A^A_
- X[]A\A]A^A_
- t\$ H9N
- l\$(H#4\$H
- AUATUH
- []A\A]
- AVAUATl
-]A\A]A^A_
- []A\A]A^
- AWAVAUATUSH
- l\$HL;d\$
- []A\A]A^A_
- X[]A\A]A^A_
- L\$ H9A
- l\$OH#L\$
- l\$(H#t\$
- AWAVAUl
- 8[]A\A]A^A_
- 8[]A\A]A^A_
- []A\A]
- []A\A]
- AWAVAUATUSH
- []A\A]A^A_
- AVAUATl
- [A\A]A^A_]
- []A\A]A^
- []A\A]A^
- []A\A]A^
- []A\A]A^
-]A\A]A^

- []A\A]A^
- []A\A]A^
- A\A]A^
- []A\A]A^
- AWAVAUATI
- []A\A]A^A_
- AWAVAU
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
-)D\$P#H
- AUATUSH
- []A\A]A^A_
- d\$,Lc;\${(G
- G(H;G s
- ([]A\A]A^A_
- ([]A\A]A^A_
- ([]A\A]A^A_
- ([]A\A]A^A_
- H;0vQI9]
- H;0vQI9]
- AWAVAUATUSH
- H9C vBH
- X[]A\A]A^A_
- H9C vBH
- H;C sOH
- \$H;C r
- X[]A\A]A^A_
- L+T\$ M
- X[]A\A]A^A_
- , \$H9S
- X[]A\A]A^A_
- X[]A\A]A^A_
- \$H;E r
- \$H9E w
- X[]A\A]A^A_
-]A\A]A^
- []A\A]A^
- []A\A]A^
- []A\A]A^
- []A\A]A^
- A\A]A^
- E8[]A\A]A^
-]A\A]A^
- AWAVE1
- AUATUSH
- []A\A]A^A_
- AUATUH
- []A\A]
- []A\A]
- AWAVAUATI
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- AWAVAUATA
- []A\A]A^A_
- AWAVAUATUSH
- D\$`u%i
- x[]A\A]A^A_
- D\$P#u
- D\$@u(l

- D\$0u\$I
- D\$ u\$I
- AWAVAUATUSH
- x[]A\A]A^A_
- AVAUATUSH
-)D\$0H9
- ;s0uCH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- D\$0u(H
- D\$ u%H
- H;p t@f
- AUATUH
-)D\$`H9
- t\$8H;t\$@
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- Authentif
- GenuineIH9
- AVAUATI
- X[]A\A]A^A_
- AVAUATI
- 8[]A\A]A^A_
- AVAUATUSH
- Hcl\$4A
- Lct\$(D1
- HcT\$\$\$3
- []A\A]A^A_
- AWAVAU
- []A\A]A^A_
- []A\A]A^A_
- []A\A]
- []A\A]
- `]A\A]A^A_
- `]A\A]A^A_
-]A\A]
-]A\A]
- []A\A]
- []A\A]
- K<[]A\A]A^A_
- O(AVAU1
- K<[]A\A]A^A_
- \\$43T\$p
- D\$DD3S
- 3C D3K,D3C4
- |\$13K83
- @L;t\$
- []A\A]A^A_
- AVAUATI
- []A\A]A^A_
- AVAUATUSH
- UUUUUUUUH1
- UUUUUUUUL
- 33333333L

- 33333333L1
- []A\A]A^A_
- AUATUH
- []A\A]A^A_
- AVAUATUSH
- H3T\$0L
- L3T\$pH
- L3|\$(L
- qHH;T\$H
- []A\A]A^A_
- AVAUATUSH
- H3GPH1
- H3D\$@H1
- H3D\$PM
- \$H3L\$ I
- J(H3T\$0H3|\$
- `[]A\A]A^A_
-]A\A]A^
- []A\A]A^
- AWAVAU
- H[]A\A]A^A_
- []A\A]
- AWAVAUATUSH
- ([[]A\A]A^A_
- AWAVAUATUSH
- |\$(,~)
- LcL\$\$F
- \HHcD\$@
- []A\A]A^A_
- AWAVAUATUSH
- |\$(,~)
- LcL\$\$F
- \HHcD\$@
- []A\A]A^A_
- AVAUATI
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- AVAUATUSH
-)L\$PfA
- D\$(A|ZH
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- AUATUSH
- []A\A]
- []A\A]
- AWAVAUATUSH
- H3] fD
- oT\$ H3
- oD\$0fH
- L3h fA
- o|\$PfD
- []A\A]A^A_
- AWAVAUATUSH
- H3i fD
- oh0H3P
- od\$pfD
- oL\$0fD
- []A\A]A^A_
- AWAVAUATUSH
- o~0M3F H3z(I3v(
- []A\A]A^A_
- AWAVAU
- I3v I3~(f

- []A\A]A^A_
- []A\A]A^A_
- []A\A]
- []A\A]
- []A\A]
- :H3z H
- oM@H3M
- oL\$@fA
- H32H3B
- []A\A]A^A_
- l3\$ fD
- !L3a fD
- oL\$PfE
- d\$ H3:H3B
- od\$PfA
- H32L1
- []A\A]A^A_
-)|\$0fA
- []A\A]A^A_
-)t\$ l3G(f
- oD\$0fD
- PM3G fD
-)|\$ fD
- D\$PH32E
- []A\A]A^A_
- AWAVAUATUL
- o\$\$l3~ H
- []A\A]A^A_
- 0H3p H
- oh0l3P l
- ouPH3] H
- ol\$@fE
- ol\$ fD
- ot\$ fA
- oD\$ fD
-)D\$pfE
- []A\A]A^A_
-)D\$`M3j f
- ol\$ fM
-)|\$pfD
- od\$ fD
- []A\A]A^A_
- oHPH3h H
- om@l3] H
- oD\$pfD
- []A\A]A^A_
- L3[M3V H
- o,\$l3n(f
- L3\ \$xL
- H3t\$ pA
- []A\A]A^A_
- AWAVAUUA
- oF0M3^(L
- H3l\$HH
- L3\ \$@H
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSH
- H3] fD
- oT\$ H3
- oD\$0fH

- L3h fA
- o|\$PfD
- []A\A]A^A_
- AWAVAUATUSH
- H3i fD
- oh0H3P
- od\$pfD
- oL\$0fD
- []A\A]A^A_
- AWAVAUATUSH
- o~0M3F H3z(I3v(
- []A\A]A^A_
- AWAVAU
- I3v I3~(f
- []A\A]A^A_
- []A\A]A^A_
- []A\A]
- []A\A]
- []A\A]
- :H3z H
- oM@H3M
- oL\$@fA
- H32H3B
- []A\A]A^A_
- I3\$ fD
- !L3a fD
- oL\$PfE
- d\$ H3:H3B
- od\$PfA
- H32L1
- []A\A]A^A_
-)|\$0fA
- []A\A]A^A_
-)t\$ I3G(f
- oD\$0fD
- PM3G fD
-)|\$ fD
- D\$PH32E
- []A\A]A^A_
- AWAVAUATUL
- o\$\$I3~ H
- []A\A]A^A_
- I3^ fD
- M3u fD
- (L3h f
- []A\A]A^A_
- ox0L3@ L
- []A\A]A^A_
-)H3i L
- []A\A]A^A_
- AUATUH
- M3N M3E f
- I3N(I3u(
- []A\A]A^A_
- I3U I3E(f
- []A\A]A^A_
- AWAVAUATUSH
-)\pL3u D
- o I3h f
- oX H3P fA
- o|\$PfD
- ot\$`fD
- ol\$pfD
- []A\A]A^A_
- AWAVAUATUSH

- oL\$pfD
-)d\$@fD
- oT\$@fD
- oL\$0fD
- []A\A]A^A_
- AWAVAUATUSH
- .H3n f
-)D\$`H3Y f
- o:H3B f
- oD\$`fD
- []A\A]A^A_
- AWAVAUATUSH
- o~0M3F H3z(I3v(
- []A\A]A^A_
- AWAVAU
- I3v I3~(f
- []A\A]A^A_
- []A\A]A^A_
- []A\A]
- []A\A]
- []A\A]
- oUPH3M
-)T\$pfD
-)d\$`fD
- ot\$ fA
-)t\$pfD
- oD\$@fH
- []A\A]A^A_
-)d\$0fD
- o>I3F f
-)|\$ fA
- []A\A]A^A_
- onPI3F fD
-)|\$@fA
-)|\$ fA
- []A\A]A^A_
- o|\$ I3G(f
- oL\$pH3s fD
- oD\$0fD
- []A\A]A^A_
- AWAVAUATUL
- oT\$@I3O H
- []A\A]A^A_
- []A\A]
- []A\A]
- []A\A]
- :H3z H
- oM@H3M
- oL\$@fA
- H32H3B
- []A\A]A^A_
- I3\ \$ fD
- !L3a fD
- oL\$PfE
- d\$ H3:H3B
- od\$PfA
- H32L1
- []A\A]A^A_
-)|\$0fA
- []A\A]A^A_
-)t\$ I3G(f
- oD\$0fD
- PM3G fD
-)|\$ fD
- D\$PH32E
- []A\A]A^A_

- AWAVAUATUL
- o\$\$l3~ H
- []A\A]A^A_
- []A\A]
- []A\A]
- []A\A]
- :H3z H
- oM@H3M
- oL\$@fA
- H32H3B
- []A\A]A^A_
- l3\ \$ fD
- !L3a fD
- oL\$PfE
- d\$ H3:H3B
- od\$PfA
- H32L1
- []A\A]A^A_
-)|\$0fA
- []A\A]A^A_
-)t\$ l3G(f
- oD\$0fD
- PM3G fD
-)|\$ fD
- D\$PH32E
- []A\A]A^A_
- AWAVAUATUL
- o\$\$l3~ H
- []A\A]A^A_
- \$l3\ \$ fD
- oO0M3g f
- oN0M3~ f
- 0L3p fD
- ol\$PfD
- od\$ fM
-)|\$0fI
- []A\A]A^A_
- H3Z fD
- L3@ fD
- o|\$ fD
-)|\$`fD
-)|\$`fH
- []A\A]A^A_
- L\$xH3j L
- H3X fD
- []A\A]A^A_
- M3j M3a
- l3j(l3Y(
- []A\A]A^A_
- AWAVAUI
- l3G(l3_ f
- []A\A]A^A_
- l3^ fD
- M3u fD
- (L3h f
- []A\A]A^A_
- ox0L3@ L
- []A\A]A^A_
-)H3i L
- []A\A]A^A_
- AUATUH
- M3N M3E f
- l3N(l3u(
- []A\A]A^A_
- l3U l3E(f

- []A\A]A^A_
- AWAVAUATUSH
- .H3n f
-)D\$`H3Yf
- o:H3B f
- oD\$`fD
- []A\A]A^A_
- AWAVAUATUSH
- .H3n f
-)D\$`H3Yf
- o:H3B f
- oD\$`fD
- []A\A]A^A_
- AWAVAUATUSH
- (H3h fD
- |\$ M3O
- o|\$`fD
- []A\A]A^A_
- AWAVAUATUSH
- L3Z`fD
- oL\$`fD
-)I\$`fD
- []A\A]A^A_
- AWAVAUATUSH
- oD\$@fD
- []A\A]A^A_
- AWAVAUATUSH
- 0I3G L
- L\$ G3\$
- []A\A]A^A_
- AWAVAUATUSH
-)|\$ L3C H
- []A\A]A^A_
- []A\A]A^A_
- oMPL3E
-)d\$PfD
- o|\$0fA
- I\$@H3O
- o2H32H
- D\$`H3B
- o|\$PfA
- []A\A]A^A_
- oEPM3E f
-)D\$PfD
- 6I3v fA
- oI\$`fD
- oL\$@fA
- oL\$0D3D
- H3:H3B
- 9H32H3B
-)\PH32H3B
-)I\$@fD
- []A\A]A^A_
- oC@H3{ D
-)|\$0fA
-)|\$@fA
-)|\$PfA
- 7H32L1
- []A\A]A^A_
- H3C fE
- o{PH3E f
- ou0H3C(H
- o}PH3E(H
- I\$ H3B
- []A\A]A^A_
- AWAVAUATM

- o{0H3C M
- ol\$pfD
- []A\A]A^A_
- L3P fD
- oV0I3~ H
-)l\$0fD
-)t\$@fE
-)D\$PfD
- oD\$0fD
- od\$PfE
- l\$`A3t
- ol\$0fE
- oD\$ fD
- oD\$@fD
- ol\$@fA
- oT\$@fE
- ol\$0fL
- []A\A]A^A_
- \$L3H fD
- ol\$@fD
- ol\$0fD
- ~l\$PfA
- []A\A]A^A_
- om0I3} H
- od\$`fD
-)T\$ fD
- ol\$0E3
- []A\A]A^A_
- ol\$0I3E H
- L\$@H3s l
- []A\A]A^A_
- AVAUATI
- []A\A]A^
- AWAVAUATUSH
- (H3h fD
- l\$ M3O
- ol\$`fD
- []A\A]A^A_
- AWAVAUATUSH
- L3Z fD
- ol\$ fD
-)l\$`fD
- []A\A]A^A_
- AWAVAUATUSH
- oD\$@fD
- []A\A]A^A_
- AWAVAUATUSH
- 0I3G L
- L\$ G3\$
- []A\A]A^A_
- AWAVAUATUSH
-)l\$ L3C H
- []A\A]A^A_
- []A\A]A^A_
- oMPL3E
-)d\$PfD
- ol\$0fA
- l\$@H3O
- o2H32H
- D\$`H3B
- ol\$PfA
- []A\A]A^A_
- oEPM3E f
-)D\$PfD
- 6I3v fA

- oI\$`fD
- oL\$@fA
- oL\$0D3D
- H3:H3B
- 9H32H3B
-)\$PH32H3B
-)I\$@fD
- []A\A]A^A_
- oC@H3{ D
-)I\$0fA
-)I\$@fA
-)I\$PfA
- 7H32L1
- []A\A]A^A_
- H3C fE
- o{PH3E f
- ou0H3C(H
- o}PH3E(H
- I\$ H3B
- []A\A]A^A_
- AWAVAUATM
- o{0H3C M
- oI\$pfD
- []A\A]A^A_
- H3] fD
-)H3i f
- oT\$0M3I\$ M
- oL\$pfD
- oT\$PfD
- []A\A]A^A_
- L3h fD
- L3e fD
- 0I3o f
- []A\A]A^A_
- ou0L3e
- []A\A]A^A_
- AVAUATM
- []A\A]A^A_
- AWAVAUL
- []A\A]A^A_
- AWAVAUATUSH
- M3B fD
- oT\$`fD
- []A\A]A^A_
- AWAVAUATUSH
-)H3i H
- L3Z fD
- oI\$0fD
- oL\$ fD
- []A\A]A^A_
- AWAVAUATUSH
- oD\$@fD
- []A\A]A^A_
- AWAVAUATUSH
- 0I3G L
- L\$ G3\$
- []A\A]A^A_
- AWAVAUATUSH
-)I\$ H3{ H
- []A\A]A^A_
- []A\A]A^A_
- oMPL3E
-)L\$pfD
-)L\$`fD
-)d\$PfD
- oI\$@fD

- o|\$0fA
- o|\$`fA
- ot\$0fD
- ol\$PfL
- []A\A]A^A_
- oEPL3E f
-)D\$PfD
- oL\$PfD
- oL\$@fA
- oL\$0D3D
-)|\$@fL
- []A\A]A^A_
- o|P|3}
- ~|\$h|3t\$
- []A\A]A^A_
- H3C fE
- okPH3E H
- o\$\$H3C(f
- H3E(fD
- []A\A]A^A_
- AWAVAUATM
- o{PH3C(f
- []A\A]A^A_
- oMPL3E
-)d\$PfD
- o|\$0fA
- l\$@H3O
- o2H32H
- D\$`H3B
- o|\$PfA
- []A\A]A^A_
- oEPM3E f
-)D\$PfD
- 6l3v fA
- ol|\$`fD
- oL\$@fA
- oL\$0D3D
- H3:H3B
- 9H32H3B
-)\PH32H3B
-)|\$@fD
- []A\A]A^A_
- oC@H3{ D
-)|\$0fA
-)|\$@fA
-)|\$PfA
- 7H32L1
- []A\A]A^A_
- H3C fE
- o{PH3E f
- ou0H3C(H
- o}PH3E(H
- l\$ H3B
- []A\A]A^A_
- AWAVAUATM
- o{0H3C M
- ol\$pfD
- []A\A]A^A_
- oMPL3E
-)d\$PfD
- o|\$0fA
- l\$@H3O
- o2H32H
- D\$`H3B
- o|\$PfA

- []A\A]A^A_
- oEPM3E f
-)D\$PfD
- 6I3v fA
- oI\$`fD
- oL\$@fA
- oL\$0D3D
- H3:H3B
- 9H32H3B
-)\PH32H3B
-)I\$@fD
- []A\A]A^A_
- oC@H3{ D
-)\0fA
-)\I\$@fA
-)\I\$PfA
- 7H32L1
- []A\A]A^A_
- H3C fE
- o{PH3E f
- ou0H3C(H
- o}PH3E(H
- I\$ H3B
- []A\A]A^A_
- AWAVAUATM
- o{0H3C M
- oI\$pfD
- []A\A]A^A_
- H3j fD
- o^0I3^ fD
- 0L3p fD
- oE0M3] H
-)t\$@fD
- oI\$ fD
-)D\$`fi
- []A\A]A^A_
- L3h fD
- oW0I3o f
-)I\$ fD
- oT\$pfD
- (I\$PfA
- oI\$`fM
-)\I\$`fi
- []A\A]A^A_
- L3h fD
- o{0H3k f
- []A\A]A^A_
- o~0I3F H
- []A\A]A^A_
- AWAVAUUL
- \$H3C(f
- []A\A]A^A_
- H3] fD
-)H3i f
- oT\$0M3\I\$ M
- oL\$pfD
- oT\$PfD
- []A\A]A^A_
- L3h fD
- L3e fD
- 0I3o f
- []A\A]A^A_
- ou0L3e
- []A\A]A^A_
- AVAUATM
- []A\A]A^A_

- AWAVAUL
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- AWAVAUAUTUSH
- ([A\A]A^A_
- [A\A]A^
- tH9p wCL
- t'9q w"L
- [A\A]
- [A\A]
- [A\A]
- [A\A]A^A_
- [A\A]A^A_
- A;\\$ A
- AVAUATI
- t;s0t
- J\A\A]A^
- [A\A]A^
- AVAUATI
- [A\A]A^
- AWAVAUAUTUSH
- T\$PH9D\$
- [A\A]A^A_
- AVAUATUSH
- d\$9B3,
- l\$?B3,
- d\$1B3,
-)D\$xG3
-)T\$hF3
-)L\$XG3
-)d\$HD3
- [A\A]A^A_
-)H0[A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- 7AVAUATUSH
- \syE34
- \\$~D34
-)\XF3
-)T\$HF3
-)d\$8F3
-)D\$(D3
- D\$)C34
- D\$1C3<
- D\$6B34
- L\$7B3<
- [A\A]A^A_
- AUATUSf
-)@0[A\A]A^A_
- AVAUATUSH
-)D\$xF3
- T\$xB3,
- d\$yB3,
-)\hfA
- T\$hC3,
- d\$qB3,
- l\$wB3,
-)T\$XF3
- T\$XB3,
- d\$YB3,
- l\$gC3,
-)L\$HG3
- D\$UB3,

-)D\$8D3
- D\$EB3<
- D\$?A34
-)\$(C3
- d\$!C3\
- d\$%G3T
- |\$'C3,
- []A\A]A^A_
- jAVAUI
- og0H3W@L
-)T\$xH3wHH3GPL
- []A\A]A^A_
- QH3F H
- [H3F8H
- AWAVAUATUSH
- []A\A]A^A_
-]A\A]A^A_
-]A\A]A^A_
- []A\A]A^
- QXAWAVL
- ItV*/H1
- C H1D\$ H
- C(H1D\$(H
- C0H1D\$0H
- C8H1D\$8lcF
- H[]A\A]A^A_
- []A\A]
- AUATUSH
- AUATUSH
- []A\A]
- []A\A]
- []A\A]A^A_
- H[]A\A]A^A_
- []A\A]A^A_
- AVAUATI
- []A\A]A^A_
- []A\A]A^
- AVAUATE1
- t\$x9t\$L
- |\$8HcD\$,H
- []A\A]A^A_
- D\$HD;e,u/
- |[HcD\$@H
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- ([[]A\A]
- AWAVAUATUSH
- []A\A]A^A_
- L0 H1J H
- L0(H1J(H
- L00H1J0H
- D08H1B8
- L0 H1J H
- L0(H1J(H
- L00H1J0H
- D08H1B8
- AVAUATUSH
- H1t\$8J
- H1t\$@J
- H1t\$HJ
- t% H1t\$PJ
- t%(H1t\$XJ
- t%0H1t\$`J
- t%8H1t\$h

-)!"09C v
- []A\A]A^A_
- AVAUATUSH
- H1t\$8J
- H1t\$@J
- H1t\$HJ
- t% H1t\$PJ
- t%(H1t\$XJ
- t%0H1t\$`J
- t%8H1t\$h
-)!"09C v
- []A\A]A^A_
- AWAVAU
- [A\A]A^A_]
- AWAVAU
- [A\A]A^A_]
- H[]A\A]A^A_
- []A\A]A^A_
- [A\A]A^]
- AWAVAUATI
- h[]A\A]A^A_
- t;ATUH
- AVAUATUH
- 0[]A\A]A^
- 0[]A\A]A^
- 0[]A\A]A^
- AWAVAUATUH
- ([A\A]A^A_
- []A\A]
- []A\A]
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUH
- UUUUUUU
- ([A\A]A^A_
- AWAVAU
- UUUUUUU
- ([A\A]A^A_
-]A\A]A^
- AVAUATS
- [A\A]A^]
- [A\A]A^]
- []A\A]
- []A\A]
- []A\A]
- AWAVAUATI
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATUSH
- H[]A\A]A^A_
- AUATUH
- { []A\A]
- []A\A]
- S(!;T\$
- AUATSH
- [A\A]A^A_]
- o8ATUSH
- []A\A]A^
- AWAVAU
- [A\A]A^A_]
- [A\A]A^A_]
- S(!;T\$
- ohATUH
- []A\A]

- ohATUH
- []A\A]
- AWAVAUATUH
- D\$ L+|s
- x@H9I\$
- \\$(L9t\$
- H[]A\A]A^A_
- []A\A]
- SUATAUAVAWH
- L3a L3i(L3q0L3y8H
- L3a L3i(L3q0L3y8H
- L3a L3i(L3q0L3y8H
- \\$_@L3D\$8L3L\$0L3T\$(L3\\$_ L3d\$
- SUATAUAVAWH
- @H,;\$r
- XA_A^A]A][
- ypA_A^A]A][
- L3c L3k(L3s0L3{8H
- ItV*/N
- EID"%J
- []A\A]
- AWAVAUATI
- ([]A\A]A^A_
-]A\A]A^A_
- AUATUSH
- []A\A]
- []A\A]
- G0@t f
- AUATUH
- []A\A]A^A_
- []A\A]
- AVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- ([]A\A]A^A_
- ;Z sNH
- tN;^ rIL
- t+;p r&L
- []A\A]A^
- []A\A]A^
- ([]A\A]A^A_
- 9Z vbH
- [A\A]A^A_]
-]A\A]A^
- AWAVAUATUSH
- H[]A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- A;\$_ A
- AWAVAUATUSH
- D\$4L9sh
- H+;\$ M
- h[]A\A]A^A_
- A;H sUH
- ;H v##.
- tPA;H rJI
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATUSH
- H[]A\A]A^A_
- []A\A]
- AWAVAUATU
- []A\A]A^A_
- D\$(H9D\$0
- |\$XH;\$_
-]A\A]A^

-]A\A]A^
- []A\A]
- []A\A]
- AWAVAUATUSH
- ([[]A\A]A^A_
- AVAUATUSH
- 8[]A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- UVWATAUAVAWH
- AP!3A@fH
- X!3IH
- PA_A^A]A_^]
- t\$ WATAUAVAWH
- AP!3A@fH
- X!3IH!
-)t\$0fH
- A_A^A]A_
- t\$ WATAUAVAWH
- AP!3A@fH
- X!3IH!
-)t\$0fH
- A_A^A]A_
- SUVWATAUAVAWH
- y !39!
- X!3HH
- @P!3@@@f
- X!3IHfH
- AP!3A@f
- A_A^A]A_^]!
- UVWATAUAVAWH
- AP!3A@fH
- X!3IH
- PA_A^A]A_^]
- SUVWATAUAVAWH
- y !39!
- X!3HH
- @P!3@@@f
- X!3IHfH
- AP!3A@f
- A_A^A]A_^]!
- t\$ ARASATAUAVAWWH
- d\$8L3b
-)t\$0f!
- bXL3bHfH
- BPH3B@f
- @AA^A]A\A[AZ
- UVWATAUAVAWH
- zL3:fH
- HX!3HHL
- @P!3@@@
- JXH3JHfL
- BPH3B@fD
- A_A^A]A_^]
- SUVWATAUAVAWH
- X!3JHI
- A_A^A]A_^]!
- A(H9B(!
- J(H9H(s
- F(!9A(r
- Z[]A\A]
- []A\A]A^
- t>ATE1
- AVAUATI
- []A\A]A^

- t\ATUSH
- GHH9GHu
- AVAUATA
- []A\A]A^
-]A\A]A^
-]A\A]A^
- AWAVAUATUSQ
- D\$(A9D\$,t>I
- E`lcT\$0H
- EtX[]A\A]A^A_
- AWAVAUATA
- []A\A]A^A_
- AVAUATI
- []A\A]A^A_
- []A\A]
- []A\A]
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATE1
- []A\A]A^A_
- AUATUSH
- []A\A]A^A_
- AVAUATUSH
- D\$ tUM
- D\$ I9G
- []A\A]A^A_
- Z[]A\A]
- Z[]A\A]
- AVAUATM
- []A\A]A^
- AVAUATM
- []A\A]A^
- []A\A]A^A_
- Z[]A\A]
- CX[]A\
- CX[]A\
- AVAUATM
- []A\A]A^
- AWAVAUATUSARL
- CXZ[]A\A]A^A_
- Z[]A\A]
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSARL
- CXZ[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATM
- []A\A]A^A_
- AVAUATA
- []A\A]A^A_
- H9Cxu
- x[]A\A]
- AVAUATI
- x[]A\A]A^A_
- AVAUATA
- []A\A]A^
- AVAUATUSH
- []A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- AVAUATA
- []A\A]A^
- AWAVAU
- whC947u2
- []A\A]A^A_

- AWAVATUSH
- H9HxUSH
- [A^A_
- AWAVE1
- UpH9\$
- [A]A^A_
- SPH9B`s
- AUATUH
- [A]
- [A]A^A_
- C8H9C8u
- C8H9C8
- ([A]
- AWAVAUATUSH
- [A]A^A_
- AWAVAUATUSAR
- [A]A^A_
- AWAVAUATUSH
- [A]A^A_
- tA9\$
- X[A]
- AUATUH
- [A]
- AVAUATUH
- [A]A^A_
- AWAVAUATUSAQ
- Z[A]A^A_
- AUATUSQD
- [A]
-]A]A^A_
- H[A]
- [A]
- AVAUATUH
- [A]A^A_
- AVAUATL
- [A]A^
- [A]A^A_
- H[A]
- [A]A^A_
- Z[A]
- AWAVAUATUSH
- [A]A^A_
- AVAUATUSH
- @[A]A^
- AWAVAUATUSH
- [A]A^A_
- h[A]
- [A]A^A_
- AVAUATUSH
-]A]A^
- [A]A^
- [A]A^A_
- [A]A^A_
- [A]
- [A]A^
- oXATUSH
- D\$8;\$\$(
- t;H;t\$8H
- t\$Ht%L
- [A]A^A_
- AUATUH
- [A]
- AWAVAUI
- [A]A^A_
- AWAVAUATUH

- []A\A]A^A_
- P@9V@}
- AWAVAUATI
- []A\A]A^A_
- t%D;r@}
- []A\A]A^
- G H9G u
- AWAVAUATUSH
- x[]A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- AUATUSH
- []A\A]
- X[]A\A]
- AWAVAUUA
- []A\A]A^A_
- \$L9I\$(v
- L9I\$(w
- L\$(L9I\$(v
- L9I\$(H
- L9I\$(v
- L9I\$(H
- L9I\$(w/H
- L9I\$(L
- 8[]A\A]A^A_
- ([]A\A]A^A_
- AUATUH
- []A\A]A^A_
- x[]A\A]A^A_
- AWAVAUATUH
- T\$2t/L
- []A\A]A^A_
- []A\A]A^
- AUATUSH
- []A\A]
- AVAUATUH
- []A\A]A^
- []A\A]
- ARl9xHt
- A9HPt
- t"M9AXt
- AWAVAUATUSH
- Qh9Vht
- []A\A]A^A_
- X[]A\A]A^A_
- X[]A\A]A^A_
- AUATUH
- X[]A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AUATUSH
- X[]A\A]
- X[]A\A]A^A_
- AVAUATI
- []A\A]A^
- AVAUATUSH
- 8[]A\A]A^A_
- AWAVE1
- []A\A]A^A_
- FxAVAUATUSH
- []A\A]A^A_

- AVAUATUSH
-]A\A]A^
-]A\A]A^
-]A\A]A^
- AWAVAU
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^
- AWAVAUATM
- []A\A]A^A_
- AWAVAUATI
- []A\A]A^A_
- AWAVAUATUSH
- 8[]A\A]A^A_
- Z[]A\A]
- AUATUSQD
- []A\A]
- AWAVAU
- []A\A]A^A_
- []A\A]A^A_
- X[]A\A]
- AUATUSAP
- Z[]A\A]
- []A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATI
- ([]A\A]A^A_
- AWAVAUATUH
- []A\A]A^A_
- AVAUATUQ
-]A\A]A^
- AUATUH
- AWAVAUATUSQ
- []A\A]A^A_
- AWAVAUATE1
- []A\A]A^A_
- AWAVAUATE1
- []A\A]A^A_
- AVAUATI
- []A\A]A^
- []A\A]A^A_
- AWAVAU
- []A\A]A^A_
- []A\A]
- []A\A]A^A_
- AWAVAUATUSH
- D9T\$Pv]9*uKE1
- D9D\$Pw
- t\$P9L\$Pw
- []A\A]A^A_
- x[]A\A]A^A_
- AUATUSH
- X[]A\A]
- AUATUSH
- []A\A]A^A_
- t\$0AUAQE1
-]A\A]
- AWAVAUATM
- X[]A\A]A^A_
- AWAVAUATUSH
- ([]A\A]A^A_
- AWAVAUATUSH
- D\$ D9d\$
- D\$(9L\$(

- L\$,u'1
- 8[A\A]A^A_
- AWAVAU
- D\$8A;G
- H[A\A]A^A_
- AUATSH
- AVAUATUSH
- [A\A]A^A_
- AWAVAUATUH
- [A\A]A^A_
- X[A\A]
- AVAUATUSH
- [A\A]A^
- D;c0u+H
- [A\A]A^A_
- ;k0u3H
- [A\A]A^
- AVAUATUH
- J\A]A^
- J\A]A^
- AUATUH
- J\A]A^
- J\A]A^
- J\A]A^
- J\A]A^
- J\A]A^
- J\A]A^
- J\A]A^
- J\A]A^
- J\A]A^
- J\A]A^A_
- J\A]A^A_
- (J\A]A^
- J\A]A^
- (J\A]A^
- J\A]A^
- AWAVAUATUSARA
- J\A]A^A_
- J\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- AVAUATI
- ([A\A]A^A_
- AVAUATI
- [A\A]A^A_
- Z[A\A]
- [A\A]
- Z[A\A]
- AWAVAU
- [A\A]A^A_
- AWAVAU
- [A\A]A^A_
- AWAVAU
- [A\A]A^A_
- AWAVAU
- [A\A]A^A_
- [A\A]A^A_
- AUATUSQD
- [A\A]
- AWAVAUATU1
- 8[A\A]A^A_
- AWAVAUATUH
- [A\A]A^A_
- AUATUH
- H;D\$0u
- J\A]A^A_

- X[]A\A]
- AWAVAUATI
- T\$(f,:u
- []A\A]A^A_
- tAD9*u69Z
- []A\A]A^
- 8[A\A]A^
- 8[]A\A]
- AVAUATUSH
- @[]A\A]A^
- AWAVAUATUSH
- H;I\$ u
- L9|\$(t
- 8[]A\A]A^A_
- []A\A]A^A_
- } []A\
- 8[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- x[]A\A]A^A_
- []A\A]A^A_
- AWAVAUATI
- x[]A\A]A^A_
- AWAVAUATUSH
- ([[]A\A]A^A_
- AWAVAUATUH
- []A\A]A^A_
- X[]A\A]A^A_
- 4E9A0v.
- 8[]A\A]A^A_
- ATUSQH
- []A\A]
- 9r0u9H
- H[]A\A]A^A_
- []A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- AWAVAU
- []A\A]A^A_
- `[]A\A]A^
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAU
- []A\A]A^A_
- Z[]A\A]
- AWAVAUATI
- []A\A]A^A_
- AUATUH
- \ \$
- []A\A]A^A_
- t\$ 9t\$
- t\$ 9t\$
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]
- AWAVAUATUSH
- []A\A]A^A_
- AWAVAUATUSH

- [A]A^A_
- [A]A^A_
- [A]A^A_
- AVAUATUSH
- [A]A]^
- AWAVAUATUSH
- [A]A]^A_
- [A]A]
- AUATUH
- [A]A]^A_
- [A]A]^
- [A]A]^
- E@[A]
- [A]A]^A_
- [A]A]^A_
- [A]A]^A_
- AUATUSQH
- [A]A]
- AWAVAUATUSQH
- Z[A]A]^A_
- AWAVAUM
- [A]A]^A_
- AWAVAUA
- [A]A]^A_
- 8[A]A]^A_
- AWAVAUATI
- ([A]A]^A_
- AWAVAUATUSAPH
- [A]A]^A_
- AWAVAUA
- [A]A]^A_
- AWAVAUI
- D9d\$8v0H
- L\$@9L\$H
- [A]A]^A_
- AVAUATUQ
- [A]A]^
- :X[A]A]^A_
- [A]A]^A_
- [A]A]^A_
- [A]A]^A_
- [A]A]^A_
- [A]A]^A_
- X[A]A]
- [A]A]^A_
- [A]A]^
- [A]A]^
- [A]A]^
- [A]A]^
- [A]A]^
- [A]A]^
- AUATUH
- [A]A]^A_
- [A]A]^
- AWAVAUATI
- [A]A]^A_
- [A]A]^A_
- AVAUATI
- [A]A]^A_
- [A]A]^A_
- AWAVDk
- [A]A]^A_
- @[A]A]^
- AVAUATUSH
- [A]A]^A_
- [A]A]
- [A]A]^A_

- AVAUATA
- []A\A]A^
- []A\A]
- []A\A]A^A_
- []A\A]A^A_
- AUATUSH
- D\$89\$I
- D9\$lv
- T\$ t&H
- T\$8tL
- D\$I+D\$p
- []A\A]A^A_
- ([]A\A]A^A_
- []A\A^A_
- []A\A]A^A_
- []A\A]A^A_
- ([]A\A]
- 8[]A]A^
- []A\A]A^A_
- AUATUSH
- []A\A]A^A_
- AWAVAUUA
- []A\A]A^A_
- []A\A]A^A_
- AUATUSH
- D\$P9\$H
- \$P9\$Hv"
- 9T\$ vLA
- []A\A]A^A_
- AVAUATUSH
- L\$09L\$HvqH
- HcD\$VHk
- L9d\$ht
- t2Hcl\$VH
- []A\A]A^A_
- []A\A]A^A_
- AWAVAUATUSH
- X[]A\A]A^A_
-]A\A]A^
- AVAUATUSH
- []A\A]A^
- []A\A]A^
- Z[]A\A]A^A_
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- AVAUATUSL
-]A\A]A^
- []A\A]
- []A\A]
- AVAUE1
-]A\A]A^
- AVAUE1
-]A\A]A^
- AUATUH
-]A\A]A^
- \$X[]A\A]
- AWAVAUATI
- 8[]A\A]A^A_
- AUATUSH
- []A\A]A^A_
- X[]A\A]A^A_
- []A\A]A^
- AWAVAUATUSH
- []A\A]A^A_

- AWAVAUATUL
- T\$+iTL
- h[]A\A]A^A_
- AWAVAUATE
- ([]A\A]A^A_
- AWAVAUATE1
- D\$\$D9d\$ v\i
- X[]A\A]A^A_
- :i\$ s/D9z
- D:i\$ s8
- :i\$ s:H
- D:i\$ s6A
- D:i\$ s@A
- L\$A9N
- D\$89i\$8v5H
- D\$8:i\$ sdA
- L\$@A9N
- X[]A\A]A^A_
- AVAUATI
- D\$T=Genuu#
- i\$Xntel
- i\$vinei
- =Authu
- i\$XcAMDut1
- i\$venti
- a=Centu
- i\$XaulsuP
- i\$aurH
- = Shu
- i\$Xai u5
- i\$langh
- !=Hygou
- i\$Xuineu
- i\$inGen
- D\$(v)i
- i\$8USD
- 4\$AUSL
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^
- Z[]A\A]A^A_
- X[]A\A]
- X[]A\A]
- AVAUATUSH
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- AVAUATI
- [A\A]A^
- AVAUATSH
- [A\A]A^A_
- AWAVAUATSH
- [A\A]A^A_
- AWAVAUl
- [A\A]A^A_
- AWAVAUATH
- A\A]A^A_
- A\A]A^A_
-]A\A]A^
-]A\A]A^
- []A\A]
- []A\A]A^A_
- []A\A]A^A_
- AUATUH
- []A\A]A^A_

- AUATUH
- [A\A]
- [A\A]
- [A\A]A^
- AWAVAUATUSH
- x[A\A]A^A_
- AVAUATI
- [A\A]A^
- [A\A]A^
- AVAUATUSH
- L3\$(L1
- L3T\$0H
- L3L\$8M1
- L3D\$@I
- COL3t\$ I1
- '[A\A]A^A_
- AWAVAU
- [A\A]A^A_
- @A\A]A^A_
- [A\A]A^A_
- AWAVAUATUH
- [A\A]A^A_
- AWAVAUATUSH
- [A\A]A^A_
- AWAVAUATUSH
- [A\A]A^A_
- AWAVAUATUSH
- [A\A]A^A_
- AWAVAUATSH
- [A\A]A^A_]
- AWAVAUATSH
- [A\A]A^A_]
- [A\A]
- [A\A]
- [A\A]
- d\$HL;D\$@t@H
- [A\A]
- [A\A]
- p<0tUw
- [A\A]
- AWAVAUATUSH
- [A\A]A^A_
- AVAUATUSH
- ++CCUNGH
- [A\A]A^A_
- ([A\A]A^A_
- [A\A]
- [A\A]
- AUATUH
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- [A\A]A^A_
- AVAUATUSH
- [A\A]A^A_
- AWAVAUATUSH
- [A\A]A^A_
- AUATUSH
- [A\A]A^A_
- AVAUATI
- H[A\A]A^A_
- AVAUATI

- ␣␣␣␣␣␣
- AUATUSH
- ␣␣␣␣␣␣
- AWAVAU
- ␣␣␣␣␣␣
- AUATUH
- ISOH:T\$8trH
- X␣␣␣␣
- AVAUATUSH
- ␣␣␣␣␣
- ␣␣␣␣␣
- AVAUATUH
- ␣␣␣␣␣
- AWAVAUATI
- (␣␣␣␣␣␣␣
- ␣␣␣␣
- AUATUSH
- H␣␣␣␣␣␣␣
- AVAUATI
- ␣␣␣␣␣
- H:>it&H:z
- H:>it&H:z
- \$f-@(E
- ␣␣␣␣
- ␣␣␣␣
- ␣␣␣␣
- ␣␣␣␣
- ␣␣␣␣␣
- ␣␣␣␣␣
- ␣␣␣␣␣
- ␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- (␣␣␣␣␣␣␣
- AWAVAUATI
- ␣␣␣␣␣␣
- ␣␣␣␣␣␣
- ␣␣␣␣␣␣
- ␣␣␣␣␣␣
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AWAVAUATUH
- ␣␣␣␣␣␣
- AVAUATI
- (␣␣␣␣␣
- AVAUATI
- (␣␣␣␣␣
- AWAVAU
- 8␣␣␣␣␣␣␣
- AWAVAU
- 8␣␣␣␣␣␣␣
- AWAVAUATI
- ␣␣␣␣␣␣
- ␣␣␣␣␣␣
- AWAVAUATI
- ␣␣␣␣␣␣
- ␣␣␣␣␣␣

- AVAUATI
- [A\A]A^A_
- [A\A]A^A_
- AVAUATI
- [A\A]A^A_
- [A\A]A^A_
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- AWAVAUATUSH
- [A\A]A^A_
- [A\A]
- tWAVAUATI
- JA\AJA^
- [A\A]A^
- AUATUSH
- [A\A]
- AVAUATUSL
- [A\A]A^
- JA\AJA^
- [A\A]
- [A\A]
- AVAUATI
- [A\A]A^
- ([A\A]A^A_
- ([A\A]A^A_
- ?AUATI
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- JA\AJA^
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- JA\AJA^
- tKATUH
- t(ATUH
- t(ATUH
- AVAUATUH
- A\AJA^A_
- JA\AJA^A_
- JA\AJA^
- [A\A]
- AWAVAUATI
- [A\A]A^A_
- [A\A]A^A_
- AUATUSH
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- [A\A]
- AUATUSH
- [A\A]
- [A\A]
- [A\A]
- AVAUATI

- [illegible]

- J\A\J\A^
- A\VA\U\A\T\U\H
- J\A\J\A^
- A\VA\U\A\T\U\H
- J\A\J\A^
- A\W\A\V\A\U\I
- J\A\A\J\A^A_
- H+D\$0H
- H:T\$(H
- H:T\$@H
- L#l\$PH
- H:;\$t
- H:;\$@t
- J\A\A\J\A^A_
- Q(B842
- H:;\$t
- H:;\$@t
- H+D\$0H
- H:T\$(H
- H:T\$@H
- L#l\$PH
- H:;\$t
- H:;\$@t
- J\A\A\J\A^A_
- Q(B842
- H:;\$t
- H:;\$@t
- A\U\A\T\SH
- [A\A\J\A^A_]_
- [A\A\J\A^A_]_
- J\A\A\J\A^A_
- H:T\$@H
- H:t\$@t
- H:T\$HH
- H:;\$@t
- H:;\$Ht
- J\A\A\J\A^A_
- H:T\$@H
- H:t\$@t
- H:T\$HH
- H:;\$@t
- H:;\$Ht
- A\W\A\V\A\U\L
- [A\A\J\A^A_]_
- A\W\A\V\A\U\I
- L\$ H9L\$(
- H#D\$`H
- H:;\$Pt
- J\A\A\J\A^A_
- W\H9L\$(
- H+D\$0H
- l\$PH:;\$Pt
- A\W\A\V\A\U\A\T\I
- L\$ f9L\$X
- L#d\$Hl
- H:;\$@t
- J\A\A\J\A^A_
- Wf9L\$X
- f9L\$XrJA
- l\$`H:;\$@t
- A\W\A\V\A\U\A\T\I
- L\$ 9L\$X
- L#d\$Hl
- H:;\$@t
- J\A\A\J\A^A_

- 9l\$XrwA
- l\$`H:;\$@t
- AWAVAUl
- .\$A8nnA
- \$H#D\$HH
- H:;\$@t
- [lA\A]A^A_
- WH9L\$
- H+D\$(H
- H9l\$ r{H
- ED\$PH9
- l\$`H:;\$@t
- AWAVAUl
- L\$ H9L\$(
- H#D\$`H
- H:;\$Pt
- [lA\A]A^A_
- WH9L\$(
- H+D\$0H
- l\$pH:;\$Pt
- AWAVAUl
- .\$A8nnA
- \$H#D\$HH
- H:;\$@t
- [lA\A]A^A_
- WH9L\$
- H+D\$(H
- H9l\$ r{H
- ED\$PH9
- l\$`H:;\$@t
- lA\A]A^A_
- d\$xPAQj
- [lA\A]A^A_
- AVA]A^A_]
- [A\A]A^A_]
- D\$.PAVj
- [lA\A]A^A_
- D\$.PAVj
- [lA\A]A^A_
- AVAUATM
- lA\A]A^A_
- L#l\$ H
- L#l\$ H
- L#l\$ H
- L#l\$ L
- L#l\$ L
- L#l\$ H
- L#l\$ H
- L#l\$ H
- L#l\$ H
- L#l\$ H
- L#l\$ H
- L#l\$ H
- %H:%M:%SH
- L#l\$ AWL
- %m/%d/%yH
- L#l\$ AWL
- L#l\$ AWL
- L#l\$ H
- [lA\A]A^A_
- [lA\A]A^A_
- [lA\A]A^A_
- [lA\A]A^A_
- [lA\A]A^A_
- H#A\$]
- lA\A]A^A_
- H#L\$ H
- [A\A]A^A_]

- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATUH
- ([A\A]A^A_
- AWAVAUATUH
- 8[A\A]A^A_
- AWAVAUATUH
- ([A\A]A^A_
- AWAVAUATUH
- ([A\A]A^A_
- AWAVAUATUH
- 8[A\A]A^A_
- AWAVAUATUH
- 8[A\A]A^A_
- [A\A]
- [A\A]
- h[A\A]A^A_
- X[A\A]A^A_
- AWAVAUATI
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATI
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]
- AWAVAU
- \$OH;\$
- [A\A]A^A_
- AVAUATUH
- J\A\A^
- AVAUATUH
- J\A\A^
- AVAUATUH
- J\A\A^
- \$H;\$
- [A\A]A^A_
- \$H;\$
- <\$H9\$
- H+D\$0H
- H:T\$(H
- H:T\$@H
- L#l\$PH
- H:!(t
- H:!\$@t
- [A\A]A^A_
- \$L;\$8
- H:!(t
- H:!\$@t
- H+D\$0H
- H:T\$(H
- H:T\$@H
- L#l\$PH
- H:!(t
- H:!\$@t
- [A\A]A^A_
- \$L;\$8
- H:!(t
- H:!\$@t
- AUATSH
- [A\A]A^A_]

- [A\A]A^A_]
- ~IA9<\$tpA
- [A\A]A^A_
- H:D\$@H
- H:D\$@I
- H:t\$@t
- H:D\$HH
- H:;\$@t
- H:;\$Ht
- ~IA9<\$tpA
- [A\A]A^A_
- H:D\$@H
- H:D\$@I
- H:t\$@t
- H:D\$HH
- H:;\$@t
- H:;\$Ht
- AUATSH
- [A\A]A^A_]
- AVAUATM
- 0L9d\$(
- L#d\$`I
- H:;\$Ht
- [A\A]A^A_
- H:;\$HH
- H+D\$0H
- ;\$pH:;\$Ht
- AVAUATM
- L#d\$HI
- H:;\$8t
- [A\A]A^A_
- H:;\$8L
- ED\$pI9
- ED\$pH9
- ;\$`H:;\$8t
- AVAUATM
- L#d\$HI
- H:;\$8t
- [A\A]A^A_
- H:;\$8L
- ED\$pI9
- ED\$pH9
- ;\$`H:;\$8t
- AVAUATM
- 0L9d\$(
- L#d\$HI
- H:;\$8t
- [A\A]A^A_
- H:;\$8H
- ED\$pH9
- H+D\$(H
- ED\$pH9
- ;\$`H:;\$8t
- AVAUATM
- 0L9d\$(
- L#d\$`I
- H:;\$Ht
- [A\A]A^A_
- H:;\$HH
- H+D\$0H
- ;\$pH:;\$Ht
- AVAUATM
- 0L9d\$(
- L#d\$HI
- H:;\$8t
- [A\A]A^A_

- H;|S8H
- ED\$PH9
- H+D\$(H
- ED\$PH9
- ;\$`H;|S8t
- L;|SpuYH
- []A\A]A^A_
- d\$xPAQj
- []A\A]A^A_
- A\A]A^A_]
- [A\A]A^A_]
- D\$.PAVj
- []A\A]A^A_
- D\$.PAVj
- []A\A]A^A_
-
- A<8wwH
- H#T\$(H
-]A\A]A^A_
- L#t\$0l
- L#t\$(H
- L#t\$(H
- L#t\$0H
- L#t\$0l
- L#t\$0l
- L#t\$(H
- L#t\$0H
- L#t\$(AUM
- L#t\$0l
- L#t\$0l
- L#t\$0l
- L#t\$(H
- L#t\$(H
- L#t\$(H
- L#t\$(H
- L#t\$0l
- L#t\$0H
- L#t\$0l
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- X[]A\A]A^A_
-]A\A]A^A_
- []A\A]
- AUATUSH
- []A\A]
- []A\A]A^
-]A\A]A^
- []A\A]A^
-]A\A]A^
- n8ATUH
- []A\A]A^
- []A\A]A^
-]A\A]A^
- []A\A]A^
-]A\A]A^
- n8ATUH
- []A\A]A^
- W(H9W s&H
- W(H9W s&H
- AWAVAUATUSH
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_

- [A]A]
- [A]A]
- [A]A]
- [A]A]
- AWAVAUATUSH
- [A]A]A^A_
- [A]A]A^
- AWAVAU
- [A]A]A^A_
- [A]A]A^
- [A]A]A^
- n8ATUH
- [A]A]A^
- AWAVAUATSH
- [A]A]A^A_]
- AWAVAU
- G(H9G s
- [A]A]A^A_
- AWAVAU
- A]A]A^A_
- [(H+]
- A]A]H
- AVAUAT]
- [A]A]A^
- [A]A]A^
- AUATUH
- [A]A]
- [A]A]A^
- [A]A]A^
- [A]A]
- AVAUAT]
- [A]A]A^
- [A]A]
- AUATUH
- [A]A]
- [A]A]A^
- [A]A]A^
- n8ATUH
- [A]A]A^
- AWAVAUATSH
- [A]A]A^A_]
- AWAVAU
- G(H9G s
- [A]A]A^A_
- AWAVAU
- A]A]A^A_
- [(H+)] H
- A]A]H
- [A]A]A^
- [A]A]A^
- AUATUH
- [A]A]
- [A]A]A^
- [A]A]A^
- [A]A]
- AVAUAT]
- [A]A]A^
- [A]A]
- AUATUH
- [A]A]
- AUATUH
- [A]A]
- AUATUH
- [A]A]
- AUATUH
- [A]A]
- AUATUH
- [A]A]

- [[A\A]A^
- [[A\A]A^
- [[A\A]
- [[A\A]
- [[A\A]
- [[A\A]
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^A_
- [[A\A]A^A_
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^A_
- [[A\A]A^A_
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^A_
- [[A\A]A^A_
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^A_
- [[A\A]A^A_
- [[A\A]A^
- [[A\A]A^
- AUATUH
- [[A\A]
- AUATUH
- [[A\A]
- AUATUH
- [[A\A]
- [[A\A]A^
- [[A\A]A^
- [[A\A]
- [[A\A]
- [[A\A]
- [[A\A]
- [[A\A]
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^A_
- [[A\A]A^A_
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^A_
- [[A\A]A^A_
- [[A\A]A^
- [[A\A]A^
- [[A\A]A^A_
- [[A\A]A^A_
- [[A\A]A^

- ⌈A⌋A^
- ⌈A⌋A^A_
- ⌈A⌋A^A_
- ⌈A⌋A^
- ⌈A⌋A^
- AVAUATI
- ⌈A⌋A^
- AWAVAUATI
- ⌈A⌋A^A_
- AVAUATI
- ⌈A⌋A^
- AWAVAUATI
- ⌈A⌋A^A_
- C(⌈A⌋
- AWAVAUATUSH
- ⌋A⌋A^A_
- C⌈⌈A⌋A^A_
- AWAVAUATL
- ⌈A⌋A^A_
- ⌈A⌋
- AVAUATI
- ⌈A⌋A^
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋A^
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋
- AUATUSH
- ⌈A⌋A^A_
- AVAUATUH
- ⌋A⌋A^
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋
- AUATUH
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋A^
- ⌈A⌋A^
- AVAUATUH
- ⌋A⌋A^
- ⌈A⌋
- C(H:C0r
- AUATUH
- ⌈A⌋
- AUATUH
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋
- AUATUH
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋A^
- ⌈A⌋A^
- ⌈A⌋A^
- AUATUH
- ⌈A⌋
- ⌈A⌋
- ⌈A⌋
- AVAUATI
- ⌈A⌋A^A_
- AUATUSH
- ⌈A⌋A^A_

- AWAVAUl
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^
- T\$HXZl9
- lA\A]A^A_
- G(!:G0sc@
- lA\A]A^A_
- d\$xPAQj
- [A\A]A^A_
- AWAVAUATUSH
- H[A\A]A^A_
- AWAVAUATUSH
- h[A\A]A^A_
- AWAVAUATUSH
- h[A\A]A^A_
- A\AUATI
- lA\A]A^A_
- AUATUL
- \$[A\A]A^
- \$[A\A]A^
- D\$ HcE
- x[A\A]A^A_
- x[A\A]A^A_
- AUATSH
- [A\A]A^A_]
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- l\$ LcM
- AUATUSH
- [A\A]
- [A\A]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUl
- [A\A]A^A_]
- AUATSH
- G8<+tYH
- [A\A]A^A_]
- u M9.\$u
- D\$.PAVj
- [A\A]A^A_
- D\$.PAVj
- [A\A]A^A_
- [A\A]A^A_
- Ff8D\$.t\$L
- t\$ ATj
- t\$ ATj
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- H#D\$I
- lA\A]A^A_
- AWAVAUATUSH
- x[A\A]A^A_
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAUATUSL

- 8Eoul@
- u_8EHtbH
- [A\A]A^A_
- AWAVAUATUSH
- D\$XZYH
- X[A\A]A^A_
- t|M9}@
- AWAVAUATUL
- 8Cour@
- ue8CHthH
- [A\A]A^A_
- Wf9L\$8
- AWAVAUATUL
- 8Cour@
- ue8CHthH
- [A\A]A^A_
- AWAVAUATUSL
- 8Eoup@
- uc8EHtfH
- [A\A]A^A_
- L\$HH;G
- AWAVAUATUSL
- 8Eoul@
- u_8EHtbH
- [A\A]A^A_
- AWAVAUATUSL
- 8Eoup@
- uc8EHtfH
- [A\A]A^A_
- L\$HH;G
- AWAVAUATUI
- [A\A]A^A_
- !\$pA9GX
- AWAVAUATUI
- [A\A]A^A_
- !\$pA9GX
- AUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- G(H;G0s%
- [A\A]
- [A\A]
- AWAVAU
- G(H;G0r
- [A\A]A^A_
- G(H;G0r
- AWAVAUATI
- [A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- AWAVAUATI
- [A\A]A^A_
- AVAUATI
- [A\A]A^A_
- [A\A]A^A_]
- AWAVAUATI
- [A\A]A^A_
- G(H;G0sB
- [A\A]

- AWAVAUl
- G(H;G0r
- [JAV]A^A_
- G(H;G0r
- AVAUATI
- JAV]A^
- JAV]A^
- AVAUATI
- [JAV]A^
- AVAUATI
- [JAV]A^
- AVAUATI
- [JAV]A^
- AVAUATI
- [JAV]A^
- AVAUATI
- [JAV]A^
- [JAV]A^
- [JAV]A^]
- AVAUATI
- [JAV]A^
- JAV]
- @.:w.H
-
- [JAV]A^
- 8AVAUl
- [JAV]A^A_
- AWAVAUATU
- ED\$ l9
- H+K H+S
- 8[JAV]A^A_
- 8[JAV]A^A_
- AWAVAUATUH
- [JAV]A^A_
- AWAVAUATI
- JAV]A^A_
- AUATUH
- [JAV]
- AVAUATL
- [JAV]A^
- [JAV]
- [JAV]A^
- ([JAV]A^A_
- {XH9\$
- oxATUH
- ([JAV]A^A_
- {XH9\$
- AVAUATI
- @[JAV]A^
- AVAUATL
- H[JAV]A^A_
- [JAV]
- AUATUH
- [JAV]
- AUATUH
- [JAV]
- AVAUATL
- [JAV]A^
- [JAV]
- [JAV]A^
- ([JAV]A^A_
- {PH9\$
- opATUH
- ([JAV]A^A_
- {PH9\$

- AVAUATI
- @[]AVA]A^
- AVAUATL
- H[]AVA]A^A_
- []A\A]
- []A\A]
- AUATUH
- []A\A]
- []A\A]
- []A\A]
- []A\A]
- ([]AVA]A^A_
- }`H9<\$t
- ([]AVA]A^A_
- {`H9<\$t
- AVAUATI
- @[]AVA]A^
- AVAUATL
- @[]AVA]A^
- []A\A]
- AUATUH
- []A\A]
- 8AVAUATI
- []AVA]A^A_
- AWAVAUATU
- H+K H+S
- ([]AVA]A^A_
- []AVA]A^A_
- AWAVAUATUH
- []AVA]A^A_
- AWAVAUATI
-]AVA]A^A_
- AUATUH
- []A\A]
- AVAUATL
- []AVA]A^
- []A\A]
- []AVA]A^
- ([]AVA]A^A_
- ([]AVA]A^A_
- []AVA]A^
- oxATUH
- []AVA]A^
- []A\A]
- AUATUH
- []A\A]
- AUATUH
- []A\A]
- AVAUATL
- []AVA]A^
- []A\A]
- []AVA]A^
- ([]AVA]A^A_
- ([]AVA]A^A_
- []AVA]A^
- opATUH
- []AVA]A^
- []A\A]
- []A\A]
- AUATUH
- []A\A]
- []A\A]
- []A\A]
- []A\A]
- AWAVAUATI
- ([]AVA]A^A_

- AWAVAU
- ([A^A]A^A_
- AVAUATI
- [A^A]A^
- [A^A]
- [A^A]
- AUATUH
- [A^A]
- AVAUATUSH
- [A^A]A^
- AVAUATUSH
- [A^A]A^
- AUATUSH
- [A^A]
- AVAUATUSH
- [A^A]A^
- [A^A]A^
- [A^A]A^
- AUATUH
- [A^A]A^
- ([A^A]A^A_
- [A^A]
- [A^A]
- ?AVAU
- [A^A]A^
- ?AWAVAU
- [A^A]A^A_
- [A^A]
- AWAVAUATUSH
- [A^A]A^A_
- [A^A]
- [A^A]A^
- [A^A]A^
- AUATUSH
- [A^A]
- AVAUATUSL
- [A^A]A^
- [A^A]A^
- [A^A]
- [A^A]
- AVAUATI
- [A^A]A^
- AVAUATI
- [A^A]A^
- [A^A]
- [A^A]
- AVAUATI
- [A^A]A^
- t(ATUH
- [A^A]A^
- [A^A]A^
- AUATUSH
- [A^A]
- AUATUSH
- [A^A]
- AUATUSH
- [A^A]
- AWAVAU
- [A^A]A^A_
- [A^A]A^A_
- [A^A]A^
- AWAVAU
- L9t\$xtv
- T\$8XZL9|\$x
- [A^A]A^A_

- 7H;E0sK
- L9t\$xt
- L;!\$puYH
- []A\A]A^A_
- d\$xPAQj
- []A\A]A^A_
- AWAVAUATUSH
- H[]A\A]A^A_
- AWAVAUATUSH
- h[]A\A]A^A_
- AWAVAUATUSH
- h[]A\A]A^A_
-]A\A]A^A_
- AUATUH
- []A\A]
- []A\A]
- D\$ HcE
- A9<\$taA
- x[]A\A]A^A_
- A9<\$taA
- x[]A\A]A^A_
- AUATSH
- [A\A]A^A_]
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- !\$ LcM
- AUATUSH
- []A\A]
- []A\A]
- [A\A]A^A_]
- [A\A]A^A_]
- P(HcH0M
- [A\A]A^A_]
- P8HcH@
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- [A\A]A^A_]
- AWAVAU
- [A\A]A^A_]
- AWAVAUATI
- [A\A]A^A_]
- D\$.PAVj
- []A\A]A^A_
- D\$.PAVj
- []A\A]A^A_
- AWAVE1
- AUATUI
- P`<%uFI
-
- A<8wwH
- []A\A]A^A_
- PP9D\$.t#L
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- AVAUATA
-]A\A]A^A_
- AWAVAUATUSH
- D\$7L:a
- []A\A]A^A_
- [A\A]A^A_]
- [A\A]A^A_]

- [A\A]A^A_]
- AWAVAUATUL
- ub9kHteH
- [A\A]A^A_
- AWAVAUATUSH
- D\$XZYH
- X[A\A]A^A_
- M9\$@@
- M9\$0A
- M9\$@u
- M9\$0u
- t.M9I\$@
- M9\$0u
- AWAVAUATUL
- uxD9kHtzH
- 0fD9I\$8
- [A\A]A^A_
- fD9I\$8
- fD9I\$8
- AWAVAUATUL
- ueD9kHtgH
- [A\A]A^A_
- AWAVAUATUL
- uc9kHtfH
- [A\A]A^A_
- T\$HH:G
- AWAVAUATUL
- ub9kHteH
- [A\A]A^A_
- AWAVAUATUL
- uc9kHtfH
- [A\A]A^A_
- T\$HH:G
- AWAVAUM
- [A\A]A^A_
- L:t\$8uIA
- AWAVAUM
- [A\A]A^A_
- L:t\$8uIA
- AUATSH
- [A\A]A^A_]
- [A\A]A^A_]
- AUATUH
- [A\A]A^
- ([A\A]A^A_
- [A\A]
- [A\A]
- [A\A]A^
- AWAVAU
- [A\A]A^A_
- [A\A]
- [A\A]A^
- AWAVAUATI
- [A\A]A^A_
- [A\A]A^A_
- AUATUSH
- [A\A]
- [A\A]
- [A\A]
- AUATUSH
- [A\A]
- [A\A]
- [A\A]
- AUATUSH
- [A\A]

- [A\A]
- [A\A]
- AVAUATI
- [A\A]A^
- [A\A]A^
- AVAUATI
- JA\A]A^
- [A\A]
- [A\A]
- G(D:G,}1lc
- W(:W,}>Hc
- [A\A]
- AUATUH
- [A\A]
- O(:O,}+Hc
- ([A\A]
- GLOBALH9
- GH:W,}
- w<_t'
- G8:G<}
- AVAULc
- ATUSL9
- [A\A]A^
- AVAUATUSH
- [A\A]A^
- S8:S<}
- [A\A]A^
- [A\A]A^
- S(:S,}
- u<.t*
- S(:S,}9Lc
- S(:S,}:Hc
- AWAVAUATUH
- [A\A]A^A_
- ([A\A]A^A_
- [A\A]A^A_
- U8:U<}
- A<5ww[1
-
- AVAUATUH
- JA\A]A^
- U(:U,}fLc
- A\A]A^
- [A\A]A^
- [A\A]A^
- [A\A]A^
- D8 t,D
- [A\A]
- [A\A]
- [A\A]
- AVAUATUSH
- [A\A]A^A_
-
- AWAVAUATUH
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- [A\A]A^A_
- JA\A]A^A_
- AVAUATI
- JA\A]A^
- &[A\A]A^

-)]A\A]A^
-]A\A]
- ([]A\A]A^A_
- ([]A\A]A^A_
- ([]A\A]A^A_
- ([]A\A]A^A_
-]A\A]A^A_
- AUATUH
-]A\A]
-]A\A]
- \$<.w)H
- [A\A]A^A_]
- 1
- AWAVE1
- AUATUSH
-]A\A]A^A_
- AVAUATUSH
-]A\A]A^
-]A\A]A^
- AUATUSH
- ([]A\A]
-]A\A]
-]A\A]A^A_
- X[]A\A]A^A_
- !\$&@.!'
-]A\A]A^A_
- AUATUSH
-]A\A]A^A_
- AUATUSH
-]A\A]A^A_
- AUATUSH
-]A\A]A^A_
- AVAUATI
- L9<\$vxH9!\$`vqL
- \$L9<\$v+H9!\$`v\$A
- ([]A\A]A^A_
- L9<\$vJL
- \$L9<\$v^A
- AUATUSH
- ([]A\A]A^A_
- AWAVAUATUSH
-]A\A]A^A_
-]A\A]A^
- AUATUSH
-]A\A]A^A_
-]A\A]A^A_
- AWAVAUATI
-]A\A]A^A_
- H[]A\A]A^A_
- AVAUATI
- ?H9!\$
- H[]A\A]A^A_
-]A\A]A^A_
- AWAVAUATI
-]A\A]A^A_
- 8[]A\A]A^A_
-]A\A]
-]A\A]
- V(!:V0s*
-]A\A]A^
- F(!:F0sQD
-]A\A]A^
- AUATUSH
-]A\A]A^A_
- AUATUSH

- [A]A[A]^A_
- \$ A[A]
- AWAVAUAUATI
- ?H+D\$8H
- ED\$ H9
- x[A]A[A]^A^A_
- h[A]A[A]^A^A_
- AWAVAUAUATI
- [A]A[A]A^A_
- [A]A[A]A^A_
- AWAVAUAUATI
- [A]A[A]A^A_
- [A]A[A]A^A_
- AUATUSH
- [A]A[A]
- UUUUUUUUUUH
- 333333333H)
- AWAVAUAUATUSH
- [A]A[A]A^A_
- AUATUSH
- [A]A[A]A^A_
- [A]A[A]A^A_]
- AVAUATI
- [A]A[A]A^A_
- [A]A[A]A^A_
- [A]A[A]A^A_
- [A]A[A]
- [A]A[A]A^A_
- AWAVAUUI
- [A]A[A]A^A_
- AWAVAUAUATI
- [A]A[A]A^A_]
- ([A]A)A^A_
- [A]A[A]A^A_
- AWAVAUAUATUSH
- ([A]A)A^A_
- ([A]A)A^A_
- u/H#D\$
- [A]A[A]A^A_
- [A]A[A]A^A_
- AVAUATUSH
- [A]A[A]A^A_
- [A]A[A]A^A_
- [A]A[A]A^A_
- H959G2
- AWAVAUUI
- [A]A[A]A^A_
- [A]A[A]A^A_
- [A]A[A]A^
- AWAVAUAUATUSH
- ([A]A)A^A_
- H9D\$x
- AWAVAUAUATUH
- [A]A[A]A^A_
- A]A]A^A_
- Z[A]A[A]
- [A]A[A]A^
- [A]A[A]A^A_
- AWAVAUAUATE1
- C.UTF-8
- [A]A[A]A^A_
- AUATUSH
- [A]A[A]
- [A]A[A]
- [A]A[A]
- X[A]A[A]

- AWAVLc
- []AVA]A^A_
- AVAUATUSH9
-]A\A]A^
-]A\A]A^
-]A\A]A^
- []A\A]A^
- AUATUH
- D\$(9D\$.u
- D\$(9D\$.u
- A9<\$~:H
- 8[]A\A]A^A_
- AVAUATI
- 8[]A\A]A^A_
- []A\A]A^A_
- AWAVAUATI
- D\$@/E1
- |.>/t M
- []A\A]A^A_
- x(HcL\$.
- t"HcL\$.H
- []A\A]A^A_
- []A\A]
- AVAUATUSH
- []A\A]A^
- []A\A]A^
- []A\A]A^
-]A\A]A^
- D9d\$8t
- D\$(L:t\$(
- D\$
- []A\A]A^A_
- AWAVAUATI
- 8[]A\A]A^A_
- AUATUS1
- t\$PtGWE1
- []A\A]A^A_
- AVAUE1
-]A\A]A^
- AWAVAU]
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
- []A\A]A^A_
-]A\A]A^
- []A\A]A^A_
- 9ETwA
- HcD\$DL
- D\$HHcD\$(H
- H9D\$ w]E1
- \$L9D\$Ht
- HcD\$TH
- D\$pHcL\$xD
- []A\A]A^A_
- []A\A]
- AUATUSH
- []A\A]A^A_
-]A\A]A^
- []A\A]A^A_
- AWAVAUATI
- [A\A]A^A_]
- AVAUATUSH
- []A\A]A^A_
- AVAUATUSH
- []A\A]A^A_

- C8HcD\$@H
- C8HcD\$@H
- J\A\JA^
- Hc{xl
- [A\A]A^A_
- JhH9(u
- E8H9E(t
- E8H9E(t 1
- [A\A]A^A_
- AVAUATUH
- J\A\JA^
- C(H:C t
- W(H;W u
- [A\A]A^A_
- C8H9C(u+H
- w8H9w(
- E H+E(L 9
- J\A\JA^
- [A\A]A^
- [A\A]A^A_
- C(H:C t
- W(H;W u
- :B0u*@
- AWAVAUATA
- [A\A]A^A_
- ([A\A]
- AUATUS
- [A\A]
- AWAVAUATUH
- !\$NHcD\$
- D\$KH+D\$ L 9
- [A\A]A^A_
- AWAVAUATUH
- [A\A]A^A_
- AVAUATA
- [A\A]A^A_
- AVAUATUSH
- [A\A]A^A_
- D\$X[]
- A\A\JA^
- J\A\JA^A_
- [A\A]A^A_
- t\$(~JH
- [A\A]A^A_
- [A\A]A^A_
- AVAUATUSH
- r#AQE
- [A\A]A^A_
- H+|\$`H
- [A\A]
- !\$ H+|\$pH
- [A\A^
- [A\A]
- [A\A]
- AUATUH
- [A\A]A^A_
- Z[A\A]
- AVAUATA
- [A\A]A^
- AVAUATI
- [A\A]A^A_
- [A\A]
- AWAVAUATUSdH
- AVAUATUSH
- H+=wD1
- tuHc{0Hct\$XH

- ⌈A\A⌋A^A_
- ⌈A\A⌋A^
- AWAVAUl
- X⌈A\A⌋A^A_
- AVAUATUH
- ⌈A\A⌋A^
- ⌈A\A⌋A^
- AWAVAUl
- ⌈A\A⌋A^A_
- 9P0u\USP
- AVAUATI
- lcU0H9
- ⌈A\A⌋A^A_
- H:D\$(s
- ⌈A\A⌋A^A_
- AUATUSH
- ⌈A\A⌋A^
- H:D\$(w
- ⌈A\A⌋A^A_
- AWAVLc
- ⌈A\A⌋A^A_
- Hc?HcS
- H9L\$ u
- ⌈A\A⌋
- Z⌈A\A⌋
- AWAVE1
- ⌈A\A⌋A^A_
- ⌈A\A⌋
- AWAVAUl
- ⌈A\A⌋A^A_
- D+D\$TH
- AVAUATUH
- h⌈A\A⌋A^A_
- ⌈A\A⌋A^A_
- AWAVAUATUSH
- ⌈A\A⌋A^A_
- v.Lcl\$
- A\A⌋A^A_
- /proc/seH
- AWAVAUATI
- (⌈A\A⌋A^A_
- AWAVAUA
- ⌈A\A⌋A^A_
- AWAVAUl
- ⌈A\A⌋A^A_
- ⌈A\A⌋A^A_
- AUATUSH
- X⌈A\A⌋
- ⌈A\A⌋A^
- AWAVAUATUH
- ⌈A\A⌋A^A_
- AWAVAUA
- h⌈A\A⌋A^A_
- HcL\$DHcT\$HHcD\$TL
- Hct\$XL
- ⌈A\A⌋A^A_
- ⌈A\A⌋A^
- ⌈A\A⌋A^A_
- AVAUATI
- ⌈A\A⌋A^A_
- S(H:S u
- G8H9G(t
- AVAUATUH
- ⌈A\A⌋A^
- AWAVAUATA

- C(H:C t
- []A\A]A^A_
- T\$(u~l
- L\$ uVl
- []A\A]A^A_
- []A\A]A^A_
- Z[]A\A]
- AVAULc
- []A\A]A^
- AVAUATI
- []A\A]A^
- []A\A]
- AWAVAUATUH
- A\A]A^A_
- AUATUSH
- []A\A]A^
- AWAVAUUA
- []A\A]A^A_
- L9 t>L9'
- AUATUH
- ([]A\A]A^A_
- AVAUATI
- 8[]A\A]A^A_
- AVAUATI
- []A\A]A^
- E8H9E(t
- basicstring::M_construct null not valid
- %s:%d: assertion failed: %s
- invalid utf8
- { }:
- cannot write to file
- string pointer is null
- invalid type specifier
- number is too big
- negative width
- width is not integer
- argument not found
- invalid format string
- cannot switch from manual to automatic argument indexing
- cannot switch from automatic to manual argument indexing
- negative precision
- precision is not integer
- invalid fill character '{
- invalid fill
- missing precision specifier
- format specifier requires numeric argument
- format specifier requires signed argument
- precision not allowed for this argument type
- 0123456789ABCDEF
- missing 'y' in format string
- invalid format specifier for char
- unknown format specifier
- unmatched 'y' in format string
- error
- St9exception
- N3fmt2v712system_errorE
- St13runtime_error
- N3fmt2v712format_errorE
- invalid
- cryptonight/0
- cryptonight
- cryptonight/1
- cryptonight-moneroV7
- cryptonight_v7
- cryptonight/2
- cryptonight-moneroV8

- [cryptonight_v8](#)
- [cryptonight/r](#)
- [cryptonight_r](#)
- [cryptonight/fast](#)
- [cn/fast](#)
- [cryptonight/msr](#)
- [cn/msr](#)
- [cryptonight/half](#)
- [cn/half](#)
- [cryptonight/xao](#)
- [cn/xao](#)
- [cryptonight_alloy](#)
- [cryptonight/rto](#)
- [cn/rto](#)
- [cryptonight/rwz](#)
- [cn/rwz](#)
- [cryptonight/zls](#)
- [cn/zls](#)
- [cryptonight/double](#)
- [cn/double](#)
- [randomx/0](#)
- [randomx/test](#)
- [rx/test](#)
- [RandomX](#)
- [randomx/wow](#)
- [rx/wow](#)
- [RandomWOW](#)
- [randomx/arg](#)
- [rx/arg](#)
- [RandomARQ](#)
- [randomx/sfx](#)
- [rx/sfx](#)
- [RandomSFX](#)
- [randomx/keva](#)
- [rx/keva](#)
- [RandomKEVA](#)
- [argon2/chukwa](#)
- [argon2/chukwav2](#)
- [argon2/wrkz](#)
- [cryptonight/ccx](#)
- [cn/ccx](#)
- [cryptonight/conceal](#)
- [cn/conceal](#)
- [monero](#)
- [ravencoin](#)
- [%s: __pos \(which is %zu\) > this->size\(\) \(which is %zu\)](#)
- [Unexpected end of regex when escaping.](#)
- [Unexpected end of regex when reading control code.](#)
- [Unexpected end of regex when ascii character.](#)
- [XMRIG_VERSION](#)
- [XMRIG_KIND](#)
- [XMRIG_HOSTNAME](#)
- [XMRIG_EXE](#)
- [XMRIGEXEDIR](#)
- [XMRIG_CWD](#)
- [XMRIGHOMEDIR](#)
- [XMRIGTEMPDIR](#)
- [XMRIGDATADIR](#)
- [\\\${{\(\[^\}\]+\)}}](#)
- [basic_string::replace](#)
- [backspace](#)
- [newline](#)
- [vertical-tab](#)
- [form-feed](#)
- [carriage-return](#)

- exclamation-mark
- quotation-mark
- number-sign
- dollar-sign
- percent-sign
- ampersand
- apostrophe
- left-parenthesis
- right-parenthesis
- asterisk
- plus-sign
- hyphen
- period
- semicolon
- less-than-sign
- equals-sign
- greater-than-sign
- question-mark
- commercial-at
- left-square-bracket
- backslash
- right-square-bracket
- circumflex
- underscore
- grave-accent
- left-curly-bracket
- vertical-line
- right-curly-bracket
- xdigit
- cannot create std::vector larger than max_size()
- Unexpected escape character.
- Unexpected end of regex when in an open parenthesis.
- Invalid special open parenthesis.
- Unexpected end of regex when in brace expression.
- Unexpected character in brace expression.
- vector::Mrealloc_insert
- Unexpected end of character class.
- Unexpected end of regex when in bracket expression.
- Unexpected character class open bracket.
- ^\$. *+?()[]{}|
- .() * + ? { | ^ \$
- [^ * ^ \$
- .() * + ? { | ^ \$
- [^ * ^ \$
- Number of NFA states exceeds limit. Please use shorter regex string, or use smaller brace expression
- Unexpected back-reference in polynomial mode.
- Back-reference index exceeds current sub-expression count.
- Back-reference referred to an opened sub-expression.
- cannot create std::deque larger than max_size()
- Invalid character class.
- Nothing to repeat before a quantifier.
- Unexpected token in brace expression.
- Unexpected end of brace expression.
- Invalid range in brace expression.
- Invalid collate element.
- Invalid equivalence class.
- Unexpected dash in bracket expression. For POSIX syntax, a dash is not treated literally only when i
- Invalid range in bracket expression.
- Character is expected after a dash.
- Unexpected character in bracket expression.
- Parenthesis is not closed.
- St11regex_error
- ""/a
- ?Unknown error.
- No error.
- Invalid value.

- invalid encoding in string.
- Miss fraction part in number.
- Miss exponent in number.
- Unspecific syntax error.
- The document is empty.
- %s: "%s"
- unable to open "%s".
- The document root must not be followed by other values.
- Missing a name for object member.
- Missing a colon after a name of object member.
- Missing a comma or '}' after an object member.
- Missing a comma or ']' after an array element.
- Incorrect hex digit after \u escape in string.
- The surrogate pair in string is invalid.
- Invalid escape character in string.
- Missing a closing quotation mark in string.
- Number too big to be stored in double.
- Terminate parsing due to Handler error.
- %s: "%s"
- 9Y>)F\$
- s\ax)?
- tC7Ddx
- xg^Jp5]
- {ze##67
- #####\/////
- jsonrpc
- method
- params
- [%d-%02d-%02d-%02d-%02d-%02d
- [1:30m.%03d
- basic_string::erase
- [1:31m
- [0:31m
- [0:33m
- [1:37m
- [0:90m
- [46:1m
- [1:37m config
- [44:1m
- [1:37m net
- [43:1m
- [1:37m signal
- [46:1m
- [1:37m cpu
- [45:1m
- [1:37m miner
- [1:37m randomx
- config.json
- .xmrig.json
- .config/xmrig.json
- "api": {
- "id": null,
- "worker-id": null
- },
- "http": {
- "enabled": false,
- "host": "127.0.0.1",
- "port": 0,
- "access-token": null,
- "restricted": true
- },
- "autosave": true,
- "version": 1,
- "background": true,
- "colors": true,

- "randomx": {
- "init": -1,
- "mode": "auto",
- "1gb-pages": false,
- "rdmsr": true,
- "wrmsr": true,
- "cache_qos": false,
- "numa": true,
- "scratchpadprefetchmode": 1
- },
- "cpu": {
- "enabled": true,
- "huge-pages": true,
- "huge-pages-jit": false,
- "hw-aes": null,
- "priority": null,
- "memory-pool": false,
- "yield": true,
- "max-threads-hint": 100,
- "asm": true,
- "argon2-impl": null,
- "astrobwt-max-size": 550,
- "cn/0": false,
- "cn-lite/0": false,
- "kawpow": false
- },
- "openc1": {
- "enabled": false,
- "cache": true,
- "loader": null,
- "platform": "AMD",
- "cn/0": false,
- "cn-lite/0": false
- },
- "cuda": {
- "enabled": false,
- "loader": null,
- "nvml": true,
- "cn/0": false,
- "cn-lite/0": false
- },
- "donate-level": 5,
- "donate-over-proxy": 1,
- "log-file": null,
- "pools": [
- {
- "algo": null,
- "coin": "monero",
- "url": "164.132.105.114:8080",
- "user": "x",
- "pass": "x",
- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,
- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- {
- "algo": null,
- "coin": "monero",
- "url": "164.132.105.114:443",
- "user": "x",
- "pass": "x",

- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,
- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- {
- "algo": null,
- "coin": "monero",
- "url": "136.243.90.99:8080",
- "user": "x",
- "pass": "x",
- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,
- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- {
- "algo": null,
- "coin": "monero",
- "url": "136.243.90.99:443",
- "user": "x",
- "pass": "x",
- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,
- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- {
- "algo": null,
- "coin": "monero",
- "url": "94.176.237.229:80",
- "user": "x",
- "pass": "x",
- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,
- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- {
- "algo": null,
- "coin": "monero",
- "url": "94.176.237.229:8080",
- "user": "x",
- "pass": "x",
- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,

- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- {
- "algo": null,
- "coin": "monero",
- "url": "94.176.237.229:443",
- "user": "x",
- "pass": "x",
- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,
- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- {
- "algo": null,
- "coin": "monero",
- "url": "153.127.216.132:8080",
- "user": "x",
- "pass": "x",
- "rig-id": null,
- "nicehash": true,
- "keepalive": true,
- "enabled": true,
- "tls": false,
- "tls-fingerprint": null,
- "daemon": false,
- "self-select": null
- },
- },
- "print-time": 60,
- "health-print-time": 60,
- "retries": 5,
- "retry-pause": 5,
- "syslog": false,
- "user-agent": null,
- "watch": true,
- "pause-on-battery": false
- [0:33m"%s" was changed, reloading configuration
- [0:31mreloading failed
- basic_string::append
- verbose
- user-agent
- syslog
- print-time
- pause-on-battery
- log-file
- dry-run
- colors
- background
- autosave
- worker-id
- [1:32m *
- [1:37m%-13s
- [1:36m%s/%s
- [1:37m %s
- [1:32m *
- [1:37m%-13slibuv/%s %s
- [1:37mconfiguration saved to: "%s"
- a:c:kBp:P:x:r:R:s:t:T:o:w:O:v:l:S:x:
- %s: unsupported non-option argument '%s'

- cpu-affinity
- cpu-priority
- donate-level
- donate-over-proxy
- keepalive
- nicehash
- no-color
- no-huge-pages
- retries
- retry-pause
- userpass
- rig-id
- no-cpu
- max-cpu-usage
- cpu-max-threads-hint
- cpu-memory-pool
- cpu-no-yield
- cpu-argon2-impl
- no-tittle
- randomx-init
- randomx-no-numa
- randomx-mode
- randomx-1gb-pages
- randomx-wrmsr
- randomx-no-rdmsr
- randomx-cache-qos
- XMRig 6.6.2
- --help
- --version
- --export-topology
- CPU backend:
- Logging:
- %d.%d.%d
- features: 64-bit AES
- libuv/%s
- hwloc/%s
- topology.xml
- Usage: xmrig [OPTIONS]
- Network:
- -o, --url=URL URL of mining server
- -a, --algo=ALGO mining algorithm <https://xmrig.com/docs/algorithms>
- --coin=COIN specify coin instead of algorithm
- -u, --user=USERNAME username for mining server
- -p, --pass=PASSWORD password for mining server
- -O, --userpass=U:P username:password pair for mining server
- -x, --proxy=HOST:PORT connect through a SOCKS5 proxy
- -k, --keepalive send keepalived packet for prevent timeout (needs pool support)
- --nicehash enable nicehash.com support
- --rig-id=ID rig identifier for pool-side statistics (needs pool support)
- -r, --retries=N number of times to retry before switch to backup server (default: 5)
- -R, --retry-pause=N time to pause between retries (default: 5)
- --user-agent set custom user-agent string for pool
- --donate-level=N donate level, default 1%% (1 minute in 100 minutes)
- --donate-over-proxy=N control donate over xmrig-proxy feature
- --no-cpu disable CPU mining backend
- -t, --threads=N number of CPU threads
- -v, --av=N algorithm variation, 0 auto select
- --cpu-affinity set process affinity to CPU core(s), mask 0x3 for cores 0 and 1
- --cpu-priority set process priority (0 idle, 2 normal to 5 highest)
- --cpu-max-threads-hint=N maximum CPU threads count (in percentage) hint for autoconfig
- --cpu-memory-pool=N number of 2 MB pages for persistent memory pool, -1 (auto), 0 (disab
- --cpu-no-yield prefer maximum hashrate rather than system response/stability
- --no-huge-pages disable huge pages support
- --asm=ASM ASM optimizations, possible values: auto, none, intel, ryzen, bulldo
- --argon2-impl=IMPL argon2 implementation: x86_64, SSE2, SSSE3, XOP, AVX2, AVX-512F

- --randomx-init=N threads count to initialize RandomX dataset
- --randomx-no-numa disable NUMA support for RandomX
- --randomx-mode=MODE RandomX mode: auto, fast, light
- --randomx-1gb-pages use 1GB hugepages for RandomX dataset (Linux only)
- --randomx-wrmsr=N write custom value(s) to MSR registers or disable MSR mod (-1)
- --randomx-no-rdmsr disable reverting initial MSR values on exit
- --randomx-cache-qos enable Cache QoS
- -S, --syslog use system log for output messages
- -l, --log-file=FILE log all output to a file
- --print-time=N print hashrate report every N seconds
- --no-color disable colored output
- --verbose verbose output
- -c, --config=FILE load a JSON-format configuration file
- -B, --background run the miner in the background
- -V, --version output version information and exit
- -h, --help display this help and exit
- --dry-run test configuration and exit
- --export-topology export hwloc topology to a XML file and exit
- --pause-on-battery pause mine on battery power
- XMRig 6.6.2
- built on Dec 15 2020 with GCC
- failed to export hwloc topology.
- hwloc topology successfully exported to "%s"
- --data-dir
- map::at
- access-token
- restricted
- 127.0.0.1
- enabled
- [1:36m
- bitset::test
- %s: _position (which is %zu) >= _Nb (which is %zu)
- Unauthenticated
- your IP is banned
- IP Address currently banned
- Invalid job id
- job_id
- target
- height
- seed_hash
- extensions
- connect
- result
- submit
- [0:31munknown algorithm, make sure you set "algo" or "coin" option
- [0:31munsupported algorithm
- [1:31m"%s"
- [0:31mdetected, reconnect
- [0:31mincompatible/disabled algorithm
- [1:31m"%s"
- [0:31mdetected, reconnect
- [0:31mwrite error:
- [1:31m"%s"
- { "id": "%ld", "jsonrpc": "2.0", "method": "keepalived", "params": { "id": "%s" } }
- [0:33mduplicate job received, reconnect
- [0:31merror:
- [1:31m"%s"
- [0:31m, code:
- [1:31m%d
- [0:31mlogin error code:
- [1:31m%d
- [0:31mgetaddrinfo error:
- [1:31m"%s"
- [0:31mconnect error:
- [1:31m"%s"
- [0:31mDNS error:

- [illegible]

- self-select
- tls-fingerprint
- daemon-poll-interval
- daemon
- 0001020304050607080910111213141516171819202122232425262728293031323334353637383940414243444546474849
- [1:32m *
- [1:37mPOOL #%-7zu
- socks5://
- stratum+ssl://
- stratum+tcp://
- 0000000000000000WWWWWWWWWWWWWWWWW
- %04.2f
- %03.1f
- @vector::Mrangecheck: _n (which is %zu) >= this->size() (which is %zu)
- [0:31mthread
- [1:31m#%zu
- [0:31m self-test failed
- default
- [1:33m
- [1:32m
- %s use
- [1:37margon2
- [0m implementation
- [1:%dm%s
- [1:31mdisabled
- [0:33m (failed to start threads)
- [1:32m READY
- [0m threads %s%zu/%zu (%zu)
- [0m huge pages %s%1.0f%% %zu/%zu
- [0m memory
- [1:36m%zu KB
- [1:30m (%lu ms)
- [0:33m stopped
- [1:30m (%lu ms)
- [1:37m| CPU # | AFFINITY | 10s H/s | 60s H/s | 15m H/s |
- [%8zu | %8ld | %7s | %7s | %7s |
- [1:31mdisabled
- [0:33m (no suitable configuration found)
- %s use profile
- [1:37m %s
- [1:37m (
- [1:36m%zu
- [1:37m thread%s)
- [0m scratchpad
- [1:36m%zu KB
- vector::reserve
- argon2
- hw-aes
- huge-pages-jit
- intensity
- IQUM."
- Zn80hJs
- This is a test This is a test This is a test
- Lorem ipsum dolor sit amet, consectetur adipiscing
- elit, sed do eiusmod tempor incididunt ut labore
- et dolore magna aliqua. Ut enim ad minim veniam,
- quis nostrud exercitation ullamco laboris nisi
- ut aliquip ex ea commodo consequat. Duis aute
- irure dolor in reprehenderit in voluptate velit
- esse cillum dolore eu fugiat nulla pariatur.
- Excepteur sint occaecat cupidatat non proident,
- sunt in culpa qui officia deserunt mollit anim id est laborum.
- no valid configuration found, try https://xmrig.com/wizard
- [0:33mCtrl+C received, exiting
- [0:33mSIGHUP received, exiting
- [0:33mSIGTERM received, exiting

- [0:33mSIGINT received, exiting
- [1:37mOK
- [1:33mcan't resume while on battery power
- [1:33mpaused
- [0m, press
- [45:1m r
- [0m to resume
- [1:37mspeed
- [0m 10s/60s/15m
- [1:36m%s
- [0:36m %s %s
- [1:36m%s
- [0m max
- [1:36m%s %s
- [1:33mon battery power
- [1:32mresumed
- [1:33mpaused
- [1:32mon AC power
- [1:31mrejected
- [0m (%ld/%ld) diff
- [1:37m%lu%s
- [0:31m"%s"
- [1:30m(%lu ms)
- [1:32maccepted
- [0m (%ld/%ld) diff
- [1:37m%lu%s
- [1:30m(%lu ms)
- [1:37mdev donate started
- [1:37muse %s
- [1:36m%s:%d
- [1:32m%s
- [1:30m%s
- [1:30mfingerprint (SHA-256): "%s"
- [1:37mdev donate finished
- [0:31mno active pools, stop mining
- [1:35mnew job
- [0m from
- [1:37m%s:%d
- [0m diff
- [1:37m%lu%s
- [0m algo
- [1:37m%s
- [0m height
- [1:37m%lu
- donate.v2.xmrig.com
- ?333333
- [1:32msupported
- [1:31mdisabled
- [1:33munavailable
- [1:33mdisabled
- [1:31m-
- HUGE PAGES
- 1GB PAGES
- DONATE
- ASSEMBLY
- [1:31mnone
- [1:32mintel
- [1:32mryzen
- [1:32mbulldozer
- [1:32m *
- [1:37m%-13s
- [1:32m *
- [1:37m%-13s%s (%zu)
- [0m %sx64 %sAES
- [1:37m %-13s

- [illegible]

- Omx(07 -S-Z6ZH6S TtX4Fr.rh.46Aw-wl-6 cBw pP0P00 &y&em>5 L5& .eK9K\9.

20+}&d+2 k(LD&P&t;(r\8TL\$lp\$8W_ >lcl! Si'tit'.' "wu3UD3" =

<zF"fx"&t; m,bN:Nx.,)l\^'-)l\^'- L&&jl66Z~??A Oh44Q sbl1S*

uB!!c b""FT**- d22Vt.:N J%o..r8 gg|V++ jL&&Zl66A~?? Sbl1?*

tX,,.4 RRMv.;a MMUF33 PPDX&t;&t; cB!l0 ~~Gz== FD""-T"* Vd22Nt.:

 xxoJ%r..\$8 ppBl&t;&t; aaj55 UUXP((z &jL&6Zl6?A~? ~~Gz=d

"fd"-T 2Vd2.Nt: x%oJ%.r. a5_j5W =&&jL66Zl?A~ g99KrJJ

==Gzdd ""fd*-T 22Vd.:Nt \$§lH 77Ynmn %oJ..r 55_jWW MCPU #02ld

warning: "can't bind memory" St9bad_alloc RandomX RandomWOW RandomARO RandomSFX

RandomKV add r,r sub r,r xor r,r imul rc mov r,r lea r,r+r*s imul

r,r ror r,i add r,i xor r,i mov rax,i64 ror r,cl xor rcx,rcx cmp

r,i setcc cl testjz r,i ISUB_R IXOR_R IADD_RS IMUL_R IROR_C

IADD_C7 IXOR_C7 IADD_C8 IXOR_C8 IADD_C9 IXOR_C9 IMULH_R

ISMULH_R IMUL_RCP 7,3,3,3 3,7,3,3 4,4,4,4 3,3,10 Cache/Dataset not set

Stlllogic_error Stl6invalid_argument Failed to allocate executable memory Failed to allocate large

pages memory [1;32m+ [1;3lmfailed to allocate RandomX memory [1;30m (%lu ms) [1;32mallocated

[1;36m %zu MB [1;30m (%zu+%zu) [0m huge pages %s%1.0f%% %u/%u [0m %sJIT [1;30m (%lu ms)

[1;33mfailed to allocate RandomX dataset, switching to slow mode [1;30m (%lu ms) [1;32mdataset ready

[1;30m (%lu ms) cache_qos scratchpad&em>prefetchmode randomx [1;3lmfast RandomX mode disabled

by config [1;3lmnot enough memory for RandomX dataset [1;3lmfailed to allocate RandomX dataset using 1GB pages

[1;35minit dataset%s [0m algo [1;37m%s ([1;36m%u [1;37m threads) [1;30m seed %s...

..... [1;36m%u [1;32mallocated [1;36m %4zu MB [0m huge pages %s%3.0f%% [0m

%sJIT [1;30m (%lu ms) [1;36m%u [1;32mdataset ready [1;30m (%lu ms) [1;33mfailed to

allocate RandomX datasets, switching to slow mode [1;30m (%lu ms) [1;36m-- [1;32mallocated [1;36m

%4zu MB [0m huge pages %s%3.0f%% %u/%u [1;30m (%lu ms) can't bind memory failed to allocate

dataset [1;36m%u [1;3lmskipped [0;33m (%s) [1;36m%u [1;32mallocated [1;36m

%zu MB [0m huge pages %s%3.0f%% [1;30m (%lu ms) SIGSEGV SIGILL [1;33m%s at %p

/dev/cpu/%u/msr [43;1m [1;37m msr /dev/cpu/ /dev/cpu/%d/msr /sbin/modprobe msr

allow writes=on &t; /dev/null 2>&l [1;33mm kernel module is not available [1;33mcannot read MSR 0x08x

[1;36m0x08x [0;36m:0x0016lx [1;36m -> 0x0016lx [1;33mcannot set MSR 0x08x to 0x008lx

[1;33mCache QoS can only be enabled when all mining threads have affinity set [1;33mThis CPU doesn't support cat_l3, cache

QoS is unavailable [1;32mregister values for "%s" preset has been set successfully [1;30m (%lu ms)

[1;3lmFAILED TO APPLY MSR MOD, HASHRATE WILL BE LOW [1;3lmfailed to restore initial state [1;30m (%lu ms)

0x%x:0x%lx:0x%lx 0x%x:0x%lx AVX-512F bulldozer Unknown system error Unknown system

error %d EACCES EADDRINUSE EADDRNOTAVAIL EAFNOSUPPORT EAGAIN EAI_ADDRFAMILY

EAI_AGAIN EAI_BADFLAGS EAI_BADHINTS EAI_CANCELED EAI_FAIL EAI_FAMILY

EAI_MEMORY EAI_NODATA EAI_NONAME EAI_OVERFLOW EAI_PROTOCOL EAI_SERVICE

EAI_SOCKETTYPE EALREADY ECANCELED ECHARSET ECONNABORTED ECONNREFUSED

ECONRESET EDESTADDRREQ EEXIST EFAULT EHOSTUNREACH EINVAL EISCONN

EISDIR <

```
empty</li> <li>socket operation on non-socket</li> <li>operation not supported on socket</li> <li>operation not permitted</li>
<li>broken pipe</li> <li>protocol error</li> <li>protocol not supported</li> <li>protocol wrong type for socket</li> <li>result too
large</li> <li>read-only file system</li> <li>cannot send after transport endpoint shutdown</li> <li>invalid seek</li> <li>no such
process</li> <li>connection timed out</li> <li>text file is busy</li> <li>cross-device link not permitted</li> <li>unknown error</li>
<li>end of file</li> <li>no such device or address</li> <li>too many links</li> <li>host is down</li> <li>remote I/O error</li>
<li>inappropriate ioctl for device</li> <li>inappropriate file type or format</li> <li>illegal byte sequence</li> <li>unknown</li>
<li>fs_event</li> <li>fs_poll</li> <li>prepare</li> <li>signal</li> <li>[%c%c%c] %s %p</li> <li>src/uv-common.c</li> <li>err ==
0</li> <li>uv<em>loop</em>delete</li> <li>1.40.0</li> <li>src/unix/core.c</li> <li>handle->flags &amp; UV<em>HANDLE</em>CLOSING</li>
<li>!<li>(handle->flags &amp; UV<em>HANDLE</em>CLOSED)</li> <li>!uv<em>_is</em>closing(handle)</li> <li>sockfd &gt;= 0</li> <li>fd &gt;=
1</li> <li>fd &gt;= STDERR_FILENO</li> <li>fd &gt;= -1</li> <li>0 == (events &amp; ~(POLLIN | POLLOUT | UV<strong>POLLRDHUP |
UV</strong>POLLPRI))</li> <li>0 != events</li> <li>w->fd &gt;= 0</li> <li>w->fd &lt;= INT_MAX</li> <li>loop->watchers[w->fd] == w</li>
<li>loop->nfds &gt;= 0</li> <li>TMPDIR</li> <li>TMPDIR</li> <li>rc == 0</li> <li>uv_sleep</li> <li>uv<em>_io</em>active</li>
<li>uv<em>_io</em>stop</li> <li>uv<em>_io</em>start</li> <li>uv<em>_io</em>init</li> <li>uv_close</li>
<li>uv<em>_close</em>nocheckstdio</li> <li>uv_accept</li> <li>uv<em>_finish</em>close</li> <li>uv<em>_make</em>close_pending</li>
<li>uv_close</li> <li>mkostemp</li> <li>src/unix/fs.c</li> <li>uv<em>_has</em>active_reqs(req->loop)</li> <li>req->result == 0</li>
<li>nbufs &gt;= 0</li> <li>uv<em>_fs</em>statfs</li> <li>uv<em>_fs</em>utime</li> <li>uv<em>_fs</em>unlink</li> <li>uv<em>_fs</em>stat</li>
<li>uv<em>_fs</em>rmdir</li> <li>uv<em>_fs</em>realpath</li> <li>uv<em>_fs</em>readlink</li> <li>uv<em>_fs</em>opendir</li>
<li>uv<em>_fs</em>scandir</li> <li>uv<em>_fs</em>open</li> <li>uv<em>_fs</em>mkdir</li> <li>uv<em>_fs</em>lstat</li>
<li>uv<em>_fs</em>lutime</li> <li>uv<em>_fs</em>lchown</li> <li>uv<em>_fs</em>chown</li> <li>uv<em>_fs</em>chmod</li>
<li>uv<em>_fs</em>preadv</li> <li>XXXXXX</li> <li>uv<em>_fs</em>done</li> <li>uv<em>_fs</em>access</li> <li>src/unix/getaddrinfo.c</li>
<li>req->retcode == 0</li> <li>!"unknown EAI * error code"</li> <li>uv<em>_getaddrinfo</em>done</li>
<li>uv<em>_getaddrinfo</em>translate_error</li> <li>src/unix/loop.c</li> <li>QUEUE_EMPTY(&amp;loop->wq) &amp;&amp; "thread pool work
queue not empty!"</li> <li>uv<em>_has</em>active_reqs(loop)</li> <li>uv<em>_loop</em>close</li> <li>src/unix/poll.c</li> <li>(pevents
&amp; ~(UV<em>READABLE | UV</em>WRITABLE | UV<em>DISCONNECT | UV</em>PRIORITIZED)) == 0</li> <li>uv<em>_poll</em>start</li>
<li>uv<em>_poll</em>stop</li> <li>src/unix/process.c</li> <li>signum == SIGCHLD</li> <li>QUEUE_EMPTY(&amp;pending)</li> <li>n ==
sizeof(val)</li> <li>options->file != NULL</li> <li>!(options->flags &amp; ~(UV<em>PROCESS</em>DETACHED | UV<em>PROCESS</em>SETGID |
UV<em>PROCESS</em>SETUID | UV<em>PROCESS</em>WINDOW</li> <li>container->data.stream != NULL</li> <li>0 &amp;&amp; "Unexpected flags"
</li> <li>/dev/null</li> <li>err == pid</li> <li>uv<em>_write</em>int</li> <li>uv<em>_process</em>init_stdio</li> <li>uv_chld</li>
<li>uv_spawn</li> <li>src/unix/signal.c</li> <li>r == sizeof msg || (r == -1 &amp;&amp; (errno == EAGAIN || errno == EWOULDBLOCK))
</li> <li>ret == 0</li> <li>!(handle->flags &amp; UV<em>HANDLE</em>CLOSING)</li> <li>uv<em>_signal</em>stop</li>
<li>uv<em>_signal</em>start</li> <li>uv<em>_signal</em>handler</li> <li>uv<em>_signal</em>stop</li> <li>uv<em>_signal</em>event</li>
<li>src/unix/stream.c</li> <li>stream->alloc_cb != NULL</li> <li>uv<em>_stream</em>fd(stream) &gt;= 0</li> <li>ignoring non-SCM_RIGHTS
ancillary data: %d</li> <li>start + MSG_LEN(count * sizeof(*pi)) == end</li> <li>req->bufs != NULL</li> <li>req->handle-
>write<em>queue</em>size &gt;= size</li> <li>uv<em>_has</em>active_reqs(stream->loop)</li> <li>req->handle == stream</li>
<li>fd<em>to</em>send &gt;= 0</li> <li>n &lt;= stream->write<em>queue</em>size</li> <li>stream->type == UV<em>TCP || stream->type ==
UV</em>NAMED<em>PIPE || stream->type == UV</em>TTY</li> <li>!(stream->flags &amp; UV<em>HANDLE</em>CLOSING)</li> <li>stream->type ==
UV<em>TCP || stream->type == UV</em>NAMED<em>PIPE</li> <li>stream->shutdown_req</li> <li>uv<em>_io</em>active(&amp;stream->io_watcher,
POLLIN | POLLOUT)</li> <li>stream->flags &amp; UV<em>HANDLE</em>CLOSED</li> <li>stream->write<em>queue</em>size == 0</li> <li>events
&amp; POLLIN</li> <li>stream->accepted_fd == -1</li> <li>server->loop == client->loop</li> <li>queued_fds->offset &gt;= 0</li>
<li>stream->type == UV<em>TCP || stream->type == UV</em>TTY || stream->type == UV<em>NAMED</em>PIPE</li> <li>(stream->type ==
UV<em>TCP || stream->type == UV</em>NAMED<em>PIPE || stream->type == UV</em>TTY) &amp;&amp; "uv_write (un</li> <li>!(stream->flags
&amp; UV<em>HANDLE</em>BLOCKING_WRITES)</li> <li>alloc_cb</li> <li>uv<em>_io</em>active(&amp;handle->io_watcher, POLLIN | POLLOUT)
</li> <li>uv<em>_stream</em>close</li> <li>uv<em>_read</em>start</li> <li>uv<em>_try</em>write</li> <li>uv_write2</li>
<li>uv_shutdown</li> <li>uv_accept</li> <li>uv<em>_server</em>io</li> <li>uv<em>_stream</em>destroy</li>
<li>uv<em>_stream</em>open</li> <li>uv_drain</li> <li>uv<em>_write</em>req_size</li> <li>uv<em>_write</em>callbacks</li>
<li>uv<em>_write</em>req_update</li> <li>uv_write</li> <li>uv<em>_stream</em>recv_msg</li> <li>uv_read</li>
<li>uv<em>_stream</em>connect</li> <li>uv<em>_stream</em>io</li> <li>src/unix/tcp.c</li> <li>handle->type == UV_TCP</li>
<li>UV<em>TCP</em>SINGLE_ACCEPT</li> <li>uv<em>_tcp</em>connect</li> <li>src/unix/udp.c</li> <li>q != NULL</li> <li>0 &amp;&amp;
"unsupported address family"</li> <li>!(handle->flags &amp; UV<em>HANDLE</em>UDP_PROCESSING)</li>
<li>uv<em>_has</em>active_reqs(handle->loop)</li> <li>handle->io_watcher.fd == -1</li> <li>handle->send<em>queue</em>size == 0</li>
<li>handle->send<em>queue</em>count == 0</li> <li>addrlen &lt;= sizeof(req->addr)</li> <li>handle->flags &amp;
UV<em>HANDLE</em>UDP_CONNECTED</li> <li>handle->type == UV_UDP</li> <li>handle->recv_cb != NULL</li> <li>handle->alloc_cb != NULL</li>
<li>0 &amp;&amp; "unexpected address family"</li> <li>uv<em>_udp</em>set<em>multicast</em>interface</li>
<li>uv<em>_udp</em>recvmsg</li> <li>uv<em>_udp</em>io</li> <li>uv<em>_udp</em>try_send</li> <li>uv<em>_udp</em>sendmsg</li>
<li>uv<em>_udp</em>sendmsg</li> <li>uv<em>_udp</em>send</li> <li>uv<em>_udp</em>maybe<em>deferred</em>bind</li>
<li>uv<em>_udp</em>run_completed</li> <li>uv<em>_udp</em>finish_close</li> <li>/proc/cpuinfo</li> <li>src/unix/linux-core.c</li>
<li>ticks != (unsigned int) -1</li> <li>ticks != 0</li> <li>cpu%u</li> <li>r == 1</li> <li>%lu %lu %lu%lu %lu %lu</li> <li>num ==
numcpus</li> <li>/sys/devices/system/cpu/cpu%u/cpufreq/scaling<em>cur</em>freq</li> <li>/proc/meminfo</li> <li>%lu kB</li>
<li>memory.limit<em>in</em>bytes</li> <li>/sys/fs/cgroup/%s/%s</li> <li>loop->watchers != NULL</li> <li>QUEUE<em>EMPTY(&amp;loop-
>watcher</em>queue)</li> <li>w->pevents != 0</li> <li>w->fd &lt;= (int) loop->nwatchers</li> <li>op == EPOLL<em>CTL</em>ADD</li>
<li>timeout &gt;= -1</li> <li>timeout != -1</li> <li>no<em>epoll</em>wait == 0 || no<em>epoll</em>pwait == 0</li> <li>(unsigned) fd
&lt;= loop->nwatchers</li> <li>/proc/self/stat</li> <li>/proc/stat</li> <li>MemFree:</li> <li>MemTotal:</li> <li>/proc/loadavg</li>
<li>%lf %lf %lf</li> <li>read_times</li> <li>cpu MHz</li> <li>model name</li> <li>uv<em>_io</em>poll</li>
<li>uv<em>_platform</em>invalidate_fd</li> <li>&gt;src/unix/linux-inotify.c</li> <li>errno == EAGAIN || errno == EWOULDBLOCK</li>
<li>size &gt;= 0</li> <li>w != NULL</li> <li>tmp_path != NULL</li> <li>uv<em>_fs</em>event_stop</li> <li>uv<em>_inotify</em>read</li>
```

[illegible]

```

<li>hwloc</get></depth>type(topology, depth-1) == HWLOC</OBJ_PU</li> <li>hwloc</get></depth>type(topology,
depth-1) &gt; 0</li> <li>obj->type == HWLOC</OBJ</PU</li> <li>hwloc</get></depth>type(topology, j) !=
HWLOC</OBJ_PU</li> <li>hwloc</get></depth>type(topology, j) != HWLOC</OBJ_MACHINE</li> <li>type !=
HWLOC</OBJ</NUMANODE</li> <li>type != HWLOC</OBJ</MEMCACHE</li> <li>type != HWLOC</OBJ</PCI_DEVICE</li> <li>type !=
HWLOC</OBJ</BRIDGE</li> <li>type != HWLOC</OBJ</OS_DEVICE</li> <li>type != HWLOC</OBJ</MISC</li> <li>d == j || d ==
HWLOC</TYPE</DEPTH_MULTIPLE</li> <li>d == HWLOC</TYPE</DEPTH_NUMANODE</li> <li>hwloc</get></depth>type(topology, d)
== HWLOC</OBJ_NUMANODE</li> <li>d == HWLOC</TYPE</DEPTH_MEMCACHE</li> <li>hwloc</get></depth>type(topology, d) ==
HWLOC</OBJ_MEMCACHE</li> <li>d == HWLOC</TYPE</DEPTH_BRIDGE</li> <li>hwloc</get></depth>type(topology, d) ==
HWLOC</OBJ_BRIDGE</li> <li>d == HWLOC</TYPE</DEPTH_PCI</DEVICE</li> <li>hwloc</get></depth>type(topology, d) ==
HWLOC</OBJ</PCI</DEVICE</li> <li>d == HWLOC</TYPE</DEPTH</OS</DEVICE</li>
<li>hwloc</get></depth>type(topology, d) == HWLOC</OBJ</OS</DEVICE</li> <li>d == HWLOC</TYPE</DEPTH_MISC</li>
<li>hwloc</get></depth>type(topology, d) == HWLOC</OBJ_MISC</li> <li>d &gt;= 0 || d == HWLOC</TYPE</DEPTH_UNKNOWN ||
d == HWLOC</TYPE</DEPTH</MULTIPLE</li> <li>hwloc</get></nbobjs</by></depth>(topology, 0) == 1</li> <li>!obj-
>parent</li> <li>!obj->depth</li> <li>hwloc</bitmap</isincluded(topology->allowed_cpuset, obj->cpuset)</li>
<li>hwloc</bitmap</isincluded(topology->allowed_nodest, obj->nodest)</li> <li>hwloc</bitmap</isequal(topology-
>allowed_cpuset, obj->cpuset)</li> <li>hwloc</bitmap</isequal(topology->allowed_nodest, obj->nodest)</li> <li>!old-
>machine</memory.local</memory</li> <li>!old->machine</memory.page</types_len</li> <li>!old-
>machine</memory.page</types</li> <li>new->nb</levels</allocated &gt;= new->nb_levels</li> <li>HWLOC</DEBUG</CHECK</li>
<li>HWLOC</XML</USERDATA</NOT</DECODED</li> <li>HWLOC_COMPONENTS</li> <li>HWLOC_FSROOT</li> <li>HWLOC</CPUID</PATH</li>
<li>HWLOC_SYNTHETIC</li> <li>HWLOC_XMLFILE</li> <li>HWLOC_ALLOW</li> <li>global_backend</li> <li>global</backend->phases ==
HWLOC</DISC</PHASE</GLOBAL</li> <li>HWLOC</THISSYSTEM</ALLOWED_RESOURCES</li> <li>HWLOC</DEBUG</SORT_CHILDREN</li>
<li>Topology became empty, aborting!</li> <li>Topology does not contain any PU, aborting!</li> <li>Topology does not contain any NUMA
node, aborting!</li> <li>HWLOC</DONT</ADD</VERSION</INFO</li> <li>ProcessName</li> <li>hwloc</>_check</nodesets</li>
<li>hwloc</>_check</children_cpusets</li> <li>hwloc</>_check</misc_children</li> <li>hwloc</>_check</io_children</li>
<li>hwloc</>_check</memory_children</li> <li>hwloc</>_check</child_siblings</li> <li>hwloc</>_check</normal_children</li>
<li>hwloc</>_check</object</li> <li>hwloc</>_check</level</li> <li>hwloc</>_check</topology</li>
<li>restrict</object</by_cpuset</li> <li>restrict</object</by_nodest</li> <li>hwloc</>_check</topology</li>
<li>remove_empty</li> <li>insert</siblings</list</li> <li>unlink</and</free</single</object</li>
<li>hwloc_discover</li> <li>hwloc</find</insert</io</parent</by</complete_cpuset</li>
<li>hwloc</alloc</setup_object</li> <li>hwloc</obj</cmp_sets</li> <li>hwloc</>_check</insert</object</by_cpuset</li>
<li>hwloc</filter</check</keep</object_type</li> <li>hwloc</find</insert</memory</parent</li>
<li>hwloc</>_check</attach</memory</object</by</nodest</li> <li>hwloc</attach</memory_object</li>
<li>hwloc</>_check</tma</dup_infos</li> <li>hwloc</>_check</duplicate</object</li> <li>hwloc</>_check</topology</li> <li>traversal.c</li>
<li>Unknown</li> <li>Machine</li> <li>MemCache</li> <li>NUMANode</li> <li>Package</li> <li>L1Cache</li> <li>L2Cache</li>
<li>L3Cache</li> <li>L4Cache</li> <li>L5Cache</li> <li>L1iCache</li> <li>L2iCache</li> <li>L3iCache</li> <li>PCIDev</li>
<li>openfabrics</li> <li>coproc</li> <li>co-processor</li> <li>machine</li> <li>memcache</li> <li>memory-side cache</li>
<li>package</li> <li>hostbridge</li> <li>pcibridge</li> <li>pcidev</li> <li>Network</li> <li>Co-Processor</li> <li>CoProc</li>
<li>L1u%ss</li> <li>OpenFabrics</li> <li>%slocal=%lu%stotal=%lu%ss</li> <li>%s%lu%ss</li> <li>%sfully-associative</li>
<li>%s%sways=%d</li> <li>%ssize=%lu%sslinesize=%u%ss</li> <li>%slink=%2fGB/s</li>
<li>busid=%04x:%02x:%02x.%01x%sid=%04x:%04x%sclass=%04x(%s)%ss</li> <li>buses=%04x:[%02x-%02x]</li> <li>%s%ss%ss%ss</li>
<li>hwloc</get</memory</parents</depth</li> <li>distances.c</li> <li>!!(iflags &amp;
HWLOC</INTERNAL</DIST</FLAG</OBJ_VALID) == !!objs</li> <li>!indexes</li> <li>Trying to group %u %s objects according to
physical distances with accuracy %f</li> <li>Distance matrix asymmetric ([%u,%ul=%llu != [%u,%ul=%llu]), aborting</li> <li>Distance to
self not strictly minimal ([%u,%ul=%llu &lt;= [%u,%ul=%llu]), aborting</li> <li>Found transitive graph with %u objects with minimal
distance %llu accuracy %f</li> <li><ul> <li>hwloc %s was given invalid distances by the user.</li> </ul></li> <li><ul> <li>Please make
sure that distances given through the programming API</li> </ul></li> <li><ul> <li>do not contradict any other topology information.
</li> </ul></li> <li>HWLOC_GROUPING</li> <li>HWLOC</GROUPING</ACCURACY</li> <li>HWLOC</GROUPING</VERBOSE</li>
<li>gp_index</li> <li>Trying to group objects using distance matrix:</li> <li>% 5d</li> <li>% 5lld</li>
<li>hwloc</internal</distances_refresh</li> <li>hwloc</internal</distances__add</li>
<li>hwloc</internal</distances</dup</one</li> <li>global</li> <li>annotate</li> <li>linuxpci</li> <li>linuxio</li>
<li>Replacing deprecated component <code>%s' with</code>linux' IO phases in blacklisting</li> <li>Blacklisting component
<code>%s</code> phases 0x%x</li> <li>components.c</li> <li>(unsigned) -1 != hwloc</components</users</li>
<li>HWLOC</COMPONENTS</VERBOSE</li> <li>hwloc</component</finalize_cbs</li> <li>Ignoring static component with invalid flags
%lx</li> <li>Ignoring static component, failed to initialize</li> <li>Cannot register discovery component with reserved name stop'

```

- Cannot register discovery component with name %s' containing reserved characters %c.'
- Cannot register discovery component %s' with invalid phases 0x%x Dropping previously registered discovery component %s'. priority %u lower than new one %u
- Ignoring new discovery component %s', priority %u lower than previously registered one %u statically build Registered discovery component %s' phases 0x%x with priority %u (%s%ss)
- 0 != hwloccomponentsusers
- Trying discovery component %s' with phases 0x%x instead of 0x%x Cannot enable discovery component %s' phases 0x%x with unknown flags %lx
- Cannot enable discovery component %s' phases 0x%x twice Enabling discovery component %s' with phases 0x%x (among 0x%x)
- Excluding discovery component %s' phases 0x%x, conflicts with excludes 0x%x Failed to instantiate discovery component %s'
- Replacing deprecated component %s' with linux' in envvar forcing

- Cannot find discovery component `%s'` Excluding blacklisted discovery component `%s'` phases 0x%x
- Final list of enabled discovery components:
- `%s%s(0x%x)`
- `backend->isthissystem == 0`
- `HWLOCTHISYSTEM`
- Disabling discovery component `%s'`

```

<li>hwloc<em>ANNOTATE</em>GLOBAL_COMPONENTS</li> <li>!topology->backends</li>
<li>hwloc<em>topology</em>components_fini</li> <li>hwloc<em>backends</em>is_thissystem</li> <li>hwloc<em>components</em>fini</li>
<li>hwloc<em>components</em>init</li> <li>/mnt/veracrypt1/linuxg0d/Xlibs/hwloc-2.2.0/include/hwloc/helper.h</li> <li>depth !=
HWLOC<em>TYPE</em>DEPTH_UNKNOWN</li> <li>hwloc<em>cpuset</em>from_nodest</li> <li>hwloc<em>cpuset</em>to_nodest</li>
<li>,0x%08lx</li> <li>0xf...f</li> <li>%016lx</li> <li>bitmap.c</li> <li>count > 0</li> <li>,&d-&d</li>
<li>hwloc<em>bitmap</em>sscanf</li> <li>%x:%x-%x %x</li> <li>%x:%x %x</li> <li>pci-common.c</li>
<li>HWLOC<em>PCI</em>%04x<em>%02x</em>LOCALCPUS</li> <li>Environment variable %s is deprecated, please use HWLOC<em>PCI</em>LOCALITY
instead.</li> <li>CPUModel</li> <li><ul> <li>hwloc %s has encountered an incorrect PCI locality information.</li> </ul></li> <li><ul>
<li>PCI bus %04x:%02x is supposedly close to 2nd NUMA node of 1st package,</li> </ul></li> <li><ul> <li>however hwloc believes this is
impossible on this architecture.</li> </ul></li> <li><ul> <li>Therefore the PCI bus will be moved to 1st NUMA node of 2nd package.
</li> </ul></li> <li><ul> <li>If you feel this fixup is wrong, disable it by setting in your environment</li> </ul></li> <li><ul>
<li>HWLOC<em>PCI</em>%04x<em>%02x</em>LOCALCPUS= (empty value), and report the problem</li> </ul></li> <li><ul> <li>to the hwloc's
user mailing list together with the XML output of lstopo.</li> </ul></li> <li><ul> <li>You may silence this message by setting
HWLOC<em>HIDE</em>ERRORS=1 in your environment.</li> </ul></li> <li>HWLOC<em>PCI</em>LOCALITY</li> <li>Ignoring
HWLOC<em>PCI</em>LOCALITY file %s' too large (%lu bytes)

```
- `pciobj->type == HWLOC_OBJ_PCIBRIDGE || (pciobj->type == HWLOC_OBJ_BRIDGE && pciobj->attr->bridge.up`
- DockingStation
- PowerPC
- Floppy
- NVMEExp
- Storage
- WorldFip
- InfiniBand
- Fabric
- Ethernet
- TokenRing
- Display
- MultimediaVideo
- MultimediaAudio
- Multimedia
- Telephony
- AudioDevice
- Parallel
- EISA
- MicroChannelBridge
- PCMCIA
- Nubus
- CardBus
- RACEway
- SemiTransparentPCIBridge
- InfiniBandPCIHostBridge
- MultiportSerial
- SmartCard
- Communication
- PCIHotPlug
- SDHost
- SystemPeripheral
- Scanem
- Gameport
- Keyboard
- DigitizerPen
- Pentium
- FibreChannel
- IPMI-SMIC
- SERCOS
- CANBUS
- SerialBus
- FireWire
- Bluetooth
- ConsumerIR

- ACCESS
- 802.1b
- 802.1a
- Wireless
- Broadband
- Encryption
- SignalProcessing
- ProcessingAccelerator
- Instrumentation
- Satellite
- Intelligent
- hwlocpcifindbybusid
- hwlocpcidistreeattach
- hwlocpcicomparebusids
- >shmem.c
- (char)new== (char)mmapaddress + sizeof(header)
- (char)mmapres <= (char *)mmapaddress + length
- old->is_loaded
- old->backends == NULL
- old->getpcibusidcpusetbackend == NULL
- hwlocshmemtopology_adopt
- hwlocshmemtopology_write
- OSName
- OSRelease
- HostName
- topology-noos.c
- dstatus->phase == HWLOCDISCPHASE_CPU
- hwloclooknoos
- Missing attribute closing bracket in synthetic string doesn't have a number of objects at '%s'
- memory=
- Unknown attribute at '%s'
- Missing parameter separator at '%s'
- Overwriting duplicate indexes attribute with last occurrence
- Failed to allocate synthetic index array of size %lu
- 0123456789.
- Failed to read synthetic index #%lu at '%s'
- Missing comma after synthetic index #%lu at '%s'
- Failed to read synthetic index interleaving loop '%s' without number before "
- Invalid interleaving loop with step 0 at '%s'
- Failed to read synthetic index interleaving loop '%s' without number between " and "'
- Invalid interleaving loop with number 0 at '%s'
- Failed to read synthetic index interleaving loop type '%s'
- Misc object type disallowed in synthetic index interleaving loop type '%s'
- Failed to find level for synthetic index interleaving loop type '%s'
- Invalid duplicate interleaving loop type in synthetic index '%s'
- topology-synthetic.c
- Invalid index interleaving total width %lu instead of %lu
- Invalid index interleaving generates out-of-range index %u
- Invalid index interleaving generates duplicate index values
- %ssize=%llu
- %smemory=%llu
- %sindexes=
- %u/%u%s
- Cache%s
- Socket%s
- Group%s
- Cannot export to synthetic v1 if multiple memory children are attached to the same location.
- numanode->arity == 1
- HWLOC.SYNTHETICVERBOSE
- Synthetic string with unknown attached object type at '%s'
- Synthetic string with disallowed attached object type at '%s'
- Synthetic string doesn't have a closing ']' after attached object type at '%s' Synthetic string with unknown object type at '%s' Synthetic string with disallowed object type at '%s' Synthetic string doesn't have a ':' after object type at '%s'
- Synthetic string doesn't have a number of objects at '%s'
- Synthetic string with disallow 0 number of objects at '%s'

- Too many synthetic levels, max %d
- Too big arity, max %u
- Synthetic string cannot use non-PU type for last level
- Synthetic string missing ending number of PUs
- Synthetic string cannot have several PU levels
- Synthetic string cannot have several package levels
- Synthetic string cannot have several die levels
- Synthetic string cannot have several NUMA node levels
- Synthetic string cannot have NUMA nodes both as a level and attached
- Synthetic string cannot have several core levels
- Synthetic string cannot mix unspecified and specified types for levels
- Inserting a NUMA level with a single object at depth 1
- attached->attr.type == HWLOC_OBJ_NUMANODE
- hwlocobjtypeisnormal(type) || type == HWLOC_OBJ_NUMANODE
- type != HWLOC_OBJ_MACHINE
- dstatus->phase == HWLOC_DISCPHASE_GLOBAL
- !topology->levels[0][0]->cpuset
- Synthetic
- Backend
- SyntheticDescription
- Cannot export to synthetic unless topology is symmetric (root->symmetricstree must be set).
- Cannot export to synthetic unless memory is attached symmetrically.
- hwlocobjtypeisnormal(node->parent->type)
- Cannot export to synthetic v1 if memory is attached to parents at different depths.
- hwlocexportsyntheticmemorychildren
- hwlocexportsyntheticobjattr
- hwloccheckmemorysymmetric
- hwloctopologyexportsynthetic
- hwlocsyntheticprocessindexes
- hwlocsyntheticinsertattached
- hwlocfiltercheckkeepobjecttype
- hwloclooksynthetic
- hwlocsyntheticsetattr
- hwloclooksynthetic
- HWLOCLIBXML
- HWLOCLIBXMLIMPORT
- HWLOCLIBXMLEXPORT
- distances2hetero
- distances2
- nbobjs
- %s:%llu
- u64values
- userdata
- base64
- encoding
- CoProcType
- Socket
- onlinecpuset
- allowedcpuset
- allowednodeset
- subtype
- pagetype
- cache size
- cachelinesize
- cacheassociativity
- cachetype
- dontmerge
- subkind
- bridgetype
- bridgepci
- %04x:%02x:%02x.%01x
- pci busid
- %04x [%04x:%04x] [%04x:%04x] %02x
- pcitype

- pcilinkspeed
- osdevtype
- xml/export/v1: failed to allocated logicalfov2array
- distances
- relativedepth
- latencybase
- latency
- object
- xmlbuffer
- topology-xml.c
- hwlocnolibxml/callbacks
- nr > 0
- HWLOCXMLVERBOSE
- base64%c%s
- normal%c%s
- (unknown version)
- System
- %s: obsolete System object only allowed at root
- %s: %s object not-supported, will be ignored
- %s: unrecognized object type string %s
- %s: object attribute %s found before type
- %s: unexpected zero gpindex, topology may be invalid
- %s: ignoring cachesize attribute for non-cache object type
- %s: ignoring cachelinesize attribute for non-cache object type
- %s: ignoring cacheassociativity attribute for non-cache object type
- %s: ignoring invalid cachetype attribute %lu
- %s: ignoring cachetype attribute for non-cache object type
- %s: ignoring localmemory attribute for non-NUMA node non-root object
- %s: ignoring depth attribute for object type without depth
- %s: ignoring kind attribute for non-group object type
- %s: ignoring subkind attribute for non-group object type
- %s: ignoring dontmerge attribute for non-group object type
- %x:%02x:%02x:%01x
- %s: ignoring invalid pcibusid format string %s
- Ignoring PCI device with non-16bit domain.
- Pass --enable-32bits-pci-domain to configure to support such devices
- (warning: it would break the library ABI, don't enable unless really needed).
- %s: ignoring pcibusid attribute for non-PCI object
- %x [%04x:%04x] [%04x:%04x] %02x
- %s: ignoring invalid pcitype format string %s
- %s: ignoring pcitype attribute for non-PCI object
- %s: ignoring pcilinkspeed attribute for non-PCI object
- %s: ignoring invalid bridgetype format string %s
- %s: ignoring bridgetype attribute for non-bridge object
- %x:[%02x-%02x]
- %s: ignoring invalid bridgepci format string %s
- Ignoring bridge to PCI with non-16bit domain.
- Pass --enable-32bits-pci-domain to configure to support such devices
- (warning: it would break the library ABI, don't enable unless really needed).
- %s: ignoring bridgepci attribute for non-bridge object
- %s: ignoring invalid osdevtype format string %s
- %s: ignoring osdevtype attribute for non-osdev object
- oslevel
- dmiboardvendor
- DMIBoardVendor
- dmiboardname
- DMIBoardName
- memorykB
- %s: ignoring memorykB attribute for non-NUMA node non-root object
- hugepagesizekB
- memory->pagetypes
- %s: ignoring hugepagesizekB attribute for non-NUMA node non-root object
- hugepagefree
- %s: ignoring hugepagefree attribute for non-NUMA node non-root object

- %s: ignoring unknown object attribute %s
- %s: invalid non-NUMA node object child %s
- %s: failed to allocate v1 distance matrix for %u objects
- %s: ignoring invalid distance matrix with only 1 object
- encodedbuffer[encodedlength] == 0
- %s: invalid special object child %s
- normal object %s cannot be child of non-normal parent %s
- Memory object %s cannot be child of non-normal-or-memory parent %s
- I/O object %s cannot be child of non-normal-or-I/O parent %s
- v1.x normal v1.x object %s cannot be child of special parent %s
- I/O object %s cannot be child of Misc parent
- MCDRAM
- obj->type == HWLOC_OB_JCACHEOLD
- %s: invalid object %s P#%u with some missing cpusets
- %s: invalid object %s P#%u with some missing nodesets
- %s: invalid object %s P#%u with either cpuset or nodeset missing
- %s: invalid cache type %s with attribute depth %u and type %d
- %s: invalid normal object %s P#%u without cpuset
- %s: invalid special object %s with cpuset
- %s: invalid object %s P#%u with cpuset while parent has none
- %s: invalid object %s P#%u with nodeset while parent has none
- %s: invalid NUMA node object P#%u without nodeset
- %s: invalid special object child %s while looking for objects
- - hwloc has encountered an out-of-order XML topology load.
- - Object %s cpuset %s complete %s
- - was inserted after object %s with %s and %s.
- - The error occurred in hwloc %s inside process %s', while the input XML was generated by hwloc %s inside process %s'.
- - the input XML was generated by an unspecified ancient hwloc release.
- - Please check that your input topology XML file is valid.
- - Set HWLOC_DEBUGCHECK=1 in the environment to detect further issues.
- %s: unrecognized %s type %s
- %s: ignoring unknown %s attribute %s
- %s: %s missing some attributes
- %s: failed to allocate %s arrays for %u objects
- %s: %s with unrecognized child %s
- %s: %s child must have length attribute
- %s: %s child needs content of length %d
- %s: %s with more than %u indexes
- %s: %s with unrecognized heterogeneous type %s
- %s: %s with missing colon after heterogeneous type %s
- %s: %s with more than %u u64 values
- %s: %s with less than %u indexes
- %s: %s with less than %u u64 values
- %s: ignoring %s with only %u objects
- %s: ignoring PU or NUMA %s without osindexing
- %s: ignoring !PU or !NUMA %s without gpindexing
- !root->cpuset
- %s: cannot import XML version %u.%u > 2
- !got ignored
- %s: ignoring unknown tag %s' after root object. %s: invalid root object without cpuset data->nbnumanodes > 0 data->first_numanode HWLOCXMLV1DIST_SCALE xmlv1DistancesScale %s: invalid root object without nodeset %s: invalid root object with empty nodeset %s: XML component discovery failed. obj_depth obj_index objattrtype objattrindex objattrname objattroldvalue objattrnewvalue %s: ignoring unknown diff attribute %s %s: missing mandatory obj attr generic attributes %s: missing mandatory obj attr value attributes %s: missing mandatory obj attr info name attribute xmldiffbuffer normal !strcmp(name, "normal", 6) !strcmp(name+6, "-anon") !topology->userdatanotdecoded ret == (int) encoded_length

hwlocfiltercheckkeepobject_type hwloc_xmlimport_userdata
hwloc_xmlimportobjectattr hwloc_xmlimport_object hwloclookxml
hwlocxmlcomponent_instantiate hwlocexportobjuserdatabase64
hwlocexportobj_userdata hwlocfreexmlbuffer
hwloctopologydiffexportxmlbuffer hwloctopologydiffexportxml
hwloctopologyexport_xmlbuffer hwloctopologyexport_xml hwloc_xmlexport_diff
hwloc_xmlvlexportobjectlist_nmanodes hwloctopologydiffloadxmlbuffer
hwloctopologydiffloadxml _dev/stdin ?xml !DOCTYPE <topology
version="%u.%u"> <topology> <root> topology-xml-nolibxml.c !ndata->has_content
<lt; !(ndata->hascontent && ndata->nrcchildren) *</*> " **
 <?xml version="1.0" encoding="UTF-8"?> <!DOCTYPE topologydiff SYSTEM "hwloc2-diff.dtd"> topologydiff
refname hwloc.dtd hwloc2.dtd <?xml version="1.0" encoding="UTF-8"?> <!DOCTYPE topology SYSTEM
"%s"> !ndata->nrc_children Failed to parse XML input with the minimalistic parser. If it was not generated
by hwloc, try enabling full XML support with libxml2. abcdefghijklmnopqrstuvwxyz1234567890
abcdefghijklmnopqrstuvwxyz hwloc_nolibxmlexportendobject
hwloc_nolibxmlexportnewchild hwloc_nolibxmlexportaddcontent
/proc/%u/task /proc/self/task HWLOCDUMPEDHWDATA_DIR /usr/local/var/run/hwloc
HWLOCUSENUMA_DISTANCES HWLOCUSEDT Cluster MemorySideCache model_name
chip_type cpu_model CPUVendor CPUModelNumber CPUFamilyNumber PlatformRevision
CPURevision platform PlatformName PlatformModel PlatformVendor Board_ID
PlatformBoardID Hardware_rev SystemVersionRegister ProcessorVersionRegister CPU
implementer CPUImplementer CPU_architecture CPUArchitecture CPU_variant CPUVariant
CPU_part CPUPart CPU_revision Hardware HardwareName HardwareRevision
HardwareSerial vendor_id cpu_family CPUStepping /sys/devices/system/node/possible
**node%u/access0/initiators node%u **proc/mounts cgroup2 **cgroup.controllers
noprefix **node%u/memorysidecache **node%u/memorysidecache/index%u/size
**node%u/memorysidecache/index%u/line_size **node%u/memorysidecache/index%u/indexing
MemTotal: hugepages- **nrc_hugepages **node%u/distance **cpuset.*s.effective
cpuset.*s * /sys/bus/pci/devices/%04x:02x:02x.%01x/local_cpus /sys/bus/pci/devices/
/sys/bus/pci/devices/*s/config /sys/bus/pci/devices/*s/class /sys/bus/pci/devices/*s/vendor
/sys/bus/pci/devices/*s/device /sys/bus/pci/devices/*s/subsystem_vendor
/sys/bus/pci/devices/*s/subsystem_device /sys/bus/pci/devices/*s/currentlinkspeed
/sys/bus/pci/devices/*s/currentlinkwidth **size **queue/hwsectorsize
**devtype NVDIMM SectorSize LinuxDeviceID /run/udev/data/b%u:%u E:ID_VENDOR=
E:ID_MODEL= E:ID_REVISION= E:IDSERIALSHORT= E:ID_TYPE= Western Digital
Seagate samsung Samsung sandisk SanDisk toshiba Toshiba
SerialNumber floppy optical Removable Media Device /proc/self/cpuset
/proc/%d/cpuset /proc/self/cgroup /proc/%d/cgroup cpuset: /proc/XXXXXXXXXX/cpuset
/proc/XXXXXXXXXX/cgroup LinuxCgroup /sys/devices/system/node/online topology-linux.c _nbnodes
>= 1 linux/sysfs: ignoring nodes because nodeset %s doesn't match existing nodeset %s.
hwlocbitmapweight(nodeset) != -1 **node%d/hugepages **node%d/meminfo
HWLOCDEBUGALLOWOVERLAPPINGNODE_CPUSETS **node%u/cpumap node P#u cpuset intersects with
previous nodes, forcing its acceptance /proc/driver/nvidia/gpus HWLOCKEEPNVIDIAGPUNUMA_NODES
/proc/driver/nvidia/gpus/*s/numa_status GPUMemory PCIBusID /sys/bus/pci/devices/*s/local_cpus
/sys/bus/dax/devices/ /sys/bus/dax/devices/*s/target_node DAXDevice HWLOCKNLNUMA_QUIRK
HWLOCKNLHDH_FALLBACK HWLOCKNLMSCACHE_L3 Ignoring KNL NUMA quirk, nbnodes (%u) isn't 2, 4 or 8.
 Ignoring KNL NUMA quirk, distance matrix missing. Ignoring KNL NUMA quirk, distance matrix does not contain 10 on
the diagonal. Ignoring KNL NUMA quirk, distance matrix isn't symmetric. Ignoring KNL NUMA quirk, distance matrix
contains values <lt;= 10. Ignoring KNL NUMA quirk, distance matrix contains more than 4 different values. Ignoring
KNL NUMA quirk, distance matrix for 2 nodes cannot contain %u different values instead of 2 Ignoring KNL NUMA quirk, distance
matrix for 8 nodes cannot contain %u different values instead of 2 Ignoring KNL NUMA quirk, distance matrix for 8 nodes
cannot contain %u different values instead of 4 **knclmemorysidecache version: %d Invalid
knclmemorysidecache header, expected "version: <int>". cache_size: cache_size: %ld line_size:
line_size: %d inclusiveness: inclusiveness: %d associativity: associativity: %d
cluster_mode: memory_mode: Quadrant Hybrid25 Hybrid50 All2All
Hemisphere Failed to find a usable KNL cluster mode (%s) Failed to find a usable KNL memory mode (%s)
ClusterMode MemoryMode Found %u NUMA nodes instead of 1 in mode %s-%s Found %u NUMA nodes instead of 2
in mode %s-%s Unexpected distance layout for mode %s-%s Found %u NUMA nodes instead of 4 in mode %s-%s
!curobj->nextsibling NUMALatency virtual **numa_node **x:%x.%x.
**/local_cpus /sys/class/net /sys/class/net/*s Address **device/infinibands
**dev_port **dev_id /sys/bus/dax/devices/ /sys/class/dax/ /sys/bus/dax/devices/*s/driver
/sys/bus/dax/devices/*s/ /sys/class/dax/*s/ **cache-unified d-cache-line-size d-cache-size
d-cache-sets i-cache-line-size i-cache-size i-cache-sets device_type l2-cache
ibm,phandle linux,phandle ibm,ppc-interrupt-server#s next-level-cache /proc/device-
tree/cpus /sys/bus/cpu/devices/ /sys/devices/system/cpu/ /sys/bus/node/devices

```

<li>/sys/devices/system/node</li> <li>/sys/bus/cpu/devices/cpu0/topology/package_cpus</li>
<li>/sys/bus/cpu/devices/cpu0/topology/core_cpus</li> <li>/sys/bus/cpu/devices/cpu0/topology/core_siblings</li>
<li>/sys/bus/cpu/devices/cpu0/topology/thread_siblings</li> <li>/sys/devices/system/cpu/cpu0/topology/package_cpus</li>
<li>/sys/devices/system/cpu/cpu0/topology/core_cpus</li> <li>/sys/devices/system/cpu/cpu0/topology/core_siblings</li>
<li>/sys/devices/system/cpu/cpu0/topology/thread_siblings</li> <li>/sys/bus/node/devices/node0/cpumap</li>
<li>/sys/devices/system/node/node0/cpumap</li> <li>/proc/hwloc-nofile-info</li> <li>OSName: </li> <li>OSRelease: </li> <li>OSVersion:
</li> <li>HostName: </li> <li>Architecture: </li> <li>FallbackNbProcessors: </li> <li>PageSize: </li>
<li>HWLOC<em>DUMP</em><em>NOFILE_INFO</em></li> <li>OSName: %s</li> <li>OSRelease: %s</li> <li>OSVersion: %s</li> <li>HostName: %s</li>
<li>Architecture: %s</li> <li>FallbackNbProcessors: %d</li> <li>PageSize: %llu</li> <li>HWLOC<em>NO</em><em>HARDWIRED_TOPOLOGY</em></li>
<li>Fujitsu SPARC64 VIIIfx</li> <li>Fujitsu SPARC64 IXfx</li> <li>FUJITSU SPARC64 XIfx</li> <li>/sys/devices/system/cpu/online</li>
<li>%s/cpu%lu/topology</li> <li>%s/cpu%lu/online</li> <li>hwloc<em>bitmap</em><em>weight(cpuset) != -1</em></li>
<li>%s/cpu%d/topology/thread_siblings</li> <li>%s/cpu%d/topology/core_cpus</li> <li>%s/cpu%d/topology/core_id</li>
<li>%s/cpu%u/topology/core_id</li> <li>%s/cpu%d/topology/die_cpus</li> <li>%s/cpu%d/topology/core_siblings</li>
<li>%s/cpu%d/topology/package_cpus</li> <li>%s/cpu%d/topology/physical<em>package</em><em>id</em></li> <li>%s/cpu%d/topology/die_id</li>
<li>%s/cpu%d/topology/book_siblings</li> <li>%s/cpu%d/topology/book_id</li> <li>%s/cpu%d/topology/drawer_siblings</li>
<li>%s/cpu%d/topology/drawer_id</li> <li>Drawer</li> <li>%s/cpu%d/cache/index%d/shared<em>cpu</em><em>map</em></li>
<li>%s/cpu%d/cache/index%d/level</li> <li>%s/cpu%d/cache/index%d/type</li> <li>Unified</li> <li>Instruction</li>
<li>%s/cpu%d/cache/index%d/size</li> <li>%s/cpu%d/cache/index%d/coherency<em>line</em><em>size</em></li>
<li>%s/cpu%d/cache/index%d/number<em>of</em><em>sets</em></li> <li>%s/cpu%d/cache/index%d/physical<em>line</em><em>partition</em></li>
<li>/sys/kernel/mm/hugepages</li> <li>/sys/devices/virtual/dmi/id</li> <li>/sys/class/dmi/id</li> <li>DMITProductname</li>
<li>product_name</li> <li>DMITProductVersion</li> <li>product_version</li> <li>DMITProductSerial</li> <li>product_serial</li>
<li>DMITProductUUID</li> <li>product_uuid</li> <li>DMITBoardVersion</li> <li>board_version</li> <li>DMITBoardSerial</li>
<li>board_serial</li> <li>DMITBoardAssetTag</li> <li>board<em>asset</em><em>tag</em></li> <li>DMITChassisVendor</li> <li>chassis_vendor</li>
<li>DMITChassisType</li> <li>chassis_type</li> <li>DMITChassisVersion</li> <li>chassis_version</li> <li>DMITChassisSerial</li>
<li>chassis_serial</li> <li>DMITChassisAssetTag</li> <li>chassis<em>asset</em><em>tag</em></li> <li>DMIBIOSVendor</li> <li>bios_vendor</li>
<li>DMIBIOSVersion</li> <li>bios_version</li> <li>DMIBIOSDate</li> <li>bios_date</li> <li>DMISysVendor</li> <li>sys_vendor</li>
<li>/sys/bus/pci/slots</li> <li>/sys/bus/pci/slots/%s/address</li> <li>%x:%x:%x</li> <li>PCISlot</li>
<li>HWLOC<em>VIRTUAL</em><em>LINUX_OSDEV</em></li> <li>/sys/class/block</li> <li>/sys/class/block/%s/partition</li>
<li>/sys/class/block/%s</li> <li>/sys/class/infiniband</li> <li>/sys/class/infiniband/%s</li> <li>%s/node_guid</li>
<li>0123456789abcdefx:</li> <li>NodeGUID</li> <li>%s/sys<em>image</em><em>guid</em></li> <li>SysImageGUID</li> <li>%s/ports/%u/state</li>
<li>Port%uState</li> <li>%s/ports/%u/lid</li> <li>0123456789abcdefx:</li> <li>Port%uLID</li> <li>%s/ports/%u/lid<em>mask</em><em>count</em></li>
<li>Port%uLMC</li> <li>%s/ports/%u/gids/%u</li> <li>0000:0000:0000:0000</li> <li>Port%uGID%u</li> <li>/sys/class/drm</li>
<li>/sys/class/drm/%s/dev</li> <li>/sys/class/drm/%s</li> <li>/sys/class/dma</li> <li>/sys/class/dma/%s</li>
<li>/sys/firmware/dmi/entries/17-%u/raw</li> <li>PartNumber</li> <li>DeviceLocation</li> <li>BankLocation</li> <li>hwloc could read a
DMI firmware entry %u in %s</li> <li>MemoryModule</li> <li>hwloc<em>bitmap</em><em>weight(hwloc_set) != -1</em></li>
<li>/sys/devices/system/cpu/possible</li> <li>last != -1</li> <li>/proc/%u/stat</li> <li>look_sysfsnode</li> <li>list_sysfsnode</li>
<li>look_sysfscpu</li> <li>hwloc<em>filter</em><em>check</em><em>keep</em><em>object_type</em></li>
<li>hwloc<em>linux</em><em>set</em><em>thread</em><em>cpubind</em></li> <li>hwloc<em>linux</em><em>get</em><em>thread</em><em>cpubind</em></li>
<li>hwloc<em>linux</em><em>set</em><em>tid</em><em>cpubind</em></li> <li>@Fujitsu

```

- `hwlocfiltercheckkeepobjecttype`
- `Couldn't find %x,%x,%x,%x in dumped cpuid, returning 0s.`
- `Failed to allocate cpuidump for PU #%u, ignoring cpuidump.`
- `%s/pu%u`
- `Could not read dumped cpuid file %s, ignoring cpuidump.`
- `Failed to allocate %u cpuidump entries for PU #%u, ignoring cpuidump.`
- `%x %x %x %x %x => %x %x %x %x`
- `%s/hwloc-cpuid-info`
- `Couldn't open dumped cpuid summary %s`
- `Found read dumped cpuid summary in %s`
- `Architecture: x86`
- `Found non-x86 dumped cpuid summary in %s: %s`
- `Ignoring invalid dirent %s' in dumped cpuid directory %s'`
- `Did not find any valid pu%%u entry in dumped cpuid directory %s'</li> <li>Found non-contiguous pu%%u range in dumped cpuid directory %s'`
- `topology-x86.c`
- `!hwlocbitmapiszero(set)`
- `Ignoring dumped cpuid directory.`
- `Compute Unit`
- `HWLOCX86TOPOEXTNUMANODES`
- `data->nbprocs > 0`
- `hwlocfiltercheckkeepobjecttype`
- `hwlocx86discover`
- `hwlocx86componentinstantiate`
- `ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/-`
- `argon2d`
- `argon2i`

- Argon2id
- Argon2i
- Argon2d
- argon2id
- Unknown error code
- Output is too short
- Output is too long
- Password is too short
- Password is too long
- Salt is too short
- Salt is too long
- Associated data is too short
- Associated data is too long
- Secret is too short
- Secret is too long
- Time cost is too small
- Time cost is too large
- Memory cost is too small
- Memory cost is too large
- Too few lanes
- Too many lanes
- Memory allocation error
- Output pointer mismatch
- Not enough threads
- Too many threads
- Missing arguments
- Encoding failed
- Decoding failed
- Threading failure
- Output pointer is NULL
- Password pointer is NULL, but password length is not 0
- Salt pointer is NULL, but salt length is not 0
- Secret pointer is NULL, but secret length is not 0
- Associated data pointer is NULL, but ad length is not 0
- The free memory callback is NULL
- The allocate memory callback is NULL
- Argon2Context context is NULL
- There is no such version of Argon2
- Some of encoded parameters are too long or too short
- The password does not match the supplied hash
- =====
- Memory: %u KiB, Iterations: %u, Parallelism: %u lanes, Tag length: %u bytes
- %s version number %d
- Password[%u]:
- CLEARED
- %2.2x
- Salt[%u]:
- Secret[%u]:
- Associated data[%u]:
- Pre-hashing digest:
- After pass %u:
- Block %.4u [%3u]: %016lx
- std::badalloc
- N10cxxabiv117classtypeinfoE
- gnucxx::concurrencylockerror
- gnucxx::concurrencyunlockerror
- N9gnucxx24concurrencylockerrorE
- N9gnucxx26concurrencyunlockerrorE
- std::exception
- std::badexception
- St13badexception
- N10cxxabiv115forcedunwindE
- N10cxxabiv119foreignexceptionE
- pure virtual method called
- deleted virtual method called

- N10cxxabiv120siclasstypeinfoE
- St9typeinfo
- terminate called recursively
- what():
- terminate called after throwing an instance of '
- terminate called without an active exception
- locale::Snormalizecategory category not found
- locale::Impl::Mreplacefacet
- NSt6locale5facetE
- St18moneypunctcachelcLb1EE
- St18moneypunctcachelcLb0EE
- St18moneypunctcachelwLb1EE
- St18moneypunctcachelwLb0EE
- St16numpunctcachelcE
- St16numpunctcachelwE
- St12domainerror
- St12lengtherror
- St12outofrange
- St11rangeerror
- St14overflowerror
- St15underflowerror
- St12codecvtbase
- St23codecvtabstractbaseIDsc11mbstatetE
- St7codecvtIDsc11mbstatetE
- St23codecvtabstractbaseIDic11mbstatetE
- St7codecvtIDic11mbstatetE
- St23codecvtabstractbaseIDsDu11mbstatetE
- St7codecvtIDsDu11mbstatetE
- St23codecvtabstractbaseIDiDu11mbstatetE
- St7codecvtIDiDu11mbstatetE
- St19codecvtutf8baseIDsE
- St20codecvtutf16baseIDsE
- St25codecvtutf8utf16baseIDsE
- St19codecvtutf8baseIDiE
- St20codecvtutf16baseIDiE
- St25codecvtutf8utf16baseIDiE
- St19codecvtutf8baselwE
- St20codecvtutf16baselwE
- St25codecvtutf8utf16baselwE
- uninitialized. anystring
- cannot create shim for unknown locale::facet
- *NSt13facetshims12GLOBALN113numpunctshimlcEE
- *NSt13facetshims12GLOBALN112collateshimlcEE
- *NSt13facetshims12GLOBALN115moneypunctshimlcLb1EEE
- *NSt13facetshims12GLOBALN115moneypunctshimlcLb0EEE
- *NSt13facetshims12GLOBALN114moneygetshimlcEE
- NSt13facetshims12GLOBALN114moneyput_shimlcEE
- NSt13facetshims12GLOBALN113messagesshimlcEE
- NSt13facetshims12GLOBALN113numpunctshimlwEE
- NSt13facetshims12GLOBALN112collateshimlwEE
- NSt13facetshims12GLOBALN115moneypunctshimlwLb1EEE
- NSt13facetshims12GLOBALN115moneypunctshimlwLb0EEE
- NSt13facetshims12GLOBALN114moneyget_shimlwEE
- NSt13facetshims12GLOBALN114moneyputshimlwEE
- *NSt13facetshims12GLOBALN113messagesshimlwEE
- NSt6locale5facet6shimE
- *NSt13facetshims12GLOBALN113timegetshimlcEE
- NSt13facetshims12GLOBALN113timeget_shimlwEE
- basicstring::S_construct null not valid
- basicstring::at: _n (which is %zu) >= this->size() (which is %zu)
- basic_string::copy
- basic_string::compare
- basicstring::S_create
- basicstring::Mreplaceaux

- [basic_string::insert](#)
- [basic_string::assign](#)
- [basic_string::resize](#)
- [basicstring::basicstring](#)
- [basic_string::substr](#)
- [St10ctype_base](#)
- [St5ctypeIcE](#)
- [St5ctypeIwE](#)
- [St12ctype_bynameIwE](#)
- [St12ctype_bynameIcE](#)
- [%m/%d/%y](#)
- [%H:%M:%S](#)
- [St10money_base](#)
- [St13messages_base](#)
- [St9time_base](#)
- [NSt7cxx117collateIcEE](#)
- [NSt7_cxx1114collatebynameIcEE](#)
- [NSt7cxx118numpunctIcEE](#)
- [NSt7_cxx1115numpunctbynameIcEE](#)
- [NSt7cxx1110moneypunctIcLb1EEE](#)
- [NSt7cxx1110moneypunctIcLb0EEE](#)
- [NSt7cxx118messagesIcEE](#)
- [NSt7_cxx1117moneypunctbynameIcLb0EEE](#)
- [NSt7_cxx1117moneypunctbynameIcLb1EEE](#)
- [NSt7_cxx119moneygetIcSt19istreambufiteratorIcSt11chartraitsIcEEEE](#)
- [NSt7_cxx119moneyputIcSt19ostreambufiteratorIcSt11chartraitsIcEEEE](#)
- [NSt7_cxx118timegetIcSt19istreambufiteratorIcSt11chartraitsIcEEEE](#)
- [NSt7_cxx1115timegetbynameIcSt19istreambufiteratorIcSt11char_traitsIcEEEE](#)
- [NSt7_cxx1115messagesbynameIcEE](#)
- [NSt13facetshims12GLOBALN113numpunctshimIcEE](#)
- [NSt13facetshims12GLOBALN112collateshimIcEE](#)
- [NSt13facetshims12GLOBALN115moneypunctshimIcLb1EEE](#)
- [NSt13facetshims12GLOBALN115moneypunctshimIcLb0EEE](#)
- [NSt13facetshims12GLOBALN114moneygetshimIcEE](#)
- [*NSt13facetshims12GLOBALN114moneyputshimIcEE](#)
- [NSt13facetshims12GLOBALN113messagesshimIcEE](#)
- [NSt13facetshims12GLOBALN113numpunctshimIwEE](#)
- [NSt13facetshims12GLOBALN112collateshimIwEE](#)
- [NSt13facetshims12GLOBALN115moneypunctshimIwLb1EEE](#)
- [NSt13facetshims12GLOBALN115moneypunctshimIwLb0EEE](#)
- [NSt13facetshims12GLOBALN114moneygetshimIwEE](#)
- [*NSt13facetshims12GLOBALN114moneyputshimIwEE](#)
- [NSt13facetshims12GLOBALN113messagesshimIwEE](#)
- [NSt13facetshims12GLOBALN113timegetshimIcEE](#)
- [*NSt13facetshims12GLOBALN113timegetshimIwEE](#)
- [NSt7cxx117collateIwEE](#)
- [NSt7cxx1114collatebynameIwEE](#)
- [NSt7cxx118numpunctIwEE](#)
- [NSt7cxx1115numpunctbynameIwEE](#)
- [NSt7cxx1110moneypunctIwLb1EEE](#)
- [NSt7cxx1110moneypunctIwLb0EEE](#)
- [NSt7cxx118messagesIwEE](#)
- [NSt7cxx1117moneypunctbynameIwLb0EEE](#)
- [NSt7cxx1117moneypunctbynameIwLb1EEE](#)
- [NSt7cxx119moneygetIwSt19istreambufiteratorIwSt11chartraitsIwEEEE](#)
- [NSt7cxx119moneyputIwSt19ostreambufiteratorIwSt11chartraitsIwEEEE](#)
- [NSt7cxx118timegetIwSt19istreambufiteratorIwSt11chartraitsIwEEEE](#)
- [NSt7cxx1115timegetbynameIwSt19istreambufiteratorIwSt11chartraitsIwEEEE](#)
- [NSt7cxx1115messagesbynameIwEE](#)
- [N9gnucxx18stdiosyncfilebufIcSt11chartraitsIcEEEE](#)
- [N9gnucxx18stdiosyncfilebufIwSt11chartraitsIwEEEE](#)
- [N9gnucxx13stdiofilebufIcSt11chartraitsIcEEEE](#)
- [N9gnucxx13stdiofilebufIwSt11chartraitsIwEEEE](#)
- [basicfilebuf::underflow codecvt::maxlength\(\) is not valid](#)
- [basicfilebuf::underflow invalid byte sequence in file](#)

- basicfilebuf::underflow incomplete character in file
- basicfilebuf::underflow error reading the file
- basicfilebuf::xsgetn error reading the file
- basicfilebuf::Mconverttoexternal conversion error
- St13basicfilebufcSt11chartraitscEE
- St14basicifstreamcSt11chartraitscEE
- St14basicofstreamcSt11chartraitscEE
- St13basicifstreamcSt11chartraitscEE
- St13basicfilebufwSt11chartraitswEE
- St14basicifstreamwSt11chartraitswEE
- St14basicofstreamwSt11chartraitswEE
- St13basicifstreamwSt11chartraitswEE
- badfunctioncall
- St17badfunctioncall
- basios::clear
- St9basioscSt11chartraitscEE
- St9basioswSt11chartraitswEE
- iosbase::Mgrowwords is not valid
- iosbase::Mgrowwords allocation failed
- St8iosbase
- St14basiciostreamwSt11chartraitswEE
- St13basicifstreamwSt11chartraitswEE
- St7collatecE
- St14collatebynamecE
- St8numpunctcE
- St15numpunctbynamecE
- St7numgetcSt19istreambufiteratorlcSt11chartraitscEEE
- St7numputcSt19ostreambufiteratorlcSt11chartraitscEEE
- St17timepunctcachecE
- St11timepunctcE
- St10moneypunctLb1EE
- St10moneypunctLb0EE
- St8messagescE
- St23codecvtabstractbaselcc11mbstatetE
- St14codecvtbynamec11mbstatetE
- St17moneypunctbynamecLb0EE
- St17moneypunctbynamecLb1EE
- St9moneygetcSt19istreambufiteratorlcSt11chartraitscEEE
- St9moneyputcSt19ostreambufiteratorlcSt11chartraitscEEE
- St8timeputcSt19ostreambufiteratorlcSt11chartraitscEEE
- St15timeputbynamecSt19ostreambufiteratorlcSt11chartraitscEEE
- St8timegetcSt19istreambufiteratorlcSt11chartraitscEEE
- St15timegetbynamecSt19istreambufiteratorlcSt11chartraitscEEE
- St15messagesbynamecE
- St21ctypeabstractbaselcE
- St13basicostreamwSt11chartraitswEE
- randomdevice: rdrand failed
- randomdevice: rdseed failed
- /dev/urandom
- rdseed
- rdrand
- /dev/random
- randomdevice::randomdevice(const std::string&): unsupported token
- randomdevice::randomdevice(const std::string&): device not available
- mt19937
- randomdevice could not be read
- regexerror
- badweakptr
- St12badweakptr
- St19Spmakesharedtag
- not enough space for format expansion (Please submit full bug report at <https://gcc.gnu.org/bugs>)
- NSt7cxx1115basicstringbufcSt11chartraitscESalcEEE
- NSt7cxx1119basicstringstreamcSt11chartraitscESalcEEE
- NSt7cxx1119basicostreamcSt11chartraitscESalcEEE
- NSt7cxx1118basicstringstreamcSt11chartraitscESalcEEE

- NSI7cxx1115basicstringbufwSt11chartraitswESalwEEE
- NSI7cxx1119basicstringstreamwSt11chartraitswESalwEEE
- NSI7cxx1119basicostreamwSt11chartraitswESalwEEE
- NSI7cxx1118basicstringstreamwSt11chartraitswESalwEEE
- St15basicstreambufcSt11chartraitscEE
- St15basicstreambufwSt11chartraitswEE
- basicstring::Mcreate
- basicstring::Mreplace
- string::string
- generic
- NSI3V214errorcategoryE
- St12systemerror
- *N12GLOBALN122genericerrorcategoryE
- *N12GLOBALN121systemerrorcategoryE
- NSI6thread6StateE
- St7collatwE
- St14collatebynamewE
- St21ctypeabstractbasewE
- St8numpunctwE
- St15numpunctbynamewE
- St7numgetwSt19istreambufiteratorwSt11chartraitswEEE
- St7numputwSt19ostreambufiteratorwSt11chartraitswEEE
- St17timepunctcachewE
- St11timepunctwE
- St10moneypunctwLb1EE
- St10moneypunctwLb0EE
- St8messageswE
- St23codecvtabstractbaselwc11mbstatetE
- St14codecvtbynamewc11mbstatetE
- St17moneypunctbynamewLb0EE
- St17moneypunctbynamewLb1EE
- St9moneygetwSt19istreambufiteratorwSt11chartraitswEEE
- St9moneyputwSt19ostreambufiteratorwSt11chartraitswEEE
- St8timeputwSt19ostreambufiteratorwSt11chartraitswEEE
- St15timeputbynamewSt19ostreambufiteratorwSt11chartraitswEEE
- St8timegetwSt19istreambufiteratorwSt11chartraitswEEE
- St15timegetbynamewSt19istreambufiteratorwSt11chartraitswEEE
- St15messagesbynamewE
- std::badarraynewlength
- St20badarraynewlength
- std::badcast
- St8badcast
- std::badtypeid
- St10badtypeid
- (anonymous namespace)
- decltype(auto)
- string literal
- decltype(nullptr)
- {default arg#}
- VTT for
- construction vtable for
- typeinfo for
- typeinfo name for
- typeinfo fn for
- non-virtual thunk to
- covariant return thunk to
- java Class for
- guard variable for
- TLS init function for
- TLS wrapper function for
- reference temporary #
- hidden alias for
- non-transaction clone for
- Fract
- Accum

- [operator](#)
- [operator](#)
- [java resource](#)
- [decltype \(](#)
- [{parm#](#)
- [global constructors keyed to](#)
- [global destructors keyed to](#)
- [{lambda\(](#)
- [{unnamed type#](#)
- [\[clone](#)
- [restrict](#)
- [volatile](#)
- [const](#)
- [transactionsafe](#)
- [noexcept](#)
- [throw](#)
- [Complex](#)
- [Imaginary](#)
- [vector\(](#)
- [GLOBAL](#)
- [std::allocator](#)
- [std::basicstring](#)
- [std::string](#)
- [std::istream](#)
- [basicistream](#)
- [std::ostream](#)
- [basicostream](#)
- [std::iostream](#)
- [basiciostream](#)
- [alignof](#)
- [coawait](#)
- [constcast](#)
- [delete\[\]](#)
- [dynamiccast](#)
- [delete](#)
- [operator""](#)
- [reinterpretcast](#)
- [sizeof...](#)
- [staticcast](#)
- [sizeof](#)
- [throw](#)
- [boolean](#)
- [long double](#)
- [float128](#)
- [unsigned char](#)
- [unsigned int](#)
- [unsigned](#)
- [unsigned long](#)
- [unsigned _int128](#)
- [unsigned short](#)
- [wchar_t](#)
- [unsigned long long](#)
- [decimal32](#)
- [decimal64](#)
- [decimal128](#)
- [char8_t](#)
- [char16_t](#)
- [char32_t](#)
- [template parameter object for](#)
- [std::basicstringtraits, std::allocator >](#)
- [std::basicistreamtraits >](#)
- [std::basicostreamtraits >](#)
- [std::basiciostreamtraits >](#)
- [N10cxxxabiv121vmiclassinfoE](#)
- [locale::facet::Screateclocale name not valid](#)

- LCCTYPE
LCNUMERIC
LCTIME
LCCOLLATE
LCMONETARY
LCMESSAGES
St7codecvtlcc11mbstatetE
St7codecvtlwc11mbstatetE
-+xX0123456789abcdef0123456789ABCDEF
-+xX0123456789abcdefABCDEF
-0123456789
Sunday
Monday
Tuesday
Wednesday
Thursday
Friday
Saturday
January
February
August
September
October
November
December
iostream error
Unknown error
NSt8iosbase7failureB5cxx11E
N12GLOBALN117ioerrorcategoryE
St13_iosfailure
St19_iosfailtype_info
NSt8ios_base7failureE
xdigit
\$%&'()+
01234567
.:<=>?
OPQRSTUVWXYZ[
&.-,:=>0?1@1C2D3E4P5Q6R7S8T9Y[:<a=c>e?f@hAiBj@kClDoBqErFuG)H
-PiQiRiSiTiUiViWiXiYiZi[i]j^ji
\$+++++++
TVVVVVVVV
+++++++
++[VVVVVVVVJV
1P1P1P1P1P1P1P\$Py1P1P18P1P1P1P1P1P1PN1
N1&nQN\$PN9
1P1P1P
{||||
y{[-+!
+++++++
+++++++*+++++++
UVVVVVUVV
1P1P1P1P1P1
1P1P1P1P1P1P1P1PN1P1PN1P1P1P1P1P1
*+++++++
TVVVVVVVVVVV
TVVVVVVVVVVV
*+++++++
*+++++++VVI
+++++++
A++VVVVVVVVVVVVVV,V+++++++
++OVV,+
VV9++UVV++OVV,+
7u{++OVV
9++UVV++OVV,++VV2
+++++++
+++++++*++++VVVVV

- *+++++
- \$P1P1P1P1P1P1P1P1P1P1P1P1P1P
- +++++
- N1P1P1P1P1P1P1P
- \$P1P1P1P1P
- +++++y{{{O}}}-++y
- {-v^}{{{
- *+++++
- *+++++
- +++++
- HVVVVVVVVV
- +++++UVVVVVVVVVVVVV
- \$+++++
- VVVVVVVVVVVV
- \$+++++
- VVVVVVVVVVVVVVVV
- *+++++VVVVVVVVVV
- *+++++VVVVVVVVVV
- +++++UVVVVVVVVVVV
- No error information
- Illegal byte sequence
- Domain error
- Result not representable
- Not a tty
- Permission denied
- Operation not permitted
- No such file or directory
- No such process
- File exists
- Value too large for data type
- No space left on device
- Out of memory
- Resource busy
- Interrupted system call
- Resource temporarily unavailable
- Invalid seek
- Cross-device link
- Read-only file system
- Directory not empty
- Connection reset by peer
- Operation timed out
- Connection refused
- Host is down
- Host is unreachable
- Address in use
- Broken pipe
- I/O error
- No such device or address
- Block device required
- No such device
- Not a directory
- Is a directory
- Text file busy
- Exec format error
- Invalid argument
- Argument list too long
- Symbolic link loop
- Filenameto long
- Too many open files in system
- No file descriptors available
- Bad file descriptor
- No child process
- Bad address
- File too large
- Too many links

- No locks available
- Resource deadlock would occur
- State not recoverable
- Previous owner died
- Operation canceled
- Function not implemented
- No message of desired type
- Identifier removed
- Device not a stream
- No data available
- Device timeout
- Out of streams resources
- Link has been severed
- Protocol error
- Bad message
- File descriptor in bad state
- Not a socket
- Destination address required
- Message too large
- Protocol wrong type for socket
- Protocol not available
- Protocol not supported
- Socket type not supported
- Not supported
- Protocol family not supported
- Address family not supported by protocol
- Address not available
- Network is down
- Network unreachable
- Connection reset by network
- Connection aborted
- No buffer space available
- Socket is connected
- Socket not connected
- Cannot send after socket shutdown
- Operation already in progress
- Operation in progress
- Stale file handle
- Remote I/O error
- Quota exceeded
- No medium found
- Wrong medium type
- Multihop attempted
- Assertion failed: %s (%s: %s: %d)
- Dynamic linker failed to allocate memory for error message
- Invalid library handle %p
- : unrecognized option:
- : option requires an argument:
- : option is ambiguous:
- : option does not take an argument:
- %n%s%n %n%s%n %n%s%n %n%s%n %d %d
- %b %e %T
- <%d>%s %n%s%s%.0d%s:
- /dev/console
- /dev/log
- /etc/hosts
- /etc/services
- /etc/resolv.conf
- options
- ndots:
- attempts:
- timeout:
- nameserver
- domain
- search
- /usr/local/bin/bin:/usr/bin

- /bin/sh
- vdsogetcpu
- LINUX2.6
- -0X+0X 0X-0x+0x 0x
- -+ 0X0x
- (null)
- 0123456789ABCDEF
- XXXXXX
- vdsoclock_gettime
- %Y-%m-%d
- %+.4ld
- %0*lld
- %&()*+.
- 9.;<=>
- BCDEFGHIJ
- KLMNOPQ
- RSTUVWXYZ[]
- Symbol not found: %s
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- %a %b %e %T %Y
- %m/%d/%y
- %H:%M:%S
- %I:%M:%S %p
- %m/%d/%y
- 0123456789
- %a %b %e %T %Y
- %H:%M:%S
- C.UTF-8
- LCALL
- MUSLLOCPATH
- LCCTYPE
- LCNUMERIC
- LCTIME
- LCCOLLATE
- LCMONETARY
- LCMESSAGES
- /etc/passwd
- /var/run/nscd/socket
- /etc/localtime
- /usr/share/zoneinfo/
- /share/zoneinfo/
- /etc/zoneinfo/
- C.UTF-8
- [48:2;
- [38:2;
- 0123456789abcdef
- 0001020304050607080910111213141516171819202122232425262728293031323334353637383940414243444546474849
- DUUUUUUTAQ
- AAEEQUUP@TPU
- PTUUQe
- UUUEQi
- 33333333)

- [3333\)](#)
- [GCC: \(GNU\) 10.2.1 20201128](#)
- [GCC: \(GNU\) 9.3.1 20200828](#)
- [.shstrtab](#)
- [.rodata](#)
- [.ehframe](#)
- [.gcc_exceptable](#)
- [.initarray](#)
- [.finiarray](#)
- [.ctors](#)
- [.dtors](#)
- [.data.rel.ro](#)
- [.got.plt](#)
- [.comment](#)

UTF-8 Strings

No detected.

UTF-16LE Strings

- [\\$*2?HTf](#)

Extracted URLs

- <https://xmrig.com/docs/algorithms>
- <https://xmrig.com/wizard>
- <https://gcc.gnu.org/bugs>

Base64 Strings

- *Possible Base64 Encoded String: VVVVVVVVVVVV -> Decoded: UUUUUUUUUU*

File Entropy Analysis

- **Entropy:** 6.43
- **Status:** *This file is likely packed or encrypted.*

VirusTotal Analysis

Scan Date: 2025-01-20 23:19:42

Scan Results

- *Malicious: 44*
- *Suspicious: 0*
- *Undetected: 20*
- *Harmless: 0*
- *Timeout: 0*
- *Confirmed-timeout: 0*
- *Failure: 0*
- *Type-unsupported: 12*

Community Votes

- *Harmless: 0*
- *Malicious: 1*

Detailed Engine Results

Engine Name	Detection Category	Detection
Lionic	malicious	Trojan.Linux.Mirai.K!c
Elastic	malicious	Linux.Cryptominer.Camelot
MicroWorld-eScan	malicious	Gen:Variant.Application.Linux.Miner.3

Engine Name	Detection Category	Detection
CTX	malicious	elf.miner.generic
Skyhigh	malicious	PUP-XNL-ND
ALYac	malicious	Gen:Variant.Application.Linux.Miner.3
Zillya	malicious	Tool.BitCoinMiner.Linux.274
Sangfor	malicious	Suspicious.Linux.Save.a
Varist	malicious	E64/CoinMiner.B.gen!Camelot
huorong	malicious	HackTool/Linux.BitCoinMiner.a
Symantec	malicious	Trojan.Gen.NPE
ESET-NOD32	malicious	a variant of Linux/CoinMiner.AV potentially unwanted
TrendMicro-HouseCall	malicious	Coinminer.Linux.MALXMR.SMDSL64
Avast	malicious	ELF:BitCoinMiner-HF [Trj]
ClamAV	malicious	Multios.Coinminer.Miner-6781728-2
Kaspersky	malicious	HEUR:Backdoor.Linux.Mirai.gen
BitDefender	malicious	Gen:Variant.Application.Linux.Miner.3
Tencent	malicious	Risktool.Linux.Miner.nf
Emsisoft	malicious	Gen:Variant.Application.Linux.Miner.3 (B)
F-Secure	malicious	Malware.LINUX/BitCoinMiner.bnwqm
DrWeb	malicious	Linux.BtcMine.351
VIPRE	malicious	Gen:Variant.Application.Linux.Miner.3
TrendMicro	malicious	Coinminer.Linux.MALXMR.SMDSL64
Sophos	malicious	Generic Reputation PUA (PUA)
Ikarus	malicious	PUA.Linux.Coinminer
FireEye	malicious	Gen:Variant.Application.Linux.Miner.3
Jiangmin	malicious	Backdoor.Linux.hfmx
Avira	malicious	LINUX/BitCoinMiner.bnwqm
Fortinet	malicious	Riskware/CoinMiner
Antiy-AVL	malicious	RiskWare[RiskTool]/Linux.BitCoinMiner.n
Kingsoft	malicious	Script.Ks.Malware.2841
Xcitium	malicious	Malware@#226r9hluba9sh
Arcabit	malicious	Trojan.Application.Linux.Miner.3
Avast-Mobile	malicious	ELF:Miner-KL [Miner]
Microsoft	malicious	PUA:Linux/CoinMiner.K
Cynet	malicious	Malicious (score: 99)
AhnLab-V3	malicious	Linux/CoinMiner.Gen2
McAfee	malicious	PUP-XNL-ND
Rising	malicious	HackTool.XMRMiner!1.C2EC (CLASSIC)
SentinelOne	malicious	Static AI - Malicious ELF
MaxSecure	malicious	Trojan.Malware.121218.susgen
GData	malicious	Gen:Variant.Application.Linux.Miner.3
AVG	malicious	ELF:BitCoinMiner-HF [Trj]