

Malware Analysis Report For elf-solaris-sparc-ls

Binary Type

ELF (Executable and Linkable Format). (Approved)

Analyzing File

- **File Name:** elf-solaris-sparc-ls
 - **File Extension:**
 - **File Type:** ELF (Executable and Linkable Format).
 - **MD5 Hash:** 68435afefd64fc202ae362c0cfbd0789
 - **SHA256 Hash:** e651183aca78d60c90cd832974f4f70d9015f9401f34d6ee89a5d33db894843b
-

File Identification

File detected as a valid Linux executable.

ELF File Analysis

ELF File Analysis: True

ELF File Imports

- librt.so.1
- libsec.so.1
- libc.so.1

ELF File Exports

- *_doglobaldtorsaux*
- *call_doglobaldtors_aux*
- *frame_dummy*
- *callframedummy*
- *xstrcoll_name*
- *xstrcolldfname*
- *revxstrcollname*
- *revxstrcolldf_name*
- *strcmp_name*
- *strcmpdfname*
- *revstrcmpname*
- *revstrcmppdf_name*
- *xstrcoll_extension*
- *xstrcolldfextension*
- *revxstrcollextension*
- *revxstrcolldf_extension*
- *strcmp_extension*
- *strcmppdfextension*

- *revstrcmpextension*
- *revstrcmpdf_extension*
- *xstrcoll_size*
- *xstrcolldfsize*
- *revxstrcollsize*
- *revxstrcolldf_size*
- *strcmp_size*
- *strcmpdfsize*
- *revstrcmpsize*
- *revstrcmpdf_size*
- *xstrcoll_version*
- *xstrcolldfversion*
- *revxstrcollversion*
- *revxstrcolldf_version*
- *xstrcoll_mtime*
- *xstrcolldfmtime*
- *revxstrcollmtime*
- *revxstrcolldf_mtime*
- *strcmp_mtime*
- *strcmpdfmtime*
- *revstrcmpmtime*
- *revstrcmpdf_mtime*
- *xstrcoll_ctime*
- *xstrcolldfctime*
- *revxstrcollctime*
- *revxstrcolldf_ctime*
- *strcmp_ctime*
- *strcmpdfctime*
- *revstrcmpctime*
- *revstrcmpdf_ctime*
- *xstrcoll_atime*
- *xstrcolldfatime*
- *revxstrcollatime*
- *revxstrcolldf_atime*
- *strcmp_atime*
- *strcmpdfatime*
- *revstrcmpatime*
- *revstrcmpdf_atime*
- *direddumpobstack*
- *devinohash*
- *devinocompare*
- *devinofree*
- *freependingent*
- *is_colored*
- *sighandler*
- *stophandler*
- *clear_files*
- *addignorepattern*
- *getfunkystring*
- *queue_directory*
- *setexitstatus*

- file_failure
- patterns_match
- unsignedfilesize
- is_directory
- extractdirsfrom_files
- xstrcoll
- initializeorderingvector
- sort_files
- formatuseror_group
- format_user
- formatuserorgroupwidth
- formatuserwidth
- gobble_file
- quote_name
- prepnorfilename_text
- put_indicator
- restoredefaultcolor
- gettypeindicator
- printypeindicator
- printnamewith_quoting
- printfilenameandfrills
- lengthoffilenameand_frills
- indent
- calculate_columns
- printcurrentfiles
- match_suffix
- _argmatchdie
- error_tail
- end_pattern
- ext_match
- internal_fnmatch
- end_wpattern
- ext_wmatch
- internal_fnwmatch
- exchange
- check_tuning
- allocate_entry
- free_entry
- hashfindentry
- adjust_value
- defaultblocksize
- mpsortwithtmp
- printandabort
- quotingoptionsfrom_style
- gettext_quote
- quoteargbufferrestyled
- quoteargnoptions
- memcpy_lowercase
- memcpy_uppercase
- strftimecase
- bkm_scale

- *bkm**scaleby*_power
- *bkm*_scale
- *bkm**scaleby*_power
- *guesstimetm*
- *ranged_convert*
- *decimalpointchar*
- *_doglobalctorsaux*
- *call_doglobalctors_aux*
- *realloc*
- *nstrftime*
- *argmatchtoargument*
- *xzalloc*
- *memchr*
- *hashgetn_entries*
- *obstackbegin*
- *strncmp*
- *__muldi3*
- *.div*
- *printf*
- *hash_initialize*
- *fputs*
- *strmode*
- *sigismember*
- *raise*
- *strcmp*
- *xstrtol_fatal*
- *__moddi3*
- *Qitoq*
- *Qmul*
- *xmalloc*
- *quoteargnstyle*
- *__fpending*
- *gmtime_r*
- *isatty*
- *malloc*
- *hashgetnext*
- *printf_fetchargs*
- *erroratline*
- *getoptinternal*
- *btowc*
- *lstat64*
- *getoptlongonlyr*
- *version_etc*
- *fstat64*
- *quotearg_alloc*
- *readdir64*
- *ldexp*
- *.umul*
- *rplgetoptlong_only*
- *hashgetmaxbucketlength*
- *quoteargstylemem*

- `acl_trivial`
- `usage`
- `Qadd`
- `iswcntrl`
- `hashgetn_buckets`
- `Qfle`
- `sigprocmask`
- `setquotingstyle`
- `strerror_r`
- `getuidbyname`
- `versionetcva`
- `xrealloc`
- `xcalloc`
- `Qflt`
- `hash_lookup`
- `calloc`
- `Qdiv`
- `mbsrtowcs`
- `argmatch_valid`
- `setjmp`
- `mbrlen`
- `obstackbegin_1`
- `base_len`
- `towlower`
- `quoteargnmem`
- `_exit`
- `hashgetnbucketsused`
- `strtoumax`
- `strcpy`
- `Qfne`
- `quoteargchamem`
- `getoptlong_r`
- `.udiv`
- `abort`
- `quotearg_free`
- `tzset`
- `getpwnam`
- `memcmp`
- `gettime`
- `printf_frexp`
- `opendir`
- `closestdoutsetfilename`
- `areadlinkwithsize`
- `getuser`
- `printf_frexp1`
- `quotearg_buffer`
- `wcwidth`
- `filevercmp`
- `obstacknewchunk`
- `__umoddi3`
- `wmemchr`

- `quoteargnstyle_mem`
- `getgrnam`
- `fclose`
- `strcat`
- `clock_gettime`
- `stat64`
- `sprintf`
- `hard_locale`
- `_fini`
- `quoteargcolonmem`
- `close_stream`
- `memset`
- `strdup`
- `clonequotingoptions`
- `quotearg_style`
- `Qqtoull`
- `_init`
- `mpsort`
- `strftime`
- `tolower`
- `setquotingflags`
- `iswctype`
- `obstackmemory_used`
- `memcpy`
- `closedir`
- `Qsub`
- `mfilenameconcat`
- `rpl_isnand`
- `wcscat`
- `quote_n`
- `hash_string`
- `hash_rehash`
- `getgrgid`
- `.rem`
- `getquotingstyle`
- `xstrtoumax`
- `rpl_isnanl`
- `xstrdup`
- `rplgetoptlong`
- `fprintf`
- `fflush`
- `human_options`
- `gettimeofday`
- `quotearg`
- `rpl_strlen`
- `memmove`
- `filenameconcat`
- `sigemptyset`
- `signal`
- `xalloc_die`
- `main`
- `imaxtostr`

- close_stdout
- sigaddset
- rpl_getopt
- hashprintstatistics
- vasnprintf
- localtime
- localtime_r
- Qltoq
- __cmpdi2
- _assertc99
- fseterr
- x2realloc
- mbsinit
- hashgetfirst
- argmatch
- hashtableeok
- quoteargallocmem
- argmatch_invalid
- obstackallocated_p
- toupper
- obstack_free
- getenv
- rpl_vfprintf
- strrchr
- __major
- quotearg_mem
- hashdofor_each
- _start
- ioctl
- setcharquoting
- base_name
- setprogramname
- _xargmatchinternal
- xmemdup
- gnu_mbswidth
- longjmp
- .urem
- strcoll
- hash_clear
- free
- strchr
- getgidbyname
- setlocale
- Qfeq
- quotearg_colon
- hashresetuning
- strlen
- human_readable
- filehasacl
- __divdi3
- getoptinternal_r

- getpwuid
- __udivdi3
- printf_parse
- frexp
- xstrndup
- rpl_mktime
- last_component
- iswprint
- wmemcpy
- hash_insert
- Qfge
- tcgetpgrp
- Qqtoi
- quote
- mbrtowc
- strncpy
- hash_free
- mbsnwidth
- quotearg_n
- wcslen
- atexit
- mktime_internal
- Qfgt
- wctype
- fwrite
- gnu_fmatch
- hash_delete
- umaxtostr
- exit
- rpl_strndup
- snprintf
- xstrtoul
- quotearg_char
- error
- __flsbuf
- __minor
- strtoul
- filemodestring
- dirfd
- sigaction
- localeconv
- hashgetentries
- readlink
- getgroup

String Analysis

ASCII Strings

- /usr/lib/ld.so.1
- xrealloc

- `nstrftime`
- `argmatchtoargument`
- `xzalloc`
- `wmemchr`
- `hashgetn_entries`
- `obstackbegin`
- `_environ`
- `strncmp`
- `GLOBALOFFSETTABLE`
- `__muldi3`
- `erroroneper_line`
- `rpl_vfprintf`
- `hash_initialize`
- `quotingstyle/evals`
- `JvRegisterClasses`
- `strmode`
- `sigismember`
- `strcmp`
- `xstrtol_fatal`
- `__moddi3`
- `Qitoq`
- `Qmul`
- `xmalloc`
- `quoteargnstyle`
- `__fpending`
- `gmtime_r`
- `isatty`
- `hashgetnext`
- `_c/ztabs`
- `__ctype`
- `printf_fetchchars`
- `erroratline`
- `getoptinternal`
- `lstat64`
- `getoptlongonlyr`
- `version_etc`
- `fstat64`
- `quotearg_alloc`
- `readdir64`
- `rplgetoptlong_only`
- `hashgetmaxbucketlength`
- `quoteargstylemem`
- `acl_trivial`
- `Qadd`
- `iswcntrl`
- `hashgetn_buckets`
- `Qfile`
- `setprogramname`
- `sigprocmask`
- `setquotingstyle`
- `strerror_r`

- rpl_optind
- getuidbyname
- versionetcva
- xcalloc
- Qflt
- hash_lookup
- Qdiv
- mbsrtowcs
- argmatch_valid
- setjmp
- mbrlen
- obstackbegin_1
- base_len
- tolower
- quoteargnmem
- hashgetnbucketsused
- xstrtoumax
- libversion
- strcpy
- Qfne
- quoteargchamem
- getoptlong_r
- _registerframe_info
- quotearg_free
- errormessagecount
- rpl_opterr
- getpwnam
- memcmp
- clock_gettime
- _dsohandle
- printf_frexp
- opendir
- closestoutsetfilename
- areadlinkwithsize
- getuser
- printf_frexp1
- _deregisterframe_info
- quotearg_buffer
- wcwidth
- filevercmp
- obstacknewchunk
- __umoddi3
- quoteargnstyle_mem
- getgrnam
- fclose
- strcat
- sprintf
- _edata
- hard_locale
- rpl_optopt
- quoteargcolonmem

- close_stream
- memset
- xstrdup
- clone*quoting*options
- ls_mode
- quotearg_style
- Qqtoull
- mpsort
- quotingstyleargs
- tolower
- set*quoting*flags
- iswctype
- *obstack*memory_used
- wmemcpy
- closedir
- Qsub
- mfilenameconcat
- rpl_isnand
- wcscat
- quote_n
- hash_string
- hash_rehash
- getgrgid
- get*quoting*style
- rpl_isnanl
- rplgetoptlong
- fflush
- human_options
- _tzname
- gettimeofday
- quotearg
- rpl_strlen
- memmove
- sigemptyset
- _etext
- signal
- xalloc_die
- imaxtostr
- exit_failure
- close_stdout
- sigaddset
- rpl_getopt
- hashprintstatistics
- Version
- vasnprintf
- localtime
- argmatch_die
- *PROCEDURELINKAGE*TABLE
- localtime_r
- errorprintprograme
- Qltoq

- `__cmpdi2`
- `_assertc99`
- `fseterr`
- `x2realloc`
- `mbsinit`
- `hashgetfirst`
- `argmatch`
- `hashtableok`
- `quoteargallocmem`
- `argmatch_invalid`
- `obstackallocated_p`
- `toupper`
- `obstack_free`
- `getenv`
- `strchr`
- `__major`
- `quotearg_mem`
- `hashdofor_each`
- `_start`
- `setcharquoting`
- `base_name`
- `_xargmatchinternal`
- `xmemdup`
- `gnu_mbswidth`
- `longjmp`
- `strcoll`
- `hash_clear`
- `hash_free`
- `strchr`
- `getgidbyname`
- `setlocale`
- `Qfeq`
- `quotearg_colon`
- `hashresetuning`
- `strlen`
- `human_readable`
- `file/hasacl`
- `__divdi3`
- `getoptinternal_r`
- `getpwuid`
- `__udivdi3`
- `printf_parse`
- `xstrndup`
- `rpl_mktime`
- `last_component`
- `iswprint`
- `hash_insert`
- `Qfge`
- `tcgetpgrp`
- `_DYNAMIC`
- `versionetccopyright`

- Qqtoi
- mbrtowc
- strncpy
- rpl_optarg
- mbsnwidth
- quotearg_n
- wcslen
- atexit
- mktime_internal
- Qfgt
- fwrite
- obstacka//ocfailed_handler
- gnu_fnmatch
- hash_delete
- umaxtostr
- rpl_strndup
- xstrtoul
- quotearg_char
- __flsbuf
- __minor
- filemodestring
- sigaction
- localeconv
- hashgetentries
- readlink
- getgroup
- librt.so.1
- SUNW_0.7
- libsec.so.1
- SUNW_1.2
- libc.so.1
- SUNW_1.22
- SUNWprivate_1.1
- /usr/sfw/lib
- ?pcdb-lswd
- sort_files
- gobble_file
- posix-
- devinopop
- Copyright %s %d Free Software Foundation, Inc.
- ext_match
- ext_wmatch
- gnu_fnmatch
- KMGTPPEZY
- xstrtoul
- xstrtoumax
- full-iso
- long-iso
- locale
- %b %e %Y
- %b %e %H:%M
- file-type

- classify
- always
- if-tty
- verbose
- commas
- horizontal
- across
- vertical
- single-column
- access
- status
- extension
- version
- escape
- directory
- full-time
- group-directories-first
- human-readable
- numeric-uid-gid
- no-group
- hide-control-chars
- reverse
- almost-all
- ignore-backups
- dereference-command-line
- dereference-command-line-symlink-to-dir
- ignore
- indicator-style
- dereference
- literal
- quote-name
- quoting-style
- recursive
- format
- show-control-chars
- tabsize
- time-style
- block-size
- context
- author
- cannot compare file names %s and %s
- *sorttype* != *sortversion*
- ! command/linearg || inode == NOTANINODE_NUMBER
- cannot access %s
- cannot read symbolic link %s
- %s %*s
- %s, %s
- Try '%s --help' for more information.
- Usage: %s [OPTION]... [FILE]...
- List information about the FILES (the current directory by default).
- Sort entries alphabetically if none of -ctuvSUX nor --sort.
- Mandatory arguments to long options are mandatory for short options too.

- -a, --all do not ignore entries starting with .
- -A, --almost-all do not list implied . and ..
- --author with -l, print the author of each file
- -b, --escape print octal escapes for nongraphic characters
- --block-size=SIZE use SIZE-byte blocks
- -B, --ignore-backups do not list implied entries ending with ~
- -c with -lt: sort by, and show, ctime (time of last modification of file status information)
- with -l: show ctime and sort by name
- otherwise: sort by ctime
- -C list entries by columns
- --color[=WHEN] control whether color is used to distinguish file types. WHEN may be `never`, `always`, or `auto`
- -d, --directory list directory entries instead of contents, and do not dereference symbolic links
- -D, --dired generate output designed for Emacs' dired mode
- -f do not sort, enable -aU, disable -ls --color
- -F, --classify append indicator (one of */=>@|) to entries
- --file-type likewise, except do not append `*'
- --format=WORD across -x, commas -m, horizontal -x, long -l, single-column -1, verbose -l, vertical -C
- --full-time like -l --time-style=full-iso
- -g like -l, but do not list owner
- --group-directories-first
- group directories before files.
- augment with a --sort option, but any
- use of --sort=none (-U) disables grouping
- -G, --no-group in a long listing, don't print group names
- -h, --human-readable with -l, print sizes in human readable format (e.g., 1K 234M 2G)
- --si likewise, but use powers of 1000 not 1024
- -H, --dereference-command-line
- follow symbolic links listed on the command line
- --dereference-command-line-symlink-to-dir
- follow each command line symbolic link
- that points to a directory
- --hide=PATTERN do not list implied entries matching shell PATTERN (overridden by -a or -A)
- --indicator-style=WORD append indicator with style WORD to entry names:
 - none (default), slash (-p),
 - file-type (--file-type), classify (-F)
- -i, --inode print the index number of each file
- -I, --ignore=PATTERN do not list implied entries matching shell PATTERN
- -k like --block-size=1K
- -l use a long listing format
- -L, --dereference when showing file information for a symbolic link, show information for the file the link
- references rather than for the link itself
- -m fill width with a comma separated list of entries
- -n, --numeric-uid-gid like -l, but list numeric user and group IDs
- -N, --literal print raw entry names (don't treat e.g. control characters specially)

- -o like -l, but do not list group information
- -p, --indicator-style=slash
- append / indicator to directories
- -q, --hide-control-chars print ? instead of non graphic characters
- --show-control-chars show non graphic characters as-is (default unless program is 'ls' and output is a terminal)
- -Q, --quote-name enclose entry names in double quotes
- --quoting-style=WORD use quoting style WORD for entry names:
 - literal, locale, shell, shell-always, c, escape
- -r, --reverse reverse order while sorting
- -R, --recursive list subdirectories recursively
- -s, --size print the size of each file, in blocks
- -S sort by file size
- --sort=WORD sort by WORD instead of name: none -U,
 - extension -X, size -S, time -t, version -v
- --time=WORD with -l, show time as WORD instead of modification
 - time: atime -u, access -u, use -u, ctime -c,
 - or status -c; use specified time as sort key
- if --sort=time
 - --time-style=STYLE with -l, show times using style STYLE:
 - full-iso, long-iso, iso, locale, +FORMAT.
 - FORMAT is interpreted like 'date'; if FORMAT is
 - FORMAT1FORMAT2, FORMAT1 applies to
 - non-recent files and FORMAT2 to recent files;
 - if STYLE is prefixed with 'posix-', STYLE
 - takes effect only outside the POSIX locale
- -t sort by modification time
- -T, --tabsize=COLS assume tab stops at each COLS instead of 8
- -u with -lt: sort by, and show, access time
- with -l: show access time and sort by name
- otherwise: sort by access time
- -U do not sort; list entries in directory order
- -v sort by version
- -w, --width=COLS assume screen width instead of current value
- -x list entries by lines instead of by columns
- -X sort alphabetically by entry extension
- -Z, --context print any SELinux security context of each file
- -1 list one file per line
- --help display this help and exit
- --version output version information and exit
- SIZE may be (or may be an integer optionally followed by) one of following:
 - kB 1000, K 1024, MB 10001000, M 10241024, and so on for G, T, P, E, Z, Y.
- By default, color is not used to distinguish types of files. That is
 - equivalent to using --color=none. Using the --color option without the
 - optional WHEN argument is equivalent to using --color=always. With
 - --color=auto, color codes are output only if standard output is connected
 - to a terminal (tty). The environment variable LS_COLORS can influence the
 - colors, and can be set easily by the dircolors command.
- Exit status is 0 if OK, 1 if minor problems, 2 if serious trouble.
- Report bugs to <%s>.
- bug-coreutils@gnu.org
- QUOTING_STYLE

- `LSBLOCKSIZE`
- `COLUMNS`
- `TABSIZE`
- `abdcdfghiklmnopqrstuvwxyz:ABCDEFGHI:LNQRST:UXZ1`
- `sizeof (struct devino) <= obstackobjectsizes (&devino_obstack)`
- cannot determine device and inode of %s
- reading directory %s
- closing directory %s
- `//DIREDD//`
- ignoring invalid value of environment variable `QUOTING_STYLE`: %s
- ignoring invalid tab size in environment variable `TABSIZE`: %s
- ignoring invalid width in environment variable `COLUMNS`: %s
- `--time`
- `--sort`
- `--quoting-style`
- `--indicator-style`
- `--format`
- invalid line width: %s
- GNU coreutils
- Richard M. Stallman
- David MacKenzie
- %s: not listing already-listed directory
- cannot open directory %s
- `hashgetnentries (activedir_set) == 0`
- `TIME_STYLE`
- invalid time style format %s
- `LS_COLORS`
- `BLOCK_SIZE`
- `//SUBDIREDD//`
- `//DIREDD-OPTIONS// --quoting-style=%s`
- time style
- `%Y-%m-%d %H:%M`
- invalid tab size: %s
- `--color`
- `%Y-%m-%d`
- `%m-%d %H:%M`
- `%Y-%m-%d %H:%M:%S.%N %z`
- target
- unparsable value for `LS_COLORS` environment variable
- unrecognized prefix: %s
- `./libs/`
- %s (%s) %s
- License GPLv3+: GNU GPL version 3 or later <http://gnu.org/licenses/gpl.html>
- This is free software: you are free to change and redistribute it.
- There is NO WARRANTY, to the extent permitted by law.
- Written by %s, %s, %s,
- %s, %s, %s, %s,
- %s, %s, and others.
- Written by %s.
- Written by %s, %s, %s,
- %s, %s, %s, %s,
- %s, and %s.

- Written by %s, %s, %s,
- %s, %s, %s, %s,
- and %s.
- Written by %s, %s, %s,
- %s, %s, %s, and %s.
- Written by %s, %s, %s,
- %s, %s, and %s.
- Written by %s, %s, %s,
- %s, and %s.
- Written by %s, %s, %s,
- and %s.
- Written by %s, %s, and %s.
- Written by %s and %s.
- memory exhausted
- invalid argument %s for %s
- ambiguous argument %s for %s
- Valid arguments are:
- - '%s'
- , %s' write error %s: %s Unknown system error %s:%d:
 POSIXLY_CORRECT list != NULL p[-1] == L_('') fnmatch_loop.c !
 "Invalid extended matching operator" mbsinit (&ps) fnmatch.c %s:
 unrecognized option %c%s'
- %s: illegal option -- %c
- %s: invalid option -- %c
- %s: option requires an argument -- %c
- %s: option %s' is ambiguous %s: option %s' requires an argument
- %s: unrecognized option --%s' %s: option -W %s' is ambiguous
- %s: option --%s' doesn't allow an argument %s: option -W %s' doesn't allow an argument
- POSIXLYCORRECT
- %s: option %c%s' doesn't allow an argument # entries: %lu # buckets: %lu #
 buckets used: %lu (%.2f%) max bucket length: %lu human-readable
 POSIXLY_CORRECT eEgGkKmMpPtTyYzZ0 BLOCK_SIZE BLOCKSIZE memory
 exhausted literal shell-always c-maybe escape locale
 clocale %H:%M:%S %Y-%m-%d %m/%d/%y invalid suffix in %s%s
 argument %s'
- invalid %s%s argument %s' %s%s argument %s' too large
- 0 <= strtolbase && strtolbase <= 36
- xstrtol.c
- 0 <= strtolbase && strtolbase <= 36
- xstrtol.c
- (NULL)
- caughtsignals
- /gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/config/sparc/sol2-c1.asm
-
-
- crt.i.s
- /gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/config/sparc/sol2-ci.asm
- values-Xa.c
- Bbss.bss
- Ddata.data

- Drodata.rodata
- crtstuff.c
- forcetodata
- **CTORLIST**
- **DTORLIST**
- **EHFRAMEBEGIN**
- **JCRLIST**
- *completed.1*
- *calldoglobaldtorsaux*
- *object.2*
- *callframedummy*
- *ls-ls.c*
- *usedcolor*
- *timestyleargs*
- *timestyletypes*
- *longtimeformat*
- *indicatorstyleargs*
- *indicatorstyletypes*
- *colorargs*
- *colortypes*
- *formatargs*
- *formattypes*
- *timeargs*
- *timetypes*
- *sortargs*
- *sorttypes*
- *printgroup*
- *printowner*
- *longoptions*
- *fileoutputblocksize*
- *colorindicator*
- *indicatename*
- *colorexflist*
- UNKNOWNSECURITYCONTEXT
- *sortfunctions*
- *revxstrcollname*
- *revxstrcolldfname*
- *revstrcmpname*
- *revstrcmpdfname*
- *revxstrcollextension*
- *revxstrcolldfextension*
- *revstrcmpextension*
- *revstrcmpdfextension*
- *revxstrcollsize*
- *revxstrcolldfsize*
- *revstrcmpsize*
- *revstrcmpdfsize*
- *revxstrcollversion*
- *revxstrcolldfversion*
- *revxstrcollmtime*
- *revxstrcolldfmtime*

- *revstrcmpmtime*
- *revstrcmpdfmtime*
- *revxstrcollctime*
- *revxstrcolldftime*
- *revstrcmpctime*
- *revstrcmpdfctime*
- *revxstrcollatime*
- *revxstrcolldfatime*
- *revstrcmpatime*
- *revstrcmpdfatime*
- *filetypeletter*
- *direddumpobstack*
- *devinohash*
- *devinocompare*
- *devinofree*
- *freependingent*
- *iscolored*
- *sighandler*
- *interruptsignal*
- *stophandler*
- *stopsignalcount*
- *clearfiles*
- *cwdnused*
- *anyhasacl*
- *sortedfile*
- *inodenumwidth*
- *blocksizewidth*
- *nlinkwidth*
- *ownerwidth*
- *formatuserorgroupwidth*
- *authorwidth*
- *scontextwidth*
- *majordevicenumwidth*
- *minordevicenumwidth*
- *filesizewidth*
- *addignorepattern*
- *ignorepatterns*
- *getfunkystring*
- *queuedirectory*
- *pendingdirs*
- *setexitstatus*
- *filefailure*
- *patternsmatch*
- *unsignedfilesize*
- *isdirectory*
- *extractdirsfromfiles*
- *activedirset*
- *xstrcoll*
- *failedstrcoll*
- *initializeorderingvector*
- *cwdfile*

- **func.4**
- *sortfiles*
- *sortedfilealloc*
- *sorttype*
- *timetype*
- *sortreverse*
- *directoriesfirst*
- *formatuserorgroup*
- *diredpos*
- *formatuser*
- *numericids*
- *formatuserwidth*
- **func.3**
- *gobblefile*
- *cwdnalloc*
- *dereference*
- *formatneedsstat*
- *printinode*
- *formatneedstype*
- *colorsymlinkasreferent*
- *checksymlinkcolor*
- *printscontext*
- *printblocksize*
- *humanoutputopts*
- *printauthor*
- *printwithcolor*
- *indicatorstyle*
- *immediatedirs*
- *quotename*
- *qmarkfunnychars*
- *prepnonfilenamestext*
- *putindicator*
- *restoredefaultcolor*
- *gettypeindicator*
- *printtypeindicator*
- *filetypeindicator.5*
- *printnamewithquoting*
- *filenamequotingoptions*
- *printfilenameandfrills*
- *lengthoffilenameandfrills*
- *indent*
- *tabsize*
- *columninfoalloc.6*
- *calculatecolumns*
- *maxidx*
- *columninfo*
- *linelength*
- *width.7*
- *printcurrentfiles*
- *currenttime*

- *subdiredobstack*
- **func.0**
- *posixprefix.2*
- **func.8**
- *first.9*
- *prntdimame*
- *recursive*
- *ignoremode*
- *hidepatterns*
- *dirnamequotingoptions*
- *devinoobstack*
- *colorbuf*
- *version.c*
- *file-has-acl.c*
- *areadlink-with-size.c*
- *filevercmp.c*
- *matchsuffix*
- *mbswidth.c*
- *progrname.c*
- *version-etc.c*
- *version-etc-fsf.c*
- *xalloc-die.c*
- *argmatch.c*
- *argmatchdie*
- *basename.c*
- *closeout.c*
- *closestdoutsetfilename*
- *dirfd.c*
- *xstrtol-error.c*
- *errortail*
- *oldfilename.0*
- *oldlinenumber.1*
- *exitfail.c*
- *filemode.c*
- *filenameecat.c*
- *fnmatch.c*
- *endpattern*
- *posixlycorrect*
- **func.2**
- *extmatch*
- *internalfnmatch*
- *endwpattern*
- **func.1**
- *extwmatch*
- *internalfrwmatch*
- *getopt.c*
- *exchange*
- *getoptdata*
- *getopt1.c*
- *gettime.c*
- *hard-locale.c*

- *hash.c*
- *defaulttuning*
- *checktuning*
- *allocateentry*
- *freeentry*
- *hashfindentry*
- *human.c*
- *blocksizeopts*
- *blocksizeargs*
- *powerletter*
- *adjustvalue*
- *defaultblocksize*
- *idcache.c*
- *nouseralist*
- *nogroupalist*
- *imaxtostr.c*
- *mpsort.c*
- *mpsortwithtmp*
- *obstack.c*
- *printandabort*
- *quote.c*
- *quotearg.c*
- *slotvec0*
- *nslots*
- *slotvec*
- *defaultquotingoptions*
- *quotingoptionsfromstyle*
- *gettextquote*
- *quoteargbufferrestyled*
- *quoteargnoptions*
- *strftime.c*
- *memcpylowcase*
- *memcpyuppcase*
- *strtimecase*
- *mbstatezero*
- *umaxtostr.c*
- *vfprintf.c*
- *xmalloc.c*
- *xstrtoul.c*
- *bkmscale*
- *bkmscalebypower*
- *fseterr.c*
- *xstrndup.c*
- *xstrtoumax.c*
- *close-stream.c*
- *mktime.c*
- *monyday*
- *guesstimetm*
- *rangedconvert*
- *localtimeoffset*
- *strlen.c*

- *vasnprintf.c*
- *decimalpointchar*
- *printf-frexp.c*
- *printf-frexpl.c*
- *isnand.c*
- *plusinf.1*
- *minusinf.2*
- *isnani.c*
- *printf-args.c*
- *widenullstring.0*
- *printf-parse.c*
- *libgcc2.c*
- **CTOREND**
- **DTOREND**
- **FRAMEEND**
- **JCREND**
- *calldoglobalctorsaux*
- *crtn.s*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/config/sparc/sol2-cn.asm*
- **START**
- *xrealloc*
- *nstrftime*
- *argmatchtoargument*
- *xzalloc*
- *wmemchr*
- *hashgetnentries*
- *obstackbegin*
- *environ*
- *strncmp*
- **GLOBALOFFSETTABLE**
- **muldi3**
- **erroroneperline**
- **rplvfprintf**
- **hashinitialize**
- **quotingstylevals**
- **JvRegisterClasses**
- **strmode**
- **sigismember**
- **strcmp**
- **xstrtolfatal**
- *moddi3*
- *Qitoq*
- *Qmul*
- *xmalloc*
- *quoteargnstyle*
- **fpending**
- **gmtime**
- **isatty**
- **hashgetnext**
- **clztab**
- *ctype*
- *printffetchargs*

- *errorafline*
- *getoptinternal*
- *lstat64*
- *getoptlongonly*
- *versionetc*
- *fstat64*
- *quoteargalloc*
- *readdir64*
- *rplgetoptlongonly*
- *hashgetmaxbucketlength*
- *quoteargstylemem*
- *ac/trivial*
- *Qadd*
- *iswcntrl*
- *hashgetnbuckets*
- *Qfle*
- *setprogramname*
- *sigprocmask*
- *setquotingstyle*
- *strerror*
- *rploptind*
- *getuidbyname*
- *versionetcva*
- *xcalloc*
- *Qflt*
- *hashlookup*
- *Qdiv*
- *mbsrtowcs*
- *argmatchvalid*
- *setjmp*
- *mbrlen*
- *obstackbegin1*
- *baselen*
- *tolower*
- *quoteargnmem*
- *hashgetnbucketsused*
- *xstrtoumax*
- *libversion*
- *strcpy*
- *Qfne*
- *quoteargchamem*
- *getoptlongr*
- *registerframeinfo*
- *quoteargfree*
- *errormessagecount*
- *rplopterr*
- *getpwnam*
- *memcmp*
- *clock_gettime*
- *dsohandle*
- *printffrexp*

- *opendir*
- *areadlinkwithsize*
- *getuser*
- *printfrexpl*
- *deregisterframeinfo*
- *quoteargbuffer*
- *wcwidth*
- *filevercmp*
- *obstacknewchunk*
- ***umoddi3***
- ***quoteargnstylemem***
- ***getgrnam***
- ***fclose***
- ***strcat***
- ***sprintf***
- ***edata***
- ***hardlocale***
- ***rploptopt***
- ***quoteargcolonmem***
- ***closestream***
- ***memset***
- ***xstrdup***
- ***clonequotingoptions***
- ***lsmode***
- ***quoteargstyle***
- ***Qqtoull***
- ***mpsort***
- ***quotingstyleargs***
- ***tolower***
- ***setquotingflags***
- ***iswctype***
- ***obstackmemoryused***
- ***wmemcpy***
- ***closedir***
- ***Qsub***
- ***mfilenameconcat***
- ***rplisnand***
- ***wcscat***
- ***quoten***
- ***hashstring***
- ***hashrehash***
- ***getgrgid***
- ***getquotingstyle***
- ***rplisnani***
- ***rplgetoptlong***
- ***fflush***
- ***humanoptions***
- ***tzname***
- ***gettimeofday***
- ***quotearg***
- ***rplstrnlen***
- ***memmove***

- *sigemptyset*
- *etext*
- *xallocdie*
- *imaxtostr*
- *exitfailure*
- *closestdout*
- *sigaddset*
- *rplgetopt*
- *hashprintstatistics*
- **Version**
- *vasnprintf*
- *localtime*
- **PROCEDURELINKAGETABLE**
- *localtimer*
- *errorprintprogrname*
- *Qlltoq*
- *cmpdi2*
- *assertc99*
- *fseterr*
- *x2realloc*
- *mbsinit*
- *hashgetfirst*
- *argmatch*
- *hashtableok*
- *quoteargallocmem*
- *argmatchinvalid*
- *obstackallocatedp*
- *toupper*
- *obstackfree*
- *getenv*
- *strchr*
- *major*
- *quoteargmem*
- *hashdoforeach*
- **start**
- *setcharquoting*
- *basename*
- *xargmatchinternal*
- *xmemdup*
- *gnumbswidth*
- *longjmp*
- *hashclear*
- *hashfree*
- *strchr*
- *getgidbyname*
- *setlocale*
- *Qfeq*
- *quoteargcolon*
- *hashresetuning*
- *strlen*
- *humanreadable*
- *filehasacl*

- [illegible]

- [illegible]

- *H;-sep*
- *bP/buf*
- *ed/buf*
- *f/buf*
- *ip/buf*
- *;-col ;-col*
- *Qm-o*
- *Q9;-o*
- *Rc-o*
- *M#+ptr*
- *../lib*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *termios.h*
- *machlock.h*
- *mutex.h*
- *rwlock.h*
- *semaphore.h*
- *condvar.h*
- *stropts.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *stddef.h*
- *setjmpiso.h*
- *setjmp.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *getopt.h*
- *signaliso.h*
- *selinux/selinux.h*
- *wcharimpl.h*
- *wchariso.h*
- *wchar.h*
- *stat.h*

- *system.h*
- *fcntl.h*
- *dirent.h*
- *dirent.h*
- *inttypes.h*
- *stdint.h*
- *localeiso.h*
- *argmatch.h*
- *dev-ino.h*
- *hash.h*
- *xstrtol.h*
- *human.h*
- *obstack.h*
- *quotearg.h*
- *stat-time.h*
- *timespec.h*
- *xalloc.h*
- *ctypeiso.h*
- *errno.h*
- *version.h*
- *exitfail.h*
- *progname.h*
- *ls-ls.c*
- *version.c*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *machtypes.h*
- *inttypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *stat.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *file-has-acl.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddefiso.h*
- *stddef.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*

- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *areadlink-with-size.c*
- *errno.h*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *machtypes.h*
- *inttypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *filevercmp.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddefiso.h*
- *stddef.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*

- `select.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `stdiotag.h`
- `wcharimpl.h`
- `valist.h`
- `stdargiso.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `wchariso.h`
- `wchar.h`
- `wctypeiso.h`
- `wctype.h`
- `mbswidth.c`
- `ctypeiso.h`
- `/usr/include/iso`
- `stringiso.h`
- `progname.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `valist.h`
- `stdargiso.h`
- `stdiotag.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `stddefiso.h`
- `stddef.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `timeiso.h`
- `time.h`
- `select.h`
- `stdlibiso.h`
- `stdlibc99.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `localeiso.h`
- `version-etc.c`
- `version-etc.h`
- `/usr/include`
- `/usr/include/sys`

- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *valist.h*
- *iso/stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *iso/stdioiso.h*
- *stdio.h*
- *iso/stddefiso.h*
- *stddef.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *version-etc-fsf.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddefiso.h*
- *stddef.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *localeiso.h*
- *xalloc-die.c*
- *exitfail.h*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddefiso.h*
- *stddef.h*
- *argmatch.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*

- *stdioiso.h*
- *stdio.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *localeiso.h*
- *quotearg.h*
- *argmatch.c*
- */usr/include/iso*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddefiso.h*
- *stddef.h*
- *basename.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *stddefiso.h*
- *stddef.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *localeiso.h*
- *quotearg.h*

- *closeout.c*
- *errno.h*
- *exitfail.h*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *machtypes.h*
- *inttypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *dirent.h*
- *dirent.h*
- *dirfd.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *stddefiso.h*
- *stddef.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *error.c*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *types.h*

- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *exitfail.c*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *machtypes.h*
- *inttypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *stat.h*
- *filemode.c*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *filenameecat.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddefiso.h*
- *stddef.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*

- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *wctypeiso.h*
- *stdiotag.h*
- *wcharimpl.h*
- *valist.h*
- *stdargiso.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *wchariso.h*
- *wctype.h*
- *fnmatch/loop.c*
- *fnmatch.c*
- *errno.h*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stdlibiso.h*
- *stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *getopt.h*
- *localeiso.h*
- *getoptint.h*
- *getopt.c*
- */usr/include*
- */usr/include/iso*

- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stdlibiso.h*
- *stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *getopt.h*
- *getoptint.h*
- *getopt1.c*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *iso/timeiso.h*
- *machtypes.h*
- *inttypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *select.h*
- *time.h*
- *gettime.c*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *iso/localeiso.h*
- *libintl.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*

- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *hard-locale.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *stddefiso.h*
- *stddef.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *hash.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *hash.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *limits.h*
- *inttypes.h*
- *machtypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *inttypes.h*
- *stdint.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*

- *signal.h*
- *procset.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *getopt.h*
- *xstrtol.h*
- *human.h*
- *localeiso.h*
- *argmatch.h*
- *human.c*
- */usr/include*
- */usr/include/iso*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *stddef.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *idcache.c*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys*
- *inttypes.h*
- *machtypes.h*
- *types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *inttypes.h*

- `stdint.h`
- `inttostr.c`
- `/usr/include/iso`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stddefiso.h`
- `stddef.h`
- `mpsort.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stringiso.h`
- `obstack.h`
- `valist.h`
- `stdargiso.h`
- `stdiotag.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `stddefiso.h`
- `stddef.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `timeiso.h`
- `time.h`
- `select.h`
- `inttypes.h`
- `stdint.h`
- `obstack.c`
- `stdlibiso.h`
- `stdlibc99.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `localeiso.h`
- `exitfail.h`
- `/usr/include/iso`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stddefiso.h`
- `stddef.h`
- `quotearg.h`
- `quote.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stddefiso.h`
- `stddef.h`

- `quotearg.h`
- `limits.h`
- `stdlibiso.h`
- `stdlibc99.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `timeiso.h`
- `time.h`
- `select.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `stdiotag.h`
- `wcharimpl.h`
- `valist.h`
- `stdargiso.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `wchariso.h`
- `wchar.h`
- `wctypeiso.h`
- `wctype.h`
- `localeiso.h`
- `quotearg.c`
- `xalloc.h`
- `errno.h`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `timeiso.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `select.h`
- `time.h`
- `stdiotag.h`
- `wcharimpl.h`
- `valist.h`
- `stdargiso.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `stddef.h`
- `wchariso.h`

- `wchar.h`
- `stdlibiso.h`
- `stdlibc99.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `strftime.c`
- `/usr/include`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys`
- `inttypes.h`
- `machtypes.h`
- `types.h`
- `timeimpl.h`
- `time.h`
- `iso/timeiso.h`
- `time.h`
- `select.h`
- `inttypes.h`
- `stdint.h`
- `inttostr.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `valist.h`
- `stdargiso.h`
- `stdiotag.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `stddefiso.h`
- `stddef.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `timeiso.h`
- `time.h`
- `select.h`
- `stdlibiso.h`
- `stdlibc99.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `vfprintf.c`
- `errno.h`
- `/usr/include`
- `/usr/include/sys`

- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `iso/stddefiso.h`
- `stddef.h`
- `iso/stdlibiso.h`
- `iso/stdlibc99.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `iso/timeiso.h`
- `time.h`
- `select.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `xmalloc.c`
- `xalloc.h`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stdlibiso.h`
- `stdlibc99.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `timeiso.h`
- `time.h`
- `select.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `valist.h`
- `stdargiso.h`
- `stdiotag.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `getopt.h`
- `inttypes.h`
- `stdint.h`
- `xstrtol.h`
- `localeiso.h`
- `xstrtol-error.c`
- `exitfail.h`
- `/usr/include`
- `/usr/include/iso`

- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stdlibiso.h*
- *stdlibc99.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *valist.h*
- *stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *stdioiso.h*
- *stdio.h*
- *getopt.h*
- *inttypes.h*
- *stdint.h*
- *xstrtol.h*
- *xstrtol.c*
- *ctypeiso.h*
- *errno.h*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *valist.h*
- *iso/stdargiso.h*
- *stdiotag.h*
- *stdioimpl.h*
- *iso/stdioiso.h*
- *stdio.h*
- *iso/stddefiso.h*
- *stddef.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *fseterr.c*
- */usr/include/iso*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddefiso.h*

- `stddef.h`
- `xstrndup.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stdlibiso.h`
- `stdlibc99.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `timeiso.h`
- `time.h`
- `select.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `valist.h`
- `stdargiso.h`
- `stdiotag.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `getopt.h`
- `inttypes.h`
- `stdint.h`
- `xstrtol.h`
- `xstrtol.c`
- `ctypeiso.h`
- `errno.h`
- `/usr/include`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `valist.h`
- `iso/stdargiso.h`
- `stdiotag.h`
- `stdioimpl.h`
- `iso/stdioiso.h`
- `stdio.h`
- `iso/stddefiso.h`
- `stddef.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `iso/timeiso.h`
- `time.h`
- `select.h`

- `close-stream.c`
- `errno.h`
- `/usr/include`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys`
- `iso/timeiso.h`
- `machtypes.h`
- `inttypes.h`
- `types.h`
- `timeimpl.h`
- `time.h`
- `select.h`
- `time.h`
- `mktime.c`
- `/usr/include`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include/sys`
- `iso/stringiso.h`
- `iso/stdlibiso.h`
- `iso/stdlibc99.h`
- `machtypes.h`
- `inttypes.h`
- `types.h`
- `timeimpl.h`
- `time.h`
- `iso/timeiso.h`
- `time.h`
- `select.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `strndup.c`
- `/usr/include/iso`
- `stringiso.h`
- `strnlen.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `valist.h`
- `stdargiso.h`
- `stddefiso.h`
- `stddef.h`
- `localeiso.h`
- `stdiotag.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`

- *timeimpl.h*
- *time.h*
- *timeiso.h*
- *time.h*
- *select.h*
- *stdlibiso.h*
- *stdlibc99.h*
- *resource.h*
- *siginfo.h*
- *signal.h*
- *procset.h*
- *nltypes.h*
- *wcharimpl.h*
- *wchariso.h*
- *wchar.h*
- *printf-args.h*
- *printf-parse.h*
- *inttypes.h*
- *stdint.h*
- *mathc99.h*
- *math.h*
- *ieeefp.h*
- *floatingpoint.h*
- *fpucw.h*
- *vasnprintf.c*
- *xsize.h*
- *errno.h*
- */usr/include*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *iso/mathc99.h*
- *math.h*
- *stdiotag.h*
- *sys/ieeefp.h*
- *floatingpoint.h*
- *printf-frexp.c*
- */usr/include*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *iso/mathc99.h*
- *math.h*
- *stdiotag.h*
- *sys/ieeefp.h*
- *floatingpoint.h*
- *fpucw.h*
- *printf-frexp.c*
- */usr/include*
- *iso/stringiso.h*
- *limits.h*
- *float+.h*
- *isnan.c*
- */usr/include*
- *iso/stringiso.h*
- *limits.h*

- `float+.h`
- `isnan.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stddefiso.h`
- `stddef.h`
- `stdiotag.h`
- `wcharimpl.h`
- `timeiso.h`
- `valist.h`
- `stdargiso.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `time.h`
- `select.h`
- `wchariso.h`
- `wchar.h`
- `printf-args.h`
- `printf-args.c`
- `/usr/include`
- `/usr/include/iso`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stddefiso.h`
- `stddef.h`
- `stdiotag.h`
- `wcharimpl.h`
- `timeiso.h`
- `valist.h`
- `stdargiso.h`
- `stdioimpl.h`
- `stdioiso.h`
- `stdio.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `time.h`
- `select.h`
- `wchariso.h`
- `wchar.h`
- `printf-args.h`
- `printf-parse.h`

- `inttypes.h`
- `stdint.h`
- `stdlibiso.h`
- `stdlibc99.h`
- `resource.h`
- `siginfo.h`
- `signal.h`
- `procset.h`
- `printf-parse.c`
- `xsize.h`
- `errno.h`
- `/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc`
- `include`
- `/usr/include`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stddef.h`
- `stdarg.h`
- `valist.h`
- `stdiotag.h`
- `stdioimpl.h`
- `iso/stdioiso.h`
- `stdio.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`
- `time.h`
- `iso/timeiso.h`
- `time.h`
- `select.h`
- `iso/stdlibiso.h`
- `iso/stdlibc99.h`
- `config/sparc/sparc.h`
- `libgcc2.h`
- `libgcc2.c`
- `/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc`
- `include`
- `/usr/include`
- `/usr/include/sys`
- `/usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include`
- `stddef.h`
- `stdarg.h`
- `valist.h`
- `stdiotag.h`
- `stdioimpl.h`
- `iso/stdioiso.h`
- `stdio.h`
- `machtypes.h`
- `inttypes.h`
- `sys/types.h`
- `timeimpl.h`

- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *config/sparc/sparc.h*
- *libgcc2.h*
- *libgcc2.c*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc*
- *include*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddef.h*
- *stdarg.h*
- *valist.h*
- *stdiotag.h*
- *stdioimpl.h*
- *iso/stdioiso.h*
- *stdio.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *config/sparc/sparc.h*
- *libgcc2.h*
- *libgcc2.c*
- *longlong.h*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc*
- *include*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddef.h*
- *stdarg.h*
- *valist.h*
- *stdiotag.h*
- *stdioimpl.h*
- *iso/stdioiso.h*
- *stdio.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*

- *iso/timeiso.h*
- *time.h*
- *select.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *config/sparc/sparc.h*
- *libgcc2.h*
- *libgcc2.c*
- *longlong.h*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc*
- *include*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddef.h*
- *stdarg.h*
- *valist.h*
- *stdiotag.h*
- *stdioimpl.h*
- *iso/stdioiso.h*
- *stdio.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *config/sparc/sparc.h*
- *libgcc2.h*
- *libgcc2.c*
- *longlong.h*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc*
- *include*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddef.h*
- *stdarg.h*
- *valist.h*
- *stdiotag.h*
- *stdioimpl.h*
- *iso/stdioiso.h*
- *stdio.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*

- *iso/timeiso.h*
- *time.h*
- *select.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *config/sparc/sparc.h*
- *libgcc2.h*
- *libgcc2.c*
- *longlong.h*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc*
- *include*
- */usr/include*
- */usr/include/sys*
- */usr/sfw/lib/gcc/sparc-sun-solaris2.10/3.4.3/include*
- *stddef.h*
- *stdarg.h*
- *valist.h*
- *stdiotag.h*
- *stdioimpl.h*
- *iso/stdioiso.h*
- *stdio.h*
- *machtypes.h*
- *inttypes.h*
- *sys/types.h*
- *timeimpl.h*
- *time.h*
- *iso/timeiso.h*
- *time.h*
- *select.h*
- *iso/stdlibiso.h*
- *iso/stdlibc99.h*
- *config/sparc/sparc.h*
- *libgcc2.h*
- *libgcc2.c*
- *%lsmode*
- *%Version*
- *}filehasacl*
- *areadlinkwithsize*
- *filevercmp*
- *mbsnwidth*
- *gnumbswidth*
- *,setprogramname*
- *{programname*
- *qversionetcva*
- *versionetc*
- *versionetccopyright*
- *yxallocdie*
- *~argmatch*
- *argmatchinvalid*
- *gargmatchvalid*
- *xargmatchinternal*
- *5argmatchtoargument*

- *argmatchdie*
- *Elastcomponent*
- *baselen*
- *basename*
- *Cclosestoutsetfilename*
- *sclosestdout*
- *gerroratline*
- *errorprintprograme*
- *errormessagecount*
- *)erroroneperline*
- *yexitfailure*
- *strmode*
- *filemodestring*
- *mfilenameconcat*
- *pfilenameconcat*
- *pgnufrnmatch*
- *getoptinternalr*
- *getoptinternal*
- *rplgetopt*
- *rploptarg*
- *rploptind*
- *2rplopterr*
- *Drploptopt*
- *rplgetoptlong*
- *getoptlongr*
- *erplgetoptlongonly*
- *getoptlongonlyr*
- *gettime*
- *hardlocale*
- *Fhashgetnbuckets*
- *zhashgetnbucketsused*
- *hashgetnentries*
- *hashgetmaxbucketlength*
- *3hashtableok*
- *hashprintstatistics*
- *hashlookup*
- *Thashgetfirst*
- *hashgetnext*
- *hashgetentries*
- *Yhashdoforeach*
- *hashstring*
- *'hashresettuning*
- *hashinitialize*
- *hashclear*
- *\$hashfree*
- *hashrehash*
- *^hashinsert*
- *hashdelete*
- *1humanreadable*
- *humanoptions*
- *getuser*
- *Kgetuidbyname*

- *getgroup*
- *getgidbyname*
- *imaxtostr*
-
- *obstackbegin*
- *^obstackbegin1*
- *obstacknewchunk*
- *obstackallocatedp*
- *obstackfree*
- *?obstackmemoryused*
- *obstackallocfailedhandler*
- *:quoten*
- *clonequotingoptions*
- *getquotingstyle*
- *setquotingstyle*
- *"setcharquoting*
- *setquotingflags*
- *Cquoteargbuffer*
- *quoteargallocmem*
- *quoteargalloc*
- *quoteargfree*
- *quoteargn*
- *nmem*
- *quotearg*
- *quoteargmem*
- *quoteargnstyle*
- *5quoteargnstylemem*
- *quoteargstyle*
- *quoteargstylemem*
- *quoteargcharm*
- *dquoteargchar*
- *quoteargcolon*
- *quoteargcolonmem*
- *quotingstyleargs*
- *Aquotingstyleevals*
- *jnstrftime*
- *umaxtostr*
- *wrplvfprintf*
- *xmalloc*
- *xrealloc*
- *x2realloc*
- *xzalloc*
- *xcalloc*
- *xmemdup*
- *,xstrdup*
- *xstrtolfatal*
- *Fxstrtoul*
- *Nfseterr*
- *Exstrndup*
- *Fxstrtoumax*
- *Nclosestream*
- *mktimeinternal*

- **rplmktime**
- **rplstrndup**
- **7rplstrnlen**
- **~vasnprintf**
- **Vprintffrexp**
- **Vprintffrexpl**
- **rplisnand**
- **rplisnani**
- **printffetchargs**
- **printfparse**
- **muldi3**
- **cmpdi2**
- **'divdi3**
- **'moddi3**
- **udivdi3**
- **umoddi3**
- **clztab**
- **argdirectory**
- **dirname**
- **revstrcmpname**
- **IGNOREDEFAULT**
- **size_t**
- **revxstrcollfname**
- **bycolumns**
- **namewidth**
- **tmhour**
- **value**
- **stctim**
- **mbstate**
- **stblksize**
- **stblocks**
- **authorwidth**
- **printnamewithquoting**
- **exitstatus**
- **stophandler**
- **newcolumninfoalloc**
- **func**
- **inodenumwidth**
- **int32t**
- **strcmpextension**
- **isotimestyle**
- **getstatmtime**
- **printf/lenamendfrills**
- **numericids**
- **CNORM**
- **getlinkname**
- **ctid**
- **makelinkname**
- **ctidt**
- **stdev**
- **timestyleargs**

- **CSETUID**
- *indicatorstyletypes*
- *localequotingstyle*
- *dotordotdot*
- *revstrcmptextension*
- **STGND**
- *stntim*
- *timestyleoption*
- *timet*
- *formatneedsstat*
- *sigsett*
- *zoneidt*
- *columninfo*growth
- *tmpulong*
- *obstackchunk*
- *filler*
- CSOCK
- *extraarg*
- *wsypixel*
- *withcommas*
- *ctype*
- *sicode*
- *calculatecolumns*
- **LONGINTINVALIDSUFFIXCHAR**
- *devinocompare*
- *cwdfile*
- *putindicator*
- *xstrcolldfversion*
- *cmpsize*
- *queuedirectory*
- *totalblocks*
- *status*
- *cmpextension*
- *xstrcolldfmtime*
- *recursive*
- *initializeexitfailure*
- *Dereferencesymlink*
- *rploptind*
- *indicatorstyleargs*
- *formatgroupwidth*
- *bufsiz*
- *maxcols*
- *processsignals*
- **LONGINTOVERFLOW**
- *blockdev*
- *sigatomict*
- *revxstrcolldfversion*
- *strcmpdfname*
- *realname*
- *contents*
- *hashtable*

- *entity*
- *xstrcollsize*
- *filetype*
- *dirnamequotingoptions*
- *timetostr*
- *strcmpatime*
- *tmisdst*
- *failedstrcoll*
- *scontextwidth*
- *xstrcollversion*
- *hasarg*
- *outputcount*
- *lengthoffilenameandfrills*
- *colorextype*
- *quotingstyleargs*
- *addignorepattern*
- *short unsigned int*
- *oldset*
- *filenamequotingoptions*
- *sortextension*
- **DEREFCOMMANDLINEARGUMENTS**
- *sorttypes*
- *widthgap*
- *mbstatet*
- *options*
- *indicatorname*
- *strcmpdfsize*
- *sortedfile*
- *whiteout*
- *longlongt*
- *timenumtypes*
- *columninfo*
- *sighandler*
- *extractdirsfromfiles*
- *stmode*
- *xstrcollmtime*
- *ddsize*
- *cmpatime*
- *setexitstatus*
- *stime*
- *filename*
- *stuid*
- *lgetfilecon*
- *colorsymlinkasreferent*
- *ownerwidth*
- *data*
- *cwdnalloc*
- *diredpos*
- *ddloc*
- *thispend*
- *getfunkystring*
- *siginfot*

- **unsigned char**
- **CSETGID**
- **caselongisotimestyle**
- **nlinkt**
- **unknown**
- **samask**
- **dreclen**
- seekable
- strtolerror
- *cwdnused*
- *statok*
- filesno
- IGNOREDOTANDDOTDOT
- *namelength*
- majorbuf
- freefun
- printtypeindicator
- *coloriffty*
- *iscolored*
- *timemtime*
- *printdimame*
- *majordevicenumberwidth*
- *timestyletypes*
- *ulonglongt*
- *basenameisdotordotdot*
- *stopsignalcount*
- *formatuserorgroupwidth*
- *columninfoalloc*
- *indno*
- *ignorepatterns*
- *unsignedfilesize*
- *linefmt*
- *reallength*
- *dname*
- *quotename*
- *sortedfilealloc*
- **DEREFNEVER**
- *colortype*
- *revxstrcollextension*
- *modebuf*
- *chunksize*
- qsortFunc
- *tmmin*
- *printowner*
- *alignmentmask*
- *normal*
- *blankswidth*
- *sierno*
- *sorttypespecified*
- *absolutename*
- *printcolorindicator*

- *usedcolorthistime*
- ***faddr***
- ***xstrcollsize***
- ***fileinfo***
- ***programname***
- ***sigaction***
- ***tmmday***
- ***tabsize***
- ***commandlinearg***
- ***cmpmtime***
- ***devinoobstack***
- ***CORPHAN***
- ***xfnocheck***
- ***quotingoptions***
- ***cmaybequotingstyle***
- ***/tmp/coreutils-7.0/src***
- ***ignoredotanddotdot***
- ***LONGINTINVALIDSUFFIXCHARWITHOVERFLOW***
- ***devinopop***
- ***prefix***
- ***printlongformat***
- ***pdata***
- ***tstamp***
- ***tmsec***
- ***nlinkwidth***
- ***sisigno***
- ***CMISSING***
- ***longoptions***
- ***patternsmatch***
- ***sivalptr***
- ***stgid***
- ***prof***
- ***IGNOREMINIMAL***
- ***xnmalloc***
- ***fullisotimestyle***
- ***revstrcmpdfname***
- ***formattypes***
- ***directory***
- ***CFIFO***
- ***STBACKSLASH***
- ***ddbbuf***
- ***sixmonthsago***
- ***bisdir***
- ***indicatorno***
- ***localetimestyle***
- ***indent***
- ***lsblocksize***
- ***revxstrcolldftime***
- ***whentimespec***
- ***long unsigned int***
- ***displayedwidth***

- `format`
- `status`
- `maybeemptyobject`
- **`file`**
- **`stsize`**
- **`filetypeindicator`**
- **`revstrcmpdfmtime`**
- **`objectbase`**
- **`strcmpdfctime`**
- **`option`**
- **`isdirectory`**
- **`chardev`**
- **`recent`**
- **`revstrcmpdfctime`**
- **`revstrcmpctime`**
- `sysarg`
- `pending`
- `colorexlist`
- `classify`
- `visitdir`
- `revstrcmpdfextension`
- `CSTICKYOTHERWRITABLE`
- `wsxpixel`
- `DEREFCOMMANDLINE SYMLINKTODIR`
- `emitbugreportingaddress`
- `fileoutputblocksize`
- `directoriesfirst`
- `parse/scolor`
- `revxstrcollname`
- `cmpname`
- `temp_ptr`
- `argmatchdie`
- `CRIGHT`
- `allocfailed`
- `ignoremode`
- `scontext`
- `long long int`
- `mbstatet`
- `freependingent`
- `currenttime`
- `Version`
- `restoredefaultcolor`
- `exitfailure`
- `strcmpname`
- `tmmon`
- `saflags`
- `maxnamelength`
- `revxstrcollmtime`
- `cquotingstyle`
- `formatneedstype`
- `revxstrcollatime`

- *revxstrcollsize*
- *timestyle*
- *filefailure*
- *usedcolor*
- *LONGINTINVALID*
- *pendingdirs*
- *DEREFUNDEFINED*
- *colorindicator*
- *printscontext*
- **rctl**
- **sortsize**
- **stpad1**
- **stpad2**
- *orientation*
- *getstatctime*
- *linkbuf*
- *localequotingstyle*
- *winsize*
- *xnrealloc*
- *unsigned int*
- *obstack*
- *blkcntt*
- *shellquotingstyle*
- *caddrt*
- *interruptsignal*
- *sortfiles*
- *attach*
- *quotingstylevals*
- *literalquotingstyle*
- *revstrcmprsize*
- *printgroup*
- **sigbits**
- **groupwidth**
- **timestruct**
- **anyhasacl**
- **prepnnonfilenametext**
- **CFILE**
- **equalsend**
- **formatargs**
- **string**
- **strcmpmtime**
- **hidepatterns**
- **indicatorstyle**
- **gobblefile**
- **strdev**
- *revxstrcollsize*
- *long int*
- *dirent*
- *nextfree*
- *usestrcmp*
- **STERROR**

- **CSTICKY**
- *sorttime*
- *stnlink*
- *modet*
- **CLEFT**
- *revxstrcolldfatime*
- *ignorepattern*
- **STHEX**
- *devinofree*
- *smallbuf*
- *dirstat*
- *timeargs*
- *sivalint*
- *long double*
- *longtimeformat*
- *validlen*
- **STEND**
- *printauthor*
- *revxstrcollctime*
- *xstrcolldfctime*
- *clearfiles*
- *manyperline*
- *longformat*
- *haveacl*
- *ulongt*
- **LONGINTOK**
- *timespec*
- *dereference*
- *linkmode*
- *strcmpdfextension*
- *longisotimestyle*
- *saresv*
- *sortfunctions*
- *long long unsigned int*
- **CLINK**
- *clockt*
- *colornever*
- *direddumpobstack*
- *printcurrentfiles*
- *decodeswitches*
- *quotingstyle*
- *revxstrcolldfmttime*
- *sortversion*
- *revxstrcolldfextension*
- *printmanyperline*
- *doderef*
- *minordevicenumberwidth*
- *symboliclink*
- *linkok*
- *xstrcolldfextension*
- *filesizewidth*
- *tmyday*

- ***cmpversion***
- ***qmarkfunnychars***
- ***outputblocksize***
- ***formatuser***
- ***sigaction***
- ***FILE***
- ***strcmpdfatime***
- ***siginfo***
- ***strcmpsize***
- ***linkstats***
- ***line/length***
- ***revstrcmpdfatime***
- ***xstrcollctime***
- ***sortreverse***
- ***wsrow***
- ***Hashtable***
- ***extendedfd***
- ***ignore***
- ***filetype/letter***
- ***shellalwaysquotingstyle***
- ***xstrcollname***
- ***devino***
- ***xstrcolldfname***
- ***qstyle***
- ***jmpbuf***
- ***filetype***
- ***useextraarg***
- ***CRESET***
- ***STOCTAL***
- ***printwithcolor***
- ***escapequotingstyle***
- ***COTHERWRITABLE***
- ***rploptarg***
- ***maxidx***
- ***caughtsignals***
- ***needlstat***
- ***plimit***
- ***horizontal***
- ***diredobstack***
- ***devinohash***
- ***posixprefix***
- ***filename***
- ***timectime***
- ***formatuserwidth***
- ***short int***
- ***syscall***
- ***patterns***
- ***pattern***
- ***printblocksize***
- ***xstrcollatime***
- ***revstrcmpatime***
- ***entfromtable***

- *tvnsec*
- *chunkfun*
- *handler*
- *subdiredobstack*
- *sortnone*
- *printwithcommas*
- *printdir*
- *blocks*
- *attrlen*
- *stfstype*
- *nfiles*
- **mstate**
- **DEREFALWAYS**
- ***printinode***
- **dirnamep**
- **timetypes**
- *band*
- *printhorizontal*
- *getstatatime*
- *funcptr*
- *UNKNOWNSECURITYCONTEXT*
- *STCARET*
- *tempint*
- *localeformat*
- *xstrcollextension*
- *activedirset*
- *timespeccmp*
- *CEXEC*
- *immediatedirs*
- *revxstrcollversion*
- *strcmpdfmtime*
- *whenlocal*
- *initcolumninfo*
- *blksizet*
- *coloralways*
- *tmwday*
- *revstrcmpmtime*
- *CDOOR*
- **nsysarg**
- **cmpctime**
- *proc*
- **utime**
- **sigval**
- **formatuserorgroup**
- **binstr**
- **checksymbblinkcolor**
- **colarr**
- **lsmode**
- **sortnumtypes**
- **gettypeindicator**
- **longtimeexpectedwidth**

- *humanoutputopts*
- *linkname*
- *timetype*
- *tmyear*
- *aisdir*
- *xstrcoll*
- *chunklimit*
- *addr*
- *blocksizewidth*
- *message*
- *colorbuf*
- *ionolock*
- *separator*
- *stpad4*
- *sorttype*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *foundmatch*
- *formatgroup*
- *serious*
- *tablesize*
- *sortargs*
- *kill*
- *strcmpctime*
- *revstrcmpdfsize*
- *fileignored*
- *stino*
- *minorbuf*
- *xstrcolldfatime*
- *timeatime*
- *line/en*
- *zoneid*
- *coloratypes*
- *sortname*
- *tvsec*
- *oneperline*
- *argmatchexifn*
- *wchart*
- *trapno*
- *fault*
- *initializeorderingvector*
- *wscol*
- *statim*
- *colorargs*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- */tmp/coreutils-7.0/src*
- *ls-ls.c*
- *lsmode*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- */tmp/coreutils-7.0/src*
- *Version*
- *version.c*
- *longlongt*

- *stblksize*
- *ulongt*
- *stfstype*
- *file-has-acl.c*
- *long long unsigned int*
- *stblocks*
- *timestruct*
- *tvnsec*
- *stgid*
- *stmode*
- *stnlink*
- *timespec*
- *blkcntt*
- *stpad1*
- *timet*
- *stino*
- *stpad2*
- *stpad4*
- *long long int*
- *long double*
- *strdev*
- *short int*
- *stmtim*
- *long int*
- *statim*
- *unsigned int*
- *filehasacl*
- *tvsec*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *long unsigned int*
- */tmp/coreutils-7.0/lib*
- *nlinkt*
- *unsigned char*
- *blksize_t*
- *stsize*
- *stuid*
- *stctim*
- *stdev*
- *modet*
- *short unsigned int*
- *ulonglongt*
- *buffer*
- *linklength*
- *long long unsigned int*
- *areadlink-with-size.c*
- *size_t*
- *bufsize*
- *initiallimit*
- *ssize_t*
- *INITIALLIMITBOUND*
- *symlinkmax*
- *long long int*

- long double
- short int
- long int
- savederrno
- areadlinkwithsize
- unsigned int
- GNU C 3.4.3 (csl-sol210-34-branch+solrpath)
- long unsigned int
- /tmp/coreutils-7.0/lib
- unsigned char
- short unsigned int
- s1suffix
- s1len
- firstdiff
- s2len
- result
- long long unsigned int
- s2suffix
- sizet
- s2pos
- matchsuffix
- simplecmp
- filevercmp.c
- long long int
- long double
- filevercmp
- readalpha
- verrevcmp
- short int
- s1pos
- long int
- unsigned int
- GNU C 3.4.3 (csl-sol210-34-branch+solrpath)
- long unsigned int
- /tmp/coreutils-7.0/lib
- unsigned char
- short unsigned int
- mbsnwidth
- wchart
- long long unsigned int
- ctype
- mbswidth.c
- sizet
- string
- plimit
- long long int
- gnumbswidth
- nbytes
- long double
- mbstate
- mbstatet
- short int

- long int
- unsigned int
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)
- long unsigned int
- *mbstatet*
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *short unsigned int*
- ***filler***
- ***unsigned int***
- ***programname***
- */tmp/coreutils-7.0/lib*
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)
- ***setprogramname***
- ***progrname.c***
- orientation
- long long unsigned int
- **FILE**
- ***tmpauthors***
- ***sizet***
- extendedfd
- *versionetcva*
- *valist*
- *long long int*
- *long double*
- *authors*
- *short int*
- *long int*
- *version-etc.c*
- *version*
- *nauthors*
- unsigned int
- *valist*
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)
- *long unsigned int*
- *versionetc*
- */tmp/coreutils-7.0/lib*
- unsigned char
- *versionetccopyright*
- package
- **ionolock**
- **short unsigned int**
- filler
- **seekable**
- ***xfnocheck***
- ***commandname***
- **stream**
- long long int
- long long unsigned int
- long int
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)
- long unsigned int

- **short unsigned int**
- **version-etc-fsf.c**
- **versionetccopyright**
- **unsigned char**
- **short int**
- **long double**
- **unsigned int**
- **/tmp/coreutils-7.0/lib**
- **xallocdie**
- **long long unsigned int**
- **long long int**
- **long double**
- **short int**
- **long int**
- **xalloc-die.c**
- **unsigned int**
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- **long unsigned int**
- **exitfailure**
- **/tmp/coreutils-7.0/lib**
- **unsigned char**
- **short unsigned int**
- orientation
- lastval
- *exitfn*
- format
- argmatch.c
- ambiguous
- argmatchtoargument
- long long unsigned int
- **FILE**
- **arglist**
- **size_t**
- **problem**
- **argmatch**
- *extendedfd*
- *ptrdiff_t*
- long long int
- valsize
- context
- arglen
- long double
- *argmatchvalid*
- *argmatchdie*
- *argmatchdie*
- *short int*
- *long int*
- *unsigned int*
- *matchind*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- **long unsigned int**
- **/tmp/coreutils-7.0/lib**

- *unsigned char*
- *xargmatchinternal*
- **ionolock**
- **short unsigned int**
- *filler*
- *argmatchexitfn*
- **seekable**
- **vallist**
- **xfnocheck**
- **argmatchinvalid**
- **unsigned int**
- **size_t**
- *prefixlen*
- **basename**
- */tmp/coreutils-7.0/lib*
- *long int*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- **sawslash**
- **baselen**
- **basename.c**
- *length*
- **lastcomponent**
- *orientation*
- *long long unsigned int*
- **FILE**
- **writeerror**
- *extendedfd*
- *closeststdoutsetfilename*
- *long long int*
- *closeout.c*
- *long double*
- *short int*
- *long int*
- *unsigned int*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- *long unsigned int*
- *exitfailure*
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *closeststdout*
- **ionolock**
- **short unsigned int**
- **filename**
- *filler*
- **seekable**
- **xfnocheck**
- *long long unsigned int*
- *long long int*
- *long int*
- **ddsize**
- **ddloc**
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**

- ***long unsigned int***
- ***short unsigned int***
- ***dirfd.c***
- ***unsigned char***
- ***short int***
- ***long double***
- ***unsigned int***
- ***/tmp/coreutils-7.0/lib***
- ***dbuf***
- *orientation*
- *errorprintprogrname*
- *programname*
- *ernum*
- *oldfilename*
- *message*
- *long long unsigned int*
- ***FILE***
- ***printrnmessage***
- ***erroratline***
- *extendedfd*
- *erroroneperline*
- *status*
- *errortail*
- *valist*
- *long long int*
- *errbuf*
- *linenumber*
- *long double*
- *short int*
- *long int*
- *unsigned int*
- *valist*
- GNU C 3.4.3 (*csl-sol210-34-branch+solrpath*)
- *long unsigned int*
- *errormessagecount*
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *oldlinenumber*
- ***ionolock***
- ***short unsigned int***
- ***filename***
- *filler*
- ***seekable***
- ***xfnoccheck***
- ***error.c***
- ***long long unsigned int***
- ***/tmp/coreutils-7.0/lib***
- ***long long int***
- ***exitfail.c***
- ***long int***
- GNU C 3.4.3 (*csl-sol210-34-branch+solrpath*)
- ***long unsigned int***

- short unsigned int
- *exitfailure*
- *unsigned char*
- *short int*
- *long double*
- *unsigned int*
- *ulonglongt*
- *filemode.c*
- *stnlink*
- long long unsigned int
- long long int
- *stino*
- *stctim*
- *ftypelet*
- long int
- *statim*
- *stftype*
- *stpad1*
- *stpad2*
- *stpad4*
- *nlinkt*
- *blkcntt*
- *stblocks*
- *stuid*
- GNU C 3.4.3 (*csi-sol210-34-branch+solrpath*)
- *long unsigned int*
- *ulongt*
- short unsigned int
- *strmode*
- *longlongt*
- *stsize*
- *stmode*
- *tvnsec*
- *tvsec*
- *timet*
- *filemodestring*
- unsigned char
- short int
- *stblksize*
- *timespec*
- *timestruct*
- *strdev*
- *long double*
- *unsigned int*
- */tmp/coreutils-7.0/lib*
- *modet*
- *stdev*
- *blksize_t*
- *stmtim*
- *stgid*
- *size_t*
- *filenamecat.c*

- *dirlen*
- *long long unsigned int*
- */tmp/coreutils-7.0/lib*
- *long long int*
- *longestrelativesuffix*
- *long int*
- *filenameconcat*
- *mfilenameconcat*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *long unsigned int*
- *short unsigned int*
- *dirbaselen*
- *baselen*
- *unsigned char*
- *short int*
- *baseinresult*
- *needsseparator*
- *long double*
- *unsigned int*
- *pconcat*
- *dirbase*
- *flags2*
- *endwpattern*
- *ignorenext*
- *extwmatch*
- *totsize*
- *normalbracket*
- *fnmatch.c*
- *wchart*
- *noleadingperiod*
- *strsize*
- *gnufnmatch*
- *result*
- *posixlycorrect*
- *long long unsigned int*
- *patternlen*
- *ctype*
- *size_t*
- *normalmatch*
- *patsize*
- *func*
- *string*
- *patternlist*
- *long long int*
- *noleadingperiod2*
- *long double*
- *internalfnwmatch*
- *startp*
- *newnoleadingperiod*
- *stringend*
- *mbstatet*
- *matched*

- *short int*
- *long int*
- *wstring*
- *plensize*
- *ischarclass*
- *endpattern*
- *extmatch*
- *unsigned int*
- *pattern*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *long unsigned int*
- *wintt*
- *mbstatet*
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *newpsize*
- *short unsigned int*
- *isrange*
- **filler**
- **internalfnmatch**
- **wctypet**
- **wpattern**
- *orientation*
- *firstnonopt*
- **initialized**
- **optstring**
- **rploptopt**
- **exchange**
- **result**
- **posixlycorrect**
- **longopts**
- **long long unsigned int**
- *FILE*
- *hasarg*
- *getoptinternal*
- **REQUIREORDER**
- **extendedfd**
- **getopt.c**
- **PERMUTE**
- **long long int**
- **nameend**
- **printerrors**
- **rplopterr**
- **pfound**
- *ordering*
- *longonly*
- *long double*
- *posixlycorrect*
- *option*
- *optionindex*
- *rplgetopt*

- *getoptdata*
- *getoptinternalr*
- *rploptind*
- *short int*
- *long int*
- *indfound*
- *bottom*
- *unsigned int*
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)
- *long unsigned int*
- */tmp/coreutils-7.0/lib*
- *rploptarg*
- *unsigned char*
- *lastnonopt*
- ***nextchar***
- ***getoptdata***
- ***getoptinitialize***
- *ionolock*
- *longind*
- *short unsigned int*
- ***filler***
- ***middle***
- *seekable*
- *xfnocheck*
- ***RETURNINORDER***
- *longoptions*
- *firstnonopt*
- ***initialized***
- ***rplgetoptlong***
- ***rploptopt***
- ***long long unsigned int***
- ***hasarg***
- ***REQUIREORDER***
- ***PERMUTE***
- ***getoptlongonlyr***
- ***getoptlongr***
- ***long long int***
- ***rplopterr***
- *ordering*
- *optindex*
- *getopt1.c*
- *long double*
- *posixlycorrect*
- *option*
- *getoptdata*
- *rploptind*
- *short int*
- *long int*
- *options*
- *unsigned int*
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)

- *long unsigned int*
- */tmp/coreutils-7.0/lib*
- *rploptarg*
- *unsigned char*
- *lastnonopt*
- *rplgetoptlongonly*
- **nextchar**
- **short unsigned int**
- **RETURN/NORDER**
- **long long unsigned int**
- **long long int**
- **long int**
- **suseconds_t**
- **gettime**
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- *long unsigned int*
- *short unsigned int*
- *timeval*
- *gettime.c*
- *tvnsec*
- *tvsec*
- *timet*
- *unsigned char*
- *short int*
- *timespec*
- *tvusec*
- *long double*
- *unsigned int*
- */tmp/coreutils-7.0/lib*
- *long long unsigned int*
- *long long int*
- *category*
- *long double*
- *long unsigned int*
- *short int*
- *long int*
- *hard-locale.c*
- *unsigned int*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *short unsigned int*
- *locale*
- *hardlocale*
- *orientation*
- *Hashdatafreer*
- *newbucket*
- *counter*
- *Hashtable*
- *buffer*
- *hashgetnext*
- *processordata*

- *defaulttuning*
- *tuning*
- *hashdoforeach*
- *bufferize*
- *isnbuckets*
- long long unsigned int
- *nbuckets*
- ***FILE***
- ***hashgetmaxbucketlength***
- ***square***
- ***hashresettuning***
- ***bucket***
- ***size***
- ***nbucketsused***
- ***hash.c***
- ***Hashprocessor***
- ***maxbucketlength***
- ***epsilon***
- ***hashprintstatistics***
- ***bucketlength***
- ***hashclear***
- ***hashfindentry***
- *extendedfd*
- *hashinsert*
- *candidate*
- *hashtuning*
- *Hashcomparator*
- *hashdelete*
- *hashstring*
- *string*
- *hashinitialize*
- *freeentry*
- long long int
- *hashgetentries*
- *hashlookup*
- *datafreer*
- long double
- *hashtable*
- *Hashhasher*
- *shrinkfactor*
- *processor*
- *delete*
- *short int*
- *long int*
- *nentries*
- *newtable*
- *nextprime*
- *growthfactor*
- *shrinkthreshold*
- *hashgetnbuckets*
- *cursor*

- *unsigned int*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *long unsigned int*
- *isprime*
- *divisor*
- *allocateentry*
- *growththreshold*
- */tmp/coreutils-7.0/lib*
- *hashgetfirst*
- *unsigned char*
- *freeentrylist*
- *bucketlimit*
- *newcandidate*
- *hashfree*
- *hashrehash*
- *hashgetnentries*
- *hashentry*
- **ionolock**
- **short unsigned int**
- **checktuning**
- *filler*
- *hasher*
- **seekable**
- **hashgetnbucketsused**
- **hashtableok**
- **xfnocheck**
- **comparator**
- **Hashtuning**
- **buckethead**
- **newentry**
- **stream**
- **exponent**
- **human.c**
- **inexactstyle**
- **psepbyospace**
- **psignposn**
- **number**
- **infracdigits**
- **groupplen**
- **decimalpoint**
- **nsepbyospace**
- **thousandsseplen**
- **blocksizeargs**
- **long long unsigned int**
- **exponentmax**
- **rounding**
- **humanreadable**
- **humblock**
- **size**
- **nonintegerlen**
- **LONGINTOK**

- `pointlen`
- `groupnumber`
- `negativesign`
- `LONGINTOVERFLOW`
- `grouping`
- `defaultblocksize`
- `mondecimalpoint`
- `buflen`
- `LONGINTINVALID`
- `integerlim`
- `fromblocksize`
- `long long int`
- `humanoptions`
- `mongrouping`
- `useintegerarithmetic`
- `long double`
- `adjustvalue`
- `blocksizeopts`
- `decimalpointlen`
- `psuffix`
- `toblocksize`
- `powerletter`
- `short int`
- `intcurrsymbol`
- `long int`
- `fracdigits`
- `options`
- `nsignposn`
- `blocksize`
- `positivesign`
- `LONGINTINVALIDSUFFIXCHARWITHOVERFLOW`
- `unsigned int`
- `GNU C 3.4.3 (csl-sol210-34-branch+solrpath)`
- `long unsigned int`
- `divisor`
- `monthousandssep`
- `/tmp/coreutils-7.0/lib`
- `unsigned char`
- `thousandssep`
- `numberlen`
- `currencysymbol`
- `dogrouping`
- `LONGINTINVALIDSUFFIXCHAR`
- `dtoblocksize`
- `short unsigned int`
- `ncsprecedes`
- `multiplier`
- `strtolerror`
- `tenths`
- `pcsprecedes`
- `gname`
- `pwgecos`

- *pwname*
- *getgidbyname*
- *groupalist*
- *pwcomment*
- *getuidbyname*
- *getgroup*
- *pwshell*
- long long unsigned int
- *idcache.c*
- *pwuid*
- *passwd*
- *userid*
- *pwgid*
- *getuser*
- long long int
- *pwdir*
- *useralist*
- long double
- unsigned char
- short int
- long int
- *nouseralist*
- *unsigned int*
- GNU C 3.4.3 (*csl-sol210-34-branch+solrpath*)
- *long unsigned int*
- *grgid*
- */tmp/coreutils-7.0/lib*
- *grpasswd*
- *short unsigned int*
- *grmem*
- *pwpasswd*
- *nogroupalist*
- *pwage*
- *long long unsigned int*
- */tmp/coreutils-7.0/lib*
- *long long int*
- *long int*
- GNU C 3.4.3 (*csl-sol210-34-branch+solrpath*)
- *long unsigned int*
- *short unsigned int*
- *unsigned char*
- *short int*
- *long double*
- *unsigned int*
- *imaxtostr*
- *imaxtostr.c*
- *unsigned int*
- *comparisonfunction*
- *size_t*
- *mpsort.c*
- *mpsortintotmp*
- *long int*

- ***mpsortwithtmp***
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- ***/tmp/coreutils-7.0/lib***
- ***mpsort***
- *orientation*
- *allocfailed*
- *contents*
- *tempptr*
- *obstackbegin1*
- *nextfree*
- *newsize*
- *chunklimit*
- *chunksiz*
- *alignment*
- *obstack.c*
- *objsize*
- long long unsigned int
- **FILE**
- ***maybeemptyobject***
- ***newchunk***
- *extendedfd*
- *obstackbegin*
- *obstackallocfailedhandler*
- *obstacknewchunk*
- long long int
- *extraarg*
- *nbytes*
- *long double*
- *obstack*
- *obstackallocatedp*
- *already*
- *obstackchunk*
- *oldchunk*
- *useextraarg*
- *short int*
- *long int*
- *length*
- *freefun*
- *obstackfree*
- *printandabort*
- unsigned int
- GNU C 3.4.3 (csl-sol210-34-branch+solrpath)
- long unsigned int
- *exitfailure*
- *chunkfun*
- *alignmentmask*
- */tmp/coreutils-7.0/lib*
- unsigned char
- *objectbase*
- ***ionolock***
- ***tempint***

- *short unsigned int*
- *obstackmemoryused*
- *filler*
- *seekable*
- *xfnocheck*
- *unsigned int*
- *quoten*
- *long int*
- */tmp/coreutils-7.0/lib*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *quote.c*
- *nslots*
- *quoteargbuffer*
- *quotearg*
- *quoteargnstyle*
- *buffer*
- *quotestringlen*
- *wchart*
- *quotearg.c*
- *quoteargnstylemem*
- *quoteargstylemem*
- *cmaybequotingstyle*
- *quoteargstyle*
- *shellalwaysquotingstyle*
- *setquotingstyle*
- *translation*
- *long long unsigned int*
- *ctype*
- *storec*
- *elideouterquotes*
- *quoteargfree*
- *forceouterquotingstyle*
- *setquotingflags*
- *quotingoptions*
- *literalquotingstyle*
- *quoteargmem*
- *sizet*
- *quoteargchar*
- *getquotingstyle*
- *quotingstylevals*
- *shellquotingstyle*
- *quoteargcolonmem*
- *preallocated*
- *escapequotingstyle*
- *localequotingstyle*
- *cescape*
- *bufsize*
- *quoteargchamem*
- *long long int*
- *slotvec0*
- *quotingstyle*
- *localequotingstyle*

- *long double*
- *mbstate*
- *unibytelocale*
- *buffer size*
- *defaultquotingoptions*
- *quote string*
- *cquotingstyle*
- *candshellescape*
- *mbstatet*
- *clonequotingoptions*
- *quotingstyleargs*
- *quoteargnmem*
- *short int*
- *long int*
- *options*
- *xcharalloc*
- *storeescape*
- *gettextquote*
- *slotvec*
- *unsigned int*
- *quoteargnoptions*
- *argsize*
- *backslashescapes*
- *quotingoptionsfromstyle*
- *setcharquoting*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *long unsigned int*
- *quoteargn*
- *mbstatet*
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *quoteargalloc*
- *quoteargbufferrestyled*
- *quotethesetoo*
- *quoteargcolon*
- *short unsigned int*
- *printable*
- *quoteargallocmem*
- ***filler***
- ***dotzoffset***
- ***format***
- ***tmyday***
- ***interveningleapdays***
- ***hourdiff***
- ***memcpylowcase***
- ***mbstatezero***
- ***modifier***
- ***dosignednumber***
- ***yearadjust***
- ***badformat***
- ***tmmday***

- *touppcase*
- *bigenoughmultipleof7*
- *mindiff*
- *signchar*
- *formatchar*
- *tmmon*
- *negativenumber*
- long long unsigned int
- *ftime_tmdiff*
- *digits*
- *nstrftime*
- *maxsize*
- *dozconversion*
- *size_t*
- *donumber*
- *underlyingstrftime*
- *tolowercase*
- *century*
- *upcase*
- *alwaysoutputasign*
- *secdiff*
- *time_t*
- *numbervalue*
- *memcpyuppercase*
- *long long int*
- *donumberspacepad*
- *long double*
- *mbstate*
- *subfmt*
- *mbstatet*
- *donumbersignandpadding*
- *subformat*
- short int
- long int
- *donumberbody*
- *hour12*
- *mbstatet*
- *unsigned int*
- *strftime.c*
- *tzhhmm*
- *padding*
- GNU C 3.4.3 (*csl-sol210-34-branch+solrpath*)
- *colons*
- *long unsigned int*
- *tzname*
- *tmmin*
- */tmp/coreutils-7.0/lib*
- *strftimecase*
- unsigned char
- *change-case*
- *unumbervalue*
- *tzcolonmask*

- *tmhour*
- **short unsigned int**
- *tmsec*
- *tmyear*
- *tmwday*
- *isoweekdays*
- *tmisdst*
- *filler*
- *delta*
- *formatend*
- *tzhhmmss*
- *long long unsigned int*
- *long long int*
- *long int*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *long unsigned int*
- *short unsigned int*
- *umaxtostr.c*
- *umaxtostr*
- *unsigned char*
- *short int*
- *long double*
- *unsigned int*
- */tmp/coreutils-7.0/lib*
- **orientation**
- **output**
- **format**
- **long long unsigned int**
- *FILE*
- *size_t*
- *rplvfprintf*
- **extendedfd**
- *vfprintf.c*
- **valist**
- **long long int**
- **long double**
- **lenbuf**
- **short int**
- **long int**
- **savederrno**
- **unsigned int**
- **valist**
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- **long unsigned int**
- */tmp/coreutils-7.0/lib*
- **unsigned char**
- *ionolock*
- **short unsigned int**
- **filler**
- *seekable*
- *xfnocheck*
- *size_t*

- string
- long long unsigned int
- /tmp/coreutils-7.0/lib
- long long int
- x2nrealloc
- xzalloc
- long int
- xrealloc
- x2realloc
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)
- long unsigned int
- xmalloc
- short unsigned int
- xmemdup
- unsigned char
- short int
- xcalloc
- long double
- unsigned int
- xstrdup
- xmalloc.c
- long*options*
- *xstrtolfatal*
- long long unsigned int
- *hasarg*
- *LONGINTOK*
- hyphens
- *optionbuffer*
- *LONGINTOVERFLOW*
- *exitstatus*
- *LONGINTINVALID*
- long long int
- long double
- option
- short int
- long int
- *LONGINTINVALIDSUFFIXCHARWITHOVERFLOW*
- *xstrtol-error.c*
- *unsigned int*
- GNU C 3.4.3 (*cs1-sol210-34-branch+solrpath*)
- *long unsigned int*
- *exitfailure*
- *xstrtolerror*
- /tmp/coreutils-7.0/lib
- *unsigned char*
- *LONGINTINVALIDSUFFIXCHAR*
- *optidx*
- *short unsigned int*
- *strtolerror*
- *bkmscalebypower*
- *strtolbase*

- xstrtoul
- long long unsigned int
- **ctype**
- **LONGINTOK**
- **LONGINTOVERFLOW**
- *scalefactor*
- **LONGINTINVALID**
- long long int
- long double
- suffixes
- short int
- long int
- **LONGINTINVALIDSUFFIXCHARWITHOVERFLOW**
- *unsigned int*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- *long unsigned int*
- *validsuffixes*
- xstrtoul.c
- /tmp/coreutils-7.0/lib
- unsigned char
- overflow
- **LONGINTINVALIDSUFFIXCHAR**
- *short unsigned int*
- *func*
- *strtolerror*
- *bkmscale*
- *extendedfd*
- *xfocheck*
- **seekable**
- long long int
- long long unsigned int
- long int
- **fseterr.c**
- orientation
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- long unsigned int
- short unsigned int
- **filler**
- **unsigned char**
- **short int**
- FILE
- fseterr
- long double
- **ionolock**
- **unsigned int**
- /tmp/coreutils-7.0/lib
- **unsigned int**
- *size_t*
- *string*
- /tmp/coreutils-7.0/lib
- *long int*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**

- **xstrndup**
- **xstrndup.c**
- **bkmscalebypower**
- **strtolbase**
- **xstrtoumax**
- **long long unsigned int**
- *ctype*
- *LONGINTOK*
- *LONGINTOVERFLOW*
- *scalefactor*
- *LONGINTINVALID*
- *long long int*
- *long double*
- *suffixes*
- *xstrtoumax.c*
- *short int*
- *long int*
- *LONGINTINVALIDSUFFIXCHARWITHOVERFLOW*
- *unsigned int*
- GNU C 3.4.3 (csl-sol210-34-branch+solrpath)
- *long unsigned int*
- *validsuffixes*
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *overflow*
- *LONGINTINVALIDSUFFIXCHAR*
- *short unsigned int*
- **func**
- *strtolerror*
- *bkmscale*
- **extendedfd**
- **fclosefail**
- **closestream**
- **xfnocheck**
- *seekable*
- *long long int*
- *long long unsigned int*
- *long int*
- *prevfail*
- **orientation**
- GNU C 3.4.3 (csl-sol210-34-branch+solrpath)
- *long unsigned int*
- *short unsigned int*
- **close-stream.c**
- *filler*
- *stream*
- *unsigned char*
- *short int*
- **FILE**
- **long double**
- *ionolock*
- *unsigned int*

- `/tmp/coreutils-7.0/lib`
- `somepending`
- `tmhour`
- `durationmax`
- `overflowthreshold`
- `yearrequested`
- `long long unsigned int`
- `long long int`
- `long int`
- `approxrequestedbiennia`
- `mktimeinternal`
- `absdiff`
- `rp/mktime`
- `ydhmsdiff`
- `mktime.c`
- `monyday`
- `tmmon`
- `rangedconvert`
- `localtimeoffset`
- `approxbiennia`
- GNU C 3.4.3 (`csl-sol210-34-branch+solrpath`)
- `long unsigned int`
- `seconds`
- `short unsigned int`
- `tmisdst`
- `guesstimetm`
- `tmmin`
- `offsetfound`
- `timetmax`
- `tmyday`
- `direction`
- `monyears`
- `stride`
- `timet`
- `secadjustment`
- `tyear1`
- `minutes`
- `unsigned char`
- `tmyear`
- `short int`
- `deltabound`
- `LOG2YEASPERBIENNIUM`
- `remainingprobes`
- `monremainder`
- `tmwday`
- `interveningleapdays`
- `long double`
- `timetmin`
- `unsigned int`
- `/tmp/coreutils-7.0/lib`
- `secrequested`

- offset
- convert
- *monyday*
- *leapyear*
- *tmmday*
- *ALOG2SECONDSPERBIENNIUM*
- *ALOG2DAYSPERBIENNIUM*
- tmsec
- *ALOG2MINUTESPERBIENNIUM*
- repairedt0
- *ALOG2HOURSPERBIENNIUM*
- *guessedoffset*
- *negativemonremainder*
- */yearrequested*
- *size_t*
- *long long unsigned int*
- */tmp/coreutils-7.0/lib*
- *long long int*
- *long int*
- *strndup.c*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *long unsigned int*
- *short unsigned int*
- *unsigned char*
- *short int*
- *rplstrndup*
- long double
- unsigned int
- *rplstrlen*
- *maxlen*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *size_t*
- */tmp/coreutils-7.0/lib*
- string
- unsigned int
- *strlen.c*
- result
- exponent
- tmpbuf
- format
- *bufneededlength*
- *argument*
- *afloat*
- wchart
- *TYPEUINT*
- *adouble*
- *bufmalloced*
- mantissa
- *TYPEWIDECHAR*
- *TYPESHORT*
- *auchar*

- *biggerneed*
- *TYPECOUNTSHORTPOINTER*
- *chardirective*
- *retcount*
- *precisionstart*
- *tmpmemsize*
- *outofmemory1*
- *maxwidthlength*
- *conversion*
- *padptr*
- *widthargindex*
- *TYPENONE*
- *memorysize*
- *long long unsigned int*
- *TYPEUSHORT*
- *precisionargindex*
- *value*
- *dirend*
- *TYPESTRING*
- *size_t*
- *double*
- *augmentedlength*
- *resultbuf*
- *awidestring*
- *precisionend*
- *TYPECHAR*
- *TYPECOUNTLONGINTPOINTER*
- *precision*
- *widthend*
- *decimalpointchar*
- *bufmemsize*
- *TYPECOUNTSCHARPOINTER*
- *vasnprintf*
- *argtype*
- *TYPECOUNTINTPOINTER*
- *acountlongintpointer*
- *accountscharpointer*
- *widthstart*
- *vasnprintf.c*
- *dirstart*
- *valist*
- *TYPEULONGLONGINT*
- *long long int*
- *maxlen*
- *argindex*
- *aulongint*
- *aschar*
- *awidechar*
- *digitp*
- *TYPECOUNTLONGLONGINTPOINTER*
- *accountshortpointer*

- *accountintptr*
- *long double*
- *TYPEULONGINT*
- *TYPEINT*
- *ndigits*
- *long unsigned int*
- *prefixcount*
- *apointer*
- *lengthp*
- *allocated*
- *alonglongint*
- *auint*
- *TYPELONGINT*
- *alonglongint*
- *short int*
- *TYPELOGLONGINT*
- *long int*
- *length*
- *padourselves*
- *isinfiniteorzero*
- *TYPECHAR*
- *TYPELONGDOUBLE*
- *prefixes*
- *TYPEPOINTER*
- *maxprecisionlength*
- *unsigned int*
- *outofmemory*
- *valist*
- *ashort*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *wintt*
- *astring*
- *memory*
- */tmp/coreutils-7.0/lib*
- *isinfiniteorzerol*
- *unsigned char*
- *overflow*
- *TYPEDOUBLE*
- *arguments*
- *alongint*
- *TYPEUCHAR*
- *tmlength*
- *signed char*
- *TYPEWIDESTRING*
- *short unsigned int*
- *haswidth*
- *alongdouble*
- *chardirectives*
- *hasprecision*
- *accountlonglongintptr*
- *pointbuf*

- `aushort`
- `achar`
- `exponent`
- `printfrexp`
- `double`
- `unsigned int`
- `printf-frexp.c`
- `long double`
- GNU C 3.4.3 (`cs1-sol210-34-branch+solrpath`)
- `/tmp/coreutils-7.0/lib`
- `expptr`
- `printfrexp`
- `/tmp/coreutils-7.0/lib`
- `exponent`
- `pow2i`
- GNU C 3.4.3 (`cs1-sol210-34-branch+solrpath`)
- `long double`
- `powhi`
- `unsigned int`
- `expptr`
- `double`
- `printf-frexp.c`
- `unsigned int`
- `isnan.c`
- `rplisnand`
- `memorydouble`
- `/tmp/coreutils-7.0/lib`
- `long int`
- `double`
- GNU C 3.4.3 (`cs1-sol210-34-branch+solrpath`)
- `minusinf`
- `plusinf`
- `unsigned int`
- `rplisnani`
- `memorydouble`
- `/tmp/coreutils-7.0/lib`
- `long int`
- `long double`
- GNU C 3.4.3 (`cs1-sol210-34-branch+solrpath`)
- `minusinf`
- `isnanl.c`
- `plusinf`
- `sizet`
- `auchar`
- `TYPEULONGINT`
- `valist`
- `TYPESHORT`
- `TYPEPOINTER`
- `TYPESTRING`
- `long long int`
- `alongdouble`

- *TYPELONGINT*
- long long unsigned int
- *TYPEUINT*
- *TYPELONGDOUBLE*
- long int
- *aushort*
- *valist*
- *widenullstring*
- double
- *accountscharpointer*
- *TYPENONE*
- *TYPEULONGLONGINT*
- *accountintpointer*
- *TYPEUSHORT*
- *GNU C 3.4.3 (csl-sol210-34-branch+solrpath)*
- *afloat*
- long unsigned int
- *alongint*
- *short unsigned int*
- *accountshortpointer*
- *TYPECOUNTINTPOINTER*
- *argument*
- *wchart*
- *TYPEINT*
- *TYPECOUNTSCHARPOINTER*
- *apointer*
- */tmp/coreutils-7.0/lib*
- *awidechar*
- *arguments*
- *achar*
- *TYPECOUNTLONGINTPOINTER*
- *accountlonglongintpointer*
- *aulongint*
- *TYPECHAR*
- *printffetchargs*
- *printf-args.c*
- *TYPEWIDECHAR*
- *unsigned char*
- *TYPESCHAR*
- short int
- *accountlongintpointer*
- *astring*
- *wintt*
- *ashort*
- *TYPEWIDESTRING*
- long double
- *alonglongint*
- *unsigned int*
- *aschar*
- *adouble*
- *TYPELOGLONGINT*

- *auint*
- *TYPEDOUBLE*
- *TYPECOUNTSHORTPOINTER*
- *argtype*
- *aulonglongint*
- *TYPECOUNTLONGLONGINTPOINTER*
- *TYPEUCHAR*
- *signed char*
- *awidestring*
- *TYPECOUNTLONGLONGINTPOINTER*
- *precisionargindex*
- *format*
- *argument*
- *TYPECOUNTSCHARPOINTER*
- *TYPEUCHAR*
- *conversion*
- *wchart*
- *adouble*
- *auchar*
- *TYPEWIDECHAR*
- *TYPESHORT*
- *TYPECOUNTSHORTPOINTER*
- *arguments*
- *precisionstart*
- *outofmemory1*
- *precisionlength*
- *widthargindex*
- *TYPENONE*
- *memorysize*
- *long long unsigned int*
- *TYPECHAR*
- *aallocated*
- *dirend*
- *TYPELONGDOUBLE*
- *TYPEUSHORT*
- *TYPEDOUBLE*
- *size_t*
- *afloat*
- *double*
- *widthstart*
- *awidestring*
- *precisionend*
- *TYPECHAR*
- *TYPECOUNTLONGINTPOINTER*
- *widthend*
- *argtype*
- *TYPECOUNTINTPOINTER*
- *printfparse*
- *accountscharpointer*
- *TYPEPOINTER*

- *dirstart*
- *TYPEULONGLONGINT*
- *long long int*
- *argindex*
- *alongint*
- *aschar*
- *awidechar*
- *accountshortpointer*
- *accountintpointer*
- *long double*
- *astring*
- *apointer*
- *printf-parse.c*
- *aint*
- *maxwidthlength*
- *TYPELONGINT*
- *alonglongint*
- *alonglongint*
- *short int*
- *TYPEULONGLONGINT*
- *chardirective*
- *long int*
- *widthlength*
- *accountlongintpointer*
- *maxprecisionlength*
- *dallocated*
- *unsigned int*
- GNU C 3.4.3 (csl-sol210-34-branch+solrpath)
- *long unsigned int*
- *wintt*
- *TYPESTRING*
- *outofmemory*
- *memory*
- */tmp/coreutils-7.0/lib*
- *unsigned char*
- *argposn*
- *TYPEINT*
- *alongint*
- *ashort*
- *TYPEUINT*
- *signed char*
- *TYPEWIDESTRING*
- *short unsigned int*
- *alongdouble*
- *chardirectives*
- *accountlonglongintpointer*
- *TYPEULONGINT*
- *aushort*
- *achar*
- *long long unsigned int*
- *long long int*

- *Dltype*
- *long int*
- *double*
- *Sdtype*
- *muldi3*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- *long unsigned int*
- *DWunion*
- *short unsigned int*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/libgcc2.c*
- *DWstruct*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3-build/gcc*
- *unsigned char*
- *short int*
- *long double*
- *unsigned int*
- *signed char*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/libgcc2.c*
- *long long unsigned int*
- *long long int*
- *Dltype*
- *long int*
- *wordtype*
- *double*
- *Sdtype*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- *long unsigned int*
- *DWunion*
- *short unsigned int*
- *DWstruct*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3-build/gcc*
- *unsigned char*
- *short int*
- *long double*
- *unsigned int*
- *cmpdi2*
- *signed char*
- *long long unsigned int*
- *long long int*
- *Dltype*
- *long int*
- *wordtype*
- *double*
- *Sdtype*
- *UDltype*
- *udivmoddi4*
- **GNU C 3.4.3 (csl-sol210-34-branch+solrpath)**
- *long unsigned int*
- *DWunion*
- *short unsigned int*
- *clztab*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/libgcc2.c*

- **DWstruct**
- **/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3-build/gcc**
- **unsigned char**
- **short int**
- **UQltype**
- **long double**
- **unsigned int**
- **divdi3**
- **USltype**
- **signed char**
- **long long unsigned int**
- **long long int**
- **Dltype**
- **long int**
- **wordtype**
- **double**
- **Sltype**
- **UDltype**
- **udivmoddi4**
- **GNU C 3.4.3 (csi-sol210-34-branch+solrpath)**
- **long unsigned int**
- **DWunion**
- **short unsigned int**
- **clztab**
- **/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/libgcc2.c**
- **DWstruct**
- **moddi3**
- **/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3-build/gcc**
- **unsigned char**
- **short int**
- **UQltype**
- **long double**
- **unsigned int**
- **USltype**
- **signed char**
- **/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/libgcc2.c**
- **long long unsigned int**
- **long long int**
- **Dltype**
- **long int**
- **double**
- **Sltype**
- **UDltype**
- **udivmoddi4**
- **GNU C 3.4.3 (csi-sol210-34-branch+solrpath)**
- **long unsigned int**
- **DWunion**
- **short unsigned int**
- **clztab**
- **DWstruct**
- **udivdi3**
- **/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3-build/gcc**

- *unsigned char*
- *short int*
- *UQltype*
- *long double*
- *unsigned int*
- *USltype*
- *signed char*
- *long long unsigned int*
- *long long int*
- *Dltype*
- *long int*
- *double*
- *Sltype*
- *UDltype*
- ***udivmoddi4***
- ***GNU C 3.4.3 (csi-sol210-34-branch+solrpath)***
- ***long unsigned int***
- ***DWunion***
- ***short unsigned int***
- ***clztab***
- ***/gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/libgcc2.c***
- *umoddi3*
- *DWstruct*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3-build/gcc*
- *unsigned char*
- *short int*
- *UQltype*
- *long double*
- *unsigned int*
- *USltype*
- *signed char*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3/gcc/libgcc2.c*
- *long long unsigned int*
- *long long int*
- *long int*
- *double*
- *GNU C 3.4.3 (csi-sol210-34-branch+solrpath)*
- *long unsigned int*
- *short unsigned int*
- *clztab*
- */gates/sfw10/builds/sfw10-gate/usr/src/cmd/gcc/gcc-3.4.3-build/gcc*
- *unsigned char*
- *short int*
- *UQltype*
- *long double*
- *unsigned int*
- *signed char*
- *.interp*
- *.dynsym*
- *.dynstr*
- *.SUNWversion*
- *.rela.got*

- .rel.bss
- .rel.plt
- .rodata
- .rodata.str1.8
- .rodata.cst8
- .rodata.cst4
- .dynamic
- .ctors
- .dtors
- .ehframe
- .data.rel.local
- .symtab
- .strtab
- .comment
- .debugabbrev
- .debuginfo
- .debugline
- .debugframe
- .debugpubnames
- .debugranges
- .debugranges
- .debug_str
- .shstrtab

UTF-8 Strings

No detected.

UTF-16LE Strings

No detected.

Extracted URLs

- <http://gnu.org/licenses/gpl.html>

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- **Entropy:** 5.97
- **Status:** This file likely contains Standard Text or human-readable text.

VirusTotal Analysis

****Scan Date**:** 2024-12-10 07:32:39

Scan Results

- Malicious: 0

- Suspicious: 0
- Undetected: 64
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 0
- Type-unsupported: 12

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
No results	No results	No results
