

Malware Analysis Report For pe-mingw32-strip

Binary Type

PE (Portable Executable File) (Approved)

Analyzing File

- **File Name:** pe-mingw32-strip
 - **File Extension:** .exe
 - **File Type:** EXE (Executable File).
 - **MD5 Hash:** 350da9498e096903d8c7d968dc55537e
 - **SHA256 Hash:** 61968221989b7575249b850dcb4e16d79e7a8d8495daaa2daac52d3ce4411652
-

File Identification

File detected as a valid Windows executable (DLL or EXE).

PE File Analysis

PE File Analysis: True

PE File Imports

- CryptAcquireContextA
- CryptGenRandom
- RegCloseKey
- RegOpenKeyExA
- RegQueryValueExA
- CloseHandle
- CreateEventA
- DeleteCriticalSection
- EnterCriticalSection
- EnumResourceLanguagesA
- ExitProcess
- FindClose
- FindFirstFileA
- FindNextFileA
- FlushFileBuffers
- FormatMessageA
- FreeLibrary
- GetACP
- GetCommandLineA
- GetCurrentProcess
- GetCurrentThreadId
- GetFileSize
- GetFullPathNameA
- GetLastError

- GetLocaleInfoA
- GetModuleHandleA
- GetProcAddress
- GetSystemTimeAsFileTime
- GetTempPathA
- GetThreadLocale
- InitializeCriticalSection
- InterlockedDecrement
- InterlockedExchange
- InterlockedIncrement
- IsDBCSLeadByteEx
- LeaveCriticalSection
- LoadLibraryA
- LoadLibraryW
- LocalFree
- MultiByteToWideChar
- SetEvent
- SetFilePointer
- SetUnhandledExceptionFilter
- Sleep
- TlsGetValue
- VirtualProtect
- VirtualQuery
- WaitForSingleObject
- WideCharToMultiByte
- WriteFile
- _chmod
- _close
- _fdopen
- _fstat
- _getcwd
- _getpid
- _lseek
- _mkdir
- _open
- _read
- _rmdir
- _stat
- _strdup
- _strcoll
- _umask
- _unlink
- _utime
- _wcsnicmp
- __getmainargs
- _mbcur_max
- **p**environ
- **p**fmode
- _setapp_type
- _access
- _assert
- _cexit

- `_errno`
- `_exit`
- `_filbuf`
- `_filelengthi64`
- `_flsbuf`
- `_fpreset`
- `_fstat64`
- `_fullpath`
- `getosfhandle`
- `_iob`
- `_isctype`
- `_onexit`
- `_osver`
- `_pctype`
- `_setmode`
- `_snwprintf`
- `_stricmp`
- `_strnicmp`
- `_vsnwprintf`
- `abort`
- `atexit`
- `atoi`
- `bsearch`
- `calloc`
- `ctime`
- `exit`
- `fclose`
- `fflush`
- `fgetpos`
- `fgets`
- `fopen`
- `fputc`
- `fputs`
- `fputwc`
- `fread`
- `free`
- `fseek`
- `fsetpos`
- `ftell`
- `fwrite`
- `getenv`
- `localeconv`
- `malloc`
- `mbstowcs`
- `memchr`
- `memcmp`
- `memcpy`
- `memmove`
- `memset`
- `qsort`
- `realloc`
- `remove`

- rename
- setlocale
- signal
- sscanf
- strcat
- strchr
- strcmp
- strcoll
- strcpy
- strcspn
- strerror
- strlen
- strncat
- strncmp
- strncpy
- strpbrk
- strrchr
- strspn
- strstr
- strtol
- strtoul
- time
- tolower
- vfprintf
- vfwprintf
- wcschr
- wcslen
- wcstombs
- CharLowerBuffA
- libiconv
- libiconv_open
- libiconvsetrelocation_prefix

PE File Exports

No Exported functions were found.

String Analysis

ASCII Strings

- !This program cannot be run in DOS mode.
- P`.data
- .rdata
- 0@.bss
- .idata
- l\$9K\$w
- j 9l\$0
- D\$89D\$@
- D\$<9D\$@
- D\$!P6M
- D\$d!5M

- T\$`9D\$4
- D\$09D\$4
- L\$,+L\$T
- 9|\$,v\
- l09L\$Dw(
- k4;l\$Ds8
- ~.
- D\$(9D\$L
- <1|a<9~p<_uY
- <\$tA<.t=
-
- D\$@YDM
- D\$@`DM
- <2t%<0
- D\$\$MIM
- D\$\$HIM
- 9|\$Tt)
- D\$L9D\$L
- T\$D+T\$@
- t\$X9t\$(
- ;D\$()O
- D\$0;D\$8}6
- |\$X9|\$T
- @ 7777
- @\$7777
- @(7777
- t\$09t\$(
- 9t\$(tl
- D\$09t\$0
- t&<|t"
- t\$4tD)
-
-
-
- @ (
- E
- E\$
- E (
- E,
- E0
- E4
- E8
- D\$0
- D\$4
- D\$8
- D\$<
- D\$@
- D\$D
- D\$H
- D\$L
- D\$P
- D\$T

- D\$X
- D\$\
- D\$`
- D\$d
- D\$h
- D\$<
- D\$@
- D\$D
- D\$H
- D\$L
- D\$P
- D\$T
- D\$X
- D\$\
- D\$`
- D\$d
- D\$h
- D\$l
- D\$4___.S
- D\$8YMDE
- D\$,,;B ~
- D\$D
- D\$H
- D\$L
- D\$\$
- D\$(
- D\$,
- D\$0
- D\$4
- D\$8
- D\$<
- D\$@
- D\$D
- D\$H
- D\$L
- D\$P
- D\$T
- D\$X
- D\$\
- D\$X98t
- u!;8t*
- t\$\$9t\$P
- l\$ 9l\$,t(
- K\$;L\$T
- L\$\$r,9
- P(9D\$,
- <\$tE
- D\$T+t\$
- l\$t9X\$t
- l\$t,X\$
- |\$70uq
- 9t\$4s(

- |\$T9|\$H
- tBv:f=T
- D\$;AL
- t3v-
- 9|\$Pvm9t\$(wG
- 9D\$PvC9T\$ w=
- 9D\$Pw5
- D\$\$9D\$
- L\$8+L\$4
- D\$\9D\$Ps
- T\$(+T\$`
- D\$T9D\$Ps
- D\$P9D\$\
- D\$ #D\$\$
- CPis p
- CTrogr
- CXam c
- C\anno
- C`t be
- Cd run
- Ch in
- CIDOS
- Cpmode
- PL=RSDS
- t==NB10u@
- |\$\$9|\$0
- D\$\$9D\$0
- L\$<+L\$,
- +D\$,9D\$(
- L\$X+t\$,
- L\$H+\\\$,;Y\$
- L\$L9L\$<
- L\$@+L\$,
- T\$H+T\$,
- D\$8+D\$,9D\$(v
- t*+D\$p
- t*+D\$p
- tV9|\$(t
- |\$@+|\$D
- |\$<9|\$P
- t\$09t\$X
- D\$8#D\$4;D\$@
- D\$t"L\$t
- t\$0+p@
- t\$h9t\$|
- |\$L9~\$
- D\$x;l\$0
- \d9\\$(
- D\$t+Bx1
- D\$,+C|
- tG9D\$HwA
- |\$L+D\$H

- Xx;\\$t
- D\$|+D\$0
- t\$D;Nh
- rt9t\$,s
- RL9T\$0s
- CL9D\$Hs
- D\$09C|v
- D\$09\\$4w
- t\$L;|\$Lw
- ^\$9\\$<
- D\$,9D\$HvM
- T\$,9T\$H
- \$9|\$
- G0;BLsQ
- tiUWVS
- l\$p;l\$tr
- :L\$Ps-
- \\$89\\$4s
- |\$;|\$t
- D\$0;D\$P
- C@9C
- D\$d9D\$`
- L\$,9L\$\r8;L\$
- +F<;F@
- M09L\$(
- w\$+t\$4
- |\$\$3T\$
- |\$T9|\$H
- tBv:f=T
- t3v-
- D\$;|\$
- B89A8[
- tf
- D\$H9p|tL
- L\$4+J8
- Q<+A8+B
- L\$8+T\$T
- D\$0;L\$0
- D\$0;L\$0
- D\$0;t\$0
- D\$h9B0t
- |\$D;xh
- |\$D;xh
- D\$P9h|
- T\$\$;B0t
- D\$0;B0
- D\$\$@xE
- ;|\$ ul
- T\$,9T\$
- tdtYv<
- z\$9x\$u
- z(9x(u

- ;!\$ s!
- F\$9A\$u
- F(9A(u
- F 9A u
- F<9D\$d
- E 9D\$4
- p89t\$d
- 9D\$(vZ
- PL;u0u
- tdt)=R
- 9\$\tt
- t\$H9F0
- D\$(;D\$H
- D\$`)D\$@
- 9|\$(t"
- 9\\$(t.
- L\$<9L\$0
- D\$ +D\$4
- D\$L9D\$\
- L\$|9L\$t
- L\$t9L\$|
- D\$\$9D\$ t0
- \\$\$9\ \$ t
- \\$,9\ \$
- 9!\$ vR
- t\$@9t\$
- D\$,t/1
- ;!\$,s
- D\$\$9D\$,
- D\$4+D\$
- |\$L9|\$<
- O ;N s
- @ +D\$@
- ;Q0tE;Q,tG
- +L\$\$9H
- t\$;t\$(w7
- P09Q0t
- ELIFu[
- C(9F |
- J(9\ \$4
- ;T\$0ruw
- ;D\$Lrm
- D\$@9D\$<
- D\$@9D\$<
- D\$<+D\$@
- D\$<#D\$@
- D\$<3D\$@
- D\$p;t\$
- D\$8"D\$`
- M(;J(tQ
- Bt9At[
- |\$09|\$D

- D\$LH#N
- |\$098s
- t_< ty<@
- T\$4#T\$p
- T\$09Bh
- R 9T\$D
- U\$9T\$\sB
- 9D\$Dwt
- t\$(9D\$Ds
- D\$D;D\$Lv
- FL9D\$P
- tekt\$(
- 49l\$(u
- |\$49|\$Lu
- D\$(;C<
- D\$89C\$
- D\$@9D\$<
- T\$.,;Qht
- @09D\$`t
- D\$.,;D\$X
- D\$4+D\$\
- |\$4)|\$@t
- |\$<)|\$H
- D\$0+.N
- E 9C u
- E\$9C\$u
- E(9C(u
- E,9C,u
- 9T\$DvY
- 9T\$8uP
- \ \$0kL\$Lt
- D\$D+D\$P9
- +t\$|;2
- v2+|s|9(s*
- t\$Lt)
- T\$D+T\$|;
- v9+T\$L;
- +t\$|;0
- D\$d+D\$P
- D\$D+D\$d9
- t\$.,;0t
- t\$<9t\$Lt
- N<+V8+Q
- D\$D`^H
- 0<0t.< td
- L\$P9Ah
- H\$9K\$t
- N<9J
- G(9D\$Lr
- @<+Q8+P
- T\$X+T\$\
- D\$(+D\$\

- A<+i8+h
- D\$(;G\$
- D\$4+D\$D
- ui9\,\$`t
- D\$X9p\$t
- J<;y\$wj
- UI+T\$
- ED))p))\
- |\$ 9|\$
- 9D\$0tJ
- L\$0+L\$,
- \ \$0+ \ \$,)
- L\$<+T\$@
- 9L\$
- ^@;X s
- 9L\$
- ^@;X(s
- T\$T9T\$H
- D\$()T\$,
- T\$4)P@)
- D\$0+D\$,
- T\$+t\$D
- L\$H+t\$X
- D\$@>YO
- f93rVtd
- D\$.;T\$0
- @\$9C |&
- ;|\$4}b
- T\$H+T\$D
- T\$<+T\$8
- |\$@9|\$
- D\$<;D\$@
- D\$<;D\$@
- D\$@9D\$
- D\$@9D\$<
- tS<_tO
-
- tC;t\$4u
- ;|\$4v*
-
- T\$X9T\$T
- <_t#
- uV<\$tRf
- C ;C\$}
- cuS
-
-
- <'t|<"
- u/<"t+
- t|
-
- <[tq<\

- D\$p9T\$p
- |\$C-t;
- 9D\$p~h
- '\$-4R
- PF;\$s\$r
- D\$\$9D\$ sW
- \;\$;\$\$\$s\$f
- C;\$\$\$r
- ;D\$\$\$s4
- |\$49|\$<
- t\$8+t\$0
- t(<{t?
-
- tz
- B0<9w\
- 9t\$Xv/
- 9|\$Xv@
- T\$+T\$h
- ;D\$hu?
- D\$4+D\$8
- t\$@9t\$4~
- |\$;\$X
- D\$\$9D\$X
- L\$\$\$9L\$,w
- D\$,+D\$
-)D\$@)D\$,
- D\$|)D\$<
- D\$|;D\$8
- D\$8;D\$|
- D\$@+D\$8
- D\$8+D\$<
- D\$X9D\$L
- ;|\$`r
- ;t\$dr
- \H;|D\$)9k
- |\$h9|\$Dr
- D\$Hk\$D
- G9|\$Du
- T\$(9T\$,
- libgccsdw2-1.dll
- *_registerframe_info*
- *_deregisterframe_info*
- libgcj-16.dll
- JvRegisterClasses
- x86_64
- error: %s both copied and removed
- error: %s both sets and alters VMA
- error: %s both sets and alters LMA
- Usage: %s
- Removes symbols and sections from files
- The options are:
- -I --input-target= Assume input file is in format

- -O --output-target= Create an output file in format
- -F --target= Set both input and output format to
- -p --preserve-dates Copy modified/access timestamps to the output
- -D --enable-deterministic-archives
- Produce deterministic output when stripping archives
- -U --disable-deterministic-archives
- Disable -D behavior (default)
- -R --remove-section= Also remove section from the output
- --remove-relocations Remove relocations from section
- -s --strip-all Remove all symbol and relocation information
- -g -S -d --strip-debug Remove all debugging symbols & sections
- --strip-dwo Remove all DWO sections
- --strip-unneeded Remove all symbols not needed by relocations
- --only-keep-debug Strip everything but the debug information
- -N --strip-symbol= Do not copy symbol
- -K --keep-symbol= Do not strip symbol
- --keep-file-symbols Do not strip file symbol(s)
- -w --wildcard Permit wildcard in symbol comparison
- -x --discard-all Remove all non-global symbols
- -X --discard-locals Remove any compiler-generated symbols
- -v --verbose List all object files modified
- -V --version Display this program's version number
- -h --help Display this output
- --info List object formats & architectures supported
- -o Place stripped output into
- Report bugs to %s
- <http://www.sourceware.org/bugzilla/>
- Usage: %s [option(s)] in-file [out-file]
- Copies a binary file, possibly transforming it in the process
- -I --input-target Assume input file is in format
- -O --output-target Create an output file in format
- -B --binary-architecture Set output arch, when input is arch-less
- -F --target Set both input and output format to
- --debugging Convert debugging information, if possible
- -p --preserve-dates Copy modified/access timestamps to the output
- -j --only-section Only copy section into the output
- --add-gnu-debuglink= Add section .gnu_debuglink linking to
- -R --remove-section Remove section from the output
- --remove-relocations Remove relocations from section
- -S --strip-all Remove all symbol and relocation information
- -g --strip-debug Remove all debugging symbols & sections
- --strip-dwo Remove all DWO sections
- --strip-unneeded Remove all symbols not needed by relocations
- -N --strip-symbol Do not copy symbol
- --strip-unneeded-symbol
- Do not copy symbol unless needed by
- relocations
- --only-keep-debug Strip everything but the debug information
- --extract-dwo Copy only DWO sections
- --extract-symbol Remove section contents but keep symbols
- -K --keep-symbol Do not strip symbol
- --keep-file-symbols Do not strip file symbol(s)

- `--localize-hidden` Turn all ELF hidden symbols into locals
- `-L --localize-symbol` Force symbol to be marked as a local
- `--globalize-symbol` Force symbol to be marked as a global
- `-G --keep-global-symbol` Localize all symbols except
- `-W --weaken-symbol` Force symbol to be marked as a weak
- `--weaken` Force all global symbols to be marked as weak
- `-w --wildcard` Permit wildcard in symbol comparison
- `-x --discard-all` Remove all non-global symbols
- `-X --discard-locals` Remove any compiler-generated symbols
- `-i --interleave[=]` Only copy N out of every bytes
- `--interleave-width` Set N for `--interleave`
- `-b --byte` Select byte in every interleaved block
- `--gap-fill` Fill gaps between sections with
- `--pad-to` Pad the last section up to address
- `--set-start` Set the start address to
- `{--change-start|--adjust-start}`
- Add to the start address
- `{--change-addresses|--adjust-vma}`
- Add to LMA, VMA and start addresses
- `{--change-section-address|--adjust-section-vma} {=|+|}`
- Change LMA and VMA of section by
- `--change-section-lma {=|+|}`
- Change the LMA of section by
- `--change-section-vma {=|+|}`
- Change the VMA of section by
- `{--[no-]change-warnings|--[no-]adjust-warnings}`
- Warn if a named section does not exist
- `--set-section-flags =`
- Set section 's properties to
- `--add-section =` Add section found in to output
- `--update-section =`
- Update contents of section with
- contents found in
- `--dump-section =` Dump the contents of section into
- `--rename-section [=,]` Rename section to
- `--long-section-names {enable|disable|keep}`
- Handle long section names in Coff objects.
- `--change-leading-char` Force output format's leading character style
- `--remove-leading-char` Remove leading character from global symbols
- `--reverse-bytes=` Reverse bytes at a time, in output sections with content
- `--redefine-sym =` Redefine symbol name to
- `--redefine-syms --redefine-sym` for all symbol pairs
- listed in
- `--srec-len` Restrict the length of generated Srecords
- `--srec-forceS3` Restrict the type of generated Srecords to S3
- `--strip-symbols -N` for all symbols listed in
- `--strip-unneeded-symbols`
- `--strip-unneeded-symbol` for all symbols listed
- in
- `--keep-symbols -K` for all symbols listed in
- `--localize-symbols -L` for all symbols listed in
- `--globalize-symbols --globalize-symbol` for all in

- `--keep-global-symbols -G` for all symbols listed in
- `--weaken-symbols -W` for all symbols listed in
- `--add-symbol [=[:],]` Add a symbol
- `--alt-machine-code` Use the target's 'th alternative machine
- `--writable-text` Mark the output text as writable
- `--readonly-text` Make the output text write protected
- `--pure` Mark the output file as demand paged
- `--impure` Mark the output file as impure
- `--prefix-symbols` Add to start of every symbol name
- `--prefix-sections` Add to start of every section name
- `--prefix-alloc-sections`
- Add to start of every allocatable
- section name
- `--file-alignment` Set PE file alignment to
- `--heap [,]` Set PE reserve/commit heap to /
-
- `--image-base`
Set PE image base to
- `--section-alignment` Set PE section alignment to
- `--stack [,]` Set PE reserve/commit stack to /
-
- `--subsystem [:]`
- Set PE subsystem to [&]
- `--compress-debug-sections[={none|zlib|zlib-gnu|zlib-gabi}]`
- Compress DWARF debug sections using zlib
- `--decompress-debug-sections` Decompress DWARF debug sections using zlib
- `--elf-stt-common=[yes|no]` Generate ELF common symbols with STT_COMMON
- type
- `-v --verbose` List all object files modified
- `@` Read options from
- `-V --version` Display this program's version number
- `-h --help` Display this output
- `--info` List object formats & architectures supported
- cannot open: %s: %s
- %s: fread failed
- cannot open '%s': %s
- %s:%d: Ignoring rubbish found on this line
- noload
- readonly
- contents
- strings
- unrecognized section flag '%s'
- supported flags: %s
- alloc, load, noload, readonly, debug, code, data, rom, share, contents, merge, strings
- %s: Multiple redefinition of symbol "%s"
- %s: Symbol "%s" is target of more than one redefinition
- .rela.
- error: section %s matches both remove and copy options
- error: section %s matches both update and remove options
- .reloc
- Section %s not found

- .buildid
- failed to create output section
- failed to set size
- failed to copy private data
- cannot reverse bytes: length of section %s must be evenly divisible by %d
- relocation count is negative
- bad format for %s
- Unable to change endianness of input file(s)
- error: the input file '%s' has no sections
- --compress-debug-sections=[zlib|zlib-gnu|zlib-gabi] is unsupported on '%s'
- --elf-stt-common=[yes|no] is unsupported on '%s'
- copy from %s' [%s] to %s' [%s]
- Input file '%s' ignores binary architecture parameter.
- Unable to recognise the format of the input file '%s'
- Output file cannot represent architecture '%s'
- warning: file alignment (0x%s) > section alignment (0x%s)
- error in private header data
- can't add section '%s'
- can't create section '%s'
- error: %s not found, can't be updated
- can't dump section '%s' - it does not exist
- can't dump section - it has no contents
- can't dump section - it is empty
- could not open section dump file
- error writing section contents to %s (error: %s)
- could not retrieve section contents
- .gnu_debuglink
- %s: debuglink section already exists
- cannot create debug link section '%s'
- Can't fill gap after section
- can't add padding
- not stripping symbol '%s' because it is named in a relocation
- 'before=%s' not found
- .stabstr
- can't set debugging section contents
- can't create debugging section
- don't know how to write debugging information for %s
- cannot fill debug link section '%s'
- error copying private BFD data
- this target does not support %lu alternative machine codes
- treating that number as an absolute e_machine value instead
- ignoring the alternative value
- error: the input file '%s' is empty
- cannot create tempdir for archive copying (error: %s)
- illegal pathname found in archive member: %s
- internal stat error on %s
- Unable to recognise the format of file
- stat returns negative size for '%s'
- copy from %s' [unknown] to %s' [unknown]
- /mingw/share/locale
- binutils
- l:O:F:K:N:R:o:sSpdgxXHhVwDU

- could not create temporary file to hold stripped copy
- byte number must be non-negative
- architecture %s unknown
- interleave must be positive
- interleave width must be positive
- --add-section
- --update-section
- --dump-section
- --add-symbol
- global
- function
- section
- indirect
- object
- synthetic
- indirect-function
- before=
- unique-object
- unrecognized symbol flag '%s'
- local, global, export, debug, function, weak, section, constructor, warning, indirect, file, object,
- --change-start
- --change-addresses
- zlib-gnu
- zlib-gabi
- unrecognized --compress-debug-sections type '%s'
- unrecognized --elf-stt-common= option '%s'
- --gap-fill
- Warning: truncating gap-fill from 0x%s to 0x%x
- --pad-to
- --redefine-sym
- couldn't open symbol redefinition file %s (error: %s)
- %s:%d: garbage found at end of line
- %s:%d: missing new symbol name
- %s:%d: premature end of file
- --set-section-flags
- --rename-section
- Multiple renames of section %s
- --set-start
- --srec-len
- enable
- disable
- unknown long section names option '%s'
- unable to parse alternative machine code
- number of bytes to reverse must be positive and even
- Warning: ignoring previous --reverse-bytes value of %d
- --file-alignment
- %s: invalid reserve value for --heap
- %s: invalid commit value for --heap
- --image-base
- --section-alignment
- %s: bad version in PE subsystem
- unknown PE subsystem: %s

- %s: invalid reserve value for --stack
- %s: invalid commit value for --stack
- b:B:i:l:j:K:N:s:O:d:F:L:G:R:SpGxXHhVvWw:WDU
- objcopy
- interleave start byte must be set with --byte
- byte number must be less than interleave
- interleave width must be less than or equal to interleave - byte`
- bsdrv-
- rtdrv-
- unknown input EFI target: %s
- unknown output EFI target: %s
- warning: could not locate '%s'. System error message: %s
- warning: could not create temporary file whilst copying '%s', (error: %s)
- %s %s%c0x%s never used
- --change-section-vma
- --change-section-lma
- export
- warning
- constructor
- --change-section-address
- native
- windows
- console
- efi-app
- efi-bsd
- efi-rtd
- sal-rtd
- add-gnu-debuglink
- add-section
- add-symbol
- adjust-section-vma
- adjust-start
- adjust-vma
- adjust-warnings
- alt-machine-code
- binary-architecture
- change-addresses
- change-leading-char
- change-section-address
- change-section-lma
- change-section-vma
- change-start
- change-warnings
- compress-debug-sections
- debugging
- decompress-debug-sections
- disable-deterministic-archives
- discard-all
- discard-locals
- dump-section
- elf-stt-common
- enable-deterministic-archives

- extract-dwo
- extract-symbol
- file-alignment
- format
- gap-fill
- globalize-symbol
- globalize-symbols
- image-base
- impure
- input-format
- input-target
- interleave
- interleave-width
- keep-file-symbols
- keep-global-symbol
- keep-global-symbols
- keep-symbol
- keep-symbols
- localize-hidden
- localize-symbol
- localize-symbols
- long-section-names
- no-adjust-warnings
- no-change-warnings
- only-keep-debug
- only-section
- output-format
- output-target
- pad-to
- prefix-alloc-sections
- prefix-sections
- prefix-symbols
- preserve-dates
- readonly-text
- redefine-sym
- redefine-syms
- remove-leading-char
- remove-section
- remove-relocations
- rename-section
- reverse-bytes
- section-alignment
- set-section-flags
- set-start
- srec-forceS3
- srec-len
- strip-all
- strip-debug
- strip-dwo
- strip-symbol
- strip-symbols
- strip-unneeded

- strip-unneeded-symbol
- strip-unneeded-symbols
- subsystem
- target
- update-section
- verbose
- version
- weaken
- weaken-symbol
- weaken-symbols
- wildcard
- writable-text
- output-file
- %s: cannot set time: %s
- unable to rename '%s'; reason: %s
- Last stabs entries before error:
- *ntype ndesc n_value* string
- HdrSym
- %-6d
- .stabstr
- %s: %s: %s
- %s: %s: stab entry %ld is corrupt, strx = 0x%x, type = %d
- %s: %s: stab entry %ld is corrupt
- .debug
- %s: no recognized debugging information
- LC_SYMTAB.stabs
- LC_SYMTAB.stabstr
- \$GDB_SYMBOLS\$
- \$GDB_STRINGS\$
- *debuggetreal_type*: circular debug information for %s
- ../../binutils-2.28/binutils/debug.c
- *type->kind* == DEBUGKINDSTRUCT || *type->kind* == DEBUGKINDUNION || *type->kind* == DEBUGKINDCLASS
- *name->kind* == DEBUGOBJECTTAG
- *debugwritetype*: illegal type encountered
- *type->u.kclass->id* > *info->base_id*
- *debugaddtocurrentnamespace*: no current file
- *info->units* == NULL
- *debugstartsource*: no *debugsetfilename* call
- *debugrecordfunction*: no *debugsetfilename* call
- *debugrecordparameter*: no current function
- *debugendfunction*: no current function
- *debugendfunction*: some blocks were not closed
- *debugstartblock*: no current block
- *debugendblock*: no current block
- *debugendblock*: attempt to close top level block
- *debugrecordline*: no current unit
- *debugstartcommon_block*: not implemented
- *debugendcommon_block*: not implemented
- *debugrecordlabel*: not implemented
- *debugrecordvariable*: no current file
- *debugnametype*: no current file

- debug`tag`type: no current file
- debug`tag`type: extra tag attempted
- debug`makeundefined_type`: unsupported kind
- Warning: changing type size from %d to %d
- debug`findnamed_type`: no current compilation unit
- Warning: %s: %s
- bad mangled name '%s'
- Bad stab: %s
- numeric overflow
- Type file number %d out of range
- Type index number %d out of range
- stringptr
- unsigned char
- signed char
- unsigned short
- unsigned int
- unsigned
- unsigned long
- double
- long double
- integer
- boolean
- short real
- character
- logical*1
- logical*2
- logical*4
- logical
- complex
- double complex
- integer*1
- integer*2
- integer*4
- long long
- unsigned long long
- logical*8
- integer*8
- Unrecognized XCOFF type %d
- Unrecognized demangle component %d
- Failed to print demangled template
- Couldn't get demangled builtin type
- __float128
- __int128
- unsigned __int128
- wchar_t
- Unexpected demangled varargs
- Unrecognized demangled builtin type
- Unexpected type in v3 arglist demangling
- long long unsigned int
- long long int
- long unsigned int
- long int

- short unsigned int
- short int
- `_wchart`
- `NoSuchStrinG__`
- `::NoSuchStrinG`
- `_vptr$`
- `INVALIDCPLUSPLUSABBREV`
- unrecognized cross reference type
- `0100000000000000000000000000000000;`
- `077777777777777777777777777777777777;`
- `017777777777777777777777777777777777;`
- missing index type
- unknown virtual character for baseclass
- unknown visibility character for baseclass
- unnamed `$vb` type
- unrecognized C++ abbreviation
- unknown visibility character for field
- const/volatile indicator missing
- member function type missing
- `__%s%s`
- `__%s%s%d`
- No mangling for "%s"
- Demangled name is not a function
- no argument types in mangled string
- `eh_throw`
- `N_LBRAC` not within function
- Too many `N_RBRACs`
- unknown C++ encoded name
- `gcc2_compiled.`
- `gcc_compiled.`
- Undefined `N_EXCL`
- IEEE string length overflow: %u
- `.././../binutils-2.28/binutils/ieee.c`
- `info->typestack != NULL && info->typestack->type.classdef != NULL && info->type_stack->type.classd`
- `info->typestack != NULL && info->typestack->type.classdef != NULL && info->type_stack->type.classd`
- `__anon%u`
- `%s: %s`
- `%s: 0x%lx: %s (0x%x)`
- unexpected end of debugging information
- invalid string length
- invalid number
- expression stack overflow
- unsupported IEEE expression operator
- expression stack underflow
- expression stack mismatch
- unknown section
- missing required ATN65
- bad ATN65 record
- missing required ASN
- IEEE unsupported float type size %u
- IEEE unsupported integer type size %u
- IEEE numeric overflow: 0x

- `ts != NULL`
- `info->block_depth == 1`
- `info->typestack != NULL && ! ieeebufferempty (&info->typestack->type.strdef)`
- IEEE unsupported complex type size %u
- signed char
- unsigned char
- signed short int
- short int
- signed short
- unsigned short int
- short unsigned int
- unsigned short
- signed long
- long int
- unsigned long
- long unsigned int
- unsigned
- unsigned int
- signed long long
- long long int
- unsigned long long
- long long unsigned int
- double
- long double
- long long double
- `localp == nt->type.localp`
- `info->filename != NULL`
- `! ieeebufferempty (&info->vars)`
- `__XRYCPP`
- GNU objcopy
- `info->pending_ranges != NULL`
- `info->typestack != NULL && info->typestack->type.classdef != NULL`
- `info->typestack != NULL && info->typestack->next != NULL && ! ieeebufferempty (&info->type_stack`
- `info->typestack != NULL && info->typestack->type.name != NULL && info->type_stack->next != NULL &&`
- `_vb$%s`
- `vclass != NULL`
- `h != NULL`
- QUOTED STRING
- instruction address
- `indx < BUILTINTYPECOUNT`
- unknown builtin type
- BCD float type not supported
- unrecognized C++ misc record
- unrecognized C++ object spec
- unsupported C++ object type
- C++ base class not defined
- C++ object has no fields
- C++ base class not found in container
- C++ data member not found in container
- unknown C++ visibility
- bad C++ field bit pos or size
- bad type for C++ method function

- no type information for C++ method function
- C++ static virtual method
- unrecognized C++ object overhead spec
- undefined C++ vtable
- C++ default values not in a function
- unrecognized C++ default type
- reference parameter is not a pointer
- C++ reference not found
- unrecognized C++ reference type
- C++ reference in class with no fields
- C++ reference is not pointer
- undefined C++ object
- unexpected number
- unexpected record type
- *global*
- unknown BB type
- stack overflow
- stack underflow
- illegal variable index
- illegal type index
- unknown TY code
- undefined variable in TY
- Pascal file name not supported
- unsupported qualifier
- undefined variable in ATN
- unknown ATN type
- unsupported ATN11
- unsupported ATN12
- unexpected string in C++ misc
- bad misc record
- blocks left on stack at end
- *bfdsetsection_contents*
- *bfdmakesection*
- *bfdsetsection_size*
- *.debug*
- %s: %s: %s
- Excessively large slot index: %lx
- unsigned long
- unsigned int
- unsigned short
- unsigned char
- long double
- double
- *parsecofftype*: Bad type code 0x%x
- *bfdcoffget_syment* failed: %s
- *bfdcoffget_auxent* failed: %s
- *globals*
- %ld: .bf without preceding function
- %ld: unexpected .ef
- *../..../binutils-2.28/binutils/wrstacks.c*
- *info->typestack != NULL && info->typestack->fields != NULL*
- *stringhashlookup* failed: %s

- %s:c=f%g
- %s:c=i%ld
- s != NULL
- info->type_stack->fields != NULL
- %s%s:%s%s:%s;
- %s: warning: unknown size for field '%s' in struct
- %s%s:%s%s,%ld,%ld;
- info->typestack != NULL && info->typestack->methods != NULL
- %s:%s;%c%c%c
- %ld;%s;
- %ld,%s;
- %s:%c%s
- info->nesting == 0 && info->fun_offset == -1
- %ld=%s
- %s:%s%s
- %s:c=e%s,%ld
- %s:T%s
- %s:t%s
- %s:t%ld=%s
- info->lineno_filename != NULL
- info->nesting > 0
- info->type_stack->index > 0
- ~% % %ld
- info->type_stack != NULL
- %ld=%c%s
- @%s,%s
- %ld=@S;
- ar%s;%ld;%ld;%s
- r%s;%ld;%ld;
- %ld=r%ld;%u;0;
- tag != NULL
- %s:T%ld=e
- %s:%ld,
- h != NULL && h->index > 0
- %ld=%ld
- #%s,%s
- stabinttype: bad size %u
- %ld;%ld;
- %ld=r%ld;
- %ld=r%s;%u;0;
- bfdhashtableinitfailed: %s
- info.pending/brac == (bfdvma) -1
- big endian
- little endian
- endianness unknown
- %s: %s: %s
- %s: %s
- (header %s, data %s)
- i686-pc-mingw32
- can't set BFD default target to '%s': %s
- %s: Matching formats:
- Supported targets:

- %s: supported targets:
- Supported architectures:
- %s: supported architectures:
- BFD header file version %s
- (GNU Binutils) 2.28
- COLUMNS
- UNKNOWN!
-
- %.12s %.4s
- %s %ld/%ld %6lu %s
- %s: bad number: %s
- '%s': No such file
- Warning: could not locate '%s'. reason: %s
- Warning: '%s' is not an ordinary file
- Warning: '%s' has negative size, probably it is too large
- ../../binutils-2.28/binutils/bucomm.c
- abfd != NULL
- %s(%s)
- :%s[%s]
- (GNU Binutils) 2.28
- GNU %s %s
- Copyright (C) 2017 Free Software Foundation, Inc.
- This program is free software; you may redistribute it under the terms of
- the GNU General Public License version 3 or (at your option) any later version.
- This program has absolutely no warranty.
- ../../binutils-2.28/bfd/archive.c
- %-10lu
- !
- !
- !
- __.SYMDEF
- __.SYMDEF/
- /
- /SYM64/
- #1/20
- __.SYMDEF SORTED
- __.SYMDEF
- ARFILENAMES/
- //
- ARFILENAMES/
- #1/%lu
- *_gnul*to_slim
- %s: plugin needed to handle lto object
- %-12ld
- Warning: writing archive was slow: rewriting timestamp
- Reading archive file mod timestamp
- Writing updated armap timestamp
- binary
- UNKNOWN!
- unknown
- Error reading %s: %s
- %s: %s

- BFD %s assertion fail %s:%d
- (GNU Binutils) 2.28
- BFD %s internal error, aborting at %s:%d in %s
- BFD %s internal error, aborting at %s:%d
- Please report this bug.
- ../../binutils-2.28/bfd/bfd.c
- %s(%s)
- %s[%s]
- coff-go32
- pe-i386
- pei-i386
- pe-x86-64
- pei-x86-64
- pe-arm-wince-little
- pei-arm-wince-little
- aixcoff-rs6000
- mach-o
- *bfdupdatecompression_header*
- *bfdsetgpvalue*
- *errorhandlerinternal*
- *bfdseterror*
- No error
- System call error
- Invalid bfd target
- File in wrong format
- Archive object file in wrong format
- Invalid operation
- Memory exhausted
- No symbols
- Archive has no index; run ranlib to add one
- No more archived files
- Malformed archive
- DSO missing from command line
- File format not recognized
- File format is ambiguous
- Section has no contents
- Nonrepresentable section on output
- Symbol needs debug section which does not exist
- Bad value
- File truncated
- File too big
- #
- ../../binutils-2.28/bfd/bfdio.c
- ../../binutils-2.28/bfd/coff-bfd.c
- error: %B(%A) is too large (%#lx bytes)
- ../../binutils-2.28/bfd/compress.c
- *.debug_str*
- *bfdcompresssection_contents*
- *bfdinitsectiondecompressstatus*
- *bfdissectioncompressedwith_header*
- *bfdgetfullsectioncontents*
- ../../binutils-2.28/bfd/format.c

- invalid
- unknown
- object
- archive
- ../../binutils-2.28/bfd/hash.c
- bfdhashreplace
- bfdhashrename
- ../../binutils-2.28/bfd/libbfd.c
- %B: unable to get decompressed section %A
- Deprecated %s called at %s line %d in %s
- Deprecated %s called
- bfdgenericgetsectioncontentsin_window
- bfdgetbits
- bfdputbits
- ../../binutils-2.28/bfd/opncls.c
- .gnu_debuglink
- %s.debug/%s
- /usr/lib/debug
- %s%s%s
- /usr/lib/debug/usr
- .note.gnu.build-id
- .build-id/
- .debug
- .gnu_debugaltlink
- Qkkbal
- ../../binutils-2.28/bfd/section.c
- bfdmapover_sections
- bfdgetuniquesectionname
- WARNING
- DSLINE
- BSLINE
- EHDECL
- NBTEXT
- NBDATA
- %c%c%c%c%c%c%c%c
- .stabstr
- \$GDB_SYMBOLS\$
- \$GDB_STRINGS\$
- Unsupported .stab relocation
- *DEBUG*
- .debug
- .drectve
- .edata
- .idata
- .pdata
- .rdata
- .rodata
- .scommon
- .sdata
- zerovars
- i[3-7]86--sysv4
- GNUTARGET

- default
- unknown file format
- Tekhex
- Verilog
- Versados
- MACH_O
- PEF_XLIB
- ../../binutils-2.28/bfd/targets.c
- bfd`flavourname`
- i[3-7]86--`unixware`
- i[3-7]86--`elf`
- i[3-7]86--`sco3.2v5`
- i[3-7]86--`dgux`
- i[3-7]86--`sysv5`
- i[3-7]86--`kaos`
- i[3-7]86--`nto`
- i[3-7]86--`aros`
- i[3-7]86--`chorus`
- i[3-7]86--`dicos`
- i[3-7]86--`rtems`
- i[3-7]86--`dragonfly`
- i[3-7]86--`netbsdelf`
- i[3-7]86--`netbsd-gnu*`
- i[3-7]86--`knetbsd-gnu`
- i[3-7]86--`netbsdpe`
- i[3-7]86--`openbsd`
- i[3-7]86--`netware`
- i[3-7]86--`linux-`
- i[3-7]86--`lynxos`
- i[3-7]86--`gnu`
- i[3-7]86--`moss`
- i[3-7]86--`beospe`
- i[3-7]86--`beoself`
- i[3-7]86--`beos`
- i[3-7]86--`interix`
- i[3-7]86--`rdos`
- i[3-7]86--`mingw32`
- i[3-7]86--`cygwin`
- i[3-7]86--`*-winnt`
- i[3-7]86--`*-pe`
- i[3-7]86--`*-chaos`
- `binary%s_%s`
- binary
- ../../binutils-2.28/bfd/ihex.c
- %s: address 0x%s out of range for Intel Hex file
- %B:%d: unexpected character '%s' in Intel Hex file
- %B:%u: bad checksum in Intel Hex file (expected %u, found %u)
- .sec%d
- %B:%u: bad extended address record length in Intel Hex file
- %B:%u: bad extended start address length in Intel Hex file
- %B:%u: bad extended linear address record length in Intel Hex file

- %B:%u: bad extended linear start address length in Intel Hex file
- %B:%u: unrecognized ihex type %u in Intel Hex file
- %B: internal error in ihexreadsection
- %B: bad section length in ihexreadsection
- 0123456789ABCDEF
- %-5s %s
- ../../binutils-2.28/bfd/srec.c
- %B:%d: Unexpected character '%s' in S-record file
- %B:%d: byte count %d too small
- .sec%d
- %B:%d: Bad checksum in S-record file
- symbolsrec
- 0123456789ABCDEF
- ../../binutils-2.28/bfd/tekhex.c
- %-5s %s
- %0781010
- tekhexwriteobject_contents
- tekhex
- 0123456789ABCDEF
- verilog
- 0123456789ABCDEF
- ../../binutils-2.28/bfd/coff-i386.c
- ../../binutils-2.28/bfd/coffcode.h
- %B: too many sections (%d)
- %s: warning: claims to have 0xffff relocs, without overflow
- %B: section %s: string table overflow at offset %ld
- .debug
- .zdebug
- .gnu.linkonce.wi.
- .gnu.linkonce.wt.
- %B: reloc against a non-existent symbol index: %ld
- warning: %B: local symbol '%s' has no section
- %B: Unrecognized storage class %d for %s symbol '%s'
- %B: warning: line number table read failed
- %B: warning: illegal symbol index 0x%lx in line number entry %d
- %B: warning: illegal symbol in line number entry %d
- %B: warning: duplicate line number information for '%s'
- %B: warning: illegal symbol index %ld in relocs
- %B: illegal relocation type %d at address 0x%lx
- IMAGE_SCNMEMNOTCACHED
- IMAGE_SCNMLNK_OTHER
- STYP_OVER
- STYP_COPY
- STYP_GROUP
- STYP_DSECT
- %B: Warning: Ignoring section flag IMAGE_SCNMEMNOTPAGED in section %s
- .comment
- %B: unable to load COMDAT section name
- %B: warning: COMDAT symbol '%s' does not match section name '%s'
- %B: warning: No symbol for section '%s' found
- .gnu.linkonce
- %B (%s): Section flag %s (0x%x) ignored

- .idata
- handle_COMDAT
- coffsetalignment_hook
- dummyreloc16extra_cases
- dummyreloc16estimate
- coffi386reloc
- pe-i386
- .pdata
- .stabstr
- .ctors
- .dtors
- secrel32
- DISP16
- DISP32
- peigen.c
- %03x %*.s Entry:
- name: [val: %08lx len %d]:
-
-
- ID: %08lx
- , Value: %08lx
- %03x %*.s Leaf: Addr: %08lx, Size: %08lx, Codepage: %d
- %03x %*.s
- Language
-
- Table: Char: %d, Time: %08lx, Ver: %d/%d, Num Names: %d, IDs: %d
- .rsrc merge failure: multiple non-default manifests
- .rsrc merge failure: dirs with differing characteristics
- .rsrc merge failure: differing directory versions
- .rsrc merge failure: a directory matches a leaf
- .rsrc merge failure: duplicate string resource: %d
- .rsrc merge failure: duplicate leaf
- (resource id range: %d - %d)
- .rsrc merge failure: duplicate leaf: %s
- %B: unable to find name for empty section
- %B: out of memory creating name for empty section
- %B: unable to create fake empty section
- %B: aout header specifies an invalid number of data-directory entries: %d
- .edata
- .pdata
- .idata
- .reloc
- %s: line number overflow: 0x%lx > 0xffff
- .rdata
- .xdata
- Unknown
- There is a debug directory in %s, but that section has no contents
- Error: section %s contains the debug data starting address but it is too small
- There is a debug directory in %s at 0x%lx
- The debug data size field in the data directory is too big for the section
- Type Size Rva Offset
- %2ld %14s %08lx %08lx %08lx

- (format %c%c%c%c signature %s age %ld)
- The debug directory size is not a multiple of the debug directory entry size
- There is a debug directory, but the section containing it could not be found
- Warning, .pdata section size (%ld) is not a multiple of %d
- The Function Table (interpreted .pdata section contents)
- Begin Prolog Function Flags Exception EH
- Address Length Length 32b exc Handler Data
- %2d %2d
- %08x
- (%s)
- Export Directory [.edata (or where ever we found it)]
- Characteristics 0x%x
- relocations stripped
- executable
- line numbers stripped
- symbols stripped
- large address aware
- little endian
- 32 bit words
- debugging information removed
- system file
- big endian
- Time/Date
- MajorLinkerVersion
- MinorLinkerVersion
- SizeOfCode
- SizeOfInitializedData
- SizeOfUninitializedData
- AddressOfEntryPoint
- BaseOfCode
- BaseOfData
- ImageBase
- SectionAlignment
- FileAlignment
- MajorOSSystemVersion
- MinorOSSystemVersion
- MajorImageVersion
- MinorImageVersion
- MajorSubsystemVersion
- MinorSubsystemVersion
- Win32Version
- SizeOfImage
- SizeOfHeaders
- CheckSum
- Subsystem
- DllCharacteristics
- SizeOfStackReserve
- SizeOfStackCommit
- SizeOfHeapReserve
- SizeOfHeapCommit
- LoaderFlags
- NumberOfRvaAndSizes

- The Data Directory
- Entry %1x
- %08lx
- There is an import table in %s, but that section has no contents
- There is an import table in %s at 0x%lx
- The Import Tables (interpreted %s section contents)
- vma: Hint Time Forward DLL First
- Table Stamp Chain Name Thunk
- %08lx
- %08lx %08lx %08lx %08lx %08lx
- DLL Name: %.*s
- vma: Hint/Ord Member-Name Bound-To
- %4lu
-
- %4d %.*s
- There is an export table in %s, but that section has no contents
- There is an export table in %s, but it does not fit into that section
- There is an export table in %s, but it is too small (%d)
- There is an export table in %s at 0x%lx
- The Export Tables (interpreted %s section contents)
- Export Flags
- Time/Date stamp
- Major/Minor
- (outside .edata section)
- Ordinal Base
- Number in:
- Export Address Table
- [Name Pointer/Ordinal] Table
- Table Addresses
- Export Address Table
- Name Pointer Table
- Ordinal Table
- Export Address Table -- Ordinal Base %ld
- Invalid Export Address Table rva (0x%lx) or entry count (0x%lx)
- Forwarder RVA
- [%4ld] +base[%4ld] %04lx %s -- %.*s
- Export RVA
- [%4ld] +base[%4ld] %04lx %s
- [Ordinal/Name Pointer] Table
- Invalid Name Pointer Table rva (0x%lx) or entry count (0x%lx)
- Invalid Ordinal Table rva (0x%lx) or entry count (0x%lx)
- [%4ld]
- [%4ld] %.*s
- Begin End EH EH PrologEnd Exception
- Address Address Handler Data Address Mask
- Virtual size of .pdata section (%ld) larger than real size (%ld)
- PE File Base Relocations (interpreted .reloc section contents)
- Virtual Address: %08lx Chunk size %ld (0x%lx) Number of fixups %ld
- reloc %4d offset %4x [%4lx] %s
- UNKNOWN
- (%4x)
- The .rsrc Resource Directory section:

- Corrupt .rsrc section detected!
- WARNING: Extra data in .rsrc section - it will be ignored by Windows:
- String table starts at offset: %#03x
- Resources start at offset: %#03x
- There is an import table, but the section containing it could not be found
- There is a first thunk, but the section containing it could not be found
- There is an export table, but the section containing it could not be found
- %B: Data Directory size (%lx) exceeds space left in section (%lx)
- Failed to update file offsets in debug directory
- %B: Failed to read debug data section
- *_t/sused*
- *t/sused*
- .idata\$2
- %B: unable to fill in DataDictionary[1] because .idata\$2 is missing
- .idata\$4
- %B: unable to fill in DataDictionary[1] because .idata\$4 is missing
- .idata\$5
- %B: unable to fill in DataDictionary[12] because .idata\$5 is missing
- .idata\$6
- %B: unable to fill in DataDictionary[PE/IMPORTADDRESS_TABLE (12)] because .idata\$6 is missing
- **IAT_start**
- **IAT_end**
- %B: unable to fill in DataDictionary[PE/IMPORTADDRESS_TABLE(12)] because .idata\$6 is missing
- %B: unable to fill in DataDictionary[9] because *_t/sused* is missing
- %s: .rsrc merge failure: corrupt .rsrc section
- %s: .rsrc merge failure: unexpected .rsrc size
- unspecified
- NT native
- Windows GUI
- Windows CUI
- POSIX CUI
- Wince CUI
- EFI application
- EFI boot service driver
- EFI runtime driver
- SAL runtime driver
- CodeView
- Exception
- OMAP-to-SRC
- OMAP-from-SRC
- Borland
- Reserved
- ABSOLUTE
- HIGHLOW
- HIGHADJ
- MIPS_JMPADDR
- SECTION
- RESERVED1
- MIPS_JMPADDR16
- HIGH3ADJ
- Import Directory [parts of .idata]
- Resource Directory [.rsrc]

- Exception Directory [.pdata]
- Security Directory
- Base Relocation Directory [.reloc]
- Debug Directory
- Description Directory
- Special Directory
- Thread Storage Directory [.tls]
- Load Configuration Directory
- Bound Import Directory
- Import Address Table Directory
- Delay Import Directory
- CLR Runtime Header
- ../../binutils-2.28/bfd/cofflink.c
- %s: %s: reloc overflow: 0x%lx > 0xffff
- %s: warning: %s: line number overflow: 0x%lx > 0xffff
- Warning: symbol '%s' is both section and non-section
- Warning: type of symbol '%s' changed from %d to %d in %B
- .stabstr
- .drectve
- -stack
- -aligncomm:
-
- %B: relocs in section '%A', but it has no contents
- %X %s' referenced in section %A' of %B: defined in discarded section '%A' of %B
- %B: illegal symbol index %ld in relocs
- %B: bad reloc address 0x%lx in section '%A'
- *bfdcoffgenericrelocate_section*
- *bfdcoffreloclink_order*
- *bfdcoffwriteglobal_sym*
- *bfdcofflinkinput_bfd*
- *cofflinkadd_symbols*
- strange
- ../../binutils-2.28/bfd/coffgen.c
- .debug
- %B: bad string table size %lu
- %B: unable to initialize compress status for section %s
- %B: unable to initialize decompress status for section %s
-
- coff %s %s
- [%3ld]
- %s
- (sec %2d)(fl 0x%02x)(ty %3x)(scl %3d) (nx %d) 0x
- AUX scnlen 0x%lx nreloc %d nlnno %d
- checksum 0x%lx assoc %d comdat %d
- AUX tagndx %ld tlsiz 0x%lx lnnos %ld next %ld
- AUX lnnos %d size 0x%x tagndx %ld
- endndx %ld
- %4d :
- %-5s %s %s %s
- .gnu.linkonce.
- %F%P: alreadylinkedtable: %E
- .vectors

- .ctors
- .dtors
- .idata
- .pdata
- .xdata
- Removing unused section '%s' in file '%B'
- coffixsymbol_name
- Dwarf Error: Can't find %s section.
- Dwarf Error: Offset (%lu) greater than or equal to %s size (%lu).
- .gnu.linkonce.wi.
- ../../binutils-2.28/bfd/dwarf2.c
- Dwarf Error: Info pointer extends beyond end of attributes
- /mingw/lib/debug
- Dwarf Error: Invalid or unhandled FORM value: %#x.
- Dwarf Error: mangled line number section (bad file number).
-
- %s/%s/%s
- Dwarf Error: Line info section is too small (%ld)
- Dwarf Error: Line info data is bigger (0x%lx) than the section (0x%lx)
- Dwarf Error: Unhandled .debug_line version %d.
- Dwarf Error: Ran out of room reading prologue
- Dwarf Error: Invalid maximum operations per instruction.
- Dwarf Error: Ran out of room reading opcodes
- Dwarf Error: mangled line number section.
- Dwarf Error: Unable to read alt ref %u.
- Dwarf Error: Could not find abbrev number %u.
- Dwarf Error: found dwarf version '%u', this reader only handles version 2, 3 and 4 information.
- Dwarf Error: found address size '%u', this reader can not handle sizes greater than '%u'.
- Dwarf Error: found address size '%u', this reader can only handle address sizes '2', '4' and '8'.
- Dwarf Error: DWATcomp_dir attribute encountered with a non-string form.
- findabstractinstance_name
- scanunitfor_symbols
- read_address
- .debug_abbrev
- .zdebug_abbrev
- .debug_aranges
- .zdebug_aranges
- .debug_frame
- .zdebug_frame
- .debug_info
- .zdebug_info
- .debug_line
- .zdebug_line
- .debug_loc
- .zdebug_loc
- .debug_macinfo
- .zdebug_macinfo
- .debug_macro
- .zdebug_macro
- .debug_pubnames
- .zdebug_pubnames
- .debug_pubtypes

- .zdebug_pubtypes
- .debug_ranges
- .zdebug_ranges
- .debugstaticfunc
- .zdebugstaticfunc
- .debugstaticvars
- .zdebugstaticvars
- .debug_str
- .zdebug_str
- .debug_types
- .zdebug_types
- .debug_sfnames
- .zdebug_sfnames
- .debug_srcinfo
- .zdebug_srcinfo
- .debug_funcnames
- .zdebug_funcnames
- .debug_typenames
- .zdebug_typenames
- .debug_varnames
- .zdebug_varnames
- .debug_weaknames
- .zdebug_weaknames
- ../../binutils-2.28/bfd/coff-i386.c
- ../../binutils-2.28/bfd/coffcode.h
- %B: page size is too large (0x%x)
- %B: too many sections (%d)
- %s: warning: claims to have 0xffff relocs, without overflow
- .reloc
- %B: section %s: string table overflow at offset %ld
- .debug
- .zdebug
- .gnu.linkonce.wi.
- .gnu.linkonce.wt.
- %B: reloc against a non-existent symbol index: %ld
- ../../binutils-2.28/bfd/peicode.h
- warning: %B: local symbol '%s' has no section
- %B: Unrecognized storage class %d for %s symbol '%s'
- %B: warning: line number table read failed
- %B: warning: illegal symbol index 0x%lx in line number entry %d
- %B: warning: illegal symbol in line number entry %d
- %B: warning: duplicate line number information for '%s'
- %B: warning: illegal symbol index %ld in relocs
- %B: illegal relocation type %d at address 0x%lx
- IMAGE_SCNMEMNOTCACHED
- IMAGE_SCN_LNK_OTHER
- STYP_OVER
- STYP_COPY
- STYP_GROUP
- STYP_DSECT
- %B: Warning: Ignoring section flag IMAGE_SCNMEMNOTPAGED in section %s
- .comment

- %B: unable to load COMDAT section name
- %B: warning: COMDAT symbol '%s' does not match section name '%s'
- %B: warning: No symbol for section '%s' found
- .gnu.linkonce
- %B (%s): Section flag %s (0x%x) ignored
- %B: Unrecognised machine type (0x%x) in Import Library Format archive
- %B: size field is zero in Import Library Format header
- %B: string not null terminated in ILF object file.
- %B: Unhandled import type; %x
- %B: Unrecognised import type; %x
- %B: Unrecognised import name type; %x
- .idata\$4
- .idata\$5
- .idata\$6
- *_imp*
- *_IMPORTDESCRIPTOR_*
- %B: Error: Debug Data ends beyond end of debug directory.
- %B: Recognised but unhandled machine type (0x%x) in Import Library Format archive
- .idata
- *pe/ILFsave_relocs*
- *pe/ILFbuildabfd*
- *handle_COMDAT*
- *coffsetalignment_hook*
- *dummyreloc16extra_cases*
- *dummyreloc16estimate*
- *coffi386reloc*
- *pei-i386*
- .pdata
- .stabstr
- .ctors
- .dtors
- *secrel32*
- *DISP16*
- *DISP32*
- *../..../binutils-2.28/bfd/elf32-i386.c*
- .reloc
- FreeBSD
- %B: invalid relocation type %d
- %P: %B: warning: relocation against '%s' in readonly section '%A'
- discarded output section: '%A'
- .dynamic
- .tls_vars
- *TLSMODULEBASE*
- *R386NONE*
- *unknown*
- *_tlsgetaddr*
- %B: TLS transition from %s to %s against '%s' at 0x%lx in section '%A' failed
- function
- %B: unrecognized relocation (0x%x) in section '%A'
- %B: relocation %s against STTGNUIFUNC symbol '%s' isn't supported
- %B: direct GOT relocation %s against '%s' without base register can not be used when making a shared
- hidden symbol

- internal symbol
- protected symbol
- symbol
- %B: relocation R386GOTOFF against undefined %s `%s' can not be used when making a shared object
- %B: relocation R386GOTOFF against protected %s `%s' can not be used when making a shared object
- %B(%A+0x%lx): unresolvable %s relocation against symbol `%s'
- %B(%A+0x%lx): reloc against `%s': error %d
- %B: bad symbol index: %d
- %B: `%s' accessed both as normal and thread local symbol
- %B: unsupported non-PIC call to IFUNC `%s'
- .plt.got
- .eh_frame
- .interp
- /usr/lib/libc.so.1
- %B: direct GOT relocation R386GOT32X against `%s' without base register can not be used when makin
- %P: %B: warning: relocation in readonly section `%A'
- %P%X: read-only segment has dynamic IFUNC relocations; recompile with -fPIC
- elfi386createdynamicsections
- elfi386allocatelocaldynrelocs
- elfi386sizedynamicsections
- elfi386checktstransition
- elfi386relocate_section
- elfi386finishdynamicssymbol
- elfi386finishdynamicsections
- elfi386reloctypeclass
- elf32-i386-vxworks
- elf32-i386-nacl
- elf32-iamcu
- elf32-i386-sol2
- elf32-i386-freebsd
- elf32-i386
- R38632
- R386PC32
- R386GOT32
- R386PLT32
- R386COPY
- R386GLOB_DAT
- R386JUMP_SLOT
- R386RELATIVE
- R386GOTOFF
- R386GOTPC
- R386TLS_TPOFF
- R386TLS_IE
- R386TLS_GOTIE
- R386TLS_LE
- R386TLS_GD
- R386TLS_LDM
- R38616
- R386PC16
- R3868
- R386PC8

- R386TLSLDO32
- R386TLSIE32
- R386TLSLE32
- R386TLS_DTPMOD32
- R386TLS_DTPOFF32
- R386TLS_TPOFF32
- R386SIZE32
- R386TLS_GOTDESC
- R386TLSDESCCALL
- R386TLS_DESC
- R386IRELATIVE
- R386GOT32X
- R386GNU_VTINHERIT
- R386GNU_VTENTRY
- .rel.ifunc
- .rel.ifunc
- .rel.iplt
- .rel.iplt
- .igot.plt
- %F%P: dynamic STTGNUIFUNC symbol %s' with pointer equality in %B' can not be used when making an
- ../../binutils-2.28/bfd/elf-ifunc.c
- .rel.plt
- .rel.plt
- bfdelfallocateifuncdynrelocs
- ../../binutils-2.28/bfd/elf-nacl.c
- **GOTT_BASE**
- **GOTT_INDEX**
- .rel.plt.unloaded
- .rel.plt.unloaded
- .tls_data
- .tls_vars
- ../../binutils-2.28/bfd/elfcode.h
- %s: version count (%ld) does not match symbol count (%ld)
- COMMON
- %s(%s): relocation %d has invalid symbol index %ld
- warning: %s has a corrupt string table index - ignoring
-
- Warning: %B is truncated: expected core file size >= %lu, found: %lu.
- bfdelf32write_relocs
- bfdelf32swapsymbolout
- DYNAMIC
- INTERP
- EH_FRAME
- .interp
- .dynamic
- ../../binutils-2.28/bfd/elf.c
- %B: Invalid sh_link field (%d) in section number %d
- %B: Failed to find link section for section %d
- %B: Failed to find info section for section %d
- stapsdt
- FreeBSD

- NetBSD-CORE
- OpenBSD
- %s/%ld
- %B: error: Alignment power %d of section `%A' is too big
- warning: section `%A' type changed to PROGBITS
- .shstrtab
- %B: attempt to load strings from a non-string section (number %d)
- %B: invalid string offset %u >= %lu for section `%s'
- %B symbol number %lu references nonexistent SHTSYMTABSHNDX section
- (null)
- %B: warning: sh_link not set for section `%A'
- %B: sh_link [%d] in section `%A' is incorrect
- %B: SHTGROUP section [index %d] has no SHFGROUP sections
- %B: section group entry number %u is corrupt
- %B: unknown [%d] section `%s' in group [%s]
- (none)
- %-11s
- .internal
- .hidden
- .protected
- 0x%02x
- %B: warning: loop in section dependencies detected
- %B: warning: multiple symbol tables detected - ignoring the table in section %u
- %B: warning: multiple dynamic symbol tables detected - ignoring the table in section %u
- %B: invalid link %lu for reloc section %s (index %u)
- %B: don't know how to handle allocated, application specific section `%s' [0x%8x]
- %B: don't know how to handle processor specific section `%s' [0x%8x]
- %B: don't know how to handle OS specific section `%s' [0x%8x]
- %B: don't know how to handle section `%s' [0x%8x]
- .zdebug
- .gdb_index
- .gnu.linkonce.wi.
- .debug
- %B: corrupt size field in group section header: 0x%lx
- %B: invalid size field in group section header: 0x%lx
- %B: invalid SHT_GROUP entry
- %B: no valid group sections found
- %B: no group info for section %A
- .gnu.linkonce
- %B: unable to initialize compress status for section %s
- %B: unable to initialize decompress status for section %s
- %s%d%s
- dynamic
- interp
- ehframehdr
- .got.plt
- %B: TLS sections are not adjacent:
- TLS: %A
- non-TLS: %A
- .dynstr
- .gnu.libstr
-

- *unknown*
- .symtab
- .strtab
- .symtab_shndx
- %B: too many sections: %u
- %B: sh_link of section %A' points to discarded section %A' of %B'
- %B: sh_link of section %A' points to removed section %A' of %B'
- .dynsym
- Unable to find equivalent output section for symbol '%s' from section '%s'
- %B: The first section in the PT_DYNAMIC segment is not the .dynamic section
- %B: Not enough room for program headers, try linking with -N
- %B: section %A lma %#lx adjusted to %#lx
- %B: section %A can't be allocated in segment %d
- LOPROC+%7.7x
- LOOS+%7.7x
- %B: warning: allocated section '%s' not in segment
- _ehdrstart
- %B: error: non-load segment %d includes file header and/or program header
- %B: error: PHDR segment not covered by LOAD segment
- %B: symbol '%s' required but not present
- %B: warning: segment alignment of 0x%llx is too large
- %B: warning: Empty loadable segment detected, is this intentional ?
- %B: .gnu.version_r invalid entry
- %B: .gnu.version_d invalid entry
-
- GNU_HASH
- VERNEEDNUM
- VERNEED
- VERDEFNUM
- VERDEF
- VERSYM
- FLAGS_1
- RELCOUNT
- RELACOUNT
- SYMINFO
- MOVETAB
- PLTPAD
- SYMINENT
- SYMINSZ
- POSFLAG_1
- FEATURE
- MOVESZ
- MOVEENT
- PLTPADSZ
- CHECKSUM
- PREINIT_ARRAYSZ
- PREINIT_ARRAY
- FINI_ARRAYSZ
- INIT_ARRAYSZ
- FINI_ARRAY
- INIT_ARRAY
- BIND_NOW

- JMPREL
- TEXTREL
- PLTREL
- RELENT
- SYMBOLIC
- SYMENT
- RELAENT
- RELASZ
- SYMTAB
- STRTAB
- PLTGOT
- PLTRELSZ
- FILTER
- AUXILIARY
- DEPAUDIT
- CONFIG
- RUNPATH
- SONAME
- NEEDED
- Program Header:
- %8s off 0x
- vaddr 0x
- paddr 0x
- align 2**%u
- filesz 0x
- memsz 0x
- flags %c%c%c
- Dynamic Section:
- Version definitions:
- %d 0x%2.2x 0x%8.8lx %s
- Version References:
- required from %s:
- 0x%8.8lx 0x%2.2x %2.2d %s
- %-20s
- %B: unsupported relocation type %s
- .qnxcoreinfo
- .qnxcorestatus/%ld
- .qnxcorestatus
- .reg/%ld
- .module/%08lx
- .reg-xfp
- .reg-xstate
- .reg-ppc-vmx
- .reg-ppc-vsx
- .reg-s390-high-gprs
- .reg-s390-timer
- .reg-s390-todcmp
- .reg-s390-todpreg
- .reg-s390-ctrs
- .reg-s390-prefix
- .reg-s390-last-break
- .reg-s390-system-call

- .reg-s390-tdb
- .reg-s390-vxrs-low
- .reg-s390-vxrs-high
- .reg-arm-vfp
- .reg-aarch-tls
- .reg-aarch-hw-break
- .reg-aarch-hw-watch
- .note.linuxcore.file
- .note.linuxcore.siginfo
- .wcookie
- .note.netbsdcore.proclinfo
- .thrmisc
- .rel.plt
- .rela.plt
- *bfdelfnoinfohowto*
- *bfdelfsetsection_contents*
- *bfdelfgetlineno*
- *rewriteelfprogram_header*
- *bfdelfassignfilepositionsforload*
- *getprogramheader_size*
- *assignfilepositionsforloadsections*
- *bfdelfsetgroupcontents*
- *bfdelfgetelfsyms*
- LARGE_COMMON
- .zdebug_line
- .zdebug_info
- .zdebug_abbrev
- .zdebug_aranges
- .tdata
- .stabstr
- .rodata
- .rodata1
- .preinit_array
- .note.GNU-stack
- .init_array
- .gnu.linkonce.b
- .gnu.lto_
- .gnu.version
- .gnu.version_d
- .gnu.version_r
- .gnu.liblist
- .gnu.conflict
- .gnu.hash
- .fini_array
- .data1
- .debug_line
- .debug_info
- .debug_abbrev
- .debug_aranges
- .comment
- SHT_NULL
- SHT_PROGBITS

- SHT_SYMTAB
- SHT_STRTAB
- SHT_RELA
- SHT_HASH
- SHT_DYNAMIC
- SHT_NOTE
- SHT_NOBITS
- SHT_REL
- SHT_SHLIB
- SHT_DYNSYM
- ../../binutils-2.28/bfd/elflink.c
- %P%X: can not read symbols: %E
- %B: bad reloc symbol index (0x%lx >= 0x%lx) for offset 0x%lx in section `%A'
- %B: non-zero symbol index (0x%lx) for offset 0x%lx in section `%A' when the object file has no symbo
- %B: Too many sections: %d (>= %d)
- %B: warning: sh_link not set for section `%A'
- undefined %s reference in complex symbol: %s
- section
- symbol
- unknown operator '%c' in complex symbol
- %B: internal symbol `%s' in %B is referenced by DSO
- %B: hidden symbol `%s' in %B is referenced by DSO
- %B: local symbol `%s' in %B is referenced by DSO
- %B: could not find output section %A for input section %A
- %B: protected symbol `%s' isn't defined
- %B: internal symbol `%s' isn't defined
- %B: hidden symbol `%s' isn't defined
- %B: No symbol version section for versioned symbol `%s'
- .rela.got
- .rel.got
- .got.plt
- *GLOBALOFFSETTABLE*
- .interp
- .gnu.version_d
- .gnu.version
- .gnu.version_r
- .dynsym
- .dynstr
- .dynamic
- *_DYNAMIC*
- .gnu.hash
- .rela.plt
- .rel.plt
- .rela.bss
- .rel.bss
- .rela.data.rel.ro
- .rel.data.rel.ro
- *PROCEDURELINKAGETABLE*
- .dynbss
- .data.rel.ro
- %s: TLS definition in %B section %A mismatches non-TLS definition in %B section %A
- %s: TLS reference in %B mismatches non-TLS reference in %B

- %s: TLS definition in %B section %A mismatches non-TLS reference in %B
- %s: TLS reference in %B mismatches non-TLS definition in %B section %A
- warning: type and size of dynamic symbol '%s' are not defined
- %B: version node not found for symbol %s
- %B: relocation size mismatch in %B section %A
- %P: copy reloc against protected '%T' is dangerous
- %P: alternate ELF machine code found (%d) in %B, expecting %d
- .gnu.warning.
- COMMON
- .tcommon
- %B: %s: invalid version %u (max %d)
- %B: %s: invalid needed version %d
- %B: unexpected redefinition of indirect versioned symbol '%s'
- Warning: alignment %u of common symbol '%s' in %B is greater than the alignment (%u) of its section
- Warning: alignment %u of symbol '%s' in %B is smaller than %u in %B
- Warning: size of symbol '%s' changed from %lu in %B to %lu in %B
- Warning: type of symbol '%s' changed from %d to %d in %B
- %B: undefined reference to symbol '%s'
- .stabstr
- %B: stack size specified and %s set
- %B: %s not absolute
- .note.GNU-stack
- %s: undefined version: %s
- .preinit_array
- .init_array
- %B: .preinit_array section is not allowed in DSO
- .fini_array
- .eh_frame
- .gcc_exceptable
- .ctors
- .dtors
- error: %B: size of section %A is not multiple of address size
- error: %B contains a reloc (0x%s) for section %A that references a non-existent global symbol
- %X %s' referenced in section %A' of %B: defined in discarded section '%A' of %B
- ELFCLASS64
- ELFCLASS32
- ELFCLASSNONE
- .gnu.attributes
- %A has both ordered [%A' in %B] and unordered [%A' in %B] sections
- %A has both ordered and unordered sections
- %B: file class %s incompatible with %s
- %B: no symbol found for import library
- %B: failed to generate import library
- .rela.dyn
- .rel.dyn
- %B: Unable to sort relocations - they are in more than one size
- %B: Unable to sort relocations - they are of an unknown size
- Not enough memory to sort relocations
- could not find section %s
- warning: %s section has zero size
- warning: section '%s' is being made into a note
- %P%X: read-only segment has dynamic relocations.

- %P: warning: creating a DT_TEXTREL in a shared object.
- *_start*
- *_stop*
- %F%P: corrupt input: %B
- *.debug_line*.
- *.ehframeentry*
- Warning: gc-sections option ignored
- Removing unused section '%s' in file '%B'
- %B: %A+%lu: No symbol found for INHERIT
- SHF_WRITE
- Unrecognized INPUTSECTIONFLAG %s
- *.gnu.linkonce*.
- *.gnu.linkonce.t*.
- %F%P: alreadylinkedtable: %E
- *.gnu.linkonce.r*.
- *elflinkadjust_relocs*
- *elfrelocink_order*
- *elflinkinput_bfd*
- *elflinkconvertcommontype*
- *elflinkcheckversionedsymbol*
- *elflinkoutput_extsym*
- *bfdelffinal_link*
- *put_value*
- *get_value*
- *bfdelfsizedynsymhash_dynstr*
- *elflinkaddobjectsymbols*
- SHF_ALLOC
- SHF_EXECINSTR
- SHF_MERGE
- SHF_STRINGS
- SHF_INFO_LINK
- SHF_LINK_ORDER
- SHF_OS_NONCONFORMING
- SHF_GROUP
- SHF_TLS
- SHF_MASKOS
- SHF_EXCLUDE
- *../../../../binutils-2.28/bfd/elf-attrs.c*
- error: %B: Object has vendor-specific contents that must be processed by the '%s' toolchain
- error: %B: Object tag '%d, %s' is incompatible with tag '%d, %s'
- *bfdelfparseattributes*
- *bfdelfobjattr_sargtype*
- *bfdelfcopyobj_attributes*
- *bfdelfsetobjattr_contents*
- *../../../../binutils-2.28/bfd/elf-strtab.c*
- *../../../../binutils-2.28/bfd/elf-eh-frame.c*
- discarding zero address range FDE in %B(%A).
- %P: error in %B(%A); no *.ehframehdr* table will be created.
- %P: FDE encoding in %B(%A) prevents *.ehframehdr* table being created.
- %P: Further warnings about FDE encoding preventing *.ehframehdr* generation dropped.
- *.eh_frame*

- *.ehframeentry*
- *_GNUEHFRAMEHDR*
- %B: %s not in order
- %B: %s invalid input section size
- %B: %s points past end of text section
- %P: DWEHPE_datarel unspecified for this architecture.
- Invalid output section for *.ehframeentry*: %s
- Invalid contents in %s section
- %P: *.ehframehdr* entry overflow.
- %P: *.ehframehdr* refers to overlapping FDEs.
- *writecompactehframehdr*
- *bfdelffixupehframehdr*
- *bfdelfwritesectionehframe*
- *.debug*
- %B: Relocations in generic ELF (EM: %d)
- elf32-little
- elf32-big
- UNKNOWN
- ../../binutils-2.28/bfd/plugin.c
- bfd plugin:
- onload
- ../../lib/bfd-plugins
- /mingw/bin
- plugin
- i386:x86-64
- i386:x64-32
- i386:intel
- i386:x86-64:intel
- i386:x64-32:intel
- i386:nacl
- i386:x86-64:nacl
- i386:x64-32:nacl
- iamcu:intel
- plugin
- ../../binutils-2.28/bfd/cache.c
- reopening %B: %s
- *bfdcachelookup_worker*
- *cache_bmmmap*
- ../../binutils-2.28/bfd/linker.c
- COMMON
- *_real*
- Attempt to do relocatable link with %s input and %s output
- *_wrap*
- *_imp*
- *_gnultto_slim*
- %s: plugin needed to handle lto object
- GLOBAL_
- %B: indirect symbol %s' to %s' is a loop
- %B: ignoring duplicate section '%A'
- %B: duplicate section '%A' has different size
- %B: could not read contents of section '%A'

- %B: duplicate section '%A' has different contents
- %F%P: already *linked* table: %E
- %B: compiled for a big endian system and target is little endian
- %B: compiled for a little endian system and target is big endian
- *bfdhandlealreadylinked*
- *bfddefaultlinkorder*
- *bfdgenericreloclink_order*
- *bfdgenericlinkwriteglobalsymbol*
- *bfdgenericlinkoutput_symbols*
- *setsymbolfrom_hash*
- *bfdgenericlinkaddonesymbol*
- *../../../../binutils-2.28/bfd/merge.c*
- %s: access beyond end of merged section (%ld)
- *bfdmergedsectionoffset*
- *bfdwritemergedsection*
- *bfdaddmergesection*
- *../../../../binutils-2.28/bfd/reloc.c*
- coff-Intel-little
- coff-Intel-big
- coff-z8k
- *.debug_ranges*
- %P%F: --relax and -r may not be used together
- INPUTSECTIONFLAGS are not supported.
- %X%P: %B(%A): error: relocation for offset %V has no value
- %X%P: %B(%A): relocation "%R" goes out of range
- %X%P: %B(%A): relocation "%R" is not supported
- %X%P: %B(%A): relocation "%R" returns an unrecognized value %x
- unused
- *bfdclear_contents*
- *bfdrelocate_contents*
- *bfdperformrelocation*
- *bfdcheckoverflow*
- *bfdgetreloc_size*
- @@uninitialized@@
- BFDRELOC64
- BFDRELOC32
- BFDRELOC26
- BFDRELOC24
- BFDRELOC16
- BFDRELOC14
- BFDRELOC8
- BFDRELOC64_PCREL
- BFDRELOC32_PCREL
- BFDRELOC24_PCREL
- BFDRELOC16_PCREL
- BFDRELOC12_PCREL
- BFDRELOC8_PCREL
- BFDRELOC32_SECREL
- BFDRELOC32GOTPCREL
- BFDRELOC16GOTPCREL
- BFDRELOC8GOTPCREL

- BFDRELOC32_GOTOFF
- BFDRELOC16_GOTOFF
- BFDRELOCLO16_GOTOFF
- BFDRELOCHI16_GOTOFF
- BFDRELOCHI16SGOTOFF
- BFDRELOC8_GOTOFF
- BFDRELOC64PLTPCREL
- BFDRELOC32PLTPCREL
- BFDRELOC24PLTPCREL
- BFDRELOC16PLTPCREL
- BFDRELOC8PLTPCREL
- BFDRELOC64_PLTOFF
- BFDRELOC32_PLTOFF
- BFDRELOC16_PLTOFF
- BFDRELOCLO16_PLTOFF
- BFDRELOCHI16_PLTOFF
- BFDRELOCHI16SPLTOFF
- BFDRELOC8_PLTOFF
- BFDRELOCSIZE32
- BFDRELOCSIZE64
- BFDRELOC68KGLOBDAT
- BFDRELOC68KJMPSLOT
- BFDRELOC68K_RELATIVE
- BFDRELOC68KTLSGD32
- BFDRELOC68KTLSGD16
- BFDRELOC68KTLSGD8
- BFDRELOC68KTLSLDM32
- BFDRELOC68KTLSLDM16
- BFDRELOC68KTLSLDM8
- BFDRELOC68KTLSLDO32
- BFDRELOC68KTLSLDO16
- BFDRELOC68KTLSLDO8
- BFDRELOC68KTLSIE32
- BFDRELOC68KTLSIE16
- BFDRELOC68KTLSIE8
- BFDRELOC68KTLSLE32
- BFDRELOC68KTLSLE16
- BFDRELOC68KTLSLE8
- BFDRELOC32_BASEREL
- BFDRELOC16_BASEREL
- BFDRELOCLO16_BASEREL
- BFDRELOCHI16_BASEREL
- BFDRELOCHI16SBASEREL
- BFDRELOC8_BASEREL
- BFDRELOCRVA
- BFDRELOC8_FFnn
- BFDRELOC32PCRELS2
- BFDRELOC16PCRELS2
- BFDRELOC23PCRELS2
- BFDRELOCHI22

- BFDRELOCLO10
- BFDRELOCGPREL16
- BFDRELOCGPREL32
- BFDRELOCi960_CALLJ
- BFDRELOCNONE
- BFDRELOCSPARC_WDISP22
- BFDRELOCSPARC22
- BFDRELOCSPARC13
- BFDRELOCSPARC_GOT10
- BFDRELOCSPARC_GOT13
- BFDRELOCSPARC_GOT22
- BFDRELOCSPARC_PC10
- BFDRELOCSPARC_PC22
- BFDRELOCSPARC_WPLT30
- BFDRELOCSPARC_COPY
- BFDRELOCSPARCGLOBDAT
- BFDRELOCSPARCJMPSLOT
- BFDRELOCSPARC_RELATIVE
- BFDRELOCSPARC_UA16
- BFDRELOCSPARC_UA32
- BFDRELOCSPARC_UA64
- BFDRELOCSPARCGOTDATAHIX22
- BFDRELOCSPARCGOTDATALOX10
- BFDRELOCSPARCGOTDATAOP_HIX22
- BFDRELOCSPARCGOTDATAOP_LOX10
- BFDRELOCSPARCGOTDATAOP
- BFDRELOCSPARCJMPIREL
- BFDRELOCSPARC_IRELATIVE
- BFDRELOCSPARC_BASE13
- BFDRELOCSPARC_BASE22
- BFDRELOCSPARC_10
- BFDRELOCSPARC_11
- BFDRELOCSPARC_OLO10
- BFDRELOCSPARC_HH22
- BFDRELOCSPARC_HM10
- BFDRELOCSPARC_LM22
- BFDRELOCSPARCPCHH22
- BFDRELOCSPARCPCHM10
- BFDRELOCSPARCPCLM22
- BFDRELOCSPARC_WDISP16
- BFDRELOCSPARC_WDISP19
- BFDRELOCSPARC_7
- BFDRELOCSPARC_6
- BFDRELOCSPARC_5
- BFDRELOCSPARC_PLT32
- BFDRELOCSPARC_PLT64
- BFDRELOCSPARC_HIX22
- BFDRELOCSPARC_LOX10
- BFDRELOCSPARC_H44
- BFDRELOCSPARC_M44

- BFDRELOCSPARC_L44
- BFDRELOCSPARC_REGISTER
- BFDRELOCSPARC_H34
- BFDRELOCSPARC_SIZE32
- BFDRELOCSPARC_SIZE64
- BFDRELOCSPARC_WDISP10
- BFDRELOCSPARC_REV32
- BFDRELOCSPARCTLSGD_HI22
- BFDRELOCSPARCTLSGD_LO10
- BFDRELOCSPARCTLSGD_ADD
- BFDRELOCSPARCTLSGD_CALL
- BFDRELOCSPARCTLSLDM_HI22
- BFDRELOCSPARCTLSLDM_LO10
- BFDRELOCSPARCTLSLDM_ADD
- BFDRELOCSPARCTLSLDM_CALL
- BFDRELOCSPARCTLSLDO_HIX22
- BFDRELOCSPARCTLSLDO_LOX10
- BFDRELOCSPARCTLSLDO_ADD
- BFDRELOCSPARCTLSTIE_HI22
- BFDRELOCSPARCTLSTIE_LO10
- BFDRELOCSPARCTLSTIE_LD
- BFDRELOCSPARCTLSTIE_LDX
- BFDRELOCSPARCTLSTIE_ADD
- BFDRELOCSPARCTLSTLE_HIX22
- BFDRELOCSPARCTLSTLE_LOX10
- BFDRELOCSPARCTLSDTPMOD32
- BFDRELOCSPARCTLSDTPMOD64
- BFDRELOCSPARCTLSDTPOFF32
- BFDRELOCSPARCTLSDTPOFF64
- BFDRELOCSPARCTLSTPOFF32
- BFDRELOCSPARCTLSTPOFF64
- BFDRELOCSPU_IMM7
- BFDRELOCSPU_IMM8
- BFDRELOCSPU_IMM10
- BFDRELOCSPU_IMM10W
- BFDRELOCSPU_IMM16
- BFDRELOCSPU_IMM16W
- BFDRELOCSPU_IMM18
- BFDRELOCSPU_PCREL9a
- BFDRELOCSPU_PCREL9b
- BFDRELOCSPU_PCREL16
- BFDRELOCSPU_LO16
- BFDRELOCSPU_HI16
- BFDRELOCSPU_PPU32
- BFDRELOCSPU_PPU64
- BFDRELOCSPUADDPIC
- BFDRELOCALPHAGPDISPHI16
- BFDRELOCALPHAGPDISPL016
- BFDRELOCALPHA_GPDISP
- BFDRELOCALPHA_LITERAL

- BFDRELOCALPHAELFLITERAL
- BFDRELOCALPHA_LITUSE
- BFDRELOCALPHA_HINT
- BFDRELOCALPHA_LINKAGE
- BFDRELOCALPHA_CODEADDR
- BFDRELOCALPHAGPRELHI16
- BFDRELOCALPHAGPRELLO16
- BFDRELOCALPHA_BRSGP
- BFDRELOCALPHA_NOP
- BFDRELOCALPHA_BSR
- BFDRELOCALPHA_LDA
- BFDRELOCALPHA_BOH
- BFDRELOCALPHA_TLSGD
- BFDRELOCALPHA_TLSDM
- BFDRELOCALPHA_DTPMOD64
- BFDRELOCALPHA_GOTDTPREL16
- BFDRELOCALPHA_DTPREL64
- BFDRELOCALPHADTPRELHI16
- BFDRELOCALPHADTPRELLO16
- BFDRELOCALPHA_DTPREL16
- BFDRELOCALPHA_GOTTTPREL16
- BFDRELOCALPHA_TPREL64
- BFDRELOCALPHATPRELHI16
- BFDRELOCALPHATPRELLO16
- BFDRELOCALPHA_TPREL16
- BFDRELOCMIPS_JMP
- BFDRELOCMICROMIPS_JMP
- BFDRELOCMIPS16_JMP
- BFDRELOCMIPS16_GPREL
- BFDRELOCHI16
- BFDRELOCHI16_S
- BFDRELOCLO16
- BFDRELOCHI16_PCREL
- BFDRELOCHI16SPCREL
- BFDRELOCLO16_PCREL
- BFDRELOCMIPS16_GOT16
- BFDRELOCMIPS16_CALL16
- BFDRELOCMIPS16_HI16
- BFDRELOCMIPS16HI16S
- BFDRELOCMIPS16_LO16
- BFDRELOCMIPS16TLSGD
- BFDRELOCMIPS16TLSDM
- BFDRELOCMIPS16TLSDTPREL_HI16
- BFDRELOCMIPS16TLSDTPREL_LO16
- BFDRELOCMIPS16TLSGOTTTPREL
- BFDRELOCMIPS16TLSTPREL_HI16
- BFDRELOCMIPS16TLSTPREL_LO16
- BFDRELOCMIPS_LITERAL
- BFDRELOCMICROMIPS_LITERAL
- BFDRELOCMICROMIPS7PCREL_S1

- BFDRELOCMICROMIPS10PCREL_S1
- BFDRELOCMICROMIPS16PCREL_S1
- BFDRELOCMIPS1616PCREL_S1
- BFDRELOCMIPS21PCREL_S2
- BFDRELOCMIPS26PCREL_S2
- BFDRELOCMIPS18PCREL_S3
- BFDRELOCMIPS19PCREL_S2
- BFDRELOCMICROMIPS_GPREL16
- BFDRELOCMICROMIPS_HI16
- BFDRELOCMICROMIPSHI16S
- BFDRELOCMICROMIPS_LO16
- BFDRELOCMIPS_GOT16
- BFDRELOCMICROMIPS_GOT16
- BFDRELOCMIPS_CALL16
- BFDRELOCMICROMIPS_CALL16
- BFDRELOCMIPSGOTH16
- BFDRELOCMICROMIPSGOTH16
- BFDRELOCMIPSGOTLO16
- BFDRELOCMICROMIPSGOTLO16
- BFDRELOCMIPSCALLHI16
- BFDRELOCMICROMIPSCALLHI16
- BFDRELOCMIPSCALLLO16
- BFDRELOCMICROMIPSCALLLO16
- BFDRELOCMIPS_SUB
- BFDRELOCMICROMIPS_SUB
- BFDRELOCMIPSGOTPAGE
- BFDRELOCMICROMIPSGOTPAGE
- BFDRELOCMIPSGOTOFST
- BFDRELOCMICROMIPSGOTOFST
- BFDRELOCMIPSGOTDISP
- BFDRELOCMICROMIPSGOTDISP
- BFDRELOCMIPS_SHIFT5
- BFDRELOCMIPS_SHIFT6
- BFDRELOCMIPSINSERTA
- BFDRELOCMIPSINSERTB
- BFDRELOCMIPS_DELETE
- BFDRELOCMIPS_HIGHEST
- BFDRELOCMICROMIPS_HIGHEST
- BFDRELOCMIPS_HIGHER
- BFDRELOCMICROMIPS_HIGHER
- BFDRELOCMIPSSCNDISP
- BFDRELOCMICROMIPSSCNDISP
- BFDRELOCMIPS_REL16
- BFDRELOCMIPS_RELGOT
- BFDRELOCMIPS_JALR
- BFDRELOCMICROMIPS_JALR
- BFDRELOCMIPSTLSDTPMOD32
- BFDRELOCMIPSTLSDTPREL32
- BFDRELOCMIPSTLSDTPMOD64
- BFDRELOCMIPSTLSDTPREL64

- BFDRELOCMIPSTLSGD
- BFDRELOCMICROMIPSTLSGD
- BFDRELOCMIPSTLSLDM
- BFDRELOCMICROMIPSTLSLDM
- BFDRELOCMIPSTLSDTPREL_HI16
- BFDRELOCMICROMIPSTLSDTPREL_HI16
- BFDRELOCMIPSTLSDTPREL_LO16
- BFDRELOCMICROMIPSTLSDTPREL_LO16
- BFDRELOCMIPSTLSGOTTPREL
- BFDRELOCMICROMIPSTLSGOTTPREL
- BFDRELOCMIPSTLSTPREL32
- BFDRELOCMIPSTLSTPREL64
- BFDRELOCMIPSTLSTPREL_HI16
- BFDRELOCMICROMIPSTLSTPREL_HI16
- BFDRELOCMIPSTLSTPREL_LO16
- BFDRELOCMICROMIPSTLSTPREL_LO16
- BFDRELOCMIPSEH
- BFDRELOCMIPSCOPY
- BFDRELOCMIPSJUMPSLOT
- BFDRELOCMOXIE10PCREL
- BFDRELOCFT32_10
- BFDRELOCFT32_20
- BFDRELOCFT32_17
- BFDRELOCFT32_18
- BFDRELOCFRV_LABEL16
- BFDRELOCFRV_LABEL24
- BFDRELOCFRV_LO16
- BFDRELOCFRV_HI16
- BFDRELOCFRV_GPREL12
- BFDRELOCFRV_GPRELU12
- BFDRELOCFRV_GPREL32
- BFDRELOCFRV_GPRELHI
- BFDRELOCFRV_GPRELLO
- BFDRELOCFRV_GOT12
- BFDRELOCFRV_GOTHI
- BFDRELOCFRV_GOTLO
- BFDRELOCFRV_FUNCDESC
- BFDRELOCFRV_FUNCDESCGOT12
- BFDRELOCFRV_FUNCDESCGOTHI
- BFDRELOCFRV_FUNCDESCGOTLO
- BFDRELOCFRV_FUNCDESCVALUE
- BFDRELOCFRV_FUNCDESCGOTOFF12
- BFDRELOCFRV_FUNCDESCGOTOFFHI
- BFDRELOCFRV_FUNCDESCGOTOFFLO
- BFDRELOCFRV_GOTOFF12
- BFDRELOCFRV_GOTOFFHI
- BFDRELOCFRV_GOTOFFLO
- BFDRELOCFRV_GETTLSOFF
- BFDRELOCFRV_TLSDESCVALUE
- BFDRELOCFRV_GOTTLSDESC12

- BFDRELOCFRV_GOTTLSDESCHI
- BFDRELOCFRV_GOTTLSDESCLO
- BFDRELOCFRV_TLSMOFF12
- BFDRELOCFRV_TLSMOFFHI
- BFDRELOCFRV_TLSMOFFLO
- BFDRELOCFRV_GOTTLSOFF12
- BFDRELOCFRV_GOTTLSOFFHI
- BFDRELOCFRV_GOTTLSOFFLO
- BFDRELOCFRV_TLSOFF
- BFDRELOCFRV_TLSDRESCRELAX
- BFDRELOCFRV_GETTLSOFFRELAX
- BFDRELOCFRV_TLSOFFRELAX
- BFDRELOCFRV_TLSMOFF
- BFDRELOCMN10300_GOTOFF24
- BFDRELOCMN10300_GOT32
- BFDRELOCMN10300_GOT24
- BFDRELOCMN10300_GOT16
- BFDRELOCMN10300_COPY
- BFDRELOCMN10300_GLOBDAT
- BFDRELOCMN10300_JMPSLOT
- BFDRELOCMN10300_RELATIVE
- BFDRELOCMN10300_SYMDIFF
- BFDRELOCMN10300_ALIGN
- BFDRELOCMN10300_TLSD
- BFDRELOCMN10300_TLSLD
- BFDRELOCMN10300_TLSLDO
- BFDRELOCMN10300_TLSGOTIE
- BFDRELOCMN10300_TLSIE
- BFDRELOCMN10300_TLSLE
- BFDRELOCMN10300_TLSDTPMOD
- BFDRELOCMN10300_TLSDTPOFF
- BFDRELOCMN10300_TLSTPOFF
- BFDRELOCMN10300_32PCREL
- BFDRELOCMN10300_16PCREL
- BFDRELOC386_GOT32
- BFDRELOC386_PLT32
- BFDRELOC386_COPY
- BFDRELOC386_GLOBDAT
- BFDRELOC386_JMPSLOT
- BFDRELOC386_RELATIVE
- BFDRELOC386_GOTOFF
- BFDRELOC386_GOTPC
- BFDRELOC386_TLSTPOFF
- BFDRELOC386_TLSIE
- BFDRELOC386_TLSGOTIE
- BFDRELOC386_TLSLE
- BFDRELOC386_TLSD
- BFDRELOC386_TLSLDM
- BFDRELOC386_TLSLDO_32
- BFDRELOC386_TLSIE_32

- BFDRELOC386TLSLE_32
- BFDRELOC386TLSDTPMOD32
- BFDRELOC386TLSDTPOFF32
- BFDRELOC386TLSTPOFF32
- BFDRELOC386TLSGOTDESC
- BFDRELOC386TLSDESC_CALL
- BFDRELOC386TLSDESC
- BFDRELOC386_IRELATIVE
- BFDRELOC386_GOT32X
- BFDRELOCX8664GOT32
- BFDRELOCX8664PLT32
- BFDRELOCX8664COPY
- BFDRELOCX8664GLOB_DAT
- BFDRELOCX8664JUMP_SLOT
- BFDRELOCX8664RELATIVE
- BFDRELOCX8664GOTPCREL
- BFDRELOCX866432S
- BFDRELOCX8664DTPMOD64
- BFDRELOCX8664DTPOFF64
- BFDRELOCX8664TPOFF64
- BFDRELOCX8664TLSGD
- BFDRELOCX8664TLSLD
- BFDRELOCX8664DTPOFF32
- BFDRELOCX8664GOTTPOFF
- BFDRELOCX8664TPOFF32
- BFDRELOCX8664GOTOFF64
- BFDRELOCX8664GOTPC32
- BFDRELOCX8664GOT64
- BFDRELOCX8664GOTPCREL64
- BFDRELOCX8664GOTPC64
- BFDRELOCX8664GOTPLT64
- BFDRELOCX8664PLTOFF64
- BFDRELOCX8664GOTPC32_TLSDESC
- BFDRELOCX8664TLSDESC_CALL
- BFDRELOCX8664TLSDESC
- BFDRELOCX8664IRELATIVE
- BFDRELOCX8664PC32_BND
- BFDRELOCX8664PLT32_BND
- BFDRELOCX8664GOTPCRELX
- BFDRELOCX8664REX_GOTPCRELX
- BFDRELOCNS32KIMM8
- BFDRELOCNS32KIMM16
- BFDRELOCNS32KIMM32
- BFDRELOCNS32KIMM8_PCREL
- BFDRELOCNS32KIMM16_PCREL
- BFDRELOCNS32KIMM32_PCREL
- BFDRELOCNS32KDISP8
- BFDRELOCNS32KDISP16
- BFDRELOCNS32KDISP32
- BFDRELOCNS32KDISP8_PCREL

- BFDRELOCNS32KDISP16_PCREL
- BFDRELOCNS32KDISP32_PCREL
- BFDRELOCPDP11DISP8_PCREL
- BFDRELOCPDP11DISP6_PCREL
- BFDRELOCPJCODEHI16
- BFDRELOCPJCODELO16
- BFDRELOCPJCODEDIR16
- BFDRELOCPJCODEDIR32
- BFDRELOCPJCODEREL16
- BFDRELOCPJCODEREL32
- BFDRELOCPPC_B26
- BFDRELOCPPC_BA26
- BFDRELOCPPC_TOC16
- BFDRELOCPPC_B16
- BFDRELOCPPCB16BRTAKEN
- BFDRELOCPPCB16BRNTAKEN
- BFDRELOCPPC_BA16
- BFDRELOCPPCBA16BRTAKEN
- BFDRELOCPPCBA16BRNTAKEN
- BFDRELOCPPC_COPY
- BFDRELOCPPCGLOBDAT
- BFDRELOCPPCJMPSLOT
- BFDRELOCPPC_RELATIVE
- BFDRELOCPPC_LOCAL24PC
- BFDRELOCPPCEMBNADDR32
- BFDRELOCPPCEMBNADDR16
- BFDRELOCPPCEMBNADDR16_LO
- BFDRELOCPPCEMBNADDR16_HI
- BFDRELOCPPCEMBNADDR16_HA
- BFDRELOCPPCEMBSDA16
- BFDRELOCPPCEMBSDA216
- BFDRELOCPPCEMBSDA2REL
- BFDRELOCPPCEMBSDA21
- BFDRELOCPPCEMBMRKREF
- BFDRELOCPPCEMBRELSEC16
- BFDRELOCPPCEMBRELST_LO
- BFDRELOCPPCEMBRELST_HI
- BFDRELOCPPCEMBRELST_HA
- BFDRELOCPPCEMBBIT_FLD
- BFDRELOCPPCEMBRELSDA
- BFDRELOCPPCVLEREL8
- BFDRELOCPPCVLEREL15
- BFDRELOCPPCVLEREL24
- BFDRELOCPPCVLELO16A
- BFDRELOCPPCVLELO16D
- BFDRELOCPPCVLEHI16A
- BFDRELOCPPCVLEHI16D
- BFDRELOCPPCVLEHA16A
- BFDRELOCPPCVLEHA16D
- BFDRELOCPPCVLESDA21

- BFDRELOCPPCVLES DA21_LO
- BFDRELOCPPCVLES DAREL_LO16A
- BFDRELOCPPCVLES DAREL_LO16D
- BFDRELOCPPCVLES DAREL_HI16A
- BFDRELOCPPCVLES DAREL_HI16D
- BFDRELOCPPCVLES DAREL_HA16A
- BFDRELOCPPCVLES DAREL_HA16D
- BFDRELOCPPC16DXHA
- BFDRELOCPPCREL16DXHA
- BFDRELOCPPC64_HIGHER
- BFDRELOCPPC64HIGHERS
- BFDRELOCPPC64_HIGHEST
- BFDRELOCPPC64HIGHESTs
- BFDRELOCPPC64TOC16LO
- BFDRELOCPPC64TOC16HI
- BFDRELOCPPC64TOC16HA
- BFDRELOCPPC64_TOC
- BFDRELOCPPC64_PLTGOT16
- BFDRELOCPPC64PLTGOT16LO
- BFDRELOCPPC64PLTGOT16HI
- BFDRELOCPPC64PLTGOT16HA
- BFDRELOCPPC64ADDR16DS
- BFDRELOCPPC64ADDR16LO_DS
- BFDRELOCPPC64GOT16DS
- BFDRELOCPPC64GOT16LO_DS
- BFDRELOCPPC64PLT16LO_DS
- BFDRELOCPPC64SECTOFFDS
- BFDRELOCPPC64SECTOFFLO_DS
- BFDRELOCPPC64TOC16DS
- BFDRELOCPPC64TOC16LO_DS
- BFDRELOCPPC64PLTGOT16DS
- BFDRELOCPPC64PLTGOT16LO_DS
- BFDRELOCPPC64ADDR16HIGH
- BFDRELOCPPC64ADDR16HIGHA
- BFDRELOCPPC64ADDR64LOCAL
- BFDRELOCPPC64_ENTRY
- BFDRELOCPPC_TLS
- BFDRELOCPPC_TLSGD
- BFDRELOCPPC_TLSLD
- BFDRELOCPPC_DTPMOD
- BFDRELOCPPC_TPREL16
- BFDRELOCPPCTPREL16LO
- BFDRELOCPPCTPREL16HI
- BFDRELOCPPCTPREL16HA
- BFDRELOCPPC_TPREL
- BFDRELOCPPC_DTPREL16
- BFDRELOCPPCDTPREL16LO
- BFDRELOCPPCDTPREL16HI
- BFDRELOCPPCDTPREL16HA
- BFDRELOCPPC_DTPREL

- BFDRELOCPPCGOTTLSGD16
- BFDRELOCPPCGOTTLSGD16_LO
- BFDRELOCPPCGOTTLSGD16_HI
- BFDRELOCPPCGOTTLSGD16_HA
- BFDRELOCPPCGOTTLSLD16
- BFDRELOCPPCGOTTLSLD16_LO
- BFDRELOCPPCGOTTLSLD16_HI
- BFDRELOCPPCGOTTLSLD16_HA
- BFDRELOCPPCGOTTPREL16
- BFDRELOCPPCGOTTPREL16_LO
- BFDRELOCPPCGOTTPREL16_HI
- BFDRELOCPPCGOTTPREL16_HA
- BFDRELOCPPCGOTDTPREL16
- BFDRELOCPPCGOTDTPREL16_LO
- BFDRELOCPPCGOTDTPREL16_HI
- BFDRELOCPPCGOTDTPREL16_HA
- BFDRELOCPPC64TPREL16DS
- BFDRELOCPPC64TPREL16LO_DS
- BFDRELOCPPC64TPREL16HIGHER
- BFDRELOCPPC64TPREL16HIGHERA
- BFDRELOCPPC64TPREL16HIGHEST
- BFDRELOCPPC64TPREL16HIGHESTA
- BFDRELOCPPC64DTPREL16DS
- BFDRELOCPPC64DTPREL16LO_DS
- BFDRELOCPPC64DTPREL16HIGHER
- BFDRELOCPPC64DTPREL16HIGHERA
- BFDRELOCPPC64DTPREL16HIGHEST
- BFDRELOCPPC64DTPREL16HIGHESTA
- BFDRELOCPPC64TPREL16HIGH
- BFDRELOCPPC64TPREL16HIGHA
- BFDRELOCPPC64DTPREL16HIGH
- BFDRELOCPPC64DTPREL16HIGHA
- BFDRELOC370_D12
- BFDRELOCCTOR
- BFDRELOCARMPCRELBRANCH
- BFDRELOCARMPCRELBLX
- BFDRELOCTHUMBPCRELBLX
- BFDRELOCARMPCRELCALL
- BFDRELOCARMPCRELJUMP
- BFDRELOCTHUMBPCRELBRANCH7
- BFDRELOCTHUMBPCRELBRANCH9
- BFDRELOCTHUMBPCRELBRANCH12
- BFDRELOCTHUMBPCRELBRANCH20
- BFDRELOCTHUMBPCRELBRANCH23
- BFDRELOCTHUMBPCRELBRANCH25
- BFDRELOCARMOFFSETMM
- BFDRELOCARMTHUMBOFFSET
- BFDRELOCARM_TARGET1
- BFDRELOCARM_ROSEGREL32
- BFDRELOCARM_SBREL32

- BFDRELOCARM_TARGET2
- BFDRELOCARM_PREL31
- BFDRELOCARM_MOVW
- BFDRELOCARM_MOVT
- BFDRELOCARMMOVWPCREL
- BFDRELOCARMMOVTPCREL
- BFDRELOCARMTHUMBMOVW
- BFDRELOCARMTHUMBMOVT
- BFDRELOCARMTHUMBMOVW_PCREL
- BFDRELOCARMTHUMBMOVT_PCREL
- BFDRELOCARMJUMPSLOT
- BFDRELOCARMGLOBDAT
- BFDRELOCARM_GOT32
- BFDRELOCARM_PLT32
- BFDRELOCARM_RELATIVE
- BFDRELOCARM_GOTOFF
- BFDRELOCARM_GOTPC
- BFDRELOCARMGOTPREL
- BFDRELOCARMTLSGD32
- BFDRELOCARMTLSLDO32
- BFDRELOCARMTLSLDM32
- BFDRELOCARMTLSDTPOFF32
- BFDRELOCARMTLSDTPMOD32
- BFDRELOCARMTLSSTPOFF32
- BFDRELOCARMTLSIE32
- BFDRELOCARMTLSLE32
- BFDRELOCARMTLSGOTDESC
- BFDRELOCARMTLSCALL
- BFDRELOCARMTHMTLS_CALL
- BFDRELOCARMTLSDESCSEQ
- BFDRELOCARMTHMTLS_DESCSEQ
- BFDRELOCARMTLSDESC
- BFDRELOCARMALUPCG0NC
- BFDRELOCARMALUPC_G0
- BFDRELOCARMALUPCG1NC
- BFDRELOCARMALUPC_G1
- BFDRELOCARMALUPC_G2
- BFDRELOCARMLDRPC_G0
- BFDRELOCARMLDRPC_G1
- BFDRELOCARMLDRPC_G2
- BFDRELOCARMLDRSPC_G0
- BFDRELOCARMLDRSPC_G1
- BFDRELOCARMLDRSPC_G2
- BFDRELOCARMLDCPC_G0
- BFDRELOCARMLDCPC_G1
- BFDRELOCARMLDCPC_G2
- BFDRELOCARMALUSBG0NC
- BFDRELOCARMALUSB_G0
- BFDRELOCARMALUSBG1NC
- BFDRELOCARMALUSB_G1

- BFDRELOCARMALUSB_G2
- BFDRELOCARMLDRSB_G0
- BFDRELOCARMLDRSB_G1
- BFDRELOCARMLDRSB_G2
- BFDRELOCARMLDRSSB_G0
- BFDRELOCARMLDRSSB_G1
- BFDRELOCARMLDRSSB_G2
- BFDRELOCARMLDCSB_G0
- BFDRELOCARMLDCSB_G1
- BFDRELOCARMLDCSB_G2
- BFDRELOCARM_V4BX
- BFDRELOCARM_IRELATIVE
- BFDRELOCARMTHUMBALUABSG0_NC
- BFDRELOCARMTHUMBALUABSG1_NC
- BFDRELOCARMTHUMBALUABSG2_NC
- BFDRELOCARMTHUMBALUABSG3_NC
- BFDRELOCARM_IMMEDIATE
- BFDRELOCARMADRLIMMEDIATE
- BFDRELOCARMT32IMMEDIATE
- BFDRELOCARMT32ADD_IMM
- BFDRELOCARMT32IMM12
- BFDRELOCARMT32ADD_PC12
- BFDRELOCARMSHIFTIMM
- BFDRELOCARM_SMC
- BFDRELOCARM_HVC
- BFDRELOCARM_SWI
- BFDRELOCARM_MULT
- BFDRELOCARMCPPOFF_IMM
- BFDRELOCARMCPPOFFIMMS2
- BFDRELOCARMT32CPPOFFIMM
- BFDRELOCARMT32CPPOFFIMM_S2
- BFDRELOCARMADRIMM
- BFDRELOCARMLDRIMM
- BFDRELOCARM_LITERAL
- BFDRELOCARMINPOOL
- BFDRELOCARMOFFSETIMM8
- BFDRELOCARMT32OFFSET_U8
- BFDRELOCARMT32OFFSET_IMM
- BFDRELOCARM_HWLITERAL
- BFDRELOCARMTHUMBADD
- BFDRELOCARMTHUMBIMM
- BFDRELOCARMTHUMBSHIFT
- BFDRELOCSH_PCDISP8BY2
- BFDRELOCSH_PCDISP12BY2
- BFDRELOCSH_IMM3
- BFDRELOCSH_IMM3U
- BFDRELOCSH_DISP12
- BFDRELOCSH_DISP12BY2
- BFDRELOCSH_DISP12BY4
- BFDRELOCSH_DISP12BY8

- BFDRELOCSH_DISP20
- BFDRELOCSH_DISP20BY8
- BFDRELOCSH_IMM4
- BFDRELOCSH_IMM4BY2
- BFDRELOCSH_IMM4BY4
- BFDRELOCSH_IMM8
- BFDRELOCSH_IMM8BY2
- BFDRELOCSH_IMM8BY4
- BFDRELOCSH_PCRELIMM8BY2
- BFDRELOCSH_PCRELIMM8BY4
- BFDRELOCSH_SWITCH16
- BFDRELOCSH_SWITCH32
- BFDRELOCSH_USES
- BFDRELOCSH_COUNT
- BFDRELOCSH_ALIGN
- BFDRELOCSH_CODE
- BFDRELOCSH_DATA
- BFDRELOCSH_LABEL
- BFDRELOCSHLOOPSTART
- BFDRELOCSHLOOPEND
- BFDRELOCSH_COPY
- BFDRELOCSHGLOBDAT
- BFDRELOCSHJMPSLOT
- BFDRELOCSH_RELATIVE
- BFDRELOCSH_GOTPC
- BFDRELOCSHGOTLOW16
- BFDRELOCSHGOTMEDLOW16
- BFDRELOCSHGOTMEDHI16
- BFDRELOCSHGOTHI16
- BFDRELOCSHGOTPLTLOW16
- BFDRELOCSHGOTPLTMEDLOW16
- BFDRELOCSHGOTPLTMEDHI16
- BFDRELOCSHGOTPLTHI16
- BFDRELOCSHPLTLOW16
- BFDRELOCSHPLTMEDLOW16
- BFDRELOCSHPLTMEDHI16
- BFDRELOCSHPLTHI16
- BFDRELOCSHGOTOFFLOW16
- BFDRELOCSHGOTOFFMEDLOW16
- BFDRELOCSHGOTOFFMEDHI16
- BFDRELOCSHGOTOFFHI16
- BFDRELOCSHGOTPCLOW16
- BFDRELOCSHGOTPCMEDLOW16
- BFDRELOCSHGOTPCMEDHI16
- BFDRELOCSHGOTPCHI16
- BFDRELOCSH_COPY64
- BFDRELOCSHGLOBDAT64
- BFDRELOCSHJMPSLOT64
- BFDRELOCSH_RELATIVE64
- BFDRELOCSH_GOT10BY4

- BFDRELOCSH_GOT10BY8
- BFDRELOCSH_GOTPLT10BY4
- BFDRELOCSH_GOTPLT10BY8
- BFDRELOCSH_GOTPLT32
- BFDRELOCSHSHMEDIACODE
- BFDRELOCSH_IMMU5
- BFDRELOCSH_IMMS6
- BFDRELOCSH_IMMS6BY32
- BFDRELOCSH_IMMU6
- BFDRELOCSH_IMMS10
- BFDRELOCSH_IMMS10BY2
- BFDRELOCSH_IMMS10BY4
- BFDRELOCSH_IMMS10BY8
- BFDRELOCSH_IMMS16
- BFDRELOCSH_IMMU16
- BFDRELOCSHIMMLOW16
- BFDRELOCSHIMMLOW16_PCREL
- BFDRELOCSHIMMMEDLOW16
- BFDRELOCSHIMMMEDLOW16_PCREL
- BFDRELOCSHIMMMEDHI16
- BFDRELOCSHIMMMEDHI16_PCREL
- BFDRELOCSHIMMHI16
- BFDRELOCSHIMMHI16_PCREL
- BFDRELOCSHPT16
- BFDRELOCSHTLSGD_32
- BFDRELOCSHTLSLD_32
- BFDRELOCSHTLSLDO_32
- BFDRELOCSHTLSIE_32
- BFDRELOCSHTLSLE_32
- BFDRELOCSHTLSDTPMOD32
- BFDRELOCSHTLSDTPOFF32
- BFDRELOCSHTLSTPOFF32
- BFDRELOCSH_GOT20
- BFDRELOCSH_GOTOFF20
- BFDRELOCSH_GOTFUNCDISC
- BFDRELOCSH_GOTFUNCDISC20
- BFDRELOCSH_GOTOFFFUNCDISC
- BFDRELOCSH_GOTOFFFUNCDISC20
- BFDRELOCSH_FUNCDISC
- BFDRELOCARC_NONE
- BFDRELOCARC_8
- BFDRELOCARC_16
- BFDRELOCARC_24
- BFDRELOCARC_32
- BFDRELOCARC_N8
- BFDRELOCARC_N16
- BFDRELOCARC_N24
- BFDRELOCARC_N32
- BFDRELOCARC_SDA
- BFDRELOCARC_SECTOFF

- BFDRELOCARCS21HPCREL
- BFDRELOCARCS21WPCREL
- BFDRELOCARCS25HPCREL
- BFDRELOCARCS25WPCREL
- BFDRELOCARC_SDA32
- BFDRELOCARCSDALDST
- BFDRELOCARCSDALDST1
- BFDRELOCARCSDALDST2
- BFDRELOCARCSDA16LD
- BFDRELOCARCSDA16LD1
- BFDRELOCARCSDA16LD2
- BFDRELOCARCS13PCREL
- BFDRELOCARC_W
- BFDRELOCARC32ME
- BFDRELOCARC32ME_S
- BFDRELOCARCN32ME
- BFDRELOCARCSECTOFFME
- BFDRELOCARCSDA32ME
- BFDRELOCARCWME
- BFDRELOCACSECTOFFU8
- BFDRELOCACSECTOFFU8_1
- BFDRELOCACSECTOFFU8_2
- BFDRELOCACSECTOFFS9
- BFDRELOCACSECTOFFS9_1
- BFDRELOCACSECTOFFS9_2
- BFDRELOCARCSECTOFFME_1
- BFDRELOCARCSECTOFFME_2
- BFDRELOCARCSECTOFF1
- BFDRELOCARCSECTOFF2
- BFDRELOCARCSDA12
- BFDRELOCARCSDA16ST2
- BFDRELOCARC32PCREL
- BFDRELOCARC_PC32
- BFDRELOCARC_GOT32
- BFDRELOCARC_GOTPC32
- BFDRELOCARC_PLT32
- BFDRELOCARC_COPY
- BFDRELOCARCGLOBDAT
- BFDRELOCARCJMPSLOT
- BFDRELOCARC_RELATIVE
- BFDRELOCARC_GOTOFF
- BFDRELOCARC_GOTPC
- BFDRELOCARCS21WPCREL_PLT
- BFDRELOCARCS25HPCREL_PLT
- BFDRELOCARCTLSDTPMOD
- BFDRELOCARCTLSTPOFF
- BFDRELOCARCTLSGD_GOT
- BFDRELOCARCTLSGD_LD
- BFDRELOCARCTLSGD_CALL
- BFDRELOCARCTLSTIE_GOT

- BFDRELOCARC`TLSDTPOFF`
- BFDRELOCARC`TLSDTPOFF_S9`
- BFDRELOCARC`TLSLE_S9`
- BFDRELOCARC`TLSLE_32`
- BFDRELOCARCS`25WPCREL_PLT`
- BFDRELOCARCS`21HPCREL_PLT`
- BFDRELOCARCN`PSMEM16`
- BFDRELOCBFIN`16IMM`
- BFDRELOCBFIN`16HIGH`
- BFDRELOCBFIN`4PCREL`
- BFDRELOCBFIN`5PCREL`
- BFDRELOCBFIN`16LOW`
- BFDRELOCBFIN`10PCREL`
- BFDRELOCBFIN`11PCREL`
- BFDRELOCBFIN`12PCREL_JUMP`
- BFDRELOCBFIN`12PCRELJUMPS`
- BFDRELOCBFIN`24PCRELCALLX`
- BFDRELOCBFIN`24PCRELJUMPL`
- BFDRELOCBFIN_`GOT17M4`
- BFDRELOCBFIN_`GOTHI`
- BFDRELOCBFIN_`GOTLO`
- BFDRELOCBFIN_`FUNCDESC`
- BFDRELOCBFIN_`FUNCDESCGOT17M4`
- BFDRELOCBFIN_`FUNCDESCGOTHI`
- BFDRELOCBFIN_`FUNCDESCGOTLO`
- BFDRELOCBFIN_`FUNCDESCVALUE`
- BFDRELOCBFIN_`FUNCDESCGOTOFF17M4`
- BFDRELOCBFIN_`FUNCDESCGOTOFFHI`
- BFDRELOCBFIN_`FUNCDESCGOTOFFLO`
- BFDRELOCBFIN_`GOTOFF17M4`
- BFDRELOCBFIN_`GOTOFFHI`
- BFDRELOCBFIN_`GOTOFFLO`
- BFDRELOCBFIN_`GOT`
- BFDRELOCBFIN_`PLTPC`
- BFDARELOCBFIN_`PUSH`
- BFDARELOCBFIN_`CONST`
- BFDARELOCBFIN_`ADD`
- BFDARELOCBFIN_`SUB`
- BFDARELOCBFIN_`MULT`
- BFDARELOCBFIN_`DIV`
- BFDARELOCBFIN_`MOD`
- BFDARELOCBFIN_`LSHIFT`
- BFDARELOCBFIN_`RSHIFT`
- BFDARELOCBFIN_`AND`
- BFDARELOCBFIN_`OR`
- BFDARELOCBFIN_`XOR`
- BFDARELOCBFIN_`LAND`
- BFDARELOCBFIN_`LOR`
- BFDARELOCBFIN_`LEN`
- BFDARELOCBFIN_`NEG`

- BFDARELOCBFIN_COMP
- BFDARELOCBFIN_PAGE
- BFDARELOCBFIN_HWPAGE
- BFDARELOCBFIN_ADDR
- BFDRELOCD10V10PCREL_R
- BFDRELOCD10V10PCREL_L
- BFDRELOCD10V_18
- BFDRELOCD10V18PCREL
- BFDRELOCD30V_6
- BFDRELOCD30V9PCREL
- BFDRELOCD30V9PCREL_R
- BFDRELOCD30V_15
- BFDRELOCD30V15PCREL
- BFDRELOCD30V15PCREL_R
- BFDRELOCD30V_21
- BFDRELOCD30V21PCREL
- BFDRELOCD30V21PCREL_R
- BFDRELOCD30V_32
- BFDRELOCD30V32PCREL
- BFDRELOCDLXHI16S
- BFDRELOCDLX_LO16
- BFDRELOCDLX_JMP26
- BFDRELOCM32C_HI8
- BFDRELOCM32CRLJUMP
- BFDRELOCM32CRL1ADDR
- BFDRELOCM32CRL2ADDR
- BFDRELOCM32R_24
- BFDRELOCM32R10PCREL
- BFDRELOCM32R18PCREL
- BFDRELOCM32R26PCREL
- BFDRELOCM32RHI16ULO
- BFDRELOCM32RHI16SLO
- BFDRELOCM32R_LO16
- BFDRELOCM32R_SDA16
- BFDRELOCM32R_GOT24
- BFDRELOCM32R26PLTREL
- BFDRELOCM32R_COPY
- BFDRELOCM32RGLOBDAT
- BFDRELOCM32RJMP SLOT
- BFDRELOCM32R_RELATIVE
- BFDRELOCM32R_GOTOFF
- BFDRELOCM32RGOTOFFHI_ULO
- BFDRELOCM32RGOTOFFHI_SLO
- BFDRELOCM32RGOTOFFLO
- BFDRELOCM32R_GOTPC24
- BFDRELOCM32RGOT16HI_ULO
- BFDRELOCM32RGOT16HI_SLO
- BFDRELOCM32RGOT16LO
- BFDRELOCM32RGOTPCHI_ULO
- BFDRELOCM32RGOTPCHI_SLO

- BFDRELOCM32RGOTPCLO
- BFDRELOCNDS32_20
- BFDRELOCNDS329PCREL
- BFDRELOCNDS32WORD9_PCREL
- BFDRELOCNDS3215PCREL
- BFDRELOCNDS3217PCREL
- BFDRELOCNDS3225PCREL
- BFDRELOCNDS32_HI20
- BFDRELOCNDS32_LO12S3
- BFDRELOCNDS32_LO12S2
- BFDRELOCNDS32_LO12S1
- BFDRELOCNDS32_LO12S0
- BFDRELOCNDS32LO12S0ORI
- BFDRELOCNDS32_SDA15S3
- BFDRELOCNDS32_SDA15S2
- BFDRELOCNDS32_SDA15S1
- BFDRELOCNDS32_SDA15S0
- BFDRELOCNDS32_SDA16S3
- BFDRELOCNDS32_SDA17S2
- BFDRELOCNDS32_SDA18S1
- BFDRELOCNDS32_SDA19S0
- BFDRELOCNDS32_GOT20
- BFDRELOCNDS329PLTREL
- BFDRELOCNDS3225PLTREL
- BFDRELOCNDS32_COPY
- BFDRELOCNDS32GLOBDAT
- BFDRELOCNDS32JMPSLOT
- BFDRELOCNDS32_RELATIVE
- BFDRELOCNDS32_GOTOFF
- BFDRELOCNDS32GOTOFFHI20
- BFDRELOCNDS32GOTOFFLO12
- BFDRELOCNDS32_GOTPC20
- BFDRELOCNDS32GOTHI20
- BFDRELOCNDS32GOTLO12
- BFDRELOCNDS32GOTPCHI20
- BFDRELOCNDS32GOTPCLO12
- BFDRELOCNDS32_INSN16
- BFDRELOCNDS32_LABEL
- BFDRELOCNDS32_LONGCALL1
- BFDRELOCNDS32_LONGCALL2
- BFDRELOCNDS32_LONGCALL3
- BFDRELOCNDS32_LONGJUMP1
- BFDRELOCNDS32_LONGJUMP2
- BFDRELOCNDS32_LONGJUMP3
- BFDRELOCNDS32_LOADSTORE
- BFDRELOCNDS329FIXED
- BFDRELOCNDS3215FIXED
- BFDRELOCNDS3217FIXED
- BFDRELOCNDS3225FIXED
- BFDRELOCNDS32_LONGCALL4

- BFDRELOCNDS32_LONGCALL5
- BFDRELOCNDS32_LONGCALL6
- BFDRELOCNDS32_LONGJUMP4
- BFDRELOCNDS32_LONGJUMP5
- BFDRELOCNDS32_LONGJUMP6
- BFDRELOCNDS32_LONGJUMP7
- BFDRELOCNDS32PLTRELHI20
- BFDRELOCNDS32PLTRELLO12
- BFDRELOCNDS32PLTGOTREL_HI20
- BFDRELOCNDS32PLTGOTREL_LO12
- BFDRELOCNDS32SDA12S2DP
- BFDRELOCNDS32SDA12S2SP
- BFDRELOCNDS32LO12S2DP
- BFDRELOCNDS32LO12S2SP
- BFDRELOCNDS32DWARF2OP1
- BFDRELOCNDS32DWARF2OP2
- BFDRELOCNDS32DWARF2LEB
- BFDRELOCNDS32UPDATETA
- BFDRELOCNDS32PLTGOTREL_LO20
- BFDRELOCNDS32PLTGOTREL_LO15
- BFDRELOCNDS32PLTGOTREL_LO19
- BFDRELOCNDS32GOTLO15
- BFDRELOCNDS32GOTLO19
- BFDRELOCNDS32GOTOFFLO15
- BFDRELOCNDS32GOTOFFLO19
- BFDRELOCNDS32_GOT15S2
- BFDRELOCNDS32_GOT17S2
- BFDRELOCNDS32_5
- BFDRELOCNDS3210UPCREL
- BFDRELOCNDS32SDAFP7U2_RELA
- BFDRELOCNDS32RELAXENTRY
- BFDRELOCNDS32GOTSUFF
- BFDRELOCNDS32GOTOFFSUFF
- BFDRELOCNDS32PLTGOT_SUFF
- BFDRELOCNDS32MULCALLSUFF
- BFDRELOCNDS32_PTR
- BFDRELOCNDS32PTRCOUNT
- BFDRELOCNDS32PTRRESOLVED
- BFDRELOCNDS32_PLTBLOCK
- BFDRELOCNDS32RELAXREGION_BEGIN
- BFDRELOCNDS32RELAXREGION_END
- BFDRELOCNDS32_MINUEND
- BFDRELOCNDS32_SUBTRAHEND
- BFDRELOCNDS32_DIFF8
- BFDRELOCNDS32_DIFF16
- BFDRELOCNDS32_DIFF32
- BFDRELOCNDS32DIFFULEB128
- BFDRELOCNDS32_EMPTY
- BFDRELOCNDS3225ABS
- BFDRELOCNDS32_DATA

- BFDRELOCNDS32_TRAN
- BFDRELOCNDS3217IFCPCREL
- BFDRELOCNDS3210IFCUPCREL
- BFDRELOCNDS32_TPOFF
- BFDRELOCNDS32TLSLE_HI20
- BFDRELOCNDS32TLSLE_LO12
- BFDRELOCNDS32TLSLE_ADD
- BFDRELOCNDS32TLSLE_LS
- BFDRELOCNDS32_GOTTPOFF
- BFDRELOCNDS32TLSIE_HI20
- BFDRELOCNDS32TLSIE_LO12S2
- BFDRELOCNDS32TLSTPOFF
- BFDRELOCNDS32TLSLE_20
- BFDRELOCNDS32TLSLE_15S0
- BFDRELOCNDS32TLSLE_15S1
- BFDRELOCNDS32TLSLE_15S2
- BFDRELOCV8509PCREL
- BFDRELOCV85022PCREL
- BFDRELOCV850SDA1616OFFSET
- BFDRELOCV850SDA1516OFFSET
- BFDRELOCV850ZDA1616OFFSET
- BFDRELOCV850ZDA1516OFFSET
- BFDRELOCV850TDA68OFFSET
- BFDRELOCV850TDA78OFFSET
- BFDRELOCV850TDA77OFFSET
- BFDRELOCV850TDA1616OFFSET
- BFDRELOCV850TDA45OFFSET
- BFDRELOCV850TDA44OFFSET
- BFDRELOCV850SDA1616SPLIT_OFFSET
- BFDRELOCV850ZDA1616SPLIT_OFFSET
- BFDRELOCV850CALLT67OFFSET
- BFDRELOCV850CALLT1616OFFSET
- BFDRELOCV850_LONGCALL
- BFDRELOCV850_LONGJUMP
- BFDRELOCV850_ALIGN
- BFDRELOCV850LO16SPLIT_OFFSET
- BFDRELOCV85016PCREL
- BFDRELOCV85017PCREL
- BFDRELOCV850_23
- BFDRELOCV85032PCREL
- BFDRELOCV85032ABS
- BFDRELOCV85016SPLIT_OFFSET
- BFDRELOCV85016S1
- BFDRELOCV850LO16S1
- BFDRELOCV850CALLT1516OFFSET
- BFDRELOCV85032GOTPCREL
- BFDRELOCV85016GOT
- BFDRELOCV85032GOT
- BFDRELOCV85022PLT_PCREL
- BFDRELOCV85032PLT_PCREL

- BFDRELOCV850_COPY
- BFDRELOCV850GLOBDAT
- BFDRELOCV850JMPSLOT
- BFDRELOCV850_RELATIVE
- BFDRELOCV85016GOTOFF
- BFDRELOCV85032GOTOFF
- BFDRELOCV850_CODE
- BFDRELOCV850_DATA
- BFDRELOCTIC30_LDP
- BFDRELOCTIC54X_PARTLS7
- BFDRELOCTIC54X_PARTMS9
- BFDRELOCTIC54X_23
- BFDRELOCTIC54X16OF_23
- BFDRELOCTIC54XMS7OF_23
- BFDRELOCC6000PCRS21
- BFDRELOCC6000PCRS12
- BFDRELOCC6000PCRS10
- BFDRELOCC6000PCRS7
- BFDRELOCC6000ABSS16
- BFDRELOCC6000ABSL16
- BFDRELOCC6000ABSH16
- BFDRELOCC6000SBRU15_B
- BFDRELOCC6000SBRU15_H
- BFDRELOCC6000SBRU15_W
- BFDRELOCC6000SBR16
- BFDRELOCC6000SBRL16_B
- BFDRELOCC6000SBRL16_H
- BFDRELOCC6000SBRL16_W
- BFDRELOCC6000SBRH16_B
- BFDRELOCC6000SBRH16_H
- BFDRELOCC6000SBRH16_W
- BFDRELOCC6000SBRGOTU15W
- BFDRELOCC6000SBRGOTL16W
- BFDRELOCC6000SBRGOTH16W
- BFDRELOCC6000DSBTINDEX
- BFDRELOCC6000_PREL31
- BFDRELOCC6000_COPY
- BFDRELOCC6000JUMPSLOT
- BFDRELOCC6000_EHTYPE
- BFDRELOCC6000PCR16
- BFDRELOCC6000PCRL16
- BFDRELOCC6000_ALIGN
- BFDRELOCC6000_FPHEAD
- BFDRELOCC6000_NOCMP
- BFDRELOCFR30_48
- BFDRELOCFR30_20
- BFDRELOCFR306IN_4
- BFDRELOCFR308IN_8
- BFDRELOCFR309IN_8
- BFDRELOCFR3010IN_8

- BFDRELOCFR309PCREL
- BFDRELOCFR3012PCREL
- BFDRELOCMCOREPCRELIMM8BY4
- BFDRELOCMCOREPCRELIMM11BY2
- BFDRELOCMCOREPCRELIMM4BY2
- BFDRELOCMCOREPCREL32
- BFDRELOCMCOREPCRELJSR_IMM11BY2
- BFDRELOCMCORE_RVA
- BFDRELOCMEP_8
- BFDRELOCMEP_16
- BFDRELOCMEP_32
- BFDRELOCMEP_PCREL8A2
- BFDRELOCMEP_PCREL12A2
- BFDRELOCMEP_PCREL17A2
- BFDRELOCMEP_PCREL24A2
- BFDRELOCMEP_PCABS24A2
- BFDRELOCMEP_LOW16
- BFDRELOCMEP_HI16U
- BFDRELOCMEP_HI16S
- BFDRELOCMEP_GPREL
- BFDRELOCMEP_TPREL
- BFDRELOCMEP_TPREL7
- BFDRELOCMEP_TPREL7A2
- BFDRELOCMEP_TPREL7A4
- BFDRELOCMEP_UIMM24
- BFDRELOCMEP_ADDR24A4
- BFDRELOCMEPGNUVTINHERIT
- BFDRELOCMEPGNUVTENTRY
- BFDRELOCMETAG_HIADDR16
- BFDRELOCMETAG_LOADDR16
- BFDRELOCMETAG_RELBRANCH
- BFDRELOCMETAG_GETSETOFF
- BFDRELOCMETAG_HIOG
- BFDRELOCMETAG_LOOG
- BFDRELOCMETAG_REL8
- BFDRELOCMETAG_REL16
- BFDRELOCMETAGHI16GOTOFF
- BFDRELOCMETAGLO16GOTOFF
- BFDRELOCMETAGGETSETGOTOFF
- BFDRELOCMETAGGETSETGOT
- BFDRELOCMETAGHI16GOTPC
- BFDRELOCMETAGLO16GOTPC
- BFDRELOCMETAGHI16PLT
- BFDRELOCMETAGLO16PLT
- BFDRELOCMETAGRELBRANCHPLT
- BFDRELOCMETAG_GOTOFF
- BFDRELOCMETAG_PLT
- BFDRELOCMETAG_COPY
- BFDRELOCMETAGJMPSLOT
- BFDRELOCMETAG_RELATIVE

- BFDRELOCMETAGGLOBDAT
- BFDRELOCMETAGTLSGD
- BFDRELOCMETAGTLSLDM
- BFDRELOCMETAGTLSLDO_HI16
- BFDRELOCMETAGTLSLDO_LO16
- BFDRELOCMETAGTLSLDO
- BFDRELOCMETAGTLSIE
- BFDRELOCMETAGTLSIENONPIC
- BFDRELOCMETAGTLSIENONPIC_HI16
- BFDRELOCMETAGTLSIENONPIC_LO16
- BFDRELOCMETAGTLSTPOFF
- BFDRELOCMETAGTLSDTPMOD
- BFDRELOCMETAGTLSDTPOFF
- BFDRELOCMETAGTLSLE
- BFDRELOCMETAGTLSLE_HI16
- BFDRELOCMETAGTLSLE_LO16
- BFDRELOCM MIX_GETA
- BFDRELOCM MIX_GETA1
- BFDRELOCM MIX_GETA2
- BFDRELOCM MIX_GETA3
- BFDRELOCM MIX_CBRANCH
- BFDRELOCM MIX_CBRANCHJ
- BFDRELOCM MIX_CBRANCH1
- BFDRELOCM MIX_CBRANCH2
- BFDRELOCM MIX_CBRANCH3
- BFDRELOCM MIX_PUSHJ
- BFDRELOCM MIX_PUSHJ1
- BFDRELOCM MIX_PUSHJ2
- BFDRELOCM MIX_PUSHJ3
- BFDRELOCM MIX_PUSHJSTUBBABLE
- BFDRELOCM MIX_JMP
- BFDRELOCM MIX_JMP1
- BFDRELOCM MIX_JMP2
- BFDRELOCM MIX_JMP3
- BFDRELOCM MIX_ADDR19
- BFDRELOCM MIX_ADDR27
- BFDRELOCM MIX_REGOR_BYTE
- BFDRELOCM MIX_REG
- BFDRELOCM MIX_BASEPLUS_OFFSET
- BFDRELOCM MIX_LOCAL
- BFDRELOCAVR7PCREL
- BFDRELOCAVR13PCREL
- BFDRELOCAVR16PM
- BFDRELOCAVRLO8LDI
- BFDRELOCAVRHI8LDI
- BFDRELOCAVRHH8LDI
- BFDRELOCAVRMS8LDI
- BFDRELOCAVRLO8LDI_NEG
- BFDRELOCAVRHI8LDI_NEG
- BFDRELOCAVRHH8LDI_NEG

- BFDRELOCAVRMS8LDI_NEG
- BFDRELOCAVRLO8LDI_PM
- BFDRELOCAVRLO8LDI_GS
- BFDRELOCAVRHI8LDI_PM
- BFDRELOCAVRHI8LDI_GS
- BFDRELOCAVRHH8LDI_PM
- BFDRELOCAVRLO8LDIPMNEG
- BFDRELOCAVRHI8LDIPMNEG
- BFDRELOCAVRHH8LDIPMNEG
- BFDRELOCAVR_CALL
- BFDRELOCAVR_LDI
- BFDRELOCAVR_6
- BFDRELOCAVR6ADW
- BFDRELOCAVR8LO
- BFDRELOCAVR8HI
- BFDRELOCAVR8HLO
- BFDRELOCAVR_DIFF8
- BFDRELOCAVR_DIFF16
- BFDRELOCAVR_DIFF32
- BFDRELOCAVR LDSSTS_16
- BFDRELOCAVR_PORT6
- BFDRELOCAVR_PORT5
- BFDRELOCRISCV_HI20
- BFDRELOCRISCVPCRELHI20
- BFDRELOCRISCVPCRELLO12_I
- BFDRELOCRISCVPCRELLO12_S
- BFDRELOCRISCVLO12I
- BFDRELOCRISCVLO12S
- BFDRELOCRISCVGPREL12I
- BFDRELOCRISCVGPREL12S
- BFDRELOCRISCVTPRELHI20
- BFDRELOCRISCVTPRELLO12_I
- BFDRELOCRISCVTPRELLO12_S
- BFDRELOCRISCVTPRELADD
- BFDRELOCRISCV_CALL
- BFDRELOCRISCVCALLPLT
- BFDRELOCRISCV_ADD8
- BFDRELOCRISCV_ADD16
- BFDRELOCRISCV_ADD32
- BFDRELOCRISCV_ADD64
- BFDRELOCRISCV_SUB8
- BFDRELOCRISCV_SUB16
- BFDRELOCRISCV_SUB32
- BFDRELOCRISCV_SUB64
- BFDRELOCRISCVGOTHI20
- BFDRELOCRISCVTLSGOT_HI20
- BFDRELOCRISCVTLSGD_HI20
- BFDRELOCRISCV_JMP
- BFDRELOCRISCVTLDTPMOD32
- BFDRELOCRISCVTLDTPREL32

- BFDRELOCRISCVTLSDTPMOD64
- BFDRELOCRISCVTLSDTPREL64
- BFDRELOCRISCVTLSTPREL32
- BFDRELOCRISCVTLSTPREL64
- BFDRELOCRISCV_ALIGN
- BFDRELOCRISCVRVCBRANCH
- BFDRELOCRISCVRVCJUMP
- BFDRELOCRISCVRVCLUI
- BFDRELOCRISCVGPREL
- BFDRELOCRISCVGPRELS
- BFDRELOCRISCVTPREL
- BFDRELOCRISCVTPRELS
- BFDRELOCRISCV_RELAX
- BFDRELOCRISCV_CFA
- BFDRELOCRISCV_SUB6
- BFDRELOCRISCV_SET6
- BFDRELOCRISCV_SET8
- BFDRELOCRISCV_SET16
- BFDRELOCRISCV_SET32
- BFDRELOCRL78_NEG8
- BFDRELOCRL78_NEG16
- BFDRELOCRL78_NEG24
- BFDRELOCRL78_NEG32
- BFDRELOCRL7816OP
- BFDRELOCRL7824OP
- BFDRELOCRL7832OP
- BFDRELOCRL78_8U
- BFDRELOCRL78_16U
- BFDRELOCRL78_24U
- BFDRELOCRL78DIR3UPCREL
- BFDRELOCRL78_DIFF
- BFDRELOCRL78_GPRELB
- BFDRELOCRL78_GPRELW
- BFDRELOCRL78_GPRELL
- BFDRELOCRL78_SYM
- BFDRELOCRL78OPSUBTRACT
- BFDRELOCRL78OPNEG
- BFDRELOCRL78OPAND
- BFDRELOCRL78OPSHRA
- BFDRELOCRL78_ABS8
- BFDRELOCRL78_ABS16
- BFDRELOCRL78ABS16REV
- BFDRELOCRL78_ABS32
- BFDRELOCRL78ABS32REV
- BFDRELOCRL78_ABS16U
- BFDRELOCRL78_ABS16UW
- BFDRELOCRL78_ABS16UL
- BFDRELOCRL78_RELAX
- BFDRELOCRL78_HI16
- BFDRELOCRL78_HI8

- BFDRELOCRL78_LO16
- BFDRELOCRL78_CODE
- BFDRELOCRL78_SADDR
- BFDRELOCRX_NEG8
- BFDRELOCRX_NEG16
- BFDRELOCRX_NEG24
- BFDRELOCRX_NEG32
- BFDRELOCRX16OP
- BFDRELOCRX24OP
- BFDRELOCRX32OP
- BFDRELOCRX_8U
- BFDRELOCRX_16U
- BFDRELOCRX_24U
- BFDRELOCRXDIR3UPCREL
- BFDRELOCRX_DIFF
- BFDRELOCRX_GPRELB
- BFDRELOCRX_GPRELW
- BFDRELOCRX_GPRELL
- BFDRELOCRX_SYM
- BFDRELOCRXOPSUBTRACT
- BFDRELOCRXOPNEG
- BFDRELOCRX_ABS8
- BFDRELOCRX_ABS16
- BFDRELOCRXABS16REV
- BFDRELOCRX_ABS32
- BFDRELOCRXABS32REV
- BFDRELOCRX_ABS16U
- BFDRELOCRX_ABS16UW
- BFDRELOCRX_ABS16UL
- BFDRELOCRX_RELAX
- BFDRELOC390_12
- BFDRELOC390_GOT12
- BFDRELOC390_PLT32
- BFDRELOC390_COPY
- BFDRELOC390GLOBDAT
- BFDRELOC390JMPSLOT
- BFDRELOC390_RELATIVE
- BFDRELOC390_GOTPC
- BFDRELOC390_GOT16
- BFDRELOC390_PC12DBL
- BFDRELOC390_PLT12DBL
- BFDRELOC390_PC16DBL
- BFDRELOC390_PLT16DBL
- BFDRELOC390_PC24DBL
- BFDRELOC390_PLT24DBL
- BFDRELOC390_PC32DBL
- BFDRELOC390_PLT32DBL
- BFDRELOC390_GOTPCDBL
- BFDRELOC390_GOT64
- BFDRELOC390_PLT64

- BFDRELOC390_GOTENT
- BFDRELOC390_GOTOFF64
- BFDRELOC390_GOTPLT12
- BFDRELOC390_GOTPLT16
- BFDRELOC390_GOTPLT32
- BFDRELOC390_GOTPLT64
- BFDRELOC390_GOTPLTENT
- BFDRELOC390_PLTOFF16
- BFDRELOC390_PLTOFF32
- BFDRELOC390_PLTOFF64
- BFDRELOC390_TLSLOAD
- BFDRELOC390_TLSDCALL
- BFDRELOC390_TLSDCALL
- BFDRELOC390_TLSD32
- BFDRELOC390_TLSD64
- BFDRELOC390_TLSDIE12
- BFDRELOC390_TLSDIE32
- BFDRELOC390_TLSDIE64
- BFDRELOC390_TLSDM32
- BFDRELOC390_TLSDM64
- BFDRELOC390_TLSIE32
- BFDRELOC390_TLSIE64
- BFDRELOC390_TLSIEENT
- BFDRELOC390_TLSLE32
- BFDRELOC390_TLSLE64
- BFDRELOC390_TLSDO32
- BFDRELOC390_TLSDO64
- BFDRELOC390_TLSDTPMOD
- BFDRELOC390_TLSDTPOFF
- BFDRELOC390_TLSTPOFF
- BFDRELOC390_20
- BFDRELOC390_GOT20
- BFDRELOC390_GOTPLT20
- BFDRELOC390_TLSDIE20
- BFDRELOC390_IRELATIVE
- BFDRELOCSCORE_GPREL15
- BFDRELOCSCORE_DUMMY2
- BFDRELOCSCORE_JMP
- BFDRELOCSCORE_BRANCH
- BFDRELOCSCORE_IMM30
- BFDRELOCSCORE_IMM32
- BFDRELOCSCORE16_JMP
- BFDRELOCSCORE16_BRANCH
- BFDRELOCSCORE_BCMP
- BFDRELOCSCORE_GOT15
- BFDRELOCSCORE_GOTLO16
- BFDRELOCSCORE_CALL15
- BFDRELOCSCORE_DUMMYHI16
- BFDRELOCIP2K_FR9
- BFDRELOCIP2K_BANK

- BFDRELOCIP2K_ADDR16CJP
- BFDRELOCIP2K_PAGE3
- BFDRELOCIP2K_LO8DATA
- BFDRELOCIP2K_HI8DATA
- BFDRELOCIP2K_EX8DATA
- BFDRELOCIP2K_LO8INSN
- BFDRELOCIP2K_HI8INSN
- BFDRELOCIP2KPCSKIP
- BFDRELOCIP2K_TEXT
- BFDRELOCIP2KFROFFSET
- BFDRELOCVPE4KMATH_DATA
- BFDRELOCVPE4KMATH_INSN
- BFDRELOCVTABLE_INHERIT
- BFDRELOCVTABLE_ENTRY
- BFDRELOCIA64_IMM14
- BFDRELOCIA64_IMM22
- BFDRELOCIA64_IMM64
- BFDRELOCIA64_DIR32MSB
- BFDRELOCIA64_DIR32LSB
- BFDRELOCIA64_DIR64MSB
- BFDRELOCIA64_DIR64LSB
- BFDRELOCIA64_GPREL22
- BFDRELOCIA64_GPREL64I
- BFDRELOCIA64_GPREL32MSB
- BFDRELOCIA64_GPREL32LSB
- BFDRELOCIA64_GPREL64MSB
- BFDRELOCIA64_GPREL64LSB
- BFDRELOCIA64_LTOFF22
- BFDRELOCIA64_LTOFF64I
- BFDRELOCIA64_PLTOFF22
- BFDRELOCIA64_PLTOFF64I
- BFDRELOCIA64_PLTOFF64MSB
- BFDRELOCIA64_PLTOFF64LSB
- BFDRELOCIA64_FPTR64I
- BFDRELOCIA64_FPTR32MSB
- BFDRELOCIA64_FPTR32LSB
- BFDRELOCIA64_FPTR64MSB
- BFDRELOCIA64_FPTR64LSB
- BFDRELOCIA64_PCREL21B
- BFDRELOCIA64_PCREL21BI
- BFDRELOCIA64_PCREL21M
- BFDRELOCIA64_PCREL21F
- BFDRELOCIA64_PCREL22
- BFDRELOCIA64_PCREL60B
- BFDRELOCIA64_PCREL64I
- BFDRELOCIA64_PCREL32MSB
- BFDRELOCIA64_PCREL32LSB
- BFDRELOCIA64_PCREL64MSB
- BFDRELOCIA64_PCREL64LSB
- BFDRELOCIA64LTOFFFPTR22

- BFDRELOCIA64LTOFFFPTR64I
- BFDRELOCIA64LTOFFFPTR32MSB
- BFDRELOCIA64LTOFFFPTR32LSB
- BFDRELOCIA64LTOFFFPTR64MSB
- BFDRELOCIA64LTOFFFPTR64LSB
- BFDRELOCIA64_SEGREL32MSB
- BFDRELOCIA64_SEGREL32LSB
- BFDRELOCIA64_SEGREL64MSB
- BFDRELOCIA64_SEGREL64LSB
- BFDRELOCIA64_SECREL32MSB
- BFDRELOCIA64_SECREL32LSB
- BFDRELOCIA64_SECREL64MSB
- BFDRELOCIA64_SECREL64LSB
- BFDRELOCIA64_REL32MSB
- BFDRELOCIA64_REL32LSB
- BFDRELOCIA64_REL64MSB
- BFDRELOCIA64_REL64LSB
- BFDRELOCIA64_LTV32MSB
- BFDRELOCIA64_LTV32LSB
- BFDRELOCIA64_LTV64MSB
- BFDRELOCIA64_LTV64LSB
- BFDRELOCIA64_IPLTMSB
- BFDRELOCIA64_IPLTLSB
- BFDRELOCIA64_COPY
- BFDRELOCIA64_LTOFF22X
- BFDRELOCIA64_LDXMOV
- BFDRELOCIA64_TPREL14
- BFDRELOCIA64_TPREL22
- BFDRELOCIA64_TPREL64I
- BFDRELOCIA64_TPREL64MSB
- BFDRELOCIA64_TPREL64LSB
- BFDRELOCIA64LTOFFTPREL22
- BFDRELOCIA64_DTPMOD64MSB
- BFDRELOCIA64_DTPMOD64LSB
- BFDRELOCIA64LTOFFDTPMOD22
- BFDRELOCIA64_DTPREL14
- BFDRELOCIA64_DTPREL22
- BFDRELOCIA64_DTPREL64I
- BFDRELOCIA64_DTPREL32MSB
- BFDRELOCIA64_DTPREL32LSB
- BFDRELOCIA64_DTPREL64MSB
- BFDRELOCIA64_DTPREL64LSB
- BFDRELOCIA64LTOFFDTPREL22
- BFDRELOCM68HC11_HI8
- BFDRELOCM68HC11_LO8
- BFDRELOCM68HC11_3B
- BFDRELOCM68HC11RLJUMP
- BFDRELOCM68HC11RLGROUP
- BFDRELOCM68HC11_LO16
- BFDRELOCM68HC11_PAGE

- BFDRELOCM68HC11_24
- BFDRELOCM68HC12_5B
- BFDRELOCXGATERLJUMP
- BFDRELOCXGATERLGROUP
- BFDRELOCXGATE_LO16
- BFDRELOCXGATE_GPAGE
- BFDRELOCXGATE_24
- BFDRELOCXGATEPCREL9
- BFDRELOCXGATEPCREL10
- BFDRELOCXGATEIMM8LO
- BFDRELOCXGATEIMM8HI
- BFDRELOCXGATE_IMM3
- BFDRELOCXGATE_IMM4
- BFDRELOCXGATE_IMM5
- BFDRELOCM68HC12_9B
- BFDRELOCM68HC12_16B
- BFDRELOCM68HC129PCREL
- BFDRELOCM68HC1210PCREL
- BFDRELOCM68HC12_LO8XG
- BFDRELOCM68HC12_HI8XG
- BFDRELOC16C_NUM08
- BFDRELOC16CNUM08C
- BFDRELOC16C_NUM16
- BFDRELOC16CNUM16C
- BFDRELOC16C_NUM32
- BFDRELOC16CNUM32C
- BFDRELOC16C_DISP04
- BFDRELOC16CDISP04C
- BFDRELOC16C_DISP08
- BFDRELOC16CDISP08C
- BFDRELOC16C_DISP16
- BFDRELOC16CDISP16C
- BFDRELOC16C_DISP24
- BFDRELOC16CDISP24C
- BFDRELOC16C_DISP24a
- BFDRELOC16CDISP24aC
- BFDRELOC16C_REG04
- BFDRELOC16CREG04C
- BFDRELOC16C_REG04a
- BFDRELOC16CREG04aC
- BFDRELOC16C_REG14
- BFDRELOC16CREG14C
- BFDRELOC16C_REG16
- BFDRELOC16CREG16C
- BFDRELOC16C_REG20
- BFDRELOC16CREG20C
- BFDRELOC16C_ABS20
- BFDRELOC16CABS20C
- BFDRELOC16C_ABS24
- BFDRELOC16CABS24C

- BFDRELOC16C_IMM04
- BFDRELOC16C_IMM04C
- BFDRELOC16C_IMM16
- BFDRELOC16C_IMM16C
- BFDRELOC16C_IMM20
- BFDRELOC16C_IMM20C
- BFDRELOC16C_IMM24
- BFDRELOC16C_IMM24C
- BFDRELOC16C_IMM32
- BFDRELOC16C_IMM32C
- BFDRELOCCR16_NUM8
- BFDRELOCCR16_NUM16
- BFDRELOCCR16_NUM32
- BFDRELOCCR16_NUM32a
- BFDRELOCCR16_REGREL0
- BFDRELOCCR16_REGREL4
- BFDRELOCCR16_REGREL4a
- BFDRELOCCR16_REGREL14
- BFDRELOCCR16_REGREL14a
- BFDRELOCCR16_REGREL16
- BFDRELOCCR16_REGREL20
- BFDRELOCCR16_REGREL20a
- BFDRELOCCR16_ABS20
- BFDRELOCCR16_ABS24
- BFDRELOCCR16_IMM4
- BFDRELOCCR16_IMM8
- BFDRELOCCR16_IMM16
- BFDRELOCCR16_IMM20
- BFDRELOCCR16_IMM24
- BFDRELOCCR16_IMM32
- BFDRELOCCR16_IMM32a
- BFDRELOCCR16_DISP4
- BFDRELOCCR16_DISP8
- BFDRELOCCR16_DISP16
- BFDRELOCCR16_DISP20
- BFDRELOCCR16_DISP24
- BFDRELOCCR16_DISP24a
- BFDRELOCCR16_SWITCH8
- BFDRELOCCR16_SWITCH16
- BFDRELOCCR16_SWITCH32
- BFDRELOCCR16GOTREGREL20
- BFDRELOCCR16GOTCREGREL20
- BFDRELOCCR16GLOBDAT
- BFDRELOCCRX_REL4
- BFDRELOCCRX_REL8
- BFDRELOCCRX_REL8CMP
- BFDRELOCCRX_REL16
- BFDRELOCCRX_REL24
- BFDRELOCCRX_REL32
- BFDRELOCCRX_REGREL12

- BFDRELOCCR_X_REGREL22
- BFDRELOCCR_X_REGREL28
- BFDRELOCCR_X_REGREL32
- BFDRELOCCR_X_ABS16
- BFDRELOCCR_X_ABS32
- BFDRELOCCR_X_NUM8
- BFDRELOCCR_X_NUM16
- BFDRELOCCR_X_NUM32
- BFDRELOCCR_X_IMM16
- BFDRELOCCR_X_IMM32
- BFDRELOCCR_X_SWITCH8
- BFDRELOCCR_X_SWITCH16
- BFDRELOCCR_X_SWITCH32
- BFDRELOCCRIS_BDISP8
- BFDRELOCCRIS_UNSIGNED5
- BFDRELOCCRIS_SIGNED6
- BFDRELOCCRIS_UNSIGNED6
- BFDRELOCCRIS_SIGNED8
- BFDRELOCCRIS_UNSIGNED8
- BFDRELOCCRIS_SIGNED16
- BFDRELOCCRIS_UNSIGNED16
- BFDRELOCCRISLAPCQOFFSET
- BFDRELOCCRIS_UNSIGNED4
- BFDRELOCCRIS_COPY
- BFDRELOCCRIS_GLOBDAT
- BFDRELOCCRIS_JUMPSLOT
- BFDRELOCCRIS_RELATIVE
- BFDRELOCCRIS32GOT
- BFDRELOCCRIS16GOT
- BFDRELOCCRIS32GOTPLT
- BFDRELOCCRIS16GOTPLT
- BFDRELOCCRIS32GOTREL
- BFDRELOCCRIS32PLT_GOTREL
- BFDRELOCCRIS32PLT_PCREL
- BFDRELOCCRIS32GOT_GD
- BFDRELOCCRIS16GOT_GD
- BFDRELOCCRIS32GD
- BFDRELOCCRIS_DTP
- BFDRELOCCRIS32DTPREL
- BFDRELOCCRIS16DTPREL
- BFDRELOCCRIS32GOT_TPREL
- BFDRELOCCRIS16GOT_TPREL
- BFDRELOCCRIS32TPREL
- BFDRELOCCRIS16TPREL
- BFDRELOCCRIS_DTPMOD
- BFDRELOCCRIS32IE
- BFDRELOC860_COPY
- BFDRELOC860_GLOBDAT
- BFDRELOC860_JUMPSLOT
- BFDRELOC860_RELATIVE

- BFDRELOC860_PC26
- BFDRELOC860_PLT26
- BFDRELOC860_PC16
- BFDRELOC860_LOW0
- BFDRELOC860_SPLIT0
- BFDRELOC860_LOW1
- BFDRELOC860_SPLIT1
- BFDRELOC860_LOW2
- BFDRELOC860_SPLIT2
- BFDRELOC860_LOW3
- BFDRELOC860_LOGOT0
- BFDRELOC860_SPGOT0
- BFDRELOC860_LOGOT1
- BFDRELOC860_SPGOT1
- BFDRELOC860_LOGOTOFF0
- BFDRELOC860_SPGOTOFF0
- BFDRELOC860_LOGOTOFF1
- BFDRELOC860_SPGOTOFF1
- BFDRELOC860_LOGOTOFF2
- BFDRELOC860_LOGOTOFF3
- BFDRELOC860_LOPC
- BFDRELOC860_HIGHADJ
- BFDRELOC860_HAGOT
- BFDRELOC860_HAGOTOFF
- BFDRELOC860_HAPC
- BFDRELOC860_HIGH
- BFDRELOC860_HIGOT
- BFDRELOC860_HIGOTOFF
- BFDRELOCOR1KREL26
- BFDRELOCOR1KGOTPCHI16
- BFDRELOCOR1KGOTPCLO16
- BFDRELOCOR1K_GOT16
- BFDRELOCOR1K_PLT26
- BFDRELOCOR1KGOTOFFHI16
- BFDRELOCOR1KGOTOFFLO16
- BFDRELOCOR1K_COPY
- BFDRELOCOR1KGLOBDAT
- BFDRELOCOR1KJMPSLOT
- BFDRELOCOR1K_RELATIVE
- BFDRELOCOR1KTLSGD_HI16
- BFDRELOCOR1KTLSGD_LO16
- BFDRELOCOR1KTLSLDM_HI16
- BFDRELOCOR1KTLSLDM_LO16
- BFDRELOCOR1KTLSLDO_HI16
- BFDRELOCOR1KTLSLDO_LO16
- BFDRELOCOR1KTLSIE_HI16
- BFDRELOCOR1KTLSIE_LO16
- BFDRELOCOR1KTLSLE_HI16
- BFDRELOCOR1KTLSLE_LO16
- BFDRELOCOR1KTLSTPOFF

- BFDRELOCOR1K $TLSDTPOFF$
- BFDRELOCOR1K $TLSDTPMOD$
- BFDRELOCH8_DIR16A8
- BFDRELOCH8_DIR16R8
- BFDRELOCH8_DIR24A8
- BFDRELOCH8_DIR24R8
- BFDRELOCH8_DIR32A16
- BFDRELOCH8_DISP32A16
- BFDRELOCXSTORMY16REL12
- BFDRELOCXSTORMY16_12
- BFDRELOCXSTORMY16_24
- BFDRELOCXSTORMY16_FPTR16
- BFDRELOCRELC
- BFDRELOCXC16X_PAG
- BFDRELOCXC16X_POF
- BFDRELOCXC16X_SEG
- BFDRELOCXC16X_SOF
- BFDRELOCVAXGLOBDAT
- BFDRELOCVAXJMPSLOT
- BFDRELOCVAX_RELATME
- BFDRELOCMT_PC16
- BFDRELOCMT_HI16
- BFDRELOCMT_LO16
- BFDRELOCMTGNUVTINHERIT
- BFDRELOCMTGNUVTENTRY
- BFDRELOCMT_PCINSN8
- BFDRELOCMSP43010PCREL
- BFDRELOCMSP43016PCREL
- BFDRELOCMSP430_16
- BFDRELOCMSP43016PCREL_BYTE
- BFDRELOCMSP43016BYTE
- BFDRELOCMSP4302XPCREL
- BFDRELOCMSP430RLPCREL
- BFDRELOCMSP430_ABS8
- BFDRELOCMSP430XPCR20EXT_SRC
- BFDRELOCMSP430XPCR20EXT_DST
- BFDRELOCMSP430XPCR20EXT_ODST
- BFDRELOCMSP430XABS20EXT_SRC
- BFDRELOCMSP430XABS20EXT_DST
- BFDRELOCMSP430XABS20EXT_ODST
- BFDRELOCMSP430XABS20ADR_SRC
- BFDRELOCMSP430XABS20ADR_DST
- BFDRELOCMSP430X_PCR16
- BFDRELOCMSP430XPCR20CALL
- BFDRELOCMSP430X_ABS16
- BFDRELOCMSP430ABSHI16
- BFDRELOCMSP430_PREL31
- BFDRELOCMSP430SYMDIFF
- BFDRELOCNIO2_S16
- BFDRELOCNIO2_U16

- BFDRELOCNIO2_CALL26
- BFDRELOCNIO2_IMM5
- BFDRELOCNIO2CACHEOPX
- BFDRELOCNIO2_IMM6
- BFDRELOCNIO2_IMM8
- BFDRELOCNIO2_HI16
- BFDRELOCNIO2_LO16
- BFDRELOCNIO2_HIADJ16
- BFDRELOCNIO2_GPREL
- BFDRELOCNIO2_UJMP
- BFDRELOCNIO2_CJMP
- BFDRELOCNIO2_CALLR
- BFDRELOCNIO2_ALIGN
- BFDRELOCNIO2_GOT16
- BFDRELOCNIO2_CALL16
- BFDRELOCNIO2GOTOFFLO
- BFDRELOCNIO2GOTOFFHA
- BFDRELOCNIO2PCRELLO
- BFDRELOCNIO2PCRELHA
- BFDRELOCNIO2TLSGD16
- BFDRELOCNIO2TSLDLM16
- BFDRELOCNIO2TSLDLO16
- BFDRELOCNIO2TSLIE16
- BFDRELOCNIO2TSLLE16
- BFDRELOCNIO2TSLDTPMOD
- BFDRELOCNIO2TSLDTPREL
- BFDRELOCNIO2TLSTPREL
- BFDRELOCNIO2_COPY
- BFDRELOCNIO2GLOBDAT
- BFDRELOCNIO2JUMPSLOT
- BFDRELOCNIO2_RELATIVE
- BFDRELOCNIO2_GOTOFF
- BFDRELOCNIO2CALL26NOAT
- BFDRELOCNIO2GOTLO
- BFDRELOCNIO2GOTHA
- BFDRELOCNIO2CALLLO
- BFDRELOCNIO2CALLHA
- BFDRELOCNIO2R2S12
- BFDRELOCNIO2R2I101PCREL
- BFDRELOCNIO2R2T1I71PCREL
- BFDRELOCNIO2R2T1I7_2
- BFDRELOCNIO2R2T2I4
- BFDRELOCNIO2R2T2I4_1
- BFDRELOCNIO2R2T2I4_2
- BFDRELOCNIO2R2X1I7_2
- BFDRELOCNIO2R2X2L5
- BFDRELOCNIO2R2F1I5_2
- BFDRELOCNIO2R2L5I4X1
- BFDRELOCNIO2R2T1X1I6
- BFDRELOCNIO2R2T1X1I6_2

- BFDRELOCIQ2000OFFSET16
- BFDRELOCIQ2000OFFSET21
- BFDRELOCIQ2000_UHI16
- BFDRELOCXTENSA_RTLD
- BFDRELOCXTENSA_GLOBDAT
- BFDRELOCXTENSA_JMPSLOT
- BFDRELOCXTENSA_RELATIVE
- BFDRELOCXTENSA_PLT
- BFDRELOCXTENSA_DIFF8
- BFDRELOCXTENSA_DIFF16
- BFDRELOCXTENSA_DIFF32
- BFDRELOCXTENSA_SLOT0OP
- BFDRELOCXTENSA_SLOT1OP
- BFDRELOCXTENSA_SLOT2OP
- BFDRELOCXTENSA_SLOT3OP
- BFDRELOCXTENSA_SLOT4OP
- BFDRELOCXTENSA_SLOT5OP
- BFDRELOCXTENSA_SLOT6OP
- BFDRELOCXTENSA_SLOT7OP
- BFDRELOCXTENSA_SLOT8OP
- BFDRELOCXTENSA_SLOT9OP
- BFDRELOCXTENSA_SLOT10OP
- BFDRELOCXTENSA_SLOT11OP
- BFDRELOCXTENSA_SLOT12OP
- BFDRELOCXTENSA_SLOT13OP
- BFDRELOCXTENSA_SLOT14OP
- BFDRELOCXTENSA_SLOT0ALT
- BFDRELOCXTENSA_SLOT1ALT
- BFDRELOCXTENSA_SLOT2ALT
- BFDRELOCXTENSA_SLOT3ALT
- BFDRELOCXTENSA_SLOT4ALT
- BFDRELOCXTENSA_SLOT5ALT
- BFDRELOCXTENSA_SLOT6ALT
- BFDRELOCXTENSA_SLOT7ALT
- BFDRELOCXTENSA_SLOT8ALT
- BFDRELOCXTENSA_SLOT9ALT
- BFDRELOCXTENSA_SLOT10ALT
- BFDRELOCXTENSA_SLOT11ALT
- BFDRELOCXTENSA_SLOT12ALT
- BFDRELOCXTENSA_SLOT13ALT
- BFDRELOCXTENSA_SLOT14ALT
- BFDRELOCXTENSA_OP0
- BFDRELOCXTENSA_OP1
- BFDRELOCXTENSA_OP2
- BFDRELOCXTENSA_ASMEXPAND
- BFDRELOCXTENSA_ASMSIMPLIFY
- BFDRELOCXTENSA_TLSDESCFN
- BFDRELOCXTENSA_TLSDESCARG
- BFDRELOCXTENSA_TLSDTPOFF
- BFDRELOCXTENSA_TLSTPOFF

- BFDRELOCXTENSA`TLSFUNC`
- BFDRELOCXTENSA`TLSARG`
- BFDRELOCXTENSA`TLSCALL`
- BFDRELOCZ80_`DISP8`
- BFDRELOCZ8K_`DISP7`
- BFDRELOCZ8K_`CALLR`
- BFDRELOCZ8K_`IMM4L`
- BFDRELOCLM32_`CALL`
- BFDRELOCLM32_`BRANCH`
- BFDRELOCLM32`16GOT`
- BFDRELOCLM32`GOTOFFHI16`
- BFDRELOCLM32`GOTOFFLO16`
- BFDRELOCLM32_`COPY`
- BFDRELOCLM32`GLOBDAT`
- BFDRELOCLM32`JMPSLOT`
- BFDRELOCLM32_`RELATIVE`
- BFDRELOCMACHOSECTDIFF
- BFDRELOCMACHOLOCAL_`SECTDIFF`
- BFDRELOCMACHOPAIR
- BFDRELOCMACHOSUBTRACTOR32
- BFDRELOCMACHOSUBTRACTOR64
- BFDRELOCMACHOX8664`BRANCH32`
- BFDRELOCMACHOX8664`BRANCH8`
- BFDRELOCMACHOX8664`GOT`
- BFDRELOCMACHOX8664`GOT_LOAD`
- BFDRELOCMACHOX8664`PCREL32_1`
- BFDRELOCMACHOX8664`PCREL32_2`
- BFDRELOCMACHOX8664`PCREL32_4`
- BFDRELOCMACHOARM64_`ADDEND`
- BFDRELOCMACHOARM64`GOTLOAD_PAGE21`
- BFDRELOCMACHOARM64`GOTLOAD_PAGEOFF12`
- BFDRELOCMACHOARM64`POINTERTO_GOT`
- BFDRELOCMICROBLAZE32`LO`
- BFDRELOCMICROBLAZE32`LO_PCREL`
- BFDRELOCMICROBLAZE32`ROSDA`
- BFDRELOCMICROBLAZE32`RWSDA`
- BFDRELOCMICROBLAZE32`SYMOPSYM`
- BFDRELOCMICROBLAZE64`NONE`
- BFDRELOCMICROBLAZE64`GOTPC`
- BFDRELOCMICROBLAZE64`GOT`
- BFDRELOCMICROBLAZE64`PLT`
- BFDRELOCMICROBLAZE64`GOTOFF`
- BFDRELOCMICROBLAZE32`GOTOFF`
- BFDRELOCMICROBLAZE_`COPY`
- BFDRELOCMICROBLAZE64`TLS`
- BFDRELOCMICROBLAZE64`TLSGD`
- BFDRELOCMICROBLAZE64`TLSLD`
- BFDRELOCMICROBLAZE32`TLSDTPMOD`
- BFDRELOCMICROBLAZE32`TLSDTPREL`
- BFDRELOCMICROBLAZE64`TLSDTPREL`

- BFDRELOCMICROBLAZE64TLSGOTTPREL
- BFDRELOCMICROBLAZE64TLSTPREL
- BFDRELOCAARCH64RELOCSTART
- BFDRELOCAARCH64_NULL
- BFDRELOCAARCH64_NONE
- BFDRELOCAARCH64_64
- BFDRELOCAARCH64_32
- BFDRELOCAARCH64_16
- BFDRELOCAARCH6464PCREL
- BFDRELOCAARCH6432PCREL
- BFDRELOCAARCH6416PCREL
- BFDRELOCAARCH64MOVWG0
- BFDRELOCAARCH64MOVWG0_NC
- BFDRELOCAARCH64MOVWG1
- BFDRELOCAARCH64MOVWG1_NC
- BFDRELOCAARCH64MOVWG2
- BFDRELOCAARCH64MOVWG2_NC
- BFDRELOCAARCH64MOVWG3
- BFDRELOCAARCH64MOVWG0_S
- BFDRELOCAARCH64MOVWG1_S
- BFDRELOCAARCH64MOVWG2_S
- BFDRELOCAARCH64LDLO19_PCREL
- BFDRELOCAARCH64ADRLO21_PCREL
- BFDRELOCAARCH64ADRH121_PCREL
- BFDRELOCAARCH64ADRH121NCPCREL
- BFDRELOCAARCH64ADDLO12
- BFDRELOCAARCH64LDST8LO12
- BFDRELOCAARCH64_TSTBR14
- BFDRELOCAARCH64_BRANCH19
- BFDRELOCAARCH64_JUMP26
- BFDRELOCAARCH64_CALL26
- BFDRELOCAARCH64LDST16LO12
- BFDRELOCAARCH64LDST32LO12
- BFDRELOCAARCH64LDST64LO12
- BFDRELOCAARCH64LDST128LO12
- BFDRELOCAARCH64GOTLD_PREL19
- BFDRELOCAARCH64ADRGOT_PAGE
- BFDRELOCAARCH64LD64GOTLO12NC
- BFDRELOCAARCH64LD32GOTLO12NC
- BFDRELOCAARCH64MOVWGOTOFFG0NC
- BFDRELOCAARCH64MOVWGOTOFF_G1
- BFDRELOCAARCH64LD64GOTOFF_LO15
- BFDRELOCAARCH64LD32GOTPAGE_LO14
- BFDRELOCAARCH64LD64GOTPAGE_LO15
- BFDRELOCAARCH64TLSGDADR_PAGE21
- BFDRELOCAARCH64TLSGDADR_PREL21
- BFDRELOCAARCH64TLSGDADDLO12NC
- BFDRELOCAARCH64TLSGDMOVWG0NC
- BFDRELOCAARCH64TLSGDMOVW_G1
- BFDRELOCAARCH64TLSIEADRGOTTPREL21

- BFDRELOCAARCH64 TLSIELD64 GOTTPRELLO12_NC
- BFDRELOCAARCH64 TLSIELD32 GOTTPRELLO12_NC
- BFDRELOCAARCH64 TLSIELD GOTTPRELPREL19
- BFDRELOCAARCH64 TLSIEMOVWGOTTPRELGO_NC
- BFDRELOCAARCH64 TLSIEMOVWGOTTPRELG1
- BFDRELOCAARCH64 TLSLDADDDTPRELHI12
- BFDRELOCAARCH64 TLSLDADDDTPRELLO12
- BFDRELOCAARCH64 TLSLDADDDTPRELLO12_NC
- BFDRELOCAARCH64 TLSLDADDLO12NC
- BFDRELOCAARCH64 TLSLDADR_PAGE21
- BFDRELOCAARCH64 TLSLDADR_PREL21
- BFDRELOCAARCH64 TLSLDLDST16DTPRELLO12
- BFDRELOCAARCH64 TLSLDLDST16DTPRELLO12_NC
- BFDRELOCAARCH64 TLSLDLDST32DTPRELLO12
- BFDRELOCAARCH64 TLSLDLDST32DTPRELLO12_NC
- BFDRELOCAARCH64 TLSLDLDST64DTPRELLO12
- BFDRELOCAARCH64 TLSLDLDST64DTPRELLO12_NC
- BFDRELOCAARCH64 TLSLDLDST8DTPRELLO12
- BFDRELOCAARCH64 TLSLDLDST8DTPRELLO12_NC
- BFDRELOCAARCH64 TLSLDMOVWDTPRELGO
- BFDRELOCAARCH64 TLSLDMOVWDTPRELGO_NC
- BFDRELOCAARCH64 TLSLDMOVWDTPRELG1
- BFDRELOCAARCH64 TLSLDMOVWDTPRELG1_NC
- BFDRELOCAARCH64 TLSLDMOVWDTPRELG2
- BFDRELOCAARCH64 TLSLEMOVWTPRELG2
- BFDRELOCAARCH64 TLSLEMOVWTPRELG1
- BFDRELOCAARCH64 TLSLEMOVWTPRELG1_NC
- BFDRELOCAARCH64 TLSLEMOVWTPRELGO
- BFDRELOCAARCH64 TLSLEMOVWTPRELGO_NC
- BFDRELOCAARCH64 TLSLEADDTPRELHI12
- BFDRELOCAARCH64 TLSLEADDTPRELLO12
- BFDRELOCAARCH64 TLSLEADDTPRELLO12_NC
- BFDRELOCAARCH64 TLSDESCLD_PREL19
- BFDRELOCAARCH64 TLSDESCADR_PREL21
- BFDRELOCAARCH64 TLSDESCADR_PAGE21
- BFDRELOCAARCH64 TLSDESCLD64LO12NC
- BFDRELOCAARCH64 TLSDESCLD32LO12NC
- BFDRELOCAARCH64 TLSDESCADDLO12NC
- BFDRELOCAARCH64 TLSDESCOFF_G1
- BFDRELOCAARCH64 TLSDESCOFFG0NC
- BFDRELOCAARCH64 TLSDESCLDR
- BFDRELOCAARCH64 TLSDESCADD
- BFDRELOCAARCH64 TLSDESCCALL
- BFDRELOCAARCH64_COPY
- BFDRELOCAARCH64 GLOBDAT
- BFDRELOCAARCH64 JUMPSLOT
- BFDRELOCAARCH64_RELATIVE
- BFDRELOCAARCH64 TLSDTPMOD
- BFDRELOCAARCH64 TLSDTPREL
- BFDRELOCAARCH64 TLSTPREL

- BFDRELOCAARCH64_TLSDDESC
- BFDRELOCAARCH64_IRELATIVE
- BFDRELOCAARCH64RELOCEND
- BFDRELOCAARCH64GASINTERNAL_FIXUP
- BFDRELOCAARCH64LDSTLO12
- BFDRELOCAARCH64TSLDLDDSTDPRELLO12
- BFDRELOCAARCH64TSLDLDDSTDPRELLO12_NC
- BFDRELOCAARCH64LDGOTLO12NC
- BFDRELOCAARCH64TSLIELDGOTTPRELLO12_NC
- BFDRELOCAARCH64TSLDESCLDLO12NC
- BFDRELOCTILEPRO_COPY
- BFDRELOCTILEPROGLOBDAT
- BFDRELOCTILEPROJMPSLOT
- BFDRELOCTILEPRO_RELATIVE
- BFDRELOCTILEPROBROFFX1
- BFDRELOCTILEPROJOFFLONGX1
- BFDRELOCTILEPROJOFFLONGX1_PLT
- BFDRELOCTILEPROIMM8X0
- BFDRELOCTILEPROIMM8Y0
- BFDRELOCTILEPROIMM8X1
- BFDRELOCTILEPROIMM8Y1
- BFDRELOCTILEPRODESTIMM8_X1
- BFDRELOCTILEPROMTMM15_X1
- BFDRELOCTILEPROMFMM15_X1
- BFDRELOCTILEPROIMM16X0
- BFDRELOCTILEPROIMM16X1
- BFDRELOCTILEPROIMM16X0_LO
- BFDRELOCTILEPROIMM16X1_LO
- BFDRELOCTILEPROIMM16X0_HI
- BFDRELOCTILEPROIMM16X1_HI
- BFDRELOCTILEPROIMM16X0_HA
- BFDRELOCTILEPROIMM16X1_HA
- BFDRELOCTILEPROIMM16X0_PCREL
- BFDRELOCTILEPROIMM16X1_PCREL
- BFDRELOCTILEPROIMM16X0LOPCREL
- BFDRELOCTILEPROIMM16X1LOPCREL
- BFDRELOCTILEPROIMM16X0HPCREL
- BFDRELOCTILEPROIMM16X1HPCREL
- BFDRELOCTILEPROIMM16X0HAPCREL
- BFDRELOCTILEPROIMM16X1HAPCREL
- BFDRELOCTILEPROIMM16X0_GOT
- BFDRELOCTILEPROIMM16X1_GOT
- BFDRELOCTILEPROIMM16X0GOTLO
- BFDRELOCTILEPROIMM16X1GOTLO
- BFDRELOCTILEPROIMM16X0GOTHI
- BFDRELOCTILEPROIMM16X1GOTHI
- BFDRELOCTILEPROIMM16X0GOTHA
- BFDRELOCTILEPROIMM16X1GOTHA
- BFDRELOCTILEPROMMSTARTX0
- BFDRELOCTILEPROMMENDX0

- BFDRELOCTILEPROMMSTARTX1
- BFDRELOCTILEPROMMENDX1
- BFDRELOCTILEPROSHAMTX0
- BFDRELOCTILEPROSHAMTX1
- BFDRELOCTILEPROSHAMTY0
- BFDRELOCTILEPROSHAMTY1
- BFDRELOCTILEPROTLSGD_CALL
- BFDRELOCTILEPROIMM8X0TLSGD_ADD
- BFDRELOCTILEPROIMM8X1TLSGD_ADD
- BFDRELOCTILEPROIMM8Y0TLSGD_ADD
- BFDRELOCTILEPROIMM8Y1TLSGD_ADD
- BFDRELOCTILEPROTLSIE_LOAD
- BFDRELOCTILEPROIMM16X0TLSGD
- BFDRELOCTILEPROIMM16X1TLSGD
- BFDRELOCTILEPROIMM16X0TLSGD_LO
- BFDRELOCTILEPROIMM16X1TLSGD_LO
- BFDRELOCTILEPROIMM16X0TLSGD_HI
- BFDRELOCTILEPROIMM16X1TLSGD_HI
- BFDRELOCTILEPROIMM16X0TLSGD_HA
- BFDRELOCTILEPROIMM16X1TLSGD_HA
- BFDRELOCTILEPROIMM16X0TLSIE
- BFDRELOCTILEPROIMM16X1TLSIE
- BFDRELOCTILEPROIMM16X0TLSIE_LO
- BFDRELOCTILEPROIMM16X1TLSIE_LO
- BFDRELOCTILEPROIMM16X0TLSIE_HI
- BFDRELOCTILEPROIMM16X1TLSIE_HI
- BFDRELOCTILEPROIMM16X0TLSIE_HA
- BFDRELOCTILEPROIMM16X1TLSIE_HA
- BFDRELOCTILEPROTLSDTPMOD32
- BFDRELOCTILEPROTLSDTPOFF32
- BFDRELOCTILEPROTLSTPOFF32
- BFDRELOCTILEPROIMM16X0TLSLE
- BFDRELOCTILEPROIMM16X1TLSLE
- BFDRELOCTILEPROIMM16X0TLSLE_LO
- BFDRELOCTILEPROIMM16X1TLSLE_LO
- BFDRELOCTILEPROIMM16X0TLSLE_HI
- BFDRELOCTILEPROIMM16X1TLSLE_HI
- BFDRELOCTILEPROIMM16X0TLSLE_HA
- BFDRELOCTILEPROIMM16X1TLSLE_HA
- BFDRELOCTILEGX_HW0
- BFDRELOCTILEGX_HW1
- BFDRELOCTILEGX_HW2
- BFDRELOCTILEGX_HW3
- BFDRELOCTILEGXHW0LAST
- BFDRELOCTILEGXHW1LAST
- BFDRELOCTILEGXHW2LAST
- BFDRELOCTILEGX_COPY
- BFDRELOCTILEGXGLOBDAT
- BFDRELOCTILEGXJMPSLOT
- BFDRELOCTILEGX_RELATIVE

- BFDRELOCTILEGXBRFFX1
- BFDRELOCTILEGXJUMPOFFX1
- BFDRELOCTILEGXJUMPOFFX1_PLT
- BFDRELOCTILEGXIMM8X0
- BFDRELOCTILEGXIMM8Y0
- BFDRELOCTILEGXIMM8X1
- BFDRELOCTILEGXIMM8Y1
- BFDRELOCTILEGXDESTIMM8_X1
- BFDRELOCTILEGXMTIMM14_X1
- BFDRELOCTILEGXMFIMM14_X1
- BFDRELOCTILEGXMMSTARTX0
- BFDRELOCTILEGXMMENDX0
- BFDRELOCTILEGXSHAMTX0
- BFDRELOCTILEGXSHAMTX1
- BFDRELOCTILEGXSHAMTY0
- BFDRELOCTILEGXSHAMTY1
- BFDRELOCTILEGXIMM16X0_HW0
- BFDRELOCTILEGXIMM16X1_HW0
- BFDRELOCTILEGXIMM16X0_HW1
- BFDRELOCTILEGXIMM16X1_HW1
- BFDRELOCTILEGXIMM16X0_HW2
- BFDRELOCTILEGXIMM16X1_HW2
- BFDRELOCTILEGXIMM16X0_HW3
- BFDRELOCTILEGXIMM16X1_HW3
- BFDRELOCTILEGXIMM16X0HW0LAST
- BFDRELOCTILEGXIMM16X1HW0LAST
- BFDRELOCTILEGXIMM16X0HW1LAST
- BFDRELOCTILEGXIMM16X1HW1LAST
- BFDRELOCTILEGXIMM16X0HW2LAST
- BFDRELOCTILEGXIMM16X1HW2LAST
- BFDRELOCTILEGXIMM16X0HW0PCREL
- BFDRELOCTILEGXIMM16X1HW0PCREL
- BFDRELOCTILEGXIMM16X0HW1PCREL
- BFDRELOCTILEGXIMM16X1HW1PCREL
- BFDRELOCTILEGXIMM16X0HW2PCREL
- BFDRELOCTILEGXIMM16X1HW2PCREL
- BFDRELOCTILEGXIMM16X0HW3PCREL
- BFDRELOCTILEGXIMM16X1HW3PCREL
- BFDRELOCTILEGXIMM16X0HW0LAST_PCREL
- BFDRELOCTILEGXIMM16X1HW0LAST_PCREL
- BFDRELOCTILEGXIMM16X0HW1LAST_PCREL
- BFDRELOCTILEGXIMM16X1HW1LAST_PCREL
- BFDRELOCTILEGXIMM16X0HW2LAST_PCREL
- BFDRELOCTILEGXIMM16X1HW2LAST_PCREL
- BFDRELOCTILEGXIMM16X0HW0GOT
- BFDRELOCTILEGXIMM16X1HW0GOT
- BFDRELOCTILEGXIMM16X0HW0PLT_PCREL
- BFDRELOCTILEGXIMM16X1HW0PLT_PCREL
- BFDRELOCTILEGXIMM16X0HW1PLT_PCREL
- BFDRELOCTILEGXIMM16X1HW1PLT_PCREL

- BFDRELOCTILEGXIMM16X0HW2PLT_PCREL
- BFDRELOCTILEGXIMM16X1HW2PLT_PCREL
- BFDRELOCTILEGXIMM16X0HW0LAST_GOT
- BFDRELOCTILEGXIMM16X1HW0LAST_GOT
- BFDRELOCTILEGXIMM16X0HW1LAST_GOT
- BFDRELOCTILEGXIMM16X1HW1LAST_GOT
- BFDRELOCTILEGXIMM16X0HW3PLT_PCREL
- BFDRELOCTILEGXIMM16X1HW3PLT_PCREL
- BFDRELOCTILEGXIMM16X0HW0TLS_GD
- BFDRELOCTILEGXIMM16X1HW0TLS_GD
- BFDRELOCTILEGXIMM16X0HW0TLS_LE
- BFDRELOCTILEGXIMM16X1HW0TLS_LE
- BFDRELOCTILEGXIMM16X0HW0LASTTLSLE
- BFDRELOCTILEGXIMM16X1HW0LASTTLSLE
- BFDRELOCTILEGXIMM16X0HW1LASTTLSLE
- BFDRELOCTILEGXIMM16X1HW1LASTTLSLE
- BFDRELOCTILEGXIMM16X0HW0LASTTLSGD
- BFDRELOCTILEGXIMM16X1HW0LASTTLSGD
- BFDRELOCTILEGXIMM16X0HW1LASTTLSGD
- BFDRELOCTILEGXIMM16X1HW1LASTTLSGD
- BFDRELOCTILEGXIMM16X0HW0TLS_IE
- BFDRELOCTILEGXIMM16X1HW0TLS_IE
- BFDRELOCTILEGXIMM16X0HW0LASTPLTPCREL
- BFDRELOCTILEGXIMM16X1HW0LASTPLTPCREL
- BFDRELOCTILEGXIMM16X0HW1LASTPLTPCREL
- BFDRELOCTILEGXIMM16X1HW1LASTPLTPCREL
- BFDRELOCTILEGXIMM16X0HW2LASTPLTPCREL
- BFDRELOCTILEGXIMM16X1HW2LASTPLTPCREL
- BFDRELOCTILEGXIMM16X0HW0LASTTLSIE
- BFDRELOCTILEGXIMM16X1HW0LASTTLSIE
- BFDRELOCTILEGXIMM16X0HW1LASTTLSIE
- BFDRELOCTILEGXIMM16X1HW1LASTTLSIE
- BFDRELOCTILEGXTLSDTPMOD64
- BFDRELOCTILEGXTLSDTPOFF64
- BFDRELOCTILEGXTLSTPOFF64
- BFDRELOCTILEGXTLSDTPMOD32
- BFDRELOCTILEGXTLSDTPOFF32
- BFDRELOCTILEGXTLSTPOFF32
- BFDRELOCTILEGXTLSGD_CALL
- BFDRELOCTILEGXIMM8X0TLSGD_ADD
- BFDRELOCTILEGXIMM8X1TLSGD_ADD
- BFDRELOCTILEGXIMM8Y0TLSGD_ADD
- BFDRELOCTILEGXIMM8Y1TLSGD_ADD
- BFDRELOCTILEGXTLSIE_LOAD
- BFDRELOCTILEGXIMM8X0TLSADD
- BFDRELOCTILEGXIMM8X1TLSADD
- BFDRELOCTILEGXIMM8Y0TLSADD
- BFDRELOCTILEGXIMM8Y1TLSADD
- BFDRELOCEPIPHANY_SIMM8
- BFDRELOCEPIPHANY_SIMM24

- BFDRELOCEPIPHANY_HIGH
- BFDRELOCEPIPHANY_LOW
- BFDRELOCEPIPHANY_SIMM11
- BFDRELOCEPIPHANY_IMM11
- BFDRELOCEPIPHANY_IMM8
- BFDRELOCVISIUM_HI16
- BFDRELOCVISIUM_LO16
- BFDRELOCVISIUM_IM16
- BFDRELOCVISIUM_REL16
- BFDRELOCVISIUMHI16PCREL
- BFDRELOCVISIUMLO16PCREL
- BFDRELOCVISIUMIM16PCREL
- @@overflow: BFDRELOCUNUSED@@
- .stabstr
- %B(%A+0x%lx): Stabs entry has invalid string index.
- ../../binutils-2.28/bfd/stabs.c
- deflate 1.2.8 Copyright 1995-2013 Jean-loup Gailly and Mark Adler
- incorrect header check
- unknown compression method
- invalid window size
- unknown header flags set
- header crc mismatch
- invalid block type
- invalid stored block lengths
- too many length or distance symbols
- invalid code lengths set
- invalid bit length repeat
- invalid code -- missing end-of-block
- invalid literal/lengths set
- invalid distances set
- invalid literal/length code
- invalid distance code
- invalid distance too far back
- incorrect data check
- incorrect length check
- inflate 1.2.8 Copyright 1995-2013 Mark Adler
- need dictionary
- stream end
- file error
- stream error
- data error
- insufficient memory
- buffer error
- incompatible version
- Qkkbal
- [-&LMb#{'
- w+OQvr
-)ZEo^m/
- H*0"ZOW
- mj>zjZ
- liGM>nw

- ewh/?y
- OZw3{?
- V_:X1:
- invalid distance too far back
- invalid distance code
- invalid literal/length code
- volatile
- __restrict
- const volatile
- const __restrict
- volatile __restrict
- const volatile __restrict
- 'Write
- 'Input
- 'Output
- .Finalize
- .Adjust
- _elabb
- JArray1Z
- unsigned
- signed
- __complex
- long long
- wchar_t
- long double
- double
- int%u_t
- -2147483648
- **pt**
- **tm**
- **ps**
- *GLOBAL*
- {anonymous}
- assign_
- template <
- > class
- operator
- operator
- static
- type_info node
- type_info function
- virtual table
- 0123456789Qt
- *_thunk*
- virtual function thunk (delta:%d) for
- *imp_*
- *_imp*
- **std**
- **sti**
- **vtbl**
- global constructors keyed to
- global destructors keyed to

- import stub for
- 'Elab_Body
- _elabs
- 'Elab_Spec
- _alignment
- 'Alignment
- _assign
- Osubtract
- Oconcat
- Omultiply
- Odivide
- Oexpon
- Demangling disabled
- Automatic selection based on executable
- GNU (g++) style demangling
- Lucid (lcc) style demangling
- ARM style demangling
- HP (aCC) style demangling
- EDG style demangling
- gnu-v3
- GNU (g++) V3 ABI-style demangling
- Java style demangling
- GNAT style demangling
- DLANG style demangling
- Rust style demangling
- delete
- delete
- new []
- delete []
- convert
- negate
- trunc_mod
- trunc_div
- truth_andif
- truth_orif
- truth_not
- postincrement
- postdecrement
- bit_ior
- bit_xor
- bit_and
- bit_not
- alshift
- arshift
- component
- indirect
- method_call
- compound
- sizeof
- *GLOBAL*
- (anonymous namespace)
- {default arg#

- JArray
- vtable for
- VTT for
- construction vtable for
- typeid for
- typeid name for
- typeid fn for
- non-virtual thunk to
- virtual thunk to
- covariant return thunk to
- java Class for
- guard variable for
- TLS init function for
- TLS wrapper function for
- reference temporary #
- hidden alias for
- transaction clone for
- non-transaction clone for
- __Accum
- __Fract
- operator
- operator
- java resource
- decltype (
- {parm#
- global constructors keyed to
- global destructors keyed to
- {lambda(
- {unnamed type#
- [clone
- restrict
- volatile
- const
- transaction_safe
- noexcept
- throw
- complex
- imaginary
- __vector(
- string literal
- std::allocator
- allocator
- std::basic_string
- basic_string
- std::string
- std::basicstringtraits, std::allocator >
- std::istream
- std::basicistreamtraits >
- basic_istream
- std::ostream
- std::basicostreamtraits >
- basic_ostream

- *std::iostream*
- *std::basic_ostreamtraits >*
- *basic_istream*
- *signed char*
- *boolean*
- *double*
- *long double*
- *__float128*
- *unsigned char*
- *unsigned int*
- *unsigned*
- *unsigned long*
- *__int128*
- *unsigned __int128*
- *unsigned short*
- *wchar_t*
- *long long*
- *unsigned long long*
- *decimal32*
- *decimal64*
- *decimal128*
- *char16_t*
- *char32_t*
- *decltype(nullptr)*
- *alignof*
- *const_cast*
- *delete[]*
- *dynamic_cast*
- *delete*
- *operator""*
- *reinterpret_cast*
- *sizeof...*
- *static_cast*
- *sizeof*
- *throw*
- *%s: error: too many @-files encountered*
- *%s: error: @-file refers to a directory*
- *extern(C)*
- *extern(Windows)*
- *extern(Pascal)*
- *extern(C++)*
- *extern(Objective-C)*
- *nothrow*
- *@property*
- *@trusted*
- *@safe*
- *@nogc*
- *return*
- *const*
- *immutable*
- *shared*
- *inout*

- [illegible]

- *undocumented error #%*d
- XXXXXXX
- *abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789*
- OUTPUT_CHARSET
- charset=
- //TRANSLIT
- LC_COLLATE
- LC_CTYPE
- LC_MONETARY
- LC_NUMERIC
- LC_TIME
- LC_MESSAGES
- LC_ALL
- LC_XXX
- LANGUAGE
- GETTEXTLOGUNTRANSLATED
- /mingwshare/locale
- messages
- plural=
- nplurals=
- CP1361
- CP20127
- CP20866
- KOI8-R
- CP20936
- GB2312
- CP21866
- KOI8-RU
- CP28591
- ISO-8859-1
- CP28592
- ISO-8859-2
- CP28593
- ISO-8859-3
- CP28594
- ISO-8859-4
- CP28595
- ISO-8859-5
- CP28596
- ISO-8859-6
- CP28597
- ISO-8859-7
- CP28598
- ISO-8859-8
- CP28599
- ISO-8859-9
- CP28605
- ISO-8859-15
- CP38598
- ISO-8859-8
- CP51932
- EUC-JP

- CP51936
- GB2312
- CP51949
- EUC-KR
- CP51950
- EUC-TW
- CP54936
- GB18030
- CP65001
- GETTEXT_MUI
- kernel32
- Control Panel\Desktop\ResourceLocale
- GetUserPreferredUILanguages
- GetUserDefaultUILanguage
- gsw_FR
- az@latin
- az_AZ@latin
- az@cyrillic
- az_AZ@cyrillic
- chr_US
- sr@cyrillic
- sr_CS@cyrillic
- sr_RS@cyrillic
- sr_ME@cyrillic
- sr_BA@cyrillic
- bs@cyrillic
- bs_BA@cyrillic
- prs_AF
- bin_NG
- cpe_US
- nic_NG
- iu@latin
- iu_CA@latin
- qut_GT
- kok_IN
- mni_IN
- am_CL
- moh_CA
- pap_AN
- smj_NO
- smj_SE
- sma_NO
- sma_SE
- sms_FI
- smn_FI
- hsb_DE
- dsb_DE
- nso_ZA
- es_ES@modern
- bnt_TZ
- syr_SY
- ber_MA@arabic

- *ber@latin*
- *ber_DZ@latin*
- *uz@cyrillic*
- *uz_UZ@cyrillic*
- *sah_RU*
- *GETTEXT_MUI*
- *LC_ALL*
- *domain*
- *msgctxt*
- *msgid*
- *msgid_plural*
- *msgstr[0] ""*
- *msgstr ""*
- *(NULL)*
- *LC_COLLATE*
- *LC_CTYPE*
- *LC_MONETARY*
- *LC_NUMERIC*
- *LC_TIME*
- *LC_MESSAGES*
- *LC_XXX*
- *U.A.E.*
- *Afghanistan*
- *Albania*
- *Armenia*
- *Netherlands Antilles*
- *Argentina*
- *Austria*
- *Australia*
- *Azerbaijan*
- *Bosnia and Herzegovina*
- *Bangladesh*
- *Belgium*
- *Bulgaria*
- *Bahrain*
- *Brunei Darussalam*
- *Bolivia*
- *Brazil*
- *Bhutan*
- *Belarus*
- *Belize*
- *Canada*
- *Switzerland*
- *Cote d'Ivoire*
- *Cameroon*
- *People's Republic of China*
- *Colombia*
- *Costa Rica*
- *Serbia and Montenegro*
- *Czech Republic*
- *Germany*
- *Denmark*

- *Dominican Republic*
- *Algeria*
- *Ecuador*
- *Estonia*
- *Eritrea*
- *Ethiopia*
- *Finland*
- *Faroe Islands*
- *France*
- *United Kingdom*
- *Caribbean*
- *Georgia*
- *Greenland*
- *Greece*
- *Guatemala*
- *Hong Kong*
- *Hong Kong S.A.R.*
- *Honduras*
- *Croatia*
- *Hungary*
- *Indonesia*
- *Ireland*
- *Israel*
- *Iceland*
- *Jamaica*
- *Jordan*
- *Kyrgyzstan*
- *Cambodia*
- *South Korea*
- *Kuwait*
- *Kazakhstan*
- *Lebanon*
- *Liechtenstein*
- *Sri Lanka*
- *Lithuania*
- *Luxembourg*
- *Latvia*
- *Morocco*
- *Principality of Monaco*
- *Moldava*
- *Moldova*
- *Montenegro*
- *Former Yugoslav Republic of Macedonia*
- *Myanmar*
- *Mongolia*
- *Macau S.A.R.*
- *Maldives*
- *Mexico*
- *Malaysia*
- *Nigeria*
- *Nicaragua*
- *Netherlands*

- *Norway*
- *New Zealand*
- *Panama*
- *Philippines*
- *Islamic Republic of Pakistan*
- *Poland*
- *Puerto Rico*
- *Portugal*
- *Paraguay*
- *Reunion*
- *Romania*
- *Serbia*
- *Russia*
- *Rwanda*
- *Saudi Arabia*
- *Sweden*
- *Singapore*
- *Slovenia*
- *Slovak*
- *Senegal*
- *Somalia*
- *Suriname*
- *El Salvador*
- *Thailand*
- *Tajikistan*
- *Turkmenistan*
- *Tunisia*
- *Turkey*
- *Trinidad and Tobago*
- *Taiwan*
- *Tanzania*
- *Ukraine*
- *United States*
- *Uruguay*
- *Vatican*
- *Venezuela*
- *Viet Nam*
- *South Africa*
- *Zimbabwe*
- *Afrikaans*
- *Amharic*
- *Arabic*
- *Mapudungun*
- *Assamese*
- *az@cyrillic*
- *Azeri (Cyrillic)*
- *az@latin*
- *Azeri (Latin)*
- *Bashkir*
- *Belarusian*
- *Tamazight*
- *ber@arabic*

- *Tamazight (Arabic)*
- *ber@latin*
- *Tamazight (Latin)*
- *Bulgarian*
- *Bengali*
- *Bengali (Bangladesh)*
- *Bengali (India)*
- *Tibetan*
- *Breton*
- *bs@cyrillic*
- *Catalan*
- *Cherokee*
- *Corsican*
- *Hawaiian*
- *Danish*
- *German*
- *Lower Sorbian*
- *Divehi*
- *English*
- *Spanish*
- *Estonian*
- *Basque*
- *Fulfulde*
- *Finnish*
- *Faroese*
- *French*
- *Frisian*
- *Gaelic (Scotland)*
- *Scottish Gaelic*
- *Galician*
- *Guarani*
- *Alsatian*
- *Gujarati*
- *Hebrew*
- *Croatian*
- *Upper Sorbian*
- *Hungarian*
- *Armenian*
- *Indonesian*
- *Icelandic*
- *Italian*
- *Japanese*
- *Georgian*
- *Kazakh*
- *Greenlandic*
- *Cambodian*
- *Kannada*
- *Korean*
- *Konkani*
- *Kanuri*
- *Kashmiri*
- *Kashmiri_India*

- *Kashmiri (Arabic)_Pakistan*
- *Kyrgyz*
- *Luxembourgish*
- *Lithuanian*
- *Latvian*
- *FYRO Macedonian*
- *Macedonian*
- *Malayalam*
- *Mongolian*
- *Manipuri*
- *Mohawk*
- *Marathi*
- *Maltese*
- *Burmese*
- *Nepali*
- *Ibibio*
- *Norwegian*
- *Northern Sotho*
- *Sepedi*
- *Occitan*
- *Punjabi*
- *Papiamentu*
- *Polish*
- *Pashto*
- *Portuguese*
- *Quechua*
- *K'iche'*
- *Romansh*
- *Romanian*
- *Russian*
- *Kinyarwanda*
- *Sanskrit*
- *Sindhi*
- *Sami (Northern)*
- *Northern Sami*
- *Sinhalese*
- *Slovenian*
- *Sami (Southern)*
- *Southern Sami*
- *Sami (Lule)*
- *Lule Sami*
- *Sami (Inari)*
- *Inari Sami*
- *Sami (Skolt)*
- *Skolt Sami*
- *Somali*
- *Albanian*
- *Serbian (Latin)*
- *sr@cyrillic*
- *Swahili*
- *Syriac*
- *Telugu*

- [illegible]

- [illegible]

- [illegible]

- [illegible]

- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- GCC: (GNU) 6.3.0
- CryptAcquireContextA
- CryptGenRandom
- RegCloseKey
- RegOpenKeyExA
- RegQueryValueExA
- CloseHandle
- CreateEventA
- DeleteCriticalSection
- EnterCriticalSection
- EnumResourceLanguagesA
- ExitProcess
- FindClose
- FindFirstFileA
- FindNextFileA
- FlushFileBuffers
- FormatMessageA
- FreeLibrary
- GetACP
- GetCommandLineA
- GetCurrentProcess
- GetCurrentThreadId
- GetFileSize
- GetFullPathNameA
- GetLastError
- GetLocaleInfoA
- GetModuleHandleA
- GetProcAddress
- GetSystemTimeAsFileTime
- GetTempPathA
- GetThreadLocale
- InitializeCriticalSection
- InterlockedDecrement
- InterlockedExchange
- InterlockedIncrement
- IsDBCSLeadByteEx
- LeaveCriticalSection
- LoadLibraryA
- LoadLibraryW
- LocalFree
- MultiByteToWideChar
- SetEvent

- *SetFilePointer*
- *SetUnhandledExceptionFilter*
- *TlsGetValue*
- *VirtualProtect*
- *VirtualQuery*
- *WaitForSingleObject*
- *WideCharToMultiByte*
- *WriteFile*
- *_chmod*
- *_close*
- *_fdopen*
- *_fstat*
- *_getcwd*
- *_getpid*
- *_lseek*
- *_mkdir*
- *_rmdir*
- *_strdup*
- *_strcoll*
- *_umask*
- *_unlink*
- *_utime*
- *_wcsnicmp*
- *__getmainargs*
- *_mbcur_max*
- *penviron*
- *pfmode*
- *_setapp_type*
- *_access*
- *_assert*
- *_cexit*
- *_errno*
- *_filbuf*
- *_filelengthi64*
- *_flsbuf*
- *_fpreset*
- *_fstat64*
- *_fullpath*
- *getosfhandle*
- *_isctype*
- *_onexit*
- *_osver*
- *_pctype*
- *_setmode*
- *_snwprintf*
- *_stricmp*
- *_strnicmp*
- *_vsnwprintf*
- *atexit*
- *bsearch*
- *calloc*
- *fclose*

- *fflush*
- *fgetpos*
- *fputwc*
- *fsetpos*
- *fwrite*
- *getenv*
- *localeconv*
- *malloc*
- *mbstowcs*
- *memchr*
- *memcmp*
- *memcpy*
- *memmove*
- *memset*
- *realloc*
- *remove*
- *rename*
- *setlocale*
- *signal*
- *sscanf*
- *strcat*
- *strchr*
- *strcmp*
- *strcoll*
- *strcpy*
- *strcspn*
- *strerror*
- *strlen*
- *strncat*
- *strncmp*
- *strncpy*
- *strpbrk*
- *strchr*
- *strspn*
- *strstr*
- *strtol*
- *strtoul*
- *tolower*
- *vfprintf*
- *vwprintf*
- *wcschr*
- *wcslen*
- *wcstombs*
- *CharLowerBuffA*
- *libiconv*
- *libiconv_open*
- *libiconvsetrelocation_prefix*
- *ADVAPI32.DLL*
- *KERNEL32.dll*
- *msvcrt.dll*
- *msvcrt.dll*
- *USER32.dll*

- libiconv-2.dll
- .eh_frame

UTF-8 Strings

No detected.

UTF-16LE Strings

- OOOOOiO
- #+3;CScs
- |-+i"
- 0000000000000000
- 0000000
- JdiouxX
- K(NULL)
- (null)

Extracted URLs

- http://www.sourceware.org/bugzilla/

Base64 Strings

No valid Base64-encoded strings found.

File Entropy Analysis

- Entropy: 6.43
- Status: This file is likely packed or encrypted.

VirusTotal Analysis

Scan Date: 2024-05-07 08:33:15

Scan Results

- Malicious: 0
- Suspicious: 0
- Undetected: 72
- Harmless: 0
- Timeout: 0
- Confirmed-timeout: 0
- Failure: 1
- Type-unsupported: 4

Community Votes

- Harmless: 0
- Malicious: 0

Detailed Engine Results

Engine Name	Detection Category	Detection
No results	No results	No results
