

Agentic layer: issues FIN-100 onwards

Thirty-eight issues across six epics implementing PRD Addendum A. Epics E10 to E13 are the hackathon slice and land inside milestones M4 to M7. Epics E14 and E15 are post-hackathon and carry no dates. Nothing here touches the critical path E2 → E3 → E4 → E6 → E8 → E9.

Version 1.0 · 3 August 2026 · Sizes: S under 2h, M half day, L full day · Owners: AC = Abhishek (production code), AG = Arko, JH = Jennifer · Extends Issue List v1.1 (FIN-1 to FIN-80)

Reading rules. Same as the parent list: an issue closes when its acceptance criteria pass, not when the code exists; dependencies are hard. Two additions. First, every issue producing model output depends on FIN-130 (schema validation) whether stated or not. Second, the degrade rule is itself acceptance criteria wherever a model appears: the feature must render correctly with the model unplugged before the model version is reviewed.

E10 · Local model runtime HACKATHON

ID	TITLE	DETAIL AND ACCEPTANCE	DEPS	SIZE	OWN
FIN-100	Ollama runtime and model pull	Install Ollama in the dev environment; pull gpt-oss-20b and pin by digest; record model, digest and licence in docs/models.md. Accept: a fresh clone reaches a working model with one documented command; digest in the doc matches the runtime.	FIN-10	S	AC
FIN-101	Model client with timeout and degrade	One shared client module: 5s hard timeout, single retry off, structured error on failure, no model names in call sites (config only). Accept: a forced timeout returns the degrade signal in under 5.5s; unit test proves no product module imports a model name.	FIN-100	S	AC
FIN-102	No-external-model assertion	Extend FIN-11's startup assertions: boot fails if any external model API key is present in any service environment. Secret-scan list extended to common model-vendor key patterns. Accept: seeded fake key fails the boot and the CI scan.	FIN-11	S	AC
FIN-103	Outcome-word post-filter as shared module	Lift the S3 post-filter into a shared module applied to all model-generated text (narrative, turning questions). Banned list: refund, reject, approve, release and inflections; template-authored lines exempt by construction, enforced by provenance flag on each frame line. Accept: unit tests per banned word; a template line naming an outcome passes, a model line naming one is blocked and the station degrades.	FIN-101	S	AC
FIN-104	Narrative summary on local model	Re-point FIN-48 from the external call to the local client. Same behaviour: one paragraph labelled Summary, renders without it on any failure. Accept: kill switch demo passes; narrative generated offline with networking disabled.	FIN-101, FIN-103	S	AC

FIN-105	Models-unplugged CI run	CI job runs the full seeded demo loop with the model client stubbed to permanent failure. Accept: loop passes end to end; every model-adjacent surface renders its degraded state; job is required for merge.	FIN-101, FIN-66	M	AC
FIN-106	Mistral Small 4 swap rehearsal	Timeboxed one hour: pull Mistral Small 4, swap by config, run the frame and narrative regression. Purpose is proving the swap rule, not adopting the model. Accept: swap needs config change only; results noted in docs/models.md.	FIN-100, FIN-155	S	AC

E11 · Policy pack and clause checks HACKATHON

ID	TITLE	DETAIL AND ACCEPTANCE	DEPS	SIZE	OWN
FIN-110	PolicyClause model and pack storage	PolicyClause entity per Addendum §H: pack ref, clause number, text, parameters (hours, days), jurisdiction, author, review ref, version. Pack document stored as a hashed EvidenceItem attached to the platform. Accept: seeded pack round-trips; hash matches a local hash of the document; runtime insertion of a clause is rejected at the model layer.	FIN-30	M	AC
FIN-111	Demo clause pack content	Clauses 4, 7 and 9 per Addendum §F.1 plus the governing-law note, written in plain language, fictional, Mom Test read by JH. Accept: content frozen in seed /; JH sign-off recorded; no clause exceeds three sentences.	FIN-110, FIN-65	S	JH
FIN-112	Law line authoring and attribution	The one-sentence Irish-law note authored by AG, stored as a PolicyClause with author and review ref, rendered with attribution and the not-legal-advice disclaimer beside the pack in the case room. Accept: note displays with attribution; disclaimer visible wherever the pack is cited.	FIN-110	S	AG
FIN-113	Check eight: grace window	Pure function: submission timestamp minus due date against the clause 4 window; searches the record for a written rejection inside the window. Output per Addendum §F.3 with clause citation. Accept: unit tests cover on-time, inside-window, outside-window, rejection-present; demo case passes at one day late.	FIN-46, FIN-110	S	AC
FIN-114	Check nine: acceptance status	Pure function: days from submission to dispute filing against the clause 7 period; outputs deemed-accepted date, dispute date, result, clause citation. Accept: unit tests cover disputed-before, disputed-after, boundary day; demo case yields deemed-accepted 16 June, dispute 20 June, fail for the platform.	FIN-46, FIN-110	S	AC
FIN-115	Clause checks in brief and case room	Checks eight and nine join the findings table with clause numbers as links to the pack text; the pack renders in the case room evidence list with its hash. Accept: brief shows nine checks for the demo case; clicking a clause citation opens the clause text; snapshot test both roles identical.	FIN-113, FIN-114, FIN-54	M	AC

FIN-116	Demo beat rewrite: the rulebook flip	Script §14 updated for 0:45 to 1:50: raw count fails 2 of 3, clause checks flip the picture, spoken line per the agreed wording. Accept: rehearsal 1 runs the new beat inside 3:10; script frozen in docs/.	FIN-115, FIN-67	S	AG
---------	---	---	-----------------	---	----

E12 • Decision frame HACKATHON

ID	TITLE	DETAIL AND ACCEPTANCE	DEPS	SIZE	OWN
FIN-120	DraftFrame schema and validator	Record per Addendum §H: questions with findings refs, requirements with template id and filled params, unresolved with kind and refs, model id and digest, generated at. Validator rejects any verdict, score, confidence or outcome-ranking field. Accept: schema tests including rejection cases; frame stored separate from AgentBrief with no shared fields.	FIN-130	M	AC
FIN-121	Outcome-requirement templates	Authored templates per claim type for the four Screen 4 actions, parameterised by clause refs and findings. Demo set: non-delivery claim type, four outcomes, filled from checks four, eight and nine. Accept: templates render filled for the demo case with no model call; template ids logged on each line; AG sign-off on wording.	FIN-110	M	AG
FIN-122	Unresolved-items computation	Pure functions over the record: unanswered reply, uncountered evidence, contested amount not matching a tranche, absent acceptance criteria, written rejection absent where clause 4 is live. Accept: unit tests per gap kind; demo case yields the three agreed items.	FIN-34, FIN-35	M	AC
FIN-123	Turning-question phrasing	Local model phrases questions from failed and contested checks with clause citations, via the shared client, through the post-filter, into the DraftFrame with findings refs per question. Accept: demo case yields three questions each citing a clause and a finding; post-filter block degrades to template-only frame; offline run passes.	FIN-101, FIN-103, FIN-120	M	AC
FIN-124	Frame assembly and degrade ladder	Assembler composes requirements (templates), unresolved (computed), questions (model); three degrade rungs: full frame, frame without questions, no frame. Accept: each rung demonstrated by fault injection; no rung blocks the decision flow.	FIN-121, FIN-122, FIN-123	M	AC
FIN-125	Screen 4 frame panel	Frame renders beside the reason box: questions, then per-outcome requirements, then unresolved; per-line actions accept-into-reason, edit, discard; accepted text lands editable in the reason box; frame absent state matches v1. Accept: matches design brief; signature flow unchanged; JH cold read.	FIN-55, FIN-124	L	AC
FIN-126	Symmetry snapshot test	Mirrored seeded cases (findings favouring platform; findings favouring recipient) generate frames; test asserts identical structure: section counts, per-outcome line counts, citation depth per party. Accept: test in CI, required for merge; a seeded asymmetric frame fails it.	FIN-124	M	AC

FIN-127	Per-line action logging	Reviewer actions on frame lines (accepted, edited, discarded) logged with line provenance (template or model) for the corpus. Accept: demo run produces the log; edited text stored alongside the original line.	FIN-125, FIN-131	S	AC
---------	-------------------------	--	------------------	---	----

E13 · Schemas, validation and corpus HACKATHON

ID	TITLE	DETAIL AND ACCEPTANCE	DEPS	SIZE	OWN
FIN-130	Agent record schemas, all six	DraftFrame, EvidenceAnnotation, ProposedCase, PolicyClause per Addendum §H, defined and validated now including post-hackathon records; banned-field rejection tested per schema. Accept: schema tests pass; attempted verdict field on any record fails at the model layer.	FIN-30	M	AC
FIN-131	Model-call corpus log	Every call through the shared client logs input hash, model id and digest, output, validation result and human action reference. Append-only. Accept: demo run produces complete rows for narrative and frame calls; in-place edit rejected.	FIN-101, FIN-130	M	AC
FIN-132	Agent guardrail extension	FIN-45's assertions and lint rule extended to every agent module: no key material, no import path to signing code, database roles limited per agent (frame writer cannot touch evidence; annotators cannot touch cases). Accept: lint and role tests in CI; violation seeded and caught.	FIN-45, FIN-130	S	AC
FIN-133	Provenance flags end to end	Every rendered line that originated from a model carries a machine-readable provenance flag (model id) distinct from template and computed lines; UI marks model lines with the fixed caption. Accept: snapshot test of Screen 4 shows correct flags per line; no unflagged model text reachable.	FIN-124, FIN-125	S	AC
FIN-134	Addendum disclosure in README and deck	README section: where models run (locally), what they may produce (questions, narrative), what they may not (verdicts, facts without hashes, anything on the money path), and the unplugged guarantee. One deck line to match. Accept: outside reader test by JH; claims verifiable against FIN-105.	FIN-14, FIN-105	S	AG

E14 · Post-hackathon agents POST-HACKATHON

ID	TITLE	DETAIL AND ACCEPTANCE	DEPS	SIZE	OWN
FIN-140	A2 reader catalogue: PDF reader	Extracts terms, dates and deliverable lists from a document into EvidenceAnnotations, spans cited, source sha-256 stamped; vision-capable model (Mistral Small 4) via the shared client. Accept: seeded contract yields annotations whose every claim cites a span; unstamped output rejected by validator.	FIN-130, FIN-106	L	AC

FIN-141	A2 reader catalogue: thread reader	Extracts commitments and delivery statements from message records into stamped annotations. Accept: demo thread yields the video-three delivery statement with message-level citation.	FIN-130	M	AC
FIN-142	A2 reader catalogue: link reader	Captures a delivery link's content at collection time (per the capture rule), summarises, stamps against the captured artefact's hash, never the live URL. Accept: dead-link case degrades to captured copy; annotation cites the capture hash.	FIN-130, FIN-35	M	AC
FIN-143	A2 planner and fan-out	Planner dispatches one reader per source from the fixed catalogue, one level deep, collects annotations; no dynamic reader creation, enforced by catalogue whitelist. Accept: mixed-source case fans out correctly; an unknown source type is skipped and listed as unread, never improvised.	FIN-140, FIN-141, FIN-142	M	AC
FIN-144	A3 relevance selector	Ordering and highlight over evidence and findings keyed to claim type; full set always rendered below the fold; selection stored as presentation metadata only. Accept: snapshot proves no item removed; reviewer expand shows the complete set; ordering logged for the corpus.	FIN-130	M	AC
FIN-145	A1 intake classifier	Free-text allegation to proposed claim type, contested amount and checklist, pre-filled into the dispute form; stored claim type written only on human confirmation; override logged. Accept: seeded allegations classify correctly; unconfirmed proposals never reach the case record; misclassification override captured for the corpus.	FIN-130, FIN-34	M	AC
FIN-146	A5 pattern rules	Deterministic rules over decoded events and receipts: unmatched payments beyond the flagged case, repeat clawbacks per recipient, clustered reserve drawdowns; thresholds in config. Accept: unit tests per pattern on seeded histories; rule hits produce ProposedCase rows only.	FIN-130, FIN-26	M	AC
FIN-147	A5 proposal surface	Proposed cases render in a reviewer queue with the pattern, cited events and a dismiss action; opening one creates a case with the human as author. Accept: dismiss and open both logged; no path from proposal to open case without a human action.	FIN-146	M	AC
FIN-148	A5 flag phrasing	Local model phrases the proposal text from the rule hit, through the post-filter; degrade renders the rule name and events raw. Accept: phrasing failure still yields a usable proposal row.	FIN-146, FIN-103	S	AC
FIN-149	A6 authoring workflow	Repo workflow for model-assisted draft entries (decoders, reader types, checks, clauses, law lines): draft PR labelled by kind, human review required, version and review ref recorded on merge, runtime loads catalogue entries by version. Accept: an unreviewed entry cannot load at runtime; merged entry carries author, reviewer and version.	FIN-130	M	AG

E15 · Evaluation and audit MIXED

ID	TITLE	DETAIL AND ACCEPTANCE	DEPS	SIZE	OWN
FIN-155	Frame and narrative regression set HACKATHON	Seeded cases with expected frame structure and narrative constraints; run on every model or template change and on the FIN-106 swap. Accept: set runs in CI; a wording change that breaks structure fails it.	FIN-124	M	AC
FIN-156	Case replay from corpus log	Replay tool reconstructs any case's model calls from the log: inputs, outputs, validations, human actions, in order. Accept: demo case replays end to end; replay of a degraded run shows the degrade points.	FIN-131	M	AC
FIN-157	Skew report	Periodic report over frame logs: acceptance and edit rates per line provenance and per party position; a sustained one-sided skew flags for review per the covert-steer defect class. Accept: report runs over seeded logs and flags a seeded skew.	FIN-127, FIN-131	M	AC
FIN-158	Fine-tune readiness export	Export of labelled examples per task (allegation to confirmed type; document to accepted annotations; findings to accepted question phrasings), stripped per the privacy rules, versioned. Accept: export produced from seeded corpus; strip verified by test.	FIN-131	M	AC
FIN-159	Quarterly model review note	Standing note comparing pinned models against the current open-weight field on the regression set; swap decisions recorded in docs/models.md. Accept: first note produced after the hackathon; template committed now.	FIN-155	S	AG

Milestone mapping, hackathon slice

MILESTONE	DATE	ADDENDUM ISSUES CLOSING
M4	Wed 5 Aug	FIN-100, 101, 102, 103, 110, 111, 112, 113, 114, 130
M5	Thu 6 Aug	FIN-104, 115, 120, 121, 122, 123, 124, 125, 131, 132
M6	Fri 7 Aug	FIN-105, 116, 126, 127, 133, 134, 155
M7–M8	Sat 8 Aug	FIN-106 (timeboxed, cut first)

Load check. The slice adds roughly three build-days of M and L work to AC's nine, against the same eleven calendar days, which holds only because FIN-121 and FIN-111/112/116 sit with AG and JH and because FIN-125 reuses the Screen 4 components from FIN-55 without invention. Cut order when behind: FIN-106, then FIN-123 (frame ships template-and-computation only, still a strong beat), then FIN-104 (narrative returns to cut), then FIN-157-class polish. FIN-113, FIN-114 and FIN-126 do not cut: the clause checks are the new demo beat and the symmetry test is the licence to show the frame at all. E14 and E15 post-hackathon items have no dates and exert no schedule pressure.