


Creating OAuth Client ID for Gmail API




1 Navigate to <https://www.google.com/>



2 Type "google console" and enter

3 Click "Google Cloud console"




4 Click small rectangular box

The screenshot shows the Google Cloud console interface. At the top, the 'Google Cloud' logo is on the left, and a 'Test Automation' button is highlighted with an orange circle. A tooltip below the button reads 'Open project picker (Ctrl O)'. To the right of the button are several icons: a magnifying glass, a star, a gift, a code icon, a green circle with the number '2', a question mark, and a user profile icon.

The main content area features a 'Welcome' message with the Google Cloud logo. Below it, it states 'You're working in Test Automation'. Project details are shown: 'Project number: 153198595211' and 'Project ID: test-automation-460715'. Navigation links include 'Dashboard', 'Cloud Hub', and a 'NEW' button. At the bottom, there are four action buttons: 'Create a VM', 'Run a query in BigQuery', 'Deploy an application', and 'Create a storage bucket'. A light blue banner at the very bottom says 'Try Gemini 2.0 Flash'.

5 Click "New project"




The screenshot shows the Google Cloud console interface. A 'Select a project' dialog is open, displaying a list of projects. The 'NEW PROJECT' button is highlighted with an orange circle. The dialog includes a search bar and tabs for 'RECENT', 'STARRED', and 'ALL' projects. The list of projects is as follows:


Name	Type	ID
✓ Test Automation ?	Project	test-automation-460715
Automation AI agent ⚠ ?	Project	automation-ai-agent
Youtube API ?	Project	youtube-api-368411
n8n-automation-projects ?	Project	essential-flame-459318-r5
My First Project ?	Project	enduring-plate-456503-m4
Quick API ?	Project	quick-api-366805

6 Type "Automation Demo Project" (It can be any name)


7 Click "Create"

 You have 1 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)


[Manage Quotas](#)


Project name *
Automation Demo Project 

Project ID: automation-demo-project-460815. It cannot be changed later. [Edit](#)


Location *
 No organization [Browse](#)

Parent organization or folder

 [Cancel](#)

Now viewing project "Test Automation"
in organization "No organization" 

8 Click "Select Project"



The screenshot shows the Google Cloud console interface. At the top, there's a navigation bar with the Google Cloud logo, a 'Test Automation' button, and several icons including a search icon, a star, a gift, a document, a bell (notifications), a help icon, and a user profile icon. Below the navigation bar, the main content area displays a 'Welcome' message with the Google Cloud logo. It states 'You're working in Test Automation' and provides the project number '153198595211' and project ID 'test-au'. There are links for 'Dashboard', 'Cloud Hub', and a 'NEW' button. Below these are two buttons: '+ Create a VM' and '+ Run a query in BigQuery'. At the bottom, there's a section for 'Try Gemini 2.0 Flash'. On the right side, a notifications panel is open, showing a list of notifications. The first notification is 'Create Project: Automation Demo Project' with a 'Just now' timestamp and a 'SELECT PROJECT' button. The second notification is 'Enable service: docs.googleapis.com' for 'Automation AI agent' from '7 hours ago'. The third notification is 'Create Project: Automation AI agent' from '7 hours ago' with a 'SELECT PROJECT' button. The fourth notification is 'Enable service: docs.googleapis.com' for 'Test Automation' from '23 hours ago'. The fifth notification is 'Create Project: Test Automation' from '23 hours ago' with a 'SELECT PROJECT' button. The sixth notification is 'Enable service: gmail.googleapis.com' from '1 day ago'.

Google Cloud Test Automation

Notifications

- ✓ Create Project: Automation Demo Project Just now
[SELECT PROJECT](#)
- ✓ Enable service: docs.googleapis.com 7 hours ago
Automation AI agent
- ✓ Create Project: Automation AI agent 7 hours ago
[SELECT PROJECT](#)
- ✓ Enable service: docs.googleapis.com 23 hours ago
Test Automation
- ✓ Create Project: Test Automation 23 hours ago
[SELECT PROJECT](#)
- ✓ Enable service: gmail.googleapis.com 1 day ago

Welcome

You're working in Test Automation


Project number: 153198595211 Project ID: test-au

[Dashboard](#) [Cloud Hub](#) [NEW](#)

[+ Create a VM](#) [+ Run a query in BigQuery](#)

Try Gemini 2.0 Flash

9 Click this icon



The screenshot shows the Google Cloud console interface for the 'Automation Demo Project'. The top navigation bar includes the Google Cloud logo, the project name, and a notification bell icon. The notification bell icon is highlighted, and a dropdown menu is open, displaying a list of notifications. The main content area shows a 'Welcome' message and project details.

Notifications

Notification	Time
✓ Create Project: Automation Demo Project SELECT PROJECT	Just now
✓ Enable service: docs.googleapis.com Automation AI agent	7 hours ago
✓ Create Project: Automation AI agent SELECT PROJECT	7 hours ago
✓ Enable service: docs.googleapis.com Test Automation	23 hours ago
✓ Create Project: Test Automation SELECT PROJECT	23 hours ago
✓ Enable service: gmail.googleapis.com	1 day ago

Welcome

You're working in [Automation Demo Project](#)


Project number: 923642176857 Project ID: automa

[Dashboard](#) [Cloud Hub](#) **NEW**


[+ Create a VM](#) [+ Run a query in BigQuery](#)

[Try Gemini 2.0 Flash](#)

10 Click "APIs & Services"



11 Click "Enable APIs and services"



Google Cloud Automation Demo Project

APIs & Services

+ Enable APIs and services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

1 hour 6 hours 12 hours **✓ 1 day** 2 days 4 days 7 days 14 days 30 days

Traffic


No data is available for the selected time frame.

UTC+5:30 6:00 AM 12:00 PM 6:00 PM

Errors

12 Type and enter: Gmail

13 Click "Gmail API"



The screenshot shows the Google Cloud API Library interface. At the top, a banner indicates a free trial status with ₹25,735.44 credit and 49 days remaining. Below this, the navigation bar shows 'Google Cloud' and 'N8N-Test'. The breadcrumb trail reads 'APIs & Services / API Library / Browse'. A search bar contains the text 'Gmail'. The results section shows '2 results'. The first result is 'Gmail API' (Google Enterprise API), which is highlighted with an orange circle. The second result is 'Gmail Postmaster Tools API' (Google). A left sidebar contains filter options under 'Filter Type to filter'.

Free trial status: ₹25,735.44 credit and 49 days remaining. Activate your full account to get unlimited access to all of Google Cloud—use any remaining credits, then pay only for what you use. [Dismiss](#) [Activate](#)

Google Cloud N8N-Test

APIs & Services / API Library / Browse

API Library

API Library > "Gmail"

Filter Type to filter

2 results


Gmail API
Google Enterprise API ⓘ
With the Gmail API, you can view and manage Gmail mailbox data like threads, messages, and labels.

Gmail Postmaster Tools API
Google
The Gmail Postmaster API is a RESTful API that provides programmatic access to email traffic metrics (like spam errors etc) otherwise available through the Gmail Postmaster Tools UI currently.

Visibility ^
Public (2)

Category ^
Google Enterprise APIs (1)
Google Workspace (2)
Other (1)

14 Click "Enable"



Google Cloud N8N-Test

To avoid losing access to Google Cloud services, an administrator must verify this account. [Verify account](#)

← Product details

Gmail API

[Google Enterprise API](#)

View and manage Gmail mailbox data.

[Enable](#) [Try this API](#)

Click to enable this API

[Overview](#) [Documentation](#) [Support](#) [Related Products](#)

Overview

With the Gmail API, you can view and manage Gmail mailbox data like threads, messages, and labels.

[Learn more](#)

Additional details

Type: [SaaS & APIs](#)

Last product update: 2/6/23

Category: [Google Enterprise APIs](#), [Google Workspace](#)

15 Click "Credentials"

Free trial status: ₹25,735.44 credit and 49 days remaining. Activate your full account to get unlimited access to all of Google Cloud—use any remaining credits, then pay only for what you use. [Dismiss](#) [Activate](#)

Google Cloud N8N-Test Search (/) for resources, docs, products, and more Search

API APIs & Services API/Service Details [Disable API](#)

- Enabled APIs & services
- Library
- Credentials**
- OAuth consent screen
- Page usage agreements

Gmail API

The Gmail API lets you view and manage Gmail mailbox data like threads, messages, and labels.

By Google Enterprise API ?


Service name	Type	Status	Documentation	Explore
gmail.googleapis.com	Public API	Enabled	Overview Quickstarts API reference	Try in API Explorer

[Metrics](#) [Quotas & System Limits](#) [Credentials](#)

Select Graphs
4 Graphs 30 days

Filters: Versions v1, v1fpa_gmail_fronten... Credentials Generative Language A... Methods 81 options selected

16 Click "Configure consent screen"



Google Cloud Automation Demo Project

APIs & Services

- Enabled APIs & services
- Library
- Credentials**
- OAuth consent screen
- Page usage agreements

Credentials + Create credentials Delete

Create credentials to access your enabled APIs. [Learn more](#)

Remember to configure the OAuth consent screen with information about your application.

Configure consent screen


API Keys

<input type="checkbox"/>	Name	Creation date ↓	Restrictions	Actions
No API keys to display				

OAuth 2.0 Client IDs


<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID	Actions
No OAuth clients to display					

17 Click here.




The screenshot shows the Google Cloud console interface. On the left, a sidebar menu lists 'Audience', 'Clients', 'Data Access', and 'Verification Center'. The main content area displays a large icon of a picture frame with a dashed blue cloud inside. Below the icon, the text reads: 'Google Auth Platform not configured yet', 'Get started to configure your application's identity and manage credentials for calling Google APIs and Sign-in with Google.', and a link 'Learn more'. At the bottom, a dark notification box states: 'Now viewing project "Automation Demo Project" in organization "No organization"', with a 'Close message' button and a close icon.

18 Click "Get started"



19 Click here



The screenshot shows the Google Cloud console interface for the 'Automation Demo Project'. The breadcrumb trail is 'Google Auth Platform / Overview / Create branding'. The left sidebar contains a menu with 'Overview' (selected), 'Branding', 'Audience', 'Clients', 'Data Access', and 'Verification Center'. The main content area is titled 'Project configuration' and shows a two-step process. Step 1, 'App Information', is active and contains two required fields: 'App name *' and 'User support email *'. The 'App name' field is highlighted with an orange circle. Below the 'App name' field is a 'Next' button. Step 2, 'Audience', is partially visible below. The top navigation bar includes the Google Cloud logo, the project name 'Automation Demo Project', and various utility icons, including a green circle with the number '2'.

Google Cloud Automation Demo Project

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

App name *

The name of the app asking for consent

User support email *

For users to contact you with questions about their consent. [Learn more](#)

Next

2 Audience

20 Type "AI Agent App"

21 Click on User Support Email

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

App name *
AI Agent App

The name of the app asking for consent

User support email *

For users to contact you with questions about their consent. [Learn more](#)

Next

2 Audience

3 Contact Information

23

Click "[n@gmail.com](#)" (It's my mail id, select yours)

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1

App Information

App name *
AI Agent App
The name of the app asking for consent

User support email *
n@gmail.com

Google Groups managed by you
No groups


2


Audience


3


Contact Information


24 Click "Next"

 Branding

 Audience

 Clients

 Data Access

 Verification Center

1 App Information

App name *
AI Agent App
The name of the app asking for consent

User support email *
naveen6052531@gmail.com
For users to contact you with questions about their consent. [Learn more](#)

Next

2 Audience

3 Contact Information

4 Finish

<|

25 Click the "External" field.

Audience

Clients

Data Access

Verification Center

✓ App Information

2 Audience

☐ Internal ?

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#)


☒ External ?

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#)

<I

Next

26 Click "Next"



Audience

- Audience
- Clients
- Data Access
- Verification Center

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#)

☒ Internal ?

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#)


Next

3 Contact Information

4 Finish

<|

27 Click "Email addresses"



The screenshot shows the Google Assistant setup interface. On the left is a sidebar menu with five items: Branding, Audience, Clients, Data Access, and Verification Center. The main area displays a progress list with four steps: 1. App Information (checked), 2. Audience (checked), 3. Contact Information (active), and 4. Finish. Under the 'Contact Information' step, there is a text input field labeled 'Email addresses *' which is highlighted with an orange circle. Below the field is a note: 'These email addresses are for Google to notify you about any changes to your project.' A 'Next' button is positioned below the note. At the bottom of the screen are 'Create' and 'Cancel' buttons.

Branding

Audience

Clients

Data Access

Verification Center

✓ App Information

✓ Audience

3 Contact Information

Email addresses *

These email addresses are for Google to notify you about any changes to your project.

Next

4 Finish

Create Cancel

28

Type "[redacted]@gmail.com" (Give your email ID)

29

Click "Next"

-  Audience
-  Clients
-  Data Access
-  Verification Center

 App Information

 Audience

3 Contact Information

Email addresses *

These email addresses are for Google to notify you about any changes to your project.




4 Finish

<|

30

Click the "I agree to the Google API Services: User Data Policy." field



Audience

Clients

Data Access

Verification Center

✓ App Information

✓ Audience

✓ Contact Information


4 Finish

☐ I agree to the [Google API Services: User Data Policy.](#)

Continue

Create Cancel


31 Click "Continue"



The screenshot shows the Google API Services: User Data Policy consent screen. On the left, there is a list of services: Audience, Clients, Data Access, and Verification Center. On the right, there is a summary of the services being requested, each with a blue checkmark: App Information, Audience, and Contact Information. Below these, there is a section for 'Finish' with a blue checkmark and the text 'I agree to the [Google API Services: User Data Policy](#)'. The 'Continue' button is highlighted with an orange circle. At the bottom, there are 'Create' and 'Cancel' buttons. A back arrow is visible in the bottom left corner.


32

Click "Create"



A screenshot of a mobile application setup screen. On the left, there is a sidebar menu with four items: 'Audience' (person icon), 'Clients' (grid icon), 'Data Access' (gear icon), and 'Verification Center' (checkbox icon). The main area on the right contains a checklist with four items, each preceded by a blue checkmark in a circle: 'App Information', 'Audience', 'Contact Information', and 'Finish'. At the bottom of the main area, there are two buttons: a blue 'Create' button and a grey 'Cancel' button. The 'Create' button is highlighted with an orange circle. In the bottom left corner of the screen, there is a back arrow icon.

33 Click "Audience"



Google Cloud Automation Demo Project

Google Auth Platform / Clients


Overview
Branding
Audience
Clients
Data Access
Verification Center

Clients [+ Create client](#) [Delete](#) [Restore deleted OAuth clients](#)

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID
<input type="checkbox"/>	AI Agent OAuth client	May 24, 2025	Web application	923642176857-1n9i... Copy

34 Click "Add users"



The screenshot shows the 'Audience' tab in a settings interface. The left sidebar contains a menu with 'Audience' selected, along with 'Branding', 'Clients', 'Data Access', and 'Verification Center'. The main content area is titled 'OAuth user cap' and includes a help icon. Below the title is a paragraph explaining that only test users can access the app during the 'Testing' status, with a 100-user cap. A progress bar shows '0 users (0 test, 0 other) / 100 user cap'. The 'Test users' section features a '+ Add users' button, which is highlighted with an orange circle. Below this is a 'Filter' input field with the placeholder text 'Enter property name or value'. A table titled 'User information' is shown with the message 'No rows to display'. At the bottom, a black toast notification reads 'OAuth client created' with a close button.

Branding

Audience

Clients

Data Access

Verification Center

OAuth user cap ?

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

0 users (0 test, 0 other) / 100 user cap ?

Test users

+ Add users


Filter Enter property name or value ?

User information

No rows to display

OAuth client created

35 Click this field.



The screenshot shows the Google Cloud 'Add users' dialog. On the left is a sidebar with the 'Audience' section selected. The main area contains a yellow warning banner, a text input field with an orange circle highlighting it, and a 'Save' button.

Google Cloud Add users

Google Auth Platform

- Overview
- Branding
- Audience**
- Clients
- Data Access
- Verification Center

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app.

[Learn more](#)

0 / 100


Save

36

Type "Your Gmail"

37

Click "Save"



Google Auth Platform

Overview

Branding

Audience

Clients

Data Access

Verification Center


While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app.

[Learn more](#)

0 / 100

Save

38 Click "Clients"



Google Cloud Automation Demo Project

Google Auth Platform / Audience

- Overview
- Branding
- Audience**
- Clients
- Data Access
- Verification Center

Audience

OAuth user cap ?

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

1 user (1 test, 0 other) / 100 user cap ?


Test users

[+ Add users](#)

Filter Enter property name or value ?

User information

39 Click "Create client"



The screenshot shows the Google Cloud console interface for the 'Automation Demo Project'. The left sidebar contains navigation links: Overview, Branding, Audience, Clients (highlighted), Data Access, and Verification Center. The main content area is titled 'Clients' and includes a '+ Create client' button (highlighted with an orange circle), a 'Delete' button, and a 'Restore deleted OAuth clients' link. Below this, there is a section for 'OAuth 2.0 Client IDs' with a table header: Name, Creation date (with a downward arrow), Type, Client ID, and Actions. The table currently displays 'No OAuth clients to display'.

Google Cloud Automation Demo Project

Google Auth Platform / Clients

Overview
Branding
Audience
Clients
Data Access
Verification Center


Clients + Create client Delete Restore deleted OAuth clients

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID	Actions
No OAuth clients to display					

40

Click here.



Google Cloud Automation Demo Project

Google Auth Platform / Clients / Create client


Overview
Branding
Audience
Clients
Data Access
Verification Center

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.


Application type *

41 Click "Web application"



The screenshot shows the Google Cloud console interface. At the top, the Google Cloud logo and 'Automation Demo Project' are visible. The breadcrumb trail indicates the path: Google Auth Platform / Clients / Create client. The left sidebar contains a menu with options: Overview, Branding, Audience, Clients (highlighted), Data Access, and Verification Center. The main content area is titled 'Create OAuth client ID'. It includes a paragraph explaining that a client ID identifies an app to Google's OAuth servers and provides links for 'Setting up OAuth 2.0' and 'Learn more' about OAuth client types. Below this, the 'Application type *' dropdown menu is open, showing a list of options: Web application (highlighted with an orange circle), Android, Chrome Extension, iOS, TVs and Limited Input devices, Desktop app, and Universal Windows Platform (UWP).

42 Click the "Name" field.



Google Cloud Automation Demo Project

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

Create OAuth client ID

Name *
Web client 1

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).


Authorized JavaScript origins ?

For use with requests from a browser

+ Add URI

43 Type "AI Agent OAuth client"

44 Click "Add URI"



The screenshot shows the Google Cloud Console interface for managing OAuth clients. On the left, a sidebar menu has 'Clients' selected. The main content area has a header with an information icon and text: 'The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).' Below this, there are two sections: 'Authorized JavaScript origins' (for use with requests from a browser) and 'Authorized redirect URIs' (for use with requests from a web server). Both sections have a '+ Add URI' button. The 'Add URI' button in the 'Authorized redirect URIs' section is highlighted with an orange circle. At the bottom, a note states: 'Note: It may take 5 minutes to a few hours for settings to take effect'. A black toast notification at the very bottom says 'Client ID copied to clipboard' with a close button.


45 Switch to tab  N8n Workflow

46 Click "Click To Copy"

or use this <https://oauth.n8n.cloud/oauth2/callback>

or

<http://localhost:5678/rest/oauth2-credential/callback>




47

Switch to tab Create OAuth client ID – Google Auth Platform – Automation Demo Pro... – Google Cloud console"

48

Click the "URIs 1" field.



The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).


Authorized JavaScript origins


For use with requests from a browser


[+ Add URI](#)

Authorized redirect URIs

For use with requests from a web server

URIs 1 * 

 Invalid Redirect: URI must not be empty.


Client ID copied to clipboard 

49
0

Press CTRL + V

50

Click "Create"



Audience

Clients

Data Access

Verification Center

Authorized JavaScript origins [?]

For use with requests from a browser

[+ Add URI](#)

Authorized redirect URIs [?]

For use with requests from a web server

URIs 1 *

[+ Add URI](#)


[✕](#)

Note: It may take 5 minutes to a few hours for settings to take effect

[<](#)

Client ID copied to clipboard [✕](#)

51 Click this icon.



The screenshot shows the Google Auth Platform interface with the 'Clients' tab selected. A modal dialog titled 'OAuth client created' is displayed, providing details for a newly created client. The dialog includes a sidebar with navigation options: Overview, Branding, Audience, Clients (selected), Data Access, and Verification Center. The main content of the dialog includes a warning about restricted OAuth access, the Client ID, a warning about the client secret expiration, the Client secret, and the Creation date.

Google Auth Platform / Clients / Create client

Overview
Branding
Audience
Clients
Data Access
Verification Center

OAuth client created

The client ID can always be accessed from Clients tab under Google Auth Platform.

i OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Client ID	923642176857-0cm54le34jkhihgai2esogicqh051aa8.ap ps.googleusercontent.com
-----------	--


Copy client ID

⚠ Starting in June 2025, you will no longer be able to view or download the client secret once you close this dialog. Make sure you have copied or downloaded the information below and securely stored it.

Client secret	GOCS PX-6sQX_luFPidkQZraUtdOcmRWFzD
Creation date	May 24, 2025 at 9:05:28 PM GMT+5

52 Switch to tab  N8n Workflow

53 Click this text field.




The screenshot shows the 'Details' tab of a connection configuration in N8n. The 'Connect using' section has two options: 'OAuth2 (recommended)' (selected) and 'Service Account'. The 'OAuth Redirect URL' field contains the text 'http://localhost:5678/rest/oauth2-credential/callback'. Below this, there is a note: 'In Google Docs, use the URL above when prompted to enter an OAuth callback or redirect URL'. The 'Client ID' field is highlighted with a red circle, and the 'Client Secret' field is empty. The 'Fixed' and 'Expression' tabs are visible next to the 'Client ID' field.

54 Press CTRL + V

55 Switch to tab Create OAuth client ID – Google Auth Platform – Automation Demo Pro... – Google Cloud console"

56

Click this icon.



Auth Platform.

i OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Client ID 923642176857-0cm54le34jkhigai2esogicqh051aa8.ap
ps.googleusercontent.com

w Starting in June 2025, you will no longer be able to view or download the client secret once you close this dialog. Make sure you have copied or downloaded the information below and securely stored it.

Client secret GOCSPX-6sQX_luFPidkQZraUtdOcmRWFzD

Creation date May 24, 2025 at 9:05:28 PM C


Copy client secret

OK

OAuth client created

57 Switch to tab  N8n Workflow


58 Click this password field.




The screenshot shows the 'Connection' configuration modal for an OAuth2 connection in N8n. The modal has a sidebar with 'Connection', 'Sharing', and 'Details' tabs. The 'Connection' tab is active. At the top, there is a link 'Need help filling out these fields? Open docs'. Below this, the 'Connect using' section has two options: 'OAuth2 (recommended)' (selected) and 'Service Account'. The 'OAuth Redirect URL' field contains the text 'http://localhost:5678/rest/oauth2-credential/callback'. Below this, a note states: 'In Google Docs, use the URL above when prompted to enter an OAuth callback or redirect URL'. The 'Client ID' field contains the text '923642176857-0cm54le34jkhingai2esogicqh051aa8.apps.googleusercontent.com'. The 'Client Secret' field is empty and has a circular password icon in the center. To the right of the 'Client Secret' field are two buttons: 'Fixed' and 'Expression'. The background shows a blurred view of the N8n workflow editor with a node titled 'No input' and a button 'Execute p...'. At the bottom of the modal, there is a footer with 'HS N8n v5' and a link 'I wish this node would...'.

59

Click this button.



60 Choose the relevant account




61 Click "Continue"


You've been given access to an app that's currently being tested. You should only continue if you know the **developer** that invited you.

Continue

Back to safety

62 Click the "Select all" field.



63 Click Continue

64 Click here.




Connection successful

This window will close automatically in 5 seconds.


65

Account Connected Successfully



The screenshot displays the Google Cloud Platform console interface. On the left, a sidebar contains the menu items "Connection", "Sharing", and "Details". The "Connection" tab is selected. The main content area features a green status bar at the top with a checkmark icon, the text "Account connected", and a "Reconnect:" button with a Google logo and a "Sign in with Google" button. Below this is a yellow banner with the text "Need help filling out these fields? [Open docs](#)". The "OAuth Redirect URL" section shows a text input field containing "http://localhost:5678/rest/oauth2-credential/callback". Below this, a note states: "In Google Docs, use the URL above when prompted to enter an OAuth callback or redirect URL". The "Client ID *" section shows a text input field containing "923642176857-0cm54le34jkhigai2esogicqh051aa8.apps.googleusercontent.com". The "Client Secret *" section is partially visible at the bottom.

Connection

Account connected Reconnect:  Sign in with Google

Sharing

Details

Need help filling out these fields? [Open docs](#)

OAuth Redirect URL

`http://localhost:5678/rest/oauth2-credential/callback`

In Google Docs, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

`923642176857-0cm54le34jkhigai2esogicqh051aa8.apps.googleusercontent.com`

Client Secret *