The tuzuk class*

Özcan Oğuz
ozcan@hackerspace.ist

March 13, 2025

1 Introduction

The tuzuk class provides a standardized format for writing bylaws and regulations especially in Turkish-governmental style. It includes features for creating numbered articles, subsections, and signature areas commonly found in legal documents.

2 Usage

`\madde` Create a new article in the document:

```
\madde{1}{Article content goes here}
```

`\bolumadi` Define a section title:

```
\bolumadi{Section Title}
```

`\fikra` Create a list of sub-items under an article:

```
\begin{fikra}
  \item First item
  \item Second item
\end{fikra}
```

3 Implementation

```
1 \LoadClass[12pt, onecolumn]{article}
2
3 \ProcessOptions\relax
```

*This document corresponds to tuzuk , dated .

```
4
5 % Required packages
6 \RequirePackage[a4paper,
7                 top=2.5cm,
8                 left=2.5cm,
9                 right= 2.5cm,
10                bottom=2.5cm]{geometry}
11 \RequirePackage{mathptmx}
12 \RequirePackage{setspace}
13 \onehalfspacing
14
15 \RequirePackage{enumitem}
16 \RequirePackage[utf8]{inputenc}
17 \RequirePackage[turkish]{babel}
18 \RequirePackage[normalem]{ulem}
19 \RequirePackage{hyphenat}
20 \RequirePackage[T1]{fontenc}
```

Define variables for document metadata

```
21 \def\baskan#1{\def\@baskan{#1}}
22 \def\baskanyrd#1{\def\@baskanyrd{#1}}
23 \def\sekreter#1{\def\@sekreter{#1}}
24 \def\sayman#1{\def\@sayman{#1}}
25 \def\uye#1{\def\@uye{#1}}
26
27 \def\tuzukbasligi#1{
28     \def\@tuzukbasligi{
29             \textbf{%
30                 \MakeUppercase{#1}
31             }
32     }
33 }
```

Section title command

```
34 \newcommand{\bolumadi}[1]{\vspace{8pt} \noindent\textbf{#1}\newline}
```

Article command

```
35 \newcommand{\madde}[2]{\noindent\textbf{Madde #1:} #2 \\}
```

Title command

```
36 \renewcommand{\maketitle}{
37 \thispagestyle{plain}
38     \begin{center}
39         \vspace{12pt}
40         \@tuzukbasligi
41     \end{center}
42 }
```

Paragraph environment

```
43 \newenvironment{fikra}
44     {\begin{enumerate}[label=\alph*.]
45     }
46     {%
```

```
      \end{enumerate}
    }
```

Signature area command

```
\newcommand{\imzalar}{
    \renewcommand{\arraystretch}{1}
    \vspace{1.5cm} \noindent  \begin{tabular}{p{5cm}p{5cm}p{5cm}}
    \hrulefill & \hrulefill & \hrulefill \\
    \centering \@baskan & \centering \@baskanyrd & \centering \@sekreter \\
    \vspace{1cm} & \centering \\
    \hrulefill & \hrulefill \\
    \centering \@sayman & \centering \@uye \\
    \end{tabular}
}
```