LaTeX Class for *Amnesty International* Reports*

Boris Veytsman†

2024/01/12, v1.2

Abstract

This package provides a class for typesetting Reports for *Amnesty International*

Contents

1 Introduction **2**
1.1 Use of the styles with Rmarkdown . . . 2
1.2 Front matter . . . 3
1.3 Main matter . . . 3
1.4 Colors . . . 4
1.5 Glossary . . . 4
1.6 Quotation styles . . . 4
1.7 Figures and tables . . . 5

2 Implementation **6**
2.1 Identification . . . 6
2.2 Options . . . 6
2.3 Loading Class and Packages . . . 7
2.4 Fonts . . . 8
2.5 Paragraphing . . . 8
2.6 Colors . . . 9
2.7 Setting up top matter . . . 9
2.8 Typesetting top matter . . . 10
2.9 Main matter . . . 11
2.10 Page styles . . . 11
2.11 Sectioning . . . 12
2.12 Table of contents formatting . . . 12
2.13 Figures and tables . . . 13
2.14 Footnotes . . . 14
2.15 Backmatter . . . 14
2.16 Glossary . . . 15
2.17 Lists . . . 16
2.18 End of Class . . . 16

*©2023, Boris Veytsman

†borisv@lk.net, boris@varphi.com

1 Introduction

Amnesty International house style is describes in the Amnesty International brand hub, `https://brandhub.amnesty.org`. Most reports for *Amnesty International* were made using word processing software or typesetting software like *InDesign*. The onset of reports made with TEX, or *R* using *knitr* or *Rmarkdown* made necessary to recreate the house style in TEX. This file provides such style.

I am grateful to Richard Swingler and Jule Krueger for their testing and helpful comments.

To use the style, you need the files `amnestyreport.cls`, the fonts and the logos. They can be downloaded from `https://brandhub.amnesty.org/` (note that you need to have a special permission to use the font). You need to rename the file with the logo into `Amnesty_logo.png`.

To use the style just say

`\usepackage[`⟨*options*⟩`]{amnestyreports}`

The option `amnestyfonts` (the default) selects the font Amnesty Trade Gothic (`https://brandhub.amnesty.org/visual-design/our-typeface/`) for the report. The researchers working with Amnesty International may download this font. If you are a student of work on a self-initiated project, use the option `freefonts` to use free fonts similar to Amnesty Trade Gothic.

The option `nologo` suppresses the use of Amnesty International logo. It is automatically chosen if LATEX cannot find the file `Amnesty_logo.png` in the search path.

The paper size options currently supported are `letterpaper` and `a4paper` (the later is the default).

1.1 Use of the styles with Rmarkdown

If you use the style with the *Rmarkdown* package, you need to include the file `amnestytemplate.tex`, which accompanies this release. The YAML syntax for the commands is easy to get from the the example `sample.Rmd`:

```
---
title: "RMarkdown report example"
subtitle: "An example report for Amnesty output"
titleimage: "BoschFragment"
titleimagecaption: "The Garden of Earthly Delights is the modern title
given to a triptych oil painting on oak panel painted by the Early
Netherlandish master Hieronymus Bosch, between 1490 and 1510, when
Bosch was between 40 and 60 years old. It has been housed in the
Museo del Prado in Madrid, Spain since 1939.\n\n
\\textcopyright{} Image: Public domain.\n\n
\\textcopyright{} Caption:  Wikipedia contributors, 2023, released
under  Creative Commons Attribution-ShareAlike License 4.0"
copyrightyear: 2023
firstpublicationyear: 2022
reportindex: ABXC/AAAA/2022

output:
  pdf_document:
    template: amnestytemplate.tex
```

```
    latex_engine: xelatex
    toc: true
    keep_tex: true
    citation_package: natbib
header-includes:
  - \renewcommand{\thesection}{\Alph{section}}
bibliography: "examplereferences.bib"
---
```

Some notes:

1. The file names for bibliography and title images should not include underscores or spaces.
2. In multiline strings use `\n\n` for paragraph breaks and two backslashes for TEX commands.

There is an accompanying R package *amnestyreportR*. It helps to create plots and tables in the style of Amnesty Report. See the sample file for an example of use. You may download the package from the Amnesty International site or CRAN.

1.2 Front matter

`\maketitle` Front matter is the part of the report that includes title, half title (the back of the title page), table of contents, glossary, foreword, etc. Some of it is typeset automatically by the command `\maketitle`, which must be preceded by a number of commands that set the information to be typeset.

`\titleimage` `\titleimagecaption` The command `\titleimage{`⟨*filename*⟩`}` defines the image on the title page. This file must be square. It will be resized automatically to the standard size 18.17 cm × 18.17 cm. The command `\titleimagecaption{`⟨*caption*⟩`}` describes the image. It should have copyright information; you may use the command `\textcopyright` for the copyright symbol.

`\title` `\subtitle` The command `\title` is similar to the one in standard classes. An additional command `\subtitle` is used to set the subtitle of the report.

`\copyrightyear` `\firstpublicationyear` The commands `\copyrightyear{`⟨*year*⟩`}` and `\firstpublicationyear{`⟨*year*⟩`}` set the year when the report was copyrighted and first published. The default is the current year.

`\reportyear` `\reportmonth` Sometimes the report year or month might be different from the copyright year. You can set them with the commands `\reportyear{`⟨*year*⟩`}` and `\reportmonth{`⟨*month*⟩`}`. The default is the copyright year and the current month.

`\reportindex` The index of the report is set by the command `\reportindex{`⟨*index*⟩`}`.

`\blurb` Amnesty International reports include a short blurb up to 200 words. The macro `\blurb{`⟨*blurb text*⟩`}` sets them.

1.3 Main matter

`\mainmatter` The main section starts with the command `\mainmatter`. The R template provides it automatically.

1.4 Colors

The class defines the following colors

1. `AmnestyYellow`, the primary color.
2. `AmnestyGray1`, `AmnestyGray2`, `AmnestyGray3`, `AmnestyGray4`, `AmnestyGray5`, the grayscale from the lightest to the darkest.

1.5 Glossary

`AmnestyGlossary` (*env.*) Amnesty international reports may be accompanied by a glossary. A glossary is introduced by the environment `AmnestyGlossary`. It has one optional parameter: the maximal size of the word defined in the table, by default 5em. The glossary entries are `tabular` entries: the word to be defined is separated from the definition by `&`, and definitions are ended by `\\`, for example (from `https://www.amnesty.org/en/latest/campaigns/2015/07/beginners-guide-human-rights-jargon/`):

```
\begin{AmnestyGlossary}[3em]
  Commute &
  Commute means to replace a punishment, usually a death
  sentence, with a less severe one. For example, Amnesty called for
  the USA to commute to time served the 35-year jail sentence of
  whistleblower Chelsea Manning, who had been arrested after leaking
  classified government material. \\
  Crimes against humanity &
  When certain acts---including murder, torture and slavery---form
  part of a widespread attack on a civilian population by a state or
  organization. Unlike war crimes, they can take place at times of
  peace as well as during conflict. The Rwandan genocide of 1994 is
  one example of a crime against humanity. \\
  Extrajudicial executions &
  Unlawful killings ordered by a government, or committed with its
  knowledge and support. They can be carried out by the military,
  police, or by civilians working with government forces. For
  example, Hamas forces in Gaza committed serious human rights
  abuses, including extrajudicial executions, torture and
  abductions, during the 2014 Gaza/Israel conflict. \\
  Freedom of expression &
  The right to seek, receive and share information and ideas,
  without fear or interference. It is closely linked with freedom of
  association (the right to meet with anyone you choose, for
  example, to form and join clubs, societies or trade unions) and
  the right to take part in a peaceful assembly, such as a
  demonstration or public meeting. \\
\end{AmnestyGlossary}
```

1.6 Quotation styles

`quote` (*env.*) There are several quotations styles used by Amnesty International style. The most
`attribution` ubiquitous one is "display quotes", which is used by the `quote` environment. This is the style that is translated from the Markdown quotation style, with `>` marks.

It has a special command `\attribution`, which should be used at the end of the quote, for example,

```
\begin{quote}
  All human beings are born free and equal in dignity and
  rights. They are endowed with reason and conscience and should act
  towards one another in a spirit of brotherhood.

  \attribution{Universal Declaration of Human Rights}
\end{quote}
```

The equivalent Markdown syntax is

```
>  All human beings are born free and equal in dignity and
>  rights. They are endowed with reason and conscience and should act
>  towards one another in a spirit of brotherhood.
>
>  \attribution{Universal Declaration of Human Rights}
```

1.7 Figures and tables

Figures and tables by default are typeset with the 'here' placement option. You should put the caption of a table *before* the table, and the caption of a figure *after* the figure. You can use `\FloatBarrier` command to stop figures and tables from moving.

`\sideTableCaptions` `\sideFigureCaptions` `\normalTableCaptions` `\normalFigureCaptions`

The style allows figures and tables with right side captions. The commands `\sideTableCaptions` and `\sideFigureCaptions` switch to this style, while the commands `\normalTableCaptions` and `\normalFigureCaptions` switch to the standard style.

2 Implementation

2.1 Identification

We start with the declaration who we are. Most `.dtx` files put driver code in a separate driver file `.drv`. We roll this code into the main file, and use the pseudo-guard `<gobble>` for it.

```
⟨class⟩\NeedsTeXFormat{LaTeX2e}
⟨*gobble⟩
\ProvidesFile{amnestyreport.dtx}
⟨/gobble⟩
⟨class⟩\ProvidesClass{amnestyreport}
[2024/01/12 v1.2 Typesetting articles for Amnesty International]
```

And the driver code:

```
⟨*gobble⟩
\documentclass{ltxdoc}
\usepackage[breaklinks,colorlinks,linkcolor=black,citecolor=black,
pagecolor=black,urlcolor=black,hyperindex=false]{hyperref}
\usepackage{siunitx}
\PageIndex
\CodelineIndex
\RecordChanges
\EnableCrossrefs
\begin{document}
  \DocInput{amnestyreport.dtx}
\end{document}
⟨/gobble⟩
⟨*class⟩
```

2.2 Options

We pass paper size to *geometry*

```
\DeclareOption{a4paper}{\PassOptionsToPackage{\CurrentOption}{geometry}}
\DeclareOption{letterpaper}{\PassOptionsToPackage{\CurrentOption}{geometry}}
```

`\ifamnesty@fonts` The switch whether to use Amensty proprietary font

```
\newif\ifamnesty@fonts
\amnesty@fontstrue
```

Setting the font

```
\DeclareOption{amnestyfonts}{\amnesty@fontstrue}
\DeclareOption{freefonts}{\amnesty@fontsfalse}
```

`\ifamnesty@logo` Whether we have the logo

```
\newif\ifamnesty@logo
\amnesty@logotrue
```

Setting the logo

```
\DeclareOption{logo}{\amnesty@logotrue}
\DeclareOption{nologo}{\amnesty@logofalse}
```

And executing the options

```
\ExecuteOptions{a4paper,amnestyfonts}
\ProcessOptions\relax
```

Sanity check whether logo exists

```
\IfFileExists{Amnesty_logo.png}{}{\amnesty@logofalse}
```

2.3 Loading Class and Packages

We start with the base class

```
\LoadClass{article}
```

Geometry to set up margins

```
\RequirePackage[top=1.02in, bottom=1.38in,
left=1.26in, right=1.26in, footskip=40pt]{geometry}
```

We suppress hyphenation

```
\usepackage[none]{hyphenat}
```

URLs

```
\RequirePackage[colorlinks=false]{hyperref}
\def\UrlFont{}
\def\sectionautorefname{Section}
\def\subsectionautorefname{Section}
\def\subsubsectionautorefname{Section}
```

We need graphics

```
\RequirePackage{graphicx}
```

We use biblatex

```
\RequirePackage[backend=bibtex]{biblatex}
```

Due to the way Rmarkdown works, we add `\citep` and `\citet` commands

`\citep`

```
\RequirePackage{xparse}
\NewDocumentCommand{\citep}{oom}{%
  \IfNoValueTF{#2}{%
    \IfNoValueTF{#1}{\footfullcite{#3}}{\footfullcite[][#1]{#3}}}{%
    \footfullcite[#1][#2]{#3}}}
\let\citet\citep
```

We need `\FloatBarrier` command

```
\RequirePackage{placeins}
```

We need framed for splitting leftbar boxes

```
\RequirePackage{framed}
```

We need sidecap to typeset sidewise captions.

```
\RequirePackage[rightcaption]{sidecap}
\def\SC@figure@vpos{t}
```

2.4 Fonts

```
\RequirePackage{fontspec}
\ifamnesty@fonts
  \ClassInfo{amnestyreport}{Using Amnesty International fonts}
  \setmainfont{AmnestyTradeGothic-Light.ttf}[
  BoldFont=AmnestyTradeGothic-Bd2.ttf,
  ItalicFont=AmnestyTradeGothic-LightObl.ttf,
  BoldItalicFont=AmnestyTradeGothic-Bd2Obl.ttf]

  \newfontfamily\condensed{AmnestyTradeGothic-Cn18.ttf}[
  BoldFont=AmnestyTradeGothic-BdCn20.ttf,
  ItalicFont=AmnestyTradeGothic-Cn18Obl.ttf,
  BoldItalicFont=AmnestyTradeGothic-BdCn20Ob.ttf]
\else
  \ClassInfo{amnestyreport}{Using free fonts}
  \setmainfont{texgyreadventor-regular.otf}[
  BoldFont=texgyreadventor-bold.otf,
  ItalicFont=texgyreadventor-italic.otf,
  BoldItalicFont=texgyreadventor-bolditalic.otf]

  \newfontfamily\condensed{QTHelvetCnd-Light.otf}[
  BoldFont=QTHelvetCnd.otf,
  ItalicFont=QTHelvetCnd-Light.otf,
  BoldItalicFont=QTHelvetCnd.otf]
\fi
\setmonofont[StylisticSet={1,2,3}]{Inconsolatazi4-Regular.otf}[
  BoldFont=Inconsolatazi4-Bold.otf]
\RequirePackage{fontawesome5}
```

2.5 Paragraphing

The base size is 9pt. This is taken from size9.clo

```
\renewcommand\normalsize{%
   \@setfontsize\normalsize\@ixpt\@xipt%
   \abovedisplayskip 8\p@ \@plus4\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus3\p@
   \belowdisplayshortskip 5\p@ \@plus3\p@ \@minus3\p@
   \belowdisplayskip \abovedisplayskip
   \let\@listi\@listI}
\renewcommand\small{%
   \@setfontsize\small\@viiipt\@ixpt%
   \abovedisplayskip 5\p@ \@plus2\p@ \@minus2\p@
   \abovedisplayshortskip \z@ \@plus1\p@
   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 3\p@ \@plus\p@ \@minus\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
\renewcommand\footnotesize{%
   \@setfontsize\footnotesize\@viipt\@viiipt
   \abovedisplayskip 4\p@ \@plus2\p@ \@minus2\p@
   \abovedisplayshortskip \z@ \@plus1\p@
```

```
  \belowdisplayshortskip 2.5\p@ \@plus\p@ \@minus\p@
  \def\@listi{\leftmargin\leftmargini
              \topsep 3\p@ \@plus\p@ \@minus\p@
              \parsep 2\p@ \@plus\p@ \@minus\p@
              \itemsep \parsep}%
  \belowdisplayskip \abovedisplayskip
}
\renewcommand\scriptsize{\@setfontsize\scriptsize\@vipt\@viipt}
\renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
\renewcommand\large{\@setfontsize\large\@xpt\@xiipt}
\renewcommand\Large{\@setfontsize\Large\@xipt{13}}
\renewcommand\LARGE{\@setfontsize\LARGE\@xiipt{14}}
\renewcommand\huge{\@setfontsize\huge\@xivpt{18}}
\renewcommand\Huge{\@setfontsize\Huge\@xviipt{22}}
\setlength\parskip{6pt}
\setlength\parindent\z@
```

2.6 Colors

```
\RequirePackage{xcolor}
\definecolor{AmnestyYellow}{RGB/cmyk}{255,255,0/0,0,1,0}
\definecolor{AmnestyGray1}{RGB/cmyk}{228,228,228/0,0,0,15}
\definecolor{AmnestyGray2}{RGB/cmyk}{178,178,178/0,0,0,32}
\definecolor{AmnestyGray3}{RGB/cmyk}{118,118,118/0,0,0,64}
\definecolor{AmnestyGray4}{RGB/cmyk}{82,82,82/0,0,0,79}
\definecolor{AmnestyGray4}{RGB/cmyk}{37,37,37/0,0,0,97}
\RequirePackage{soul}
\sethlcolor{AmnestyYellow}
```

2.7 Setting up top matter

`\titleimage` The title image

```
\newcommand\titleimage[1]{\def\@titleimage{#1}}
\titleimage{}
```

`\titleimagecaption` The caption for the image

```
\newcommand\titleimagecaption[1]{\def\@titleimagecaption{#1}}
\titleimagecaption{}
```

`\subtitle` The subitle

```
\newcommand\subtitle[1]{\def\@subtitle{#1}}
\subtitle{}
```

`\copyrightyear` The copyright year

```
\newcommand\copyrightyear[1]{\def\@copyrightyear{#1}}
\copyrightyear{\the\year}
```

`\firstpublicationyear` The publication year

```
\newcommand\firstpublicationyear[1]{\def\@firstpublicationyear{#1}}
\firstpublicationyear{\@copyrightyear}
```

`\reportyear` The report year

```
\newcommand\reportyear[1]{\def\@reportyear{#1}}
\reportyear{\@copyrightyear}
```

\reportmonth The report month

```
\newcommand\reportmonth[1]{\def\@reportmonth{#1}}
\reportmonth{\ifcase\month\or
  January\or February\or March\or April\or May\or June\or
  July\or August\or September\or October\or November\or December\fi}
```

\reportindex The index

```
\newcommand\reportindex[1]{\def\@reportindex{#1}}
\reportindex{XXXX XX/XX/XXX}
```

\blurb The blurb

```
\newcommand\blurb[1]{\def\@blurb{#1}}
\blurb{}
```

2.8 Typesetting top matter

\frontmatter We use empty page style for the front matter

```
\newcommand\frontmatter{%
  \pagenumbering{arabic}%
  \pagestyle{empty}}
```

\maketitle The \maketitle command...

```
\renewcommand{\maketitle}{%
  \newgeometry{top=0.55in, bottom=1.18in,
    left=0.55in, right=0.55in, footskip=20pt}%
  \pagestyle{titlepage}%
    \ifx\@titleimage\@empty
    \ClassWarningNoLine{amnestyreport}{You did not define the title
      image}%
    \else
    \includegraphics[width=18.17cm]{\@titleimage}\par
    \fi
    \ifx\@title\@empty\else
    {\condensed\bfseries\fontsize{48pt}{48pt}\selectfont
      \hl{\MakeUppercase{\@title}}\par}%
    \fi
    \ifx\@subtitle\@empty\else
    {\condensed\fontsize{22pt}{22pt}\selectfont
      \MakeUppercase{\@subtitle}\par}%
    \fi
    \clearpage
      \thispagestyle{backtitlepage}%
    {\condensed\bfseries\fontsize{22pt}{22pt}\selectfont
      \hl{Amnesty International is a movement of 10 million people
which mobilizes the humanity in everyone and campaigns
for change so we can all enjoy our human rights. Our vision
is of a world where those in power keep their promises,
respect international law and are held to account. We are
independent of any government, political ideology, economic
interest or religion and are funded mainly by our  membership
and individual donations. We believe that acting in solidarity
and compassion with people everywhere can change our
societies for the better.}\par}
```

```
\vfill
\parbox[t]{0.48\textwidth}{\condensed\footnotesize
  \textcopyright~Amnesty International~\@copyrightyear

Except where otherwise noted, content in this document is licensed
under a Creative Commons (attribution, non-commercial, no derivatives,
international 4.0) licence.
\url{https://creativecommons.org/licenses/by-nc-nd/4.0/legalcode}.

For more information please visit the permissions page on our website:
\href{https://www.amnesty.org}{www.amnesty.org}.

Where material is attributed to a copyright owner other than Amnesty International this
material is not subject to the Creative Commons licence.

First published in \@firstpublicationyear\\
by Amnesty International Ltd\\
Peter Benenson House, 1 Easton Street\\
London WC1X 0DW, UK}\hfill
\parbox[t]{0.48\textwidth}{\condensed\footnotesize
  \ifx\@titleimagecaption\@empty\else
  $\leftarrow$\faEye[regular] \raggedright\itshape\textbf{Cover photo:} \@titleimagecaption\f
\restoregeometry
\pagestyle{empty}}

```

2.9 Main matter

`\mainmatter` THe main matter

2.10 Page styles

`\amnesty@logo@graphics` Either AI logo or a strut

```
\def\amnesty@logo@graphics{%
  \ifamnesty@logo
    \includegraphics[height=0.5in]{Amnesty_logo}%
  \else
    \rule{0pt}{0.5in}%
  \fi}

\RequirePackage{fancyhdr}
\renewcommand{\headrulewidth}{0pt}
\renewcommand{\footrulewidth}{0pt}
\fancypagestyle{titlepage}{%
  \fancyhf{}%
  \fancyfoot[R]{\raisebox{-\height}{\amnesty@logo@graphics}}%
}
\fancypagestyle{backtitlepage}{%
  \fancyhf{}%
  \fancyfoot[L]{\bfseries Index: \@reportindex\\
    Original language: English\\
    \large\href{https://amnesty.org}{amnesty.org}}%
  \fancyfoot[R]{\raisebox{-\height}{\amnesty@logo@graphics}}%
}
```

```
\fancypagestyle{main}{%
  \fancyhf{}%
  \fancyfoot[L]{\condensed\footnotesize\textbf{\MakeUppercase{\@title}}\par
    \ifx\@subtitle\@empty\else\condensed\MakeUppercase{\@subtitle}\par\fi
    Amnesty International
  }%
  \fancyfoot[R]{\normalsize\normalfont\thepage\hspace{1in}}%
}
\fancypagestyle{backcoverpage}{%
  \fancyhf{}%
  \fancyfoot[L]{\normalsize\normalfont
      INDEX: \mbox{\@reportindex}\\
    \MakeUppercase{\@reportmonth~\@reportyear}\\
    LANGUAGE: ENGLISH\\
    \LARGE\bfseries\href{https://amnesty.org}{amnesty.org}}%
  \fancyfoot[R]{\raisebox{-\height}{\amnesty@logo@graphics}\hspace{1in}}%
}
```

2.11 Sectioning

`\section` The section

```
\renewcommand\section{\@startsection {section}{1}{\z@}%
                                     {-3.5ex \@plus -1ex \@minus -.2ex}%
                                     {.5ex \@plus.2ex}%
                                     {\condensed\fontsize{45pt}{45pt}\selectfont\bfseries\ragge
```

`\subsection` Subsection

```
\renewcommand\subsection{\@startsection{subsection}{2}{\z@}%
                                       {-3.25ex\@plus -1ex \@minus -.2ex}%
                                       {0.5ex \@plus .2ex}%
                                       {\condensed\fontsize{21pt}{21pt}\selectfont\bfseries\rag
```

`\subsubsection`

`\paragraph`

2.12 Table of contents formatting

TOC formatting

`\l@section` Section formatting

```
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \def\numberline##1{##1~}%
      \parindent \z@ \rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \condensed\fontsize{11pt}{11pt}\selectfont\bfseries
      \advance\leftskip\@tempdima
      \hskip -\leftskip
      \MakeUppercase{#1}\nobreak\hfil
```

```
      \nobreak\hb@xt@\@pnumwidth{\hss #2%
                                 \kern-\p@\kern\p@}\par
    \endgroup
  \fi}
```

`\l@subsection` Subsection formatting

```
\renewcommand*\l@subsection[2]{%
  \ifnum \c@tocdepth >1
    \addvspace{0.5em \@plus\p@}%
    \setlength\@tempdima{2em}%
    \begingroup
      \def\numberline##1{##1~}%
      \parindent \z@ \rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \condensed\fontsize{10pt}{10pt}\selectfont
      \advance\leftskip\@tempdima
      \hskip -\leftskip
      \MakeUppercase{#1}\nobreak\hfil
      \nobreak\hb@xt@\@pnumwidth{\hss #2%
                                 \kern-\p@\kern\p@}\par
    \endgroup
  \fi}
```

`\l@subsubsection` Subsubsection formatting

```
\renewcommand*\l@subsubsection[2]{%
  \ifnum \c@tocdepth >2
    \addvspace{0.5em \@plus\p@}%
    \setlength\@tempdima{2.5em}%
    \begingroup
      \def\numberline##1{##1~}%
      \parindent \z@ \rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \condensed\fontsize{9pt}{9pt}\selectfont
      \advance\leftskip\@tempdima
      \hskip -\leftskip
      \MakeUppercase{#1}\nobreak\hfil
      \nobreak\hb@xt@\@pnumwidth{\hss #2%
                                 \kern-\p@\kern\p@}\par
    \endgroup
  \fi}
```

2.13 Figures and tables

We use the caption package for the formatting

```
\RequirePackage[font=it]{caption}
\DeclareCaptionLabelFormat{table}{$\downarrow$\faEye[regular]\itshape~
  #1 #2}
\DeclareCaptionLabelFormat{figure}{$\uparrow$\faEye[regular]\itshape~
  #1 #2}
\DeclareCaptionLabelFormat{side}{$\leftarrow$\faEye[regular]\itshape~
  #1 #2}
\captionsetup[table]{labelformat=table}
\captionsetup[figure]{labelformat=figure}
```

```
\captionsetup[SCfigure]{labelformat=side}
\captionsetup[SCtable]{labelformat=side}
\def\fps@figure{hb}
\def\fps@table{hb}
\def\fps@SCfigure{hb}
\def\fps@SCtable{hb}
```

`\sideTableCaptions` Switching to the sideways tables.

```
\let\table@AI@Orig\table
\let\endtable@AI@Orig\endtable
\def\sideTableCaptions{%
  \def\table{\SCtable[50]}%
  \def\endtable{\endSCtable}}
```

`\normalTableCaptions` Switching to the normal tables.

```
\def\normalTableCaptions{%
  \def\table{\table@AI@Orig}%
  \def\endtable{\endtable@AI@Orig}}
```

`\if@AI@sideFigures` Since the typesetting of photos depends on the typesetting of figures, we need the switch

```
\newif\if@AI@sideFigures
\@AI@sideFiguresfalse
```

`\sideFigureCaptions` Switching to the sideways figures.

```
\let\figure@AI@Orig\figure
\let\endfigure@AI@Orig\endfigure
\def\sideFigureCaptions{%
  \@AI@sideFigurestrue
  \def\figure{\SCfigure[50]}%
  \def\endfigure{\endSCfigure}}
```

`\normalFigureCaptions` Switching to the normal figures.

```
\def\normalFigureCaptions{%
  \@AI@sideFiguresfalse
  \def\figure{\figure@AI@Orig}%
  \def\endfigure{\endfigure@AI@Orig}}
```

2.14 Footnotes

`\@makefntext` Our footnotes are not indented

```
\renewcommand\@makefntext[1]{%
  \raggedright\parindent\z@\hangindent2em%
  \noindent
    \@makefnmark\,#1}
```

2.15 Backmatter

`\backmatter` The end of the report

```
\newcommand\backmatter{%
  \cleardoublepage
  \thispagestyle{empty}%
```

```
  \setbox\@tempboxa\vbox{\hsize=5in\condensed\fontsize{40pt}{40pt}\selectfont\bfseries
  AMNESTY INTERNATIONAL
  IS A GLOBAL MOVEMENT
  FOR HUMAN RIGHTS.
  WHEN INJUSTICE HAPPENS
  TO ONE PERSON, IT
  MATTERS TO US ALL.}%
\textcolor{AmnestyYellow}{\rule{10pt}{\ht\@tempboxa}}\hspace{5pt}\box\@tempboxa
\vfill

\parbox[t]{0.45\textwidth}{\setlength{\parskip}{6pt}%
  \condensed\fontsize{16pt}{16pt}\selectfont
  CONTACT US

\normalsize\normalfont
\faEnvelope~\href{mailto:info@amnesty.org}{info@amnesty.org}

\faPhone*~+44 (0)20 7413 5500}\hspace{0.05\textwidth}%
\parbox[t]{0.45\textwidth}{\setlength{\parskip}{6pt}%
  \condensed\fontsize{16pt}{16pt}\selectfont
  JOIN THE CONVERSATION

\normalsize\normalfont
\faFacebook~\href{https://www.facebook.com/AmnestyGlobal}{www.facebook.com/AmnestyGlobal}

\faTwitter~@Amnesty}\clearpage
\thispagestyle{backcoverpage}%
{\condensed\fontsize{28pt}{28pt}\bfseries\hl{\MakeUppercase{\@title}}\par}%
\ifx\@subtitle\@empty\else
{\condensed\fontsize{16pt}{16pt}\MakeUppercase{\@subtitle}\par}%
\fi
\bigskip
\@blurb
}

```

2.16 Glossary

Some packages for the glossary

```
\RequirePackage{longtable, booktabs}
\newdimen\@tempdimAI
```

`\AmnestyGlossary` Now glossary.

```
\newenvironment{AmnestyGlossary}[1][5em]{%
  \clearpage
  \section*{Glossary}
  \bgroup
  \setlength\extrarowheight{1pt}%
  \rowcolors{1}{AmnestyGray1}{white}%
  \setlength\@tempdimAI{\textwidth}%
  \addtolength\@tempdimAI{-2\tabcolsep}%
  \addtolength\@tempdimAI{-#1}%
  \begin{longtable}{p{#1}<{\raggedright}p{\@tempdimAI}<{\raggedright}}}{%
    \end{longtable}\egroup}
```

2.17 Lists

`\quote` Quotes have a special setup here. This is just “leftbar” from framed.sty

```
\renewenvironment{quote}{%
  \def\FrameCommand{\vrule width 6pt \hspace{10pt}}%
  \MakeFramed {\advance\hsize-\width \FrameRestore}%
  \vskip0pt\Huge\bfseries\condensed\raggedright\strut\relax}%
{\strut\vskip5pt\endMakeFramed}
```

`\attribution` Attribution for quotations

```
\def\attribution#1{\par\normalfont\mdseries\normalsize\raggedright #1}
```

`\tightlist` Pandoc defines ‘tightlist‘, which it uses for `*`-defined lists

```
\def\tightlist{%
  \setlength{\itemsep}{0pt}\setlength{\parskip}{0pt}}
```

2.18 End of Class

```
\normalsize\normalfont\raggedright
\frontmatter
⟨/class⟩
```

Change History

v1.0

`\AmnestyGlossary`: Added macro 15

v1.1

General: Documentation update . . 1

`\amnesty@logo@graphics`: Introduced macro 11

`\attribution`: Introduced macro 16

`\ifamnesty@fonts`: Introduced macro 6

`\ifamnesty@logo`: Introduced macro 6

`\quote`: Redefined macro 16

v1.2

General: Added Inconsolata as monofont 8

Added sidecap package 7

`\if@AI@sideFigures`: Added macro 14

`\normalFigureCaptions`: Added macro 14

`\normalTableCaptions`: Added macro 14

`\sideFigureCaptions`: Added macro 14

`\sideTableCaptions`: Added macro 14

`\tightlist`: Introduced macro . . 16

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\, ... 340
\@AI@sideFiguresfalse 326, 334
\@AI@sideFigurestrue 330
\@blurb 147, 376
\@copyrightyear 135, 138, 140, 185
\@empty . . . 156, 162, 166, 203, 231, 372
\@firstpublicationyear 137, 198
\@ixpt 83, 90
\@listI 88
\@listi 88, 94, 105
\@makefnmark 340
\@makefntext 337
\@minus 84, 86, 91, 93, 95, 96, 102, 104, 106, 107, 246, 250
\@plus 84, 85, 86, 91, 92, 93, 95, 96, 102, 103, 104, 106, 107, 246, 247, 250, 251, 256, 272, 288
\@pnumwidth 260, 261, 266, 276, 277, 282, 292, 293, 298
\@reportindex 145, 223, 239
\@reportmonth . 141, 240
\@reportyear . 139, 240
\@secpenalty 255
\@setfontsize 83, 90, 101, 111, 112, 113, 114, 115, 116, 117
\@startsection 245, 249
\@subtitle 133, 166, 168, 231, 372, 373
\@tempboxa . . . 344, 351
\@tempdimAI . . . 380, 387, 388, 389, 390
\@tempdima 257, 263, 273, 279, 289, 295
\@title 162, 164, 230, 371
\@titleimage 129, 156, 160
\@titleimagecaption 131, 203, 204
\@viiipt 90, 101
\@viipt 101, 111
\@vipt 111, 112
\@vpt 112
\@xiipt 113, 115
\@xipt 83, 114
\@xivpt 116
\@xpt 113
\@xviipt 117
\\ 198, 199, 200, 223, 224, 239, 240, 241

A

\abovedisplayshortskip 85, 92, 103
\abovedisplayskip 84, 87, 91, 98, 102, 109
\addpenalty 255
\addtolength . 388, 389
\addvspace 256, 272, 288
\advance 263, 279, 295, 394
\amnesty@fontsfalse 26
\amnesty@fontstrue 24, 25
\amnesty@logo@graphics . 208, 219, 226, 243
\amnesty@logofalse 30, 33
\amnesty@logotrue 28, 29
\AmnestyGlossary . . 381
AmnestyGlossary (env.) *4*
\attribution . . . *4*, 397

B

\backmatter 341
\begin 16, 390
\begingroup 258, 274, 290
\belowdisplayshortskip 86, 93, 104
\belowdisplayskip 87, 98, 109
\bfseries 163, 172, 223, 242, 248, 252, 262, 344, 371, 395
\bgroup 384
\bigskip 375
\blurb *3*, 147
\box 351

C

\c@tocdepth 254, 271, 287
\captionsetup 309, 310, 311, 312
\citep 45
\citet 50
\ClassInfo 57, 68
\ClassWarningNoLine 157
\cleardoublepage . . 342
\clearpage 170, 369, 382
\CodelineIndex 13
\condensed 63, 74, 163, 167, 172, 184, 202, 230, 231, 248, 252, 262, 278, 294, 344, 355, 363, 371, 373, 395
\copyrightyear . . *3*, 135
\CurrentOption . . 21, 22

D

\DeclareCaptionLabelFormat 303, 305, 307
\DeclareOption . . 21, 22, 25, 26, 29, 30
\def . 39, 40, 41, 42, 54, 94, 105, 129, 131, 133, 135, 137, 139, 141, 145, 147, 208, 259, 275, 291, 313, 314, 315, 316, 319, 320, 321, 322, 323, 324, 329, 331, 332, 333, 335, 336, 393, 397, 398

\definecolor 121, 122, 123, 124, 125, 126
\DocInput 17
\documentclass 8
\downarrow 303

E

\egroup 391
\else 67, 159, 162, 166, 203, 211, 231, 372
\EnableCrossrefs . . . 15
\end 18, 391
\endfigure 328, 332, 336
\endfigure@AI@Orig 328, 336
\endgroup . 268, 284, 300
\endMakeFramed 396
\endSCfigure 332
\endSCtable 321
\endtable . 318, 321, 324
\endtable@AI@Orig 318, 324
environments:
AmnestyGlossary . . *4*
quote *4*
\ExecuteOptions 31
\extrarowheight . . . 385

F

\faEnvelope 359
\faEye 204, 303, 305, 307
\faFacebook 367
\fancyfoot 219, 223, 226, 230, 234, 238, 243
\fancyhf 218, 222, 229, 237
\fancypagestyle . . . 217, 221, 228, 236
\faPhone 361
\faTwitter 369
\fi 78, 144, 161, 165, 169, 204, 213, 231, 269, 285, 301, 374
\figure . . . 327, 331, 335
\figure@AI@Orig 327, 335
\firstpublicationyear *3*, 137
\fontsize 163, 167, 172, 248, 252, 262, 278, 294, 344, 355, 363, 371, 373
\footfullcite . . . 48, 49
\footnotesize . . 100, 101, 184, 202, 230
\footrulewidth 216
\fps@figure 313
\fps@SCfigure 315
\fps@SCtable 316
\fps@table 314
\FrameCommand 393
\FrameRestore 394
\frontmatter . 149, 401

H

\hangindent 338
\hb@xt@ . . . 266, 282, 298
\headrulewidth 215
\height . . . 219, 226, 243
\hfil 265, 281, 297
\hfill 201
\hl 164, 173, 371
\href 193, 225, 242, 359, 367
\hsize 344, 394
\hskip 264, 280, 296
\hspace 234, 243, 351, 361, 393
\hss 266, 282, 298
\ht 351
\Huge 117, 395
\huge 116

I

\if@AI@sideFigures 325
\ifamnesty@fonts 23, 56
\ifamnesty@logo 27, 209
\ifcase 142
\IfFileExists 33
\IfNoValueTF . . . 47, 48
\ifnum 254, 271, 287
\ifx 156, 162, 166, 203, 231, 372
\includegraphics 160, 210
\itemsep . . . 97, 108, 399
\itshape 204, 303, 305, 307

K

\kern 267, 283, 299

L

\l@section 253
\l@subsection 270
\l@subsubsection . . 286
\LARGE 115, 242
\Large 114
\large 113, 225
\leavevmode 262, 278, 294
\leftarrow . . . 204, 307
\leftmargin . . . 94, 105
\leftmargini . . 94, 105
\leftskip . 263, 264, 279, 280, 295, 296
\let 50, 88, 317, 318, 327, 328
\LoadClass 34

M

\mainmatter *3*, 208
\MakeFramed 394
\maketitle *3*, 152
\MakeUppercase 164, 168, 230, 231, 240, 248, 252, 265, 281, 297, 371, 373
\mbox 239
\mdseries 397
\month 142

N

\NeedsTeXFormat 1
\newcommand . . . 129, 131, 133, 135, 137, 139, 141, 145, 147, 149, 341
\newdimen 380
\NewDocumentCommand 46
\newenvironment . . . 381
\newfontfamily . . 63, 74
\newgeometry 153
\newif 23, 27, 325
\nobreak . . 265, 266, 281, 282, 297, 298
\noindent 339
\normalFigureCaptions *5*, 333
\normalfont 234, 238, 358, 366, 397, 400
\normalsize 82, 83, 234, 238, 358, 366, 397, 400
\normalTableCaptions *5*, 322
\numberline 259, 275, 291

O

\or 142, 143, 144

P

\p@ 84, 85, 86, 91, 92, 93, 95, 96, 102, 103, 104, 106, 107, 256, 267, 272, 283, 288, 299
\PageIndex 12
\pagenumbering 150
\pagestyle 151, 155, 206
\par 160, 164, 168, 182, 230, 231, 267, 283, 299, 371, 373, 397
\paragraph 253
\parbox 184, 202, 354, 362
\parfillskip 261, 277, 293
\parindent 119, 260, 276, 292, 338
\parsep . 96, 97, 107, 108
\parskip 118, 354, 362, 399
\PassOptionsToPackage 21, 22
\ProcessOptions 32
\ProvidesClass 5
\ProvidesFile 3

Q

\quote 392
quote (env.) *4*

R

\raggedright . . 204, 248, 252, 338, 390, 395, 397, 400
\raisebox . 219, 226, 243
\RecordChanges 14
\relax 32, 395
\renewcommand 82, 89, 100, 111, 112, 113, 114, 115, 116, 117, 152, 215, 216, 245, 249, 253, 270, 286, 337
\renewenvironment . 392
\reportindex . . . *3*, 145
\reportmonth . . . *3*, 141
\reportyear *3*, 139
\RequirePackage 35, 38, 43, 44, 45, 51, 52, 53, 55, 81, 120, 127, 214, 302, 379
\restoregeometry . . 205
\rightskip 260, 276, 292
\rowcolors 386
\rule 212, 351

S

\SC@figure@vpos 54
\SCfigure 331
\scriptsize 111
\SCtable 320
\section 245, 383
\sectionautorefname 40
\selectfont . . . 163, 167, 172, 248, 252, 262, 278, 294, 344, 355, 363
\setbox 344
\sethlcolor 128
\setlength 118, 119, 257, 273, 289, 354, 362, 385, 387, 399
\setmainfont . . . 58, 69
\setmonofont 79
\sideFigureCaptions *5*, 327
\sideTableCaptions *5*, 317
\small 89, 90
\strut 395, 396
\subsection 249
\subsectionautorefname 41
\subsubsection 253
\subsubsectionautorefname 42
\subtitle *3*, 133

T

\tabcolsep 388
\table 317, 320, 323
\table@AI@Orig 317, 323
\textbf 204, 230
\textcolor 351
\textcopyright 185
\textwidth 184, 202, 354, 361, 362, 387
\the 136
\thepage 234
\thispagestyle 171, 343, 370
\tightlist 398
\tiny 112
\title *3*
\titleimage *3*, 129
\titleimagecaption *3*, 131
\topsep 95, 106

U

\uparrow 305
\url 190
\UrlFont 39
\usepackage . . 9, 11, 37

V

\vbox 344
\vfill 183, 352
\vrule 393
\vskip 395, 396

W

\width 394

Y

\year 136

Z

\z@ . 85, 92, 103, 119, 245, 249, 254, 260, 276, 292, 338