

DETM - EN v2 (quick)

DETM Book (EN v2 quick)

mode: print

Содержание

1. Where to start (short hook)
2. Levels map (L0..L5)
3. Quickstart (10 minutes)
4. First aid protocol (when the system is melting)
5. Reader map
6. How to read this book
7. Level summaries (one-page)
8. Navigation cheat sheet (S-T-C)
9. Invariants and tests
10. Terms
11. Index (keywords)
12. Case registry (compact)

Where to start (short hook)

Imagine a bridge.

From the outside, everything looks healthy: traffic flows, dashboards are green, reports look convincing. But bridges do not stand on reports. They stand on load limits, joints, maintenance windows, and the honesty of stress signals.

Human systems fail the same way. Usually not because nobody "wants good results", but because the system quietly learns that imitation is cheaper than reality:

- language still sounds correct while causality is already broken,
- metrics keep improving while field outcomes degrade,
- institutions defend capture instead of resilience,
- the old regime passes its boundary and no longer converges.

This book is not a moral lecture and not a motivational script. It is an operational diagnostic guide:

1. identify the active failure level,
2. apply the smallest operator that restores causality,

3. move from emergency stabilization to controlled adaptation.

Core claim:

| Most hard system conflicts are conflicts between levels of description.

One actor speaks L0 (basis), another speaks L1 (actions), another speaks L2 (stories), another speaks L3 (metrics and rules), and another speaks L4/L5 (institutions and boundaries). They can all be "right" locally and still produce collective failure globally.

Levels map (L0..L5)

The model uses six operational levels.

Level	Question	Typical failure	Typical operator
L0	Does the system still hold?	basis collapse, fake participation	stop, exit, load reduction
L1	Do actions produce verified effects?	activity without effect	minimal action + readout
L2	Which stories/roles gate behavior?	rationalization, taboo, shame loops	reframe + permission update
L3	Which metrics/rules define reality?	Goodhart, metric theater	axis policy, anti-capture checks
L4	Who can change rules legitimately?	institutional capture	governance reset, veto rights
L5	Where are the regime boundaries?	delayed transition, hard crash	transition protocol

Use this map as routing logic, not ideology.

Quickstart (10 minutes)

1) One-sentence summary

Systems tend to optimize what is cheapest to hold now, and fail where regime-holding cost stops converging.

2) 60-second model map

- L0: basis/existence (0/1)
- L1: action -> observable effect
- L2: narratives and role contracts
- L3: metrics/rules/axis policy
- L4: institutions and sanctioning power
- L5: boundaries and transitions

3) First move protocol

If "any option leads to the same failure": go depth-first (L3 -> L1 -> L0). If causality holds but choice is unclear: go breadth-first (usually L2/L3).

4) Starter symptoms

- Fires everywhere, overload: start L0-C1 (pause/stop)
- Metrics up, reality down: start L3-C6 (break metric game)
- No clear next step: start L1-C2 (minimal readout)
- Narrative deadlock: start L3-C7 (axis policy)

5) Fast navigation

Use Sx/Ty and Lx-Cn codes from appendix navigation to jump directly to the needed operator.

First aid protocol (when the system is melting)

Use this in emergency mode before deep analysis.

1. Freeze escalation (L0-C1): stop adding commitments.
2. Restore a truthful sensor (L0-C6/L1-C2): one observable that cannot be faked cheaply.
3. Remove impossible scope (L0-C4): reduce obligations to sustainable capacity.
4. Isolate toxic coupling (L0-C5): quarantine the failure amplifier.
5. Decide path:
 - if causality returns -> move to L1/L2 refinement,
 - if causality does not return -> execute transition logic (L5).

Rule:

| In emergency, survival of causality has priority over optimization of goals.

Reader map

Choose your route.

Practitioner route

Quickstart -> L0 -> L1 -> L3 -> L5 -> Appendix: Navigation

Use this route if you need immediate operational decisions.

Research route

Thesis -> L0..L5 -> Invariants and tests -> Case registry

Use this route for model building and hypothesis design.

Governance route

L3 -> L4 -> L5 -> Case registry

Use this route for institutional design, policy and anti-capture work.

How to read this book

This is a diagnostic and operator handbook.

Reading rules:

1. Start from observed symptoms, not from favorite theory.
2. Identify active level(s) first.
3. Apply one operator at a time.
4. Validate with readout panel (never one KPI).
5. Escalate to deeper level only if current level does not restore causality.

Terminology:

- Sx/Ty: scene/topic code (where the symptom appears)
- Lx-Cn: level/operator code (what to do next)

For implementation links, use:

- docs/eng/* for narrative
- docs/rus/ROADMAP.md for execution status
- runtime tests/artifacts for verification.

Level summaries (one-page)

- **L0**: existence/basis. If L0 breaks, all upper optimization is noise.
- **L1**: minimal action-effect loop. No readout, no control.
- **L2**: narratives and role contracts that allow or block action.
- **L3**: metric/rule layer. Main Goodhart risk zone.
- **L4**: institutional authority and legitimacy.
- **L5**: boundaries, transitions, and irreversible regime shifts.

Quick routing:

- collapse symptoms -> L0 first,
- fake progress symptoms -> L3 first,
- confusion/no-step symptoms -> L1 first,
- authority conflict symptoms -> L4/L5.

Navigation cheat sheet (S-T-C)

Scenes

- S1: person

- S2: family/close network
- S3: society/game layer
- S4: organization
- S5: state/institutions

Topics

- T1: pause/stop
- T2: refusal/exit
- T3: heroic overuse
- T4: obligation reduction
- T5: quarantine
- T6: feedback restoration
- T7: interpretation/axis control

Operator map

- L0: L0-C1..C7 (existence operators)
- L1: L1-C1..C7 (action/readout operators)
- L2: L2-C1..C7 (narrative/role operators)
- L3: L3-C1..C7 (metric/rule operators)

Search tips:

- combine scene + topic (S4/T6),
- or jump directly by operator code (L3-C7).

Invariants and tests

This checklist aligns book-level diagnostics with repo-level verification.

Invariants

1. Causality can be measured (no blind optimization).
2. Readout is multi-signal (anti-Goodhart).
3. Basis stress is visible before collapse.
4. Rule changes preserve rollback path.
5. Transition criteria are explicit before regime switch.

Practical tests

- reproducible headless runs (catalog/metrics/summary/final_state),
- trace/watch linkage (trace_ref continuity),
- metric-countermetric consistency,
- no hidden dependency from core (detm/*) to app UI.

For current execution status, see docs/rus/ROADMAP.md.

Terms

- **Basis (L0):** minimal contracts/resources that keep causality alive.
- **Readout:** multi-signal observation panel used for decision validation.
- **Goodhart mode:** optimization of a sensor that degrades real dynamics.
- **Axis policy:** explicit choice of which projections/metrics define reality.
- **Capture:** concentration of interpretation/rule power in one actor/group.
- **Transition:** explicit regime shift when current mode no longer converges.
- **Invariant:** retained class/property under perturbation.
- **Operator:** minimal action that changes state in a verifiable way.

Index (keywords)

- anti-capture
- anti-goodhart
- axis policy
- basis / L0
- boundary / transition
- causality
- default rate
- invariant
- metric theater
- operator
- readout panel
- regime change
- rollback
- scope reduction
- transition protocol

Case registry (compact)

Use this table as an entry point.

Symptom	First code	Typical follow-up
overload, fire mode	L0-C1	L0-C4, L1-C2
fake progress	L3-C6	L3-C7, L1-C2
no next step	L1-C2	L1-C1, L2-C7
role conflict	L2-C5	L3-C7, L4 checks
capture suspicion	L4 audit	L3-C7, L5 transition criteria

Extend this registry with domain-specific scenarios.

stats: chars=8369, words=1185, pages=4.6 (rough)