# Chapter 1: Numerical Series

September 20, 2023

## Contents

# 1 Vocabulary

In this chapter, we will use CVG for Convergence and DVG for Divergence. We will also use GT for General Term.

# 2 General approach Convergence and Divergence

## 2.1 Definition

Let $(\mathbf{U_n})_{\mathbf{n}\in\mathbb{N}}$ a sequence of real numbers, we call series of general term $\mathbf{U_k}$ and denote $\sum \mathbf{U_k}$ the sequence of partial sums $(\mathbf{S_n})_{\mathbf{n}\in\mathbb{N}}$ where for any integer $\mathbf{n} \in \mathbb{N}$, $\mathbf{S_n} = \sum\limits_{\mathbf{k=0}}^{\mathbf{n}} \mathbf{U_k}$. We say $\sum \mathbf{U_k}$ is convergent if and only if $(\mathbf{S_n})_{\mathbf{n}\in\mathbb{N}}$ is convergent.

### 2.1.1 Example: the geometric series

Let $\mathbf{q} \in \mathbb{R}^\star$ and let us consider the series $\sum \mathbf{q^k}$. We have:

$$\forall n \in \mathbb{N}, S_n = \sum_{k=0}^{n} q^k = \left| \begin{array}{lll} \frac{1-q^{n+1}}{1-q} & \text{if } q \neq 1 & \Longrightarrow \left| \begin{array}{r} \text{if } -1 < q < 1, \sum\limits_{k=0}^{+\infty} q^k = \frac{1}{1-q} \sum U_k\text{: CVG} \\ \text{if } q > 1 \text{ or } q < -1, \sum U_k\text{: DVG} \end{array} \right. \\ (n+1) & \text{if } q = 1 & \Longrightarrow \sum U_k\text{: DVG} \end{array} \right.$$

## 2.2 Propositions

Let $\sum \mathbf{U_k}$ and $\sum \mathbf{V_k}$ two series of general terms and $\lambda \in \mathbb{R}$. We have:

- If $[\sum \mathbf{U_k}$ CVG and $\sum \mathbf{V_k}$ CVG$]$, then $\sum(\mathbf{U_k} + \mathbf{V_k})$ CVG
- If $[\sum \mathbf{U_k}$ CVG$]$, then $\sum \lambda \mathbf{U_k}$ CVG
- If $[\sum \mathbf{U_k}$ CVG and $\sum \mathbf{V_k}$ DVG$]$, then $\sum(\mathbf{U_k} + \mathbf{V_k})$ DVG
- ⚠ $\sum \mathbf{U_k}$ DVG and $\sum \mathbf{V_k}$ DVG <u>does not imply</u> $\sum(\mathbf{U_k} + \mathbf{V_k})$ DVG

## 2.3 Sum and Remainder of a convergent series

Let $\sum \mathbf{U_k}$ a <u>convergent series</u>. We call sum of the series $\sum \mathbf{U_k}$ the following real number: $\sum\limits_{\mathbf{k=0}}^{+\infty} \mathbf{U_k} = \lim\limits_{\mathbf{n}\to+\infty} \mathbf{S_n}$ where $\mathbf{S_n} = \sum\limits_{\mathbf{k=0}}^{\mathbf{n}} \mathbf{U_k}$. And we call remainder of the series $\sum \mathbf{U_k}$ sequence $(\mathbf{R_n})$ defined as follows:

$$\forall n \in \mathbb{N}, R_n = \sum_{k=n+1}^{+\infty}$$

### 2.3.1 Example

$\sum \mathbf{q^k}$ CVG $\Leftrightarrow -1 < q < 1$ : $\mathbf{S} = \lim\limits_{\mathbf{n}\to+\infty} \mathbf{S_n} = \frac{\mathbf{1}}{\mathbf{1-q}}$

## 2.4 Convergence necessary condition

### 2.4.1 Proposition

Let $\sum(\mathbf{U_k})_{\mathbf{k}\in\mathbb{N}}$ a sequence. We have:

$$\sum U_k \text{ CVG } \begin{array}{c}\Longrightarrow\\ \not\Longleftarrow\end{array} \left(U_k \xrightarrow[k\to+\infty]{} 0\right)$$

### 2.4.2 Example

- Harmonic series: $\sum \frac{\mathbf{1}}{\mathbf{n}}$, $(\frac{\mathbf{1}}{\mathbf{n}}) \xrightarrow[\mathbf{n}\to+\infty]{} \mathbf{0}$ but $\sum \frac{\mathbf{1}}{\mathbf{n}}$ DVG
- $\sum \frac{\mathbf{e^n}}{\mathbf{n^{2023}}}$, $\frac{e^n}{n^{2023}} \xrightarrow[n\to+\infty]{} +\infty \implies \sum \frac{e^n}{n^{2023}}$ DVG

## 2.5 Positive Term Series (P.T.S.)

### 2.5.1 Definition

Let $\sum \mathbf{U_k}$ a series. We say $\sum \mathbf{U_k}$ is a P.T.S., if and only if $\forall \mathbf{k} \in \mathbb{N}, \mathbf{U_k} \geq \mathbf{0}$.
We say $\sum \mathbf{U_k}$ is a P.T.S. from $\mathbf{p} \in \mathbb{N}$ onwards, if and only if $\forall \mathbf{k} \in \mathbb{N}, \mathbf{k} \geq \mathbf{p} \implies \mathbf{U_k} \geq \mathbf{0}$.

### 2.5.2 Propositions

- Let $\sum \mathbf{U_k}$ a P.T.S. and $(\mathbf{S_n})_{\mathbf{n}\in\mathbb{N}}$ the associated partial sum sequence. Then:

$$\sum U_k \text{ CVG } \Leftrightarrow (S_n)_{n\in\mathbb{N}} \text{ is upper-bounded}$$

- Let $\sum \mathbf{U_k}$ and $\sum \mathbf{V_k}$ two series such that:
  $\forall \mathbf{k} \in \mathbb{N}, \mathbf{0} \leq \mathbf{U_k} \leq \mathbf{V_k}$. Then:
  1. If $\sum \mathbf{V_k}$ CVG, then $\sum \mathbf{U_k}$ CVG
  2. If $\sum \mathbf{U_k}$ DVG, then $\sum \mathbf{V_k}$ DVG

#### 2.5.2.1 Example

What's the nature of $\sum \frac{\mathbf{1}}{|\mathbf{n}\cdot\sin(\mathbf{n})|}$ ?

$\forall n \in \mathbb{N}^\star, 0 < |\sin(n)| \leq 1 \implies 0 < \frac{1}{n} \leq \frac{1}{|n\cdot\sin(n)|}$
$\sum \frac{\mathbf{1}}{\mathbf{n}}$ (Harmonic) DVG $\implies \sum \frac{\mathbf{1}}{|\mathbf{n}\cdot\sin(\mathbf{n})|}$ DVG

# 3 Riemann's series

## 3.1 Definition

We call Riemann's series any series of General Terms (GT) $\sum \frac{\mathbf{1}}{\mathbf{n^\alpha}}$ where $\alpha \in \mathbb{R}$.

## 3.2 Theorem (Riemann)

Let $\alpha \in \mathbb{R}$. Then:

$$\sum \frac{1}{n^{\alpha}} \text{ CVG } \Longleftrightarrow \alpha > 1$$

### 3.2.1 Example

- $\sum \frac{\mathbf{1}}{\sqrt{\mathbf{2}}} = \sum \frac{\mathbf{1}}{\mathbf{2}^{\frac{1}{2}}} \implies$ DVG
- $\sum \frac{\mathbf{1+cos(n)}}{\mathbf{n^4}}$: $\forall n \in \mathbb{N}^{\star}, 0 \leq 1 + cos(n) \leq 2 \implies 0 \leq \frac{1+cos(n)}{n^4} \leq \frac{2}{n^4}$
  And $\sum \frac{\mathbf{2}}{\mathbf{n^4}}$ of same nature as $\sum \frac{\mathbf{1}}{\mathbf{n^4}}$ (Riemann's series) CVG $\implies \sum \frac{\mathbf{1+cos(n)}}{\mathbf{n^4}}$ CVG