Sample: 2510CVS0529.1051

Strain: Jager
Lot #: ; Batch#: Jager-A1
Sample Received: 10/15/2025; Report Created: 10/22/2025;

Jager

Plant, Flower - Cured



Safety

Pass Pesticides	**Pass** Microbials	**Pass** Mycotoxins
- Solvents	**Pass** Metals	**Pass** Foreign Matter

Visual inspection under a microscope using Ph. Eur. 2.8.2

Cannabinoids

25.696%	25.696%	0.075%
Total THC	Total THC + Δ8 + Δ10	Total CBD

Analyte	LOQ	Mass	Mass
	%	%	mg/g
CBDV	0.010	ND	ND
THCa	0.010	28.849	288.49
Δ9-THC	0.010	0.395	3.95
Δ8-THC	0.010	ND	ND
THCV	0.010	ND	ND
THCp	0.010	ND	ND
CBDa	0.010	0.086	0.86
CBD	0.010	ND	ND
CBN	0.010	ND	ND
CBGa	0.010	1.193	11.93
CBG	0.010	ND	ND
CBC	0.010	ND	ND
Δ10-THC	0.010	ND	ND
Total		**30.523**	**305.23**

Potency was determined using USP <621> chromatography and cannabinoid quantification using high-performance liquid chromatography (HPLC) with diode array detection. LOD = 0.01%. Total THC = THCa * 0.877 + d9-THC and Total CBD = CBDa * 0.877 + CBD. "ND" indicates "not detected," "NR" indicates "not reported," and "NT" indicates "not tested."

Terpenes

Lemon	Cinnamon	Magnolia

Analyte	Mass	Mass	Analyte	Mass	Mass
	mg/g	%		mg/g	%
δ-Limonene	8.65	0.865	α-Phellandrene	ND	ND
β-Caryophyllene	4.91	0.491	α-Terpinene	ND	ND
Farnesene	4.33	0.433	Borneol	ND	ND
Geraniol	3.75	0.375	Camphor	ND	ND
α-Pinene	3.51	0.351	Cedrol	ND	ND
β-Pinene	2.69	0.269	cis-Nerolidol	ND	ND
α-Bisabolol	2.48	0.248	δ-3-Carene	ND	ND
Menthol	1.58	0.158	Eucalyptol	ND	ND
trans-Nerolidol	1.38	0.138	Fenchone	ND	ND
Isoborneol	1.17	0.117	γ-Terpinene	ND	ND
Fenchol	0.47	0.047	Geranyl Acetate	ND	ND
β-Myrcene	0.40	0.040	Guaiol	ND	ND
Linalool	0.34	0.034	Isopulegol	ND	ND
Ocimene	0.24	0.024	Nerol	ND	ND
Camphene	0.23	0.023	(+)-Pulegone	ND	ND
Valencene	0.22	0.022	p-Cymene	ND	ND
Caryophyllene Oxide	0.17	0.017	Sabinene	ND	ND
Terpinolene	0.06	0.006	Sabinene Hydrate	ND	ND
α-Cedrene	ND	ND	Terpineol	ND	ND
α-Humulene	ND	ND	**Total**	**36.58**	**3.658**

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected, NR = Not Reported, NT = Not Tested

CANVAS
#2D 138 West 6th
Vancouver, BC
(604) 449-8505
http://www.canvaslabs.ca
Lic# LIC-EJBWETMPIL-2022

Dan Kjenner
Quality Assurance Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

Sample: 2510CVS0529.1051

Strain: Jager
Lot #: ; Batch#: Jager-A1
Sample Received: 10/15/2025; Report Created: 10/22/2025;

Jager

Plant, Flower - Cured

Mycotoxins — Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxin B1	1.00	5.00	ND	Pass
Aflatoxin B2	1.00		ND	Tested
Aflatoxin G1	1.00		ND	Tested
Aflatoxin G2	1.00		ND	Tested
Ochratoxin A	1.00	20.00	ND	Pass
Total Aflatoxins (B1+B2+G1+G2)	1.00	20.00	ND	Pass

Analysis by LC-MS/MS with ESI and APCI detection. Procedure reference USP <561>. Includes Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Ochratoxin A. Limit of detection for B1, B2, G1, G2, and Ochratoxin A = 0.2 ppb. Limit B1 = 5 ppb, Limit total aflatoxin = 20 ppb. ND = Not Detected, NR = Not Reported, NT = Not Tested

Heavy Metals — Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.200	0.200	<LOQ	Pass
Cadmium	0.100	0.200	<LOQ	Pass
Lead	0.500	0.500	ND	Pass
Mercury	0.050	0.100	<LOQ	Pass

Heavy metal analysis method by inductively coupled plasma-mass spectrometry (ICP-MS) for Mercury, Cadmium, Lead, and Arsenic. Procedure reference U.S.P <233>. Limits of detection; Pb: 0.45 ppb, As: 0.086 ppb, Cd: 0.08 ppb, Hg: 0.15 ppb. ND = Not Detected, NR = Not Reported, NT = Not Tested

Microbials — Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	200000	ND	Pass
Bile-Tolerant Gram-Negative Bacteria	2000	ND	Pass
E. Coli	0	ND	Pass
Pseudomonas		NR	NT
Salmonella	0	ND	Pass
Staphylococcus aureus		NR	NT
Yeast & Mold	2000	NR	NT

All quality control measures are performed within laboratory specifications.
EP 5.1.8, U.S.P. <1223>, <2021>, <61>. ND=0, NT= Not Tested
E. coli, Salmonella spp., Staphylococcus aureus, Pseudomonas aeruginosa by qualitative microbiology, and TYM, TAB, and BTGN bacteria by semi-quantitative rapid microbiology, Petrifilm, and Petri plate methods. Detection Limits; Salmonella spp.: 1CFU/10g. or 25g., E.coli, BTGN, S.aureus, P.aeruginosa: 1cfu/g., TAB: 100CFU/g. TYM: 10CFU/g.

Residual Solvents — -

Analyte	LOQ	Limit	Mass	Status

CANVAS
#2D 138 West 6th
Vancouver, BC
(604) 449-8505
http://www.canvaslabs.ca
Lic# LIC-EJBWETMPIL-2022

Dan Kjenner
Quality Assurance Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

Sample: 2510CVS0529.1051

Strain: Jager
Lot #: ; Batch#: Jager-A1
Sample Received: 10/15/2025; Report Created: 10/22/2025;

Jager

Plant, Flower - Cured

Pesticides

Pass

Analyte	LOQ	Result	Status	Analyte	LOQ	Result	Status
	PPB	PPB			PPB	PPB	
Abamectin	100.00	ND	Tested	Fluopyram	20.00	ND	Tested
Acephate	20.00	ND	Tested	Hexythiazox	10.00	ND	Tested
Acequinocyl	30.00	ND	Tested	Imazalil	50.00	ND	Tested
Acetamiprid	100.00	ND	Tested	Imidacloprid	20.00	ND	Tested
Aldicarb	1000.00	ND	Tested	Iprodione	1000.00	ND	Tested
Allethrin	200.00	ND	Tested	Kinoprene	500.00	ND	Tested
Azadirachtin	1000.00	ND	Tested	Kresoxim Methyl	20.00	ND	Tested
Azoxystrobin	20.00	ND	Tested	Malathion	20.00	ND	Tested
Benzovindiflupyr	20.00	ND	Tested	Metalaxyl	20.00	ND	Tested
Bifenazate	20.00	ND	Tested	Methiocarb	20.00	ND	Tested
Bifenthrin	1000.00	ND	Tested	Methomyl	50.00	ND	Tested
Boscalid	20.00	ND	Tested	Methoprene	2000.00	ND	Tested
Buprofezin	20.00	ND	Tested	Mevinphos	50.00	ND	Tested
Carbaryl	50.00	ND	Tested	MGK-264	50.00	ND	Tested
Carbofuran	20.00	ND	Tested	Myclobutanil	20.00	ND	Tested
Chlorantraniliprole	20.00	ND	Tested	Naled	100.00	ND	Tested
Chlorfenapyr	50.00	ND	Tested	Novaluron	50.00	ND	Tested
Chlorpyrifos	40.00	ND	Tested	Oxamyl	3000.00	ND	Tested
Clofentezine	20.00	ND	Tested	Paclobutrazol	20.00	ND	Tested
Clothianidin	50.00	ND	Tested	Parathion Methyl	50.00	ND	Tested
Coumaphos	20.00	ND	Tested	Permethrin	500.00	ND	Tested
Cyantraniliprole	20.00	ND	Tested	Phenothrin	50.00	ND	Tested
Cyfluthrin	200.00	ND	Tested	Phosmet	20.00	ND	Tested
Cypermethrin	300.00	ND	Tested	Piperonyl Butoxide	200.00	ND	Tested
Cyprodinil	250.00	ND	Tested	Pirimicarb	20.00	ND	Tested
Daminozide	100.00	<LOQ	Tested	Prallethrin	50.00	ND	Tested
Deltamethrin	500.00	ND	Tested	Propiconazole	100.00	ND	Tested
Diazinon	20.00	ND	Tested	Propoxur	20.00	ND	Tested
Dichlorvos	100.00	ND	Tested	Pyraclostrobin	20.00	ND	Tested
Dimethoate	20.00	ND	Tested	Pyrethrins	50.00	ND	Tested
Dimethomorph	50.00	ND	Tested	Pyridaben	50.00	ND	Tested
Dinotefuran	100.00	ND	Tested	Quintozene	20.00	ND	Tested
Dodemorph	50.00	ND	Tested	Resmethrin	100.00	ND	Tested
Endosulfan I	200.00	ND	Tested	Spinetoram	20.00	ND	Tested
Endosulfan II	50.00	ND	Tested	Spinosad	100.00	ND	Tested
Endosulfan Sulfate	50.00	ND	Tested	Spirodiclofen	250.00	ND	Tested
Ethoprophos	20.00	ND	Tested	Spiromesifen	3000.00	ND	Tested
Etofenprox	50.00	ND	Tested	Spirotetramat	20.00	ND	Tested
Etoxazole	20.00	ND	Tested	Spiroxamine	100.00	ND	Tested
Etridiazole	30.00	ND	Tested	Tebuconazole	50.00	ND	Tested
Fenoxycarb	20.00	ND	Tested	Tebufenozide	20.00	ND	Tested
Fenpyroximate	20.00	ND	Tested	Teflubenzuron	50.00	ND	Tested
Fensulfothion	20.00	ND	Tested	Tetrachlorvinphos	20.00	ND	Tested
Fenthion	20.00	ND	Tested	Tetramethrin	100.00	ND	Tested
Fenvalerate	100.00	ND	Tested	Thiacloprid	20.00	ND	Tested
Fipronil	60.00	ND	Tested	Thiamethoxam	20.00	ND	Tested
Flonicamid	50.00	ND	Tested	Thiophanate-Methyl	50.00	ND	Tested
Fludioxonil	20.00	ND	Tested	Trifloxystrobin	20.00	ND	Tested

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples are performed within specifications established by the Laboratory. Pesticide analysis carried out by LC-MS-MS.

All Rights Reserved

Sample: 2510CVS0529.1051

Strain: Jager
Lot #: ; Batch#: Jager-A1
Sample Received: 10/15/2025; Report Created: 10/22/2025;

Jager

Plant, Flower - Cured

Moisture

Pass

13.8%

Moisture

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident