

Visualization default values SqlClient

Advanced Properties

Advanced

MultipleActiveResultSets	False
Network Library	
Packet Size	8000
Transaction Binding	Implicit Unbind
Type System Version	Latest

Context

Application Name	.Net SqlClient Data Provider
Workstation ID	

Initialization

Asynchronous Processing	False
Connect Timeout	30
Current Language	

Pooling

Enlist	True
Load Balance Timeout	0
Max Pool Size	100
Min Pool Size	0
Pooling	True

Replication

Replication	False
-------------	-------

Security

Encrypt	False
---------	-------

Transaction Binding
Indicates binding behavior of connection to a System.Transactions Transaction when enlisted.

Data Source=.\SQLEXPRESS;Integrated Security=True;Connect Timeout=30;User Instance=True

OK Cancel

Visualization default values MySqlConnection

The screenshot shows the 'Advanced Properties' dialog box for MySqlConnection. The dialog has a blue title bar with a question mark and a close button. Below the title bar is a toolbar with icons for help, undo, redo, and a list. The main area contains a table of properties and their values. The 'Authentication' section is expanded, showing 'Certificate Store Location' set to 'None'. The 'Connection' section is also expanded, showing various connection parameters. At the bottom, there is a section for 'Certificate Store Location' with a description and an empty text box. The 'OK' and 'Cancel' buttons are at the bottom right.

Property	Value
Use Affected Rows	False
Use Performance Monitor	False
Use Procedure Bodies	True
Use Usage Advisor	False
Authentication	
Certificate File	
Certificate Password	
Certificate Store Location	None
Certificate Thumbprint	
Connection	
Allow Batch	True
Connect Timeout	15
Connection Protocol	Socket
Database	
Default Command Timeout	30
Logging	False
Pipe Name	MYSQL
Port	3306
Server	
Shared Memory Name	MYSQL
Use Compression	False

Certificate Store Location
Certificate Store Location for client certificates

OK Cancel

Visualization default values FirebirdClient

Advanced Properties

Misc

Character Set	
Charset	
ClientLibrary	
ConnectionLifeTime	
ConnectionTimeout	
ContextConnection	
Database	
DataSource	
DbCachePages	
Dialect	
Enlist	
FetchSize	
IsolationLevel	
MaxPoolSize	
MinPoolSize	
PacketSize	
Password	
Pooling	
Port	
ReturnRecordsAffected	
Role	
ServerType	
UserID	

Dialect

Character Set=

OK Cancel

Improved visualization default values Firebird

The screenshot shows the 'Advanced Properties' dialog box for Firebird. It features a blue title bar with a question mark and a close button. Below the title bar is a toolbar with icons for help, undo, redo, and a list. The main content area is divided into three sections: 'Advanced', 'Connection', and 'Security'. Each section contains a table of properties and their default values. The 'Character Set' section is expanded, showing a list of properties. Below the sections is a 'Character Set' description and a text input field. At the bottom are 'OK' and 'Cancel' buttons.

Advanced	
Character Set	NONE
Client Library	fbembed
ContextConnection	False
Db Cache Pages	0
Dialect	3
Enlist	False
FetchSize	200
IsolationLevel	ReadCommitted
MaxPoolSize	100
MinPoolSize	0
PacketSize	8192
Pooling	True
Records Affected	True

Connection	
Connection LifeTime	0
Connection Timeout	15
Database	
DataSource	
Port	3050
ServerType	Default

Security	
Password	
Role	

Character Set
The connection character set

OK Cancel