

Replacing the H mark across the application

A work order for the agent doing the replacement. The mark and the app-icon ground are decided; this document is the geometry, the colours, the surfaces, and the one pipeline rule that has to change. Where it says "decide", it means a real choice is left open and the reason is given.



The decision

Mark: the three-tone avocado — dark skin, light flesh, brown seed, with a hairline of the background separating each tone. App icon: that mark on an ink tile with a two-stop radial falloff, no border and no texture. Everything in this document follows from those two.

1. The pipeline rule that has to move first

`scripts/generate-branding.mjs` reduces the mark to a `viewBox` and one `d`, and throws when the file holds anything but a single `<path>`. The new mark is three drawables with strokes, so `pnpm typecheck` fails the moment the asset is swapped. Two ways out, and they are not equivalent.

Route A — two assets, generator untouched *recommended*

Ship a monochrome silhouette as `assets/kaava-mark.svg` — one path, seed as a counter, drawn in `currentColor` — and the three-tone version as a second declared asset used only where a file is loaded or a colour SVG is inlined by hand. The 15px title-bar glyph and the shared tool placeholder keep inheriting their CSS token, which is the property `src/ui/Icon.tsx`'s header exists to protect, and no generated code changes at all.

Cost: two files to keep in sync, and a new `[assets]` entry. `docs/branding.md §7` requires a field to name its reader before it exists — name it as the Home lockup and the splash art.

Route B — one asset, generator lifts the whole markup

Replace `markFrom()`'s single-path assertion with one that lifts the SVG's inner markup verbatim into a new `MARK_INNER` export, and render it in both call sites. The mark is then polychrome everywhere, which means the title bar's mark stops answering to `--text` and starts being three fixed greens against four different surface tones. Take this route only if that is wanted deliberately.

One trap either way: the generator lifts `d` and nothing else, so a `fill-rule="evenodd"` on the source path is silently dropped and the seed fills in. The silhouette below is wound so the counter works under the default `nonzero` rule — outer clockwise, seed counter-clockwise. Do not "tidy" the arc flags.

2. The geometry

All three files are authored in the existing 24×24 box, so the packet's lockup ratios (wordmark 0.62× the mark, gap 0.45×, 0.30em tracking) carry over untouched. Copy these verbatim.

assets/kaava-mark.svg — monochrome, one path,currentColor

```
<svg xmlns="http://www.w3.org/2000/svg" sc-camel-view-box="0 0 24 24"><path fill="currentColor" d="M12 2.4c3.3 0 7 4.2 7 10.1 0 4.8-3.1 9.1-7 9.1s-7-4.3-7-9.1C5 6.6 8.7 2.4 12 2.4zm0 8.4a2.9 2.9 0 1 0 0 5.8 2.9 2.9 0 0 0 0-5.8z"></path></svg>
```

assets/kaava-mark-colour.svg — three tones, hairline gaps

```
<svg xmlns="http://www.w3.org/2000/svg" sc-camel-view-box="0 0 24 24">
  <path fill="#6f9142" d="M12 2.4c3.3 0 7 4.2 7 10.1 0 4.8-3.1 9.1-7 9.1s-7-4.3-7-9.1C5 6.6 8.7 2.4 12 2.4z"></path>
  <path fill="#b9d98a" stroke="#14161a" stroke-width="0.9" d="M12 3.85c2.85 0 5.9 3.7 5.9 8.75 0 4.1 5-2.65 7.75-5.9 7.75s-5.9-3.6-5.9-7.75C6.1 7.55 9.15 3.85 12 3.85z"></path>
  <circle fill="#a9743c" stroke="#14161a" stroke-width="0.9" cx="12" cy="13.7" r="2.9"></circle>
</svg>
```

The gap is the background, never a colour. The file has to commit to something, so it commits to --bg's value.

Anywhere this is inlined rather than loaded, set the two strokes to the surface it sits on: stroke="var(--bg)" on the page and the tool window, var(--surface) on the four bars and the panel. Inline SVG resolves CSS variables; a loaded does not, which is the second reason the small chrome mark stays monochrome.

assets/app-icon-source.svg — 256 box, replaces the current file wholesale

```
<svg xmlns="http://www.w3.org/2000/svg" sc-camel-view-box="0 0 256 256">
  <defs>
    <radialGradient id="kaava-tile" cx="0.5" cy="0.44" r="0.56">
      <stop offset="0" stop-color="#2b313b"></stop>
      <stop offset="1" stop-color="#101216"></stop>
    </radialGradient>
  </defs>
  <path fill="url(#kaava-tile)" d="M58.67 10.67h138.67A48 48 0 0 1 245.33 58.67v138.67a48 48 0 0 1-48 48H58.67a48 48 0 0 1-48-48V58.67a48 48 0 0 1 48-48z"></path>
  <g transform="translate(42.67 42.67) scale(7.1111)">
    <path fill="#6f9142" d="M12 2.4c3.3 0 7 4.2 7 10.1 0 4.8-3.1 9.1-7 9.1s-7-4.3-7-9.1C5 6.6 8.7 2.4 12 2.4z"></path>
    <path fill="#b9d98a" stroke="#2a303a" stroke-width="0.9" d="M12 3.85c2.85 0 5.9 3.7 5.9 8.75 0 4.1 5-2.65 7.75-5.9 7.75s-5.9-3.6-5.9-7.75C6.1 7.55 9.15 3.85 12 3.85z"></path>
    <circle fill="#a9743c" stroke="#2a303a" stroke-width="0.9" cx="12" cy="13.7" r="2.9"></circle>
  </g>
</svg>
```

The gaps here are #2a303a, not #14161a: they match the gradient's inner stop, which is the ground actually behind the mark on this tile. The tile has no border by design — the corners fall to #101216, darker than a Windows dark taskbar, and that falloff is what draws the edge. Do not add a keyline back.

3. Colour

`src/tokens.css` says every value in it is lifted from the shell handoff and that no colour may be added that does not appear there. These are brand colours, not interface colours, so add them as their own block with a comment saying exactly that — they come from the brand packet, not from the handoff, and nothing in the interface may reach for them.

Token	Value	Where
--mark-skin	#6f9142	outer body, on dark grounds
--mark-flesh	#b9d98a	inner body
--mark-seed	#a9743c	seed
--mark-skin-light	#3d5a2b	the same three, for light grounds
--mark-flesh-light	#7fa650	README, docs, any bone surface
--mark-seed-light	#8a5a2b	

The amber does not move. --accent stays #d98a3f and stays the interface's accent: active tab rules, focus, drop targets, the primary action, the splash progress fill. It is not the brand colour any more, and it must not appear behind the mark — amber's relative luminance is 0.333 against the flesh's 0.324, a contrast ratio of 1.0:1, so a green mark on an amber field separates by hue alone and disappears when squinted at.

4. Every surface, and what happens to it

File	Change
assets/kaava-mark.svg	Replace with the monochrome silhouette. Still one path, so the generator keeps working and both branding.generated.ts sets pick the new geometry up on the next typecheck.
assets/kaava-mark-colour.svg	New file. Declare it in branding.toml under [assets] with a comment naming its readers; check-branding.mjs asserts declared assets exist, so it is covered automatically.
assets/app-icon-source.svg	Replace wholesale, then run <code>pnpm tauri icon assets/app-icon-source.svg</code> . That rewrites <code>src-tauri/icons/</code> ; commit the regenerated set.
assets/kaava-icon.svg assets/kaava-icon-256.svg assets/kaava-icon-textured.svg	The container variants. Redraw as the same tile: rounded square, radial ground, mark at two thirds. The textured variant is the open question — the grain is currently stippled circles over the whole tile, and the new ground is a gradient. Decide: keep a textured variant at all, or retire it and let the gradient be the whole treatment.
src/ui/Icon.tsx — BrandGlyph	No code change under Route A. It draws MARK_PATH at 15px on the title bar and larger as the shared tool placeholder, both in <code>currentColor</code> — verify both at their real sizes, because the seed counter is the first thing to close up.
apps/home/ui/src/icons.tsx — Mark	The Home lockup, at 52px. This is the one in-app surface big enough for the three-tone version: inline the colour geometry here with <code>stroke="--bg"</code> on the two gaps. Keep the file's own rule — no import from the shell, no hardcoded hex outside the mark itself.
apps/home/ui/src/home.css	Untouched. Every lockup measurement is a ratio of <code>--mark</code> : 52px and the new mark keeps the 24×24 box, so the proportions hold. Do not retune the gap or the tracking.
src/splash/SplashArt.tsx src/splash/splash.css	The mark sits inside the boot ring in an 84px grid cell, coloured <code>--text</code> by <code>.splash-art__mark</code> . It renders at roughly 24px inside the ring: keep it monochrome, and check the silhouette does not crowd the arc — the H was narrower than the avocado is.
public/kaava-splash-field.svg	The 230 kB art field behind the splash wordmark. Out of scope for this pass, but flag it if it carries H geometry or leans on amber as the brand colour.
apps/tutorial/**	The mocks draw the title bar rather than describing it, which is why they read <code>PRODUCT_NAME</code> . Check whether any mock draws the glyph too; a drawing of a surface is a surface.
assets/ui/*.png, README.md	Eight screenshots and the 120px README icon still show the H. Regenerate after the app change lands, as a separate commit.

5. Out of scope

Every frozen identifier in docs/branding.md §2 stays exactly as it is: the kaava.toml filename, the .kaava extension and .kaava/ directory, the kaava/* RPC namespace, kaava-tool://, the @openkaava/* scope, the crate names, com.firelightinnovations.openkaava, the config directory, the kaava-<id> MCP key. This work touches art and two colours; it touches no wire format.

The wordmark is unchanged — IBM Plex Sans SemiBold, all caps, 0.30em, uppercased by the stylesheet with mixed case in the markup. No product strings change, so `branding.toml`'s `[product]` table and all six checked string surfaces stay as they are.

6. Done means

- `pnpm lint` passes, and `node scripts/check-branding.mjs --list` prints the new asset among the brand assets.
- `pnpm typecheck` passes, meaning the generator accepted the mark, and all four `branding.generated.ts` files carry the new `MARK_PATH`.
- Every entry in `tauri.conf.json`'s `bundle.icon` resolves inside `src-tauri/icons` and exists after regeneration.
- The mark is legible at 15px on the title bar, 16px in the taskbar, and 24px inside the splash ring — with the seed still reading as a hole at each.
- The installer icon is distinguishable from its neighbours in a Windows dark taskbar with no border drawn.
- No H geometry remains in `assets/`, `src/`, `apps/` or `public/`. The old path began `M6 3h2.5v9l7-3V3H20v16`; `grep` for it.