

Asciidoc syntax cheat sheet

Author: Yuri Slobodyanyuk, admin@yurisk.info

Command	Description
<code>article, book, manpage</code>	Types of AsciiDoc documents
Block types	<p>Document ::= (Header?, Preamble?, Section*) Header ::= (Title, (AuthorInfo, RevisionInfo?)) AuthorInfo ::= (FirstName, (MiddleName?, LastName?)), EmailAddress?) RevisionInfo ::= (RevisionNumber?, RevisionDate, RevisionRemark?) Preamble ::= (SectionBody) SectionBody ::= ((BlockTitle?, Block) (BlockMacro)+ Block ::= (Paragraph DelimitedBlock List Table) List ::= (BulletedList NumberedList LabeledList CalloutList) BulletedList ::= (ListItem)+ NumberedList ::= (ListItem)+ CalloutList ::= (ListItem)+ LabeledList ::= (ListItem)+ ListEntry ::= (ListLabel, ListItem) ListLabel ::= (ListTerm+) ListItem ::= (ItemText, (List ListParagraph ListContinuation)*))</p>
<code>_text_</code>	<i>text</i> will be in italics.
<code>*some text*</code>	some text will be bold/strong.
<code>+some text+</code>	some text will be in Monospace.
<code>`some text`</code>	<code>some text</code> is rendered not just in Monospace but literally.
<code>"`some text`"</code>	“some text” will be in double smart quotes.
<code>'`some text`'</code>	‘some text’ will be rendered in single smart quotes.