

CDMS

Container Depot Management System

CDMS

Implementation Guide

End-to-end setup, configuration & deployment manual

Version 2.0
2026-06-27

Audience: Implementation Consultants · System Administrators · Depot
Operators

CDMS

Container Depot Management System

Field	Value
Title	CDMS Implementation Guide
Version	2.0
Date	2026-06-27
Owner	CDMS Product Team
Status	Released
Distribution	Implementation partners, customer admins

Revision history

Version	Date	Author	Notes
1.0	2026-06	CDMS	Initial short overview
2.0	2026-06-27	CDMS	Comprehensive rewrite covering all modules, multi-tenant SaaS, RBAC, multi-cu

Table of Contents

#	Section
1	Introduction
2	System Architecture
3	Pre-Implementation Checklist
4	Account & Workspace Setup
5	Branding & Global Settings
6	User & Role Management
7	Multi-Currency & FX
8	Chart of Accounts & Finance Foundations
9	Yard & Inventory Setup
10	Gate Operations
11	Maintenance & Repair
12	CRM & Sales
13	Manufacturing / Conversions
14	Procurement
15	Leasing
16	Logistics
17	HRM & Payroll
18	Finance Operations
19	Reporting & Analytics
20	Customer & Vendor Portals
21	Communications
22	Security & Compliance
23	Data Migration & Adoption
24	Deployment & Go-Live
25	Post-Go-Live Operations
26	Troubleshooting & FAQ
A	Role / Permission Matrix
B	Module Catalog
C	Document Numbering
D	Glossary
E	Companion Guides

1. Introduction

The Container Depot Management System (CDMS) is a multi-tenant SaaS platform that runs the operational, commercial and financial workload of container depots, ICDs, leasing operators and conversion yards. A single deployment serves many tenant organizations, each with its own users, data, branding, currency and module subscriptions.

1.1 What CDMS does

- Tracks every container, movement and yard slot in real time.
- Runs gate-in / gate-out with EIR, photos, condition grading and gate fees.
- Manages M&R; from inspection through estimate and work order.
- Sells, leases and converts containers with full job costing.
- Procures materials and services with PO, goods receipt and supplier invoicing.
- Plans and executes transport orders with deposit and balance invoicing.
- Runs HR and payroll with payslip approval and reconciliation.
- Posts every operational event to a full double-entry general ledger.
- Reports profit & loss, balance sheet, trial balance, aging and cash flow.
- Exposes a customer portal and a vendor console for self-service.

1.2 Audience

This guide is written for implementation consultants, system administrators and power users who configure CDMS for a new tenant. Each section follows a consistent pattern: *Purpose* → *Prerequisites* → *Steps* → *Validation*.

1.3 Deployment model

CDMS is delivered as managed SaaS on Lovable Cloud. Tenants do not install or operate servers, databases or background workers. Subscriptions are billed per user seat and per enabled module.

2. System Architecture

2.1 Stack

Layer	Technology
Frontend	React 18, Vite 5, TypeScript 5, Tailwind, shadcn/ui
State / data	TanStack Query, Backend client, Realtime channels
Backend	Lovable Cloud (Managed PostgreSQL, Auth, Storage, Edge Functions, Realtime)
AI	Lovable AI Gateway (Gemini Flash for WhatsApp intent parsing)
Push	W3C Web Push with VAPID; Service Worker (sw.js)
Messaging	Meta WhatsApp Cloud API, transactional email via internal queue

2.2 Multi-tenant model

Every business table carries an `organization_id` column. Row-Level Security policies scope reads and writes via the helper `current_org_id()` and elevate platform staff via `is_platform_admin()`. Legacy records from the original single-tenant database live in the default organization `00000000-0000-0000-0000-000000000001` and can be adopted into an active tenant with the `adopt_legacy_org_data` RPC.

2.3 Module catalog and licensing

Modules are enabled per tenant via subscription. The sidebar intersects each user's permission set with the subscribed modules so that unlicensed or unassigned modules never appear. Seat capacity is enforced when inviting or creating users.

2.4 Auditability

Container movements, EIR events, finance postings and approvals are immutable. Every sensitive table has an audit trigger that records the actor, before/after values and timestamp into a dedicated audit log.

Tip. Treat the database as the source of truth. All UI flows post through SECURITY DEFINER RPCs that enforce business rules atomically — never bypass them with direct table inserts.

3. Pre-Implementation Checklist

Collect the following before kickoff. Use the checklist to scope effort and identify data owners on the customer side.

3.1 Organizational

Item	Owner	Notes
Legal entity name, tax ID, registered address	Finance	Used on every PDF
Operating depots / yards	Operations	One depot = one yard map
Reporting currency & home country	Finance	Drives default FX base
Fiscal year start month	Finance	Drives periods & year-end close
Module subscription plan	Sponsor	Determines visible modules
Initial seat count	Sponsor	Hard capped at runtime

3.2 Master data

- Chart of accounts (or use the seeded template).
- Tax codes and rates (VAT, withholding).
- Tariff rate cards (storage, handling, gate fees, M&R;).
- Customer master with billing and shipping addresses, currency, payment terms.
- Supplier master with bank details, currency, payment terms.
- Employee master with grade, salary structure, statutory IDs.
- Container master: opening yard stock with size/type/condition/owner.
- Trucks, drivers, transporters, vehicles.
- Bank and cash accounts with opening balances.
- Open AR and AP invoices for cutover.

3.3 Technical

- Admin email accounts (per organization).
- Logo files (PNG, transparent, $\geq 512\text{px}$).
- Email domain for transactional sending (optional).
- WhatsApp Business number and Meta app credentials (optional).
- DNS access for custom domain (optional).

4. Account & Workspace Setup

4.1 Sign-up and verification

- 1 Visit the published URL and click **Create a workspace**.
- 2 Provide work email, display name and password.
- 3 Open the verification email and click the activation link.
- 4 Return to the app — the onboarding wizard launches automatically.

4.2 Onboarding wizard

The wizard captures organization name, country, default currency and timezone, then provisions a private tenant. The signing user is granted the **Org Owner** role with full admin rights. The 14-day free trial of every module begins immediately.

4.3 Subscription & seat capacity

- Each plan defines a seat cap and a set of subscribed modules.
- The `check_seat_capacity()` RPC blocks invitations once the cap is reached.
- Upgrade or downgrade in **Settings** → **Subscription**; module changes take effect immediately for sidebar visibility.

Important. Email verification cannot be disabled in production. If a user does not receive the verification mail, check the suppression list and request a resend from the login screen.

5. Branding & Global Settings

All branding lives in **Settings** → **Depot Settings** and is resolved at runtime by the global app-settings store. Changes propagate to every PDF, email and screen via realtime.

5.1 Depot profile

- Legal & trading name, tax ID, registered address.
- Primary phone, email, website.
- Logo upload to the depot - assets bucket (folder-scoped to the tenant).
- Letterhead colour and footer text.

5.2 Document numbering

Document	Format	Source
EIR	EIR-<DEPOT>-NNNN	next_eir_number()
Sales invoice	INV-NNNN	sequence per org
Purchase invoice	PINV-NNNN	sequence per org
Purchase order	PO-NNNN	sequence per org
Sales order	SO-NNNN	sequence per org
Goods receipt	GRN-NNNN	sequence per org
Payment voucher	PV-NNNN	sequence per org
Transport order	TO-NNNN	sequence per org
Payslip	PSL-YYYYMM-NNNN	payroll run

5.3 Currency auto-fill

A BEFORE-INSERT trigger `set_currency_from_org()` is attached to every money-bearing table. It populates the currency column from the organization default whenever the row is created without an explicit value. Per-party overrides on customer and supplier records take precedence.

Tip. When extending the schema with a new money column, always attach the currency trigger in the same migration. Never hardcode USD or EUR defaults in code.

6. User & Role Management

6.1 Roles

Roles are stored in `user_roles` and resolved via the SECURITY DEFINER function `has_role()`. Functional roles are layered on top of the base role to grant module-specific permissions.

Role	Scope
Platform Admin	Vendor-side staff; full cross-tenant access.
Org Owner	Full admin within one organization.
Admin	All modules within one organization.
Accountant	Finance, AR, AP, banking, period close.
HR Manager	Employees, payroll, payslips.
Yard Operator	Inventory, movements, yard map.
Gate Clerk	Gate operations, EIR, appointments.
Procurement Officer	Suppliers, POs, goods receipt.
Sales Rep	CRM, quotes, sales orders, container sales.
Logistics Dispatcher	Transport orders, trips, costs.
Viewer	Read-only across permitted modules.
Customer	Self-service portal only, scoped to own records.

6.2 Permissions matrix

Settings → **Permissions** exposes the matrix of `app_action` × `role` × `module`. Defaults live in `role_permission_defaults`; per-tenant overrides live in `role_permission_overrides`. The sidebar uses `get_user_view_modules()` which intersects effective permissions with the subscribed module set.

6.3 Invite wizard

- 1 Open **Settings** → **Users** and click **Invite**.
- 2 Enter email and display name.
- 3 Pick the base role and assign functional roles per module.
- 4 Tick the modules the user may access — unticked modules are explicitly revoked.
- 5 Confirm — the wizard calls `invite-staff-user` (or `create-staff-user` for direct provisioning), which validates seat capacity and admin authority for the current org.

6.4 Password recovery

Users click **Forgot password?** on the login screen, receive a reset link, and set a new password through the `/reset-password` route. Org admins cannot view or set user passwords directly.

Important. Roles control authorization, not data visibility alone. A user without the subscribed module will not see it in the sidebar even if the role grants the action — the intersection is enforced at the database layer.

7. Multi-Currency & FX

7.1 Per-party currency

Customers and suppliers can override the tenant default. Documents created for the party inherit the party currency; ledger postings are stamped with the transaction currency and the FX rate at posting time.

7.2 Exchange-rate table

Finance → **FX Rates** maintains rates per currency pair and effective date. The `get_fx_rate(base, quote, on_date)` RPC returns the rate effective on the requested date, falling back to the most recent prior rate.

7.3 Historical backfill

Finance → **Currency Backfill** rewrites historical ledger postings whose transaction currency was wrong because the source document was created before currency stamping was enabled. The screen previews impacted rows before commit.

7.4 Reconciliation

Finance → **Sales Currency Reconciliation** highlights container sales whose invoice currency does not match the linked ledger entry, surfacing FX gaps that must be resolved before period close.

8. Chart of Accounts & Finance Foundations

8.1 Chart of accounts

CDMS ships with a standard COA covering assets, liabilities, equity, revenue and expense. Import a custom COA via CSV or extend the default in **Finance** → **Chart of Accounts**. Every account has a type, a normal balance and an optional parent for hierarchical reporting.

8.2 Fiscal periods

- 1 Open **Finance** → **Fiscal Periods**.
- 2 Set the fiscal year start month and generate twelve periods.
- 3 Close prior periods to lock postings; **Year-End Close** rolls retained earnings.

8.3 Tax codes

Configure VAT and withholding codes in **Finance** → **Tax Codes**. Each code links to a tax account and applies automatically to invoice lines that reference it.

8.4 Bank and cash accounts

Finance → **Bank & Cash Accounts** registers operating accounts. Inter-account transfers, recurring transfers and reconciliation workspaces are first-class.

8.5 Opening balances

Post opening balances as a manual journal dated one day before go-live. Use the Trial Balance to verify the journal totals to zero before continuing.

9. Yard & Inventory Setup

9.1 Yard map

Define the yard grid in **Inventory** → **Yard Map**: number of rows, columns and the maximum stack height. The map supports stacking rules (weight, reefer, hazardous) and visualizes occupancy in real time.

9.2 Container master

Import opening container stock via the **Inventory** → **Bulk Import** dialog. Mandatory fields: container number, ISO size/type, condition grade, owner, current slot. The importer validates ISO codes and rejects duplicates.

9.3 Container ownership

Containers are owned by the depot, by a third party (line/owner) or held under a lease. Ownership drives the accounting behaviour of sales and acquisitions — third-party sales auto-generate purchase invoices to the owner.

10. Gate Operations

10.1 Appointments

Customers or staff book gate appointments via the portal or **Gate** → **Appointments**. Each appointment carries truck, driver, container (for gate-out) and expected window.

10.2 Trucks & drivers

Maintain the truck and driver registry in **Gate** → **Trucks & Drivers**. Document expiry alerts (insurance, licence, road-worthiness) push to the gate dashboard.

10.3 EIR

- EIRs are auto-numbered via `next_eir_number ( )` with the unified EIR-<DEPOT>-NNNN format.
- Gate-in photos are **mandatory** — at minimum front, back and one side.
- Choose template **Standard** for shipping-line traffic or **Sales/Repatriation** for sold or returned units. Tooltips on the selector describe each format.
- Condition grading is captured at gate-in and propagated to inspections and M&R.;
- EIRs are editable by admins from the EIR Records page; deletes are admin-only and require confirmation.

10.4 Gate fees

Active tariffs stamp gate fees onto the EIR automatically. Fees post to AR and appear on the EIR PDF. Reconcile in **Finance** → **Gate Fee Reconciliation**.

11. Maintenance & Repair

The M&R; workflow: **Inspection** → **Estimate** → **Work Order** → **Completion**. Container availability is updated automatically at each stage.

11.1 Inspections

Inspectors record damages against IICL or AAR codes with photos and severity. Each damage line carries a recommended action.

11.2 Estimates

Estimates aggregate labour and material lines into a quotable document sent to the container owner. Approval converts the estimate into a Work Order.

11.3 Work orders

Work orders consume materials from stock, log labour against employees and post job costs to the GL. Completion releases the container back to available stock.

12. CRM & Sales

12.1 Pipeline

Leads → **Deals** → **Quotes** → **Sales Orders**. Each stage carries owner, expected close date and value. Won deals can spawn a Quote or directly a Sales Order.

12.2 Quotes

Quotes are versioned. The **Version History** drawer shows a side-by-side diff of line items, prices and discounts. Quotes are PDF-shareable and acceptable via portal.

12.3 Container sales

Selling a third-party container is fully automated. Marking the sale **Sold** simultaneously: transfers ownership, generates a customer invoice, generates a purchase invoice to the original owner at the acquisition price, posts revenue and COGS, and triggers a sales-template EIR for gate-out.

12.4 Multi-currency sales

Container sales carry an explicit currency. The acquisition PO and ledger entries propagate that currency, eliminating cross-currency reconciliation gaps.

13. Manufacturing & Conversions

Conversion jobs transform donor containers into finished products (offices, ablutions, shops). The flow is **Job → Attach Container → BOM → Labour → Finished Product**.

13.1 Attach container

Jobs can be created without a container and have one attached later via the **Attach Container** dialog, which atomically updates job and container status.

13.2 Split cost model

Container cost has two components: **Purchase price** (invoiced to the owner as an acquisition cost) and **Transport & Offloading** (logistics cost). Both are editable retroactively via the `adjust_conversion_costs` and `adjust_sale_costs` RPCs, which post balancing ledger entries.

13.3 BOM, labour, finished products

Materials consumed from stock and labour booked against employees are costed into the job. On completion the finished product enters Finished Products stock at the rolled-up cost and is available for sale.

14. Procurement

14.1 Suppliers

Suppliers carry currency, tax ID, bank details and payment terms. Per-party currency overrides the tenant default.

14.2 Purchase orders

POs are created from a job, work order or directly. Lines reference catalog items; new items can be created inline.

14.3 Goods receipt with variances

- The receipt dialog requires **actual quantity** per line.
- Variances against the ordered quantity require a mandatory reason.
- Over-receipts automatically raise a supplementary PO and supplier invoice.
- Under-receipts automatically raise a supplier credit note.
- All actions are recorded in the **goods_receipt_audit** trail.

14.4 Approval workflow

Variances enter the `approval_requests` queue. A manager reviews them in **Finance** → **Approvals**; on approval the `decide_goods_receipt_variance` RPC posts inventory and generates the supplementary documents.

14.5 Supplier invoices & payments

Purchase invoices (PINV-...) are visible in **Finance** → **Purchase Invoices**. Vendor payments post outgoing transactions, integrate with job costing and create COGS entries where applicable.

15. Leasing

Leasing manages long-term rental of containers and conversion units.

- **Quotations** price units per period with deposit terms.
- **Agreements** convert quotations into signed contracts.
- **Lease Units** tracks each leased container's location and condition.
- **Tracker** shows in-life movements and exceptions.
- **Billing Run** generates periodic invoices and posts to the GL.

16. Logistics

16.1 Masters

Configure carriers, vehicles, drivers and standard routes in the Logistics module.

16.2 Transport orders

A Transport Order represents a customer-facing job. It supports:

- Deposit invoicing via `logistics_propose_deposit`.
- Balance invoicing via `logistics_invoice_order_part`.
- Full invoicing via `logistics_invoice_order`.
- All three RPCs use `invoice_type = 'other'` on the underlying invoice.

16.3 Trips & costs

Trips execute one or more orders. Trip costs (fuel, tolls, allowances) are captured per trip and rolled into the **Logistics P&L** report.

16.4 Billing run

The Logistics Billing Run sweeps completed orders and generates customer invoices in a single batch.

17. HRM & Payroll

17.1 Employees

Employee records carry grade, salary structure, statutory IDs (PAYE, NSSF, NHIF / equivalent) and bank details. Self-service requires an invited portal account.

17.2 Payslip template

HRM → Payslip Template defines earnings, deductions and statutory lines. Templates are tenant-scoped and previewable as PDF.

17.3 Payroll runs

- 1 Open **HRM → Payroll Runs** and create a run for the period.
- 2 The system generates payslips for active employees using the template.
- 3 Review variances against last period; resubmit or adjust.
- 4 Submit for approval; approver releases the run.
- 5 On payment, payslips post to GL and notify employees by email.

17.4 Payroll reconciliation

HRM → Payroll Reconciliation compares the run total against the bank disbursement and flags mismatches before close.

18. Finance Operations

Area	Where
AR invoices	Finance → Invoices
Customer payments	Finance → Payments
Recurring invoices	Finance → Recurring Invoices
Statements & dunning	Finance → Statements / Dunning Rules
Aging (AR & AP)	Finance → Aging
Expense claims	Finance → Expense Claims
Petty cash	Finance → Petty Cash
Fixed assets & depreciation	Finance → Fixed Assets
Bank reconciliation	Finance → Bank Reconciliations
Manual journals	Finance → Manual Journals
Approvals queue	Finance → Approvals
Period close	Finance → Period Close
Year-end close	Finance → Year-End Close
Audit log	Finance → Audit Log

18.1 Recurring invoices

Schedules are evaluated nightly. The run history sheet records each generated invoice and any skipped occurrences.

18.2 Period close

Closing a period locks postings to that period. Re-opening requires admin rights and is logged.

19. Reporting & Analytics

- **Trial Balance** — drill-down to journal lines.
 - **Profit & Loss** — period and comparative views.
 - **Balance Sheet** — point-in-time with comparatives.
 - **Cash Flow Forecast** — projected receipts and payments.
 - **Budget Variance** — budget vs actual per account.
 - **FX Revaluation** — period-end revaluation of foreign-currency balances.
 - **Logistics P&L;** — order, trip and route profitability.
 - Operational reports — throughput, stock, yard, revenue, M&R.;
- Every report exports to CSV and PDF and is shareable via email or WhatsApp.

20. Customer & Vendor Portals

20.1 Customer portal

Customers access **/portal** with their own credentials and see only their containers, leases, appointments, invoices and release instructions. Invitations are sent from **Customers** → **Invite Portal User**.

20.2 Vendor console

Platform staff use **/vendor** to manage tenants, modules, invoices, lifecycle events, database load and security findings across all organizations.

21. Communications

21.1 Transactional email

Welcome, verification, staff invite, payslip and password-reset emails are sent through the email queue and processed by `process-email-queue`. Templates live under the transactional email templates directory.

21.2 WhatsApp

Configure Meta WhatsApp Cloud API credentials as secrets. Inbound messages are parsed by `whatsapp-webhook` using Gemini Flash; outbound messages are queued by `whatsapp-send`.

21.3 Web push

Users opt in to browser push from the bell icon. Subscriptions are stored encrypted and replayed via the `push-notify` function.

21.4 Notification preferences

Each user controls per-event channel preferences (email, push, WhatsApp) in **Settings** → **Notifications**.

22. Security & Compliance

22.1 RLS

Every public table is RLS-enabled. Policies scope rows by `current_org_id()` and elevate platform admins. New tables ship with explicit GRANT statements; PostgREST rejects access otherwise.

22.2 Storage buckets

Bucket	Visibility
depot-assets	Public read; uploads scoped to tenant folder.
container-photos	Authenticated read/write; folder = tenant org ID.

22.3 Sensitive RPCs

Functions with side effects on finance, HR or cross-tenant data are SECURITY DEFINER and revoke anon execute. Realtime broadcast topics for payroll and audit logs are restricted to specific roles.

22.4 Audit trails

Immutable audit triggers cover container movements, EIR events, finance postings, user role changes and approval decisions. The audit log is queryable from **Finance** → **Audit Log**.

22.5 Security findings dashboard

Platform staff monitor scan results in **/vendor/security**. Findings carry a stable `internal_id`; remediation SQL is suggested where applicable.

23. Data Migration & Adoption

23.1 Bulk import

Most registries (customers, suppliers, containers, employees, materials) expose a **Bulk Import** dialog accepting CSV with downloadable templates.

23.2 Legacy data adoption

Records sitting in the default organization can be moved into an active tenant with `adopt_legacy_org_data(org_id, scope)`. Use **Finance** → **Adopt Legacy Data** to preview and execute the move.

23.3 Unposted documents

View `v_unposted_documents` via **Finance** → **Dashboard** to identify operational records missing ledger entries during migration.

24. Deployment & Go-Live

24.1 Environment readiness

- Tenant provisioned and subscription confirmed.
- Branding, COA, tax codes, tariffs configured.
- Master data imported and reconciled.
- Opening balances posted and trial balance verified.
- User accounts invited with correct roles and module assignments.
- Email domain (optional) and WhatsApp credentials configured.

24.2 UAT checklist

Run scripted UAT covering gate-in, gate-out, EIR, M&R, sale, conversion, PO, goods receipt with variance, payroll run, invoice & payment, period close. Capture sign-off per scenario.

24.3 Cutover plan

- 1 Freeze legacy system at T-1 end of business.
- 2 Post final opening balances and yard stock.
- 3 Re-verify trial balance and yard occupancy.
- 4 Enable production user logins at T.
- 5 Run parallel for two weeks; reconcile daily.
- 6 Sign off and decommission legacy.

25. Post-Go-Live Operations

25.1 Backups

Lovable Cloud manages daily database backups with point-in-time recovery. Tenants do not operate backup jobs.

25.2 Monitoring

Org Owners receive system health summaries in **Settings** → **System Health**. Platform staff monitor cross-tenant analytics in the Vendor Console.

25.3 Scaling seats & modules

Increase seats or enable additional modules at any time from **Settings** → **Subscription**; module visibility refreshes for affected users on next sidebar render.

25.4 Change management

Schema and behavioural changes ship continuously. Release notes are surfaced on the dashboard; breaking changes are pre-announced via email and in-app banner.

26. Troubleshooting & FAQ

Symptom	Likely cause	Resolution
Invite fails with 'seat capacity reached'	Subscription seat cap hit.	Upgrade plan or deactivate a user.
New user sees no modules	No functional role granted, or module not subscribed.	Edit user role settings → Users and assign modules.
'permission denied for table X'	Missing GRANT or RLS policy.	Re-run the table migration; verify policies.
Invoice in EUR but ledger in USD	FX missing or currency not stamped.	Run Finance → Currency Backfill and add FX rates.
EIR PDF shows wrong logo	App settings cached.	Refresh; verify Settings → Depot Settings.
Payment post fails: 'no field payment_date'	Legacy audit trigger.	Apply latest migration; column is paid_at.
Deposit invoice 'invalid input'	invoice_type enum mismatch.	Confirm logistics RPCs use 'other'.
Container photos missing for non-ad Buick	Bucket scoped to org folder.	Upload under tenant org-ID prefix.
Verification email not received	Suppressed or delayed.	Resend; check spam; verify domain.

Appendix A. Role / Permission Matrix

Indicative defaults. Per-tenant overrides take precedence.

Module	Admin	Accountant	HR Mgr	Yard Op	Gate Clerk	Sales	Procurement	Viewer
Inventory	RW	R	—	RW	R	R	R	R
Gate	RW	R	—	R	RW	R	—	R
M&R	RW	R	—	RW	R	R	R	R
CRM/Sales	RW	R	—	—	—	RW	—	R
Manufacturing	RW	R	—	RW	—	R	R	R
Procurement	RW	R	—	—	—	—	RW	R
Logistics	RW	R	—	R	R	R	R	R
HRM/Payroll	RW	R	RW	—	—	—	—	—
Finance	RW	RW	—	—	—	—	—	R
Settings	RW	R	R	—	—	—	—	—

Appendix B. Module Catalog

Module	Description
Inventory	Containers, yard map, movements, reports.
Gate	Appointments, trucks/drivers, EIR, gate fees.
M&R	Inspections, estimates, work orders.
CRM & Sales	Leads, deals, quotes, sales orders, container sales.
Manufacturing	Conversion jobs, BOM, finished products, sub-assembly stock.
Procurement	Suppliers, POs, goods receipt, supplier invoices.
Leasing	Quotations, agreements, units, tracker, billing run.
Logistics	Carriers, vehicles, drivers, routes, transport orders, trips, costs.
HRM & Payroll	Employees, payslips, payroll runs, reconciliation.
Finance	GL, AR/AP, fixed assets, banking, reporting, close.
Customer Portal	Self-service for customers.
Vendor Console	Platform staff cross-tenant management.

Appendix C. Document Numbering

Sequences are tenant-scoped and gap-free per document type. The depot code is drawn from the depot profile and is configurable per location.

Document	Default format	Notes
EIR	EIR-<DEPOT>-NNNN	Unified across gate, sales, repatriation.
Sales invoice	INV-NNNN	Per organization.
Purchase invoice	PINV-NNNN	Auto-generated on third-party sale.
Credit note	CRN-NNNN	Supplier credit on under-receipt.
Sales order	SO-NNNN	
Quote	QT-NNNN	Versioned.
Purchase order	PO-NNNN	Supplementary POs share sequence.
Goods receipt	GRN-NNNN	
Payment voucher	PV-NNNN	
Transport order	TO-NNNN	
Payslip	PSL-YYYYMM-NNNN	
Manual journal	JE-NNNN	

Appendix D. Glossary

Term	Definition
EIR	Equipment Interchange Receipt.
IICL	Institute of International Container Lessors damage code set.
AAR	Association of American Railroads damage code set.
ICD	Inland Container Depot.
M&R	Maintenance & Repair.
BOM	Bill of Materials.
COA	Chart of Accounts.
RLS	Row-Level Security (Postgres).
RPC	Remote Procedure Call (Backend function).
AR / AP	Accounts Receivable / Accounts Payable.
FX	Foreign Exchange.
Tenant	An organization in the multi-tenant platform.
Seat	A licensed user account in a subscription.

Appendix E. Companion Guides

Additional downloadable references are available from **Settings** → **Documentation** → **Downloadable Guides**:

- **EIR API Documentation** — endpoints, payloads, role requirements.
- **Implementation Guide** — this document.

— End of Implementation Guide —