

An Administrator is working through a set of tasks to set up a Vantage system. The current task is to set up alerts to trigger BTEQ concept.

Which below action should an Administrator take?

- a) Specify BTEQ in SNMP trap
- b) Configure an action set specifying BTEQ** ✓
- c) Ensure the SMTP host is using WPA
- d) Define a delivery setting to run SQL

A system in Viewpoint is regularly reported as being critical State due to lack of available AWT. No flow control is observed on the system. The system that increases the number of availability from 80 to 120. Which process Task is required to set up the system in viewpoint to address the problem?

a) Configure a system alert that has been configured for AWT to the recommended potential threshold of 92.

- b) Configure the AWT info data collector with the updated settings of 129 maximum AWT.
- c) Update the Performance data collection portal job That collects resource usage data with the 120 maximum AWT value.
- d) Increase by 40 the degraded and critical thresholds of the AWT in the system health setup portal. ✓

Partition elimination enhancement query performance by skipping row partitions that do not contain rows that meet the search condition of a query. Let us assume a total of 65535 partitions this could easily be far more than the number of populated partitions and would adversely affect performance.

Which form of partitioning will cause the optimizer to make the assumptions?

- a) basing the partitioning expression on a RANGE_N character column
- b) basing the partitioning expression on a CASE_N function
- c) partitioning on a character column**
- d) basing the partitioning expression on two or more numeric columns ✓

Which statement accurately characterizes privileges?

- a) users have no privileges on any object they create unless specific grants are made**
- b) database have privileges on all objects created within them without the need for explicit grant c) granting A privilege at the database level automatically causes the privilege to be inserted in DBC.accessrights for each object granted to the database ✓
- d) granting A privilege at the user level does not affect DBC.accessrights

An administrator has been given a task to generate a list of users who have not changed the password in the last 90 days.

Which DBC view should be used to generate the list ?

- a) DBC.LOGONOFFV
- b) DBC.SECURITYDEFAULTSV
- c) DBC.ACCESSLOGV
- d) DBC.USERSV** ✓

The data science team reports that they do not have enough memory to run in database Python script when scripts operate simultaneously.

Which workload management feature should the administrator use to resolve the issue?

- a) **throttles to limit the concurrency of Python script** ✓
- b) planned environments to specify periods when data scientist can run Python scripts
- c) exceptions to place Python script consuming too much memory into a penalty box
- d) virtual partitions to assign separate memory space to each Python script

A business operating periods are event-driven and the batch window begins and ends at various times of the evening. The administrator needs to configure TASM settings an API can it be a call issued when the batch windows ends.

Which type of event can the administrator use to meet the requirements?

- a) system event
- b) **API event** ✓
- c) user defined event
- d) **Period Event**

A administrator needs to restrict developers for is shooting the vantage system during the night between 11:00 PM and 5:00 AM.

How should the administrator accomplishing the goal?

- a) create a healthy condition that will check which user ID is accessing the system and abort any request that is received between 11:00 PM and 5:00 AM.
- b) change any work clothes that developer match to have a throttle count of 0
- c) **create a plan environment that will throttle to Zero the concurrency of the developers between 11:00 PM and 5:00 AM**
- d) create a system filter that matches the developers accountstring and include a classification criteria time window between 11:00 PM and 5:00 AM ✓

how can an administrator monitor the data volume that is transferred from a data mover job via view?

- a) By submitting the datamove status -job_name command in the remote console
- b) By viewing the job statistics tab of the performance data collection portal
- c) By accessing the completed query portal and selecting the data mover job
- d) **By using the data mover portal accessing the log tab** ✓

An Administrator has been presented with this performance matrix from the DBQLlogtbl table for the four queries.

QRYRESPTIME	AMPCPUTIME	TOTALIOCOUNT	CPU SKEW	IO SKEW	PJI	UII	IMPACTCPU	QRYTEXT
00:20:31.6	15876	406587	1.04	1.08	39.02	0.03	16429	QRY_A
00:18:26.2	2472	8616362	1.01	2.76	0.29	2.49	2502	QRY_B
00:06:23.2	334	6101075	1.03	0.99	0.05	18.27	342	QRY_C
00:01:26.9	231	1119840	1.06	1.11	0.29	2.88	338	QRY_D

The administrator need to identify which query is suspected to be causing a full table scan or large redistribution

Which query is producing this result?

- a) QRY_D because half CPU SKEW
 - b) QRY_A because of PII
 - c) QRY_C because of you UI ✓
 - d) QRY_B because of IO SKEW**
-

A group of batch queries that relay on query grid to source data from a cloud vantage system has failed and requires urgent investigation

Which viewpoint portlet should be used to initially investigate the reason for this Problem?

- a) Query Spotlight
 - b) Completed Queries ✓
 - c) Alert Viewer**
 - d) Productivity
-

An administrator receives reports that a high priority business intelligence BI reports is failing. The report is a large transaction compressed of multiple SQL statements. SQL statements in the transactions and this is causing the entire reports to fail.

Which workload management adjustment would the administrator take to prevent this report from failing

- a) add exclusion criteria for multi statement request to the filter
 - b) enable prevent mid transaction throttle delay**
 - c) define a new workload for the high priority
 - d) add the application ID further report to the filter bypass list ✓
-

An administrator is required to load sensor data from cloud storage the store contains many numeric columns.

Which strategy should the administrator use to optimize the data load?

- a) keep the original VARCHAR data type in JSON or CSV for columns
 - b) use a more generic location string in the using clause.
 - c) cast column data type to appropriate value in a view of the foreign table ✓
 - d) collect statistics on all payload attributes**
-

an analytics team use a multibillion rows table that is relevant to great number of queries with different filters and joints the administrator needs....

Which statistics should be collected

- a) sampled** ✓
 - b) dynamic AMP sample
 - c) summary
 - d) full table
-

An administrator needs to perform a cleanup task on the LOAD_ISOLATED table Employee_Address which has grown in size.

Which lock is placed on the table when the administrator perform cleanup of the logically deleted rows.

- a) Write ✓
- b) Read ✓
- c) Exclusive**

d) Row Access

An administrator report a power user running a query that is consuming significant CPU near fir product joint and impacting other users

Upon contacting the user in the application team they are advised that the query is a request from CEO and needs to be completed

Which viewpoint portal should be used to make less adjustment

- a) Query monitor ✓
- b) Workload health
- c) Application queries
- d) **workload designer**

the capacity planner wants to keep a record of the number of rows that are added and deleted from setting tables over time and would like to obtain the information without using... which DBQL obtain should be enable?

- a) Explain
- b) Verbose xmlplan
- c) **Usecount** ✓
- d) Objects

BATCH_USER submit stored procedure unity job and other request all BATCH_USER work classifieds into workload WD batch based on username

System performance has slow do you two AWT exhaustion during the batch window. The administrator determine the AWT exhaustion is due to high concurrence of stored procedure.

How can the administrator effectively throttle this stored procedure?

- a) Create a unity limit, Classify on username = BATCH_USER and unity = stored procedure and set the limit
- b) Define a system throttle, Classify on username = BATCH_USER and stored procedure = *.* and set the limit
- c) **Create a new workload, Classify on username = BATCH_USER and Statement type = CALL and set a Throttle** ✓
- d) Define an AWT resource limit, Classify on username = BATCH_USER and unity = stored procedure and set the limit

There is Corruption in a table in the DBC database.

Which action should the administrator take to restore the table?

- a) Set the corrupted AMP offline, and restore the entire system
- b) Perform a SYSINIT, and Restore the entire system
- c) **Perform a SYSINIT, and restore the corrupted table** ✓
- d) Set the corrupted AMP offline, and restore the corrupted table

Which workload management technique should the Administrator use to reject all query grid queries during a pre-defined critical batch state?

- a) An exception that excludes the following Foreign Servers:

TD_SYSFNLIB.OGInitiatorExport
TD_SYSFNLIB.OGInitiatorimport
TD_SYSFNLIB.OGRemoteExport
TD_SYSFNLIB.OGRemoteimport

- b) An exception that includes the following Foreign Servers:

TD_SYSFNLIB.OGInitiatorExport
TD_SYSFNLIB.OGInitiatorimport
TD_SYSFNLIB.OGRemoteExport
TD_SYSFNLIB.OGRemoteimport

- c) ~~A filter that excludes the following function:~~

~~TD_SYSFNLIB.OGInitiatorExport
TD_SYSFNLIB.OGInitiatorimport
TD_SYSFNLIB.OGRemoteExport
TD_SYSFNLIB.OGRemoteimport~~

- d) A filter that Includes the following function: ✓

TD_SYSFNLIB.OGInitiatorExport
TD_SYSFNLIB.OGInitiatorimport
TD_SYSFNLIB.OGRemoteExport
TD_SYSFNLIB.OGRemoteimport

Which view contains privilege checks for user requests?

- a) DBC.AccLogRulesV
b) DBC.AccessLogV
c) DBC.AIRightsVX ✓
d) **DBC.UserRightsV**

A client has a healthy system but often sees delays in some queries because of workload concurrency limits. These limits have been carefully chosen what should the administrator use to assist the client?

- a) use Query group viewpoint portlet to change the throttle limit temporally.
~~b) ~~use query monitor viewpoint portlet to change query workloads~~~~
c) use query monitor viewpoint portlet to change query workloads
d) Use Flex Throttle option. ✓
-

The Administrator defined the following AWT resource limits in Viewpoint Workload Designer.

Rule 1: A limit of 50 percent of AWTs for all DSA restore jobs in the system, with reject

Rule 2: A limit of 20 percent of AWTs for DSA restore jobs from user UserA, with delay

Rule 3: A limit of 10 percent of AWTs for DSA restore jobs from user UserB, with delay

UserB is running DSA restore jobs, consuming 10% of AWTs. Other users are running DSA restore jobs and consuming 40% of AWTs

What will TASM do if UserA submits a DSA restore job request?

- a) TASM delays it because it does not exceed the AWT limit of Rule 2.
- b) TASM delays it because it would exceed the AWT limit of Rule 1.**
- c) TASM rejects it because it does not exceed the AWT limit of Rule 2
- d) TASM rejects it because it would exceed the AWT limit of Rule 1 ✓

A user runs a number of large, complex queries that regularly generate insufficient memory errors. The Administrator increases the value of the MaxParseTreeSegs DBS control to the parser for parsing requests.

Which action must be taken before the queries will run without memory errors?

- a) Execute an OUTPUT command
- b) Execute an ALTER METHOD command for MaxParseTreeSegs
- c) Purge the request cache**
- d) The user should log out and log back in to a new session. ✓

A Vantage instance includes the following four databases:

Tables_Database: contains base tables and associated index subtables

Upsert_Database: contains views and other objects to support base table modifications

Query_Database: contains views and other objects supporting queries and reporting

Development_Database: contains objects supporting development of new data applications

The Administrator needs to add a new user that will perform batch-level functions

Which action should the Administrator take to achieve this goal?

- a) Set the user's profile to one that has the CREATE TABLE privilege on the Tables_Database
- b) Grant the CHECKPOINT privilege, on the Tables_Database to the new user's account
- c) Set the user's default role to one that has the CREATE TABLE privilege on the Tables_Database** ✓
- d) Grant the CHECKPOINT privilege on the Tables_Database to the new user's profile

Which data type could support an Index definition on a table?

- a) DATASET**
- b) Geospatial ✓
- c) JSON
- d) Large Object (LOB)

An Administrator needs to provide end users access to data in a Native object Store using shared credentials

How can this be accomplished?

- a) **Use an S3 IAM role or Azure SAS token rather than User and Password.**
 - b) Define a FUNCTION MAPPING with INVOKER TRUSTED security
 - c) Grant users access to a shared AUTHORIZATION object.
 - d) Define a FOREIGN TABLE with DEFINER TRUSTED security ✓
-

Which privilege category is granted to a user on a newly created object?

- a) Explicit
 - b) Inherited
 - c) **Automatic** ✓
 - d) Ownership
-

A customer has to use Data Mover with legacy tools to transfer data from the production to disaster recovery (DR)...

Where should the Data Mover Server be deployed to provide optimum data transfer?

- a) Location does not affect data transfer bandwidth. ✓
 - b) In the source environment (production)
 - c) **In the target environment (DR)**
 - d) In the cloud
-

An application is consuming very high I/O on Teradata Vantage. The Administrator has been asked to identify the queries that are consuming more than 100 million

Which metrics should be examined for high values to identify the queries?

- a) I/O SKEW % and Ull
 - b) **TOTALIOCOUNT and PJI**
 - c) MAXAMPIO and PJI
 - d) REQPHYSIO and Ull ✓
-

What is the maximum payload size for CSV and JSON data formats that the NOS_READ function can read, when it is based on the LATIN Character?

- a) 16 MB ✓
 - b) 8 GB
 - c) **32 MB**
 - d) 2 GB
-

After a recent migration, a request has started to take significant time to complete. Upon a detailed investigation of the EXPLAIN plan, it is found that an accidental unconstrained product join table was the prime reason for the issue. The Administrator needs to use workload management to detect when this request is running

which criteria should the Administrator select for this issue?

- a) CPU Utilization
- b) CPU Disk Ratio ✓
- c) CPU Skew**
- d) AWT Wait Time

What is a use case for Data Mover?

- a) Replicating data to a disaster recovery system** ✓
- b) Copying data between Vantage systems for active-active replication
- c) Copying data between Hadoop systems
- d) Archiving data to a Hadoop system

The Administrator has just created a new database object on a Vantage system. Which privilege is NOT automatically granted to that database on itself?

- a) CREATE PROCEDURE ✓
- b) CREATE MACRO
- c) CREATE AUTHORIZATION**
- d) CREATE TRIGGER

Which benefit is achieved by creating profiles?

- a) Assigning permanent space for group of users with similar needs
- b) Defining spool space for groups of users with similar needs ✓
- c) Managing user privileges on database objects**
- d) Reducing the growth of the DBC AccessRights table

The Administrator has dropped a profile which was associated with a group of users. What will happen when one of the users from the group logs on to the database?

- a) The default profile setting for the user will be reset to NULL**
- b) The system will show a warning message
- c) SPOOL and DEFAULT DATABASE specifications for the dropped profile will still apply to the user
- d) Password attributes defined at the system level in DBC.SecurityDefaultsV will apply ✓

Which description accurately characterizes the use of external authentication for Vantage?

- a) Single Sign-On is available with LDAP authentication ✓
 - b) The directory username must match a database username
 - c) External authentication is not permitted for mainframe clients
 - d) User authorization roles can also be supplied by the directory.**
-

Given a user creation request on a 10-AMP system
CREATE USER hr_user AS PERM = 100e9 SKEM = 10 PERCENT,
SPOOL = 100e9 SKEW = 20 PERCENT;

How does the SKEW factor affect the user's Perm space, assuming the total space consumed is under the specific perm space?

- a) The per AMP limit of 10 GB can be breached to any percent
- b) The per AMP limit of 100 GB can be breached up to 10 percent**
- c) The per AMP limit of any AMP can reach 11 GB ✓
- d) The per AMP limit of any AMP can reach 20 GB.

Which QueryGrid connector can only be a target?

- a) Oracle ✓
- b) Hive
- c) Presto
- d) Teradata**

Which spool threshold can an Administrator set to define workload management exception criteria?

- a) Spool Skew
- b) Maximum Spool Rows ✓
- c) Max Spool Space By AMP**
- d) HotAMP Spool

Which option in READ_NOS will reduce the number of objects scanned by queries?

- a) LOCATION ✓
- b) ACCESS KEY**
- c) BUFFERSIZE
- d) FULLSCAN

Which portlets contain detailed information about Querygrid requests?

- a) Metrics Analysis, Node Monitor, Completed Queries
- b) Completed Queries, Query Groups, My Queries** ✓
- c) Application Queries, My Queries, Query Groups
- d) My Queries, Completed Queries, Metric Heatmap

An Administrator notices that a system appears to be near capacity and needs to get information about Input/Output Token Allocations (IOTA) for each workload.

How can this information be obtained?

- a) Check DBC.ResSpmaView
- b) Check DBC.ResSldvView
- c) Check DBC.ResSpsView** ✓
- d) Check DBC.ResSpdskView

Which table identifies whether a particular workload is suffering from a shortage of AMP Worker task?

- a) ResUsageSpma
- b) ResUsageSps
- c) **ResUsageSawt** ✓
- d) ResUsageSvpr

Which Viewpoint portlet can an Administrator use to track the live progress of query

- a) **Query Monitor** ✓
- b) Completed Queries
- c) Today's Statistics
- d) Query Spotlight

Which compression format is supported by NOS?

- a) ORC
- b) BZIP
- c) ZLIB
- d) **Snappy** ✓

An Administrator is working through a set of tasks to set up a new Vantage system. the current task is to set up alerts to trigger. BTEQ suspect queries

Which action should an Administrator take?

- a) Specify BTEQ in a SNMP Trap
- b) **Configure an action set specifying BTEQ** ✓
- c) Ensure the SMTP host is using WPA
- d) Define a delivery setting to run SQL

Users are complaining that queries in their workload are taking too long. the administrator suspects the workload management

Which table should be analyzed to confirm this suspicion

- a) **DBQLogTbl** ✓
- b) DBQLStepTbl
- c) ResUsageSawt
- d) ResUsageSps

An Administrator notices that a system appears to be near capacity and needs to access dictionary

Which dictionary should be accessed for this purposs?

- a) **DBCResUsageSawt** ✓
- b) DBC.AMPUsage
- c) ~~DBC.AMPUsageSawt~~
- d) DBC.SessionInfoV