



COMMERCIAL PROPOSAL
CABINETS + COUNTERTOPS

BH BOYNTON GS
BLDG B

PREPARED FOR Coastland Construction Management	PROJECT ADDRESS 100 Beacon Hill Blvd., Boynton Beach, FL 33426	QUOTE REFERENCE 26084
PROPOSAL DATE September 25, 2026	PRICING BASIS Delivered & Installed	VALIDITY 30 Days



Representative cabinetry image. Final configuration and finishes per approved shop drawings.

30	42	\$262,000	90 DAYS
KITCHENS	BATHROOMS	GRAND TOTAL	STANDARD LEAD TIME

CEMA USA, INC. | 7955 West 20 Ave, Hialeah, FL 33014

01	PROJECT OVERVIEW Scope, pricing and commercial basis
----	--

CEMA USA, INC. is pleased to submit this commercial proposal for the supply, delivery and installation of custom modern kitchen and bathroom cabinetry with quartz countertops for BH Boynton GS BLDG B.

SCOPE	QUANTITY	AMOUNT
Cabinetry	30 Kitchens / 42 Bathrooms	\$201,000.00
Countertops	Kitchen + Bathroom Scope	\$61,000.00
TOTAL CONTRACT VALUE	Delivered & Installed	USD \$262,000.00

SCOPE SUMMARY

- 30 kitchens with no islands included in the current scope.
- 42 bathrooms.
- Cabinetry and countertops are priced on a Delivered & Installed basis.
- Common areas, closets and other finished carpentry are excluded unless added by written change order.

COMMERCIAL MILESTONES

50%	90 DAYS	100%	MONTHLY
INITIAL DEPOSIT Required to secure materials	LEAD TIME From receipt of initial deposit	MATERIAL COST Due upon receipt at warehouse or job site	PROGRESS PAY Remaining balance via Pay Application

PROPOSAL BASIS

- Pricing is based on the architectural drawings supplied by the contractor and the project-specific materials and selections identified in this proposal.
- Final pricing and fabrication are governed by contractor-approved shop drawings, finish samples and hardware selections.
- All communications, approvals and change orders must be documented in writing. The client shall designate one point of contact for project coordination.
- This proposal is valid for 30 days from the proposal date.

TARIFF NOTICE

- Pricing reflects the 10% tariff basis stated for this project as of September 25, 2026. Any additional tariff increase taking effect before the applicable materials enter the United States shall be the responsibility of the client.

02

CABINETRY STANDARD
Project-specific cabinet specification

STANDARDIZATION NOTE Cabinet construction, materials, finishes and hardware below reflect the project-specific specification supplied for BH Boynton GS. Final selections remain subject to approved shop drawings and submittals.

CABINET CONSTRUCTION & FINISH

- Cabinetry is manufactured in Colombia using CARB 2-compliant particleboard and project-approved finishes.
- Cabinet interiors are white melamine; exposed exterior cabinet faces, sides and end panels receive the selected finish.
- Cabinet boxes use 15 mm (5/8 in.) construction with edge banding coordinated to the cabinet finish.
- Doors, fillers, panels and standard melamine toe kicks are 18 mm (3/4 in.) flat-panel wood-look or solid-color melamine board.
- Front edges use 1 mm edge banding; remaining cabinet-box edges use 0.45 mm edge banding.
- Back panels are 5.5 mm (1/4 in.) MDF with melamine finish where specified.
- Shelves are adjustable and use matching project materials.
- Upper cabinet heights are 28 in. and 42 in., as applicable per approved shop drawings.
- Refrigerator cabinet depth is 24 in.; refrigerator side panels are included.
- Cabinet colors may be selected from the Ecofort color chart, subject to final approval.

STANDARD HARDWARE

COMPONENT	STANDARD	SPECIFICATION
Drawer system	Metal tandem box	Double-wall metal drawer system with concealed soft-close runners; anthracite-gray steel sides; 500 mm; 30 kg load capacity.
Hinges	Soft-close concealed	Concealed steel hinge with adjustable soft-close mechanism and plastic dowel installation.
Pulls / handles	Not included / NA	No pull or handle hardware is included in the current project specification.
Legs	Adjustable plastic legs	High-quality leveling legs for uneven surfaces.
Shelf supports	Nickel-plated steel	Adjustable shelf support system.

INCLUDED / EXCLUDED

INCLUDED Refrigerator side panels Adjustable shelves and leveling legs Soft-close concealed hinges Metal tandem-box drawer system Standard white quartz countertops 4 in. kitchen and bathroom backsplash Waterfalls as shown in approved drawings	NOT INCLUDED / BY OTHERS Moldings of any type LED lighting material or installation Pulls / handles unless separately added Sinks, faucets, drainage, plumbing fixtures, light fixtures or appliances Common areas, closets or other finished carpentry
---	--

Selections and changes: All materials, colors and finishes must be confirmed before production. Changes after production begins, alternate selections, upgrades or additional customization require a formal change order and may affect price and schedule.

03

CABINET SCHEDULE
Detailed SKU quantities included in the proposal. Final fabrication quantities remain subject to approved shop drawings.

CABINETS	FILLERS	PANELS	TOE KICKS	TOTAL PIECES
552	156	72	84	864

SKU	FEATURES	QTY	SKU	FEATURES	QTY
B12	1 Door 1 Shelf 1 Drawer	18	SB36	2 Doors, Fixed panel	30
B14	1 Door 1 Shelf 1 Drawer	30	TK4 1/296	Toe kick	84
B22	1 Door 1 Shelf 1 Drawer	60	UDV1528 3/4-3	3 Drawers	84
B34	2 Doors 1 Shelf 1 Drawer	12	USVFD NR3028 3/4	2 Doors	42
B9	1 Door 1 Shelf 1 Drawer	12	W1242	1 Door 3 Shelves	30
F628	Filler	30	W1542	1 Door 3 Shelves	12
F628 3/4	Filler	42	W2242	2 Doors 3 Shelves	30
F630	Filler	12	W2642	2 Doors 3 Shelves	36
F642	Filler	12	W3028	2 Doors 1 Shelf	30
F830	Filler	30	W3042	2 Doors 3 Shelves	36
F842	Filler	30	W3342	2 Doors 3 Shelves	12
PN1717	Panel	42	W362824	2 Doors 2 Shelves	30
PN25 1/296	Panel	30	W3642	2 Doors 3 Shelves	48

Quantities are subject to contractor-approved shop drawings and final field verification.

04

TECHNICAL SPECIFICATIONS
Cabinet construction matrix

COMPONENT	UPPER CABINET	LOWER CABINET	BATHROOM CABINET
Board type	CARB2 particleboard	CARB2 particleboard	CARB2 particleboard
Back panel	1/4 in. MDF; color TBD	1/4 in. MDF, white	1/4 in. MDF, white
Box thickness	5/8 in.	5/8 in.	5/8 in.
Box finish	White interior / selected exterior	White interior / selected exterior	White interior / selected exterior
Box edge banding	0.45 mm	Flexible 0.45 mm	0.45 mm
Door thickness	3/4 in.	3/4 in.	3/4 in.
Door style	Flat panel	Flat panel	Flat panel
Door edge banding	1 mm	1 mm	1 mm
Door finish format	Color / Color	Color / Color	Color / Color
Fillers	3/4 in.	3/4 in.	3/4 in.
Panels / Toe kicks	Per approved drawings	3/4 in. / 3/4 in.	3/4 in. / 3/4 in.

FINISH SELECTIONS

SELECTION	KITCHEN	BATHROOM
Door color	TBD	TBD
Door texture	TBD	TBD

HARDWARE SYSTEM

			
METAL TANDEM BOX Soft-close drawer system	SOFT-CLOSE HINGE Concealed adjustable hinge	LEVELING LEG Adjustable plastic support	SHELF SUPPORT Nickel-plated steel

05

COUNTERTOP SPECIFICATIONS

Standard quartz countertop scope

Standard 3/4 in. white quartz countertops are included for kitchens and bathrooms. Any alternate countertop material or color requires revised pricing and written approval.

COUNTERTOP MATERIAL	Quartz
COLOR	White
THICKNESS	3/4 in.
KITCHEN DEPTH	25 1/2 in.
BATHROOM DEPTH	22 1/2 in.
KITCHEN BACKSPLASH	4 in.
BATHROOM BACKSPLASH	4 in.
EDGE / WATERFALLS	Square edge / Waterfalls: Yes
KITCHEN COUNTERTOP AREA	Per approved shop drawings
BATHROOM COUNTERTOP AREA	Per approved shop drawings
LAMINATION	Not separately specified

COUNTERTOP SCOPE NOTES

- Kitchen and bathroom backsplash height is 4 in.
- Waterfalls are included as indicated by the approved drawings.
- Any countertop material or finish outside the specified white quartz basis will be priced separately.
- Sinks, faucets, drainage and plumbing fixtures are not included.



TERMS & CONDITIONS

Commercial, schedule, installation and warranty provisions

CONTRACT BASIS & APPROVALS

1. This proposal is based on the current plans and scope for 30 kitchens and 42 bathrooms with kitchen and bathroom countertops for BH Boynton GS BLDG B.
2. This proposal is valid for 30 days from the date of issue. After this period, pricing may be subject to material-cost fluctuations and other external market conditions.
3. All communications, approvals and change orders must be documented in writing to be valid.
4. The client must designate a single point of contact for coordination and decision-making throughout the project.
5. Pricing is based on the specified materials, quantities and selections. If a specified selection becomes unavailable, alternatives will be presented and any price difference will be subject to client approval.
6. Pricing is based on CEMA USA, INC.'s interpretation of the architectural drawings supplied by the contractor. Changes to the initial scope may affect pricing. Final pricing and fabrication are governed by contractor-signed and approved shop drawings.
7. The client must provide final written approval of shop drawings, finish samples and hardware selections before production begins.
8. Shop drawings will be provided once a price agreement is reached.

PAYMENT

1. A 50% deposit is required to secure materials.
2. 100% of material costs must be paid upon receipt at CEMA USA, INC.'s warehouse or the job site.
3. The remaining balance will be paid in installments as cabinets and countertops are installed, with monthly progress payments submitted via Pay Application.

SCHEDULE, DELIVERY & MOBILIZATION

1. Standard lead time is 90 days from the date the initial deposit is received.
2. Delivery is included. Site-access restrictions, client-requested rescheduling, delays or storage requirements may result in additional fees.
3. CEMA USA, INC. will not be liable for delays caused by other trades, site inaccessibility or incomplete site preparation.
4. Once materials are delivered to the site, CEMA USA, INC. is not responsible for theft, damage or loss.
5. The client is responsible for providing secure, dry storage space at the job site if materials are delivered before installation begins.
6. A minimum of 72 hours' notice is required to mobilize CEMA crew members.
7. A minimum of 30 units must be ready for installation per installation-crew trip to the project site.
8. Work required outside regular business hours, Monday through Friday, 8:00 AM to 5:00 PM, must be pre-approved and may be subject to additional charges.

INSTALLATION & SITE CONDITIONS

- 1. This proposal assumes standard industry conditions.
- 2. Site conditions such as uneven walls or floors, structural modifications or other conditions requiring additional labor or materials will be billed separately.
- 3. Installation assumes clear access and unobstructed work areas. Debris removal or cleanup required to permit installation will be billed separately.
- 4. The client is responsible for ensuring that site measurements provided to CEMA USA, INC. are accurate and complete.
- 5. A pre-installation walkthrough with the site supervisor is required prior to mobilization.
- 6. Electrical, plumbing and any other trade work required for installation are excluded and remain the responsibility of the client.
- 7. Modifications or additions requested after installation begins require a formal change order and may result in additional cost and extended completion timelines.
- 8. The contractor must provide elevator, hoist, forklift or other lifting equipment necessary to move materials to each floor.
- 9. Final cleaning of cabinetry and countertops after installation is not included and is the responsibility of the client.

WARRANTY, LIABILITY & CHANGES

- 1. Standard manufacturer warranties apply to all materials supplied.
- 2. Defects or damage resulting from improper handling by others, excessive moisture, chemical exposure, misuse or conditions outside manufacturer requirements are not covered by warranty.
- 3. CEMA USA, INC. is not liable for structural deficiencies at the project site that may affect installation.
- 4. Changes to materials, colors, specifications or quantities require a formal change order and may result in additional cost and extended lead time.
- 5. Premium materials, alternative finishes or additional customization beyond the specified selections require revised pricing and approval before implementation.
- 6. CEMA USA, INC. is not responsible for delays or cost increases caused by unforeseen circumstances including supply-chain disruptions, labor shortages, natural disasters or government regulations, including tariffs. Tariff increases are also subject to the tariff notice in this proposal.
- 7. Bond is not included in this proposal.
- 8. OCIP is not included in this proposal.
- 9. This is not a final quote, and prices may be subject to change as negotiations progress.

PROJECT REFERENCE

Project	BH Boynton GS BLDG B
Address	100 Beacon Hill Blvd., Boynton Beach, FL 33426
Quote Reference	26084
Proposal Date	September 25, 2026

CEMA USA, INC.

7955 West 20 Ave, Hialeah, FL 33014