PIPELINERS USA

On-Page SEO Audit and Optimization Report

Website: https://pipelinersusa.com/

Date completed: July 24, 2026

Scope: Full-site crawl, priority-page audit, and live implementation

Prepared by TAG Marketing · Data sources: live crawl, Google Search Console, Search Atlas OTTO, WordPress

1. Executive Summary

121	20	20	40	11
URLS CRAWLED	PRIORITY PAGES AUDITED	PAGES CHANGED	LIVE EDITS DEPLOYED	ITEMS NEEDING APPROVAL

Overall condition

The site is technically healthy but commercially invisible. Canonicals, robots directives, HTTPS handling, image alt text, and internal link depth are all in good shape, and there are no orphaned content pages. The problem is not crawling or indexing. It is that the site earns almost no clicks from the traffic it already qualifies for.

Over the 90 days to July 23, 2026, Google Search Console recorded **57,630 impressions and 95 clicks** across the property, a site-wide click-through rate of roughly **0.16 percent** at an average position of 35.9. At page level the concentration is stark: the homepage accounts for 27 of those clicks and `/contact/` for one, while the largest page on the site, `/glendale/`, drew 3,449 impressions and zero clicks. `/phoenix/` drew 2,360 impressions and zero clicks. Of 2,760 ranking queries, the only one producing meaningful clicks is the brand name “pipeliners.”

The most important issue found

> **The Rank Math SEO plugin is deactivated.** Every SEO title and meta description stored in WordPress is inert. The live tags are served entirely by the Search Atlas OTTO pixel, and on the 43 URLs OTTO had not yet written a title for, the page fell back to the raw WordPress title plus a site-name suffix. That is why core commercial pages such as `/trenchless-sewer-repair/` and `/whole-house-repipe/` were serving 74 to 97 character titles that truncate in search results.
>
> This was verified directly rather than assumed: `/whole-house-repipe/` stores a Rank Math description reading “Fix gurgling drains with expert tips & advice” (wrong content, copied from another post) while serving an entirely different OTTO description on the live page. A LiteSpeed cache purge confirmed this is not a caching artifact.

Work completed

Twenty priority pages, about 19 percent of the 104 real content URLs, were selected on business value combined with Search Console evidence. For each, the SEO title and meta description were rewritten and **deployed live through OTTO**, which is the layer actually serving the tags. All 40 changes were verified on the live site after a cache purge, and all 20 pages passed a regression check covering canonicals, robots directives, heading counts, word counts, forms, and tracking.

Expected benefit

The work targets click-through rate and relevance, which is the specific failure mode the data shows. Twelve of the twenty pages previously served titles that truncate in results; those now display in full. Two pages had descriptions that described the wrong service entirely. Pages such as `/goodyear/` at position 24 and `/buckeye/` at position 30 are close enough to page one that title relevance can plausibly move them.

> **No ranking or traffic improvement is claimed.** Title and description changes affect how a result is presented, not its position directly. Re-measure in Search Console on **August 21, 2026** (4 weeks) and **September 18, 2026** (8 weeks)

> against the baseline in this report. Impressions and average position for the 20 changed pages should be compared against the unchanged city pages, which act as a natural control group.

Access and data limitations

- **Titles and descriptions could not be set in WordPress.** With Rank Math inactive, editing `rank_math_title` would have had no effect. All changes were made through OTTO instead, which is why the deployment channel differs from a standard WordPress engagement.
- **Search Console suppresses low-volume rows.** Six of the twenty priority pages report no impression data, which normally means they fall below the reporting threshold rather than that they receive no impressions.
- **Four July 2026 monsoon posts are not yet in OTTO's index**, so they could not be given descriptions in this pass. They currently serve none at all.
- **Position data is a 90-day average** and will understate pages that moved sharply within the window.
- Content edits, heading fixes, internal link repairs, and redirect changes were deliberately left as recommendations. They carry structural risk and are listed in Section 8.

2. Methodology

Tools and data sources

Source	How it was used
Live site crawl	All 121 URLs in the XML sitemap were fetched and parsed for rendered title, meta description, canonical, robots directive, full H1/H2/H3 structure, word count, image alt coverage, and every internal and external link. Rendered HTML was used throughout rather than database values, because the two diverge on this site.
Google Search Console	Page and query performance for April 25 to July 23, 2026, compared against January 24 to April 24, 2026. Used to rank pages by impressions, average position, and click yield. Property is the URL-prefix form `https://pipelinersusa.com/`.
Search Atlas OTTO	Project `ca42c443`. Used to read the current optimization state (135 tracked URLs, SEO score 79) and as the deployment channel for all title and description changes.
WordPress via SSH and WP-CLI	Full post and page inventory, stored Rank Math meta, plugin status, slug collision detection, and per-URL LiteSpeed cache purges.
Internal link status check	All 217 distinct internal link targets were requested individually to separate 200s from redirects and 404s.

How priority pages were selected

The sitemap holds 121 URLs. Removing 15 archive URLs and 2 theme template records leaves **104 real content pages**. The brief called for the top 10 to 20 percent, so 20 pages were selected, which is 19 percent. Selection weighted five factors:

1. **Revenue proximity.** Core service pages and the free inspection conversion page were included regardless of current volume, because they are where leads are actually captured.
2. **Impressions already earned.** Pages Google already shows are the cheapest to improve. `/glendale/`, `/phoenix/`, `/tempe/` and `/buckeye/` qualified on this alone.
3. **Striking distance.** Pages ranking in positions 20 to 40 were preferred over deeper ones. `/goodyear/` at position 24 is the best-positioned location page on the site.
4. **Severity of the on-page defect.** Pages with no managed title, a truncating title, an intent-mismatched description, or multiple H1s were prioritized.
5. **Deliberate exclusions.** The 31 lower-volume city pages were excluded because their content was already de-duplicated in the July 2026 pass and they are better handled as a batch. Archives, legal pages, and template records were excluded as low value.

> **A note on scope discipline.** The site has 48 blog posts. Only three were selected, because blog content is not where this site loses money. The click gap sits on commercial service and location pages, so that is where the work was concentrated.

3. Why Each Page Was Prioritized

URL	Priority	Rationale
`/`	Critical	The only page on the site earning organic clicks (27 in 90 days) and the strongest internal authority hub. Its title led with promotional wording rather than the core service and city.
`/trenchless-sewer-repair/`	Critical	Targets the highest-value commercial term in the business. It had no managed title at all, so it rendered the raw post title plus a site suffix at 75 characters.
`/trenchless-drain-pipe-repair/`	Critical	785 impressions with zero clicks at position 66. The title used generic wording that did not match the page topic of drain pipe lining.
`/epoxy-pipe-lining/`	High	753 impressions and zero clicks. No managed title, so it rendered a 60-character raw title with a truncating suffix.
`/hydro-jetting/`	High	683 impressions and zero clicks. A distinct service with real commercial demand, but the thinnest of the main service pages at 552 words.
`/whole-house-repipe/`	High	680 impressions and zero clicks at position 68. Rendered a 74-character title that truncates in search results.
`/corroded-pipes/`	High	328 impressions and zero clicks. Rendered a 66-character title with a truncating brand suffix.
`/epipe-restoration/`	High	Carries a distinct branded service (in-place epoxy lining for copper water lines). It had a malformed H1 with stray spacing and only two H2 sections.
`/leak-detection-services-in-phoenix-arizona/`	Critical	A clear search-intent mismatch. The page is about leak detection, but the meta description described trenchless pipe lining.
`/free-sewer-inspection/`	Critical	The primary conversion asset on the site. It had three competing H1s, only 155 words, one inbound internal link, and a 38-character title with no city or service clarity.
`/services/`	High	The service hub that should feed every individual service page, but it had only one H2 and a promotional title that did not list the services.
`/goodyear/`	High	The best-positioned location page on the site at position 24, making it the closest to page one and the cheapest win available.
`/tempe/`	Critical	2,033 impressions at position 33 with zero clicks. High volume and within striking distance of page one.
`/buckeye/`	High	1,715 impressions at position 30 with zero clicks. High volume and within striking distance.
`/paradise-valley/`	High	1,260 impressions at position 33. It already ranks for "pipe repair paradise valley az" at position 15 and "emergency sewer repair paradise valley" at position 25.
`/glendale/`	Critical	The highest-impression page on the entire site at 3,449 impressions, with zero clicks.
`/phoenix/`	Critical	2,360 impressions with zero clicks, and the flagship city for the whole service area.
`/what-causes-pinhole-leaks-in-copper-pipes/`	High	1,223 impressions, the highest of any blog post. It had two competing H1s and only one H2 across 1,174 words.
`/monsoon-season-pipe-problems/`	Medium	The seasonal pillar for the current monsoon window. It rendered a 97-character title that truncates heavily.

URL	Priority	Rationale
`/sewer-pipe-lining-vs-replacement-how-to-know-which-repair-is-right/`	**Medium**	Commercial-investigation content that converts well for this service. It rendered an 84-character title.

4. Priority-Page Summary

Impressions and average position from Google Search Console, April 25 to July 23, 2026. "n/a" indicates the page falls below the Search Console reporting threshold. **Every page listed recorded zero clicks in the period except the homepage, which recorded 27.**

URL	Type	Target topic	Impr.	Pos.	Priority	Main issue found	Action taken
`/`	Homepage	trenchless sewer and pipe repair, Phoenix metro	3,131	25	Critical	Title led with promotional wording rather than the core service and metro area.	Title and description rewritten and deployed
`/trenchless-sewer-repair/`	Service guide (post)	trenchless sewer repair	n/a	n/a	Critical	No managed SEO title. Rendered a 75-character raw title that truncates.	Title and description rewritten and deployed
`/trenchless-drain-pipe-repair/`	Service page	trenchless drain pipe lining	785	66	Critical	Title did not match the page topic. Weak, warranty-focused heading structure.	Title and description rewritten and deployed
`/epoxy-pipe-lining/`	Service guide (post)	epoxy pipe lining	753	58	High	No managed SEO title. Rendered a 60-character title with a truncating suffix.	Title and description rewritten and deployed
`/hydro-jetting/`	Service page	hydro jetting drain cleaning	683	59	High	Thin content at 552 words. Title omitted the drain cleaning term.	Title and description rewritten and deployed
`/whole-house-repipe/`	Service guide (post)	whole house repipe	680	68	High	No managed SEO title. Rendered a 74-character title that truncates.	Title and description rewritten and deployed
`/corroded-pipes/`	Service guide (post)	corroded pipes	328	66	High	No managed SEO title. Rendered a 66-character title that truncates.	Title and description rewritten and deployed
`/epipe-restoration/`	Service page	ePIPE pinhole leak restoration	140	58	High	Thin at 573 words, malformed H1, and an unverified warranty claim in the description.	Title and description rewritten and deployed
`/leak-detection-services-in-phoenix-arizona/`	Service page	water and slab leak detection, Phoenix	n/a	n/a	Critical	Search-intent mismatch. Description described pipe lining, not leak detection.	Title and description rewritten and deployed
`/free-sewer-inspection/`	Conversion landing page	free sewer camera inspection	n/a	n/a	Critical	Three H1s, 155 words, one inbound internal link, and a 38-character title.	Title and description rewritten and deployed

URL	Type	Target topic	Impr.	Pos.	Priority	Main issue found	Action taken
`/services/`	Service hub	trenchless pipe and sewer services	n/a	n/a	High	Service hub with a single H2 and a title that did not name the services.	Title and description rewritten and deployed
`/goodyear/`	Location page	trenchless sewer repair, Goodyear	504	24	High	Brand-first title structure duplicated across dozens of city pages.	Title and description rewritten and deployed
`/tempe/`	Location page	trenchless sewer repair, Tempe	2,033	33	Critical	High impressions with zero clicks. Title did not lead with the city plus service.	Title and description rewritten and deployed
`/buckeye/`	Location page	trenchless pipe repair, Buckeye	1,715	30	High	Brand-first title. Body contains a broken link to /reviews.	Title and description rewritten and deployed
`/paradise-valley/`	Location page	sewer and pipe repair, Paradise Valley	1,260	33	High	Title structure identical to other city pages, no differentiation.	Title and description rewritten and deployed
`/glendale/`	Location page	trenchless sewer and water line repair, Glendale	3,449	56	Critical	Highest-impression page on the site with zero clicks and a brand-first title.	Title and description rewritten and deployed
`/phoenix/`	Location page	trenchless sewer repair, Phoenix	2,360	55	Critical	Flagship city page with zero clicks and a brand-first title.	Title and description rewritten and deployed
`/what-causes-pinhole-leaks-in-copper-pipes/`	Blog post	pinhole leaks in copper pipes	1,223	71	High	Two competing H1s and only one H2 across 1,174 words.	Title and description rewritten and deployed
`/monsoon-season-pipe-problems/`	Seasonal pillar post	monsoon sewer backups, Phoenix	n/a	n/a	Medium	Rendered a 97-character title that truncates heavily in results.	Title and description rewritten and deployed
`/sewer-pipe-lining-vs-replacement-how-to-know-which-repair-is-right/`	Comparison post	sewer pipe lining vs replacement	n/a	n/a	Medium	Rendered an 84-character title that truncates.	Title and description rewritten and deployed

5. Detailed Before and After

All “after” values are deployed and verified live. Character counts shown in grey.

/

Homepage · Intent: Commercial and brand · Target: trenchless sewer and pipe repair, Phoenix metro · 3,131 impressions, 27 clicks, avg position 25 · **Critical**

Title before	Top Pipelining Specialists in Arizona - Pipeliners Near You (59 chars)
Title after	**Trenchless Sewer & Pipe Repair in Phoenix, AZ | Pipeliners** (58 chars)
Desc. before	Arizona's top pipe lining specialists for water and drain lines. Expertly fix pipes in place with no demolition. Contact us today! (130 chars)
Desc. after	**Pipeliners USA restores sewer, drain, and water lines across the Phoenix Valley without major digging. See how trenchless pipe repair works.** (140 chars)
H1 on page	Arizona Sewer Repair

Reason for the optimization

The only page on the site earning organic clicks (27 in 90 days) and the strongest internal authority hub. Its title led with promotional wording rather than the core service and city.

What changed

Title now leads with the core service and metro area instead of promotional wording. Description names all three line types and the no-dig benefit.

Heading structure

No change required. One H1 and five descriptive H2s.

Content recommendations

No content changes required. Structure is sound.

Internal link recommendations

Replace the 37 legacy /service-areas/* links with direct city URLs (see Technical Findings).

`/trenchless-sewer-repair/`

Service guide (post) · Intent: Informational to commercial · Target: trenchless sewer repair · n/a impressions, 0 clicks, avg position n/a · **Critical**

Title before	Trenchless Sewer Repair: How It Works and When You Need It – Pipeliners USA (75 chars)
Title after	**Trenchless Sewer Repair: How It Works | Pipeliners USA** (54 chars)
Desc. before	Pipeliners USA: Trenchless sewer repair in Mesa, AZ. Demolition-free pipe solutions save you time & money. Contact us today! (124 chars)
Desc. after	**See how trenchless sewer repair works, which method suits your pipe problem, and when digging is still the better option for Arizona homes.** (139 chars)
H1 on page	Trenchless Sewer Repair: How It Works and When You Need It

Reason for the optimization

Targets the highest-value commercial term in the business. It had no managed title at all, so it rendered the raw post title plus a site suffix at 75 characters.

What changed

Title cut from 75 to 54 characters so it displays in full. Description reframed from a Mesa-specific sales line to match the guide intent of the page.

Heading structure

No change required. One H1, nine question-format H2s, FAQ section.

Content recommendations

Strong structure already, including a comparison table and FAQ. No changes needed.

Internal link recommendations

Add contextual links to /trenchless-drain-pipe-repair/ and /free-sewer-inspection/.

`/trenchless-drain-pipe-repair/`

Service page · Intent: Commercial · Target: trenchless drain pipe lining · 785 impressions, 0 clicks, avg position 66 · **Critical**

Title before	Expert Trenchless Drain & Sewer Pipe Repair in Phoenix (54 chars)
Title after	**Trenchless Drain Pipe Lining in Phoenix, AZ | Pipeliners** (56 chars)
Desc. before	Fix root intrusion, leaks, and more with our trenchless drain and sewer pipe repair services in the Phoenix Valley. Contact us now for a free quote! (148 chars)
Desc. after	**Reline cracked, root-damaged, or leaking drain lines from the inside. See how trenchless drain pipe lining works across the Phoenix Valley.** (139 chars)
H1 on page	Trenchless Drain Pipe Lining

Reason for the optimization

785 impressions with zero clicks at position 66. The title used generic wording that did not match the page topic of drain pipe lining.

What changed

Title now names the actual service on the page (drain pipe lining) and the metro area. Description leads with the three problems the service solves.

Heading structure

Recommended: replace the warranty-led H2s with sections covering what the service is, how it works, which problems it solves, and cost factors.

Content recommendations

Headings are weak. Three of the four H2s are warranty or "who offers the best" questions rather than describing the service itself. Restructure around the service.

Internal link recommendations

Link to /hydro-jetting/ where cleaning before lining is discussed, and to /free-sewer-inspection/.

`/epoxy-pipe-lining/`

Service guide (post) · Intent: Informational to commercial · Target: epoxy pipe lining · 753 impressions, 0 clicks, avg position 58 · **High**

Title before	Epoxy Pipe Lining: A Simple Homeowner Guide – Pipeliners USA (60 chars)
Title after	**Epoxy Pipe Lining: A Homeowner's Guide | Pipeliners USA** (55 chars)
Desc. before	Pipeliners USA offers trenchless epoxy pipe lining in Mesa, AZ, for drain & water lines. Avoid excavation & save money. Get a free estimate! (140 chars)
Desc. after	**What epoxy pipe lining is, how the coating process works, where it fits best, and how long it lasts. A plain-language guide for Arizona homeowners.** (147 chars)
H1 on page	Epoxy Pipe Lining: A Simple Homeowner Guide

Reason for the optimization

753 impressions and zero clicks. No managed title, so it rendered a 60-character raw title with a truncating suffix.

What changed

Title shortened to 55 characters and now reads as a guide. Description outlines the four questions the page answers.

Heading structure

No change required. One H1 and nine descriptive H2s.

Content recommendations

Well structured. Four images are missing alt text and should be described.

Internal link recommendations

Link to /epipe-restoration/ where potable water lines are mentioned, keeping the two services clearly distinct.

/hydro-jetting/

Service page · Intent: Commercial · Target: hydro jetting drain cleaning · 683 impressions, 0 clicks, avg position 59 · High

Title before	Hydro Jetting Services in Arizona | Pipeliners USA (50 chars)
Title after	**Hydro Jetting Drain Cleaning in Phoenix, AZ | Pipeliners** (56 chars)
Desc. before	Hydro jetting in Arizona by Pipeliners USA: Eliminate clogs and restore pipes. Contact us for effective drain cleaning solutions. (129 chars)
Desc. after	**High-pressure hydro jetting clears grease, scale, and root buildup from drain and sewer lines. See how it works and when it is the right fix.** (141 chars)
H1 on page	Professional Hydro Jetting Services in Arizona

Reason for the optimization

683 impressions and zero clicks. A distinct service with real commercial demand, but the thinnest of the main service pages at 552 words.

What changed

Title now includes the drain cleaning term and the metro area. Description names what jetting removes and signals when it is the right fix, keeping it clearly distinct from pipe lining.

Heading structure

Recommended: add H2s for when jetting is not appropriate and how it differs from cabling or snaking.

Content recommendations

Thin at 552 words. Expand with a section on when jetting is not appropriate (fragile or collapsed pipe) and how it differs from cabling.

Internal link recommendations

Link to /trenchless-drain-pipe-repair/ and to the root intrusion content.

`/whole-house-repipe/`

Service guide (post) · Intent: Informational to commercial · Target: whole house repipe · 680 impressions, 0 clicks, avg position 68 · **High**

Title before	Whole House Repipe: A Simple Guide for Phoenix Homeowners – Pipeliners USA (74 chars)
Title after	**Whole House Repipe in Phoenix: Signs, Process & Costs** (53 chars)
Desc. before	Phoenix whole house repiping by Pipeliners USA. Avoid demolition with trenchless solutions. Signs you need a repipe & free inspections. Contact us! (147 chars)
Desc. after	**Signs your home needs a full repipe, how the process runs, and how PEX and copper compare. Written for Phoenix Valley homeowners weighing options.** (146 chars)
H1 on page	Whole House Repipe: A Simple Guide for Phoenix Homeowners

Reason for the optimization

680 impressions and zero clicks at position 68. Rendered a 74-character title that truncates in search results.

What changed

Title cut from 74 to 53 characters and now names the city plus the three things the page covers.

Heading structure

No change required. One H1 and nine H2s.

Content recommendations

Well structured with an FAQ. Two images need alt text.

Internal link recommendations

Link to /epipe-restoration/ as the in-place alternative and to /corroded-pipes/ for the underlying cause.

`/corroded-pipes/`

Service guide (post) · Intent: Informational · Target: corroded pipes · 328 impressions, 0 clicks, avg position 66 · **High**

Title before	Corroded Pipes: Signs, Causes, and Repair Options – Pipeliners USA (66 chars)
Title after	**Corroded Pipes: Signs, Causes & Repair Options | AZ** (51 chars)
Desc. before	Pipeliners USA offers trenchless pipe repair in Mesa, AZ. Learn about corroded pipes, causes, and demolition-free solutions. Contact us today! (142 chars)
Desc. after	**Spot the warning signs of pipe corrosion, learn which materials corrode fastest, and compare repair options before a leak causes real damage.** (141 chars)
H1 on page	Corroded Pipes: Signs, Causes, and Repair Options

Reason for the optimization

328 impressions and zero clicks. Rendered a 66-character title with a truncating brand suffix.

What changed

Title cut from 66 to 51 characters. Description now leads with warning signs, the most common entry query for this topic.

Heading structure

No change required. One H1 and nine H2s.

Content recommendations

Well structured. Four images need alt text.

Internal link recommendations

Link to /whole-house-repipe/ and /epipe-restoration/ as the two repair paths.

`/epipe-restoration/`

Service page · Intent: Commercial · Target: ePIPE pinhole leak restoration · 140 impressions, 0 clicks, avg position 58 · **High**

Title before	Pinhole Leak Repair: Innovative ePipe Pipeliners Solution (57 chars)
Title after	**ePIPE Restoration for Pinhole Leaks | Pipeliners USA** (52 chars)
Desc. before	Stop leaks and prevent lead and copper contamination with ePipe Pinhole Pipe Leak Repair. Enjoy peace of mind with our 10-year warranty assurance. (146 chars)
Desc. after	**ePIPE epoxy lining restores pinhole-leaking copper water lines in place, without opening walls or slabs. See how the process works in Arizona.** (142 chars)
H1 on page	ePIPE Restoration

Reason for the optimization

Carries a distinct branded service (in-place epoxy lining for copper water lines). It had a malformed H1 with stray spacing and only two H2 sections.

What changed

Title names the branded ePIPE service and the problem it solves. Description explains the in-place process and deliberately does not repeat the unverified warranty claim carried in the old description.

Heading structure

Recommended: clean the stray double spaces in the H1, and add H2s for candidacy criteria, the diagnostic step, and an FAQ.

Content recommendations

Thin at 573 words with only two H2s. Expand with candidacy criteria, the diagnostic step, and an FAQ.

Internal link recommendations

Link to /epoxy-pipe-lining/, /whole-house-repipe/, and /free-sewer-inspection/. This page is under-linked for its commercial value.

`/leak-detection-services-in-phoenix-arizona/`

Service page · Intent: Local commercial · Target: water and slab leak detection, Phoenix · n/a impressions, 0 clicks, avg position n/a · **Critical**

Title before	Leak Detection Services in Phoenix, Arizona – Pipeliners USA (60 chars)
Title after	**Water & Slab Leak Detection in Phoenix, AZ | Pipeliners** (55 chars)
Desc. before	Pipeliners USA: Trenchless pipe lining in Phoenix, AZ. Demolition-free repair for drain & water pipes. Save time & money. Call today! (133 chars)
Desc. after	**Locate hidden water and slab leaks before they damage floors and foundations. Pipeliners USA offers leak detection across the Phoenix Valley.** (141 chars)
H1 on page	Leak Detection Services in Phoenix, Arizona

Reason for the optimization

A clear search-intent mismatch. The page is about leak detection, but the meta description described trenchless pipe lining.

What changed

Description rewritten to match the page topic. It now describes water and slab leak detection rather than pipe lining, resolving the intent mismatch.

Heading structure

Recommended: add H2s for detection methods, signs of a hidden leak, and what happens after a leak is located. Currently one H2 across 666 words.

Content recommendations

Only one H2 across 666 words. Add the detection-method and next-step sections described above.

Internal link recommendations

Link to /epipe-restoration/ and /whole-house-repipe/ as the repair paths after detection.

`/free-sewer-inspection/`

Conversion landing page · Intent: Transactional · Target: free sewer camera inspection · n/a impressions, 0 clicks, avg position n/a · **Critical**

Title before	Free Sewer Inspection – Pipeliners USA (38 chars)
Title after	**Free Sewer Camera Inspection in Phoenix | Pipeliners** (52 chars)
Desc. before	Get a FREE sewer line camera inspection from Pipeliners, already in your neighborhood. See drain issues before they strike. Call now! (133 chars)
Desc. after	**See inside your sewer line before problems start. Request a free sewer camera inspection from Pipeliners USA in the Phoenix Valley. Call 480-447-5345.** (150 chars)
H1 on page	Get a Free Sewer Line Camera Inspection in Phoenix | SEWER INSPECTION | Want Yours Checked? (3 H1 tags on page)

Reason for the optimization

The primary conversion asset on the site. It had three competing H1s, only 155 words, one inbound internal link, and a 38-character title with no city or service clarity.

What changed

Title now names the service, the offer, and the city. Description states the offer plainly and includes the official phone number as the call to action.

Heading structure

Recommended (Critical): reduce three H1s to one. Convert "SEWER INSPECTION" and "Want Yours Checked?" to H2 or styled text.

Content recommendations

Critical. At 155 words this is the thinnest important page on the site. Expand to explain what the camera inspection shows, what the homeowner receives, and how to book.

Internal link recommendations

Critical: this page has only one inbound internal link. Add contextual links from the homepage, /services/, and the top six city pages.

`/services/`

Service hub · Intent: Commercial · Target: trenchless pipe and sewer services · n/a impressions, 0 clicks, avg position n/a · High

Title before	Pipe Restoration Pros | Trenchless Solutions | Arizona (54 chars)
Title after	**Trenchless Pipe & Sewer Services in Arizona | Pipeliners** (56 chars)
Desc. before	Specializing in pipe restoration with ePipe lining and trenchless solutions for homes and businesses. Contact us for expert services. (133 chars)
Desc. after	**Trenchless sewer repair, drain pipe lining, ePIPE water line restoration, hydro jetting, and leak detection for Arizona homes and businesses.** (141 chars)
H1 on page	Trenchless Drain Solutions

Reason for the optimization

The service hub that should feed every individual service page, but it had only one H2 and a promotional title that did not list the services.

What changed

Title now describes the category of work. Description lists the five distinct services so the page can rank for the hub query and set accurate expectations.

Heading structure

Recommended: add one H2 per service with a short description and a link to the full service page.

Content recommendations

588 words with a single H2. Expand to a proper hub with a short block per service.

Internal link recommendations

Add descriptive links to all nine service pages. The hub currently under-links its own children.

/goodyear/

Location page · Intent: Local commercial · Target: trenchless sewer repair, Goodyear · 504 impressions, 0 clicks, avg position 24 · **High**

Title before	Goodyear Pipe Repair: Pipeliners USA's Trenchless Solutions (59 chars)
Title after	**Trenchless Sewer & Pipe Repair in Goodyear, AZ** (46 chars)
Desc. before	Goodyear pipe repair by Pipeliners USA: Trenchless solutions for your cracked or leaking sewer lines. Contact us today for a quote! (131 chars)
Desc. after	**Sewer and water line repair for Goodyear homes without major excavation. Pipeliners USA lines pipes in place to protect driveways and landscaping.** (146 chars)
H1 on page	Trenchless Pipe Repair in Goodyear, AZ | Pipeliners USA

Reason for the optimization

The best-positioned location page on the site at position 24, making it the closest to page one and the cheapest win available.

What changed

Title restructured to lead with the service and city rather than the brand name. Description references driveway and landscaping protection, the concrete local benefit.

Heading structure

No change required.

Content recommendations

Content was de-duplicated in the July 2026 pass. No further changes required now.

Internal link recommendations

Link to /trenchless-sewer-repair/ and /free-sewer-inspection/ with descriptive anchors.

`/tempe/`

Location page · Intent: Local commercial · Target: trenchless sewer repair, Tempe · 2,033 impressions, 0 clicks, avg position 33 · **Critical**

Title before	Pipeliners: Expert Trenchless Plumbing in Tempe, AZ (51 chars)
Title after	**Tempe Trenchless Sewer Repair & Pipe Lining | Pipeliners** (56 chars)
Desc. before	Pipeliners: Expert trenchless pipe repair in Tempe, AZ. Save time & money with non-invasive solutions. Contact us today! (120 chars)
Desc. after	**Aging clay and cast iron lines are common in Tempe. Pipeliners USA restores sewer and drain pipes in place, with minimal digging on your property.** (146 chars)
H1 on page	Expert Plumbing Restoration Services in Tempe, Arizona

Reason for the optimization

2,033 impressions at position 33 with zero clicks. High volume and within striking distance of page one.

What changed

Title leads with the city and both service names. Description references the aging clay and cast iron lines common in Tempe.

Heading structure

No change required.

Content recommendations

Content was de-duplicated in the July 2026 pass. No further changes required now.

Internal link recommendations

Link to /trenchless-drain-pipe-repair/ and /free-sewer-inspection/.

/buckeye/

Location page · Intent: Local commercial · Target: trenchless pipe repair, Buckeye · 1,715 impressions, 0 clicks, avg position 30 · **High**

Title before	Buckeye Pipe Repair: Pipeliners USA's Trenchless Solutions (58 chars)
Title after	**Trenchless Pipe & Sewer Repair in Buckeye, Arizona** (50 chars)
Desc. before	Buckeye, AZ pipe repair? Pipeliners USA provides trenchless solutions to save you time and money. Get a quote today! (116 chars)
Desc. after	**Pipeliners USA repairs sewer and drain lines for Buckeye homes and businesses using trenchless lining, so yards and driveways stay intact.** (138 chars)
H1 on page	Trenchless Pipe Repair in Buckeye, Arizona | Pipeliners USA

Reason for the optimization

1,715 impressions at position 30 with zero clicks. High volume and within striking distance.

What changed

Title leads with the service and city. Description addresses the yard and driveway concern that drives no-dig demand.

Heading structure

No change required.

Content recommendations

Content was de-duplicated in the July 2026 pass. Fix the broken /reviews link in the body.

Internal link recommendations

Replace the broken /reviews link and add a link to /free-sewer-inspection/.

/paradise-valley/

Location page · Intent: Local commercial · Target: sewer and pipe repair, Paradise Valley · 1,260 impressions, 0 clicks, avg position 33 · **High**

Title before	Paradise Valley Pipe Repair: Pipeliners USA - Call Today (56 chars)
Title after	**Paradise Valley Sewer & Pipe Repair Without Digging** (51 chars)
Desc. before	Pipeliners USA in Paradise Valley: Expert plumbing services with trenchless pipe repair. Call now for cost-effective, no-demolition solutions. (142 chars)
Desc. after	**Protect mature landscaping and hardscape during sewer repair. Pipeliners USA restores Paradise Valley pipes in place using trenchless lining.** (141 chars)
H1 on page	Paradise Valley Pipe Repair Experts: Trenchless & No-Dig Solutions

Reason for the optimization

1,260 impressions at position 33. It already ranks for "pipe repair paradise valley az" at position 15 and "emergency sewer repair paradise valley" at position 25.

What changed

Title uses a benefit-led structure to differentiate it from the other city titles. Description leads with mature landscaping and hardscape protection.

Heading structure

No change required.

Content recommendations

Content was de-duplicated in the July 2026 pass. No further changes required now.

Internal link recommendations

Link to /epipe-restoration/ (relevant to the local housing stock) and /free-sewer-inspection/.

/glendale/

Location page · Intent: Local commercial · Target: trenchless sewer and water line repair, Glendale · 3,449 impressions, 0 clicks, avg position 56 · **Critical**

Title before	Glendale Pipe Repair: Trenchless Solutions by Pipeliners USA (60 chars)
Title after	**Glendale, AZ Trenchless Sewer & Water Line Repair** (49 chars)
Desc. before	Glendale, AZ pipe repair? Pipeliners USA provides trenchless solutions to fix your pipes without demolition. Call us now. (121 chars)
Desc. after	**Sewer backups and pinhole leaks are common in older Glendale homes. Pipeliners USA repairs pipes in place, without trenching across your yard.** (142 chars)
H1 on page	Trenchless Pipe Repair in Glendale, AZ | Pipeliners USA

Reason for the optimization

The highest-impression page on the entire site at 3,449 impressions, with zero clicks.

What changed

Title leads with the city and names both sewer and water lines. Description references backups and pinhole leaks in older Glendale housing stock.

Heading structure

No change required.

Content recommendations

Content was de-duplicated in the July 2026 pass. No further changes required now.

Internal link recommendations

Link to /corroded-pipes/ and /whole-house-repipe/, matching the older housing stock angle.

/phoenix/

Location page · Intent: Local commercial · Target: trenchless sewer repair, Phoenix · 2,360 impressions, 0 clicks, avg position 55 · **Critical**

Title before	Phoenix Pipe Repair: Pipeliners USA's Trenchless Solutions (58 chars)
Title after	**Phoenix Trenchless Sewer & Pipe Repair | Pipeliners USA** (55 chars)
Desc. before	Eco-friendly plumbing in Phoenix? Pipeliners USA offers efficient pipe repair. Save time and money with our trenchless solutions. Call us now! (142 chars)
Desc. after	**Trenchless sewer, drain, and water line repair across Phoenix. Pipeliners USA restores pipes from the inside to limit digging and disruption.** (141 chars)
H1 on page	Phoenix Trenchless Pipe Repair & Restoration | Pipeliners USA

Reason for the optimization

2,360 impressions with zero clicks, and the flagship city for the whole service area.

What changed

Title leads with the city and core service. Description names all three line types and the in-place repair method.

Heading structure

No change required.

Content recommendations

Content was de-duplicated in the July 2026 pass. No further changes required now.

Internal link recommendations

Link to /phoenix-sewer-line-problems/ and /leak-detection-services-in-phoenix-arizona/ to consolidate the Phoenix cluster.

`/what-causes-pinhole-leaks-in-copper-pipes/`

Blog post · Intent: Informational · Target: pinhole leaks in copper pipes · 1,223 impressions, 0 clicks, avg position 71 · **High**

Title before	What Causes Pinhole Leaks in Copper Pipes? – Pipeliners USA (59 chars)
Title after	**What Causes Pinhole Leaks in Copper Pipes? | Pipeliners** (55 chars)
Desc. before	Uncover causes of pinhole leaks in copper pipes and prevent water damage with expert tips from Pipeliners, pipe restoration specialists. (136 chars)
Desc. after	**Water chemistry, flow velocity, and pipe age all drive pinhole leaks in copper lines. Learn the causes, the warning signs, and your repair options.** (147 chars)
H1 on page	What Causes Pinhole Leaks in Copper Pipes? | What causes pinhole leaks in copper pipes? (2 H1 tags on page)

Reason for the optimization

1,223 impressions, the highest of any blog post. It had two competing H1s and only one H2 across 1,174 words.

What changed

Title shortened and the brand suffix tightened. Description now names the three actual causes, which improves relevance for the long-tail variants the page already ranks for.

Heading structure

Recommended (High): reduce two H1s to one, and add descriptive H2s for causes, warning signs, and repair options. Currently the only H2 is a call to action.

Content recommendations

1,174 words with almost no heading structure. Add the H2s described above so the content is scannable.

Internal link recommendations

Link to /epipe-restoration/ as the direct solution. This is the strongest commercial internal link currently missing from the site.

`/monsoon-season-pipe-problems/`

Seasonal pillar post · Intent: Informational (seasonal) · Target: monsoon sewer backups, Phoenix · n/a impressions, 0 clicks, avg position n/a · **Medium**

Title before	Monsoon Season Pipe Problems: Backups, Slow Drains, and Sewer Line Warning Signs – Pipeliners USA (97 chars)
Title after	**Monsoon Season Sewer Backups & Slow Drains in Phoenix** (53 chars)
Desc. before	Phoenix sewer backups during monsoon season? Learn warning signs & how Pipeliners' trenchless repair fixes them without excavation. (131 chars)
Desc. after	**Why Phoenix sewers back up during monsoon storms, the warning signs that show up first, and the repair options that prevent a repeat next season.** (145 chars)
H1 on page	Monsoon Season Pipe Problems: Backups, Slow Drains, and Sewer Line Warning Signs

Reason for the optimization

The seasonal pillar for the current monsoon window. It rendered a 97-character title that truncates heavily.

What changed

Title cut from 97 to 53 characters so it no longer truncates. Description follows the page structure of cause, warning signs, and repair options.

Heading structure

No change required. One H1 and nine H2s.

Content recommendations

Well structured with an FAQ. Two images need alt text.

Internal link recommendations

Already well linked to the four monsoon support posts. Add a link to /free-sewer-inspection/.

`/sewer-pipe-lining-vs-replacement-how-to-know-which-repair-is-right/`

Comparison post · Intent: Commercial investigation · Target: sewer pipe lining vs replacement · n/a impressions, 0 clicks, avg position n/a · **Medium**

Title before	Sewer Pipe Lining vs Replacement: How to Know Which Repair Is Right – Pipeliners USA (84 chars)
Title after	**Sewer Pipe Lining vs Replacement: Which Do You Need?** (52 chars)
Desc. before	Pipeliners USA: Sewer pipe lining vs. replacement. Learn which repair is right to save time & money. Get trenchless solutions today. (132 chars)
Desc. after	**Compare sewer pipe lining and full replacement on cost drivers, disruption, and pipe condition, then see which repair fits your situation.** (138 chars)
H1 on page	Sewer Pipe Lining vs Replacement: How to Know Which Repair Is Right

Reason for the optimization

Commercial-investigation content that converts well for this service. It rendered an 84-character title.

What changed

Title cut from 84 to 52 characters and rewritten as a question, matching how the comparison query is actually phrased.

Heading structure

No change required. One H1 and nine H2s.

Content recommendations

Well structured. No changes needed.

Internal link recommendations

Link to /trenchless-sewer-repair/ and /whole-house-repipe/.

6. Cannibalization Findings

Six clusters were identified where multiple URLs target the same or nearly identical query intent. This is a material contributor to the position 55 to 80 band across the site: authority that should concentrate on one strong page is spread across several weaker ones.

> **No pages were merged, redirected, or deleted.** Every resolution below is documented as a recommendation only, as required by the brief. Consolidation decisions change URLs and need client sign-off.

Trenchless / CIPP core cluster

Competing URLs (8):

`/trenchless-sewer-repair/` `/trenchless-drain-pipe-repair/` `/repair-sewer-line-without-digging/` `/what-is-trenchless-pipe-repair/` `/what-is-cipp/` `/how-plumbers-use-cured-in-place-pipe-lining-to-avoid-digging-and-demolition/` `/common-myths-about-trenchless-sewer-repair-debunked/` `/pipelining-myths-debunked/`

Overlap: All eight target variations of "trenchless sewer repair" and "CIPP lining." Google is spreading equity across them, which is a direct cause of the position 55 to 78 band.

Recommended resolution: Keep **/trenchless-sewer-repair/** as the single commercial hub. Differentiate the rest: */what-is-cipp/* to the CIPP method definition only, */repair-sewer-line-without-digging/* to the no-dig question, and consolidate the two myth-debunking posts into one (they overlap almost entirely). Point all of them at the hub with descriptive anchors.

Status: Requires approval

Pipe corrosion cluster

Competing URLs (4):

`/corroded-pipes/` `/understanding-pipe-corrosion/` `/how-to-identify-and-stop-pipe-rust-corrosion-in-your-household/` `/how-to-identify-and-stop-pipe-rust-corrosion-in-your-household/ (duplicate H1 variant)`

Overlap: Three posts cover the same corrosion topic with near-identical intent. /corroded-pipes/ is the strongest at 1,808 words.

Recommended resolution: Keep **/corroded-pipes/** as the hub. Retarget */understanding-pipe-corrosion/* to the chemistry and material-science angle, and */how-to-identify-and-stop-pipe-rust-corrosion.../* to the DIY identification angle, or consolidate and 301 the weaker two into the hub.

Status: Requires approval

Tree root intrusion cluster

Competing URLs (3):

`/how-to-get-rid-of-tree-roots-in-sewer-line/` `/how-to-identify-if-you-have-tree-roots-in-your-sewer-line/` `/a-homeowners-guide-to-detecting-and-preventing-root-intrusion-in-pipes/`

Overlap: Three posts split "identify" and "remove" root intent. The identify page sits at position 76 and the removal page at 83.

Recommended resolution: Merge into one comprehensive root intrusion page covering identify, remove, and prevent. 301 the two weaker URLs into the survivor. This cluster is currently too fragmented to rank.

Status: Requires approval

Epoxy and in-place lining cluster

Competing URLs (3):

`/epoxy-pipe-lining/` `/epipe-restoration/` `/pipe-lining-for-potable-water/`

Overlap: All three describe in-place epoxy coating of water lines. Note these are genuinely different offerings and must not be merged into one page.

Recommended resolution: Keep all three separate but differentiate explicitly: */epoxy-pipe-lining/* as the general method guide, */epipe-restoration/* as the branded ePIPE service page, and */pipe-lining-for-potable-water/* as the potable-water application. Add cross-links stating the distinction so both users and search engines can tell them apart.

Status: Recommended, low risk

Phoenix location cluster

Competing URLs (4):

`/phoenix/` `/phoenix-sewer-line-problems/` `/pipelining-methods-phoenix/` `/leak-detection-services-in-phoenix-arizona/`

Overlap: Four URLs target Phoenix-modified queries. /phoenix/ is the intended city hub at 2,360 impressions but competes with three others.

Recommended resolution: Keep **/phoenix/** as the city hub. Retarget */phoenix-sewer-line-problems/* to a symptom-led informational page, keep */leak-detection-services-in-phoenix-arizona/* on the distinct leak detection service, and consider consolidating */pipelining-methods-phoenix/* into the hub. Link all three up to /phoenix/.

Status: Requires approval

Lining vs replacement comparison

Competing URLs (5):

`/sewer-pipe-lining-vs-replacement-how-to-know-which-repair-is-right/`
`/reline-vs-replace-best-options-for-drain-and-sewer-pipes/` `/cipp-vs-traditional-sewer-line-replacement-pros-and-cons/`
`/is-trenchless-sewer-repair-more-expensive-than-digging/` `/understanding-pipe-restoration-repiping-vs-pipelining/`

Overlap: Five posts run the same lining-versus-replacement comparison. This is the most duplicated intent on the site.

Recommended resolution: Keep **/sewer-pipe-lining-vs-replacement.../** as the canonical comparison. Retarget */is-trenchless-sewer-repair-more-expensive-than-digging/* to cost only, and consolidate the remaining three into the canonical page with 301s.

Status: Requires approval

7. Technical On-Page Findings

All findings below were verified against the live site. Items marked **Pass** are recorded so the client knows they were checked and are healthy, not merely omitted.

Severity	Finding	Recommendation
Critical	**Published post returns 404** `/is-pipelining-worth-it/` is published (post ID 13714, 907 words) but returns HTTP 404. A duplicate *draft* (ID 15355) holds the identical slug and is winning the permalink. The URL is listed in the XML sitemap and is linked from the homepage and two other posts.	Rename the draft's slug (for example `is-pipelining-worth-it-v2`). This restores the live post immediately without touching the published record. **Not applied**: the draft may be an intentional replacement, so the client should confirm which version should own the URL.
Critical	**Rank Math SEO plugin is deactivated** `seo-by-rank-math` is installed but **inactive**. Every `rank_math_title` and `rank_math_description` value stored in WordPress is therefore inert. Verified directly: `/whole-house-repipe/` stores the Rank Math description "Fix gurgling drains with expert tips & advice." (itself wrong, copied from another post) yet serves a completely different OTTO-generated description. Confirmed not a caching artifact after a LiteSpeed purge.	Decide the system of record. **Recommended: leave Rank Math off** and manage all titles, descriptions, and schema through Search Atlas OTTO, which is what is actually serving the live tags today. Reactivating Rank Math risks duplicate meta tags and duplicate schema alongside OTTO. Either way the stale Rank Math meta should eventually be cleaned so it does not mislead future editors.
High	**Homepage routes 37 service-area links through redirects** The homepage links to 37 legacy `/service-areas/<city>/` URLs. All 301-redirect to the live `/<city>/` pages. One is misconfigured: `/service-areas/mesa/` redirects to `/wp-content/uploads/2024/10/mesa.mp4`, a video file rather than the Mesa page.	Update the 37 homepage links to point directly at the final city URLs, and fix the Mesa target. This removes a redirect hop on the site's highest-authority page. **Not applied**: this is a bulk edit to homepage navigation.
High	**Homepage links to 15 dead category URLs** The homepage links to `/pipe-repair/`, `/pipeliners/`, `/plumbing-tips/`, `/plumbing-upgrades/`, `/root-intrusion/`, `/clogged-drain/`, `/service-areas/` and their paginated variants. All return 404. The live equivalents carry a `/category/` prefix, which these links omit.	Repoint each to its `/category/…/` equivalent, or remove the links if the category listing is not wanted in the footer. **Not applied**: requires a homepage template edit.
High	**/reviews/ returns 404 and is linked from 6 pages** `/reviews/` and `/reviews` both 404. They are linked from the homepage, `/buckeye/`, `/anthem/`, `/pipeline-locating-what-it-is-and-why-its-important/`, `/5-signs-you-need-to-repipe-your-home-in-arizona/` and `/most-common-sewer-system-issues/`. The link sources are stored in Elementor data on posts 13812 and 13796.	Either create the reviews page or repoint the links. Broken links on location pages undercut trust signals on exactly the pages meant to convert local visitors.
High	**13 pages serve multiple H1 headings** Verified from rendered HTML, not inferred. Four pages repeat the same H1 twice; eight serve a second, different H1; `/free-sewer-inspection/` serves three, including "SEWER INSPECTION" and "Want Yours Checked?" used purely for styling.	Reduce each page to one H1 and demote the rest to H2 or styled text. Full list in the Appendix. **Not applied**: requires per-page Elementor and Gutenberg edits.

Severity	Finding	Recommendation
High	**Two sitemaps registered in Search Console now return 404** Google Search Console still has `page-sitemap.xml` (201 URLs submitted) and `post-sitemap.xml` (65 URLs submitted) registered. Both now return **HTTP 404**. They were generated by Rank Math, and they broke when the plugin was deactivated. The current working sitemap is `sitemap_index.xml`, which reports 121 URLs and 1 warning.	Remove the two dead sitemaps from Search Console so Google stops requesting them, and confirm `sitemap_index.xml` is the only submitted sitemap. This is a second, independent consequence of the Rank Math deactivation and directly affects how reliably new content is discovered.
Medium	**Four blog posts have no meta description at all** `/sewer-backup-monsoon-what-to-do/`, `/commercial-monsoon-sewer-backups/`, `/hydro-jetting-vs-clearing-the-clog/` and `/what-is-a-bellied-sewer-pipe/` serve no description tag. These four July 2026 monsoon posts were published after OTTO's last crawl, and with Rank Math inactive there is no fallback.	Trigger an OTTO recrawl so the four URLs enter the optimization set, then write and deploy descriptions. This is the clearest ongoing risk created by the inactive Rank Math plugin: every new post now ships with no description until OTTO catches up.
Medium	**Low-value archives are indexable and in the sitemap** Ten category archives and five tag archives are indexable and listed in the XML sitemap. `/category/pipeliners/` serves the title "Pipeliners USA: Trenchless Pipe Repair Solutions," which competes with the homepage. Several draw single-digit impressions at position 12 to 88. The MetaSync settings request `index_category_archives: false`, but that setting is inert because it belongs to the SEO layer Rank Math used to provide.	Noindex the tag archives and thin category archives, and remove them from the sitemap. **Not applied**: robots directives were explicitly out of scope for automatic changes.
Medium	**Theme template CPTs are published in the sitemap** `/pixfooter-item/pipeliners-footer/` and `/pixpopup-item/cookie-policy-popup-elementor/` are theme template records, not real pages. They have no H1, are effectively orphaned, and appear in the XML sitemap.	Exclude both post types from the sitemap and set them to noindex. They currently dilute the crawl budget with non-pages.
Low	**Trailing-slash redirects on internal links** Internal links to `/contact`, `/services`, `/privacy-policy` and `/terms-of-use` omit the trailing slash and 301-redirect.	Add the trailing slash at the link source. Low impact but trivial to fix during the next content pass.
Pass	**Canonical tags** All 120 reachable URLs serve a correct self-referencing canonical. No cross-domain, no parameterized, and no mismatched canonicals were found.	No action needed.
Pass	**Robots directives and indexability** No accidental `noindex` anywhere on the site. 104 URLs serve `max-image-preview:large` and 16 serve no robots meta, which correctly defaults to indexable.	No action needed.
Pass	**Protocol and host canonicalization** `http://pipelinersusa.com/`, `http://www.pipelinersusa.com/` and `https://www.pipelinersusa.com/` all resolve correctly to `https://pipelinersusa.com/`. robots.txt is valid and references the sitemap.	No action needed.

Severity	Finding	Recommendation
Pass	**Orphan pages** No orphaned content pages. Every content URL in the sitemap carries at least two inbound internal links. Only the two theme template CPTs are near-orphaned, which is expected.	No action needed.
Pass	**Image alt text** 2,930 of 2,976 images carry alt text, which is 99 percent coverage. Only 46 images across 8 pages are missing it. A previous audit flagged image alt text as a major sitewide issue; that is not supported by the current crawl.	Add alt text to the 46 remaining images opportunistically. Not a priority.

8. Work Completed vs Approval Needed

8.1 Implemented and live (40 changes across 20 pages)

Deployed via Search Atlas OTTO on July 24, 2026, cache purged, and verified against the live site. Fully reversible through OTTO rollback.

URL	Element	New value	Status
`/`	SEO title	Trenchless Sewer & Pipe Repair in Phoenix, AZ | Pipeliners	Deployed and verified
`/`	Meta description	Pipeliners USA restores sewer, drain, and water lines across the Phoenix Valley without major digging. See how trenchless pipe repair works.	Deployed and verified
`/trenchless-sewer-repair/`	SEO title	Trenchless Sewer Repair: How It Works | Pipeliners USA	Deployed and verified
`/trenchless-sewer-repair/`	Meta description	See how trenchless sewer repair works, which method suits your pipe problem, and when digging is still the better option for Arizona homes.	Deployed and verified
`/trenchless-drain-pipe-repair/`	SEO title	Trenchless Drain Pipe Lining in Phoenix, AZ | Pipeliners	Deployed and verified
`/trenchless-drain-pipe-repair/`	Meta description	Reline cracked, root-damaged, or leaking drain lines from the inside. See how trenchless drain pipe lining works across the Phoenix Valley.	Deployed and verified
`/epoxy-pipe-lining/`	SEO title	Epoxy Pipe Lining: A Homeowner's Guide | Pipeliners USA	Deployed and verified
`/epoxy-pipe-lining/`	Meta description	What epoxy pipe lining is, how the coating process works, where it fits best, and how long it lasts. A plain-language guide for Arizona homeowners.	Deployed and verified
`/hydro-jetting/`	SEO title	Hydro Jetting Drain Cleaning in Phoenix, AZ | Pipeliners	Deployed and verified
`/hydro-jetting/`	Meta description	High-pressure hydro jetting clears grease, scale, and root buildup from drain and sewer lines. See how it works and when it is the right fix.	Deployed and verified
`/whole-house-repipe/`	SEO title	Whole House Repipe in Phoenix: Signs, Process & Costs	Deployed and verified
`/whole-house-repipe/`	Meta description	Signs your home needs a full repipe, how the process runs, and how PEX and copper compare. Written for Phoenix Valley homeowners weighing options.	Deployed and verified
`/corroded-pipes/`	SEO title	Corroded Pipes: Signs, Causes & Repair Options | AZ	Deployed and verified
`/corroded-pipes/`	Meta description	Spot the warning signs of pipe corrosion, learn which materials corrode fastest, and compare repair options before a leak causes real damage.	Deployed and verified
`/epipe-restoration/`	SEO title	ePIPE Restoration for Pinhole Leaks | Pipeliners USA	Deployed and verified

URL	Element	New value	Status
`/epipe-restoration/`	Meta description	ePIPE epoxy lining restores pinhole-leaking copper water lines in place, without opening walls or slabs. See how the process works in Arizona.	Deployed and verified
`/leak-detection-services-in-phoenix-arizona/`	SEO title	Water & Slab Leak Detection in Phoenix, AZ | Pipeliners	Deployed and verified
`/leak-detection-services-in-phoenix-arizona/`	Meta description	Locate hidden water and slab leaks before they damage floors and foundations. Pipeliners USA offers leak detection across the Phoenix Valley.	Deployed and verified
`/free-sewer-inspection/`	SEO title	Free Sewer Camera Inspection in Phoenix | Pipeliners	Deployed and verified
`/free-sewer-inspection/`	Meta description	See inside your sewer line before problems start. Request a free sewer camera inspection from Pipeliners USA in the Phoenix Valley. Call 480-447-5345.	Deployed and verified
`/services/`	SEO title	Trenchless Pipe & Sewer Services in Arizona | Pipeliners	Deployed and verified
`/services/`	Meta description	Trenchless sewer repair, drain pipe lining, ePIPE water line restoration, hydro jetting, and leak detection for Arizona homes and businesses.	Deployed and verified
`/goodyear/`	SEO title	Trenchless Sewer & Pipe Repair in Goodyear, AZ	Deployed and verified
`/goodyear/`	Meta description	Sewer and water line repair for Goodyear homes without major excavation. Pipeliners USA lines pipes in place to protect driveways and landscaping.	Deployed and verified
`/tempe/`	SEO title	Tempe Trenchless Sewer Repair & Pipe Lining | Pipeliners	Deployed and verified
`/tempe/`	Meta description	Aging clay and cast iron lines are common in Tempe. Pipeliners USA restores sewer and drain pipes in place, with minimal digging on your property.	Deployed and verified
`/buckeye/`	SEO title	Trenchless Pipe & Sewer Repair in Buckeye, Arizona	Deployed and verified
`/buckeye/`	Meta description	Pipeliners USA repairs sewer and drain lines for Buckeye homes and businesses using trenchless lining, so yards and driveways stay intact.	Deployed and verified
`/paradise-valley/`	SEO title	Paradise Valley Sewer & Pipe Repair Without Digging	Deployed and verified
`/paradise-valley/`	Meta description	Protect mature landscaping and hardscape during sewer repair. Pipeliners USA restores Paradise Valley pipes in place using trenchless lining.	Deployed and verified
`/glendale/`	SEO title	Glendale, AZ Trenchless Sewer & Water Line Repair	Deployed and verified
`/glendale/`	Meta description	Sewer backups and pinhole leaks are common in older Glendale homes. Pipeliners USA repairs pipes in place, without trenching across your yard.	Deployed and verified

URL	Element	New value	Status
`/phoenix/`	SEO title	Phoenix Trenchless Sewer & Pipe Repair | Pipeliners USA	Deployed and verified
`/phoenix/`	Meta description	Trenchless sewer, drain, and water line repair across Phoenix. Pipeliners USA restores pipes from the inside to limit digging and disruption.	Deployed and verified
`/what-causes-pinhole-leaks-in-copper-pipes/`	SEO title	What Causes Pinhole Leaks in Copper Pipes? | Pipeliners	Deployed and verified
`/what-causes-pinhole-leaks-in-copper-pipes/`	Meta description	Water chemistry, flow velocity, and pipe age all drive pinhole leaks in copper lines. Learn the causes, the warning signs, and your repair options.	Deployed and verified
`/monsoon-season-pipe-problems/`	SEO title	Monsoon Season Sewer Backups & Slow Drains in Phoenix	Deployed and verified
`/monsoon-season-pipe-problems/`	Meta description	Why Phoenix sewers back up during monsoon storms, the warning signs that show up first, and the repair options that prevent a repeat next season.	Deployed and verified
`/sewer-pipe-lining-vs-replacement-how-to-know-which-repair-is-right/`	SEO title	Sewer Pipe Lining vs Replacement: Which Do You Need?	Deployed and verified
`/sewer-pipe-lining-vs-replacement-how-to-know-which-repair-is-right/`	Meta description	Compare sewer pipe lining and full replacement on cost drivers, disruption, and pipe condition, then see which repair fits your situation.	Deployed and verified

8.2 Requires approval before implementation

Nothing below was changed. Each item carries structural, URL-level, or content risk.

Priority	Recommended action	Why it needs sign-off
Critical	Restore `/is-pipelining-worth-it/` from its 404 state by renaming the conflicting draft's slug	Touches a content record and the client may intend the draft to replace the published post.
Critical	Decide whether Rank Math stays deactivated or is reactivated as the system of record	Sitewide structural decision affecting every title, description, and schema block.
High	Repoint 37 homepage `/service-areas/*` links to the direct city URLs and fix the Mesa video redirect	Bulk edit to homepage navigation.
High	Repoint or remove 15 homepage links to dead category URLs	Homepage template edit.
High	Create or repoint `/reviews/`, currently 404 and linked from 6 pages	Requires a decision on whether a reviews page should exist.
High	Remove the two dead Rank Math sitemaps (`page-sitemap.xml` , `post-sitemap.xml`) from Search Console	Changes Search Console configuration for the property.
High	Reduce 13 pages from multiple H1s to a single H1	Per-page Elementor and Gutenberg edits that touch visible layout.

Priority	Recommended action	Why it needs sign-off
High	Expand 4 thin pages: `/free-sewer-inspection/` (155 words), `/hydro-jetting/` (552), `/epipe-restoration/` (573), `/services/` (588)	New content requiring brand review and factual verification.
Medium	Trigger an OTTO recrawl and write descriptions for the 4 monsoon posts currently serving none	Needs an OTTO crawl cycle before the URLs can be edited.
Medium	Noindex thin tag and category archives and remove them from the sitemap	Robots directives were explicitly excluded from automatic changes.
Medium	Resolve the 6 cannibalization clusters in Section 6	Involves merges, 301s, and retargeting decisions.

9. Quality Assurance Results

> **All checks passed. No regressions were introduced.** Because every change was confined to head metadata served by the OTTO pixel, no template, stylesheet, or body markup was touched.

Check	Method	Result
Live metadata verification	All 20 pages re-fetched from the live site with cache-bypass headers after deployment.	**20 of 20** titles and **20 of 20** descriptions match the intended values exactly.
Canonical integrity	Canonical tag re-checked on all 20 pages after the change.	20 of 20 still self-referencing and correct. No change.
Robots directives	Robots meta re-checked on all 20 pages.	Unchanged on all 20. No page was made noindex.
Heading structure	H1 count compared before and after on all 20 pages.	Identical on all 20. No headings were altered by this work.
Content integrity	Rendered word count compared before and after on all 20 pages.	All within 6 words, attributable to dynamic elements. No content was lost.
Forms	Contact Form 7 markers checked on /contact/ and /free-sewer-inspection/.	Present and intact on both. Forms are JavaScript-rendered by Elementor, which is pre-existing behavior and unchanged.
Tracking	Google tag presence checked on all 20 pages.	Present on 20 of 20. No tracking script was affected.
Layout and mobile	Changes were confined to head metadata served by the OTTO pixel.	No CSS, template, or body markup was modified, so no layout or mobile regression is possible from this work.
Cache	LiteSpeed cache purged per-URL for all 20 pages, then re-fetched.	All 20 served the updated tags from origin. Hostinger CDN reported a MISS then refreshed correctly.
Internal links	All 217 distinct internal link targets checked for status.	69 problem targets found and documented in Technical Findings. None were introduced by this work; all are pre-existing.

Explicitly not changed

In line with the brief, none of the following were modified: URLs or slugs, published page status, canonical tags, robots directives, redirects, schema markup, navigation menus, forms, tracking scripts, or phone numbers.

10. Next-Step Action Plan

Immediate (this week)

1. **Decide the Rank Math question.** Everything else depends on it. The recommendation is to leave it off and standardize on OTTO, since OTTO is already serving every live tag. Until this is settled, every newly published post ships with no meta description.
2. **Restore `/is-pipelining-worth-it/`.** A published 907-word post is returning 404 while sitting in the sitemap and being linked from the homepage. Rename the conflicting draft's slug.
3. **Fix the homepage link set.** 37 redirecting service-area links, 15 dead category links, and one link that redirects to an MP4 file. This is the highest-authority page on the site.
4. **Clear the dead sitemaps out of Search Console.** Two Rank Math sitemaps covering 266 submitted URLs now return 404. Google is still being pointed at them.
5. **Trigger an OTTO recrawl** so the four monsoon posts pick up descriptions before the monsoon window closes.

Next 30 days

1. **Expand `/free-sewer-inspection/`.** The primary conversion page has 155 words, three H1s, and a single inbound internal link. Fixing the internal linking alone is a same-day task with outsized value.
2. **Fix the 13 multiple-H1 pages**, starting with `/what-causes-pinhole-leaks-in-copper-pipes/`, the highest-impression blog post on the site.
3. **Expand the three thin service pages**: hydro jetting, ePIPE restoration, and the services hub. Keep the four service types clearly distinct, since CIPP, ePIPE, epoxy coating, and hydro jetting are separate offerings and should never be described interchangeably.
4. **Roll the title and description treatment out to the remaining 31 city pages** using the differentiated structures established here. Prioritize by impressions: Sun Lakes, Peoria, Florence, Sun City, Avondale, Anthem.
5. **Re-measure on August 21, 2026.** Compare the 20 changed pages against the unchanged city pages as a control.

Longer term (60 to 120 days)

1. **Resolve the six cannibalization clusters.** The trenchless and CIPP cluster is the priority, since eight URLs currently compete for the most valuable term in the business.
2. **Address the geographic relevance leak.** The site currently draws impressions for out-of-market queries including Floral Park NY, Nashua NH, Muncie IN, Smithtown NY, East Meadow NY, Rancho Mirage CA, Lowell MA, and Marriott-Slaterville UT. These can never convert and indicate the content reads as geographically generic. Strengthening Arizona-specific signals on service pages should tighten targeting.
3. **Build out the striking-distance city pages.** Search Console shows real page-one proximity on Sun City, Sun City West, Goodyear, Peoria, and Paradise Valley queries. These are the most realistic first page-one wins.
4. **Establish a publishing standard** so every new post ships with a managed title and description. The four monsoon posts show what happens without one.

> **The single highest-leverage theme.** This site does not have a visibility problem, it has a selection problem. Google shows these pages roughly 30,000 times a quarter and users choose a competitor essentially every time. Title and description relevance, which this engagement addressed for 20 pages, is the direct lever. Extending it across the remaining city pages is the clearest next win.

11. Appendix

11.1 Issue definitions

Term	Definition as used in this report
Truncating title	An SEO title long enough that Google cuts it off in results, typically beyond about 60 characters. The page still ranks; the user just sees an incomplete headline.
Zero-click page	A page recording impressions in Search Console but no clicks. It qualifies for the query and users choose another result.
Striking distance	Average position roughly 11 to 40. Close enough that on-page relevance work can plausibly move it onto page one.
Cannibalization	Two or more URLs targeting the same query intent, splitting authority so neither ranks as well as one consolidated page would.
Intent mismatch	Page content answers a different need than its title or description promises.
Orphan page	A page with no inbound internal links, reachable only via the sitemap.
Redirecting internal link	An internal link pointing at a URL that 301s elsewhere, adding a hop and diluting the signal passed.
Thin content	Here, fewer than 700 rendered words on a page expected to carry commercial or informational weight.

11.2 Pages serving multiple H1 headings (13)

`/2024-homeowners-plumbing-guide/` `/4-diy-tips-to-identify-leaks-in-your-home/` `/are-your-pipes-due-for-a-checkup/` `/free-sewer-inspection/` `/how-plumbers-use-cured-in-place-pipe-lining-to-avoid-digging-and-demolition/` `/how-to-determine-if-you-have-an-underground-water-leak/` `/how-to-identify-and-stop-pipe-rust-corrosion-in-your-household/` `/should-i-diy-pipe-repair/` `/signs-of-outdated-sewer-drain-pipes/` `/top-10-signs-your-home-needs-pipe-restoration/` `/trenchless-pipe-repair-service-areas-in-arizona/` `/what-causes-pinhole-leaks-in-copper-pipes/` `/when-is-pipe-descaling-necessary/`

11.3 Full audited URL inventory (121 URLs)

★ marks a priority page optimized in this engagement. Title and description lengths are character counts of the live rendered tags *at time of crawl, before changes.*

URL	Type	Status	Title len	Desc len	H1s	Words	No-alt imgs
`/` ★	Homepage	200	59	135	1	1,676	0/48
`/14-warning-signs-your-sewer-pipes-may-be-leaking/`	Blog	200	58	145	1	1,709	0/33
`/2024-homeowners-plumbing-guide/`	Blog	200	56	157	2	4,335	0/39
`/4-diy-tips-to-identify-leaks-in-your-home/`	Blog	200	58	156	2	1,087	0/27
`/5-signs-you-need-to-repipe-your-home-in-arizona/`	Blog	200	59	131	1	1,685	0/29
`/a-homeowners-guide-to-detecting-and-preventing-root-intrusion-in-pipes/`	Blog	200	51	119	1	2,096	0/31

URL	Type	Status	Title len	Desc len	H1s	Words	No-alt imgs
/about-us/	Core	200	51	128	1	1,390	0/29
/anthem/	Location	200	52	129	1	1,855	0/13
/apache-junction/	Location	200	57	134	1	1,559	0/13
/are-your-pipes-due-for-a-checkup/	Blog	200	61	129	2	5,072	0/35
/avondale/	Location	200	59	151	1	2,071	0/13
/blog/	Core	200	46	138	1	1,502	0/53
/buckeye/ ★	Location	200	63	116	1	1,667	0/15
/carefree/	Location	200	64	117	1	1,193	0/11
/casa-grande/	Location	200	50	132	1	1,887	0/17
/category/articles/	Archive	200	31	141	1	539	0/21
/category/clogged-drain/	Archive	200	58	123	1	1,161	0/33
/category/epoxy/	Archive	200	55	141	1	1,075	0/25
/category/pipe-repair/	Archive	200	56	154	1	1,429	0/41
/category/pipeliners/	Archive	200	48	142	1	1,369	0/53
/category/plumbing-tips/	Archive	200	49	129	1	1,403	0/35
/category/plumbing-upgrades/	Archive	200	61	136	1	1,494	0/35
/category/root-intrusion/	Archive	200	42	142	1	1,229	0/31
/category/trenchless/	Archive	200	48	139	1	1,345	0/41
/category/uncategorized/	Archive	200	36	137	1	506	0/17
/cave-creek/	Location	200	59	140	1	1,193	0/11
/chandler/	Location	200	64	139	1	1,778	0/15
/cipp-vs-traditional-sewer-line-replacement-pros-and-cons/	Blog	200	58	155	1	1,574	0/27
/commercial-monsoon-sewer-backups/	Blog	200	124	0	1	1,311	2/33
/common-myths-about-trenchless-sewer-repair-debunked/	Blog	200	76	149	1	904	0/33
/contact/	Core	200	57	146	1	643	0/13
/coolidge/	Location	200	64	123	1	1,788	0/15
/corroded-pipes/ ★	Service	200	72	142	1	1,808	4/33
/cracked-vs-collapsed-sewer-pipes-whats-the-difference/	Blog	200	85	146	1	967	0/33
/do-gurgling-drains-indicate-a-bigger-issue/	Blog	200	42	109	1	2,938	0/41

URL	Type	Status	Title len	Desc len	H1s	Words	No-alt imgs
/el-mirage/	Location	200	65	151	1	1,870	0/15
/epipe-restoration/ ★	Service	200	57	146	1	573	2/35
/epoxy-pipe-lining/ ★	Service	200	66	140	1	1,822	4/33
/florence/	Location	200	48	136	1	1,979	0/15
/fort-mcdowell/	Location	200	52	128	1	1,291	0/11
/fountain-hills/	Location	200	53	145	1	1,825	0/15
/free-sewer-inspection/ ★	Core	200	44	133	3	155	0/5
/gilbert/	Location	200	57	118	1	1,914	0/17
/glendale/ ★	Location	200	60	121	1	1,937	0/17
/gold-canyon/	Location	200	60	119	1	1,205	0/11
/goodyear/ ★	Location	200	64	131	1	1,487	0/13
/how-can-trenchless-pipe-lining-fix-damaged-pipes/	Blog	200	57	157	1	1,348	0/29
/how-long-do-cast-iron-pipes-last/	Blog	200	56	140	1	1,713	4/33
/how-much-does-trenchless-pipe-lining-cost/	Blog	200	59	145	1	1,296	0/31
/how-plumbers-use-cured-in-place-pipe-lining-to-avoid-digging-and-demolition/	Blog	200	98	148	2	3,473	0/33
/how-technology-is-transforming-pipe-repair-services/	Blog	200	55	152	1	1,039	0/27
/how-to-determine-if-you-have-an-underground-water-leak/	Blog	200	51	130	2	1,639	0/45
/how-to-get-rid-of-tree-roots-in-sewer-line/	Blog	200	65	138	1	1,963	2/33
/how-to-identify-and-stop-pipe-rust-corrosion-in-your-household/	Blog	200	85	155	2	1,374	4/33
/how-to-identify-if-you-have-tree-roots-in-your-sewer-line/	Blog	200	60	159	1	1,253	0/37
/how-to-identify-when-your-home-needs-pipe-lining-mesa-az/	Blog	200	60	134	1	1,185	0/27
/hydro-jetting-vs-clearing-the-clog/	Blog	200	108	0	1	1,385	2/33
/hydro-jetting/ ★	Service	200	50	129	1	552	0/13
/is-pipelining-worth-it/	Blog	404	0	0	0	0	0/0
/is-trenchless-sewer-repair-more-expensive-than-digging/	Blog	200	78	115	1	860	0/33

URL	Type	Status	Title len	Desc len	H1s	Words	No-alt imgs
/laveen/	Location	200	53	131	1	1,165	0/11
/leak-detection-services-in-phoenix-arizona/ ★	Service	200	66	141	1	666	0/23
/litchfield-park/	Location	200	55	128	1	1,288	0/11
/maricopa/	Location	200	49	134	1	1,163	0/11
/mesa/	Location	200	56	158	1	1,510	0/17
/monsoon-season-pipe-problems/ ★	Blog	200	103	140	1	2,422	2/35
/most-common-sewer-system-issues/	Blog	200	59	132	1	1,338	0/35
/paradise-valley/ ★	Location	200	56	142	1	1,910	0/17
/peoria/	Location	200	58	144	1	1,889	0/17
/phoenix-sewer-line-problems/	Blog	200	60	137	1	2,665	4/45
/phoenix/ ★	Location	200	63	142	1	2,029	0/17
/pipe-lining-for-potable-water/	Blog	200	41	126	1	1,447	0/27
/pipeline-locating-what-it-is-and-why-its-important/	Blog	200	62	129	1	1,576	0/29
/pipelining-methods-phoenix/	Blog	200	92	153	1	12,974	2/45
/pipelining-myths-debunked/	Blog	200	56	152	1	1,324	0/33
/pixfooter-item/pipeliners-footer/	Template CPT	200	40	157	0	55	0/1
/pixpopup-item/cookie-policy-popup-elementor/	Template CPT	200	52	0	0	494	0/0
/privacy-policy/	Legal	200	44	147	1	2,982	0/7
/queen-creek/	Location	200	53	113	1	1,773	0/15
/reline-vs-replace-best-options-for-drain-and-sewer-pipes/	Blog	200	52	159	1	3,091	2/35
/repair-sewer-line-without-digging/	Blog	200	69	134	1	1,732	0/31
/residential-pipe-restoration-guide/	Blog	200	60	159	1	1,171	0/27
/rio-verde/	Location	200	65	118	1	1,193	0/11
/sacaton/	Location	200	63	140	1	1,161	0/11
/san-tan-valley/	Location	200	56	138	1	1,325	0/11
/scottsdale/	Location	200	63	148	1	1,745	0/17
/services-areas/	Core	200	36	132	1	310	0/9
/services/ ★	Core	200	54	133	1	588	0/19

URL	Type	Status	Title len	Desc len	H1s	Words	No-alt imgs
/sewer-backup-monsoon-what-to-do/	Blog	200	111	0	1	1,305	2/31
/sewer-camera-inspection-near-me-in-mesa-az-your-complete-guide-to-local-sewer-diagnostics-and-repairs/	Blog	200	126	149	1	3,397	0/23
/sewer-pipe-lining-vs-replacement-how-to-know-which-repair-is-right/ ★	Blog	200	90	132	1	2,170	0/31
/should-i-diy-pipe-repair/	Blog	200	56	158	2	3,537	2/39
/signs-of-outdated-sewer-drain-pipes/	Blog	200	64	138	2	5,627	0/41
/sun-city-west/	Location	200	36	124	1	853	0/11
/sun-city/	Location	200	51	133	1	905	0/11
/sun-lakes/	Location	200	58	155	1	831	0/11
/superior/	Location	200	51	133	1	817	0/11
/surprise/	Location	200	60	132	1	762	0/11
/tag/pipe-lining/	Archive	200	34	116	1	589	0/25
/tag/pipeliners/	Archive	200	33	146	1	583	0/25
/tag/plumbing-services/	Archive	200	40	131	1	588	0/25
/tag/sewer-maintenance/	Archive	200	40	144	1	587	0/25
/tag/trenchless-sewer-repair/	Archive	200	46	137	1	590	0/25
/tempe/ ★	Location	200	51	124	1	1,743	0/17
/terms-of-use/	Legal	200	33	129	1	3,871	0/7
/the-dos-and-donts-of-drain-care-protecting-your-pipes-from-clogs/	Blog	200	58	138	1	815	0/27
/tolleson/	Location	200	58	129	1	779	0/11
/top-10-signs-your-home-needs-pipe-restoration/	Blog	200	56	137	2	4,567	2/49
/trenchless-drain-pipe-repair/ ★	Service	200	58	148	1	1,225	0/25
/trenchless-pipe-repair-service-areas-in-arizona/	Blog	200	70	132	2	3,541	0/23
/trenchless-sewer-repair/ ★	Service	200	81	124	1	1,989	2/31
/understanding-pipe-corrosion/	Blog	200	51	127	1	835	0/27
/understanding-pipe-restoration-repiping-vs-pipelining/	Blog	200	58	157	1	1,419	0/29
/understanding-your-plumbing-how-regular-maintenance-can-save-you-	Blog	200	50	151	1	976	0/27

URL	Type	Status	Title len	Desc len	H1s	Words	No-alt imgs
`thousands/`							
`/what-causes-pinhole-leaks-in-copper-pipes/` ★	Blog	200	65	136	2	1,174	0/33
`/what-is-a-bellied-sewer-pipe/`	Blog	200	120	0	1	1,418	2/33
`/what-is-cipp/`	Service	200	59	136	1	2,170	0/37
`/what-is-trenchless-pipe-repair/`	Blog	200	54	118	1	930	0/27
`/when-is-pipe-descaling-necessary/`	Blog	200	56	157	2	3,449	0/29
`/whole-house-repipe/` ★	Service	200	80	147	1	1,856	2/33
`/youngtown/`	Location	200	60	160	1	2,820	0/13

Supporting crawl data saved alongside this report: `_crawl.json` (full parsed crawl), `BACKUP_before-changes_2026-07-24.csv` (pre-change state of all 121 URLs), `optimizations.json` (all new values), `_verify.json` (post-deployment live verification).