lab5

```
[admin@admins-iMac engse203-works % ls
 README.md        lab2            lab3
[admin@admins-iMac engse203-works % cd lab2
[admin@admins-iMac lab2 % mkdir lab2.txt
[admin@admins-iMac lab2 % ls
[admin@admins-iMac lab2 % touch lab2.txt
[admin@admins-iMac lab2 % cd ..
[admin@admins-iMac engse203-works % cd lab3
[admin@admins-iMac lab3 % ls
[admin@admins-iMac lab3 % touch lab3.txt
[admin@admins-iMac lab3 % cd ..
[admin@admins-iMac engse203-works % git add .
[admin@admins-iMac engse203-works % git commit -m "1st LAB2,3"
 [main 56194c2] 1st LAB2,3
 4 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 .DS_Store
 create mode 100644 lab2/.DS_Store
 create mode 100644 lab2/lab2.txt
 create mode 100644 lab3/lab3.txt
[admin@admins-iMac engse203-works % git branch -M main
[admin@admins-iMac engse203-works % git push -u origin main
 Enumerating objects: 7, done.
 Counting objects: 100% (7/7), done.
 Delta compression using up to 8 threads
 Compressing objects: 100% (5/5), done.
 Writing objects: 100% (6/6), 1018 bytes | 1018.00 KiB/s, done.
 Total 6 (delta 1), reused 0 (delta 0), pack-reused 0
 remote: Resolving deltas: 100% (1/1), done.
 To https://github.com/FirstSupakit/engse203-work.git
    c134660..56194c2  main -> main
 branch 'main' set up to track 'origin/main'.
```

```
[admin@admins-iMac engse203-works % git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        lab2/LAB2 Exe1-13 Supakit Kukong 66543210029-5.pdf

nothing added to commit but untracked files present (use "git add" to track)
[admin@admins-iMac engse203-works % git add .
[admin@admins-iMac engse203-works % git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   lab2/LAB2 Exe1-13 Supakit Kukong 66543210029-5.pdf

[admin@admins-iMac engse203-works % git commit -m "2nd LAB2"
[main facdea8] 2nd LAB2
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 lab2/LAB2 Exe1-13 Supakit Kukong 66543210029-5.pdf
[admin@admins-iMac engse203-works % git branch -M main
[admin@admins-iMac engse203-works % git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 8.55 MiB | 4.24 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/FirstSupakit/engse203-work.git
   56194c2..facdea8  main -> main
branch 'main' set up to track 'origin/main'.
[admin@admins-iMac engse203-works % git add .
[admin@admins-iMac engse203-works % git commit -m "LAB2,3"
[main e9bf1e3] LAB2,3
 3 files changed, 2 insertions(+)
 create mode 100644 lab3/LAB3-se203 Supakit.pdf
[admin@admins-iMac engse203-works % git branch -M main
[admin@admins-iMac engse203-works % git push -u origin main
Enumerating objects: 12, done.
Counting objects: 100% (11/11), done.
```

```
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (7/7), 17.37 MiB | 5.80 MiB/s, done.
Total 7 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/FirstSupakit/engse203-work.git
   facdea8..e9bf1e3  main -> main
branch 'main' set up to track 'origin/main'.
[admin@admins-iMac engse203-works % ls
README.md       lab2           lab3           lab4
[admin@admins-iMac engse203-works % cd lab4
[admin@admins-iMac lab4 % touch lab4.txt
[admin@admins-iMac lab4 % cd ..
[admin@admins-iMac engse203-works % git add .
[admin@admins-iMac engse203-works % git commit -m "LAB4"
[main e395db6] LAB4
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 lab4/lab4.txt
[admin@admins-iMac engse203-works % git branch -M main
[admin@admins-iMac engse203-works % git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 565 bytes | 565.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/FirstSupakit/engse203-work.git
   e9bf1e3..e395db6  main -> main
branch 'main' set up to track 'origin/main'.
[admin@admins-iMac engse203-works % git add .
[admin@admins-iMac engse203-works % git commit -m "LAB2,3,4"
[main 217dff5] LAB2,3,4
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 lab4/lab4-engse203.pdf
[admin@admins-iMac engse203-works % git branch -M main
[admin@admins-iMac engse203-works % git push -u origin main
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
```

```
    e9bf1e3..e395db6  main -> main
branch 'main' set up to track 'origin/main'.
[admin@admins-iMac engse203-works % git add .
[admin@admins-iMac engse203-works % git commit -m "LAB2,3,4"
[main 217dff5] LAB2,3,4
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 lab4/lab4-engse203.pdf
[admin@admins-iMac engse203-works % git branch -M main
[admin@admins-iMac engse203-works % git push -u origin main
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 6.28 MiB | 3.10 MiB/s, done.
Total 7 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/FirstSupakit/engse203-work.git
    e395db6..217dff5  main -> main
branch 'main' set up to track 'origin/main'.
[admin@admins-iMac engse203-works % cd lab5
[admin@admins-iMac lab5 % touch lab5.txt
[admin@admins-iMac lab5 % cd ..
[admin@admins-iMac engse203-works % cd ..
[admin@admins-iMac ENGSE203 % cd engse203-works
[admin@admins-iMac engse203-works % git add .
[admin@admins-iMac engse203-works % git commit -m "LAB2,3,4,5"
[main 80ee105] LAB2,3,4,5
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 lab5/lab5.txt
[admin@admins-iMac engse203-works % git branch -M main
[admin@admins-iMac engse203-works % git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 475 bytes | 475.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/FirstSupakit/engse203-work.git
    217dff5..80ee105  main -> main
branch 'main' set up to track 'origin/main'.
admin@admins-iMac engse203-works % 
```

engse203-works

Name	Date Modified	Size	Kind
> lab2	Today 15:42	--	Folder
> lab3	Today 15:46	--	Folder
> lab4	Today 16:21	--	Folder
> lab5	Today 16:23	--	Folder
README.md	Today 13:29	Zero bytes	Document

Favorites
- AirDrop
- Recents
- Applications
- Desktop
- Documents
- Downloads
- admin

EXPLORER

∨ OPEN EDITORS

∨ ENGSE203-WORKS

  > 📁 lab2
  > 📁 lab3
  > 📁 lab4
  > 📁 lab5
  ⓘ README.md

ENGSE203_2-66 Progress and LAB - Google ชีด   ENGSE203 - LAB5 - Google เอกสาร   FirstSupakit/engse203-work   FirstSupakit/ENGSE203-LAB5: For LAB5

FirstSupakit / engse203-work

Code   Issues   Pull requests   Actions   Projects   Wiki   Security   Insights   Settings

engse203-work   Public

Pin   Unwatch 1   Fork 0   Star 0

main   1 Branch   0 Tags   Go to file   Add file   Code

FirstSupakit   LAB2,3,4,5   80ee105 · 4 minutes ago   7 Commits

lab2	LAB2,3,4	6 minutes ago
lab3	LAB2,3	41 minutes ago
lab4	LAB2,3,4	6 minutes ago
lab5	LAB2,3,4,5	4 minutes ago
.DS_Store	LAB2,3,4,5	4 minutes ago
README.md	first commit	1 hour ago

README

About

No description, website, or topics provided.

Activity

0 stars

1 watching

0 forks

Releases

No releases published
Create a new release

Packages

No packages published
Publish your first package