

```
🌃 E:\0.First\งาน\3.5.cpp - [Executing] - Dev-C++ 5.11
File Edit Search View Project Execute Tools AStyle Window Help
                                                       TDM-GCC 4.9.2 64
            (globals)
Project Classes Debug
                    3.5.cpp work2.cpp work_3.5.cpp
                         #include <stdio.h>
                     1
                     2
                     3 \square int main(){
                              int j, i; //j=NumberLine i=Line
                     4
                     5
                              int a[10]; //Array
                     6
                              int c, b;
                     7
                              printf("Input number of element to be store in array : ");
                     8
                              scanf("%d",&j);
                     9
                              printf("----\n");
                    10
                              for(i=0; i<j; i++){
                    11 🖨
                    12
                                  printf("Element[%d] : ",i+1);
                    13
                                  scanf("%d",&a[i]);
                    14
                             1//end for
                    15
                              printf("----\n");
                    16
                    17 □
                              for(i=0;i<j;i++){
                    18
                                  int b=1;
                    19 🖨
                                  for(c=i+1;c<j;c++){</pre>
                    20 🗀
                                      if (a[i] == a[c]){
                    21
                                          b++;
                    22
                                      }//end if
                    23 🖵
                                      else{
                    24
                                      }//end else
                                  }//end for
                    25
                    26 🖵
                                      if (b)=1
                                           printf ("%d -> %d \n",a[i],b);
                    27
                    28
                                           i+=(b-1);
                                      }//end if
                    29
                             }//endfor
                    30
                    31
                    32
                              return 0;
                    33 └ }//end function
                                                    นาย ธีรถานต์ ฟองคำ 65543206063-1
```

```
E:\0.First\งาน\3.5.exe
```

```
Input number of element to be store in array : 4
```

Element[1]

Element[2] : 3 Element[3] : 2 Element[4] : 5

$$3 \rightarrow 2$$

นาย ธีรกานต์ ฟองคำ 65543206063-1