

RoboFish Command Documentation

Generated from the current uploaded RoboFish source. This document covers commands located under Commands/GlobalSlashCommands/ and Commands/prefixCommands/.

Command Counts

- Global slash/chat-input commands: **36**
- Global message context commands: **2**
- Prefix commands: **3**
- Total documented command files: **41**

Slash Command Option Types

- String = typed text
- Integer = whole number
- Boolean = true/false toggle
- User = Discord user selector
- Channel = Discord channel selector
- Role = Discord role selector
- Attachment = uploaded file
- Subcommand / Subcommand Group = nested slash command actions

Quick Index

Global Slash / Application Commands

Category	Command	Description
Admin	/prefix	Change the command Prefix.
Admin	/setavatar	Set the bot's avatar (for authorized user only)
Admin	/setup	RoboFish setup
Bugreports	/bug	Submits a bug report.
ContextCommands	approve suggestion	context menu command for approve suggestion.
ContextCommands	deny suggestion	context menu command for deny suggestion.
Dev	/convert	RoboFish setup
Dev	/findguild	RoboFish setup
Dev	/rolelist	list current roles in the guild. deprecated
Fun	/8ball	Tells you a fortune
Fun	/fliptext	flips your message.
Fun	/clap	Add clap emoji between each word.
Fun	/dab	Adds dab emoji after each word.
Fun	/dadjoke	Sends a random joke
Fun	/fact	Sends a random fact.
Fun	/hack	Another Fun Command.
Fun	/reverse	Flips your message.
Games	/counting	Config Command for Counting game
Games	/counting_wars	Config Command for Counting wars game

Category	Command	Description
Games	/fourletterword	Config Command for Four Letter Word game
Games	/onewordstory	config for one-word story game.
Info	/help	Help file for commands.
Info	/invite	Get RoboFish's invite link.
Info	/ping	Check RoboFish's ping.
Moderation	/role	Manage roles of the server or members.
RoleMenus	/embed_sample	Show a sample embed with labeled customizable sections
RoleMenus	/role_menu	Create, edit, or delete self-assign role menus.
Suggestions	/approve	Marks a suggestion as approved.
Suggestions	/configbroken	RoboFish old setup setup
Suggestions	/consider	Marks a suggestion as considered.
Suggestions	/deny	Marks a suggestion as denied.
Suggestions	/implemented	Marks a suggestion as implemented.
Suggestions	/suggest	Suggest .
Suggestions	/suggestions	Suggestions admin command.
Suggestions	/vote	Adds voting reactions to a suggestion.
Utility	/add_word	Add a word to the list of four-letter words.
Utility	/avatar	Display user's avatar
Utility	/stickyroles	RoboFish setup 2

Prefix Commands

Category	Command	Description
Admin	say	Have the RoboFish say something! guild admin use only.
Info	invite	Get the bot's invite link
Info	ping	Check bot's ping.

Global Slash and Application Commands

Admin

/prefix

- **File:** Commands/GlobalSlashCommands/Admin/prefix.js
- **Type:** Slash command
- **Description:** Change the command Prefix.
- **Help text:** allows you to set a new prefix for prefix commands.
- **Syntax:** /prefix <prefix>
- **Cooldown:** 3000 ms
- **User permissions:** Administrator
- **Bot permissions:** None listed
- **Notes:** Changes the guild prefix used by prefix commands. This does not affect slash commands.
- **Options:**
 - prefix — **String**, required. New prefix

/setavatar

- **File:** Commands/GlobalSlashCommands/Admin/setavatar.js
- **Type:** Slash command
- **Description:** Set the bot's avatar (for authorized user only)
- **Syntax:**
 - /setavatar <image>
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Owner-only command. Upload an image attachment to set RoboFish's avatar. Validates common image MIME types.
- **Options:**
 - image — **Attachment**, required. Upload an image to set as the bot's avatar.

/setup

- **File:** Commands/GlobalSlashCommands/Admin/setup.js
- **Type:** Slash command
- **Description:** RoboFish setup
- **Help text:** Usage: /config Follow prompts to setup suggestions.
- **Syntax:**
 - /setup
- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Starts the interactive RoboFish setup panel using buttons/select menus. Requires guild management permissions.
- **Options:** None

Bugreports

/bug

- **File:** Commands/GlobalSlashCommands/Bugreports/bug.js
- **Type:** Slash command
- **Description:** Submits a bug report.
- **Help text:** Submits a bug report. be sure to include the command if any, the bug, and all steps needed to recreate it.
- **Syntax:** Usage: /bug <command name> <the bug> <how to recreate>
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Sends a bug report to the configured bug-report system/channel. Users should include the command, what went wrong, and steps to recreate the issue.
- **Options:**
 - bugreport — **String**, required. New bugreport

ContextCommands

approve suggestion

- **File:** Commands/GlobalSlashCommands/ContextCommands/approveContext.js
- **Type:** Message context command
- **Help text:** context menu command for approve suggestion.
- **Syntax:** Message context command; use Discord's message context menu / Apps menu on a message.
- **User permissions:** ManageGuild
- **Bot permissions:** None listed
- **Notes:** Message context command. Right-click/use Apps on a saved suggestion message to approve it with an optional comment.
- **Options:** None

deny suggestion

- **File:** Commands/GlobalSlashCommands/ContextCommands/denyContext.js
- **Type:** Message context command
- **Help text:** context menu command for deny suggestion.
- **Syntax:** Message context command; use Discord's message context menu / Apps menu on a message.
- **User permissions:** ManageGuild
- **Bot permissions:** None listed
- **Notes:** Message context command. Right-click/use Apps on a saved suggestion message to deny it with an optional reason.
- **Options:** None

Dev

/convert

- **File:** Commands/GlobalSlashCommands/Dev/convert.js
- **Type:** Slash command
- **Description:** RoboFish setup
- **Help text:** used by owner
- **Syntax:**
 - /convert
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Developer/owner utility command. The source marks this as owner-use.
- **Options:** None

/findguild

- **File:** Commands/GlobalSlashCommands/Dev/findguild.js
- **Type:** Slash command
- **Description:** RoboFish setup
- **Help text:** used by owner
- **Syntax:**
 - /findguild
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Developer/owner utility command. The source marks this as owner-use.
- **Options:** None

/rolelist

- **File:** Commands/GlobalSlashCommands/Dev/rolelist.js
- **Type:** Slash command
- **Description:** list current roles in the guild. **deprecated**
- **Help text:** /rolelist
- **Syntax:**
 - /rolelist
- **User permissions:** ManageRoles
- **Bot permissions:** ManageRoles
- **Notes:** Deprecated role listing utility. Kept in the Dev folder.
- **Options:** None

Fun

/8ball

- **File:** Commands/GlobalSlashCommands/Fun/8ball.js

- **Type:** Slash command
- **Description:** Tells you a fortune
- **Help text:** Different from normal 8ball responses.
- **Syntax:** /8ball <question>
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Replies with a magic-8-ball style answer to the supplied question.
- **Options:**
 - question — **String**, required. The question you want to ask the magic 8ball

/fliptext

- **File:** Commands/GlobalSlashCommands/Fun/Fliptext.js
- **Type:** Slash command
- **Description:** flips your message.
- **Help text:** flips your message. əḽɛssəw lɔwəs ɐ sɪ sɪɥɪ
- **Syntax:** /fliptext <message>
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Transforms the supplied text into upside-down/flipped text.
- **Options:**
 - message — **String**, required. Usage: /fliptext

/clap

- **File:** Commands/GlobalSlashCommands/Fun/clap.js
- **Type:** Slash command
- **Description:** Add clap emoji between each word.
- **Help text:** Add clap emoji between each word. This :clap: is :clap: a :clap: sample :clap: message.
- **Syntax:** /clap <message>
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Adds clap emoji between words in the supplied message.
- **Options:**
 - message — **String**, required. Usage: /clap

/dab

- **File:** Commands/GlobalSlashCommands/Fun/dab.js
- **Type:** Slash command
- **Description:** Adds dab emoji after each word.
- **Help text:** Adds dab emoji after each word. This is a sample message.
- **Syntax:** /dab <message>
- **User permissions:** None listed
- **Bot permissions:** UseExternalEmojis
- **Notes:** Adds the configured dab emoji after words in the supplied message. Requires external emoji permission when using external animated emoji.
- **Options:**
 - message — **String**, required. Usage: /dab

/dadjoke

- **File:** Commands/GlobalSlashCommands/Fun/dadjoke.js
- **Type:** Slash command
- **Description:** Sends a random joke
- **Help text:** pick a random joke from over 400 jokes.
- **Syntax:** /dadjoke

- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Replies with a random dad joke from RoboFish data.
- **Options:** None

/fact

- **File:** Commands/GlobalSlashCommands/Fun/fact.js
- **Type:** Slash command
- **Description:** Sends a random fact.
- **Help text:** Sends a random fact from over 400 facts.
- **Syntax:** /fact
- **Cooldown:** 300000 ms
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Replies with a random fact. The command file has a longer cooldown than most fun commands.
- **Options:** None

/hack

- **File:** Commands/GlobalSlashCommands/Fun/hack.js
- **Type:** Slash command
- **Description:** Another Fun Command.
- **Help text:** Fake hacking command.
- **Syntax:** /hack <User>
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Runs a fake hacking animation/message for the selected user.
- **Options:**
 - user — **User**, required. The User you want to hack

/reverse

- **File:** Commands/GlobalSlashCommands/Fun/reversetext.js
- **Type:** Slash command
- **Description:** Flips your message.
- **Help text:** flips your message. əḽɛssəw lɔwəs ə sɪ sɪhɪ
- **Syntax:** /reverse <message>
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Reverses/flips the supplied message text.
- **Options:**
 - message — **String**, required. Usage: /reverse

Games

/counting

- **File:** Commands/GlobalSlashCommands/Games/counting.js
- **Type:** Slash command
- **Description:** Config Command for Counting game
- **Help text:** use this command to setup the counting game in a specified channel.
- **Syntax:** /counting
- **User permissions:** ManageChannels
- **Bot permissions:** None listed
- **Notes:** Starts or configures the Counting game setup flow for a selected channel.
- **Options:** None

/counting_wars

- **File:** Commands/GlobalSlashCommands/Games/countingWars.js
- **Type:** Slash command
- **Description:** Config Command for Counting wars game
- **Help text:** use this command to setup the Counting wars game in a specified channel.
- **Syntax:** /counting_wars
- **User permissions:** ManageChannels
- **Bot permissions:** None listed
- **Notes:** Starts or configures the Counting Wars game setup flow for a selected channel.
- **Options:** None

/fourletterword

- **File:** Commands/GlobalSlashCommands/Games/fourLetterWord.js
- **Type:** Slash command
- **Description:** Config Command for Four Letter Word game
- **Help text:** use this command to setup the Four Letter Word game in a specified channel.
- **Syntax:** /fourletterword
- **User permissions:** ManageChannels
- **Bot permissions:** None listed
- **Notes:** Starts or configures the Four Letter Word game setup flow for a selected channel.
- **Options:** None

/onewordstory

- **File:** Commands/GlobalSlashCommands/Games/oneWordStory.js
- **Type:** Slash command
- **Description:** config for one-word story game.
- **Help text:** use this command to setup one word stories in a specified channel.
- **Syntax:** /onewordstory
- **User permissions:** ManageChannels
- **Bot permissions:** None listed
- **Notes:** Starts or configures the One Word Story game setup flow for a selected channel.
- **Options:** None

Info

/help

- **File:** Commands/GlobalSlashCommands/Info/help.js
- **Type:** Slash command
- **Description:** Help file for commands.
- **Help text:** Help file for commands or command.
- **Syntax:** /help or /help <command> with out the prefix or /
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Shows help for commands. Can be used without arguments for general help or with a command name for command-specific help.
- **Options:**
 - command — **String**, optional. additional help for a command

/invite

- **File:** Commands/GlobalSlashCommands/Info/invite.js
- **Type:** Slash command
- **Description:** Get RoboFish's invite link.
- **Help text:** Usage: /invite or invite shows the invite url for RoboFish.

- **Syntax:**
 - /invite
- **Cooldown:** 3000 ms
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Shows RoboFish's invite link.
- **Options:** None

/ping

- **File:** Commands/GlobalSlashCommands/Info/ping.js
- **Type:** Slash command
- **Description:** Check RoboFish's ping.
- **Help text:** ping returns the Ping in ms.
- **Syntax:** /ping or <prefix>.
- **Cooldown:** 3000 ms
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Shows RoboFish latency/ping.
- **Options:** None

Moderation

/role

- **File:** Commands/GlobalSlashCommands/Moderation/role.js
- **Type:** Slash command
- **Description:** Manage roles of the server or members.
- **Help text:** Add a role to a user.
- **Syntax:** /role add <role> <user> or /role remove <role> <user>
- **Cooldown:** 3000 ms
- **User permissions:** ManageRoles
- **Bot permissions:** ManageRoles
- **Notes:** Adds roles to users. The current slash payload exposes the add subcommand in the uploaded code.
- **Options:**
 - add — **Subcommand**, required. Add role to a user.
 - ✱ role — **Role**, required. The role you want to add to the user.
 - ✱ user — **User**, required. The user you want to add role to.

RoleMenus

/embed_sample

- **File:** Commands/GlobalSlashCommands/RoleMenus/embedSample.js
- **Type:** Slash command
- **Description:** Show a sample embed with labeled customizable sections
- **Syntax:**
 - /embed_sample
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Shows a sample embed with labeled/customizable sections for Role Menu/embed design work.
- **Options:** None

/role_menu

- **File:** Commands/GlobalSlashCommands/RoleMenus/roleMenu.js
- **Type:** Slash command

- **Description:** Create, edit, or delete self-assign role menus.
- **Help text:** Opens the role-menu manager.
- **Syntax:** /role_menu
- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Opens the Role Menu manager for creating, editing, or deleting self-assign role menus.
- **Options:** None

Suggestions

/approve

- **File:** Commands/GlobalSlashCommands/Suggestions/approve.js
- **Type:** Slash command
- **Description:** Marks a suggestion as approved.
- **Help text:** Usage: /approve <suggestion#> Opens a comment modal and marks a suggestion as approved.
- **Syntax:**
 - /approve <suggestionid>
- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Marks a suggestion as approved and opens a comment modal.
- **Options:**
 - suggestionid — **Integer**, required. Suggestion id#

/configbroken

- **File:** Commands/GlobalSlashCommands/Suggestions/configold.js
- **Type:** Slash command
- **Description:** RoboFish old setup setup
- **Help text:** Usage: /config Follow prompts to setup suggestions.
- **Syntax:**
 - /configbroken
- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Old/broken suggestions config command retained in the source. Prefer the current setup/suggestions flows.
- **Options:** None

/consider

- **File:** Commands/GlobalSlashCommands/Suggestions/consider.js
- **Type:** Slash command
- **Description:** Marks a suggestion as considered.
- **Help text:** Usage: /consider <suggestion#> Opens a comment modal and marks a suggestion as considered.
- **Syntax:**
 - /consider <suggestionid>
- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Marks a suggestion as considered and opens a comment modal.
- **Options:**
 - suggestionid — **Integer**, required. Suggestion id#

/deny

- **File:** Commands/GlobalSlashCommands/Suggestions/deny.js
- **Type:** Slash command

- **Description:** Marks a suggestion as denied.
- **Help text:** Usage: /deny <suggestion#> Opens a reason modal and marks a suggestion as denied.
- **Syntax:**
 - /deny <suggestionid>
- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Marks a suggestion as denied and opens a reason/comment modal.
- **Options:**
 - suggestionid — **Integer**, required. Suggestion id#

/implemented

- **File:** Commands/GlobalSlashCommands/Suggestions/implemented.js
- **Type:** Slash command
- **Description:** Marks a suggestion as implemented.
- **Help text:** Usage: /implemented <suggestion#> Opens a comment modal and marks a suggestion as implemented.
- **Syntax:**
 - /implemented <suggestionid>
- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Marks a suggestion as implemented and opens a comment modal.
- **Options:**
 - suggestionid — **Integer**, required. Suggestion id#

/suggest

- **File:** Commands/GlobalSlashCommands/Suggestions/suggest.js
- **Type:** Slash command
- **Description:** Suggest.
- **Help text:** Usage: /suggest Creates a new suggestion.
- **Syntax:**
 - /suggest <suggestion>
- **User permissions:** None listed
- **Bot permissions:** ManageMessages
- **Notes:** Creates a new suggestion in the configured suggestions channel.
- **Options:**
 - suggestion — **String**, required. New suggestion

/suggestions

- **File:** Commands/GlobalSlashCommands/Suggestions/suggestions.js
- **Type:** Slash command
- **Description:** Suggestions admin command.
- **Help text:** Usage: /suggestions help help file for suggestions, /suggestions is used to set up suggestions channels and options, however it is recommended you run /config for quick setup
- **Syntax:**
 - /suggestions channel suggestions <channel>
 - /suggestions channel decision <channel>
 - /suggestions userrole <userrole>
 - /suggestions adminrole <adminrole>
 - /suggestions voting <enabled>
 - /suggestions help
 - /suggestions anonymous <enabled>
 - /suggestions dm <enabled>
 - /suggestions moveondecision <enabled>
 - /suggestions enabled <enabled>

- **User permissions:** ManageGuild
- **Bot permissions:** ManageGuild
- **Notes:** Admin command for suggestion settings, including channels and toggles such as voting, anonymous, DMs, move-on-decision, and enabled state.
- **Options:**
 - channel — **Subcommand Group**, required. channel settings for suggestions
 - * suggestions — **Subcommand**, required. Channel for new suggestions.
 - channel — **Channel**, required. Select a channel for suggestions
 - * decision — **Subcommand**, required. Decision channel
 - channel — **Channel**, required. Channel to move suggestions to after a decision is made.
 - userrole — **Subcommand**, required. Not used yet
 - * userrole — **User**, required. /Suggest user Role
 - adminrole — **Subcommand**, required. Role for admin settings(not used yet)
 - * adminrole — **User**, required. Suggestion admin role
 - voting — **Subcommand**, required. turn on and off suggestion vote reactions
 - * enabled — **Boolean**, required. Turn suggestion voting on by default?
 - help — **Subcommand**, optional. Help for suggestions commands
 - anonymous — **Subcommand**, required. Turn on anonymous suggestions.
 - * enabled — **Boolean**, required. Turn on anonymous suggestions.
 - dm — **Subcommand**, required. Toggles between sending the person who suggested something upon a decision.
 - * enabled — **Boolean**, required. turn on decision DM's
 - moveondecision — **Subcommand**, required. Toggles between moving suggestions that admins have approved/denied.
 - * enabled — **Boolean**, required. enable suggestion moving.
 - enabled — **Subcommand**, required. allows you to enable or disabled suggestions.
 - * enabled — **Boolean**, required. Enable suggestions, make sure to select a suggestions channel!

/vote

- **File:** Commands/GlobalSlashCommands/Suggestions/vote.js
- **Type:** Slash command
- **Description:** Adds voting reactions to a suggestion.
- **Help text:** Usage: /vote <suggestion#> Opens a suggestion for voting.
- **Syntax:**
 - /vote <suggestionid>
- **User permissions:** ManageGuild
- **Bot permissions:** ManageMessages
- **Notes:** Adds voting reactions to an eligible suggestion and opens it for voting.
- **Options:**
 - suggestionid — **Integer**, required. Suggestion id#

Utility

/add_word

- **File:** Commands/GlobalSlashCommands/Utility/add_word.js
- **Type:** Slash command
- **Description:** Add a word to the list of four-letter words.
- **Syntax:**
 - /add_word <word>
- **User permissions:** ManageGuild
- **Bot permissions:** None listed
- **Notes:** Owner-only utility in code; adds a new four-letter word to the Four Letter Word word list after validation.
- **Options:**
 - word — **String**, required. The word to add to the list.

/avatar

- **File:** Commands/GlobalSlashCommands/Utility/avatar.js
- **Type:** Slash command
- **Description:** Display user's avatar
- **Help text:** display the avatar of select user.
- **Syntax:** Usage: /avatar <user> displays a users avatar.
- **Cooldown:** 3000 ms
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Shows a user's avatar and adds buttons for available image formats.
- **Options:**
 - user — **User**, optional. The avatar of the user you want to display.

/stickyroles

- **File:** Commands/GlobalSlashCommands/Utility/stickyRoles.js
- **Type:** Slash command
- **Description:** RoboFish setup 2
- **Help text:** sets the status of sticky roles. enabled member Roles don't reset when leaving and rejoining guild.
- **Syntax:** /stickyroles
- **User permissions:** ManageRoles
- **Bot permissions:** ManageRoles
- **Notes:** Opens a setup selector for Sticky Roles, which controls whether members keep roles after leaving and rejoining.
- **Options:** None

Prefix Commands

Admin

say

- **File:** Commands/prefixCommands/Admin/say.js
- **Type:** Prefix command
- **Description:** Have the RoboFish say something! guild admin use only.
- **Help text:** have RoboFish say something! guild admin use only.
- **Syntax:** !say <message>
- **Cooldown:** 3000 ms
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Prefix admin command. Deletes the user's message and makes RoboFish repeat the provided message.
- **Options:** None

Info

invite

- **File:** Commands/prefixCommands/Info/invite.js
- **Type:** Prefix command
- **Description:** Get the bot's invite link
- **Syntax:** <prefix>invite
- **Cooldown:** 3000 ms
- **User permissions:** Administrator
- **Bot permissions:** Administrator
- **Notes:** Shows RoboFish's invite link.

- **Options:** None

ping

- **File:** Commands/prefixCommands/Info/ping.js
- **Type:** Prefix command
- **Description:** Check bot's ping.
- **Syntax:** <prefix>ping
- **Cooldown:** 3000 ms
- **User permissions:** None listed
- **Bot permissions:** None listed
- **Notes:** Shows RoboFish latency/ping.
- **Options:** None

Expanded Notes: /suggestions Admin Command

/suggestions is a grouped admin command for configuring the suggestion system. The uploaded slash payload includes these actions:

- channel — channel settings for suggestions
 - channel suggestions — Channel for new suggestions.
 - * channel: Channel, required — Select a channel for suggestions
 - channel decision — Decision channel
 - * channel: Channel, required — Channel to move suggestions to after a decision is made.
- userrole — Not used yet
 - userrole: User, required — /Suggest user Role
- adminrole — Role for admin settings(not used yet)
 - adminrole: User, required — Suggestion admin role
- voting — turn on and off suggestion vote reactions
 - enabled: Boolean, required — Turn suggestion voting on by default?
- help — Help for suggestions commands
- anonymous — Turn on anonymous suggestions.
 - enabled: Boolean, required — Turn on anonymous suggestions.
- dm — Toggles between sending the person who suggested something upon a decision.
 - enabled: Boolean, required — turn on decision DM's
- moveondecision — Toggles between moving suggestions that admins have approved/denied.
 - enabled: Boolean, required — enable suggestion moving.
- enabled — allows you to enable or disabled suggestions.
 - enabled: Boolean, required — Enable suggestions, make sure to select a suggestions channel!

Maintenance Notes

- Some commands in Dev or with owner checks are intended for bot-owner/testing use only.
- configbroken is documented because it exists in the uploaded GlobalSlashCommands folder, but the name indicates it should not be the preferred configuration command.
- Prefix command syntax uses the guild prefix. Your default/example prefix has historically been !, but /prefix can change it per guild.
- This documentation reflects the command metadata in the uploaded source; if command behavior changes inside run(), update this file together with the command.