
Baltic.Sea
Catch (tonnes)
6e+05
4e+05
2e+05
0e+00
1850
1900
1950
2000
Effort (nominal, DkW)
Transition
Experiment
1.0e+08
7.5e+07
5.0e+07
2.5e+07
0.0e+00
Value
Year
Data
GAM predictions
Reconstructed values
Considered
Yes
No
Benguela
Catch (tonnes)
1500000
1000000
500000
0
Effort (nominal, DkW)
Transition
Experiment
4e+07
2e+07
0e+00

Brasil.NE



Chatham.Rise.LL.NZ




Cook.Strait
Catch (tonnes)
40000
30000
20000
10000
0
Effort (nominal, DkW)
Transition
Experiment
6e+06
4e+06
2e+06
0e+00
1850
1900
1950
2000
Value
Year
Data
GAM predictions
Reconstructed values
Considered
Yes
No
East.Bass.Strait
Catch (tonnes)
60000
40000
20000
0
Effort (nominal, DkW)
Transition
Experiment
1.5e+07
1.0e+07
5.0e+06
0.0e+00
1850
1900
1950
2000
Value
Year
Data
GAM predictions
Reconstructed values
Considered
Yes
No

East.Bearing.Sea.shelf



Eastern.Scotian.Shelf



Gulf.Alaska



Hawaiian.Longline



HIMI





Kerguelen





MediterraneanSea



NorthernHumboldt



NorthSea.EwE



NorthSea.IBTS



Prydz.Bay



SEAustralia.Atlantis



SEAustralia.mizer



TaiwanCentralSouthPacific



Tasman.Golden.Bays.NZ