---

react-auto-i18n

Classes

- LangScriptObj

Interfaces

- I18nContextType

Type Aliases

- CountryCode
- CountryFlagProps
- I18nFileProviderProps
- I18nMultiFileProviderProps
- I18nProviderProps
- LangCode
- LangScriptCode
- ScriptCode
- ScriptDirection
- TVArgs

Variables

- LANG_CODES
- LANG_SCRIPT_CODES
- SCRIPT_CODES

Functions

- ___t
- ___tv
- CountryFlag
- formatLangScriptCode
- getCountryCode
- getCurrentLocalRaw
- getEnglishLangName
- getI18nDatabaseRaw
- getLangCode
- getLangScriptDirection
- getLocaleLangName

- getScriptCode
- getScriptDirection
- I18nFileProvider
- I18nMultiFileProvider
- I18nProvider
- setCurrentLocalRaw
- setI18nDatabaseRaw
- stringToLangCode
- stringToLangScriptCode
- stringToScriptCode
- useI18n

References

default

Renames and re-exports ___t

react-auto-i18n

---

react-auto-i18n

A React internationalization (i18n) library with automatic translation support. Wrap your app in a provider, mark strings with `__t()`, and let the CLI generate your translation database.

Installation

```
npm install react-auto-i18n
```

Quick Start

1. Wrap your app with `I18nProvider`

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import App from './App.tsx'
import { I18nProvider } from 'react-auto-i18n'
import db from './assets/translations.json'

createRoot(document.getElementById('root')!).render(
  <I18nProvider defaultLang="eng_Latn" defaultDatabase={db}>
```

```
    <App />
  </I18nProvider>
)
```

2. Mark strings for translation

```
import { __t } from 'react-auto-i18n'

function MyComponent() {
  return <p>{__t("greeting", "Hello, world!")}</p>
}
```

3. Generate translations with the CLI

```
npx auto-i18n-cli -i "./src/**/*.ts" -o "./assets/translations.json" \
  -l spa_Latn -s eng_Latn -b azure --azureKey "YOUR_KEY"
```

This scans your source files for all `__t()` and `__tv()` calls and outputs a JSON translation database.

Translation Functions

`__t(key, message, args?)` — Simple translation

```
const msg = __t("welcome", "Welcome to our app!")
// In Spanish: "¡Bienvenido a nuestra aplicación!"
```

Escape code: Wrap text in `{{...}}` to prevent it from being translated:

```
const msg = __t("info", "This is powered by {{'react-auto-i18n'}}")
// The library name is preserved as-is
```

`__tv(key, messages, args)` — Plural / variant translation

Use this when the message varies based on a runtime value:

```
const msg = __tv("apple.count", [
  ["You have one apple",        ({ count }) => count === 1],
  ["You have {{$count}} apples", ({ count }) => count > 1],
  "You have no apples"
], { count: appleCount })
```

`{{$count}}` is a variable placeholder — it's replaced at runtime with the value from `args` and is never translated.

Changing the Locale at Runtime

Use the `useI18n` hook inside any component wrapped by `I18nProvider`:

```
import { useI18n, __t } from 'react-auto-i18n'

function LanguageSwitcher() {
  const i18n = useI18n()

  return (
    <button onClick={() => i18n.setLocale("fra_Latn")}>
      Switch to French
    </button>
  )
}
```

The `useI18n()` hook also exposes:

Property	Description
`locale`	The currently active `LangScriptCode`
`setLocale(locale)`	Update the active locale
`database`	The currently loaded `I18nDatabase`
`setDatabase(db)`	Swap out the translation database
`getLocales()`	List all locales present in the database
`getLocaleObj()`	Get a `LangScriptObj` wrapper for the current locale

Language & Script Codes

Locales are identified by a `LangScriptCode` in the format `{lang}_{Script}`, e.g.:

Code	Language
`eng_Latn`	English (Latin)
`spa_Latn`	Spanish (Latin)
`cmn_Hans`	Mandarin (Simplified)
`arb_Arab`	Arabic
`jpn_Jpan`	Japanese

The library supports 200+ language-script combinations. Utility functions are provided to work with these codes:

```
import { getLangCode, getScriptCode, getEnglishLangName, getCountryCode } from 'react-auto-i

getLangCode("eng_Latn")        // "eng"
getScriptCode("eng_Latn")      // "Latn"
getEnglishLangName("spa")      // "Spanish"
getCountryCode("eng")          // "US"
```

You can also use the `LangScriptObj` class for an OOP-style interface:

```
import { LangScriptObj } from 'react-auto-i18n'

const lang = new LangScriptObj("jpn_Jpan")
lang.getLangCode()     // "jpn"
lang.getScriptCode()   // "Jpan"
lang.getEnglishName()  // "Japanese"
lang.getCountry()      // "JP"
lang.getCountryFlag()  // <CountryFlag country="JP" />
```

Translation Database Format

The database is a JSON object keyed by `LangScriptCode`:

```
{
  "eng_Latn": {
    "greeting": "Hello!",
    "apple.count": ["You have one apple", "You have {{$count}} apples", "You have no apples'
  },
  "spa_Latn": {
    "greeting": "¡Hola!",
    "apple.count": ["Tienes una manzana", "Tienes {{$count}} manzanas", "No tienes manzanas'
  }
}
```

The type `I18nDatabase` is defined as `Partial<Record<LangScriptCode, LanguageTranslations>>`.

Low-Level API

These functions operate on the global translation state directly. Prefer the React hooks when possible.

```
import { setI18nDatabaseRaw, setCurrentLocalRaw, getCurrentLocalRaw, getI18nDatabaseRaw } fr

setI18nDatabaseRaw(db)
setCurrentLocalRaw("deu_Latn")
```

Validation Helpers

Safely parse untrusted strings into typed codes (returns `null` if invalid):

```
import { stringToLangCode, stringToScriptCode, stringToLangScriptCode } from 'react-auto-i18

stringToLangCode("eng")           // "eng"
stringToLangCode("not_a_lang")    // null
stringToLangScriptCode("fra_Latn") // "fra_Latn"
```

react-auto-i18n

---

react-auto-i18n / LangScriptObj

Class: LangScriptObj

Defined in: core/lang_script_obj.ts:7

A helper wrapper object for the LangScriptCode, providing basic functions in an OOP style.

Constructors

Constructor

new LangScriptObj(`code`): `LangScriptObj`

Defined in: core/lang_script_obj.ts:14

Parameters

code `"ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" |`

"fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns `LangScriptObj`

Properties

code

readonly **code**: "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" |

```
"bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl"
| "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" |
"crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn"
| "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" |
"ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn"
| "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" |
"fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn"
| "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" |
"gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn"
| "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" |
"hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn"
| "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" |
"kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda"
| "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" |
"kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn"
| "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" |
"knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo"
| "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn"
| "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" |
"mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn"
| "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" |
"mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn"
| "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" |
"nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn"
| "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" |
"pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn"
| "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva"
| "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" |
"slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab"
| "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" |
"srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn"
| "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" |
"taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai"
| "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" |
"tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl"
| "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn"
| "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" |
"ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn"
| "zul_Latn"
```

Defined in: core/lang_script_obj.ts:12

The inner wrapped LangScriptCode

Methods

getCountry()

getCountry(): `CountryCode` | `null`

Defined in: core/lang_script_obj.ts:59

A helper function for getting the CountryCode most associated with this LangScriptCode, or `null` if there is none

Returns `CountryCode` | `null`

the CountryCode most associated with this `LangScriptCode, or`null‘ if there is none

---

getCountryFlag()

getCountryFlag(): `ReactElement<unknown, string | JSXElementConstructor<any» | null`

Defined in: core/lang_script_obj.ts:68

A helper function that invokes the CountryFlag component, with the country code most associated with this LangScriptCode, or null if there is none

Returns `ReactElement<unknown, string | JSXElementConstructor<any» | null`

the CountryFlag component, with the country code most associated with this LangScriptCode, or null if there is none

---

getEnglishName()

getEnglishName(): `string` | `null`

Defined in: core/lang_script_obj.ts:50

A helper function for getting the english name for the wrapped LangScriptCode

Returns `string` | `null`

The LangCode for the wrapped LangScriptCode

---

getLangCode()

getLangCode(): "ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul"

Defined in: core/lang_script_obj.ts:23

A helper function for getting the LangCode for the wrapped LangScriptCode

Returns "ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" |

`"mos"` | `"mri"` | `"mya"` | `"myv"` | `"nld"` | `"nno"` | `"nob"` | `"npi"` | `"nqo"` | `"nso"` | `"nus"` | `"nya"` | `"oci"` | `"ory"` | `"pag"` | `"pan"` | `"pap"` | `"pbt"` | `"pes"` | `"plt"` | `"pol"` | `"por"` | `"prs"` | `"quy"` | `"ron"` | `"run"` | `"rus"` | `"sag"` | `"san"` | `"sat"` | `"scn"` | `"shn"` | `"sin"` | `"slk"` | `"slv"` | `"smo"` | `"sna"` | `"snd"` | `"som"` | `"sot"` | `"spa"` | `"srd"` | `"srp"` | `"ssw"` | `"sun"` | `"swe"` | `"swh"` | `"szl"` | `"tam"` | `"taq"` | `"tat"` | `"tel"` | `"tgk"` | `"tha"` | `"tir"` | `"tpi"` | `"tsn"` | `"tso"` | `"tuk"` | `"tum"` | `"tur"` | `"twi"` | `"tyv"` | `"uig"` | `"ukr"` | `"umb"` | `"urd"` | `"uzn"` | `"uzs"` | `"vec"` | `"vie"` | `"vmw"` | `"war"` | `"wol"` | `"wuu"` | `"xho"` | `"ydd"` | `"yor"` | `"yue"` | `"zgh"` | `"zsm"` | `"zul"`

The LangCode for the wrapped LangScriptCode

---

getName()

getName(): `string` | `null`

Defined in: core/lang_script_obj.ts:41

A helper function for getting the locale name for the wrapped LangScriptCode

Returns `string` | `null`

The LangCode for the wrapped LangScriptCode

---

getScriptCode()

getScriptCode(): `"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` | `"Mlym"` | `"Mtei"` | `"Mymr"` | `"Nkoo"` | `"Orya"` | `"Guru"` | `"Olck"` | `"Sinh"` | `"Taml"` | `"Tfng"` | `"Telu"` | `"Thai"`

Defined in: core/lang_script_obj.ts:32

A helper function for getting the ScriptCode for the wrapped LangScriptCode

Returns `"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` | `"Mlym"` | `"Mtei"` | `"Mymr"` | `"Nkoo"` | `"Orya"` | `"Guru"` | `"Olck"` | `"Sinh"` | `"Taml"` | `"Tfng"` | `"Telu"` | `"Thai"`

The ScriptCode for the wrapped LangScriptCode

---

getScriptDirection()

getScriptDirection(): `ScriptDirection`

Defined in: core/lang_script_obj.ts:78

A helper function for getting the ScriptDirection for wrapped LangScriptCode

Returns `ScriptDirection`

the ScriptDirection for wrapped LangScriptCode

react-auto-i18n

---

react-auto-i18n / CountryFlag

Function: CountryFlag()

CountryFlag(`props`): `ReactElement`

Defined in: components/CountryFlag.tsx:23

Renders a country flag icon based on the provided country code.

Parameters

props

`CountryFlagProps`

The component props

Returns

`ReactElement`

A React element displaying the country flag icon

react-auto-i18n

---

react-auto-i18n / formatLangScriptCode

Function: formatLangScriptCode()

formatLangScriptCode(`lang`, `script`): `"ace_Arab"` | `"ace_Latn"` | `"acm_Arab"` | `"acq_Arab"` | `"aeb_Arab"` | `"afr_Latn"` | `"als_Latn"` | `"amh_Ethi"` | `"apc_Arab"` | `"arb_Arab"` | `"arb_Latn"` | `"arg_Latn"` | `"ars_Arab"` | `"ary_Arab"` | `"arz_Arab"`

| "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Defined in: core/index.ts:261

A utility function for converting a LangCode and a LangCode into a LangScriptCode

Parameters

lang

The LangCode for the LangScriptCode

`"ace"` | `"acm"` | `"acq"` | `"aeb"` | `"afr"` | `"als"` | `"amh"` | `"apc"` | `"arb"` | `"arg"` | `"ars"` | `"ary"` | `"arz"` | `"asm"` | `"ast"` | `"awa"` | `"ayr"` | `"azb"` | `"azj"` | `"bak"` | `"bam"` | `"ban"` | `"bel"` | `"bem"` | `"ben"` | `"bho"` | `"bjn"` | `"bod"` | `"bos"` | `"brx"` | `"bug"` | `"bul"` | `"cat"` | `"ceb"` | `"ces"` | `"chv"` | `"cjk"` | `"ckb"` | `"cmn"` | `"crh"` | `"cym"` | `"dan"` | `"dar"` | `"deu"` | `"dgo"` | `"dik"` | `"dyu"` | `"dzo"` | `"ekk"` | `"ell"` | `"eng"` | `"epo"` | `"eus"` | `"ewe"` | `"fao"` | `"fij"` | `"fil"` | `"fin"` | `"fon"` | `"fra"` | `"fur"` | `"fuv"` | `"gaz"` | `"gla"` | `"gle"` | `"glg"` | `"gom"` | `"gug"` | `"guj"` | `"hat"` | `"hau"` | `"heb"` | `"hin"` | `"hne"` | `"hrv"` | `"hun"` | `"hye"` | `"ibo"` | `"ilo"` | `"ind"` | `"isl"` | `"ita"` | `"jav"` | `"jpn"` | `"kaa"` | `"kab"` | `"kac"` | `"kam"` | `"kan"` | `"kas"` | `"kat"` | `"kaz"` | `"kbp"` | `"kea"` | `"khk"` | `"khm"` | `"kik"` | `"kin"` | `"kir"` | `"kmb"` | `"kmr"` | `"knc"` | `"kor"` | `"ktu"` | `"lao"` | `"lij"` | `"lim"` | `"lin"` | `"lit"` | `"lld"` | `"lmo"` | `"ltg"` | `"ltz"` | `"lua"` | `"lug"` | `"luo"` | `"lus"` | `"lvs"` | `"mag"` | `"mai"` | `"mal"` | `"mar"` | `"mfe"` | `"mhr"` | `"min"` | `"mkd"` | `"mlt"` | `"mni"` | `"mos"` | `"mri"` | `"mya"` | `"myv"` | `"nld"` | `"nno"` | `"nob"` | `"npi"` | `"nqo"` | `"nso"` | `"nus"` | `"nya"` | `"oci"` | `"ory"` | `"pag"` | `"pan"` | `"pap"` | `"pbt"` | `"pes"` | `"plt"` | `"pol"` | `"por"` | `"prs"` | `"quy"` | `"ron"` | `"run"` | `"rus"` | `"sag"` | `"san"` | `"sat"` | `"scn"` | `"shn"` | `"sin"` | `"slk"` | `"slv"` | `"smo"` | `"sna"` | `"snd"` | `"som"` | `"sot"` | `"spa"` | `"srd"` | `"srp"` | `"ssw"` | `"sun"` | `"swe"` | `"swh"` | `"szl"` | `"tam"` | `"taq"` | `"tat"` | `"tel"` | `"tgk"` | `"tha"` | `"tir"` | `"tpi"` | `"tsn"` | `"tso"` | `"tuk"` | `"tum"` | `"tur"` | `"twi"` | `"tyv"` | `"uig"` | `"ukr"` | `"umb"` | `"urd"` | `"uzn"` | `"uzs"` | `"vec"` | `"vie"` | `"vmw"` | `"war"` | `"wol"` | `"wuu"` | `"xho"` | `"ydd"` | `"yor"` | `"yue"` | `"zgh"` | `"zsm"` | `"zul"`

script

The LangCode for the LangScriptCode

`"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` | `"Mlym"` | `"Mtei"` | `"Mymr"` | `"Nkoo"` | `"Orya"` | `"Guru"` | `"Olck"` | `"Sinh"` | `"Taml"` | `"Tfng"` | `"Telu"` | `"Thai"`

Returns

`"ace_Arab"` | `"ace_Latn"` | `"acm_Arab"` | `"acq_Arab"` | `"aeb_Arab"` | `"afr_Latn"` | `"als_Latn"` | `"amh_Ethi"` | `"apc_Arab"` | `"arb_Arab"` | `"arb_Latn"` | `"arg_Latn"` | `"ars_Arab"` | `"ary_Arab"` | `"arz_Arab"` | `"asm_Beng"` | `"ast_Latn"` | `"awa_Deva"` | `"ayr_Latn"` | `"azb_Arab"` |

"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"
"ron_Latn"	"run_Latn"	"rus_Cyrl"	"sag_Latn"	"san_Deva"
"sat_Olck"	"scn_Latn"	"shn_Mymr"	"sin_Sinh"	"slk_Latn"
"slv_Latn"	"smo_Latn"	"sna_Latn"	"snd_Arab"	"snd_Deva"
"som_Latn"	"sot_Latn"	"spa_Latn"	"srd_Latn"	"srp_Cyrl"
"ssw_Latn"	"sun_Latn"	"swe_Latn"	"swh_Latn"	"szl_Latn"
"tam_Taml"	"taq_Latn"	"taq_Tfng"	"tat_Cyrl"	"tel_Telu"
"tgk_Cyrl"	"tha_Thai"	"tir_Ethi"	"tpi_Latn"	"tsn_Latn"
"tso_Latn"	"tuk_Latn"	"tum_Latn"	"tur_Latn"	"twi_Latn"
"tyv_Cyrl"	"uig_Arab"	"ukr_Cyrl"	"umb_Latn"	"urd_Arab"
"uzn_Latn"	"uzs_Arab"	"vec_Latn"	"vie_Latn"	"vmw_Latn"
"war_Latn"	"wol_Latn"	"wuu_Hans"	"xho_Latn"	"ydd_Hebr"
"yor_Latn"	"yue_Hant"	"zgh_Tfng"	"zsm_Latn"	"zul_Latn"

The formatted LangScriptCode

react-auto-i18n

---

react-auto-i18n / getCountryCode

Function: getCountryCode()

getCountryCode(`code`): `CountryCode` | `null`

Defined in: core/country.ts:40

Gets the CountryCode for the given LangCode. Essentially, what country most primarily speaks this language. For example, this will return `US` even though Britain, Australia, etc. also speak the language.

Parameters

code

The LangCode

`"ace"` | `"acm"` | `"acq"` | `"aeb"` | `"afr"` | `"als"` | `"amh"` | `"apc"` | `"arb"` | `"arg"` | `"ars"` | `"ary"` | `"arz"` | `"asm"` | `"ast"` | `"awa"` | `"ayr"` | `"azb"` | `"azj"` | `"bak"` | `"bam"` | `"ban"` | `"bel"` | `"bem"` | `"ben"` | `"bho"` | `"bjn"` | `"bod"` | `"bos"` | `"brx"` | `"bug"` | `"bul"` | `"cat"` | `"ceb"` | `"ces"` | `"chv"` | `"cjk"` | `"ckb"` | `"cmn"` | `"crh"` | `"cym"` | `"dan"` | `"dar"` | `"deu"` | `"dgo"` | `"dik"` | `"dyu"` | `"dzo"` | `"ekk"` | `"ell"` | `"eng"` | `"epo"` | `"eus"` | `"ewe"` | `"fao"` | `"fij"` | `"fil"` | `"fin"` | `"fon"` | `"fra"` | `"fur"` | `"fuv"` | `"gaz"` | `"gla"` | `"gle"` | `"glg"` | `"gom"` | `"gug"` | `"guj"` | `"hat"` | `"hau"` | `"heb"` | `"hin"` | `"hne"` | `"hrv"` | `"hun"` | `"hye"` | `"ibo"` | `"ilo"` | `"ind"` | `"isl"` | `"ita"` | `"jav"` | `"jpn"` | `"kaa"` | `"kab"` | `"kac"` | `"kam"` | `"kan"` | `"kas"` | `"kat"` | `"kaz"` | `"kbp"` | `"kea"` | `"khk"` | `"khm"` | `"kik"` | `"kin"` | `"kir"` | `"kmb"` | `"kmr"` | `"knc"` | `"kor"` | `"ktu"` | `"lao"` | `"lij"` | `"lim"` | `"lin"` | `"lit"` | `"lld"` | `"lmo"` | `"ltg"` | `"ltz"` | `"lua"` | `"lug"` | `"luo"` | `"lus"` | `"lvs"` | `"mag"` | `"mai"` | `"mal"` | `"mar"` | `"mfe"` | `"mhr"` | `"min"` | `"mkd"` | `"mlt"` | `"mni"` | `"mos"` | `"mri"` | `"mya"` | `"myv"` | `"nld"` | `"nno"` | `"nob"` | `"npi"` | `"nqo"` | `"nso"` | `"nus"` | `"nya"` | `"oci"` | `"ory"` | `"pag"` | `"pan"` | `"pap"` | `"pbt"` | `"pes"` | `"plt"` | `"pol"` | `"por"` | `"prs"` | `"quy"` | `"ron"` | `"run"` | `"rus"` | `"sag"` | `"san"` | `"sat"` | `"scn"` | `"shn"` | `"sin"` | `"slk"` | `"slv"` | `"smo"` | `"sna"` | `"snd"` | `"som"` | `"sot"` | `"spa"` | `"srd"` | `"srp"` | `"ssw"` | `"sun"` | `"swe"` | `"swh"` | `"szl"` | `"tam"` | `"taq"` | `"tat"` | `"tel"` | `"tgk"` | `"tha"` | `"tir"` | `"tpi"` | `"tsn"` | `"tso"` | `"tuk"` | `"tum"` | `"tur"` | `"twi"` | `"tyv"` | `"uig"` | `"ukr"` | `"umb"` | `"urd"` | `"uzn"` | `"uzs"` | `"vec"` | `"vie"` | `"vmw"` | `"war"` | `"wol"` | `"wuu"` | `"xho"` | `"ydd"` | `"yor"` | `"yue"` | `"zgh"` | `"zsm"` | `"zul"`

Returns

`CountryCode` | `null`

A CountryCode which represents the country ***most commonly*** associated with that language. It will return null if there is no country typically associated with this language.

react-auto-i18n

Function: getCurrentLocalRaw()

getCurrentLocalRaw(): "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn"

| "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Defined in: i18n.ts:42

Gets the raw current locale used for translation, which used by the ___t and ___tv functions.
NOTE: Prefer to use `useI18n().locale` hook

Returns

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"

"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

The current raw `LangScriptCode` locale

react-auto-i18n

---

react-auto-i18n / getEnglishLangName

Function: getEnglishLangName()

getEnglishLangName(`code`): `string` | `null`

Defined in: core/lang_code.ts:46

Gets the english name of a LangCode

Parameters

code

A LangCode

"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" |
"ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" |
"bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" |
"bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" |
"cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" |
"eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" |
"fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" |
"hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" |
"isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" |
"kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" |
"kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" |

`"lmo"` | `"ltg"` | `"ltz"` | `"lua"` | `"lug"` | `"luo"` | `"lus"` | `"lvs"` | `"mag"` | `"mai"` |
`"mal"` | `"mar"` | `"mfe"` | `"mhr"` | `"min"` | `"mkd"` | `"mlt"` | `"mni"` | `"mos"` | `"mri"` |
`"mya"` | `"myv"` | `"nld"` | `"nno"` | `"nob"` | `"npi"` | `"nqo"` | `"nso"` | `"nus"` | `"nya"` |
`"oci"` | `"ory"` | `"pag"` | `"pan"` | `"pap"` | `"pbt"` | `"pes"` | `"plt"` | `"pol"` | `"por"` |
`"prs"` | `"quy"` | `"ron"` | `"run"` | `"rus"` | `"sag"` | `"san"` | `"sat"` | `"scn"` | `"shn"` |
`"sin"` | `"slk"` | `"slv"` | `"smo"` | `"sna"` | `"snd"` | `"som"` | `"sot"` | `"spa"` | `"srd"` |
`"srp"` | `"ssw"` | `"sun"` | `"swe"` | `"swh"` | `"szl"` | `"tam"` | `"taq"` | `"tat"` | `"tel"` |
`"tgk"` | `"tha"` | `"tir"` | `"tpi"` | `"tsn"` | `"tso"` | `"tuk"` | `"tum"` | `"tur"` | `"twi"` |
`"tyv"` | `"uig"` | `"ukr"` | `"umb"` | `"urd"` | `"uzn"` | `"uzs"` | `"vec"` | `"vie"` | `"vmw"` |
`"war"` | `"wol"` | `"wuu"` | `"xho"` | `"ydd"` | `"yor"` | `"yue"` | `"zgh"` | `"zsm"` | `"zul"`

Returns

`string` | `null`

The english name of the passed LangCode

react-auto-i18n

---

react-auto-i18n / getI18nDatabaseRaw

Function: getI18nDatabaseRaw()

> **getI18nDatabaseRaw**(): `I18nDatabase`

Defined in: i18n.ts:22

Gets the raw database used for translation, which used by the ___t and ___tv functions.
NOTE: Prefer to use `useI18n().database` hook

Returns

`I18nDatabase`

the raw `I18nDatabase` database

react-auto-i18n

---

react-auto-i18n / getLangCode

Function: getLangCode()

> **getLangCode**(`code`): `"ace"` | `"acm"` | `"acq"` | `"aeb"` | `"afr"` | `"als"` | `"amh"` | `"apc"` | `"arb"` | `"arg"` | `"ars"` | `"ary"` | `"arz"` | `"asm"` | `"ast"` | `"awa"` | `"ayr"` | `"azb"` | `"azj"` | `"bak"` | `"bam"` | `"ban"` |

```
"bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" |
"bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" |
"cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" |
"dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" |
"fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" |
"gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" |
"hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" |
"ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" |
"kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" |
"khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" |
"kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" |
"lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" |
"mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" |
"mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" |
"nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" |
"pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" |
"prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" |
"scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" |
"som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" |
"swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" |
"tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" |
"tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" |
"vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" |
"yue" | "zgh" | "zsm" | "zul"
```

Defined in: core/lang_code.ts:18

Gets the LangCode from the LangScriptCode.
Example:

```
let langScript: LangScriptCode = "eng_Latn";
console.log(getLangCode(langScript)); // prints out 'eng'
```

Parameters

code

The LangScriptCode

```
"ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" |
"afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" |
"arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" |
"asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" |
"azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" |
"bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" |
"bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" |
"cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" |
"ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" |
```

"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"
"ron_Latn"	"run_Latn"	"rus_Cyrl"	"sag_Latn"	"san_Deva"
"sat_Olck"	"scn_Latn"	"shn_Mymr"	"sin_Sinh"	"slk_Latn"
"slv_Latn"	"smo_Latn"	"sna_Latn"	"snd_Arab"	"snd_Deva"
"som_Latn"	"sot_Latn"	"spa_Latn"	"srd_Latn"	"srp_Cyrl"
"ssw_Latn"	"sun_Latn"	"swe_Latn"	"swh_Latn"	"szl_Latn"
"tam_Taml"	"taq_Latn"	"taq_Tfng"	"tat_Cyrl"	"tel_Telu"
"tgk_Cyrl"	"tha_Thai"	"tir_Ethi"	"tpi_Latn"	"tsn_Latn"
"tso_Latn"	"tuk_Latn"	"tum_Latn"	"tur_Latn"	"twi_Latn"
"tyv_Cyrl"	"uig_Arab"	"ukr_Cyrl"	"umb_Latn"	"urd_Arab"
"uzn_Latn"	"uzs_Arab"	"vec_Latn"	"vie_Latn"	"vmw_Latn"
"war_Latn"	"wol_Latn"	"wuu_Hans"	"xho_Latn"	"ydd_Hebr"
"yor_Latn"	"yue_Hant"	"zgh_Tfng"	"zsm_Latn"	"zul_Latn"

Returns

"ace"	"acm"	"acq"	"aeb"	"afr"	"als"	"amh"	"apc"	"arb"	"arg"
"ars"	"ary"	"arz"	"asm"	"ast"	"awa"	"ayr"	"azb"	"azj"	"bak"
"bam"	"ban"	"bel"	"bem"	"ben"	"bho"	"bjn"	"bod"	"bos"	"brx"
"bug"	"bul"	"cat"	"ceb"	"ces"	"chv"	"cjk"	"ckb"	"cmn"	"crh"
"cym"	"dan"	"dar"	"deu"	"dgo"	"dik"	"dyu"	"dzo"	"ekk"	"ell"
"eng"	"epo"	"eus"	"ewe"	"fao"	"fij"	"fil"	"fin"	"fon"	"fra"
"fur"	"fuv"	"gaz"	"gla"	"gle"	"glg"	"gom"	"gug"	"guj"	"hat"
"hau"	"heb"	"hin"	"hne"	"hrv"	"hun"	"hye"	"ibo"	"ilo"	"ind"

"isl"	"ita"	"jav"	"jpn"	"kaa"	"kab"	"kac"	"kam"	"kan"	"kas"
"kat"	"kaz"	"kbp"	"kea"	"khk"	"khm"	"kik"	"kin"	"kir"	"kmb"
"kmr"	"knc"	"kor"	"ktu"	"lao"	"lij"	"lim"	"lin"	"lit"	"lld"
"lmo"	"ltg"	"ltz"	"lua"	"lug"	"luo"	"lus"	"lvs"	"mag"	"mai"
"mal"	"mar"	"mfe"	"mhr"	"min"	"mkd"	"mlt"	"mni"	"mos"	"mri"
"mya"	"myv"	"nld"	"nno"	"nob"	"npi"	"nqo"	"nso"	"nus"	"nya"
"oci"	"ory"	"pag"	"pan"	"pap"	"pbt"	"pes"	"plt"	"pol"	"por"
"prs"	"quy"	"ron"	"run"	"rus"	"sag"	"san"	"sat"	"scn"	"shn"
"sin"	"slk"	"slv"	"smo"	"sna"	"snd"	"som"	"sot"	"spa"	"srd"
"srp"	"ssw"	"sun"	"swe"	"swh"	"szl"	"tam"	"taq"	"tat"	"tel"
"tgk"	"tha"	"tir"	"tpi"	"tsn"	"tso"	"tuk"	"tum"	"tur"	"twi"
"tyv"	"uig"	"ukr"	"umb"	"urd"	"uzn"	"uzs"	"vec"	"vie"	"vmw"
"war"	"wol"	"wuu"	"xho"	"ydd"	"yor"	"yue"	"zgh"	"zsm"	"zul"

the LangCode of the LangScriptCode

react-auto-i18n

---

react-auto-i18n / getLangScriptDirection

Function: getLangScriptDirection()

getLangScriptDirection(`langScript`): `ScriptDirection`

Defined in: core/script_code.ts:117

Gets the ScriptDirection from the ScriptCode of a LangScriptCode

Parameters

langScript

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"

"heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" |
"hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" |
"ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" |
"kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" |
"kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" |
"khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" |
"lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" |
"lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" |
"mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" |
"min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |
"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" |
"nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" |
"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns

`ScriptDirection`

the ScriptDirection from the ScriptCode of a LangScriptCode

react-auto-i18n

---

react-auto-i18n / getLocaleLangName

Function: getLocaleLangName()

getLocaleLangName(`code`): `string` | `null`

Defined in: core/lang_code.ts:270

Gets the local name of a LangCode

Parameters

code

A LangCode

`"ace"` | `"acm"` | `"acq"` | `"aeb"` | `"afr"` | `"als"` | `"amh"` | `"apc"` | `"arb"` | `"arg"` | `"ars"` | `"ary"` | `"arz"` | `"asm"` | `"ast"` | `"awa"` | `"ayr"` | `"azb"` | `"azj"` | `"bak"` | `"bam"` | `"ban"` | `"bel"` | `"bem"` | `"ben"` | `"bho"` | `"bjn"` | `"bod"` | `"bos"` | `"brx"` | `"bug"` | `"bul"` | `"cat"` | `"ceb"` | `"ces"` | `"chv"` | `"cjk"` | `"ckb"` | `"cmn"` | `"crh"` | `"cym"` | `"dan"` | `"dar"` | `"deu"` | `"dgo"` | `"dik"` | `"dyu"` | `"dzo"` | `"ekk"` | `"ell"` | `"eng"` | `"epo"` | `"eus"` | `"ewe"` | `"fao"` | `"fij"` | `"fil"` | `"fin"` | `"fon"` | `"fra"` | `"fur"` | `"fuv"` | `"gaz"` | `"gla"` | `"gle"` | `"glg"` | `"gom"` | `"gug"` | `"guj"` | `"hat"` | `"hau"` | `"heb"` | `"hin"` | `"hne"` | `"hrv"` | `"hun"` | `"hye"` | `"ibo"` | `"ilo"` | `"ind"` | `"isl"` | `"ita"` | `"jav"` | `"jpn"` | `"kaa"` | `"kab"` | `"kac"` | `"kam"` | `"kan"` | `"kas"` | `"kat"` | `"kaz"` | `"kbp"` | `"kea"` | `"khk"` | `"khm"` | `"kik"` | `"kin"` | `"kir"` | `"kmb"` | `"kmr"` | `"knc"` | `"kor"` | `"ktu"` | `"lao"` | `"lij"` | `"lim"` | `"lin"` | `"lit"` | `"lld"` | `"lmo"` | `"ltg"` | `"ltz"` | `"lua"` | `"lug"` | `"luo"` | `"lus"` | `"lvs"` | `"mag"` | `"mai"` | `"mal"` | `"mar"` | `"mfe"` | `"mhr"` | `"min"` | `"mkd"` | `"mlt"` | `"mni"` | `"mos"` | `"mri"` | `"mya"` | `"myv"` | `"nld"` | `"nno"` | `"nob"` | `"npi"` | `"nqo"` | `"nso"` | `"nus"` | `"nya"` | `"oci"` | `"ory"` | `"pag"` | `"pan"` | `"pap"` | `"pbt"` | `"pes"` | `"plt"` | `"pol"` | `"por"` | `"prs"` | `"quy"` | `"ron"` | `"run"` | `"rus"` | `"sag"` | `"san"` | `"sat"` | `"scn"` | `"shn"` | `"sin"` | `"slk"` | `"slv"` | `"smo"` | `"sna"` | `"snd"` | `"som"` | `"sot"` | `"spa"` | `"srd"` | `"srp"` | `"ssw"` | `"sun"` | `"swe"` | `"swh"` | `"szl"` | `"tam"` | `"taq"` | `"tat"` | `"tel"` | `"tgk"` | `"tha"` | `"tir"` | `"tpi"` | `"tsn"` | `"tso"` | `"tuk"` | `"tum"` | `"tur"` | `"twi"` | `"tyv"` | `"uig"` | `"ukr"` | `"umb"` | `"urd"` | `"uzn"` | `"uzs"` | `"vec"` | `"vie"` | `"vmw"` | `"war"` | `"wol"` | `"wuu"` | `"xho"` | `"ydd"` | `"yor"` | `"yue"` | `"zgh"` | `"zsm"` | `"zul"`

Returns

`string` | `null`

The local name of the passed LangCode

react-auto-i18n

---

react-auto-i18n / getScriptCode

Function: getScriptCode()

> **getScriptCode**(`code`): `"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` |

"Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" |
"Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"

Defined in: core/script_code.ts:26

Gets the Script from the LangScriptCode.
Example:

```
let langScript: LangScriptCode = "eng_Latn";
console.log(getScriptCode(langScript)); // prints out 'Latn'
```

Parameters

code

The LangScriptCode

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"

"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns

"Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"

the `Script` of the LangScriptCode

react-auto-i18n

---

react-auto-i18n / getScriptDirection

Function: getScriptDirection()

getScriptDirection(`script`): `ScriptDirection`

Defined in: core/script_code.ts:107

Gets the ScriptDirection from a ScriptCode

Parameters

script

a ScriptCode

"Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"

Returns

`ScriptDirection`

the ScriptDirection from the ScriptCode

react-auto-i18n

---

react-auto-i18n / I18nFileProvider

Function: I18nFileProvider()

I18nFileProvider(`props`): `ReactElement`

Defined in: components/I18nFileProvider.tsx:45

A wrapper around the I18nProvider and SimpleI18nDb, which loads in a static translation json database file from the `public` folder.

Parameters

props

`I18nFileProviderProps`

The I18nFileProviderProps for this provider.

Example

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import App from './App.tsx'
import { I18nProvider, RawI18nDb } from "react-auto-i18n";

createRoot(document.getElementById('root')!).render(
      <I18nFileProvider
        defaultLang="eng_Latn"
        path="./translations.json"
      >
        <App />
      </I18nFileProvider>
)
```

Returns

`ReactElement`

react-auto-i18n

---

react-auto-i18n / I18nMultiFileProvider

Function: I18nMultiFileProvider()

I18nMultiFileProvider(`props`): `ReactElement`

Defined in: components/I18nMultiFileProvider.tsx:50

A wrapper around the I18nProvider and CachedMultiFileI18nDb, which loads in a static translation json database folder from the `public` folder.

Parameters

props

`I18nMultiFileProviderProps`

The I18nMultiFileProviderProps for this provider.

Example

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import App from './App.tsx'
import { I18nProvider, RawI18nDb } from "react-auto-i18n";

createRoot(document.getElementById('root')!).render(
      <I18nMultiFileProvider
        defaultLang="eng_Latn"
        path="./translations"
      >
        <App />
      </I18nMultiFileProvider>
)
```

Returns

`ReactElement`

react-auto-i18n

---

react-auto-i18n / I18nProvider

Function: I18nProvider()

I18nProvider(`props`): `ReactElement`

Defined in: components/I18nProvider.tsx:94

The provider for the I18nDatabase and current local.

Allows for getting and setting the global state used by ___t in a more React like way.

Example:

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import App from './App.tsx'
import { I18nProvider, RawI18nDb } from "react-auto-i18n";
import translations from "./assets/translations.json";

const db = new RawI18nDb(translations);

createRoot(document.getElementById('root')!).render(
      <I18nProvider
        defaultLang="eng_Latn"
        db={db}
      >
        <App />
      </I18nProvider>
)
```

Parameters

props

`I18nProviderProps`

The I18nProviderProps for this provider

Returns

`ReactElement`

react-auto-i18n

---

react-auto-i18n / setCurrentLocalRaw

Function: setCurrentLocalRaw()

setCurrentLocalRaw(`locale`): `void`

Defined in: i18n.ts:32

Sets the raw locale used for translation. This is used by the ___t and ___tv functions.
NOTE: Prefer to use `useI18n().setLocale(...)`, as this updates the current state.

Parameters

locale

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"

`"ron_Latn"` | `"run_Latn"` | `"rus_Cyrl"` | `"sag_Latn"` | `"san_Deva"` | `"sat_Olck"` | `"scn_Latn"` | `"shn_Mymr"` | `"sin_Sinh"` | `"slk_Latn"` | `"slv_Latn"` | `"smo_Latn"` | `"sna_Latn"` | `"snd_Arab"` | `"snd_Deva"` | `"som_Latn"` | `"sot_Latn"` | `"spa_Latn"` | `"srd_Latn"` | `"srp_Cyrl"` | `"ssw_Latn"` | `"sun_Latn"` | `"swe_Latn"` | `"swh_Latn"` | `"szl_Latn"` | `"tam_Taml"` | `"taq_Latn"` | `"taq_Tfng"` | `"tat_Cyrl"` | `"tel_Telu"` | `"tgk_Cyrl"` | `"tha_Thai"` | `"tir_Ethi"` | `"tpi_Latn"` | `"tsn_Latn"` | `"tso_Latn"` | `"tuk_Latn"` | `"tum_Latn"` | `"tur_Latn"` | `"twi_Latn"` | `"tyv_Cyrl"` | `"uig_Arab"` | `"ukr_Cyrl"` | `"umb_Latn"` | `"urd_Arab"` | `"uzn_Latn"` | `"uzs_Arab"` | `"vec_Latn"` | `"vie_Latn"` | `"vmw_Latn"` | `"war_Latn"` | `"wol_Latn"` | `"wuu_Hans"` | `"xho_Latn"` | `"ydd_Hebr"` | `"yor_Latn"` | `"yue_Hant"` | `"zgh_Tfng"` | `"zsm_Latn"` | `"zul_Latn"`

Returns

`void`

react-auto-i18n

---

react-auto-i18n / setI18nDatabaseRaw

Function: setI18nDatabaseRaw()

setI18nDatabaseRaw(`db`): `void`

Defined in: i18n.ts:12

Sets the raw database used for translation. This is used by the ___t and ___tv functions.
NOTE: Prefer to use `useI18n().setDatabase(...)`, as this updates the current state.

Parameters

db

`I18nDatabase`

Returns

`void`

react-auto-i18n

---

react-auto-i18n / stringToLangCode

Function: stringToLangCode()

stringToLangCode(str): "ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul" | null

Defined in: core/lang_code.ts:29

Converts a raw string into a LangCode, with error checking

Parameters

str

`string`

The string to be passed

Returns

"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" |

"cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul" | null

A LangCode if the string is a valid LangCode or `null` if it is not

react-auto-i18n

---

react-auto-i18n / stringToLangScriptCode

Function: stringToLangScriptCode()

stringToLangScriptCode(str): "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" |

```
"hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn"
| "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" |
"jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn"
| "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" |
"kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr"
| "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn"
| "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" |
"lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn"
| "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" |
"lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva"
| "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" |
"mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn"
| "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" |
"nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn"
| "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab"
| "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" |
"quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn"
| "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" |
"sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn"
| "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" |
"spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn"
| "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" |
"taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl"
| "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn"
| "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" |
"urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn"
| "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" |
"xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng"
| "zsm_Latn" | "zul_Latn" | null
```

Defined in: core/script_code.ts:36

Converts a raw string into a LangScriptCode, with error checking

Parameters

str

`string`

The string to be passed

Returns

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"
"ron_Latn"	"run_Latn"	"rus_Cyrl"	"sag_Latn"	"san_Deva"
"sat_Olck"	"scn_Latn"	"shn_Mymr"	"sin_Sinh"	"slk_Latn"
"slv_Latn"	"smo_Latn"	"sna_Latn"	"snd_Arab"	"snd_Deva"
"som_Latn"	"sot_Latn"	"spa_Latn"	"srd_Latn"	"srp_Cyrl"
"ssw_Latn"	"sun_Latn"	"swe_Latn"	"swh_Latn"	"szl_Latn"
"tam_Taml"	"taq_Latn"	"taq_Tfng"	"tat_Cyrl"	"tel_Telu"
"tgk_Cyrl"	"tha_Thai"	"tir_Ethi"	"tpi_Latn"	"tsn_Latn"
"tso_Latn"	"tuk_Latn"	"tum_Latn"	"tur_Latn"	"twi_Latn"
"tyv_Cyrl"	"uig_Arab"	"ukr_Cyrl"	"umb_Latn"	"urd_Arab"
"uzn_Latn"	"uzs_Arab"	"vec_Latn"	"vie_Latn"	"vmw_Latn"
"war_Latn"	"wol_Latn"	"wuu_Hans"	"xho_Latn"	"ydd_Hebr"
"yor_Latn"	"yue_Hant"	"zgh_Tfng"	"zsm_Latn"	"zul_Latn"	null

A LangScriptCode if the string is a valid LangScriptCode or `null` if it is not

react-auto-i18n

---

react-auto-i18n / stringToScriptCode

Function: stringToScriptCode()

> **stringToScriptCode**(`str`): `"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` | `"Mlym"` | `"Mtei"` | `"Mymr"` | `"Nkoo"` | `"Orya"` | `"Guru"` | `"Olck"` | `"Sinh"` | `"Taml"` | `"Tfng"` | `"Telu"` | `"Thai"` | `null`

Defined in: core/script_code.ts:53

Converts a raw string into a ScriptCode, with error checking

Parameters

str

`string`

The string to be passed

Returns

`"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` | `"Mlym"` | `"Mtei"` | `"Mymr"` | `"Nkoo"` | `"Orya"` | `"Guru"` | `"Olck"` | `"Sinh"` | `"Taml"` | `"Tfng"` | `"Telu"` | `"Thai"` | `null`

A ScriptCode if the string is a valid ScriptCode or `null` if it is not

react-auto-i18n

---

react-auto-i18n / ___t

Function: ___t()

> **___t**<`T`>(`key`, `message`, `arg?`): `string`

Defined in: i18n.ts:103

The primary translation function for this API. When using auto-i18n-cli to parse the program and generate the database automatically, both arguments must be

raw string literals. The auto-i18n-cli looks for all invocations of this function and generates a `I18nDatabase` compatible json file, with the proper translations.

Translation (using auto-i18n-cli):

```
// file.ts
let msg = __t("message", "Hello!");
```

Translation command: `npx auto-i18n-cli -i "./file.ts" -o "./translations.json" -l spa_Latn -s eng_Latn -b azure --azureKey "..."`

Outputs:

```
{
    "eng_Latn": {
        "message": "Hello!"
    },
    "spa_Latn": {
        "message": "Hola!"
    }
}
```

Usage

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");
let msg = __t("message", "Hello!");

console.log(msg); // Hola!
```

Escape Code

You can use double curly braces `{{...}}` to stop the translation engine from translating any text inside. The curly braces are removed after translation. If a `$` is placed before the text inside of the escape code, it is treated as a variable which values can be passed, and incorporated into the text.

NOTE: the passed arguments are **NOT** translated

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");

let msg = __t("message", "Hello there! this is a test message for the {{'react-auto-i18n'}}

assert(msg === "Hola, este es un mensaje de prueba para el programa 'react-auto-i18n'.")
```

Type Parameters

T

`T` *extends* `object`

Parameters

key

`string`

The key for the translation

message

`string`

The message to be translated

arg?

`T`

A object that is passed as the argument to the selection functions and used for variable substitution

Returns

`string`

The translation of the message for the currently set locale.

react-auto-i18n

---

react-auto-i18n / ___tv

Function: ___tv()

> **___tv**<`T`>(`key`, `messages`, `arg`): `string`

Defined in: i18n.ts:233

The secondary translation function for this API. When using auto-i18n-cli to parse the program and generate the database automatically, `key` must be a string literal and `messages` must be an array literal, with the last argument being a string literal and all previous elements being an array literal with a string literal as the first element.

The auto-i18n-cli looks for all invocations of this function and generates a `I18nDatabase` compatible json file, with the proper translations.

Translation (using auto-i18n-cli):

```
// file.ts
const msg = __tv("test.message.v", [
      ["You have one apple", ({count}) => count == 1],
      ["You have {{$count}} apples", ({count}) => count > 1],
      "You have no apples"
], { count: appleCount })
```

Translation command: `npx auto-i18n-cli -i "./file.ts" -o "./translations.json" -l spa_Latn -s eng_Latn -b azure --azureKey "..."`

Outputs:

```
{
    "eng_Latn": {
        "test.message.v": [
            "You have one apple",
            "You have {{$count}} apples",
            "You have no apples"
        ]
    },
    "spa_Latn": {
         "test.message.v": [
            "Tienes una manzana",
            "Tienes {{$count}} manzanas",
            "No tienes manzanas"
        ]
    }
}
```

Usage

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");

const appleCount = 5;

const msg = __tv("test.message.v", [
      ["You have one apple", ({count}) => count == 1],
      ["You have {{$count}} apples", ({count}) => count > 1],
      "You have no apples"
], { count: appleCount })

console.log(msg); // Tienes 5 manzanas!
```

Escape Code

You can use double curly braces `{{...}}` to stop the translation engine from translating any text inside. The curly braces are removed after translation. If a `$` is placed before the text inside of the escape code, it is treated as a variable which values can be passed, and incorporated into the text.

NOTE: the passed arguments are **NOT** translated

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");

const appleCount = 5;

const msg = __tv("test.message.v", [
      ["You have one apple", ({count}) => count == 1],
      ["You have {{$count}} apples", ({count}) => count > 1],
      "You have no apples"
], { count: appleCount })

console.log(msg); // Tienes 5 manzanas!
```

Type Parameters

T

`T` *extends* `object`

Parameters

key

`string`

The key for the translation

messages

`TVArgs<T>`

An array of message variants

arg

`T`

A object that is passed as the argument to the selection functions and used for variable substitution

Returns

`string`

The translation of the message for the currently set locale.

react-auto-i18n

---

react-auto-i18n / useI18n

Function: useI18n()

useI18n(): `I18nContextType`

Defined in: components/I18nProvider.tsx:159

Allows for the modification and usage of the global database and locale states. Must be used on the context of a I18nProvider.

Example:

```
const i18n = useI18n();
i18n.setLocale("spa_Latn");

let msg = __t("message", "Hello!");
console.log(msg); // Hola!
```

Returns

`I18nContextType`

The instance of the current I18nProvider

react-auto-i18n

---

react-auto-i18n / I18nContextType

Interface: I18nContextType

Defined in: components/I18nProvider.tsx:9

The context type for the I18nProvider

Properties

database

`readonly` **database**: `I18nDatabase`

Defined in: components/I18nProvider.tsx:25

The currently set I18nDatabase

---

getLocaleObj()

`readonly` **getLocaleObj**: () => `LangScriptObj`

Defined in: components/I18nProvider.tsx:20

Gets a wrapper LangScriptObj around this locale

Returns `LangScriptObj`

a wrapper LangScriptObj around this locale

---

getLocales()

`readonly` **getLocales**: () => ("ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn"

| "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn")[]

Defined in: components/I18nProvider.tsx:43

This is essentially a helper function for doing `.database.langs()`

Returns ("ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" |

"kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" |
"kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" |
"khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" |
"lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" |
"lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" |
"mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" |
"min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |
"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" |
"nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" |
"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn")[]

Returns all the loaded LangScriptCode's in the current I18nDatabase.

---

locale

readonly **locale**: "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" |

```
"fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn"
| "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" |
"gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn"
| "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" |
"hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn"
| "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" |
"kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda"
| "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" |
"kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn"
| "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" |
"knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo"
| "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn"
| "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" |
"mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn"
| "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" |
"mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn"
| "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" |
"nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn"
| "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" |
"pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn"
| "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva"
| "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" |
"slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab"
| "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" |
"srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn"
| "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" |
"taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai"
| "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" |
"tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl"
| "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn"
| "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" |
"ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn"
| "zul_Latn"
```

Defined in: components/I18nProvider.tsx:14

The currently set LangScriptCode

---

setDatabase()

`readonly` **setDatabase**: (`database`) => `void`

Defined in: components/I18nProvider.tsx:37

Sets the current I18nDatabase

Parameters

database `I18nDatabase`

Returns `void`

---

setLocale()

`readonly` **setLocale**: (`locale`) => `void`

Defined in: components/I18nProvider.tsx:31

Sets the current LangScriptCode

Parameters

locale The current local to set

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"

"mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" |
"min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |
"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" |
"nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" |
"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns `void`

react-auto-i18n

---

react-auto-i18n / CountryCode

Type Alias: CountryCode

CountryCode = "AE" | "AF" | "AL" | "AM" | "AO" | "AR" | "AT" |
"AW" | "AU" | "AZ" | "BA" | "BD" | "BE" | "BF" | "BG" | "BI" | "BJ" |
"BN" | "BO" | "BR" | "BT" | "BW" | "BY" | "CA" | "CD" | "CF" | "CG" |
"CH" | "CI" | "CL" | "CN" | "CM" | "CO" | "CR" | "CV" | "CZ" | "DE" |
"DJ" | "DK" | "DZ" | "EC" | "EE" | "EG" | "ER" | "ES" | "ET" | "FI" |
"FJ" | "FO" | "FR" | "GB" | "GE" | "GH" | "GM" | "GN" | "GQ" | "GR" |
"GT" | "GW" | "HK" | "HN" | "HR" | "HT" | "HU" | "ID" | "IE" | "IL" |
"IN" | "IQ" | "IR" | "IS" | "IT" | "JM" | "JO" | "JP" | "KE" | "KG" |
"KH" | "KI" | "KM" | "KR" | "KZ" | "LA" | "LB" | "LK" | "LR" | "LS" |
"LT" | "LU" | "LV" | "MA" | "MD" | "MG" | "MK" | "ML" | "MM" | "MN" |
"MR" | "MT" | "MU" | "MW" | "MX" | "MY" | "MZ" | "NA" | "NE" | "NG" |
"NI" | "NL" | "NO" | "NP" | "NZ" | "OM" | "PA" | "PE" | "PG" | "PH" |
"PK" | "PL" | "PT" | "PY" | "QA" | "RO" | "RS" | "RU" | "RW" | "SA" |
"SB" | "SC" | "SD" | "SE" | "SG" | "SI" | "SK" | "SL" | "SN" | "SO" |
"SR" | "SS" | "SY" | "SZ" | "TD" | "TG" | "TH" | "TJ" | "TL" | "TM" |
"TN" | "TR" | "TW" | "TZ" | "UA" | "UG" | "US" | "UY" | "UZ" | "VE"

| "VN" | "WS" | "YE" | "ZA" | "ZM" | "ZW"

Defined in: core/country.ts:6

A country code

react-auto-i18n

---

react-auto-i18n / CountryFlagProps

Type Alias: CountryFlagProps

CountryFlagProps = React.HtmlHTMLAttributes<HTMLSpanElement> & object

Defined in: components/CountryFlag.tsx:8

The properties for CountryFlag

Type Declaration

country

country: CountryCode

The CountryCode for CountryFlag

react-auto-i18n

---

react-auto-i18n / I18nFileProviderProps

Type Alias: I18nFileProviderProps

I18nFileProviderProps = object

Defined in: components/I18nFileProvider.tsx:9

The properties for the I18nFileProvider

Properties

children

children: React.ReactNode

Defined in: components/I18nFileProvider.tsx:17

The children of this component

---

defaultLang

defaultLang: `LangScriptCode`

Defined in: components/I18nFileProvider.tsx:21

The default language for the provider. Defaults to `"eng_Latn"`

---

path

path: `string`

Defined in: components/I18nFileProvider.tsx:13

The file path to the json database. It needs to point to a file inside of the `public` folder and the json must be in the format of I18nDatabaseType.

react-auto-i18n

---

react-auto-i18n / I18nMultiFileProviderProps

Type Alias: I18nMultiFileProviderProps

I18nMultiFileProviderProps = `object`

Defined in: components/I18nMultiFileProvider.tsx:9

The properties for the I18nMultiFileProvider

Properties

children

children: `React.ReactNode`

Defined in: components/I18nMultiFileProvider.tsx:19

The children of this component

---

defaultLang

defaultLang: `LangScriptCode`

Defined in: components/I18nMultiFileProvider.tsx:24

The default language for the provider. Defaults to `"eng_Latn"`

---

path

path: `string`

Defined in: components/I18nMultiFileProvider.tsx:14

The folder path which contains all multiple files of type LanguageTranslations, and each must be named using LangScriptCode followed by a `.json`. It needs to point to a folder inside of the `public` folder, and the folder must contain a `manifest.json` file of the format FolderLanguageManifestType

react-auto-i18n

---

react-auto-i18n / I18nProviderProps

Type Alias: I18nProviderProps

I18nProviderProps = `object`

Defined in: components/I18nProvider.tsx:51

The properties for the I18nProvider

Properties

children

children: `React.ReactNode`

Defined in: components/I18nProvider.tsx:55

The providers children

---

db

db: `I18nDatabase`

Defined in: components/I18nProvider.tsx:64

The I18nDatabase for this provider

---

defaultLang

defaultLang: `LangScriptCode`

Defined in: components/I18nProvider.tsx:59

The default language code. When passed to the I18nProvider, defaults to `"eng_Latn"`

react-auto-i18n

---

react-auto-i18n / LangCode

Type Alias: LangCode

> **LangCode** = `LangScriptCode` *extends* `` `${infer L}_${string}` ``
> ? `L` : `never`

Defined in: core/lang_code.ts:6

The type of all language codes (i.e. the prefix of the LangScriptCode)

react-auto-i18n

---

react-auto-i18n / LangScriptCode

Type Alias: LangScriptCode

> **LangScriptCode** = *typeof* `LANG_SCRIPT_CODES`[`number`]

Defined in: core/index.ts:238

The type of all supported LangScriptCode's

react-auto-i18n

---

react-auto-i18n / ScriptCode

Type Alias: ScriptCode

> **ScriptCode** = `LangScriptCode` *extends* `` `${string}_${infer S}` ``
> ? `S` : `never`

Defined in: core/script_code.ts:6

The type of all script codes (i.e. the suffix of the LangScriptCode)

react-auto-i18n

---

react-auto-i18n / ScriptDirection

Type Alias: ScriptDirection

ScriptDirection = `"ltr"` | `"rtl"`

Defined in: core/script_code.ts:14

The direction that a given script is read, and should be rendered - `ltr`: Left-to-Right - `rtl`: Right-to-Left

react-auto-i18n

---

react-auto-i18n / TVArgs

Type Alias: TVArgs<T>

TVArgs<`T`> = [`...[string, (t: T) => boolean][]`, `string`]

Defined in: i18n.ts:146

Type Parameters

T

`T`

react-auto-i18n

---

react-auto-i18n / LANG_CODES

Variable: LANG_CODES

`const` **LANG_CODES**: (`"ace"` | `"acm"` | `"acq"` | `"aeb"` | `"afr"` | `"als"` | `"amh"` | `"apc"` | `"arb"` | `"arg"` | `"ars"` | `"ary"` | `"arz"` | `"asm"` | `"ast"` | `"awa"` | `"ayr"` | `"azb"` | `"azj"` | `"bak"` | `"bam"` | `"ban"` | `"bel"` | `"bem"` | `"ben"` | `"bho"` | `"bjn"` | `"bod"` | `"bos"` | `"brx"` | `"bug"` | `"bul"` | `"cat"` | `"ceb"` | `"ces"` | `"chv"` | `"cjk"` | `"ckb"` | `"cmn"` | `"crh"` | `"cym"` | `"dan"` | `"dar"` | `"deu"` | `"dgo"` | `"dik"` | `"dyu"` | `"dzo"` | `"ekk"` | `"ell"` | `"eng"` | `"epo"` | `"eus"` | `"ewe"` | `"fao"` | `"fij"` | `"fil"` | `"fin"` | `"fon"` | `"fra"` | `"fur"` | `"fuv"` | `"gaz"` | `"gla"` | `"gle"` | `"glg"` | `"gom"` | `"gug"` | `"guj"` | `"hat"` | `"hau"` | `"heb"` | `"hin"` | `"hne"` | `"hrv"` | `"hun"` | `"hye"` | `"ibo"` | `"ilo"` | `"ind"` | `"isl"` | `"ita"` | `"jav"` | `"jpn"` | `"kaa"` | `"kab"` | `"kac"` | `"kam"` | `"kan"` | `"kas"` | `"kat"` | `"kaz"` | `"kbp"` | `"kea"` | `"khk"` | `"khm"` | `"kik"` | `"kin"` | `"kir"` | `"kmb"` | `"kmr"` | `"knc"` | `"kor"` | `"ktu"` | `"lao"` | `"lij"` | `"lim"` | `"lin"` | `"lit"` | `"lld"` | `"lmo"` | `"ltg"` | `"ltz"` | `"lua"` | `"lug"` | `"luo"` | `"lus"` |

"lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul")[]

Defined in: core/index.ts:244

A list of all LangCode's

react-auto-i18n

---

react-auto-i18n / LANG_SCRIPT_CODES

Variable: LANG_SCRIPT_CODES

const **LANG_SCRIPT_CODES**: readonly ["ace_Arab", "ace_Latn", "acm_Arab", "acq_Arab", "aeb_Arab", "afr_Latn", "als_Latn", "amh_Ethi", "apc_Arab", "arb_Arab", "arb_Latn", "arg_Latn", "ars_Arab", "ary_Arab", "arz_Arab", "asm_Beng", "ast_Latn", "awa_Deva", "ayr_Latn", "azb_Arab", "azj_Latn", "bak_Cyrl", "bam_Latn", "ban_Latn", "bel_Cyrl", "bem_Latn", "ben_Beng", "bho_Deva", "bjn_Arab", "bjn_Latn", "bod_Tibt", "bos_Latn", "brx_Deva", "bug_Latn", "bul_Cyrl", "cat_Latn", "ceb_Latn", "ces_Latn", "chv_Cyrl", "cjk_Latn", "ckb_Arab", "cmn_Hans", "cmn_Hant", "crh_Latn", "cym_Latn", "dan_Latn", "dar_Cyrl", "deu_Latn", "dgo_Deva", "dik_Latn", "dyu_Latn", "dzo_Tibt", "ekk_Latn", "ell_Grek", "eng_Latn", "epo_Latn", "eus_Latn", "ewe_Latn", "fao_Latn", "fij_Latn", "fil_Latn", "fin_Latn", "fon_Latn", "fra_Latn", "fur_Latn", "fuv_Latn", "gaz_Latn", "gla_Latn", "gle_Latn", "glg_Latn", "gom_Deva", "gug_Latn", "guj_Gujr", "hat_Latn", "hau_Latn", "heb_Hebr", "hin_Deva", "hne_Deva", "hrv_Latn", "hun_Latn", "hye_Armn", "ibo_Latn", "ilo_Latn", "ind_Latn", "isl_Latn", "ita_Latn", "jav_Latn", "jpn_Jpan", "kaa_Latn", "kab_Latn", "kac_Latn", "kam_Latn", "kan_Knda", "kas_Arab", "kas_Deva", "kat_Geor", "kaz_Cyrl", "kbp_Latn", "kea_Latn", "khk_Cyrl", "khm_Khmr", "kik_Latn", "kin_Latn", "kir_Cyrl", "kmb_Latn", "kmr_Latn",

"knc_Arab", "knc_Latn", "kor_Hang", "ktu_Latn", "lao_Laoo", "lij_Latn", "lim_Latn", "lin_Latn", "lit_Latn", "lld_Latn", "lmo_Latn", "ltg_Latn", "ltz_Latn", "lua_Latn", "lug_Latn", "luo_Latn", "lus_Latn", "lvs_Latn", "mag_Deva", "mai_Deva", "mal_Mlym", "mar_Deva", "mfe_Latn", "mhr_Cyrl", "min_Arab", "min_Latn", "mkd_Cyrl", "mlt_Latn", "mni_Beng", "mni_Mtei", "mos_Latn", "mri_Latn", "mya_Mymr", "myv_Cyrl", "nld_Latn", "nno_Latn", "nob_Latn", "npi_Deva", "nqo_Nkoo", "nso_Latn", "nus_Latn", "nya_Latn", "oci_Latn", "ory_Orya", "pag_Latn", "pan_Guru", "pap_Latn", "pbt_Arab", "pes_Arab", "plt_Latn", "pol_Latn", "por_Latn", "prs_Arab", "quy_Latn", "ron_Latn", "run_Latn", "rus_Cyrl", "sag_Latn", "san_Deva", "sat_Olck", "scn_Latn", "shn_Mymr", "sin_Sinh", "slk_Latn", "slv_Latn", "smo_Latn", "sna_Latn", "snd_Arab", "snd_Deva", "som_Latn", "sot_Latn", "spa_Latn", "srd_Latn", "srp_Cyrl", "ssw_Latn", "sun_Latn", "swe_Latn", "swh_Latn", "szl_Latn", "tam_Taml", "taq_Latn", "taq_Tfng", "tat_Cyrl", "tel_Telu", "tgk_Cyrl", "tha_Thai", "tir_Ethi", "tpi_Latn", "tsn_Latn", "tso_Latn", "tuk_Latn", "tum_Latn", "tur_Latn", "twi_Latn", "tyv_Cyrl", "uig_Arab", "ukr_Cyrl", "umb_Latn", "urd_Arab", "uzn_Latn", "uzs_Arab", "vec_Latn", "vie_Latn", "vmw_Latn", "war_Latn", "wol_Latn", "wuu_Hans", "xho_Latn", "ydd_Hebr", "yor_Latn", "yue_Hant", "zgh_Tfng", "zsm_Latn", "zul_Latn"]

Defined in: core/index.ts:12

A list of all LangScriptCodes supported by the translation engine

react-auto-i18n

---

react-auto-i18n / SCRIPT_CODES

Variable: SCRIPT_CODES

const **SCRIPT_CODES**: ("Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai")[]

Defined in: core/index.ts:251

A list of all ScriptCode's