---

react-auto-i18n

Classes

- LangScriptObj

Interfaces

- I18nContextType

Type Aliases

- CountryCode
- CountryFlagProps
- I18nDatabase
- I18nProviderProps
- LangCode
- LangScriptCode
- LanguageTranslations
- ScriptCode
- ScriptDirection
- TVArgs

Variables

- LANG_CODES
- LANG_SCRIPT_CODES
- SCRIPT_CODES

Functions

- ___t
- ___tv
- formatLangScriptCode
- getCountryCode
- getCurrentLocalRaw
- getEnglishLangName
- getI18nDatabaseRaw
- getLangCode
- getLangScriptDirection
- getLocaleLangName
- getScriptCode

- getScriptDirection
- I18nProvider
- setCurrentLocalRaw
- setI18nDatabaseRaw
- stringToLangCode
- stringToLangScriptCode
- stringToScriptCode
- useI18n

References

default

Renames and re-exports ___t

react-auto-i18n

---

react-auto-i18n

A React internationalization (i18n) library with automatic translation support. Wrap your app in a provider, mark strings with `__t()`, and let the CLI generate your translation database.

Installation

```
npm install react-auto-i18n
```

Quick Start

1. Wrap your app with `I18nProvider`

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import App from './App.tsx'
import { I18nProvider } from 'react-auto-i18n'
import db from './assets/translations.json'

createRoot(document.getElementById('root')!).render(
  <I18nProvider defaultLang="eng_Latn" defaultDatabase={db}>
    <App />
  </I18nProvider>
)
```

2. Mark strings for translation

```
import { __t } from 'react-auto-i18n'

function MyComponent() {
  return <p>{__t("greeting", "Hello, world!")}</p>
}
```

3. Generate translations with the CLI

```
npx auto-i18n-cli -i "./src/**/*.ts" -o "./assets/translations.json" \
  -l spa_Latn -s eng_Latn -b azure --azureKey "YOUR_KEY"
```

This scans your source files for all `__t()` and `__tv()` calls and outputs a JSON translation database.

Translation Functions

`__t(key, message, args?)` — Simple translation

```
const msg = __t("welcome", "Welcome to our app!")
// In Spanish: "¡Bienvenido a nuestra aplicación!"
```

Escape code: Wrap text in `{{...}}` to prevent it from being translated:

```
const msg = __t("info", "This is powered by {{'react-auto-i18n'}}")
// The library name is preserved as-is
```

`__tv(key, messages, args)` — Plural / variant translation

Use this when the message varies based on a runtime value:

```
const msg = __tv("apple.count", [
  ["You have one apple",        ({ count }) => count === 1],
  ["You have {{$count}} apples", ({ count }) => count > 1],
  "You have no apples"
], { count: appleCount })
```

`{{$count}}` is a variable placeholder — it's replaced at runtime with the value from `args` and is never translated.

Changing the Locale at Runtime

Use the `useI18n` hook inside any component wrapped by `I18nProvider`:

```
import { useI18n, __t } from 'react-auto-i18n'
```

```
function LanguageSwitcher() {
  const i18n = useI18n()

  return (
    <button onClick={() => i18n.setLocale("fra_Latn")}>
      Switch to French
    </button>
  )
}
```

The `useI18n()` hook also exposes:

Property	Description
`locale`	The currently active `LangScriptCode`
`setLocale(locale)`	Update the active locale
`database`	The currently loaded `I18nDatabase`
`setDatabase(db)`	Swap out the translation database
`getLocales()`	List all locales present in the database
`getLocaleObj()`	Get a `LangScriptObj` wrapper for the current locale

Language & Script Codes

Locales are identified by a `LangScriptCode` in the format `{lang}_{Script}`, e.g.:

Code	Language
`eng_Latn`	English (Latin)
`spa_Latn`	Spanish (Latin)
`cmn_Hans`	Mandarin (Simplified)
`arb_Arab`	Arabic
`jpn_Jpan`	Japanese

The library supports 200+ language-script combinations. Utility functions are provided to work with these codes:

```
import { getLangCode, getScriptCode, getEnglishLangName, getCountryCode } from 'react-auto-i

getLangCode("eng_Latn")         // "eng"
getScriptCode("eng_Latn")       // "Latn"
getEnglishLangName("spa")       // "Spanish"
getCountryCode("eng")           // "US"
```

You can also use the `LangScriptObj` class for an OOP-style interface:

```
import { LangScriptObj } from 'react-auto-i18n'

const lang = new LangScriptObj("jpn_Jpan")
lang.getLangCode()     // "jpn"
lang.getScriptCode()   // "Jpan"
lang.getEnglishName()  // "Japanese"
lang.getCountry()      // "JP"
lang.getCountryFlag()  // <CountryFlag country="JP" />
```

Translation Database Format

The database is a JSON object keyed by `LangScriptCode`:

```
{
  "eng_Latn": {
    "greeting": "Hello!",
    "apple.count": ["You have one apple", "You have {{$count}} apples", "You have no apples'
  },
  "spa_Latn": {
    "greeting": "¡Hola!",
    "apple.count": ["Tienes una manzana", "Tienes {{$count}} manzanas", "No tienes manzanas'
  }
}
```

The type `I18nDatabase` is defined as `Partial<Record<LangScriptCode, LanguageTranslations>>`.

Low-Level API

These functions operate on the global translation state directly. Prefer the React hooks when possible.

```
import { setI18nDatabaseRaw, setCurrentLocalRaw, getCurrentLocalRaw, getI18nDatabaseRaw } fr

setI18nDatabaseRaw(db)
setCurrentLocalRaw("deu_Latn")
```

Validation Helpers

Safely parse untrusted strings into typed codes (returns `null` if invalid):

```
import { stringToLangCode, stringToScriptCode, stringToLangScriptCode } from 'react-auto-i18

stringToLangCode("eng")          // "eng"
stringToLangCode("not_a_lang")   // null
stringToLangScriptCode("fra_Latn") // "fra_Latn"
```

react-auto-i18n

---

react-auto-i18n / LangScriptObj

Class: LangScriptObj

Defined in: core/lang_script_obj.ts:7

A helper wrapper object for the `LangScriptCode`, providing basic functions in an OOP style.

Constructors

Constructor

new LangScriptObj(`code`): `LangScriptObj`

Defined in: core/lang_script_obj.ts:14

Parameters

code `"ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" |`

"kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" |
"khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" |
"lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" |
"lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" |
"mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" |
"min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |
"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" |
"nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" |
"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns `LangScriptObj`

Properties

code

readonly **code**: "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" |

```
"fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn"
| "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" |
"gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn"
| "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" |
"hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn"
| "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" |
"kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda"
| "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" |
"kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn"
| "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" |
"knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo"
| "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn"
| "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" |
"mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn"
| "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" |
"mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn"
| "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" |
"nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn"
| "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" |
"pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn"
| "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva"
| "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" |
"slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab"
| "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" |
"srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn"
| "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" |
"taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai"
| "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" |
"tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl"
| "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn"
| "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" |
"ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn"
| "zul_Latn"
```

Defined in: core/lang_script_obj.ts:12

The inner wrapped `LangScriptCode`

Methods

getCountry()

getCountry(): `CountryCode` | `null`

Defined in: core/lang_script_obj.ts:59

A helper function for getting the `CountryCode` most associated with this `LangScriptCode`, or `null` if there is none

Returns `CountryCode` | `null`

the `CountryCode` most associated with this `LangScriptCode, or`null‘ if there is none

---

getCountryFlag()

getCountryFlag(): `ReactElement<unknown, string | JSXElementConstructor<any» | null`

Defined in: core/lang_script_obj.ts:68

A helper function that invokes the `CountryFlag` component, with the country code most associated with this `LangScriptCode`, or null if there is none

Returns `ReactElement<unknown, string | JSXElementConstructor<any» | null`

the `CountryFlag` component, with the country code most associated with this `LangScriptCode`, or null if there is none

---

getEnglishName()

getEnglishName(): `string | null`

Defined in: core/lang_script_obj.ts:50

A helper function for getting the english name for the wrapped `LangScriptCode`

Returns `string | null`

The `LangCode` for the wrapped `LangScriptCode`

---

getLangCode()

getLangCode(): `"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" |`

"fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" |
"gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" |
"hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" |
"ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" |
"kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" |
"khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" |
"kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" |
"lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" |
"mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" |
"mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" |
"nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" |
"pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" |
"prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" |
"scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" |
"som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" |
"swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" |
"tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" |
"tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" |
"vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" |
"yue" | "zgh" | "zsm" | "zul"

Defined in: core/lang_script_obj.ts:23

A helper function for getting the `LangCode` for the wrapped `LangScriptCode`

Returns "ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" |
"arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" |
"azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" |
"bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" |
"cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" |
"ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" |
"fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" |
"guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" |
"ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" |
"kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" |
"kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" |
"lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" |
"mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" |
"mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" |
"nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" |
"pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" |
"scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" |
"spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" |
"tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" |
"tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" |
"vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh"

| "zsm" | "zul"

The LangCode for the wrapped LangScriptCode

---

getName()

getName(): string | null

Defined in: core/lang_script_obj.ts:41

A helper function for getting the locale name for the wrapped LangScriptCode

Returns string | null

The LangCode for the wrapped LangScriptCode

---

getScriptCode()

getScriptCode(): "Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"

Defined in: core/lang_script_obj.ts:32

A helper function for getting the ScriptCode for the wrapped LangScriptCode

Returns "Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"

The ScriptCode for the wrapped LangScriptCode

---

getScriptDirection()

getScriptDirection(): ScriptDirection

Defined in: core/lang_script_obj.ts:78

A helper function for getting the ScriptDirection for wrapped LangScriptCode

Returns `ScriptDirection`

the `ScriptDirection` for wrapped `LangScriptCode`

react-auto-i18n

---

react-auto-i18n / formatLangScriptCode

Function: formatLangScriptCode()

formatLangScriptCode(`lang`, `script`): `"ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" |`

"pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Defined in: core/index.ts:261

A utility function for converting a `LangCode` and a `ScriptCode` into a `LangScriptCode`

Parameters

lang

The `LangCode` for the `LangScriptCode`

"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul"

script

The `ScriptCode` for the `LangScriptCode`

`"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` | `"Mlym"` | `"Mtei"` | `"Mymr"` | `"Nkoo"` | `"Orya"` | `"Guru"` | `"Olck"` | `"Sinh"` | `"Taml"` | `"Tfng"` | `"Telu"` | `"Thai"`

Returns

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"
"ron_Latn"	"run_Latn"	"rus_Cyrl"	"sag_Latn"	"san_Deva"
"sat_Olck"	"scn_Latn"	"shn_Mymr"	"sin_Sinh"	"slk_Latn"
"slv_Latn"	"smo_Latn"	"sna_Latn"	"snd_Arab"	"snd_Deva"
"som_Latn"	"sot_Latn"	"spa_Latn"	"srd_Latn"	"srp_Cyrl"

"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

The formatted `LangScriptCode`

react-auto-i18n

---

react-auto-i18n / getCountryCode

Function: getCountryCode()

getCountryCode(`code`): `CountryCode` | `null`

Defined in: core/country.ts:40

Gets the `CountryCode` for the given `LangCode`. Essentially, what country most primarily speaks this language. For example, this will return `US` even though Britain, Australia, etc. also speak the language.

Parameters

code

The `LangCode`

"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" |

"sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul"

Returns

`CountryCode` | `null`

A `CountryCode` which represents the country 'most commonly' associated with that language. It will return null if there is no country typically associated with this language.

react-auto-i18n

---

react-auto-i18n / getCurrentLocalRaw

Function: getCurrentLocalRaw()

getCurrentLocalRaw(): "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo"

| "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Defined in: i18n.ts:71

Gets the raw current locale used for translation, which used by the `__t` function.
NOTE: Prefer to use `useI18n().locale` hook

Returns

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"

"gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" |
"heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" |
"hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" |
"ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" |
"kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" |
"kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" |
"khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" |
"lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" |
"lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" |
"mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" |
"min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |
"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" |
"nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" |
"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

The current raw `LangScriptCode` locale

react-auto-i18n

---

react-auto-i18n / getEnglishLangName

Function: getEnglishLangName()

getEnglishLangName(`code`): `string` | `null`

Defined in: core/lang_code.ts:46

Gets the english name of a `LangCode`

Parameters

code

A `LangCode`

"ace"	"acm"	"acq"	"aeb"	"afr"	"als"	"amh"	"apc"	"arb"	"arg"
"ars"	"ary"	"arz"	"asm"	"ast"	"awa"	"ayr"	"azb"	"azj"	"bak"
"bam"	"ban"	"bel"	"bem"	"ben"	"bho"	"bjn"	"bod"	"bos"	"brx"
"bug"	"bul"	"cat"	"ceb"	"ces"	"chv"	"cjk"	"ckb"	"cmn"	"crh"
"cym"	"dan"	"dar"	"deu"	"dgo"	"dik"	"dyu"	"dzo"	"ekk"	"ell"
"eng"	"epo"	"eus"	"ewe"	"fao"	"fij"	"fil"	"fin"	"fon"	"fra"
"fur"	"fuv"	"gaz"	"gla"	"gle"	"glg"	"gom"	"gug"	"guj"	"hat"
"hau"	"heb"	"hin"	"hne"	"hrv"	"hun"	"hye"	"ibo"	"ilo"	"ind"
"isl"	"ita"	"jav"	"jpn"	"kaa"	"kab"	"kac"	"kam"	"kan"	"kas"
"kat"	"kaz"	"kbp"	"kea"	"khk"	"khm"	"kik"	"kin"	"kir"	"kmb"
"kmr"	"knc"	"kor"	"ktu"	"lao"	"lij"	"lim"	"lin"	"lit"	"lld"
"lmo"	"ltg"	"ltz"	"lua"	"lug"	"luo"	"lus"	"lvs"	"mag"	"mai"
"mal"	"mar"	"mfe"	"mhr"	"min"	"mkd"	"mlt"	"mni"	"mos"	"mri"
"mya"	"myv"	"nld"	"nno"	"nob"	"npi"	"nqo"	"nso"	"nus"	"nya"
"oci"	"ory"	"pag"	"pan"	"pap"	"pbt"	"pes"	"plt"	"pol"	"por"
"prs"	"quy"	"ron"	"run"	"rus"	"sag"	"san"	"sat"	"scn"	"shn"
"sin"	"slk"	"slv"	"smo"	"sna"	"snd"	"som"	"sot"	"spa"	"srd"
"srp"	"ssw"	"sun"	"swe"	"swh"	"szl"	"tam"	"taq"	"tat"	"tel"
"tgk"	"tha"	"tir"	"tpi"	"tsn"	"tso"	"tuk"	"tum"	"tur"	"twi"
"tyv"	"uig"	"ukr"	"umb"	"urd"	"uzn"	"uzs"	"vec"	"vie"	"vmw"
"war"	"wol"	"wuu"	"xho"	"ydd"	"yor"	"yue"	"zgh"	"zsm"	"zul"

Returns

`string` | `null`

The english name of the passed `LangCode`

react-auto-i18n

---

react-auto-i18n / getI18nDatabaseRaw

Function: getI18nDatabaseRaw()

> **getI18nDatabaseRaw**(): `I18nDatabase`

Defined in: i18n.ts:51

Gets the raw database used for translation, which used by the `__t` function.
NOTE: Prefer to use `useI18n().database` hook

Returns

`I18nDatabase`

the raw `I18nDatabase` database

react-auto-i18n

---

react-auto-i18n / getLangCode

Function: getLangCode()

getLangCode(`code`): `"ace"` | `"acm"` | `"acq"` | `"aeb"` | `"afr"` | `"als"` | `"amh"` | `"apc"` | `"arb"` | `"arg"` | `"ars"` | `"ary"` | `"arz"` | `"asm"` | `"ast"` | `"awa"` | `"ayr"` | `"azb"` | `"azj"` | `"bak"` | `"bam"` | `"ban"` | `"bel"` | `"bem"` | `"ben"` | `"bho"` | `"bjn"` | `"bod"` | `"bos"` | `"brx"` | `"bug"` | `"bul"` | `"cat"` | `"ceb"` | `"ces"` | `"chv"` | `"cjk"` | `"ckb"` | `"cmn"` | `"crh"` | `"cym"` | `"dan"` | `"dar"` | `"deu"` | `"dgo"` | `"dik"` | `"dyu"` | `"dzo"` | `"ekk"` | `"ell"` | `"eng"` | `"epo"` | `"eus"` | `"ewe"` | `"fao"` | `"fij"` | `"fil"` | `"fin"` | `"fon"` | `"fra"` | `"fur"` | `"fuv"` | `"gaz"` | `"gla"` | `"gle"` | `"glg"` | `"gom"` | `"gug"` | `"guj"` | `"hat"` | `"hau"` | `"heb"` | `"hin"` | `"hne"` | `"hrv"` | `"hun"` | `"hye"` | `"ibo"` | `"ilo"` | `"ind"` | `"isl"` | `"ita"` | `"jav"` | `"jpn"` | `"kaa"` | `"kab"` | `"kac"` | `"kam"` | `"kan"` | `"kas"` | `"kat"` | `"kaz"` | `"kbp"` | `"kea"` | `"khk"` | `"khm"` | `"kik"` | `"kin"` | `"kir"` | `"kmb"` | `"kmr"` | `"knc"` | `"kor"` | `"ktu"` | `"lao"` | `"lij"` | `"lim"` | `"lin"` | `"lit"` | `"lld"` | `"lmo"` | `"ltg"` | `"ltz"` | `"lua"` | `"lug"` | `"luo"` | `"lus"` | `"lvs"` | `"mag"` | `"mai"` | `"mal"` | `"mar"` | `"mfe"` | `"mhr"` | `"min"` | `"mkd"` | `"mlt"` | `"mni"` | `"mos"` | `"mri"` | `"mya"` | `"myv"` | `"nld"` | `"nno"` | `"nob"` | `"npi"` | `"nqo"` | `"nso"` | `"nus"` | `"nya"` | `"oci"` | `"ory"` | `"pag"` | `"pan"` | `"pap"` | `"pbt"` | `"pes"` | `"plt"` | `"pol"` | `"por"` | `"prs"` | `"quy"` | `"ron"` | `"run"` | `"rus"` | `"sag"` | `"san"` | `"sat"` | `"scn"` | `"shn"` | `"sin"` | `"slk"` | `"slv"` | `"smo"` | `"sna"` | `"snd"` | `"som"` | `"sot"` | `"spa"` | `"srd"` | `"srp"` | `"ssw"` | `"sun"` | `"swe"` | `"swh"` | `"szl"` | `"tam"` | `"taq"` | `"tat"` | `"tel"` | `"tgk"` | `"tha"` | `"tir"` | `"tpi"` | `"tsn"` | `"tso"` | `"tuk"` | `"tum"` | `"tur"` | `"twi"` | `"tyv"` | `"uig"` | `"ukr"` | `"umb"` | `"urd"` | `"uzn"` | `"uzs"` | `"vec"` | `"vie"` | `"vmw"` | `"war"` | `"wol"` | `"wuu"` | `"xho"` | `"ydd"` | `"yor"` | `"yue"` | `"zgh"` | `"zsm"` | `"zul"`

Defined in: core/lang_code.ts:18

Gets the LangCode from the `LangScriptCode`.
Example:

```
let langScript: LangScriptCode = "eng_Latn";
console.log(getLangCode(langScript)); // prints out 'eng'
```

Parameters

code

The `LangScriptCode`

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"
"ron_Latn"	"run_Latn"	"rus_Cyrl"	"sag_Latn"	"san_Deva"
"sat_Olck"	"scn_Latn"	"shn_Mymr"	"sin_Sinh"	"slk_Latn"
"slv_Latn"	"smo_Latn"	"sna_Latn"	"snd_Arab"	"snd_Deva"
"som_Latn"	"sot_Latn"	"spa_Latn"	"srd_Latn"	"srp_Cyrl"
"ssw_Latn"	"sun_Latn"	"swe_Latn"	"swh_Latn"	"szl_Latn"
"tam_Taml"	"taq_Latn"	"taq_Tfng"	"tat_Cyrl"	"tel_Telu"
"tgk_Cyrl"	"tha_Thai"	"tir_Ethi"	"tpi_Latn"	"tsn_Latn"
"tso_Latn"	"tuk_Latn"	"tum_Latn"	"tur_Latn"	"twi_Latn"
"tyv_Cyrl"	"uig_Arab"	"ukr_Cyrl"	"umb_Latn"	"urd_Arab"

"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns

"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul"

the `LangCode` of the `LangScriptCode`

react-auto-i18n

---

react-auto-i18n / getLangScriptDirection

Function: getLangScriptDirection()

getLangScriptDirection(`langScript`): `ScriptDirection`

Defined in: core/script_code.ts:117

Gets the `ScriptDirection` from the `ScriptCode` of a `LangScriptCode`

Parameters

langScript

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"
"ron_Latn"	"run_Latn"	"rus_Cyrl"	"sag_Latn"	"san_Deva"
"sat_Olck"	"scn_Latn"	"shn_Mymr"	"sin_Sinh"	"slk_Latn"
"slv_Latn"	"smo_Latn"	"sna_Latn"	"snd_Arab"	"snd_Deva"
"som_Latn"	"sot_Latn"	"spa_Latn"	"srd_Latn"	"srp_Cyrl"
"ssw_Latn"	"sun_Latn"	"swe_Latn"	"swh_Latn"	"szl_Latn"
"tam_Taml"	"taq_Latn"	"taq_Tfng"	"tat_Cyrl"	"tel_Telu"
"tgk_Cyrl"	"tha_Thai"	"tir_Ethi"	"tpi_Latn"	"tsn_Latn"
"tso_Latn"	"tuk_Latn"	"tum_Latn"	"tur_Latn"	"twi_Latn"
"tyv_Cyrl"	"uig_Arab"	"ukr_Cyrl"	"umb_Latn"	"urd_Arab"
"uzn_Latn"	"uzs_Arab"	"vec_Latn"	"vie_Latn"	"vmw_Latn"

"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns

ScriptDirection

the ScriptDirection from the ScriptCode of a LangScriptCode

react-auto-i18n

---

react-auto-i18n / getLocaleLangName

Function: getLocaleLangName()

getLocaleLangName(code): string | null

Defined in: core/lang_code.ts:270

Gets the local name of a LangCode

Parameters

code

A LangCode

"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" |

"tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul"

Returns

`string` | `null`

The local name of the passed `LangCode`

react-auto-i18n

---

react-auto-i18n / getScriptCode

Function: getScriptCode()

> **getScriptCode**(code): "Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"

Defined in: core/script_code.ts:26

Gets the Script from the LangScriptCode.
Example:

```
let langScript: LangScriptCode = "eng_Latn";
console.log(getScriptCode(langScript)); // prints out 'Latn'
```

Parameters

code

The `LangScriptCode`

"ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" |

"fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" |
"gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" |
"heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" |
"hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" |
"ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" |
"kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" |
"kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" |
"khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" |
"lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" |
"lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" |
"mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" |
"min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |
"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" |
"nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" |
"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns

"Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" |
"Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" |
"Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" |
"Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"

the `Script` of the `LangScriptCode`

react-auto-i18n

---

react-auto-i18n / getScriptDirection

Function: getScriptDirection()

getScriptDirection(`script`): `ScriptDirection`

Defined in: core/script_code.ts:107

Gets the `ScriptDirection` from a `ScriptCode`

Parameters

script

a `ScriptCode`

`"Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai"`

Returns

`ScriptDirection`

the `ScriptDirection` from the `ScriptCode`

react-auto-i18n

---

react-auto-i18n / I18nProvider

Function: I18nProvider()

I18nProvider(`props`): `ReactElement`

Defined in: components/I18nProvider.tsx:91

The provider for the `I18nDatabase` and current local.

Allows for getting and setting the global state used by `__t` in a more React like way. ### **Example:**

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import App from './App.tsx'
import { I18nProvider } from "react-auto-i18n";
import db from "./assets/translations.json";

createRoot(document.getElementById('root')!).render(
      <I18nProvider
        default_lang="eng_Latn"
```

```
        default_database={db}
      >
        <App />
      </I18nProvider>
)
```

Parameters

props

`I18nProviderProps`

The `I18nProviderProps` for this provider

Returns

`ReactElement`

react-auto-i18n

---

react-auto-i18n / setCurrentLocalRaw

Function: setCurrentLocalRaw()

setCurrentLocalRaw(`locale`): `void`

Defined in: i18n.ts:61

Sets the raw locale used for translation. This is used by the `__t` function.
NOTE: Prefer to use `useI18n().setLocale(...)`, as this updates the current state.

Parameters

locale

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"

"epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" |
"fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" |
"fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" |
"gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" |
"heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" |
"hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" |
"ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" |
"kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" |
"kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" |
"khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" |
"lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" |
"lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" |
"lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" |
"mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" |
"min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |
"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" |
"nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" |
"nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" |
"plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" |
"ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" |
"sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" |
"slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |
"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" |
"ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" |
"tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" |
"tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" |
"tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" |
"uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" |
"war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" |
"yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Returns

`void`

react-auto-i18n

---

react-auto-i18n / setI18nDatabaseRaw

Function: setI18nDatabaseRaw()

setI18nDatabaseRaw(`db`): `void`

Defined in: i18n.ts:41

Sets the raw database used for translation. This is used by the `__t` function. **NOTE:** Prefer to use `useI18n().setDatabase(...)`, as this updates the current state.

Parameters

db

`I18nDatabase`

Returns

`void`

react-auto-i18n

---

react-auto-i18n / stringToLangCode

Function: stringToLangCode()

stringToLangCode(`str`): `"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" | "ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" | "bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" | "bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" | "cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" | "eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" | "fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" | "hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" | "isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" | "kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" | "kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" | "lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" |`

```
"twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" |
"vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" |
"yor" | "yue" | "zgh" | "zsm" | "zul" | null
```

Defined in: core/lang_code.ts:29

Converts a raw string into a `LangCode`, with error checking

Parameters

str

`string`

The string to be passed

Returns

```
"ace" | "acm" | "acq" | "aeb" | "afr" | "als" | "amh" | "apc" | "arb" | "arg" |
"ars" | "ary" | "arz" | "asm" | "ast" | "awa" | "ayr" | "azb" | "azj" | "bak" |
"bam" | "ban" | "bel" | "bem" | "ben" | "bho" | "bjn" | "bod" | "bos" | "brx" |
"bug" | "bul" | "cat" | "ceb" | "ces" | "chv" | "cjk" | "ckb" | "cmn" | "crh" |
"cym" | "dan" | "dar" | "deu" | "dgo" | "dik" | "dyu" | "dzo" | "ekk" | "ell" |
"eng" | "epo" | "eus" | "ewe" | "fao" | "fij" | "fil" | "fin" | "fon" | "fra" |
"fur" | "fuv" | "gaz" | "gla" | "gle" | "glg" | "gom" | "gug" | "guj" | "hat" |
"hau" | "heb" | "hin" | "hne" | "hrv" | "hun" | "hye" | "ibo" | "ilo" | "ind" |
"isl" | "ita" | "jav" | "jpn" | "kaa" | "kab" | "kac" | "kam" | "kan" | "kas" |
"kat" | "kaz" | "kbp" | "kea" | "khk" | "khm" | "kik" | "kin" | "kir" | "kmb" |
"kmr" | "knc" | "kor" | "ktu" | "lao" | "lij" | "lim" | "lin" | "lit" | "lld" |
"lmo" | "ltg" | "ltz" | "lua" | "lug" | "luo" | "lus" | "lvs" | "mag" | "mai" |
"mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" |
"mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" |
"oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" |
"prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" |
"sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" |
"srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" |
"tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" |
"tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" |
"war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul"
| null
```

A `LangCode` if the string is a valid `LangCode` or `null` if it is not

react-auto-i18n

---

react-auto-i18n / stringToLangScriptCode

Function: stringToLangScriptCode()

stringToLangScriptCode(str): "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |

"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn" | null

Defined in: core/script_code.ts:36

Converts a raw string into a `LangScriptCode`, with error checking

Parameters

str

`string`

The string to be passed

Returns

"ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" |

"mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn" | null

A `LangScriptCode` if the string is a valid `LangScriptCode` or `null` if it is not

react-auto-i18n

---

react-auto-i18n / stringToScriptCode

Function: stringToScriptCode()

> **stringToScriptCode**(str): "Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai" | null

Defined in: core/script_code.ts:53

Converts a raw string into a `ScriptCode`, with error checking

Parameters

str

`string`

The string to be passed

Returns

`"Arab"` | `"Latn"` | `"Ethi"` | `"Beng"` | `"Deva"` | `"Cyrl"` | `"Tibt"` | `"Hans"` | `"Hant"` | `"Grek"` | `"Gujr"` | `"Hebr"` | `"Armn"` | `"Jpan"` | `"Knda"` | `"Geor"` | `"Khmr"` | `"Hang"` | `"Laoo"` | `"Mlym"` | `"Mtei"` | `"Mymr"` | `"Nkoo"` | `"Orya"` | `"Guru"` | `"Olck"` | `"Sinh"` | `"Taml"` | `"Tfng"` | `"Telu"` | `"Thai"` | `null`

A `ScriptCode` if the string is a valid `ScriptCode` or `null` if it is not

react-auto-i18n

---

react-auto-i18n / ___t

Function: ___t()

> **___t**<`T`>(`key`, `message`, `arg?`): `string`

Defined in: i18n.ts:132

The primary translation function for this API. When using `auto-i18n-cli` to parse the program and generate the database automatically, both arguments must be raw string literals. The `auto-i18n-cli` looks for all invocations of this function and generates a `I18nDatabase` compatible json file, with the proper translations.

Translation (using auto-i18n-cli):

```
// file.ts
let msg = __t("message", "Hello!");
```

Translation command: `npx auto-i18n-cli -i "./file.ts" -o "./translations.json" -l spa_Latn -s eng_Latn -b azure --azureKey "..."`

Outputs:

```
{
    "eng_Latn": {
        "message": "Hello!"
    },
    "spa_Latn": {
        "message": "Hola!"
    }
}
```

Usage

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");
```

```
let msg = __t("message", "Hello!");

console.log(msg); // Hola!
```

Escape Code

You can use double curly braces `{{...}}` to stop the translation engine from translating any text inside. The curly braces are removed after translation. If a `$` is placed before the text inside of the escape code, it is treated as a variable which values can be passed, and incorporated into the text.

NOTE: the passed arguments are **NOT** translated

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");

let msg = __t("message", "Hello there! this is a test message for the {{'react-auto-i18n'}}

assert(msg === "Hola, este es un mensaje de prueba para el programa 'react-auto-i18n'.")
```

Type Parameters

T

`T` *extends* `object`

Parameters

key

`string`

The key for the translation

message

`string`

The message to be translated

arg?

`T`

A object that is passed as the argument to the selection functions and used for variable substitution

Returns

`string`

The translation of the message for the currently set locale.

react-auto-i18n

---

react-auto-i18n / ___tv

Function: ___tv()

> **___tv**<T>(`key`, `messages`, `arg`): `string`

Defined in: i18n.ts:262

The secondary translation function for this API. When using `auto-i18n-cli` to parse the program and generate the database automatically, `key` must be a string literal and `messages` must be an array literal, with the last argument being a string literal and all previous elements being an array literal with a string literal as the first element.

The `auto-i18n-cli` looks for all invocations of this function and generates a `I18nDatabase` compatible json file, with the proper translations.

Translation (using auto-i18n-cli):

```
// file.ts
const msg = __tv("test.message.v", [
      ["You have one apple", ({count}) => count == 1],
      ["You have {{$count}} apples", ({count}) => count > 1],
      "You have no apples"
], { count: appleCount })
```

Translation command: `npx auto-i18n-cli -i "./file.ts" -o "./translations.json" -l spa_Latn -s eng_Latn -b azure --azureKey "..."`

Outputs:

```
{
    "eng_Latn": {
        "test.message.v": [
            "You have one apple",
            "You have {{$count}} apples",
            "You have no apples"
        ]
    },
    "spa_Latn": {
         "test.message.v": [
```

```
            "Tienes una manzana",
            "Tienes {{$count}} manzanas",
            "No tienes manzanas"
        ]
    }
}
```

Usage

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");

const appleCount = 5;

const msg = __tv("test.message.v", [
      ["You have one apple", ({count}) => count == 1],
      ["You have {{$count}} apples", ({count}) => count > 1],
      "You have no apples"
], { count: appleCount })

console.log(msg); // Tienes 5 manzanas!
```

Escape Code

You can use double curly braces `{{...}}` to stop the translation engine from translating any text inside. The curly braces are removed after translation. If a `$` is placed before the text inside of the escape code, it is treated as a variable which values can be passed, and incorporated into the text.

NOTE: the passed arguments are **NOT** translated

```
import db from "./translations.json";
setI18nDatabaseRaw(db);
setCurrentLocalRaw("spa_Latn");

const appleCount = 5;

const msg = __tv("test.message.v", [
      ["You have one apple", ({count}) => count == 1],
      ["You have {{$count}} apples", ({count}) => count > 1],
      "You have no apples"
], { count: appleCount })

console.log(msg); // Tienes 5 manzanas!
```

Type Parameters

T

`T` *extends* `object`

Parameters

key

`string`

The key for the translation

messages

`TVArgs<T>`

An array of message variants

arg

`T`

A object that is passed as the argument to the selection functions and used for variable substitution

Returns

`string`

The translation of the message for the currently set locale.

react-auto-i18n

---

react-auto-i18n / useI18n

Function: useI18n()

> **useI18n**(): `I18nContextType`

Defined in: components/I18nProvider.tsx:144

Allows for the modification and usage of the global database and locale states. Must be used on the context of a `I18nProvider`.

Example:

```
const i18n = useI18n();
i18n.setLocale("spa_Latn");

let msg = __t("message", "Hello!");
console.log(msg); // Hola!
```

Returns

`I18nContextType`

The instance of the current `I18nContext`

react-auto-i18n

---

react-auto-i18n / I18nContextType

Interface: I18nContextType

Defined in: components/I18nProvider.tsx:8

The context type for the `I18nProvider`

Properties

database

`readonly` **database**: `I18nDatabase`

Defined in: components/I18nProvider.tsx:24

The currently set `I18nDatabase`

---

getLocaleObj()

`readonly` **getLocaleObj**: () => `LangScriptObj`

Defined in: components/I18nProvider.tsx:19

Gets a wrapper `LangScriptObj` around this locale

Returns `LangScriptObj`

a wrapper `LangScriptObj` around this locale

---

getLocales()

```
readonly getLocales: () => ("ace_Arab" | "ace_Latn"
| "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" |
"als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn"
| "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" |
"asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab"
| "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" |
"bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab"
| "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" |
"bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn"
| "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" |
"cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl"
| "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" |
"dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn"
| "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" |
"fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn"
| "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" |
"glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn"
| "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" |
"hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn"
| "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" |
"jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn"
| "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" |
"kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr"
| "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" |
"kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn"
| "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" |
"lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn"
| "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" |
"lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva"
| "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" |
"mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn"
| "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" |
"nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn"
| "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" |
"pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab"
| "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" |
"quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn"
| "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" |
"sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn"
| "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" |
"spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn"
| "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" |
"taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl"
| "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" |
```

"tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn")[]

Defined in: components/I18nProvider.tsx:42

This is essentially a helper function for doing Object.keys on the database

Returns ("ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn" | "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" |

"som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn")[]

Returns all the loaded `LangScriptCode`s in the current I18nDatabase.

---

locale

readonly **locale**: "ace_Arab" | "ace_Latn" | "acm_Arab" | "acq_Arab" | "aeb_Arab" | "afr_Latn" | "als_Latn" | "amh_Ethi" | "apc_Arab" | "arb_Arab" | "arb_Latn" | "arg_Latn" | "ars_Arab" | "ary_Arab" | "arz_Arab" | "asm_Beng" | "ast_Latn" | "awa_Deva" | "ayr_Latn" | "azb_Arab" | "azj_Latn" | "bak_Cyrl" | "bam_Latn" | "ban_Latn" | "bel_Cyrl" | "bem_Latn" | "ben_Beng" | "bho_Deva" | "bjn_Arab" | "bjn_Latn" | "bod_Tibt" | "bos_Latn" | "brx_Deva" | "bug_Latn" | "bul_Cyrl" | "cat_Latn" | "ceb_Latn" | "ces_Latn" | "chv_Cyrl" | "cjk_Latn" | "ckb_Arab" | "cmn_Hans" | "cmn_Hant" | "crh_Latn" | "cym_Latn" | "dan_Latn" | "dar_Cyrl" | "deu_Latn" | "dgo_Deva" | "dik_Latn" | "dyu_Latn" | "dzo_Tibt" | "ekk_Latn" | "ell_Grek" | "eng_Latn" | "epo_Latn" | "eus_Latn" | "ewe_Latn" | "fao_Latn" | "fij_Latn" | "fil_Latn" | "fin_Latn" | "fon_Latn" | "fra_Latn" | "fur_Latn" | "fuv_Latn" | "gaz_Latn" | "gla_Latn" | "gle_Latn" | "glg_Latn" | "gom_Deva" | "gug_Latn" | "guj_Gujr" | "hat_Latn" | "hau_Latn" | "heb_Hebr" | "hin_Deva" | "hne_Deva" | "hrv_Latn" | "hun_Latn" | "hye_Armn" | "ibo_Latn" | "ilo_Latn" | "ind_Latn" | "isl_Latn" | "ita_Latn" | "jav_Latn" | "jpn_Jpan" | "kaa_Latn" | "kab_Latn" | "kac_Latn" | "kam_Latn" | "kan_Knda" | "kas_Arab" | "kas_Deva" | "kat_Geor" | "kaz_Cyrl" | "kbp_Latn" | "kea_Latn" | "khk_Cyrl" | "khm_Khmr" | "kik_Latn" | "kin_Latn" | "kir_Cyrl" | "kmb_Latn" | "kmr_Latn" | "knc_Arab" | "knc_Latn" | "kor_Hang" | "ktu_Latn" | "lao_Laoo" | "lij_Latn" | "lim_Latn" | "lin_Latn" | "lit_Latn" | "lld_Latn" | "lmo_Latn" | "ltg_Latn" | "ltz_Latn" | "lua_Latn" | "lug_Latn" | "luo_Latn" | "lus_Latn" | "lvs_Latn" | "mag_Deva" | "mai_Deva" | "mal_Mlym" | "mar_Deva" | "mfe_Latn" | "mhr_Cyrl" | "min_Arab" | "min_Latn" | "mkd_Cyrl" | "mlt_Latn" | "mni_Beng" | "mni_Mtei" | "mos_Latn" | "mri_Latn"

| "mya_Mymr" | "myv_Cyrl" | "nld_Latn" | "nno_Latn" | "nob_Latn" | "npi_Deva" | "nqo_Nkoo" | "nso_Latn" | "nus_Latn" | "nya_Latn" | "oci_Latn" | "ory_Orya" | "pag_Latn" | "pan_Guru" | "pap_Latn" | "pbt_Arab" | "pes_Arab" | "plt_Latn" | "pol_Latn" | "por_Latn" | "prs_Arab" | "quy_Latn" | "ron_Latn" | "run_Latn" | "rus_Cyrl" | "sag_Latn" | "san_Deva" | "sat_Olck" | "scn_Latn" | "shn_Mymr" | "sin_Sinh" | "slk_Latn" | "slv_Latn" | "smo_Latn" | "sna_Latn" | "snd_Arab" | "snd_Deva" | "som_Latn" | "sot_Latn" | "spa_Latn" | "srd_Latn" | "srp_Cyrl" | "ssw_Latn" | "sun_Latn" | "swe_Latn" | "swh_Latn" | "szl_Latn" | "tam_Taml" | "taq_Latn" | "taq_Tfng" | "tat_Cyrl" | "tel_Telu" | "tgk_Cyrl" | "tha_Thai" | "tir_Ethi" | "tpi_Latn" | "tsn_Latn" | "tso_Latn" | "tuk_Latn" | "tum_Latn" | "tur_Latn" | "twi_Latn" | "tyv_Cyrl" | "uig_Arab" | "ukr_Cyrl" | "umb_Latn" | "urd_Arab" | "uzn_Latn" | "uzs_Arab" | "vec_Latn" | "vie_Latn" | "vmw_Latn" | "war_Latn" | "wol_Latn" | "wuu_Hans" | "xho_Latn" | "ydd_Hebr" | "yor_Latn" | "yue_Hant" | "zgh_Tfng" | "zsm_Latn" | "zul_Latn"

Defined in: components/I18nProvider.tsx:13

The currently set `LangScriptCode`

---

setDatabase()

`readonly` **setDatabase**: (`database`) => `void`

Defined in: components/I18nProvider.tsx:36

Sets the current `I18nDatabase`

Parameters

database `I18nDatabase`

Returns `void`

---

setLocale()

`readonly` **setLocale**: (`locale`) => `void`

Defined in: components/I18nProvider.tsx:30

Sets the current `LangScriptCode`

Parameters

locale The current local to set

"ace_Arab"	"ace_Latn"	"acm_Arab"	"acq_Arab"	"aeb_Arab"
"afr_Latn"	"als_Latn"	"amh_Ethi"	"apc_Arab"	"arb_Arab"
"arb_Latn"	"arg_Latn"	"ars_Arab"	"ary_Arab"	"arz_Arab"
"asm_Beng"	"ast_Latn"	"awa_Deva"	"ayr_Latn"	"azb_Arab"
"azj_Latn"	"bak_Cyrl"	"bam_Latn"	"ban_Latn"	"bel_Cyrl"
"bem_Latn"	"ben_Beng"	"bho_Deva"	"bjn_Arab"	"bjn_Latn"
"bod_Tibt"	"bos_Latn"	"brx_Deva"	"bug_Latn"	"bul_Cyrl"
"cat_Latn"	"ceb_Latn"	"ces_Latn"	"chv_Cyrl"	"cjk_Latn"
"ckb_Arab"	"cmn_Hans"	"cmn_Hant"	"crh_Latn"	"cym_Latn"
"dan_Latn"	"dar_Cyrl"	"deu_Latn"	"dgo_Deva"	"dik_Latn"
"dyu_Latn"	"dzo_Tibt"	"ekk_Latn"	"ell_Grek"	"eng_Latn"
"epo_Latn"	"eus_Latn"	"ewe_Latn"	"fao_Latn"	"fij_Latn"
"fil_Latn"	"fin_Latn"	"fon_Latn"	"fra_Latn"	"fur_Latn"
"fuv_Latn"	"gaz_Latn"	"gla_Latn"	"gle_Latn"	"glg_Latn"
"gom_Deva"	"gug_Latn"	"guj_Gujr"	"hat_Latn"	"hau_Latn"
"heb_Hebr"	"hin_Deva"	"hne_Deva"	"hrv_Latn"	"hun_Latn"
"hye_Armn"	"ibo_Latn"	"ilo_Latn"	"ind_Latn"	"isl_Latn"
"ita_Latn"	"jav_Latn"	"jpn_Jpan"	"kaa_Latn"	"kab_Latn"
"kac_Latn"	"kam_Latn"	"kan_Knda"	"kas_Arab"	"kas_Deva"
"kat_Geor"	"kaz_Cyrl"	"kbp_Latn"	"kea_Latn"	"khk_Cyrl"
"khm_Khmr"	"kik_Latn"	"kin_Latn"	"kir_Cyrl"	"kmb_Latn"
"kmr_Latn"	"knc_Arab"	"knc_Latn"	"kor_Hang"	"ktu_Latn"
"lao_Laoo"	"lij_Latn"	"lim_Latn"	"lin_Latn"	"lit_Latn"
"lld_Latn"	"lmo_Latn"	"ltg_Latn"	"ltz_Latn"	"lua_Latn"
"lug_Latn"	"luo_Latn"	"lus_Latn"	"lvs_Latn"	"mag_Deva"
"mai_Deva"	"mal_Mlym"	"mar_Deva"	"mfe_Latn"	"mhr_Cyrl"
"min_Arab"	"min_Latn"	"mkd_Cyrl"	"mlt_Latn"	"mni_Beng"
"mni_Mtei"	"mos_Latn"	"mri_Latn"	"mya_Mymr"	"myv_Cyrl"
"nld_Latn"	"nno_Latn"	"nob_Latn"	"npi_Deva"	"nqo_Nkoo"
"nso_Latn"	"nus_Latn"	"nya_Latn"	"oci_Latn"	"ory_Orya"
"pag_Latn"	"pan_Guru"	"pap_Latn"	"pbt_Arab"	"pes_Arab"
"plt_Latn"	"pol_Latn"	"por_Latn"	"prs_Arab"	"quy_Latn"
"ron_Latn"	"run_Latn"	"rus_Cyrl"	"sag_Latn"	"san_Deva"
"sat_Olck"	"scn_Latn"	"shn_Mymr"	"sin_Sinh"	"slk_Latn"
"slv_Latn"	"smo_Latn"	"sna_Latn"	"snd_Arab"	"snd_Deva"
"som_Latn"	"sot_Latn"	"spa_Latn"	"srd_Latn"	"srp_Cyrl"
"ssw_Latn"	"sun_Latn"	"swe_Latn"	"swh_Latn"	"szl_Latn"
"tam_Taml"	"taq_Latn"	"taq_Tfng"	"tat_Cyrl"	"tel_Telu"
"tgk_Cyrl"	"tha_Thai"	"tir_Ethi"	"tpi_Latn"	"tsn_Latn"
"tso_Latn"	"tuk_Latn"	"tum_Latn"	"tur_Latn"	"twi_Latn"
"tyv_Cyrl"	"uig_Arab"	"ukr_Cyrl"	"umb_Latn"	"urd_Arab"
"uzn_Latn"	"uzs_Arab"	"vec_Latn"	"vie_Latn"	"vmw_Latn"

`"war_Latn"` | `"wol_Latn"` | `"wuu_Hans"` | `"xho_Latn"` | `"ydd_Hebr"` | `"yor_Latn"` | `"yue_Hant"` | `"zgh_Tfng"` | `"zsm_Latn"` | `"zul_Latn"`

Returns `void`

react-auto-i18n

---

react-auto-i18n / CountryCode

Type Alias: CountryCode

CountryCode = `"AE"` | `"AF"` | `"AL"` | `"AM"` | `"AO"` | `"AR"` | `"AT"` | `"AW"` | `"AU"` | `"AZ"` | `"BA"` | `"BD"` | `"BE"` | `"BF"` | `"BG"` | `"BI"` | `"BJ"` | `"BN"` | `"BO"` | `"BR"` | `"BT"` | `"BW"` | `"BY"` | `"CA"` | `"CD"` | `"CF"` | `"CG"` | `"CH"` | `"CI"` | `"CL"` | `"CN"` | `"CM"` | `"CO"` | `"CR"` | `"CV"` | `"CZ"` | `"DE"` | `"DJ"` | `"DK"` | `"DZ"` | `"EC"` | `"EE"` | `"EG"` | `"ER"` | `"ES"` | `"ET"` | `"FI"` | `"FJ"` | `"FO"` | `"FR"` | `"GB"` | `"GE"` | `"GH"` | `"GM"` | `"GN"` | `"GQ"` | `"GR"` | `"GT"` | `"GW"` | `"HK"` | `"HN"` | `"HR"` | `"HT"` | `"HU"` | `"ID"` | `"IE"` | `"IL"` | `"IN"` | `"IQ"` | `"IR"` | `"IS"` | `"IT"` | `"JM"` | `"JO"` | `"JP"` | `"KE"` | `"KG"` | `"KH"` | `"KI"` | `"KM"` | `"KR"` | `"KZ"` | `"LA"` | `"LB"` | `"LK"` | `"LR"` | `"LS"` | `"LT"` | `"LU"` | `"LV"` | `"MA"` | `"MD"` | `"MG"` | `"MK"` | `"ML"` | `"MM"` | `"MN"` | `"MR"` | `"MT"` | `"MU"` | `"MW"` | `"MX"` | `"MY"` | `"MZ"` | `"NA"` | `"NE"` | `"NG"` | `"NI"` | `"NL"` | `"NO"` | `"NP"` | `"NZ"` | `"OM"` | `"PA"` | `"PE"` | `"PG"` | `"PH"` | `"PK"` | `"PL"` | `"PT"` | `"PY"` | `"QA"` | `"RO"` | `"RS"` | `"RU"` | `"RW"` | `"SA"` | `"SB"` | `"SC"` | `"SD"` | `"SE"` | `"SG"` | `"SI"` | `"SK"` | `"SL"` | `"SN"` | `"SO"` | `"SR"` | `"SS"` | `"SY"` | `"SZ"` | `"TD"` | `"TG"` | `"TH"` | `"TJ"` | `"TL"` | `"TM"` | `"TN"` | `"TR"` | `"TW"` | `"TZ"` | `"UA"` | `"UG"` | `"US"` | `"UY"` | `"UZ"` | `"VE"` | `"VN"` | `"WS"` | `"YE"` | `"ZA"` | `"ZM"` | `"ZW"`

Defined in: core/country.ts:6

A country code

react-auto-i18n

---

react-auto-i18n / CountryFlagProps

Type Alias: CountryFlagProps

CountryFlagProps = `React.HtmlHTMLAttributes<HTMLSpanElement>` & `object`

Defined in: components/CountryFlag.tsx:8

The properties for `CountryFlag`

Type Declaration

country

> **country**: `CountryCode`

The country code for `CountryFlag`

react-auto-i18n

---

react-auto-i18n / I18nDatabase

Type Alias: I18nDatabase

> **I18nDatabase** = `Partial<Readonly<Record<LangScriptCode, LanguageTranslations»>`

Defined in: i18n.ts:26

Essentially represents all translations loaded for this application. It can be represented in JSON as:

```
{
    "eng_Latn": {
        "main.first": "...",
        "main.second": "...",
        ...
    },
    "fra_Latn": {
        "main.first": "...",
        "main.second": "...",
        ...
    },
    "spa_Latn": {
        "main.first": "...",
        "main.second": "...",
        ...
    },
    ...
}
```

react-auto-i18n

---

react-auto-i18n / I18nProviderProps

Type Alias: I18nProviderProps

I18nProviderProps = `object`

Defined in: components/I18nProvider.tsx:50

The properties for the `I18nProvider`

Properties

children

children: `React.ReactNode`

Defined in: components/I18nProvider.tsx:54

The providers children

---

defaultDatabase

defaultDatabase: `I18nDatabase`

Defined in: components/I18nProvider.tsx:64

The default database. When passed to the `I18nProvider`, defaults to `{}`

---

defaultLang

defaultLang: `LangScriptCode`

Defined in: components/I18nProvider.tsx:58

The default language code. When passed to the `I18nProvider`, defaults to `"eng_Latn"`

react-auto-i18n

---

react-auto-i18n / LangCode

Type Alias: LangCode

LangCode = `LangScriptCode` *extends* `` `${infer L}_${string}` ``
? `L` : `never`

Defined in: core/lang_code.ts:6

The type of all language codes (i.e. the prefix of the `LangScriptCode`)

react-auto-i18n

---

react-auto-i18n / LangScriptCode

Type Alias: LangScriptCode

LangScriptCode = *typeof* `LANG_SCRIPT_CODES`[`number`]

Defined in: core/index.ts:238

The type of all supported `LangScriptCode`s

react-auto-i18n

---

react-auto-i18n / LanguageTranslations

Type Alias: LanguageTranslations

LanguageTranslations = `Partial<Readonly<Record<string, string | string[]»>`

Defined in: i18n.ts:31

A map that contains translations for all keys for a given language.

react-auto-i18n

---

react-auto-i18n / ScriptCode

Type Alias: ScriptCode

ScriptCode = `LangScriptCode` *extends* `` `${string}_${infer S}` ``
? `S` : `never`

Defined in: core/script_code.ts:6

The type of all script codes (i.e. the suffix of the `LangScriptCode`)

react-auto-i18n

---

react-auto-i18n / ScriptDirection

Type Alias: ScriptDirection

ScriptDirection = `"ltr"` | `"rtl"`

Defined in: core/script_code.ts:14

The direction that a given script is read, and should be rendered - `ltr`: Left-to-Right - `rtl`: Right-to-Left

react-auto-i18n

---

react-auto-i18n / TVArgs

Type Alias: TVArgs<T>

TVArgs<T> = [...[`string`, `(t: T) => boolean`][], `string`]

Defined in: i18n.ts:175

Type Parameters

T

`T`

react-auto-i18n

---

react-auto-i18n / LANG_CODES

Variable: LANG_CODES

`const` **LANG_CODES**: (`"ace"` | `"acm"` | `"acq"` | `"aeb"` | `"afr"` | `"als"` | `"amh"` | `"apc"` | `"arb"` | `"arg"` | `"ars"` | `"ary"` | `"arz"` | `"asm"` | `"ast"` | `"awa"` | `"ayr"` | `"azb"` | `"azj"` | `"bak"` | `"bam"` | `"ban"` | `"bel"` | `"bem"` | `"ben"` | `"bho"` | `"bjn"` | `"bod"` | `"bos"` | `"brx"` | `"bug"` | `"bul"` | `"cat"` | `"ceb"` | `"ces"` | `"chv"` | `"cjk"` | `"ckb"` | `"cmn"` | `"crh"` | `"cym"` | `"dan"` | `"dar"` | `"deu"` | `"dgo"` | `"dik"` | `"dyu"` | `"dzo"` | `"ekk"` | `"ell"` | `"eng"` | `"epo"` | `"eus"` | `"ewe"` | `"fao"` | `"fij"` | `"fil"` | `"fin"` | `"fon"` | `"fra"` | `"fur"` | `"fuv"` | `"gaz"` | `"gla"` | `"gle"` | `"glg"` | `"gom"` | `"gug"` | `"guj"` | `"hat"` | `"hau"` | `"heb"` | `"hin"` | `"hne"` | `"hrv"` | `"hun"` | `"hye"` | `"ibo"` | `"ilo"` | `"ind"` | `"isl"` | `"ita"` | `"jav"` | `"jpn"` | `"kaa"` | `"kab"` | `"kac"` | `"kam"` | `"kan"` | `"kas"` | `"kat"` | `"kaz"` | `"kbp"` | `"kea"` | `"khk"` | `"khm"` | `"kik"` | `"kin"` | `"kir"` | `"kmb"` | `"kmr"` | `"knc"` | `"kor"` | `"ktu"` | `"lao"` | `"lij"` | `"lim"` | `"lin"` | `"lit"` | `"lld"` | `"lmo"` | `"ltg"` | `"ltz"` | `"lua"` | `"lug"` | `"luo"` | `"lus"` |

"lvs" | "mag" | "mai" | "mal" | "mar" | "mfe" | "mhr" | "min" | "mkd" | "mlt" | "mni" | "mos" | "mri" | "mya" | "myv" | "nld" | "nno" | "nob" | "npi" | "nqo" | "nso" | "nus" | "nya" | "oci" | "ory" | "pag" | "pan" | "pap" | "pbt" | "pes" | "plt" | "pol" | "por" | "prs" | "quy" | "ron" | "run" | "rus" | "sag" | "san" | "sat" | "scn" | "shn" | "sin" | "slk" | "slv" | "smo" | "sna" | "snd" | "som" | "sot" | "spa" | "srd" | "srp" | "ssw" | "sun" | "swe" | "swh" | "szl" | "tam" | "taq" | "tat" | "tel" | "tgk" | "tha" | "tir" | "tpi" | "tsn" | "tso" | "tuk" | "tum" | "tur" | "twi" | "tyv" | "uig" | "ukr" | "umb" | "urd" | "uzn" | "uzs" | "vec" | "vie" | "vmw" | "war" | "wol" | "wuu" | "xho" | "ydd" | "yor" | "yue" | "zgh" | "zsm" | "zul")[]

Defined in: core/index.ts:244

A list of all `LangCode`s

react-auto-i18n

---

react-auto-i18n / LANG_SCRIPT_CODES

Variable: LANG_SCRIPT_CODES

`const` **LANG_SCRIPT_CODES**: readonly ["ace_Arab", "ace_Latn", "acm_Arab", "acq_Arab", "aeb_Arab", "afr_Latn", "als_Latn", "amh_Ethi", "apc_Arab", "arb_Arab", "arb_Latn", "arg_Latn", "ars_Arab", "ary_Arab", "arz_Arab", "asm_Beng", "ast_Latn", "awa_Deva", "ayr_Latn", "azb_Arab", "azj_Latn", "bak_Cyrl", "bam_Latn", "ban_Latn", "bel_Cyrl", "bem_Latn", "ben_Beng", "bho_Deva", "bjn_Arab", "bjn_Latn", "bod_Tibt", "bos_Latn", "brx_Deva", "bug_Latn", "bul_Cyrl", "cat_Latn", "ceb_Latn", "ces_Latn", "chv_Cyrl", "cjk_Latn", "ckb_Arab", "cmn_Hans", "cmn_Hant", "crh_Latn", "cym_Latn", "dan_Latn", "dar_Cyrl", "deu_Latn", "dgo_Deva", "dik_Latn", "dyu_Latn", "dzo_Tibt", "ekk_Latn", "ell_Grek", "eng_Latn", "epo_Latn", "eus_Latn", "ewe_Latn", "fao_Latn", "fij_Latn", "fil_Latn", "fin_Latn", "fon_Latn", "fra_Latn", "fur_Latn", "fuv_Latn", "gaz_Latn", "gla_Latn", "gle_Latn", "glg_Latn", "gom_Deva", "gug_Latn", "guj_Gujr", "hat_Latn", "hau_Latn", "heb_Hebr", "hin_Deva", "hne_Deva", "hrv_Latn", "hun_Latn", "hye_Armn", "ibo_Latn", "ilo_Latn", "ind_Latn", "isl_Latn", "ita_Latn", "jav_Latn", "jpn_Jpan", "kaa_Latn", "kab_Latn", "kac_Latn", "kam_Latn", "kan_Knda", "kas_Arab", "kas_Deva", "kat_Geor", "kaz_Cyrl", "kbp_Latn", "kea_Latn", "khk_Cyrl", "khm_Khmr", "kik_Latn", "kin_Latn", "kir_Cyrl", "kmb_Latn", "kmr_Latn",

"knc_Arab", "knc_Latn", "kor_Hang", "ktu_Latn", "lao_Laoo", "lij_Latn", "lim_Latn", "lin_Latn", "lit_Latn", "lld_Latn", "lmo_Latn", "ltg_Latn", "ltz_Latn", "lua_Latn", "lug_Latn", "luo_Latn", "lus_Latn", "lvs_Latn", "mag_Deva", "mai_Deva", "mal_Mlym", "mar_Deva", "mfe_Latn", "mhr_Cyrl", "min_Arab", "min_Latn", "mkd_Cyrl", "mlt_Latn", "mni_Beng", "mni_Mtei", "mos_Latn", "mri_Latn", "mya_Mymr", "myv_Cyrl", "nld_Latn", "nno_Latn", "nob_Latn", "npi_Deva", "nqo_Nkoo", "nso_Latn", "nus_Latn", "nya_Latn", "oci_Latn", "ory_Orya", "pag_Latn", "pan_Guru", "pap_Latn", "pbt_Arab", "pes_Arab", "plt_Latn", "pol_Latn", "por_Latn", "prs_Arab", "quy_Latn", "ron_Latn", "run_Latn", "rus_Cyrl", "sag_Latn", "san_Deva", "sat_Olck", "scn_Latn", "shn_Mymr", "sin_Sinh", "slk_Latn", "slv_Latn", "smo_Latn", "sna_Latn", "snd_Arab", "snd_Deva", "som_Latn", "sot_Latn", "spa_Latn", "srd_Latn", "srp_Cyrl", "ssw_Latn", "sun_Latn", "swe_Latn", "swh_Latn", "szl_Latn", "tam_Taml", "taq_Latn", "taq_Tfng", "tat_Cyrl", "tel_Telu", "tgk_Cyrl", "tha_Thai", "tir_Ethi", "tpi_Latn", "tsn_Latn", "tso_Latn", "tuk_Latn", "tum_Latn", "tur_Latn", "twi_Latn", "tyv_Cyrl", "uig_Arab", "ukr_Cyrl", "umb_Latn", "urd_Arab", "uzn_Latn", "uzs_Arab", "vec_Latn", "vie_Latn", "vmw_Latn", "war_Latn", "wol_Latn", "wuu_Hans", "xho_Latn", "ydd_Hebr", "yor_Latn", "yue_Hant", "zgh_Tfng", "zsm_Latn", "zul_Latn"]

Defined in: core/index.ts:12

A list of all LangScriptCodes supported by the translation engine

react-auto-i18n

---

react-auto-i18n / SCRIPT_CODES

Variable: SCRIPT_CODES

const **SCRIPT_CODES**: ("Arab" | "Latn" | "Ethi" | "Beng" | "Deva" | "Cyrl" | "Tibt" | "Hans" | "Hant" | "Grek" | "Gujr" | "Hebr" | "Armn" | "Jpan" | "Knda" | "Geor" | "Khmr" | "Hang" | "Laoo" | "Mlym" | "Mtei" | "Mymr" | "Nkoo" | "Orya" | "Guru" | "Olck" | "Sinh" | "Taml" | "Tfng" | "Telu" | "Thai")[]

Defined in: core/index.ts:251

A list of all `ScriptCodes`