

Protective Padding Info Sheet

Page 1 of

					ge . e
Dealer:			Project Name:		
Address:			Address:		
City & State:			City& State:		
Salesman:		_	Zip Code:		
Phone #s:			Measured By:		
In order to process yo	our quotation, please be sure t	to complete the above inforn	nation.		
PROJECT INFOR	RMATION				
APPLICATION:	INDOOR OUTDO				
MOUNTING TO:	CONCRETE BLOCK (HOI POURED CONCRETE			SHEET ROCK	FENCE
HOW ARE YOU M	OUNTING TO ABOVE?: OTHER:			DIRECT TO V	VALL
PANEL BACKING:	7/16" OSB (INTE	RIOR APPS) 7/16" S	SMART WALL (EX	TERIOR APPS.)	
OTHER:					
FOAM:	2" POLY FOAM 3" POLY FOAM				
COVERING:	14 OZ. FIRE RETARDEN			FIRE RETARDENT	30 OZ. VINYL
COVERING COLO	RS:				
LOGO(S)/ GRAPH	IICS, IF SO EXPLAIN:				
ARTWORK PANTO	ONE COLORS:				
CUT-OUTS?: (EXF	PLAIN)				
CUSTOMER WOU INCLUDE APPROX	WERE TAKEN FROM: LD LIKE DELIVERY BY: _ KIMATE FREIGHT RATE?	// 20		ENT COVE BASE (HEIG	HT?)
ADDITIONAL INF	FORMATION: ————				



Project Name:	
Wall ID:	

Protective Panel Measuring Sheet

	Height:	Page of
Notes:		
		Lengin:
		7.
*Meax not e *Indic lengt *Sket in the		
Reminders: *Measurements must be taken off the actual vector not existing pads! *Indicate the height of the panels and the total length of the wall. *Sketch all cutouts, openings, beams and coring their approximate position. See example.		