Hengfeng Wei

hfwei@nju.edu.cn

Sep 02, 2017

- How to Solve it
- 2 The Josephus Problem
- 3 Compass-and-straightedge Construction
- 4 Puzzles

魏恒峰

hfwei@nju.edu.cn

Mailbox: H016

Office: 302

QQ: 245552163

The list

- 1 How to Solve it
- 2 The Josephus Problem
- 3 Compass-and-straightedge Construction
- 4 Puzzles

The Josephus Problem



$$J(n) = ?$$



$$J(2n) = 2J(n) - 1, \quad n \ge 1$$



$$J(2n+1) = 2J(n) + 1, \quad n \ge 1$$

Small cases

Making a guess

$$J(2^m + l) = 2l + 1, \quad m \ge 0, 0 \le l < 2^m$$

How to prove it?



Can you check the result? — G. Póya

$$J(2^m) = 1$$



Can you see it at a glance? — G. Póya

$$J(2^m + l) = 2l + 1$$



Can you derive the result differently?
- G. Póya

- 1 How to Solve it
- 2 The Josephus Problem
- 3 Compass-and-straightedge Construction
- 4 Puzzles


- How to Solve it
- 2 The Josephus Problem
- 3 Compass-and-straightedge Construction
- Puzzles

Straightlines

- • •
- • •
- . . .

Straightlines





24 Game

5 5 5 1



24 Game

5 5 5 1

3 3 8 8

