2-4 Teasure Hunting — Mergesort

(Wednesday, April 11, 2018 ~ Sunday, April 15, 2018)

Hengfeng Wei

hfwei@nju.edu.cn

April 11, 2018









Analysis of Mergesort in CLRS (# of Comparisions; $a_i : \infty$ not Counted)

- (a) Analyze the worst case W(n) and the best case B(n) time complexity of mergesort as accurately as possible. Explore the relation between them and the binary representations of numbers.
 - Plot W(n) and B(n) and explain what you observe.
- (b) Analyze the average case A(n) time complexity of mergesort. Plot A(n) and explain what you observe.
- (c) Prove that: The minimum number of comparisons needed to merge two sorted arrays of equal size m is 2m-1.

Analysis of Mergesort in CLRS (# of Comparisions; $a_i : \infty$ not Counted)

- (a) Analyze the worst case W(n) and the best case B(n) time complexity of mergesort as accurately as possible. Explore the relation between them and the binary representations of numbers.
 - Plot W(n) and B(n) and explain what you observe.
- (b) Analyze the average case A(n) time complexity of mergesort. Plot A(n) and explain what you observe.
- (c) Prove that: The minimum number of comparisons needed to merge two sorted arrays of equal size m is 2m-1.



(WED., April 11, 2018)



(THU, April 12, 2018)

$$W(n) = \begin{cases} 0, & n = 1 \\ W(\lfloor \frac{n}{2} \rfloor) + W(\lceil \frac{n}{2} \rceil) + (n-1), & \text{o.w.} \end{cases}$$

$$W(n+1) - W(n)$$

The total number of bits in the binary representations of all the numbers less than n.



(FRI, April 13, 2018)

$$B(n) = \left\{ \begin{array}{ll} 0, & n = 1 \\ B(\lfloor \frac{n}{2} \rfloor) + B(\lceil \frac{n}{2} \rceil) + \lfloor \frac{n}{2} \rfloor, & \text{o.w.} \end{array} \right.$$

The total number of 1s in the binary representations of all the numbers less than n.

5 / 7



(SAT, April 14, 2018)





(SUN, April 15, 2018)



Thank You!



Office 302

Mailbox: H016

hfwei@nju.edu.cn