Git Guide **Fitzdeji Adenuga** **C00337105**

1. Init: Make a repository or initialize an existing repository

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git
$ git init
Initialized empty Git repository in C:/Users/C00337105/Desktop/Git/.git/
```

2. Add: Copies files from working directory to staging area

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (master)
$ git add .
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (master)
$ git add README.md
```

3. Commit: Commits files from staging area to repository with extra information

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (master)
$ git commit -m "first commit"
[master (root-commit) 5dcce48] first commit
 Committer: (Student  C00337105) Olujimi Adenuga <C00337105@setu.ie>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 3 files changed, 6 insertions(+)
 create mode 100644 GitGuide.docx
 create mode 100644 GitGuide.txt
 create mode 100644 README.md
```

4. mv: Renames a chosen file

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
$ git mv GitGuide.txt Git-Guide.txt
```

5. rm: Remove a file's copy from the staging area

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
$ git add README.md

C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
$ git rm README.md
rm 'README.md'
```

6. Branch: Allows you to make a new branch in the repository

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (master)
$ git branch -M main

C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
```

7. Remote: Creates a remote version of a repository using the repository link

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
$ git remote add origin https://github.com/Fitzdeji-Adenuga/GitGuide
```

8. Push: Allows you to upload local commits to a remote

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
$ git push -u origin main
Enumerating objects: 40, done.
Counting objects: 100% (40/40), done.
Delta compression using up to 20 threads
Compressing objects: 100% (37/37), done.
Writing objects: 100% (37/37), 109.16 KiB | 8.40 MiB/s, done.
Total 37 (delta 15), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (15/15), done.
To https://github.com/Fitzdeji-Adenuga/GitGuide
   5dcce48..93dd6ca  main -> main
branch 'main' set up to track 'origin/main'.
```

9. Status: Allows you to view the current status of a repository

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Git-Guide.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

10. Switch: Switches between two selected branches

```
C00337105@CD-A003-04 MINGW64 /c/Users/C00337105/Desktop/Git (main)
$ git switch main
Already on 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
```

Git Guide Fitzdeji Adenuga C00337105

1. Init: Make a repository or initialize an existing repository
2. Add: Copies files from working directory to staging area
3. Commit: Commits files from staging area to repository with extra information
4. mv: Renames a chosen file
5. rm: Remove a file's copy from the staging area
6. Branch: Allows you to make a new branch in the repository
7. Remote: Creates a remote version of a repository
8. Push: Allows you to upload local commits to a remote
9. Status: Allows you to view the current status of a repository
10. Switch: Switches between two selected branches