



You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > [gmx.net](#) > 213.165.65.50


SSL Report: [gmx.net](#) (213.165.65.50)

Assessed on: Sun Jun 22 09:21:13 UTC 2014 | [Clear cache](#)

[Scan Another »](#)

Summary

Overall Rating



Documentation: [SSL/TLS Deployment Best Practices](#), [SSL Server Rating Guide](#), and [OpenSSL Cookbook](#).

This server is not vulnerable to the [Heartbleed attack](#).

Experimental: This server is not vulnerable to the OpenSSL CCS vulnerability (CVE-2014-0224).

Authentication



Server Key and Certificate #1

Common names	gmx.net
Alternative names	gmx.cc gmx.co.in gmx.de gmx.info gmx.it gmx.lu gmx.org gmx.ph gmx.se gmx.sg gmx.tn gmx.tw gmx.li gmx.at gmx.biz gmx.com.tr gmx.ch gmx.dk gmx.net
Prefix handling	Non-prefixed access only, but DNS not configured for prefix
Valid from	Tue May 20 00:00:00 UTC 2014
Valid until	Thu May 19 23:59:59 UTC 2016 (expires in 1 year and 10 months)
Key	RSA2048 bits
Weak key (Debian)	No
Issuer	Thawte SSL CA
Signature algorithm	SHA1withRSA
Extended Validation	No
Revocation information	CRL, OCSP
Revocation status	Good (not revoked)
Trusted	Yes



Additional Certificates (if supplied)

Certificates provided	3 (3573 bytes)
Chain issues	None
#2	
Subject	Thawte SSL CA SHA1: 73e42686657aece354fbf685712361658f2f4357
Valid until	Fri Feb 07 23:59:59 UTC 2020 (expires in 5 years and 7 months)

Key

RSA2048 bits

Issuer

thawte Primary Root CA

Signature algorithm

SHA1withRSA

#3

Subject

thawte Primary Root CA
SHA1: 1fa490d1d4957942cd23545f6e823d0000796ea2

Valid until

Wed Dec 30 23:59:59 UTC 2020 (expires in 6 years and 6 months)

Key

RSA2048 bits

Issuer

Thawte Premium Server CA

Signature algorithm

SHA1withRSA



Certification Paths

Path #1: Trusted

1

Sent by server

gmx.net
SHA1: 7a65a93a1a4732cba669f9d76d0e4197959f476a
RSA2048 bits / SHA1withRSA

2

Sent by server

Thawte SSL CA
SHA1: 73e42686657aece354fbf685712361658f2f4357
RSA2048 bits / SHA1withRSA

3

In trust store

thawte Primary Root CA
SHA1: 91c6d6ee3e8ac86384e548c299295c756c817b81
RSA2048 bits / SHA1withRSA

Path #2: Trusted

1

Sent by server

gmx.net
SHA1: 7a65a93a1a4732cba669f9d76d0e4197959f476a
RSA2048 bits / SHA1withRSA

2

Sent by server

Thawte SSL CA
SHA1: 73e42686657aece354fbf685712361658f2f4357
RSA2048 bits / SHA1withRSA

3

Sent by server


thawte Primary Root CA
SHA1: 1fa490d1d4957942cd23545f6e823d0000796ea2
RSA2048 bits / SHA1withRSA

4

In trust store

Thawte Premium Server CA
SHA1: 627f8d7827656399d27d7f9044c9feb3f33efa9a
RSA 1024 bits / MD5withRSA
WEAK KEY IN MOZILLA'S TRUST STORE [MORE INFO »](#)

Configuration



Protocols

TLS 1.2

Yes

TLS 1.1

Yes

TLS 1.0


Yes

SSL 3

Yes

SSL 2

No



Cipher Suites (SSL 3+ suites in server-preferred order, then SSL 2 suites where used)

TLS_DHE_RSA_WITH_AES_128_CBC_SHA(0x33)

DH 1024 bits (p: 128, g: 1, Ys 128)

FS

128

TLS_DHE_RSA_WITH_AES_256_CBC_SHA(0x39)

DH 1024 bits (p: 128, g: 1, Ys 128)

FS

256

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA(0x16)

DH 1024 bits (p: 128, g: 1, Ys 128)

FS

112

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA(0xc013)

EC DH 256 bits (eq. 3072 bits RSA)

FS

128

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA(0xc014)

EC DH 256 bits (eq. 3072 bits RSA)

FS

256

TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA(0xc012)

EC DH 256 bits (eq. 3072 bits RSA)

FS

112

TLS_RSA_WITH_AES_256_CBC_SHA(0x35)	256
TLS_RSA_WITH_3DES_EDE_CBC_SHA(0xa)	112
TLS_RSA_WITH_AES_256_CBC_SHA256 (0x3d)	256
TLS_RSA_WITH_AES_128_CBC_SHA(0x2f)	128
TLS_RSA_WITH_AES_128_CBC_SHA256 (0x3c)	128



Handshake Simulation

Android 2.3.7 No SNI ²	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Android 4.0.4	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Android 4.1.1	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Android 4.2.2	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Android 4.3	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Android 4.4.2	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
BingBot Dec 2013 No SNI ²	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) FS	128
BingPreview Dec 2013	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Chrome 34 / OS X R	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Firefox 24.2.0 ESR / Win 7	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Firefox 29 / OS X R	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Googlebot Oct 2013	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
IE 6 / XP No FS ¹ No SNI ²	SSL 3	TLS_RSA_WITH_3DES_EDE_CBC_SHA (0xa) No FS	112
IE 7 / Vista	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) FS	128
IE 8 / XP No FS ¹ No SNI ²	TLS 1.0	TLS_RSA_WITH_3DES_EDE_CBC_SHA (0xa) No FS	112
IE 8-10 / Win 7 R	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) FS	128
IE 11 / Win 7 R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) FS	128
IE 11 / Win 8.1 R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) FS	128
IE Mobile 10 / Win Phone 8.0	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) FS	128
IE Mobile 11 / Win Phone 8.1	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) FS	128
Java 6u45 No SNI ²	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Java 7u25	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Java 8b132	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
OpenSSL 0.9.8y	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
OpenSSL 1.0.1e	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Safari 5.1.9 / OS X 10.6.8	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Safari 6 / iOS 6.0.1 R	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Safari 7 / iOS 7.1 R	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Safari 6.0.4 / OS X 10.8.4 R	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Safari 7 / OS X 10.9 R	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Yahoo Slurp Oct 2013	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
YandexBot May 2014	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128

(1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.

(2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.

(R) Denotes a reference browser or client, with which we expect better effective security.


(All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).



Protocol Details

Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	Supported DoS DANGER (more info)
Insecure Client-Initiated Renegotiation	No
BEAST attack	Not mitigated server-side (more info) SSL 3: 0x33, TLS 1.0: 0x33
TLS compression	No
RC4	No
Heartbeat (extension)	No

Heartbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No
Forward Secrecy	Yes (with most browsers) ROBUST (more info)
Next Protocol Negotiation	No
Session resumption (caching)	Yes
Session resumption (tickets)	No
OCSP stapling	No
Strict Transport Security (HSTS)	No
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	TLS 1.3 TLS 1.98 TLS 2.98
SSL 2 handshake compatibility	Yes



Miscellaneous

Test date	Sun Jun 22 09:16:47 UTC 2014
Test duration	81.731 seconds
HTTP status code	301
HTTP forwarding	http://www.gmx.net
HTTP server signature	Apache
Server hostname	gmx.net
PCI compliant	Yes
FIPS-ready	No

SSL Report v1.10.11