

Standalone Card API

(Version 1.1.0)

Last updated on 01 Feb 2024

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

RAZER MERCHANT SERVICES

J-39-1, Block J, Persiaran Multimedia, i-City,
40000 Shah Alam, Selangor, Malaysia.

+603 - 5521 8438

support@fiuu.com

Fiuu.com

SCAN ME

Social Networks

https://twitter.com/FiuuPayment
https://facebook.com/FiuuPayment
https://youtube.com/@FiuuPayment
https://instagram.com/FiuuPayment
https://linkedin.com/company/FiuuPayment

Developer Platforms

https://t.me/FiuuDeveloperForum (for tech support)
https://github.com/FiuuPayment
Mobile XDK, seamless and inpage checkout, and many shopping carts payment plugin/module/addon/extension are available

PCI DSS COMPLIANT

INFORMATION SECURITY MANAGEMENT SYSTEM ISO 27001 CERTIFIED

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Revision History

Date	Version	Author(s)	Description
07/12/2022	1.0.0	SQ	Introduction of standalone authentication and authorization API. Additional with authentication query API, zero-dollar verification AP and installment plan API.
04/01/2023	1.0.1	SQ	Remove **channel** from authentication Remove **cvvVerification** from zero dollar verification API response Add **Platform** for zero dollar zero dollar verification AP request Add **SchemeTranID** for zero dollar verification API request Add **TxnCurrency** for authentication signature calculation Add **Pending** (22) for authentication query response API Add **cclast4** for stand alone authorization request API Add **CC_STORAGE_CONFIG** request parameter for authorization and verification API Add **skey** to Zero Dollar Verification Response
09/01/2023	1.0.2	SQ	Add Authentication Error Code for authentication API Add **skey** to Authentication Response Add **AuthenticationID** request parameter to authentication query API Update the parameter name from **Datetime** to **DateTime**
26/01/2023	1.0.3	SQ	Remove standalone authorization API
14/02/2023	1.0.4	SQ	Authentication API result will be responded to merchant for redirection instead of RMS performing the redirection
02/03/2023	1.0.5	SQ	Rectify the formula use for all API. Changed from hash_sha256 to hmac_sha256
16/03/2023	1.0.6	SQ	Zero Dollar Verification API i) **Request** - Make Platform **optional** - Add CC_TOKEN (DPAN support) - Add cryptogram - Add LAST4 - Add TOKEN_TYPE - Add ECI ii) **Response** - Add ProcessorResponseCode - Add MerchantAdviceCode
05/04/2023	1.0.7	SQ	Zero Dollar Verification API i) **Request** - Add TxnChannel - Add CustName - Add CustEmail - Add CustContact ii) **Response** - Add TxnChannel - Add ProcessorCCVResponse - Add MerchantAdviceCode value breakdown
05/04/2023	1.0.8	SQ	Zero Dollar Verification API i) **Request** - Add dsTransID - Rename Platform to Method for standardizing the naming of the variable with Direct Server API

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

28/08/2023	1.0.9	Chen Yaau	Zero Dollar Verification API i) **Request** - Add non_3DS - Add ReturnURL ii) **Response** - Add TxnData
01/02/2024	1.1.0	SQ	Zero Dollar Verification API - Add response **ECI** value

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Table of Contents

Authentication Request **6**
Authentication Response **8**
TxnData 8
Final Authentication Response 8
Authentication Query Request **9**
Authentication Query Response **9**
Zero Dollar Verification Request **12**
Zero Dollar Verification Response **14**
TxnData 16
Final Verification Response 16
Installment Tenure Request **17**
Installment Tenure Response **17**
Installment Tenure Error Code **18**
Authentication Error Code **19**

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Authentication Request

Production URL: https://**pay.fiuu.com**/RMS/API/Card/authentication.php

Merchant can perform standalone authentication if you have your own authorization service. This integration helps to authenticate online transactions with the EMV 3DS protocol. Our authentication product is regularly maintained and is inline with the regular 3DS protocol updates. This ensure that merchant does not need to handle any differences between local and global schemes requirement to perform a successful authorization.

HTTP Method: **POST**

Parameter Name	Data Type (Size)	M/O/C	Description
MerchantID	ans{1..32}	M	Merchant ID provided by PG
ReferenceNo	ans{1..40}	M	Merchant Unique Transaction / Order / Billing / Reference No.
TxnAmount	ns{10,2}	M	Transaction amount or maximum DirectDebit amount eg.”1.00”, 2 decimal points only and comma(,) is not allowed.
TxnCurrency	a{3}	M	ISO4217 currency code, eg. “MYR”, “THB”, “IDR”
CustName	ans(1..128)	O	Customer name
CustEmail	ans(1..128)	O	Customer email.
CustContact	ans(1..32)	O	Customer contact no
CustDesc	ans{1..200}	O	Customer/Merchant description
Signature	ans(1..100)	M	**HMAC_SHA256**(TxnAmount. MerchantID. ReferenceNo.TxnCurrency, Verifykey) *Do not include full stop in the hash calculation.It is just to indicate the different values needed to calculate the hash.
ReturnURL	ans{1..200}	M	Merchant’s authentication response page
CallbackURL	ans{1..200}	O	Merchant’s callback URL endpoint
CC_PAN	n{15..16}	M	The 16-digit shown on the card.

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

CC_CVV2	n{3..4}	O	Card verification code. 3 digits except for Amex (4 digits)
CC_MONTH	n{2}	M	Card expiry month
CC_YEAR	n{4}	M	Card expiry year
CC_TOKEN	ans{16..50}	O	Token for credit card or DPAN
TOKEN_TYPE	a{1…20}	C	GooglePay, MDES, VTS

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Authentication Response

Payment gateway will return a response in **JSON** format to the merchant. Please take note that this is NOT the authentication status result.

No	Field Name	Data Type (Size)	M/O/C	Description
1.	MerchantID	ans{1..32}	M	Merchant ID provided by PG
2.	ReferenceNo	ans{1..32}	M	Merchant Unique Authentication Reference No.
3.	AuthID	ans{1..20	M	PG Authentication ID.
5.	TxnCurrency	a{3}	M	ISO4217 currency code, eg. “MYR”, “THB”, “IDR”
6.	TxnAmount	ns{10,2}	M	Transaction amount eg.”1.00”, always **2 decimal points**
7.	TxnData	array	M	Refer to TxnData below.

TxnData

No	Field Name	Data Type (Size)	M/O/C	Description
1	**RequestURL**	ans{1..255}	M	URL to be **REDIRECTED**
2	**RequestMethod**	a{3..4}	M	Action method [**GET/POST**]
3	**RequestType**	a{5..8}	M	Recommended action [**REDIRECT/POPUP/RESPONSE**]
4	**RequestData**	array	M	Data to be submitted to the RequestURL

Note: RequestType **RESPONSE** is the final result of that payment and no further action required.

Final Authentication Response

The parameter responded will be in **HTTP POST** method, not in JSON format. Authentication response will be returned upon complete authentication journey up till merchant’s return page. May refer to section Authentication Query Response for the authentication response format.

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Authentication Query Request

Production URL: https://**api.fiuu.com**/RMS/API/Card/authn_query.php

This request is to query the authentication result that was performed.

Either AuthenticationID or ReferenceNo must be passed in order to obtain the authentication query result else it will be rejected.

HTTP Method: **POST** or **GET**

Parameter Name	Data Type (Size)	M/O/C	Description
MerchantID	ans{1..32}	M	Merchant ID provided by PG
AuthenticationID	ans{1..20}	C	The authenticationID provided after the authentication was performed.
ReferenceNo	ans{1..40}	C	ReferenceNo used during the authentication request.
DateTime	n{14}	M	Request date & time, e.g. 20161202153423 (YYYYMMDDHHmmss)
Signature	ans(1..100)	M	**HMAC_SHA256**(Datetime.MerchantID.AuthenticationID.Reference No.Verifykey)

Authentication Query Response

Payment gateway will return a response in JSON format to the merchant.

Parameter Name	Data Type (Size)	M/O/C	Description
AuthenticationID	ans{1..20}	M	AuthenticationID assigned by Acquirer
MerchantID	ans{1..32}	M	Merchant ID provided by PG
ReferenceNo	ans{1..40}	M	A reference number for merchant to refer to the request made
TxnCurrency	a{3}	M	ISO4217 currency code, eg. “MYR”, “THB”, “IDR”
TxnAmount	ns{10,2}	M	Transaction amount or maximum DirectDebit amount eg.”1.00”, 2 decimal points only and comma(,) is not allowed.
status	ans{2}	M	00 - Success authentication

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

<table>
<tr><td></td><td></td><td></td><td>11 - Failed authentication

22 - Pending authentication</td></tr>
<tr><td>error_code</td><td>ans{1.10}</td><td>C</td><td>Error code for the failed verification.</td></tr>
<tr><td>error_desc</td><td>ans{1..100}</td><td>C</td><td>Detailed explanation for the failed verification.</td></tr>
<tr><td>dsTranID</td><td>ans{20..50}</td><td>C</td><td>Directory server transaction ID provided by 3D’s server</td></tr>
<tr><td>threeDSServerTransID</td><td>ans{20..50}</td><td>C</td><td>3D’s server ID generated during authentication request to DS</td></tr>
<tr><td>ECI</td><td>ans{2}</td><td>C</td><td>Electronic Commerce Indicator (ECI) is a value returned by Directory Servers (namely Visa, MasterCard, MyDebit, JCB, and American Express) indicating the outcome of authentication attempted on transactions enforced by 3DS.

Eg :
<table><tr><td>Mastercard</td><td>Visa</td><td>MyDebit</td></tr><tr><td>02</td><td>05</td><td>15</td></tr><tr><td>01</td><td>06</td><td>16</td></tr><tr><td>00</td><td>07</td><td>17</td></tr></table></td></tr>
<tr><td>cryptogram</td><td>ans{10..100}</td><td>C</td><td>Base64 encoded cryptographic identifier (CAVV) used by the card schemes to validate the cardholder authentication result.</td></tr>
<tr><td>version</td><td>ans{1..5}</td><td>C</td><td>The version of 3D Secure used to authenticate the request.</td></tr>
<tr><td>cclast4</td><td>ans{4}</td><td>M</td><td>Last 4 digit of the cardnumber</td></tr>
<tr><td>flowType</td><td>as{1..20}</td><td>C</td><td>Indicates whether the 3D Secure authentication was challenged or frictionless
- challenge
- frictionless</td></tr>
</table>

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

responseTime	ans{18}	M	Date/Time of the authentication request completed (YYYY-MM-DD HH:mm:ss)
skey	ans{1..100}	M	**HMAC_SHA256**(AuthenticationID . MerchantID . ReferenceNo . TxnCurrency . TxnAmount. status . threeDSServerTransID. cclast4, secretKey) *Do not include full stop in the hash calculation.It is just to indicate the different values needed to calculate the hash.

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Zero Dollar Verification Request

Production URL: https://**pay.fiuu.com**/RMS/API/Card/cc_verification.php
Sandbox URL: https://**sandbox-payment.fiuu.com**/API/Card/cc_verification.php

Card verification is a strong first-line defense against potentially fraudulent cards. It ensures that the credit card number provided is associated with a valid, open account and can be tokenized and charged with a higher success rate. Cardholder will not be charged and won't see any billings on their financial statement.

HTTP Method: **POST**

Parameter Name	Data Type (Size)	M/O/C	Description
MerchantID	ans{1..32}	M	Merchant ID provided by PG
TxnChannel	ans{1..30}	M	Refer to **Direct Server API (Appendix C)** for channel value
ReferenceNo	ans{1..40}	M	A reference number for merchant to refer to the request made
TxnCurrency	a{3}	M	ISO4217 currency code, eg. "MYR", "THB", "IDR"
Signature	ans(1..100)	M	**HMAC_SHA256**(TxnCurrency.MerchantID.ReferenceNo, Verifykey) *Do not include full stop in the hash calculation.It is just to indicate the different values needed to calculate the hash.
CC_PAN	n{15..16}	O	The 16-digit shown on the card.
CC_TOKEN	ans{16..50}	O	Token for credit card or DPAN
CC_CVV2	n{3..4}	O	Card verification code. 3 digits except for Amex (4 digits)
CC_MONTH	n{2}	M	Card expiry month
CC_YEAR	n{4}	M	Card expiry year
CustName	ans{1..128}	O	The customer's name
CustEmail	ans{1..128}	O	The customer's email address
CustContact	ans{1..32}	O	The customer's phone numer.

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

<table>
<tr><td>TOKEN_TYPE</td><td>a{1..20}</td><td>O</td><td>GooglePay,ApplePay,MDES,VTS</td></tr>
<tr><td>ECI</td><td>ans{2}</td><td>C</td><td>Electronic Commerce Indicator (ECI) is a value returned by Directory Servers (namely Visa, MasterCard, JCB, and American Express) indicating the outcome of authentication attempted on transactions enforced by 3DS.

Eg :
<table><tr><td>Mastercard</td><td>Visa</td></tr><tr><td>02</td><td>05</td></tr><tr><td>01</td><td>06</td></tr><tr><td>00</td><td>07</td></tr></table></td></tr>
<tr><td>Cryptogram</td><td>ans{1...100}</td><td>C</td><td>Cryptogram generated using EMV-based cryptography to secure the transaction</td></tr>
<tr><td>LAST4</td><td>n{4}</td><td>C</td><td>Mandatory if TOKEN_TYPE and CC_TOKEN are passed.</td></tr>
<tr><td>dsTransID</td><td>ans{1..100}</td><td>C</td><td>Directory server transactionID provided by 3D’s server</td></tr>
<tr><td>3DS_version</td><td>ans{1..100}</td><td>C</td><td>Mandatory if using own authentication service</td></tr>
<tr><td>mpstokenstatus</td><td>n{1}</td><td>C</td><td>A token status for PG to identify.

1 : Request for new PG token
2 : Passing an existing PG token
3 : Merchant will be storing the card details/tokenizing for future use (Will not be tokenized through PG)
4 ; Merchant is passing a stored card number/token for payment.</td></tr>
<tr><td>Method</td><td>a{3..8}</td><td>O</td><td>To identify the user’s platform used to perform the transaction.

web : PC browser
mobile : Mobile phone browser
app : Mobile APP
mini : Mini Program
inwallet : In-wallet browser</td></tr>
<tr><td>non_3DS</td><td>n{1}</td><td>O</td><td>Applicable to card processing via specific processor using specific currency for pre-approved partners only.

Equal to 0 by default and 1 for non-3DS transaction</td></tr>
<tr><td>ReturnURL</td><td>ans{1…200}</td><td>O</td><td>Merchant verification response page.</td></tr>
</table>

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

NotifyURL	ans{1…200}	O	Merchant's notify URL endpoint

Zero Dollar Verification Response

Parameter Name	Data Type (Size)	M/O/C	Description
VerificationID	ans{1..20}	M	Verification ID assign by Acquirer
MerchantID	ans{1..32}	M	Merchant ID provided by PG
ReferenceNo	ans{1..40}	M	A reference number for merchant to refer to the request made
TxnChannel	ans{1..30}	M	Always response as value "**CREDIT**"
TxnCurrency	a{3}	M	ISO4217 currency code, eg. "MYR", "THB", "IDR"
status	ans{2}	M	00 - Success Verification, 11 - Failed Verification
error_code	ans{1.10}	C	Error code for the failed verification.
error_desc	ans{1..100}	C	Detailed explanation for the failed verification.
appcode	n{15..16}	M	A six-digit alphanumeric code assigned by the card issuer to identify the approval for a specific authorization request.
cclast4	ans{4}	M	Last 4 digit of the cardnumber
schemeTranID	ans{1..100}	M	Transaction ID provided by scheme
ProcessorCCVResponse	a{1}	O	Credit Card validation response code

Value	Description
M	Indicate cvc match
N	Indicate cvc no match
P	Indicate cvc not process, the card scheme or issuer was unable to verify the cvc value
S	Indicate cvc should be on the card, because the card scheme

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

<table>
<tr><td></td><td></td><td></td><td><table>
<tr><td></td><td>or issuer wants perform cvc verification</td></tr>
<tr><td>U</td><td>Indicate cvc unverified, because issuer does not participate in cvc service</td></tr>
</table></td></tr>
<tr><td>ProcessorResponseCode</td><td>ans{1..5}</td><td>O</td><td>Scheme authorization response code</td></tr>
<tr><td>ECI</td><td>ans{2}</td><td>C</td><td>Electronic Commerce Indicator (ECI) is a value returned by Directory Servers (namely Visa, MasterCard, JCB, and American Express) indicating the outcome of authentication attempted on transactions enforced by 3DS.

Eg :<table>
<tr><td>Mastercard</td><td>Visa</td></tr>
<tr><td>02</td><td>05</td></tr>
<tr><td>01</td><td>06</td></tr>
<tr><td>00</td><td>07</td></tr>
</table></td></tr>
<tr><td>MerchantAdviceCode</td><td>an{1..6}</td><td>O</td><td>MasterCard issuers use the Merchant Advice Code (MAC) in authorization request responses to communicate with merchants about a cardholder's account.<table>
<tr><td>Value</td><td>Description</td></tr>
<tr><td>01</td><td>New account information available</td></tr>
<tr><td>02</td><td>Cannot approve at this time, try again later</td></tr>
<tr><td>03</td><td>Do not try again</td></tr>
<tr><td>04</td><td>Token requirements not fulfilled for this token type</td></tr>
<tr><td>21</td><td>Payment Cancellation</td></tr>
<tr><td>22</td><td>Merchant does not qualify for product code</td></tr>
</table></td></tr>
<tr><td>responseTime</td><td>ans{18}</td><td>M</td><td>Date/Time of the verification request completed (YYYY-MM-DD HH:mm:ss)</td></tr>
</table>

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

TxnData	array	C	Refer TxnData below, return during verification request only.
skey	ans{1..100}	M	**HMAC_SHA256**(VerificationID . MerchantID . ReferenceNo . TxnCurrency . status . appcode . schemeTranID, secretKey) *Do not include full stop in the hash calculation.It is just to indicate the different values needed to calculate the hash.

TxnData

Parameter Name	Data Type (Size)	M/O/C	Description
RequestURL	ans{1..255}	M	URL to be **REDIRECT**.
RequestMethod	a{3…4}	M	Action method [**GET/POST]**
RequestType	a{5…8}	M	Recommended action [**REDIRECT**]
RequestData	array	M	Data to be submitted to RequestURL.

Final Verification Response

The parameter responded will be in **HTTP POST** method, not in JSON format. Verification response will be returned upon complete verification journey up till merchant's return page. May refer to section Zero Dollar Verification Response for the verification response format.

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Installment Tenure Request

Production URL: https://**pay.fiuu.com**/RMS/API/Installment/getEnableInstlChn.php

Use to get the channel name, installment tenure and minimum transaction amount based on card number and transaction amount provided by the merchant.

HTTP Method: **POST**

Parameter Name	Data Type (Size)	M/O/C	Description
MerchantID	ans{1..32}	M	Merchant ID provided by PG
CC_PAN	ans{64}	M	Encrypted 16-digit shown on the card.
CC_MONTH	ans{64}	M	Encrypted card's expiry month, e.g. 03.
CC_YEAR	ans{64}	M	Encrypted card's expiry year, e.g. 2023.
TxnAmt	ns{10,2}	M	Transaction amount. Eg."1.00", 2 decimal points only and comma (,) is not allowed.
DateTime	n{14}	M	Request date & time, e.g. 20161202153423 (YYYYMMDDHHmmss)
Signature	ans{1..100}	M	**HMAC_SHA256**(MerchantID . CC_Pan . CC_Month . CC_Year . TxnAmt . DateTime , verify_key)

Installment Tenure Response

Parameter Name	Data Type (Size)	M/O/C	Description
Status	n{2}	M	00 - Success response 11 - Failed response
error_code	an{5}	C	Error code for the failed verification, eg IP101
error_desc	ans{1..100}	C	Detailed explanation for the failed verification.

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

MerchantID	ans{1..32}	C	Merchant ID provided by PG
Channel	ans{1..40}	C	Channel name
Issuer	array	C	Issuer name
InstlMthList	ans{1..50}	C	Available plans for the given card number or merchant. Example: [{"InstlMonth":3,"InstlMinAmt":"150"},{"InstlMonth":6,"InstlMinAmt":"500"} ..., {"InstlMonth":18,"InstlMinAmt":"1500"}]
Signature	ans{1..100}	C	**HMAC_SHA256**(MerchantID . Channel . Issuer . InstlMthList . privateKey)

Installment Tenure Error Code

Error Code	Description
IP101	MerchantID is mandatory.
IP102	CC_PAN/CC_MONTH/CC_YEAR is mandatory.
IP103	TxnAmt is mandatory.
IP104	DateTime is mandatory.
IP105	Signature is mandatory.
IP106	Invalid MerchantID.
IP107	Invalid Signature.
IP108	The card is expired.
IP109	No eligible installment plan available.
IP110	Card not eligible for installment plan.

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.

Authentication Error Code

Error Code	Description
3001	User Cancel Authentication Page
3014	Authentication Screen Timeout
3019	User Enter invalid OTP more than 3 times. Card No blocked
3012	User Submit Blocked or Inactive Card Number
4000	Transaction has timeout
7000	3DS Server received an invalid Authentication Request

© 2005 - 2025 Fiuu (Formerly known as Razer Merchant Services)
PCI-DSS v4.0 compliant & ISO/IEC 27001:2022 certified
All rights reserved. All trademarks are the property of their respective owners.