

Cloud Architecting – Week 5

Total questions: 19

Worksheet time: 19mins

Name

Class

Date

1. In the shared responsibility model, AWS is responsible for providing what?
 - a) Security of the cloud
 - b) Security to the cloud
 - c) Security for the cloud
 - d) Security in the cloud

2. In the shared responsibility model, which two of the following are examples of "security in the cloud" (Choose two.)
 - a) Compliance with compute security standards and regulations
 - b) Physical security of the facilities in which the services operate
 - c) Security group configurations
 - d) Encryption of data at rest and data in transit

3. Which of the following is the responsibility of AWS under the AWS shared responsibility model?
 - a) Configuring third-party applications
 - b) Maintaining physical hardware
 - c) Security application access and data
 - d) Managing custom Amazon Machine Images (AMIs)

4. When creating an AWS Identity and Access Management (IAM) policy, what are the two types of access that can be granted to a user? (Choose two.)
 - a) Institutional access
 - b) Authorized access
 - c) Programmatic access
 - d) AWS Management Console access

5. AWS Organizations enables you to consolidate multiple AWS accounts so that you centrally manage them.
 - a) True
 - b) False

6. Which of the following are best practices to secure your account using AWS Identity and Access Management (IAM)? (Choose two.)
- a) Provide users with default administrative privileges.
 - b) Leave unused and unnecessary credentials in place.
 - c) Managing access to AWS resources
 - d) Defining fine-grained access rights
7. After initial login, what does AWS recommend as best practice for the AWS account root user?
- a) Delete the AWS account root user
 - b) Revoke all permissions on the AWS account root user
 - c) Restrict permission on the AWS account root user
 - d) Delete the access keys of the AWS account root user
8. How would a system administrator add an additional layer of login security to a user's AWS Management Console?
- a) Use Amazon Cloud Directory
 - b) Audit AWS Identity and Access Management (IAM) roles
 - c) Enable multi-factor authentication
 - d) Enable AWS CloudTrail
9. AWS Key Management Service (AWS KMS) enables you to access, audit, and evaluate the configurations of your AWS resources.
- a) True
 - b) False
10. Which attributes are reasons to choose Amazon Elastic Compute Cloud (Amazon EC2)? (Select TWO.)
- a) Ability to run any type of workload
 - b) Ability to run serverless application
 - c) AWS management of operating system security
 - d) Complete control of computing resources
11. What are the benefits of using an Amazon Machine Image (AMI)? (Select THREE.)
- a) Selling or sharing software solutions packaged as an AMI
 - b) Migrating data from on-premises to Amazon EC2 instances
 - c) Launching instances with the same configuration
 - d) Using an AMI as a server backup for Amazon EC2 instances

12. A system admin must change the instance types of multiple Amazon EC2 instances. The instances were launched with a mix of Amazon EBS-backed AMIs and instance store-backed AMIs. Which method is a valid way to change the instance type?
- a) Change the instance type of an Amazon EBS-backed instance without stopping it.
 - b) Change the instance type of an instance store-backed instance without stopping it.
 - c) Stop an Amazon EBS-backed instance, change its instance type, and start the instance.
 - d) Stop an instance store-backed instance, change its instance type, and start the instance.
13. A workload requires high read/write access to large local datasets. Which instance types would perform best for this workload? (Select TWO.)
- a) General purpose
 - b) Compute optimised
 - c) Memory optimised
 - d) Storage optimised
14. An application requires the MAC address of the Amazon EC2 instance. The architecture uses an AWS Auto Scaling group to dynamically launch and terminate instances. Which way is best for the application to obtain the MAC address?
- a) Write the MAC address in the application configuration file of each instance.
 - b) Include the MAC address in the AMI that is used to launch all of the instances in the AWS Auto Scaling group.
 - c) Include the MAC address in a custom AMI for each instance in the AWS Auto Scaling group.
 - d) Use the user data of each instance to access the MAC address through the instance metadata.
15. A transactional workload on an Amazon EC2 instance performs high amounts of frequent read and write operations. Which Amazon EBS volume type is the best for this workload?
- a) General purpose SSD
 - b) Cold HDD
 - c) Provisioned IOPS SSD
 - d) Throughput optimised HDD

16. It is possible to create an NFS share on an Amazon EBS-backed Linux instance by installing and configuring an NFS server on the instance. In this way, multiple Linux systems can share the file system of that instance. Which advantages does Amazon Elastic File System (Amazon EFS) provide, compare to this solution? (Select TWO.)
- a) Automatic scaling
 - b) High availability
 - c) File locking
 - d) No need for backups
17. Which feature does Amazon FSx for Windows File Server provide?
- a) Fully managed Windows file servers
 - b) Microsoft Active Directory server for Windows file servers
 - c) Backup solution for on-premises Windows file servers
 - d) Amazon management agent for Windows file servers
18. Which descriptions of Amazon EC2 pricing options are correct? (Select TWO.)
- a) On-Demand Instances enable you to pay for compute capacity by usage time with no long-term commitments.
 - b) Reserved Instances are physical servers that are reserved exclusively for your use.
 - c) Savings Plans are budgeting tools that help you manage Amazon EC2 costs.
 - d) Spot instances offer spare compute capacity at discount prices, and can be interrupted.
19. A company has three high-performance computing instances that must communicate with each other. The company would like to achieve maximum network performance between the instances. The most important requirement is that these systems do not share the same rack. Which placement strategy should they use?
- a) Default
 - b) Spread
 - c) Cluster
 - d) Partition

Answer Keys

- | | | |
|---|---|---|
| 1. a) Security of the cloud | 2. c) Security group configurations | 3. b) Maintaining physical hardware |
| | d) of data at rest and data in transit | |
| 4. c) Programmatic access | 5. a) True | 6. c) Managing access to AWS resources |
| | d) Management Console access | d) fine-grained access rights |
| 7. d) Delete the access keys of the AWS account root user | 8. c) Enable multi-factor authentication | 9. b) False |
| 10. a) Ability to run any type of workload | 11. a) Selling or sharing software solutions packaged as an AMI | 12. c) Using an Amazon EBS-backed instance, change its instance type, and start the instance for Amazon EC2 instances |
| | d) Complete control of computing resources | |
| 13. c) Memory optimised | 14. d) Use the use data of each instance to access the MAC address through the instance metadata. | 15. c) Provisioned IOPS SSD |
| | d) Storage optimised | |
| 16. a) Automatic scaling | 17. a) Fully managed Windows file servers | 18. a) On-Demand Instances enable you to pay for compute capacity by usage time |
| | b) High availability | d) Spot instances offer spare compute capacity at discount prices, and |

19. b) Spread

with no long-
term
commitments.

can be
interrupted.