Lifelines Datadashboard

Introduction

Data:

The data used is a synthetic dataset, this means that the values are not the exact same as the ones that were measured but a statisticallcly representative dataset. This is done to enhance privacy of the participants. The methods used for this are: differential privacy and k-anonymity. This way the relationsships between the variables are conserverd. Source: https://www.lifelines-biobank.com/synthetic-data-a-new-step-forward-in-data-availability-at-lifelines-in-collaboration-with-syntho

Libraries The following libraries are used:

```
library(tidyverse)
```

```
## -- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
## v dplyr     1.1.4     v readr     2.1.5
## v forcats   1.0.0     v stringr   1.5.1
## v ggplot2   3.5.1     v tibble    3.2.1
## v lubridate 1.9.3     v tidyr     1.3.1
## v purrr     1.0.2
## -- Conflicts ------------------------------------------ tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

```
lifelines_df <- read.csv(file = "/home/floris/Documenten/Data_set/Lifelines/2024/Dataset/Lifelines Publi
```

Making factors

Making factors for the schale data using the following variables:

NEIGHBOURHOOD1_T2 'Satisfaction with the current living environment (scored on a scale of 1 to 10) at second assessment (T2)'

NEIGHBOURHOOD2_T2 'Characteristics of neighbourhood (ranging from a very green neighbourhood (1) to a neighbourhood with practically no greenery (5)

NEIGHBOURHOOD3_T2 'Unpleasantness to live in this neighbourhood (ranging from completely disagree (1) to completely agree (5)

NEIGHBOURHOOD4_T2 'If possible, would like to move from this neighbourhood (ranging from completely disagree (1) to completely agree (5))

NEIGHBOURHOOD5_T2 'Attached to this neighbourhood (ranging from completely disagree (1) to completely agree (5))

NEIGHBOURHOOD6_T2 'Feels at home in this neighbourhood (ranging from completely disagree (1) to completely agree (5))

The following factors are about socioeonomically determined variables:

```
lifelines_df$neighborhood_satisfaction <- lifelines_df$NEIGHBOURHOOD1_T2 %>%  factor(levels = c(1:10), l

lifelines_df$neighborhood_characteristics <- lifelines_df$NEIGHBOURHOOD2_T2 %>%  factor(levels = c(1:5)

lifelines_df$neighborhood_unpleasantness <- lifelines_df$NEIGHBOURHOOD3_T2 %>%  factor(levels = c(1:5),

lifelines_df$neighborhood_moving_away <- lifelines_df$NEIGHBOURHOOD4_T2 %>%  factor(levels = c(1:5), lab

lifelines_df$neighborhood_attached <- lifelines_df$NEIGHBOURHOOD5_T2 %>%  factor(levels = c(1:5), labels

lifelines_df$neighborhood_feel_at_home <- lifelines_df$NEIGHBOURHOOD6_T2 %>%  factor(levels = c(1:5), la

lifelines_df$FINANCE_T1 <- lifelines_df$FINANCE_T1 %>% factor(levels = c(1:10),  labels = c("I do not kn

# Quality of life, 0 = low QOL and 1 =
lifelines_df$LOW_QUALITY_OF_LIFE_T1  <- lifelines_df$LOW_QUALITY_OF_LIFE_T1 %>%  factor(levels = c(0:1)

lifelines_df$LOW_QUALITY_OF_LIFE_T2 <- lifelines_df$LOW_QUALITY_OF_LIFE_T2 %>%  factor(levels = c(0,1),


lifelines_df$SMOKING <- lifelines_df$SMOKING %>%  factor(levels = c(0,1), labels = c("Smoking", "Non-smo
```

The following factors are about body "specifications" like age and weight.

```
lifelines_df$GENDER <- lifelines_df$GENDER %>%  factor(levels = c(1:2), labels = c("Male", "Female"))
```

The following figure displays the distribution of height:

```
# To make the data in the long format:
#lifelines_long <- lifelines_df %>% pivot_longer(cols = ZIP_CODE)

# Plot it using facet_wrap to see the difference between the genders:
ggplot(data = lifelines_df, mapping = aes(y = HEIGHT_T1)) +
  geom_boxplot(fill = "darkblue", alpha = 0.7) +
  xlab("") +
  ylab("Height") +
  facet_wrap(~GENDER) +
  ggtitle("Height distribution")
```




```
  theme_minimal()
```

```
## List of 136
##  $ line                            :List of 6
##   ..$ colour       : chr "black"
##   ..$ linewidth    : num 0.5
##   ..$ linetype     : num 1
##   ..$ lineend      : chr "butt"
##   ..$ arrow        : logi FALSE
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_line" "element"
##  $ rect                            :List of 5
##   ..$ fill         : chr "white"
##   ..$ colour       : chr "black"
##   ..$ linewidth    : num 0.5
##   ..$ linetype     : num 1
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_rect" "element"
##  $ text                            :List of 11
##   ..$ family       : chr ""
##   ..$ face         : chr "plain"
##   ..$ colour       : chr "black"
##   ..$ size         : num 11
##   ..$ hjust        : num 0.5
##   ..$ vjust        : num 0.5
```

```
##   ..$ angle        : num 0
##   ..$ lineheight   : num 0.9
##   ..$ margin       : 'margin' num [1:4] 0points 0points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : logi FALSE
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ title                          : NULL
##  $ aspect.ratio                   : NULL
##  $ axis.title                     : NULL
##  $ axis.title.x                   :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 2.75points 0points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.title.x.top               :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 0
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 2.75points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.title.x.bottom            : NULL
##  $ axis.title.y                   :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : num 90
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 2.75points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.title.y.left              : NULL
```

```
##  $ axis.title.y.right             :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : num -90
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 0points 2.75points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text                      :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : chr "grey30"
##   ..$ size         : 'rel' num 0.8
##   ..$ hjust        : NULL
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : NULL
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.x                    :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 2.2points 0points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.x.top                :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 0
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 2.2points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
```

```
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.x.bottom              : NULL
##  $ axis.text.y                     :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : num 1
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 2.2points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.y.left                : NULL
##  $ axis.text.y.right               :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : num 0
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 0points 2.2points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.theta                 : NULL
##  $ axis.text.r                     :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : num 0.5
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 2.2points 0points 2.2points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.ticks                      : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ axis.ticks.x                    : NULL
##  $ axis.ticks.x.top                : NULL
##  $ axis.ticks.x.bottom             : NULL
##  $ axis.ticks.y                    : NULL
##  $ axis.ticks.y.left               : NULL
##  $ axis.ticks.y.right              : NULL
```

```
##  $ axis.ticks.theta               : NULL
##  $ axis.ticks.r                   : NULL
##  $ axis.minor.ticks.x.top         : NULL
##  $ axis.minor.ticks.x.bottom      : NULL
##  $ axis.minor.ticks.y.left        : NULL
##  $ axis.minor.ticks.y.right       : NULL
##  $ axis.minor.ticks.theta         : NULL
##  $ axis.minor.ticks.r             : NULL
##  $ axis.ticks.length              : 'simpleUnit' num 2.75points
##   ..- attr(*, "unit")= int 8
##  $ axis.ticks.length.x            : NULL
##  $ axis.ticks.length.x.top        : NULL
##  $ axis.ticks.length.x.bottom     : NULL
##  $ axis.ticks.length.y            : NULL
##  $ axis.ticks.length.y.left       : NULL
##  $ axis.ticks.length.y.right      : NULL
##  $ axis.ticks.length.theta        : NULL
##  $ axis.ticks.length.r            : NULL
##  $ axis.minor.ticks.length        : 'rel' num 0.75
##  $ axis.minor.ticks.length.x      : NULL
##  $ axis.minor.ticks.length.x.top  : NULL
##  $ axis.minor.ticks.length.x.bottom: NULL
##  $ axis.minor.ticks.length.y      : NULL
##  $ axis.minor.ticks.length.y.left  : NULL
##  $ axis.minor.ticks.length.y.right : NULL
##  $ axis.minor.ticks.length.theta   : NULL
##  $ axis.minor.ticks.length.r      : NULL
##  $ axis.line                      : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ axis.line.x                    : NULL
##  $ axis.line.x.top                : NULL
##  $ axis.line.x.bottom             : NULL
##  $ axis.line.y                    : NULL
##  $ axis.line.y.left               : NULL
##  $ axis.line.y.right              : NULL
##  $ axis.line.theta                : NULL
##  $ axis.line.r                    : NULL
##  $ legend.background              : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ legend.margin                  : 'margin' num [1:4] 5.5points 5.5points 5.5points 5.5points
##   ..- attr(*, "unit")= int 8
##  $ legend.spacing                 : 'simpleUnit' num 11points
##   ..- attr(*, "unit")= int 8
##  $ legend.spacing.x               : NULL
##  $ legend.spacing.y               : NULL
##  $ legend.key                     : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ legend.key.size                : 'simpleUnit' num 1.2lines
##   ..- attr(*, "unit")= int 3
##  $ legend.key.height              : NULL
##  $ legend.key.width               : NULL
##  $ legend.key.spacing             : 'simpleUnit' num 5.5points
##   ..- attr(*, "unit")= int 8
##  $ legend.key.spacing.x           : NULL
```

```
##  $ legend.key.spacing.y           : NULL
##  $ legend.frame                   : NULL
##  $ legend.ticks                   : NULL
##  $ legend.ticks.length            : 'rel' num 0.2
##  $ legend.axis.line               : NULL
##  $ legend.text                    :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : 'rel' num 0.8
##   ..$ hjust        : NULL
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : NULL
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ legend.text.position           : NULL
##  $ legend.title                   :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : num 0
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : NULL
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ legend.title.position          : NULL
##  $ legend.position                : chr "right"
##  $ legend.position.inside         : NULL
##  $ legend.direction               : NULL
##  $ legend.byrow                   : NULL
##  $ legend.justification           : chr "center"
##  $ legend.justification.top       : NULL
##  $ legend.justification.bottom    : NULL
##  $ legend.justification.left      : NULL
##  $ legend.justification.right     : NULL
##  $ legend.justification.inside    : NULL
##  $ legend.location                : NULL
##  $ legend.box                     : NULL
##  $ legend.box.just                : NULL
##  $ legend.box.margin              : 'margin' num [1:4] 0cm 0cm 0cm 0cm
##   ..- attr(*, "unit")= int 1
##  $ legend.box.background          : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ legend.box.spacing             : 'simpleUnit' num 11points
##   ..- attr(*, "unit")= int 8
##   [list output truncated]
##  - attr(*, "class")= chr [1:2] "theme" "gg"
```

```
##  - attr(*, "complete")= logi TRUE
##  - attr(*, "validate")= logi TRUE
```

```
#ggplot(data = lifelines_df, mapping = aes(y =  ))
```

21-11-2024:

Using facet_wrap, the differences in weight distribution is displayed in de following plot. Even though the mean weight for the females is lower than the one of the males, the spread is highter, this was quantified using ....

```
ggplot(data = lifelines_df, mapping = aes(y = WEIGHT_T1) ) +
  geom_boxplot(fill = "green", alpha = 0.5) +
  xlab("Count: ") +
  ylab("Weight") +
  ggtitle("Participant weight:") +
  facet_wrap(~GENDER)
```




```
  theme_minimal()
```

```
## List of 136
##  $ line                            :List of 6
##   ..$ colour       : chr "black"
##   ..$ linewidth    : num 0.5
##   ..$ linetype     : num 1
```

```
##   ..$ lineend      : chr "butt"
##   ..$ arrow        : logi FALSE
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_line" "element"
##  $ rect                           :List of 5
##   ..$ fill         : chr "white"
##   ..$ colour       : chr "black"
##   ..$ linewidth    : num 0.5
##   ..$ linetype     : num 1
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_rect" "element"
##  $ text                           :List of 11
##   ..$ family       : chr ""
##   ..$ face         : chr "plain"
##   ..$ colour       : chr "black"
##   ..$ size         : num 11
##   ..$ hjust        : num 0.5
##   ..$ vjust        : num 0.5
##   ..$ angle        : num 0
##   ..$ lineheight   : num 0.9
##   ..$ margin       : 'margin' num [1:4] 0points 0points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : logi FALSE
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ title                          : NULL
##  $ aspect.ratio                   : NULL
##  $ axis.title                     : NULL
##  $ axis.title.x                   :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 2.75points 0points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.title.x.top               :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 0
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 2.75points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
```

```
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.title.x.bottom             : NULL
##  $ axis.title.y                    :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : num 90
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 2.75points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.title.y.left               : NULL
##  $ axis.title.y.right              :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : num -90
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 0points 2.75points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text                       :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : chr "grey30"
##   ..$ size         : 'rel' num 0.8
##   ..$ hjust        : NULL
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : NULL
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.x                     :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 1
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
```

```
##   ..$ margin       : 'margin' num [1:4] 2.2points 0points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.x.top                :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : NULL
##   ..$ vjust        : num 0
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 2.2points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.x.bottom             : NULL
##  $ axis.text.y                    :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : num 1
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 2.2points 0points 0points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.y.left               : NULL
##  $ axis.text.y.right              :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : num 0
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 0points 0points 2.2points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.text.theta                : NULL
##  $ axis.text.r                    :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
```

```
##   ..$ size         : NULL
##   ..$ hjust        : num 0.5
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : 'margin' num [1:4] 0points 2.2points 0points 2.2points
##   .. ..- attr(*, "unit")= int 8
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ axis.ticks                      : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ axis.ticks.x                    : NULL
##  $ axis.ticks.x.top                : NULL
##  $ axis.ticks.x.bottom             : NULL
##  $ axis.ticks.y                    : NULL
##  $ axis.ticks.y.left               : NULL
##  $ axis.ticks.y.right              : NULL
##  $ axis.ticks.theta                : NULL
##  $ axis.ticks.r                    : NULL
##  $ axis.minor.ticks.x.top          : NULL
##  $ axis.minor.ticks.x.bottom       : NULL
##  $ axis.minor.ticks.y.left         : NULL
##  $ axis.minor.ticks.y.right        : NULL
##  $ axis.minor.ticks.theta          : NULL
##  $ axis.minor.ticks.r              : NULL
##  $ axis.ticks.length               : 'simpleUnit' num 2.75points
##   ..- attr(*, "unit")= int 8
##  $ axis.ticks.length.x             : NULL
##  $ axis.ticks.length.x.top         : NULL
##  $ axis.ticks.length.x.bottom      : NULL
##  $ axis.ticks.length.y             : NULL
##  $ axis.ticks.length.y.left        : NULL
##  $ axis.ticks.length.y.right       : NULL
##  $ axis.ticks.length.theta         : NULL
##  $ axis.ticks.length.r             : NULL
##  $ axis.minor.ticks.length         : 'rel' num 0.75
##  $ axis.minor.ticks.length.x       : NULL
##  $ axis.minor.ticks.length.x.top   : NULL
##  $ axis.minor.ticks.length.x.bottom: NULL
##  $ axis.minor.ticks.length.y       : NULL
##  $ axis.minor.ticks.length.y.left  : NULL
##  $ axis.minor.ticks.length.y.right : NULL
##  $ axis.minor.ticks.length.theta   : NULL
##  $ axis.minor.ticks.length.r       : NULL
##  $ axis.line                       : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ axis.line.x                     : NULL
##  $ axis.line.x.top                 : NULL
##  $ axis.line.x.bottom              : NULL
##  $ axis.line.y                     : NULL
##  $ axis.line.y.left                : NULL
##  $ axis.line.y.right               : NULL
##  $ axis.line.theta                 : NULL
```

```
##  $ axis.line.r                     : NULL
##  $ legend.background               : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ legend.margin                   : 'margin' num [1:4] 5.5points 5.5points 5.5points 5.5points
##   ..- attr(*, "unit")= int 8
##  $ legend.spacing                  : 'simpleUnit' num 11points
##   ..- attr(*, "unit")= int 8
##  $ legend.spacing.x                : NULL
##  $ legend.spacing.y                : NULL
##  $ legend.key                      : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ legend.key.size                 : 'simpleUnit' num 1.2lines
##   ..- attr(*, "unit")= int 3
##  $ legend.key.height               : NULL
##  $ legend.key.width                : NULL
##  $ legend.key.spacing              : 'simpleUnit' num 5.5points
##   ..- attr(*, "unit")= int 8
##  $ legend.key.spacing.x            : NULL
##  $ legend.key.spacing.y            : NULL
##  $ legend.frame                    : NULL
##  $ legend.ticks                    : NULL
##  $ legend.ticks.length             : 'rel' num 0.2
##  $ legend.axis.line                : NULL
##  $ legend.text                     :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : 'rel' num 0.8
##   ..$ hjust        : NULL
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : NULL
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ legend.text.position            : NULL
##  $ legend.title                    :List of 11
##   ..$ family       : NULL
##   ..$ face         : NULL
##   ..$ colour       : NULL
##   ..$ size         : NULL
##   ..$ hjust        : num 0
##   ..$ vjust        : NULL
##   ..$ angle        : NULL
##   ..$ lineheight   : NULL
##   ..$ margin       : NULL
##   ..$ debug        : NULL
##   ..$ inherit.blank: logi TRUE
##   ..- attr(*, "class")= chr [1:2] "element_text" "element"
##  $ legend.title.position           : NULL
##  $ legend.position                 : chr "right"
##  $ legend.position.inside          : NULL
##  $ legend.direction                : NULL
```

```
##  $ legend.byrow                    : NULL
##  $ legend.justification            : chr "center"
##  $ legend.justification.top        : NULL
##  $ legend.justification.bottom     : NULL
##  $ legend.justification.left       : NULL
##  $ legend.justification.right      : NULL
##  $ legend.justification.inside     : NULL
##  $ legend.location                 : NULL
##  $ legend.box                      : NULL
##  $ legend.box.just                 : NULL
##  $ legend.box.margin               : 'margin' num [1:4] 0cm 0cm 0cm 0cm
##   ..- attr(*, "unit")= int 1
##  $ legend.box.background           : list()
##   ..- attr(*, "class")= chr [1:2] "element_blank" "element"
##  $ legend.box.spacing              : 'simpleUnit' num 11points
##   ..- attr(*, "unit")= int 8
##   [list output truncated]
##  - attr(*, "class")= chr [1:2] "theme" "gg"
##  - attr(*, "complete")= logi TRUE
##  - attr(*, "validate")= logi TRUE
```

For the woman, the amount of pregnacies was visualized in the following plot:

```
ggplot(data = lifelines_df, mapping = aes(y = PREGNANCIES)) +
  geom_boxplot(fill = "blue", alpha=0.6) +
  xlab("") +
  ylab("Pregnancies:") +
  theme_minimal()
```

```
## Warning: Removed 7529 rows containing non-finite outside the scale range
## (`stat_boxplot()`).
```




```
ggplot(data = lifelines_df, mapping = aes(y = GENDER) ) +
  geom_bar(fill = "blue", alpha = 0.6) +
  xlab("Count: ") +
  ylab("Gender") +
  ggtitle("Participant count:") +
  theme_minimal()
```




```
FINANCE <- lifelines_df[!is.na(lifelines_df$FINANCE_T1), ]
#FINANCE <- subset(lifelines_df[FINANCE])

ggplot(data = lifelines_df, mapping = aes(x = neighborhood_satisfaction, y = FINANCE_T1)) +
  geom_jitter(mapping = aes(alpha = 0.5)) +
  xlab("") +
  ylab("") +
  ggtitle("Correlation between wealth and neighborhood satisfaction") +
  theme_minimal()
```



The plot above displays the neighborhood satisfaction score for every salary class. There is a clear trend where people who earn more are more satisfied with their neighborhood.

Using Generalized linear models to quantify correlations:

A generalized linear model is used to see if there is a correlation between for example; the amount of money people make monthly and what their opinion is on their living arrangements, mainly the neighborhood in wich they live. In this codechunk, this opinion is used as outcome variable and montly income is the predictor variable. As the summary states, there is a significant correlation between these two variable. The p-value is: 0.000198 *** for

Here the variables used are opinion of living arragements as outcome variable and education as predictor. There appears to be a sigificant correlation between these two variables.

```
neighborhood_prediction <- glm(formula = lifelines_df$NEIGHBOURHOOD1_T2 ~ lifelines_df$EDUCATION_LOWER_

neighborhood_prediction_p <- predict(neighborhood_prediction)

summary(neighborhood_prediction)
```

```
##
## Call:
## glm(formula = lifelines_df$NEIGHBOURHOOD1_T2 ~ lifelines_df$EDUCATION_LOWER_T1 +
##     lifelines_df$NEIGHBOURHOOD4_T2, na.action = na.exclude)
##
## Coefficients:
```

```
##                                 Estimate Std. Error t value Pr(>|t|)
## (Intercept)                      9.21457    0.02560 359.944  < 2e-16 ***
## lifelines_df$EDUCATION_LOWER_T1 -0.10435    0.02803  -3.723 0.000198 ***
## lifelines_df$NEIGHBOURHOOD4_T2  -0.55102    0.01193 -46.181  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for gaussian family taken to be 1.791762)
##
##     Null deviance: 24769  on 11687  degrees of freedom
## Residual deviance: 20937  on 11685  degrees of freedom
##   (5008 observations deleted due to missingness)
## AIC: 39991
##
## Number of Fisher Scoring iterations: 2
```

According to the glm() prediction above, both education and the wish to move away from their current house are significant predictors for the satisfaction score.
The latter predictors is obvious, if people want to move away, they are most likely not satisfied with their current place.

```
plot(neighborhood_prediction)
```




Q−Q Residuals
|Std. Deviance resid.|
0
1
2
3
4
5
6
0
1
2
3
4
Theoretical Quantiles
glm(lifelines_df$NEIGHBOURHOOD1_T2 ~ lifelines_df$EDUCATION_LOWER_T1 + li


Scale−Location
√|Std. Pearson resid.|
0.0
0.5
1.0
1.5
2.0
6.5
7.0
7.5
8.0
8.5
Predicted values
glm(lifelines_df$NEIGHBOURHOOD1_T2 ~ lifelines_df$EDUCATION_LOWER_T1 + li


Residuals vs Leverage
Std. Pearson resid.
2
0
−2
−4
−6
Cook's distance
0.0000
0.0002
0.0004
0.0006
0.0008
0.0010
0.0012
Leverage
glm(lifelines_df$NEIGHBOURHOOD1_T2 ~ lifelines_df$EDUCATION_LOWER_T1 + lif