

Chat Log

User

Here is a list of instruction files that contain rules for modifying or creating new code. These files are important for ensuring that the code is modified or created correctly. Please make sure to follow the rules specified in these files when working with the codebase. If the file is not already available as attachment, use the read_file tool to acquire it. Make sure to acquire the instructions before making any changes to the code.

Pattern	File Path	Description
**	globalPromptFiles://dont-make-explanation-files.instructions.md	description

Avoid unnecessary symbols or characters, keep everything clean and professional. Do not add .md or .txt files as helpers unless directly requested. -- applyTo: '**' description: 'description' -- Do not create explanation files (.md .txt etc) for any code files in any project, except if it is directly requested by the user.

User

The user's current OS is: Windows The user's default shell is: "powershell.exe" (Windows PowerShell v5.1). When you generate terminal commands, please generate them correctly for this shell. Use the `;` character if joining commands on a single line is needed.

I am working in a workspace with the following folders:

- C:\Users\Valdemar\PycharmProjects\daytrading I am working in a workspace that has the following structure:

daytrading (Absolute Path: C:\Users\Valdemar\PycharmProjects\daytrading)/
 pyproject.toml
 README.md
 uv.lock
 Admin/
 gantt.xlsx
 logbook_template.docx
 logbook.docx
 project-canvas.pdf
 Samarbejdskontrakt_template.doc
 Chats/
 Oskar/
 Find the state of the art techniques in algorithmi.pdf
 summarize their data pipeline.pdf
 Which models were deployed in this project_.pdf
 data/
 stocks-in-use.txt
 1m/
 AAPL.csv

ABNB.csv
ACN.csv
ADBE.csv
ADI.csv
AFRM.csv
AI.csv
AMAT.csv
AMD.csv
AMZN.csv
ANET.csv
APPS.csv
ARM.csv
ASML.csv
AVGO.csv
BABA.csv
BIDU.csv
BILI.csv
CDNS.csv
CFLT.csv
COIN.csv
CRM.csv
CRWD.csv
CSCO.csv
CTSH.csv
DDOG.csv
DELL.csv
DOCU.csv
ESTC.csv
FIS.csv
FISV.csv
FTNT.csv
GLOB.csv
GOOG.csv
GOOGL.csv
GPN.csv
HPE.csv
HPQ.csv
HUBS.csv
IBM.csv
INFY.csv
INTC.csv
INTU.csv
IOT.csv
JD.csv
KLAC.csv
LRCX.csv
MA.csv
MCHP.csv
MDB.csv
MELI.csv
META.csv
MPWR.csv
MRVL.csv
MSFT.csv

MU.csv
NET.csv
NFLX.csv
NOW.csv
NTAP.csv
NTES.csv
NVDA.csv
NXPI.csv
OKTA.csv
ON.csv
ORCL.csv
PANW.csv
PATH.csv
PDD.csv
PLTR.csv
PYPL.csv
QCOM.csv
QRVO.csv
RBLX.csv
ROKU.csv
SAP.csv
SE.csv
SHOP.csv
SMCI.csv
SNOW.csv
SNPS.csv
SONY.csv
SPOT.csv
status.toml
STX.csv
SWKS.csv
TCEHY.csv
TCOM.csv
TEAM.csv
TSLA.csv
TSM.csv
TWLO.csv
TXN.csv
U.csv
UBER.csv
V.csv
VEEV.csv
WDC.csv
WIT.csv
ZM.csv
ZS.csv

scripts/

run_daily_update.py
run_plot.py
run_predict.py
run_prepare.py
run_train.py
run_weekly_update.py
run_weekly_update.py

```
src/
  daytrading.egg-info/
    dependency_links.txt
    PKG-INFO
    requires.txt
    SOURCES.txt
    top_level.txt
  kvant/
    __init__.py
    __pycache__/
      __init__.cpython-314.pyc
    analysis/
      __init__.py
      compare.py
      loader.py
      report.py
    evaluation/
      ...
    experiment/
      ...
    features/
    kdata/
    kmarket_info/
    labeling/
    models/
    sampling/
    signals/
    training/
    utils/
  tests/
    test_alpha_vantage_retriever.py
    test_daily_sync.py
    test_triple_barrier_labeling.py
```

This view of the workspace structure may be truncated. You can use tools to collect more context if needed.

User

You should ALWAYS use the `run\_subagent` tool to delegate tasks to specialized agents when the task you are working on matches the agent's description. Available Agents: - **Plan**: Researches and outlines multi-step plans

User

I just ran the weekly update script, but it did not retrieve data from last friday which is missing (2026-03-13). It should check all valid days (days except saturday and sunday) within the last 7 days.

```
[AAPL] last_retrieved = "2026-03-17" missing = []
```

[AAPL.days] "2026-03-09" = "ok" "2026-03-10" = "ok" "2026-03-11" = "ok" "2026-03-12" = "ok"
"2026-03-16" = "ok" "2026-03-17" = "ok"

Assistant (actions)

- Read scripts/run_weekly_update.py and inspected how weekly updates are invoked.
- Searched relevant code and found day-selection logic in src/kvant/kdata/store.py.
- Read src/kvant/kdata/store.py and confirmed _target_trading_days was week-anchored (Mon-Fri), which excluded previous Friday on Wednesday runs.
- Read tests/test_daily_sync.py and pyproject.toml to align testing style.
- Delegated a plan task to the Plan subagent for a fix approach and test coverage.
- Edited
src/kvant/kdata/store.py
:
 - Replaced week-anchored target-day logic with a rolling 7-calendar-day window.
 - Included today only after NYSE close; otherwise end at yesterday.
 - Kept NYSE trading-day filtering.
 - Updated module and method docstrings to reflect the new behavior.
- Created
tests/test_kdata_store_target_days.py
with 3 tests:
 - Midweek before close includes previous Friday.
 - Midweek after close includes today.
 - Holiday inside window is excluded.
- Attempted to run tests using python -m unittest ..., got unusable/no output in this environment.

Assistant

Cancelled by user

User

use "uv run --env-file .env.run "

Assistant (actions)

- Ran: cd C:\Users\Valdemar\PycharmProjects\daytrading; uv run --env-file .env.run -m unittest tests.test_kdata_store_target_days -v
- Command returned no visible output in tool.
- Attempted to re-run with exit code print; run was cancelled by user.

Assistant

Cancelled by user

User

```
(base) (daytrading) PS C:\Users\Valdemar\PycharmProjects\daytrading> cd C:\Users\Valdemar\PycharmProjects\daytrading; uv run --env-file .env.run -m unittest tests.test_kdata_store_target_days -v test_kdata_store_target_days (unittest.loader._FailedTest.test_kdata_store_target_days) ... ERROR
```

```
=====
===== ERROR:
test_kdata_store_target_days
(unittest.loader._FailedTest.test_kdata_store_target_days)
```

```
ImportError: Failed to import test module: test_kdata_store_target_days Traceback (most recent call last): File "C:\Users\Valdemar\AppData\Roaming\uv\python\cpython-3.14.0-windows-x86_64-none\Lib\unittest\loader.py", line 137, in loadTestsFromName module = import(module_name) ModuleNotFoundError: No module named 'tests.test_kdata_store_target_days'
```

Ran 1 test in 0.000s

FAILED (errors=1)

Assistant (actions)

- Delegated a quick fix plan to the Plan subagent.
- Implemented fix by creating tests/__init__.py so tests is importable as a package.
- Re-ran your exact command:
 - `cd C:\Users\Valdemar\PycharmProjects\daytrading; uv run --env-file .env.run -m unittest tests.test_kdata_store_target_days -v`
- Verified result:

- 3 tests ran and passed (OK).

Assistant

Received - I fixed the test import error and verified your exact command works now.

- ☒ Identify why unittest could not import tests.test_kdata_store_target_days
- ☒ Apply minimal fix to make tests importable as a module package
- ☒ Re-run your exact command with uv and confirm passing tests

I added tests/__init__.py so Python treats tests as a package for module-style unittest discovery.

Changed file:

- tests/__init__.py

Then I re-ran your exact command:

```
cd C:\Users\Valdemar\PycharmProjects\daytrading
uv run --env-file .env.run -m unittest tests.test_kdata_store_target_days -v
Result: all 3 tests pass (OK).
```

If you want, next I can run the weekly update flow with a fixed now_utc around 2026-03-18 to confirm 2026-03-13 is included in target_days end-to-end.

User

Write this entire chat log into chat-logs.md. It contain all my prompts and what you did / replied.