

TI C/C++ Runtime Support (rtssrc.zip) Manifest

LEGEND (explanation of the fields in the Manifest Table below)

Software Name: The name of the application or file.

Version: Version of the application or files

License Type: Type of license(s) under which TI will be providing software to the licensee (e.g. BSD, GPLv2, TI TSPA License, TI Commercial License). See Open Source Reference License Disclaimer in the Disclaimers Section.

Location: The directory name and path on the media (or in an archive) where the Software is located.

Delivered As: This field will either be "Source", "Binary" or "Source and Binary" and is the form the content of the Software is delivered in. If the Software is delivered in an archive format, this field applies to the contents of the archive. If the word Limited is used with Source, as in "Limited Source" or "Limited Source and Binary" then only portions of the Source for the application are provided.

Modified by TI: This field will either be "Yes" or "No". A "Yes" means TI has made changes to the Software. A "No" means TI has not made any changes. Note: This field is not applicable for Software "Obtained from" TI.

Obtained from: This field specifies where or from whom TI obtained the Software. It may be a URL to an Open Source site, a 3rd party licensor, or TI (if TI developed the software). If this field contains a link to Open Source software, the date TI downloaded the Software is also recorded. See Links Disclaimer in Disclaimers Section.

DISCLAIMERS

Export Control Classification Number (ECCN)

Any use of ECCNs listed in the Manifest is at the user's risk and without recourse to TI. Your company, as the exporter of record, is responsible for determining the correct classification of any item at the time of export. Any export classification by TI of Software is for TI's internal use only and shall not be construed as a representation or warranty regarding the proper export classification for such Software or whether an export license or other documentation is required for exporting such Software.

Links in the Manifest

Any links appearing on this Manifest (for example in the "Obtained from" field) were verified at the time the Manifest was created. TI makes no guarantee that any listed links will remain active in the future.

Open Source License References

Your company is responsible for confirming the applicable license terms for any open source Software listed in this Manifest that was not "Obtained from" TI. Any open source license specified in this Manifest for Software that was not "Obtained from" TI is for TI's internal use only and shall not be construed as a representation or warranty regarding the proper open source license terms for such Software.

EXPORT INFORMATION

ECCN for Software included in this release: 3D991

MANIFEST

| Software Name | Version | License Type | Delivered As | Modified by TI | Source files obtained from |
|---------------|---------|--------------|--------------|----------------|----------------------------|
| Target | v2.1.5 | TI BSD | Source | N/A | Texas Instruments, Inc. |
| Dinkumlib | v2.1.5 | TI SLA | Source | Yes | Dinkumware, Ltd. |
| EDGrts | v2.1.5 | TI SLA | Source | Yes | Edison Design Group, Inc. |
| STLport | v2.1.5 | TI BSD? | Source | Yes | STLport |
| FreeBSD | v2.1.5 | TI BSD? | Source | Yes | FreeBSD |
| OpenBSD | v2.1.5 | TI BSD? | Source | Yes | OpenBSD |

-- Software Location --

Software EDGrts

| Filename | License | Source |
|-----------------|---------|---------------------------|
| array_del.cpp | TI SLA | Edison Design Group, Inc. |
| array_new.cpp | TI SLA | Edison Design Group, Inc. |
| array_nodel.cpp | TI SLA | Edison Design Group, Inc. |
| array_nonew.cpp | TI SLA | Edison Design Group, Inc. |
| array_pdel.cpp | TI SLA | Edison Design Group, Inc. |
| array_pnew.cpp | TI SLA | Edison Design Group, Inc. |
| bad_alloc.cpp | TI SLA | Edison Design Group, Inc. |
| basics.h | TI SLA | Edison Design Group, Inc. |
| config.h | TI SLA | Edison Design Group, Inc. |
| cxxabi.h | TI SLA | Edison Design Group, Inc. |
| defines.h | TI SLA | Edison Design Group, Inc. |
| delete.cpp | TI SLA | Edison Design Group, Inc. |
| delnothrow.cpp | TI SLA | Edison Design Group, Inc. |
| dctor_list.cpp | TI SLA | Edison Design Group, Inc. |
| dctor_list.h | TI SLA | Edison Design Group, Inc. |
| e_exception | TI SLA | Edison Design Group, Inc. |
| e_new | TI SLA | Edison Design Group, Inc. |
| e_typeinfo | TI SLA | Edison Design Group, Inc. |
| eh.h | TI SLA | Edison Design Group, Inc. |
| eh_util.cpp | TI SLA | Edison Design Group, Inc. |
| error.cpp | TI SLA | Edison Design Group, Inc. |
| error.h | TI SLA | Edison Design Group, Inc. |
| exception_.cpp | TI SLA | Edison Design Group, Inc. |
| guard.cpp | TI SLA | Edison Design Group, Inc. |
| memzero.cpp | TI SLA | Edison Design Group, Inc. |
| memzero.h | TI SLA | Edison Design Group, Inc. |
| new_.cpp | TI SLA | Edison Design Group, Inc. |
| newhandler.cpp | TI SLA | Edison Design Group, Inc. |
| newnothrow.cpp | TI SLA | Edison Design Group, Inc. |
| placedel.cpp | TI SLA | Edison Design Group, Inc. |
| placenew.cpp | TI SLA | Edison Design Group, Inc. |
| pure_virt.cpp | TI SLA | Edison Design Group, Inc. |

RTS Manifest**Version 2.1.5**

| | | |
|----------------|--------|---------------------------|
| rtti.cpp | TI SLA | Edison Design Group, Inc. |
| rtti.h | TI SLA | Edison Design Group, Inc. |
| runtime.h | TI SLA | Edison Design Group, Inc. |
| set_new.cpp | TI SLA | Edison Design Group, Inc. |
| throw_edg.cpp | TI SLA | Edison Design Group, Inc. |
| typeinfo_.cpp | TI SLA | Edison Design Group, Inc. |
| vars.cpp | TI SLA | Edison Design Group, Inc. |
| vec_ctor.cpp | TI SLA | Edison Design Group, Inc. |
| vec_newdel.cpp | TI SLA | Edison Design Group, Inc. |
| vec_newdel.h | TI SLA | Edison Design Group, Inc. |
| vla_alloc.cpp | TI SLA | Edison Design Group, Inc. |
| vla_alloc.h | TI SLA | Edison Design Group, Inc. |
| vtbl.h | TI SLA | Edison Design Group, Inc. |

Software FreeBSD

| Filename | License | Source |
|------------|---------|---------|
| ascii.c | TI SLA | FreeBSD |
| signal.h | TI SLA | FreeBSD |
| stdbool.h | TI SLA | FreeBSD |
| wchar.h | TI SLA | FreeBSD |
| wscmp.c | TI SLA | FreeBSD |
| wcslen.c | TI SLA | FreeBSD |
| wcsncmp.c | TI SLA | FreeBSD |
| wcsncpy.c | TI SLA | FreeBSD |
| wmemchr.c | TI SLA | FreeBSD |
| wmemcmp.c | TI SLA | FreeBSD |
| wmemcpy.c | TI SLA | FreeBSD |
| wmemmove.c | TI SLA | FreeBSD |
| wmemset.c | TI SLA | FreeBSD |

Software STLport

| Filename | License | Source |
|-------------------|---------|---------|
| _ctype.cpp | TI SLA | STLport |
| _stdio_file.h | TI SLA | STLport |
| acquire_release.h | TI SLA | STLport |
| algorithm | TI SLA | STLport |
| aligned_buffer.h | TI SLA | STLport |
| allocators.cpp | TI SLA | STLport |
| bitset | TI SLA | STLport |
| bitset.cpp | TI SLA | STLport |
| c_locale.cpp | TI SLA | STLport |
| c_locale.h | TI SLA | STLport |
| c_locale_dummy.c | TI SLA | STLport |
| cassert | TI SLA | STLport |
| cctype | TI SLA | STLport |
| cerrno | TI SLA | STLport |
| cfloat | TI SLA | STLport |
| ciso646 | TI SLA | STLport |
| climits | TI SLA | STLport |
| clocale | TI SLA | STLport |
| cmath | TI SLA | STLport |
| codecvt.cpp | TI SLA | STLport |
| collate.cpp | TI SLA | STLport |
| complex | TI SLA | STLport |
| complex.cpp | TI SLA | STLport |
| complex_io.cpp | TI SLA | STLport |
| complex_trig.cpp | TI SLA | STLport |
| csetjmp | TI SLA | STLport |
| csignal | TI SLA | STLport |

RTS Manifest**Version 2.1.5**

| | | |
|--------------------|--------|---------|
| cstdarg | TI SLA | STLport |
| cstddef | TI SLA | STLport |
| cstdio | TI SLA | STLport |
| cstdlib | TI SLA | STLport |
| cstring | TI SLA | STLport |
| ctime | TI SLA | STLport |
| cwchar | TI SLA | STLport |
| cwctype | TI SLA | STLport |
| deque | TI SLA | STLport |
| dll_main.cpp | TI SLA | STLport |
| exception | TI SLA | STLport |
| facets_byname.cpp | TI SLA | STLport |
| fstream | TI SLA | STLport |
| fstream.cpp | TI SLA | STLport |
| functional | TI SLA | STLport |
| hash_map | TI SLA | STLport |
| hash_set | TI SLA | STLport |
| iomanip | TI SLA | STLport |
| ios | TI SLA | STLport |
| ios.cpp | TI SLA | STLport |
| iosfwd | TI SLA | STLport |
| iostream | TI SLA | STLport |
| iostream.cpp | TI SLA | STLport |
| istream | TI SLA | STLport |
| istream.cpp | TI SLA | STLport |
| iterator | TI SLA | STLport |
| limits | TI SLA | STLport |
| list | TI SLA | STLport |
| locale | TI SLA | STLport |
| locale.cpp | TI SLA | STLport |
| locale_catalog.cpp | TI SLA | STLport |
| locale_impl.cpp | TI SLA | STLport |
| locale_impl.h | TI SLA | STLport |
| lock_free_slist.h | TI SLA | STLport |
| map | TI SLA | STLport |
| memory | TI SLA | STLport |
| message_facets.h | TI SLA | STLport |
| messages.cpp | TI SLA | STLport |
| monetary.cpp | TI SLA | STLport |
| new | TI SLA | STLport |
| num_get.cpp | TI SLA | STLport |
| num_get_float.cpp | TI SLA | STLport |
| num_put.cpp | TI SLA | STLport |
| num_put_float.cpp | TI SLA | STLport |
| numeric | TI SLA | STLport |
| numpunct.cpp | TI SLA | STLport |
| ostream | TI SLA | STLport |
| ostream.cpp | TI SLA | STLport |
| pthread_alloc | TI SLA | STLport |
| queue | TI SLA | STLport |
| rope | TI SLA | STLport |
| s__algo.c | TI SLA | STLport |
| s__algo.h | TI SLA | STLport |
| s__algbase.c | TI SLA | STLport |
| s__algbase.h | TI SLA | STLport |
| s__alloc.c | TI SLA | STLport |
| s__alloc.h | TI SLA | STLport |
| s__auto_ptr.h | TI SLA | STLport |
| s__bitset.c | TI SLA | STLport |
| s__bitset.h | TI SLA | STLport |
| s__bvector.h | TI SLA | STLport |
| s__carray.h | TI SLA | STLport |
| s__ctype.h | TI SLA | STLport |

RTS Manifest

Version 2.1.5

| | | |
|--------------------------|--------|---------|
| s__clocale.h | TI SLA | STLport |
| s__cmath.h | TI SLA | STLport |
| s__codecvt.h | TI SLA | STLport |
| s__collate.h | TI SLA | STLport |
| s__complex.c | TI SLA | STLport |
| s__complex.h | TI SLA | STLport |
| s__config_compat_post.h | TI SLA | STLport |
| s__construct.h | TI SLA | STLport |
| s__cprolog.h | TI SLA | STLport |
| s__csetjmp.h | TI SLA | STLport |
| s__csignal.h | TI SLA | STLport |
| s__cstdarg.h | TI SLA | STLport |
| s__cstddef.h | TI SLA | STLport |
| s__cstdio.h | TI SLA | STLport |
| s__cstdlib.h | TI SLA | STLport |
| s__cstring.h | TI SLA | STLport |
| s__ctime.h | TI SLA | STLport |
| s__ctrails_fns.h | TI SLA | STLport |
| s__ctype.h | TI SLA | STLport |
| s__cwchar.h | TI SLA | STLport |
| s__cwctype.h | TI SLA | STLport |
| s__deque.c | TI SLA | STLport |
| s__deque.h | TI SLA | STLport |
| s__epilog.h | TI SLA | STLport |
| s__exception.h | TI SLA | STLport |
| s__facets_fwd.h | TI SLA | STLport |
| s__fstream.c | TI SLA | STLport |
| s__fstream.h | TI SLA | STLport |
| s__function.h | TI SLA | STLport |
| s__function_adaptors.h | TI SLA | STLport |
| s__function_base.h | TI SLA | STLport |
| s__hash_fun.h | TI SLA | STLport |
| s__hash_map.h | TI SLA | STLport |
| s__hash_set.h | TI SLA | STLport |
| s__hashtable.c | TI SLA | STLport |
| s__hashtable.h | TI SLA | STLport |
| s__heap.c | TI SLA | STLport |
| s__heap.h | TI SLA | STLport |
| s__iomanip.h | TI SLA | STLport |
| s__ios.c | TI SLA | STLport |
| s__ios.h | TI SLA | STLport |
| s__ios_base.h | TI SLA | STLport |
| s__ioserr.h | TI SLA | STLport |
| s__iosfwd.h | TI SLA | STLport |
| s__iostream_string.h | TI SLA | STLport |
| s__istream.c | TI SLA | STLport |
| s__istream.h | TI SLA | STLport |
| s__istreambuf_iterator.h | TI SLA | STLport |
| s__iterator.h | TI SLA | STLport |
| s__iterator_base.h | TI SLA | STLport |
| s__iterator_old.h | TI SLA | STLport |
| s__limits.c | TI SLA | STLport |
| s__limits.h | TI SLA | STLport |
| s__list.c | TI SLA | STLport |
| s__list.h | TI SLA | STLport |
| s__locale.h | TI SLA | STLport |
| s__map.h | TI SLA | STLport |
| s__mbstate_t.h | TI SLA | STLport |
| s__messages_facets.h | TI SLA | STLport |
| s__monetary.c | TI SLA | STLport |
| s__monetary.h | TI SLA | STLport |
| s__move_construct_fw.h | TI SLA | STLport |
| s__new.h | TI SLA | STLport |

RTS Manifest

Version 2.1.5

| | | | |
|--------------------------|----|-----|---------|
| s__num_get.c | TI | SLA | STLport |
| s__num_get.h | TI | SLA | STLport |
| s__num_put.c | TI | SLA | STLport |
| s__num_put.h | TI | SLA | STLport |
| s__numeric.c | TI | SLA | STLport |
| s__numeric.h | TI | SLA | STLport |
| s__numpunct.h | TI | SLA | STLport |
| s__ostream.c | TI | SLA | STLport |
| s__ostream.h | TI | SLA | STLport |
| s__ostreambuf_iterator.h | TI | SLA | STLport |
| s__pair.h | TI | SLA | STLport |
| s__prolog.h | TI | SLA | STLport |
| s__pthread_alloc.h | TI | SLA | STLport |
| s__ptrs_specialize.h | TI | SLA | STLport |
| s__queue.h | TI | SLA | STLport |
| s__range_errors.c | TI | SLA | STLport |
| s__range_errors.h | TI | SLA | STLport |
| s__raw_storage_iter.h | TI | SLA | STLport |
| s__relops_cont.h | TI | SLA | STLport |
| s__relops_hash_cont.h | TI | SLA | STLport |
| s__rope.c | TI | SLA | STLport |
| s__rope.h | TI | SLA | STLport |
| s__set.h | TI | SLA | STLport |
| s__slist.c | TI | SLA | STLport |
| s__slist.h | TI | SLA | STLport |
| s__slist_base.c | TI | SLA | STLport |
| s__slist_base.h | TI | SLA | STLport |
| s__sstream.c | TI | SLA | STLport |
| s__sstream.h | TI | SLA | STLport |
| s__stack.h | TI | SLA | STLport |
| s__stdexcept.h | TI | SLA | STLport |
| s__stdexcept_base.c | TI | SLA | STLport |
| s__stdexcept_base.h | TI | SLA | STLport |
| s__stlport_version.h | TI | SLA | STLport |
| s__stream_iterator.h | TI | SLA | STLport |
| s__streambuf.c | TI | SLA | STLport |
| s__streambuf.h | TI | SLA | STLport |
| s__string.c | TI | SLA | STLport |
| s__string.h | TI | SLA | STLport |
| s__string_base.h | TI | SLA | STLport |
| s__string_fwd.h | TI | SLA | STLport |
| s__string_hash.h | TI | SLA | STLport |
| s__string_io.c | TI | SLA | STLport |
| s__string_io.h | TI | SLA | STLport |
| s__string_npos.h | TI | SLA | STLport |
| s__string_operators.h | TI | SLA | STLport |
| s__string_sum.h | TI | SLA | STLport |
| s__string_sum_methods.h | TI | SLA | STLport |
| s__strstream.h | TI | SLA | STLport |
| s__tempbuf.c | TI | SLA | STLport |
| s__tempbuf.h | TI | SLA | STLport |
| s__threads.c | TI | SLA | STLport |
| s__threads.h | TI | SLA | STLport |
| s__time_facets.c | TI | SLA | STLport |
| s__time_facets.h | TI | SLA | STLport |
| s__tree.c | TI | SLA | STLport |
| s__tree.h | TI | SLA | STLport |
| s__typeinfo.h | TI | SLA | STLport |
| s__uninitialized.h | TI | SLA | STLport |
| s__unordered_map.h | TI | SLA | STLport |
| s__unordered_set.h | TI | SLA | STLport |
| s__valarray.c | TI | SLA | STLport |
| s__valarray.h | TI | SLA | STLport |

RTS Manifest

Version 2.1.5

| | | | |
|-----------------------|----|-----|---------|
| s__vector.c | TI | SLA | STLport |
| s__vector.h | TI | SLA | STLport |
| s_boost_type_traits.h | TI | SLA | STLport |
| s_c__epilog.h | TI | SLA | STLport |
| s_c__prolog.h | TI | SLA | STLport |
| s_c__system.h | TI | SLA | STLport |
| s_c__ti.h | TI | SLA | STLport |
| s_c_compat.h | TI | SLA | STLport |
| s_c_features.h | TI | SLA | STLport |
| s_c_host.h | TI | SLA | STLport |
| s_c_locale.h | TI | SLA | STLport |
| s_c_stl_confix.h | TI | SLA | STLport |
| s_c_user_config.h | TI | SLA | STLport |
| s_char_traits.h | TI | SLA | STLport |
| s_concept_checks.h | TI | SLA | STLport |
| s_d__debug.h | TI | SLA | STLport |
| s_p__deque.h | TI | SLA | STLport |
| s_p__list.h | TI | SLA | STLport |
| s_p__set.h | TI | SLA | STLport |
| s_p__slist.h | TI | SLA | STLport |
| s_p__tools.h | TI | SLA | STLport |
| s_p__vector.h | TI | SLA | STLport |
| s_type_manips.h | TI | SLA | STLport |
| s_type_traits.h | TI | SLA | STLport |
| set | TI | SLA | STLport |
| slist | TI | SLA | STLport |
| sstream | TI | SLA | STLport |
| sstream.cpp | TI | SLA | STLport |
| stack | TI | SLA | STLport |
| stdexcept | TI | SLA | STLport |
| stdio_streambuf.cpp | TI | SLA | STLport |
| stdio_streambuf.h | TI | SLA | STLport |
| stlport_prefix.h | TI | SLA | STLport |
| streambuf | TI | SLA | STLport |
| string | TI | SLA | STLport |
| string.cpp | TI | SLA | STLport |
| strstream | TI | SLA | STLport |
| strstream.cpp | TI | SLA | STLport |
| t_fstream_stdio.c | TI | SLA | STLport |
| time_facets.cpp | TI | SLA | STLport |
| type_traits | TI | SLA | STLport |
| typeinfo | TI | SLA | STLport |
| unified_locale.cpp | TI | SLA | STLport |
| unordered_map | TI | SLA | STLport |
| unordered_set | TI | SLA | STLport |
| utility | TI | SLA | STLport |
| valarray | TI | SLA | STLport |
| vector | TI | SLA | STLport |

Software Target

| Filename | License | Source |
|------------------|---------|--------|
| _bufread.c | TI | BSD |
| _data_synch.c | TI | BSD |
| _data_synch.h | TI | BSD |
| _dtor_list.h | TI | BSD |
| _fmt_specifier.h | TI | BSD |
| _io_perm.c | TI | BSD |
| _isfuncdcl.h | TI | BSD |
| _isfuncdef.h | TI | BSD |
| _lock.c | TI | BSD |
| _lock.h | TI | BSD |

RTS Manifest

Version 2.1.5

| | | |
|------------------|--------|-------------------------|
| _mutex.c | TI BSD | Texas Instruments, Inc. |
| _mutex.h | TI BSD | Texas Instruments, Inc. |
| _printfi.c | TI BSD | Texas Instruments, Inc. |
| _printfi_min.c | TI BSD | Texas Instruments, Inc. |
| _printfi_nf.c | TI BSD | Texas Instruments, Inc. |
| _pthread.c | TI BSD | Texas Instruments, Inc. |
| _pthread.h | TI BSD | Texas Instruments, Inc. |
| _reg_mutex_api.h | TI BSD | Texas Instruments, Inc. |
| _reg_synch_api.h | TI BSD | Texas Instruments, Inc. |
| _scanfi.c | TI BSD | Texas Instruments, Inc. |
| _scanfi_min.c | TI BSD | Texas Instruments, Inc. |
| _scanfi_nf.c | TI BSD | Texas Instruments, Inc. |
| _tls.h | TI BSD | Texas Instruments, Inc. |
| _tvaltostr.c | TI BSD | Texas Instruments, Inc. |
| abs.c | TI BSD | Texas Instruments, Inc. |
| absd.c | TI BSD | Texas Instruments, Inc. |
| absf.c | TI BSD | Texas Instruments, Inc. |
| absf_i.h | TI BSD | Texas Instruments, Inc. |
| acos.c | TI BSD | Texas Instruments, Inc. |
| acosf.c | TI BSD | Texas Instruments, Inc. |
| acosf_i.h | TI BSD | Texas Instruments, Inc. |
| acosh.c | TI BSD | Texas Instruments, Inc. |
| acoshf.c | TI BSD | Texas Instruments, Inc. |
| acoshf_i.h | TI BSD | Texas Instruments, Inc. |
| acot.c | TI BSD | Texas Instruments, Inc. |
| acot2.c | TI BSD | Texas Instruments, Inc. |
| acot2f.c | TI BSD | Texas Instruments, Inc. |
| acot2f_i.h | TI BSD | Texas Instruments, Inc. |
| acotf.c | TI BSD | Texas Instruments, Inc. |
| acotf_i.h | TI BSD | Texas Instruments, Inc. |
| acoth.c | TI BSD | Texas Instruments, Inc. |
| acothf.c | TI BSD | Texas Instruments, Inc. |
| acothf_i.h | TI BSD | Texas Instruments, Inc. |
| add.c | TI BSD | Texas Instruments, Inc. |
| addf.c | TI BSD | Texas Instruments, Inc. |
| addf_i.h | TI BSD | Texas Instruments, Inc. |
| args_main.c | TI BSD | Texas Instruments, Inc. |
| asctime.c | TI BSD | Texas Instruments, Inc. |
| asin.c | TI BSD | Texas Instruments, Inc. |
| asinf.c | TI BSD | Texas Instruments, Inc. |
| asinf_i.h | TI BSD | Texas Instruments, Inc. |
| asinh.c | TI BSD | Texas Instruments, Inc. |
| asinhf.c | TI BSD | Texas Instruments, Inc. |
| asinhf_i.h | TI BSD | Texas Instruments, Inc. |
| asri.c | TI BSD | Texas Instruments, Inc. |
| assert.c | TI BSD | Texas Instruments, Inc. |
| assert.h | TI BSD | Texas Instruments, Inc. |
| atan.c | TI BSD | Texas Instruments, Inc. |
| atan2.c | TI BSD | Texas Instruments, Inc. |
| atan2f.c | TI BSD | Texas Instruments, Inc. |
| atan2f_i.h | TI BSD | Texas Instruments, Inc. |
| atanf.c | TI BSD | Texas Instruments, Inc. |
| atanf_i.h | TI BSD | Texas Instruments, Inc. |
| atanh.c | TI BSD | Texas Instruments, Inc. |
| atanhf.c | TI BSD | Texas Instruments, Inc. |
| atanhf_i.h | TI BSD | Texas Instruments, Inc. |
| atexit.c | TI BSD | Texas Instruments, Inc. |
| atof.c | TI BSD | Texas Instruments, Inc. |
| atoi.c | TI BSD | Texas Instruments, Inc. |
| atol.c | TI BSD | Texas Instruments, Inc. |
| atoll.c | TI BSD | Texas Instruments, Inc. |
| autoinit.c | TI BSD | Texas Instruments, Inc. |
| autoinit.h | TI BSD | Texas Instruments, Inc. |

RTS Manifest

Version 2.1.5

| | | |
|------------------------|--------|-------------------------|
| bcmp.c | TI BSD | Texas Instruments, Inc. |
| bcopy.c | TI BSD | Texas Instruments, Inc. |
| boot.c | TI BSD | Texas Instruments, Inc. |
| boot_special.c | TI BSD | Texas Instruments, Inc. |
| bsearch.c | TI BSD | Texas Instruments, Inc. |
| bzero.c | TI BSD | Texas Instruments, Inc. |
| cargs.h | TI BSD | Texas Instruments, Inc. |
| ceil.c | TI BSD | Texas Instruments, Inc. |
| ceilf.c | TI BSD | Texas Instruments, Inc. |
| ceilf_i.h | TI BSD | Texas Instruments, Inc. |
| chunk.h | TI BSD | Texas Instruments, Inc. |
| clearerr.c | TI BSD | Texas Instruments, Inc. |
| clock.c | TI BSD | Texas Instruments, Inc. |
| cmpd.c | TI BSD | Texas Instruments, Inc. |
| cmpf.c | TI BSD | Texas Instruments, Inc. |
| cmpf_i.h | TI BSD | Texas Instruments, Inc. |
| copy_decompress_lzss.c | TI BSD | Texas Instruments, Inc. |
| copy_decompress_none.c | TI BSD | Texas Instruments, Inc. |
| copy_decompress_rle.c | TI BSD | Texas Instruments, Inc. |
| copy_zero_init.c | TI BSD | Texas Instruments, Inc. |
| cos.c | TI BSD | Texas Instruments, Inc. |
| cosf.c | TI BSD | Texas Instruments, Inc. |
| cosf_i.h | TI BSD | Texas Instruments, Inc. |
| cosh.c | TI BSD | Texas Instruments, Inc. |
| coshf.c | TI BSD | Texas Instruments, Inc. |
| coshf_i.h | TI BSD | Texas Instruments, Inc. |
| cot.c | TI BSD | Texas Instruments, Inc. |
| cotf.c | TI BSD | Texas Instruments, Inc. |
| cotf_i.h | TI BSD | Texas Instruments, Inc. |
| coth.c | TI BSD | Texas Instruments, Inc. |
| cothf.c | TI BSD | Texas Instruments, Inc. |
| cothf_i.h | TI BSD | Texas Instruments, Inc. |
| cpp_inline_math.h | TI BSD | Texas Instruments, Inc. |
| cpy_tbl.c | TI BSD | Texas Instruments, Inc. |
| cpy_tbl.h | TI BSD | Texas Instruments, Inc. |
| ctime_.c | TI BSD | Texas Instruments, Inc. |
| ctype.c | TI BSD | Texas Instruments, Inc. |
| ctype.h | TI BSD | Texas Instruments, Inc. |
| cvtddf.c | TI BSD | Texas Instruments, Inc. |
| cvtfd.c | TI BSD | Texas Instruments, Inc. |
| defs.c | TI BSD | Texas Instruments, Inc. |
| difftime.c | TI BSD | Texas Instruments, Inc. |
| div.c | TI BSD | Texas Instruments, Inc. |
| divd.c | TI BSD | Texas Instruments, Inc. |
| divf.c | TI BSD | Texas Instruments, Inc. |
| divf_i.h | TI BSD | Texas Instruments, Inc. |
| divi_c.c | TI BSD | Texas Instruments, Inc. |
| divremx_i.h | TI BSD | Texas Instruments, Inc. |
| divu_c.c | TI BSD | Texas Instruments, Inc. |
| double_config.h | TI BSD | Texas Instruments, Inc. |
| ecvt.c | TI BSD | Texas Instruments, Inc. |
| elfnames.h | TI BSD | Texas Instruments, Inc. |
| eql.c | TI BSD | Texas Instruments, Inc. |
| eqlf.c | TI BSD | Texas Instruments, Inc. |
| eqlf_i.h | TI BSD | Texas Instruments, Inc. |
| errno.c | TI BSD | Texas Instruments, Inc. |
| errno.h | TI BSD | Texas Instruments, Inc. |
| exit.c | TI BSD | Texas Instruments, Inc. |
| exp.c | TI BSD | Texas Instruments, Inc. |
| expl0.c | TI BSD | Texas Instruments, Inc. |
| expl0f.c | TI BSD | Texas Instruments, Inc. |
| expl0f_i.h | TI BSD | Texas Instruments, Inc. |
| exp2.c | TI BSD | Texas Instruments, Inc. |

RTS Manifest

Version 2.1.5

| | | |
|-----------------|--------|-------------------------|
| exp2f.c | TI BSD | Texas Instruments, Inc. |
| exp2f_i.h | TI BSD | Texas Instruments, Inc. |
| expf.c | TI BSD | Texas Instruments, Inc. |
| expf_i.h | TI BSD | Texas Instruments, Inc. |
| fabs.c | TI BSD | Texas Instruments, Inc. |
| fabsf.c | TI BSD | Texas Instruments, Inc. |
| fabsf_i.h | TI BSD | Texas Instruments, Inc. |
| fclose.c | TI BSD | Texas Instruments, Inc. |
| fcvt.c | TI BSD | Texas Instruments, Inc. |
| feof.c | TI BSD | Texas Instruments, Inc. |
| ferror.c | TI BSD | Texas Instruments, Inc. |
| fflush.c | TI BSD | Texas Instruments, Inc. |
| ffs.c | TI BSD | Texas Instruments, Inc. |
| fgetc.c | TI BSD | Texas Instruments, Inc. |
| fgetpos.c | TI BSD | Texas Instruments, Inc. |
| fgets.c | TI BSD | Texas Instruments, Inc. |
| file.h | TI BSD | Texas Instruments, Inc. |
| fixdi.c | TI BSD | Texas Instruments, Inc. |
| fixdli.c | TI BSD | Texas Instruments, Inc. |
| fixdlli.c | TI BSD | Texas Instruments, Inc. |
| fixdu.c | TI BSD | Texas Instruments, Inc. |
| fixdul.c | TI BSD | Texas Instruments, Inc. |
| fixdull.c | TI BSD | Texas Instruments, Inc. |
| fixfi.c | TI BSD | Texas Instruments, Inc. |
| fixfli.c | TI BSD | Texas Instruments, Inc. |
| fixflli.c | TI BSD | Texas Instruments, Inc. |
| fixfu.c | TI BSD | Texas Instruments, Inc. |
| fixful.c | TI BSD | Texas Instruments, Inc. |
| fixfull.c | TI BSD | Texas Instruments, Inc. |
| fixfx_i.h | TI BSD | Texas Instruments, Inc. |
| fixfy_i.h | TI BSD | Texas Instruments, Inc. |
| float.h | TI BSD | Texas Instruments, Inc. |
| float_config.h | TI BSD | Texas Instruments, Inc. |
| floor.c | TI BSD | Texas Instruments, Inc. |
| floorf.c | TI BSD | Texas Instruments, Inc. |
| floorf_i.h | TI BSD | Texas Instruments, Inc. |
| fltld.c | TI BSD | Texas Instruments, Inc. |
| fltlf.c | TI BSD | Texas Instruments, Inc. |
| fltld.c | TI BSD | Texas Instruments, Inc. |
| fltlf.c | TI BSD | Texas Instruments, Inc. |
| fltllld.c | TI BSD | Texas Instruments, Inc. |
| fltlllf.c | TI BSD | Texas Instruments, Inc. |
| fltud.c | TI BSD | Texas Instruments, Inc. |
| fltuf.c | TI BSD | Texas Instruments, Inc. |
| fltuld.c | TI BSD | Texas Instruments, Inc. |
| fltulf.c | TI BSD | Texas Instruments, Inc. |
| fltulld.c | TI BSD | Texas Instruments, Inc. |
| fltullf.c | TI BSD | Texas Instruments, Inc. |
| fltxf_i.h | TI BSD | Texas Instruments, Inc. |
| fltyf_i.h | TI BSD | Texas Instruments, Inc. |
| fmod.c | TI BSD | Texas Instruments, Inc. |
| fmodf.c | TI BSD | Texas Instruments, Inc. |
| fmodf_i.h | TI BSD | Texas Instruments, Inc. |
| fopen.c | TI BSD | Texas Instruments, Inc. |
| format.h | TI BSD | Texas Instruments, Inc. |
| formi.h | TI BSD | Texas Instruments, Inc. |
| formi32.h | TI BSD | Texas Instruments, Inc. |
| formi64.h | TI BSD | Texas Instruments, Inc. |
| fpclassify.c | TI BSD | Texas Instruments, Inc. |
| fpclassifyf.c | TI BSD | Texas Instruments, Inc. |
| fpclassifyf_i.h | TI BSD | Texas Instruments, Inc. |
| fprintf.c | TI BSD | Texas Instruments, Inc. |
| fputc.c | TI BSD | Texas Instruments, Inc. |

RTS Manifest

Version 2.1.5

| | | |
|-----------------|--------|-------------------------|
| fputs.c | TI BSD | Texas Instruments, Inc. |
| frcadd.c | TI BSD | Texas Instruments, Inc. |
| frcadd.h | TI BSD | Texas Instruments, Inc. |
| frcaddf.c | TI BSD | Texas Instruments, Inc. |
| frcaddf.h | TI BSD | Texas Instruments, Inc. |
| frcaddf_i.h | TI BSD | Texas Instruments, Inc. |
| frcdivd.c | TI BSD | Texas Instruments, Inc. |
| frcdivd.h | TI BSD | Texas Instruments, Inc. |
| frcdivf.c | TI BSD | Texas Instruments, Inc. |
| frcdivf.h | TI BSD | Texas Instruments, Inc. |
| frcdivf1_i.h | TI BSD | Texas Instruments, Inc. |
| frcdivf2_i.h | TI BSD | Texas Instruments, Inc. |
| frcmpyd.c | TI BSD | Texas Instruments, Inc. |
| frcmpyd.h | TI BSD | Texas Instruments, Inc. |
| frcmpyd_div.c | TI BSD | Texas Instruments, Inc. |
| frcmpyf.c | TI BSD | Texas Instruments, Inc. |
| frcmpyf.h | TI BSD | Texas Instruments, Inc. |
| frcmpyf1_i.h | TI BSD | Texas Instruments, Inc. |
| frcmpyf2_i.h | TI BSD | Texas Instruments, Inc. |
| frcmpyf_div.c | TI BSD | Texas Instruments, Inc. |
| frcmpyf_div_i.h | TI BSD | Texas Instruments, Inc. |
| fread.c | TI BSD | Texas Instruments, Inc. |
| frexp.c | TI BSD | Texas Instruments, Inc. |
| frexp2_i.h | TI BSD | Texas Instruments, Inc. |
| frexpf.c | TI BSD | Texas Instruments, Inc. |
| frexpf_i.h | TI BSD | Texas Instruments, Inc. |
| fscanf.c | TI BSD | Texas Instruments, Inc. |
| fseek.c | TI BSD | Texas Instruments, Inc. |
| fsetpos.c | TI BSD | Texas Instruments, Inc. |
| ftell.c | TI BSD | Texas Instruments, Inc. |
| fwrite.c | TI BSD | Texas Instruments, Inc. |
| ged.c | TI BSD | Texas Instruments, Inc. |
| gef.c | TI BSD | Texas Instruments, Inc. |
| geqf_i.h | TI BSD | Texas Instruments, Inc. |
| getenv.c | TI BSD | Texas Instruments, Inc. |
| global.h | TI BSD | Texas Instruments, Inc. |
| gmtime.c | TI BSD | Texas Instruments, Inc. |
| gtd.c | TI BSD | Texas Instruments, Inc. |
| gtf.c | TI BSD | Texas Instruments, Inc. |
| gtrf_i.h | TI BSD | Texas Instruments, Inc. |
| ieeed.h | TI BSD | Texas Instruments, Inc. |
| ieeef.h | TI BSD | Texas Instruments, Inc. |
| ieeemask.h | TI BSD | Texas Instruments, Inc. |
| imath64.c | TI BSD | Texas Instruments, Inc. |
| imaxabs.c | TI BSD | Texas Instruments, Inc. |
| imaxdiv.c | TI BSD | Texas Instruments, Inc. |
| index.c | TI BSD | Texas Instruments, Inc. |
| inttypes.h | TI BSD | Texas Instruments, Inc. |
| isalnum.c | TI BSD | Texas Instruments, Inc. |
| isalpha.c | TI BSD | Texas Instruments, Inc. |
| isascii.c | TI BSD | Texas Instruments, Inc. |
| iscntrl.c | TI BSD | Texas Instruments, Inc. |
| isdigit.c | TI BSD | Texas Instruments, Inc. |
| isfinite.c | TI BSD | Texas Instruments, Inc. |
| isfinitef.c | TI BSD | Texas Instruments, Inc. |
| isfinitef_i.h | TI BSD | Texas Instruments, Inc. |
| isgraph.c | TI BSD | Texas Instruments, Inc. |
| isinf.c | TI BSD | Texas Instruments, Inc. |
| isinff.c | TI BSD | Texas Instruments, Inc. |
| isinff_i.h | TI BSD | Texas Instruments, Inc. |
| islower.c | TI BSD | Texas Instruments, Inc. |
| isnan.c | TI BSD | Texas Instruments, Inc. |
| isnanf.c | TI BSD | Texas Instruments, Inc. |

RTS Manifest

Version 2.1.5

| | | |
|---------------------|--------|-------------------------|
| isnormal.c | TI BSD | Texas Instruments, Inc. |
| isnormalf.c | TI BSD | Texas Instruments, Inc. |
| isnormalf_i.h | TI BSD | Texas Instruments, Inc. |
| iso646.h | TI BSD | Texas Instruments, Inc. |
| isprint.c | TI BSD | Texas Instruments, Inc. |
| ispunct.c | TI BSD | Texas Instruments, Inc. |
| isspace.c | TI BSD | Texas Instruments, Inc. |
| isupper.c | TI BSD | Texas Instruments, Inc. |
| isxdigit.c | TI BSD | Texas Instruments, Inc. |
| ldexp.c | TI BSD | Texas Instruments, Inc. |
| ldexpf.c | TI BSD | Texas Instruments, Inc. |
| ldexpf_i.h | TI BSD | Texas Instruments, Inc. |
| ldiv.c | TI BSD | Texas Instruments, Inc. |
| led.c | TI BSD | Texas Instruments, Inc. |
| lef.c | TI BSD | Texas Instruments, Inc. |
| leqf_i.h | TI BSD | Texas Instruments, Inc. |
| limits.h | TI BSD | Texas Instruments, Inc. |
| linkage.h | TI BSD | Texas Instruments, Inc. |
| lldiv.c | TI BSD | Texas Instruments, Inc. |
| llmpy.c | TI BSD | Texas Instruments, Inc. |
| locale.h | TI BSD | Texas Instruments, Inc. |
| localtim.c | TI BSD | Texas Instruments, Inc. |
| log.c | TI BSD | Texas Instruments, Inc. |
| log10.c | TI BSD | Texas Instruments, Inc. |
| log10f.c | TI BSD | Texas Instruments, Inc. |
| log10f_i.h | TI BSD | Texas Instruments, Inc. |
| log2.c | TI BSD | Texas Instruments, Inc. |
| log2f.c | TI BSD | Texas Instruments, Inc. |
| log2f_i.h | TI BSD | Texas Instruments, Inc. |
| logf.c | TI BSD | Texas Instruments, Inc. |
| logf_i.h | TI BSD | Texas Instruments, Inc. |
| longdouble_config.h | TI BSD | Texas Instruments, Inc. |
| lowlev.c | TI BSD | Texas Instruments, Inc. |
| lssf_i.h | TI BSD | Texas Instruments, Inc. |
| ltd.c | TI BSD | Texas Instruments, Inc. |
| ltf.c | TI BSD | Texas Instruments, Inc. |
| ltoa.c | TI BSD | Texas Instruments, Inc. |
| math.h | TI BSD | Texas Instruments, Inc. |
| math_intr_access.h | TI BSD | Texas Instruments, Inc. |
| math_ld.c | TI BSD | Texas Instruments, Inc. |
| math_ld.h | TI BSD | Texas Instruments, Inc. |
| mathf.h | TI BSD | Texas Instruments, Inc. |
| mathl.h | TI BSD | Texas Instruments, Inc. |
| memccpy.c | TI BSD | Texas Instruments, Inc. |
| memchr.c | TI BSD | Texas Instruments, Inc. |
| memcmp.c | TI BSD | Texas Instruments, Inc. |
| memcpy.asm | TI BSD | Texas Instruments, Inc. |
| memmov.c | TI BSD | Texas Instruments, Inc. |
| memory.c | TI BSD | Texas Instruments, Inc. |
| memset.c | TI BSD | Texas Instruments, Inc. |
| mktime.c | TI BSD | Texas Instruments, Inc. |
| modf.c | TI BSD | Texas Instruments, Inc. |
| modff.c | TI BSD | Texas Instruments, Inc. |
| modff_i.h | TI BSD | Texas Instruments, Inc. |
| modfl.c | TI BSD | Texas Instruments, Inc. |
| mpyd.c | TI BSD | Texas Instruments, Inc. |
| mpyf.c | TI BSD | Texas Instruments, Inc. |
| mpyf_i.h | TI BSD | Texas Instruments, Inc. |
| mpyi.c | TI BSD | Texas Instruments, Inc. |
| multibyte.c | TI BSD | Texas Instruments, Inc. |
| negd.c | TI BSD | Texas Instruments, Inc. |
| negf.c | TI BSD | Texas Instruments, Inc. |
| negf_i.h | TI BSD | Texas Instruments, Inc. |

RTS Manifest

Version 2.1.5

| | | |
|---------------|--------|-------------------------|
| neqf_i.h | TI BSD | Texas Instruments, Inc. |
| neqld.c | TI BSD | Texas Instruments, Inc. |
| neqlf.c | TI BSD | Texas Instruments, Inc. |
| nextafter_i.h | TI BSD | Texas Instruments, Inc. |
| numconst.h | TI BSD | Texas Instruments, Inc. |
| perror.c | TI BSD | Texas Instruments, Inc. |
| pow.c | TI BSD | Texas Instruments, Inc. |
| powf.c | TI BSD | Texas Instruments, Inc. |
| powf_i.h | TI BSD | Texas Instruments, Inc. |
| powi.c | TI BSD | Texas Instruments, Inc. |
| powif.c | TI BSD | Texas Instruments, Inc. |
| powif_i.h | TI BSD | Texas Instruments, Inc. |
| printf.c | TI BSD | Texas Instruments, Inc. |
| pru_math.h | TI BSD | Texas Instruments, Inc. |
| qsort.c | TI BSD | Texas Instruments, Inc. |
| rand.c | TI BSD | Texas Instruments, Inc. |
| reald.h | TI BSD | Texas Instruments, Inc. |
| remi_c.c | TI BSD | Texas Instruments, Inc. |
| remove.c | TI BSD | Texas Instruments, Inc. |
| remu_c.c | TI BSD | Texas Instruments, Inc. |
| renormd.c | TI BSD | Texas Instruments, Inc. |
| renormd.h | TI BSD | Texas Instruments, Inc. |
| renormf.c | TI BSD | Texas Instruments, Inc. |
| renormf.h | TI BSD | Texas Instruments, Inc. |
| renormf_i.h | TI BSD | Texas Instruments, Inc. |
| rewind.c | TI BSD | Texas Instruments, Inc. |
| rindex.c | TI BSD | Texas Instruments, Inc. |
| round.c | TI BSD | Texas Instruments, Inc. |
| roundf.c | TI BSD | Texas Instruments, Inc. |
| roundf_i.h | TI BSD | Texas Instruments, Inc. |
| rsqrt.c | TI BSD | Texas Instruments, Inc. |
| rsqrtf.c | TI BSD | Texas Instruments, Inc. |
| rsqrtf_i.h | TI BSD | Texas Instruments, Inc. |
| setbuf.c | TI BSD | Texas Instruments, Inc. |
| setjmp.asm | TI BSD | Texas Instruments, Inc. |
| setjmp.h | TI BSD | Texas Instruments, Inc. |
| setlocale.c | TI BSD | Texas Instruments, Inc. |
| setvbuf.c | TI BSD | Texas Instruments, Inc. |
| signal.c | TI BSD | Texas Instruments, Inc. |
| signbit.c | TI BSD | Texas Instruments, Inc. |
| sin.c | TI BSD | Texas Instruments, Inc. |
| sinf.c | TI BSD | Texas Instruments, Inc. |
| sinf_i.h | TI BSD | Texas Instruments, Inc. |
| sinh.c | TI BSD | Texas Instruments, Inc. |
| sinhf.c | TI BSD | Texas Instruments, Inc. |
| sinhf_i.h | TI BSD | Texas Instruments, Inc. |
| sinit.c | TI BSD | Texas Instruments, Inc. |
| snprintf.c | TI BSD | Texas Instruments, Inc. |
| sprintf.c | TI BSD | Texas Instruments, Inc. |
| sqrt.c | TI BSD | Texas Instruments, Inc. |
| sqrtf.c | TI BSD | Texas Instruments, Inc. |
| sqrtf_i.h | TI BSD | Texas Instruments, Inc. |
| sscanf.c | TI BSD | Texas Instruments, Inc. |
| stdarg.h | TI BSD | Texas Instruments, Inc. |
| stddef.h | TI BSD | Texas Instruments, Inc. |
| stdint.h | TI BSD | Texas Instruments, Inc. |
| stdio.h | TI BSD | Texas Instruments, Inc. |
| stdlib.h | TI BSD | Texas Instruments, Inc. |
| strcasecmp.c | TI BSD | Texas Instruments, Inc. |
| strcat.c | TI BSD | Texas Instruments, Inc. |
| strchr.c | TI BSD | Texas Instruments, Inc. |
| strcmp.c | TI BSD | Texas Instruments, Inc. |
| strcoll.c | TI BSD | Texas Instruments, Inc. |

RTS Manifest

Version 2.1.5

| | | |
|---------------|--------|-------------------------|
| strcpy.c | TI BSD | Texas Instruments, Inc. |
| strcspn.c | TI BSD | Texas Instruments, Inc. |
| strdup.c | TI BSD | Texas Instruments, Inc. |
| strerror.c | TI BSD | Texas Instruments, Inc. |
| strftime.c | TI BSD | Texas Instruments, Inc. |
| string.h | TI BSD | Texas Instruments, Inc. |
| strings.h | TI BSD | Texas Instruments, Inc. |
| strlen.c | TI BSD | Texas Instruments, Inc. |
| strncasecmp.c | TI BSD | Texas Instruments, Inc. |
| strncat.c | TI BSD | Texas Instruments, Inc. |
| strncmp.c | TI BSD | Texas Instruments, Inc. |
| strncpy.c | TI BSD | Texas Instruments, Inc. |
| strpbrk.c | TI BSD | Texas Instruments, Inc. |
| strrchr.c | TI BSD | Texas Instruments, Inc. |
| strspn.c | TI BSD | Texas Instruments, Inc. |
| strstr.c | TI BSD | Texas Instruments, Inc. |
| strtod.c | TI BSD | Texas Instruments, Inc. |
| strtof.c | TI BSD | Texas Instruments, Inc. |
| strtoimax.c | TI BSD | Texas Instruments, Inc. |
| strtok.c | TI BSD | Texas Instruments, Inc. |
| strtol.c | TI BSD | Texas Instruments, Inc. |
| strtold.c | TI BSD | Texas Instruments, Inc. |
| strtoll.c | TI BSD | Texas Instruments, Inc. |
| strtoul.c | TI BSD | Texas Instruments, Inc. |
| strtoull.c | TI BSD | Texas Instruments, Inc. |
| strtoumax.c | TI BSD | Texas Instruments, Inc. |
| strxfrm.c | TI BSD | Texas Instruments, Inc. |
| subd.c | TI BSD | Texas Instruments, Inc. |
| subf.c | TI BSD | Texas Instruments, Inc. |
| subf_i.h | TI BSD | Texas Instruments, Inc. |
| syntd.h | TI BSD | Texas Instruments, Inc. |
| syntf.h | TI BSD | Texas Instruments, Inc. |
| tan.c | TI BSD | Texas Instruments, Inc. |
| tanf.c | TI BSD | Texas Instruments, Inc. |
| tanf_i.h | TI BSD | Texas Instruments, Inc. |
| tanh.c | TI BSD | Texas Instruments, Inc. |
| tanhf.c | TI BSD | Texas Instruments, Inc. |
| tanhf_i.h | TI BSD | Texas Instruments, Inc. |
| target.h | TI BSD | Texas Instruments, Inc. |
| time.c | TI BSD | Texas Instruments, Inc. |
| time.h | TI BSD | Texas Instruments, Inc. |
| tmpfile.c | TI BSD | Texas Instruments, Inc. |
| tmpnam.c | TI BSD | Texas Instruments, Inc. |
| tmzone.c | TI BSD | Texas Instruments, Inc. |
| toascii.c | TI BSD | Texas Instruments, Inc. |
| tolower.c | TI BSD | Texas Instruments, Inc. |
| toupper.c | TI BSD | Texas Instruments, Inc. |
| trgcio.h | TI BSD | Texas Instruments, Inc. |
| trgdrv.c | TI BSD | Texas Instruments, Inc. |
| trgmsg.c | TI BSD | Texas Instruments, Inc. |
| trunc.c | TI BSD | Texas Instruments, Inc. |
| truncf.c | TI BSD | Texas Instruments, Inc. |
| truncf_i.h | TI BSD | Texas Instruments, Inc. |
| ungetc.c | TI BSD | Texas Instruments, Inc. |
| vfprintf.c | TI BSD | Texas Instruments, Inc. |
| vprintf.c | TI BSD | Texas Instruments, Inc. |
| vsnprintf.c | TI BSD | Texas Instruments, Inc. |
| vsprintf.c | TI BSD | Texas Instruments, Inc. |
| wchar.c | TI BSD | Texas Instruments, Inc. |
| wctype.c | TI BSD | Texas Instruments, Inc. |
| wctype.h | TI BSD | Texas Instruments, Inc. |

LICENSES

-- TI SLA --

TI Software License Agreement included with the release.

-- TI BSD --

Copyright (c) 2017, Texas Instruments Incorporated
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Neither the name of Texas Instruments Incorporated nor the names of
its contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.