Spadewick 2.0: master test checklist

Build under test: Spadewick-2.0.0-dev.4-portable.exe (and dist\win-unpacked). Windows 10 or 11.

How to use

This list covers the whole application and does not assume any earlier test passed. Work through the areas in order; each case has steps and an expected result. Tick the box when the result matches. Use COPIES of real projects, plus one new project with about 20 cards, a poker set and a tarot set. Write the case number and what you saw in Notes for anything that does not match, or anything odd even if it is not on the list.

Suggested test data

A set of 20 cards with text, number, image, colour, rich text and formula fields; a second set in tarot size; five images (PNG, JPG, WEBP, SVG); two fonts; one older 1.9 project; a CSV and a JSON file of cards; a folder of Markdown files with pictures.

1. Install and start

Use the portable exe from a folder of its own (a clean folder, then again with existing data).

ID	Test and steps	Expected result	OK	Notes
1.1	**First start** 1. Run the exe in an empty folder	- The window opens with no error - data and projects folders appear beside the exe - the welcome screen shows	☐	
1.2	**About and version** 1. Help, About	- Name Spadewick and version 2.0.0-dev.4 are shown	☐	
1.3	**Themes** 1. Preferences: choose light, dark, system	- Every screen changes with no unreadable text and no flicker of old colours	☐	
1.4	**Second start keeps settings** 1. Close and start again	- Theme, panel sizes and recent projects are remembered	☐	
1.5	**Window sizes** 1. Make the window small, then maximise	- Nothing overlaps or is cut off - panels can be resized by their dividers and reset by double-click	☐	

2. Projects

File menu and the welcome screen.

ID	Test and steps	Expected result	OK	Notes
2.1	**New project** 1. New project, give a name and folder	- A project opens with no sets - the folder contains project.db	☐	
2.2	**Open, recent, close** 1. Close, then open from Recent and with Open project	- The same project returns - a folder that is not a project gives a clear message	☐	
2.3	**Duplicate and reveal** 1. Duplicate project to a new folder 2. Reveal in Explorer	- A full copy opens - Explorer shows the folder - an existing folder is refused	☐	
2.4	**Open an older project** 1. Open a project from version 1.9 (a copy)	- It opens, a snapshot is taken first, and a note says it was upgraded - cards and templates look the same	☐	
2.5	**Project from a newer version** 1. Not available by hand: skip unless a newer file exists	- It is refused with a message that names the versions, and nothing is changed	☐	
2.6	**Lock** 1. Open the same project in two copies of the app	- The second says another program has it open	☐	
2.7	**Autosave status** 1. Edit something and watch the status bar	- Saved just now, then seconds ago	☐	
2.8	**Integrity check** 1. Project, Check database integrity	- A message says it passed	☐	

3. Sets and card sizes

Sidebar.

ID	Test and steps	Expected result	OK	Notes
3.1	**New set** 1. New Set 2. name 3. pick Poker	- The set appears with a code (4 letters) and the card size	☐	
3.2	**Every size** 1. Change the size to each preset and to Custom 50 x 80 mm	- Size shows - a prompt lists what would be cleared when templates no longer fit - cards keep their data	☐	
3.3	**Set code** 1. Edit the set code	- New cards use it - existing card IDs do not change - a duplicate code is refused	☐	
3.4	**Rename, reorder, delete** 1. Rename a set, drag to reorder, delete one	- Order is kept after restart - delete asks first and removes its cards	☐	
3.5	**Template and Card back slots** 1. Open the lists	- Only templates of the set size are offered - Edit buttons open the template	☐	
3.6	**New set from template** 1. New Set from Template, choose a starter with sample cards	- A set with the right size, fields, sample cards and default template	☐	

4. Fields

Edit, Manage fields.

ID	Test and steps	Expected result	OK	Notes
4.1	**Every field type** 1. Add text, number, boolean, image, colour, formula and rich text fields	- Each appears as a column with a suitable editor	☐	
4.2	**Validation** 1. Give a number field min 0 max 10 2. type 20 and abc	- Both are refused with a message and the cell keeps its value	☐	
4.3	**Formula field** 1. Make a formula using other fields, change one	- The result updates - an error shows as an error cell, not a crash	☐	
4.4	**Rename a field** 1. Rename a field used by a template	- Templates that used it are updated to the new name	☐	
4.5	**Reorder, hide, widths** 1. Drag column headers, hide a column, resize one	- Kept after restart - hidden columns can be shown from the toolbar	☐	
4.6	**Delete a field** 1. Delete a field	- Asks first - undo brings it back with its data	☐	

5. Card table

Cards tab.

ID	Test and steps	Expected result	OK	Notes
5.1	**Edit cells** 1. Click, type, Enter, Tab, arrows, F2, Escape	- Moves and edits as a spreadsheet does - Escape cancels	☐	
5.2	**Add, duplicate, delete** 1. Add a card with Tab at the end 2. duplicate 3. delete several	- New IDs are given - duplicate keeps template and back - undo restores	☐	
5.3	**Multi-select and bulk edit** 1. Select rows with Shift and Ctrl and edit one cell	- The edit applies to every selected row	☐	
5.4	**Paste and fill** 1. Copy cells from a spreadsheet and paste	- Values land in the right cells and are validated	☐	
5.5	**Sort, filter, find and replace** 1. Use Find and Replace (also regex) with preview	- The preview lists changes - applying is one undo step	☐	
5.6	**Quantity** 1. Set copies to 0, 1, 3	- Used by exports - 0 leaves the card out	☐	
5.7	**Template and Card back columns** 1. Choose a template and a back for one card	- The preview and exports follow - (set default) returns to the set	☐	
5.8	**Large table** 1. Import 2000 cards	- Scrolling stays smooth and editing responds at once	☐	
5.9	**Preview pane** 1. Select cards 2. resize the pane 3. open full size	- The card is drawn within a moment of each edit - full size is 1 to 1	☐	

6. Data import and export

Data menu.

ID	Test and steps	Expected result	OK	Notes
6.1	**Import CSV** 1. Import a CSV with the mapping screen	- Columns map - bad rows are listed with reasons - append and merge modes work	☐	
6.2	**Import JSON** 1. Import a JSON array	- Same as CSV	☐	
6.3	**Export CSV and JSON** 1. Export both with and without metadata	- card_id is the first column - metadata adds id, set, template and back	☐	
6.4	**Round trip** 1. Export then import into a new set	- IDs and values survive	☐	
6.5	**Odd text** 1. Cells with quotes, commas, line breaks, accents, emoji	- Survive both directions	☐	

7. Card IDs

Project, Card IDs.

ID	Test and steps	Expected result	OK	Notes
7.1	**Pattern** 1. Change the ID pattern	- New IDs use it - old ones stay	☐	
7.2	**Uniqueness** 1. Edit an ID to one that exists	- Refused with a message	☐	
7.3	**Never reused** 1. Delete the last card and add one	- The new card does not reuse the number	☐	
7.4	**In templates** 1. Use the card ID and number tokens in a template	- They show the card values	☐	

8. Images, fonts, icons, text styles

Assets tab and Edit dialogs.

ID	Test and steps	Expected result	OK	Notes
8.1	**Import images** 1. Import PNG, JPG, WEBP, SVG 2. drag in several	- Thumbnails appear - sizes shown - duplicates handled	☐	
8.2	**Replace and delete** 1. Replace an image 2. delete one that is used	- Used images warn first - cards keep working - undo restores the file	☐	
8.3	**Image field** 1. Choose an image for a card from the picker	- It shows in the table and on the card	☐	
8.4	**Fonts** 1. Import TTF, OTF, WOFF 2. use them in a template	- They draw in preview and exports - a font that forbids embedding warns	☐	
8.5	**Icons** 1. Add an icon with aliases 2. use it in a rich text field	- It draws inline - a missing icon is flagged	☐	
8.6	**Text styles and keyword rules** 1. Make a style and a rule	- Rules style matching words on every card	☐	
8.7	**Text check** 1. Check text	- Missing glyphs, icons, text that does not fit are listed with Show me	☐	

9. Template editor and library

Template Editor tab.

ID	Test and steps	Expected result	OK	Notes
9.1	**New template** 1. New template with a name and size	- It opens on a blank canvas of that size - size is locked	☐	
9.2	**Panels** 1. Open View source 2. edit 3. save	- Source is highlighted - invalid XML is explained with a line number - Save writes - unsaved mark shows	☐	
9.3	**Live preview** 1. Choose a different preview card	- The canvas shows that card real data	☐	
9.4	**Layers panel** 1. Hide, lock, rename, reorder layers	- Each takes effect on the canvas - hidden layers are not exported	☐	
9.5	**Tokens and fields** 1. Bind a text to a field 2. bind an image to an image field or a library image	- The card shows the data - image elements always offer a library image	☐	
9.6	**Conditions and fit** 1. Set show-if and a text fit mode	- Elements appear by condition - text shrinks or wraps	☐	
9.7	**Inheritance** 1. Make a frame template and a child that fills its slot	- The child shows inside the frame - the list shows a tree	☐	
9.8	**Library: use** 1. Library, use a starter 2. use one with a field clash	- A clash needs a decision before anything is copied	☐	
9.9	**Library: save and share** 1. Save a template to My templates 2. export and import a package	- Fonts and images travel - a package from a newer version is refused	☐	
9.10	**Update and reset from library** 1. Change the library item 2. Update the project copy	- A summary of differences is shown before replacing	☐	
9.11	**Import SVG** 1. Import an SVG made in a drawing program	- Named layers bind to fields - a report lists what was bound	☐	
9.12	**Bleed** 1. Add bleed to the canvas	- Content keeps its place - template says it includes bleed	☐	

10. Canvas editing

Template Editor canvas.

ID	Test and steps	Expected result	OK	Notes
10.1	**Tools and shortcuts** 1. V T I R E keys 2. draw each shape	- The tool changes - a new text in a field-less set is typed at once	☐	
10.2	**Select several** 1. Shift/Ctrl click, rubber band, Ctrl+A, Escape	- Selection behaves - locked and hidden are skipped by Ctrl+A	☐	
10.3	**Move, resize, nudge** 1. Drag, corner handles, arrow keys, Delete	- Snaps to card, others and grid - Escape cancels a drag - each is one undo	☐	
10.4	**Copy paste duplicate** 1. Ctrl+C, V, X, D 2. paste into another template	- Names are free - gradients travel - clipboard survives template change	☐	
10.5	**Group and ungroup** 1. Ctrl+G and Ctrl+Shift+G	- Group stays among layers - effects block ungroup with a reason	☐	
10.6	**Align and distribute** 1. Use each align button 2. distribute three	- Elements align to card (one) or block (several) - locked stay	☐	

ID	Test and steps	Expected result	OK	Notes
10.7	**Rotation** 1. Round handle 2. Shift 3. number box	- Turns about centre, snaps 15 degrees, label shows angle	☐	
10.8	**Fill, gradient, stroke** 1. Solid, linear, radial 2. stops 3. dashes 4. ends 5. corners	- Draws on the card and in exports	☐	
10.9	**Shadow, blur, blend, opacity** 1. Set each	- Draws on shapes and on text	☐	
10.10	**Text on canvas** 1. Double-click, Enter, Ctrl+Enter, Escape 2. field text	- Typing happens in place at zoom - field text explains where words come from	☐	
10.11	**Text controls** 1. Font, weight, size, tracking, outline, shadow, small caps, bullets, balance	- Each shows on the card	☐	
10.12	**Text styles** 1. Apply and save a style from the panel	- Values are copied - later style changes do not alter the text	☐	
10.13	**Zoom pan rulers grid** 1. Ctrl+wheel, Space-drag, rulers, grid, snap, guides	- Work together at every zoom - zoom stays sharp	☐	
10.14	**Image blocks** 1. Select an image layer 2. choose or import a picture 3. change to an image field	- Image source offers library image first - art blocks of starters take pictures - a rectangle can become an image block	☐	
10.15	**Undo in the editor** 1. Ctrl+Z and Ctrl+Y over many edits	- Each action is one step - text typing undoes with the box	☐	

11. Rich text

A rich text field.

ID	Test and steps	Expected result	OK	Notes
11.1	**Editor** 1. Bold, italic, icons, line breaks, lists	- Shows on the card - the table cell shows plain words	☐	
11.2	**Fit and hyphens** 1. Long text in a small box	- Shrinks to fit - a red marker shows when it cannot	☐	
11.3	**Exports** 1. Export with rich text	- Looks like the preview	☐	

12. Card backs

Sidebar, card table, preview, exports.

ID	Test and steps	Expected result	OK	Notes
12.1	**New back** 1. New back 2. try three designs and colours 3. Create and edit	- The back is the set back and opens in the editor with an emblem layer	☐	
12.2	**Logo** 1. Put a picture in the emblem layer	- Shows in the middle	☐	
12.3	**Preview flip** 1. Front and Back above the preview	- Back is off with no back - follows changes at once	☐	
12.4	**Own back for a card** 1. Use the Card back column	- That card uses it everywhere	☐	
12.5	**Library backs** 1. Use a library back as the set back	- It becomes the back, not the front	☐	
12.6	**Size change** 1. Change the set size	- A back that no longer fits is cleared with a warning	☐	
12.7	**Delete a back** 1. Delete a template used as a back, then undo	- Sets and cards lose it - undo brings it all back	☐	
12.8	**Back that shows data** 1. Bind a text on a back to a field	- Each card back shows its own value in preview and exports	☐	

13. Components

Template Editor.

ID	Test and steps	Expected result	OK	Notes
13.1	**Make** 1. Select parts 2. Make component 3. name it	- The selection becomes an instance - library has it	☐	
13.2	**Insert** 1. Components button 2. Insert in another template and another size	- Placed in the middle, scaled to the canvas - missing fields are named	☐	
13.3	**Overrides** 1. Change fill, outline, words of a part 2. a second copy differently	- Each instance is independent	☐	
13.4	**Update and push** 1. Save changes to library from one 2. Update another	- The older instance is told - update keeps its changes - Back to library colours drops them	☐	
13.5	**Detach and delete** 1. Detach one 2. delete the component from the library	- Templates are unchanged - the panel says it is not in the library	☐	
13.6	**Share a file** 1. Save as file 2. Add from file	- It returns as a new component - a bad file is refused	☐	
13.7	**Select** 1. Click a part 2. Select the component	- The whole group is selected	☐	

14. Export: Tabletop Simulator, PDF, PNG

Export menu.

ID	Test and steps	Expected result	OK	Notes
14.1	**TTS files** 1. Export TTS with local and web-address links	- Face sheet 10 x 7, back image, JSON - sheets split after 69 cards	☐	
14.2	**TTS backs** 1. Use the set back, a card with another back, a back that shows data	- One image, extra deck sheet, sheet of backs respectively	☐	
14.3	**Back choices** 1. Plain colour, picture, none	- Each is honoured	☐	
14.4	**Print PDF** 1. Letter and A4, margins, gaps, crop marks, bleed, copies	- Cards at true size and layout as chosen	☐	
14.5	**Duplex** 1. Include backs	- Each back lines up behind its front when printed on both sides	☐	
14.6	**PNG sheet** 1. Export a sheet	- Right size and grid	☐	
14.7	**Selection and filters** 1. Export selected cards only 2. a filter expression	- Only those are written - a bad filter is explained	☐	
14.8	**File names** 1. Use a pattern with set and date	- Names are safe and as patterned	☐	

15. Print production

Export PDF production mode, per-card images, readiness check.

ID	Test and steps	Expected result	OK	Notes
15.1	**Production PDF** 1. Export with bleed 3 mm, marks, die line, CMYK	- Pages have the right boxes - the written file passes its own check	☐	
15.2	**Presets** 1. Choose a manufacturer preset	- Settings fill - a size the maker does not list is warned about	☐	
15.3	**Readiness check** 1. Run it with problems: missing image, low resolution, thin line, text near edge, no bleed	- Each is listed with card, element and what to do - Show me opens the element	☐	
15.4	**Blocking** 1. Export with errors	- Blocked unless you insist	☐	
15.5	**Backs** 1. Check with no backs, some backs, a back with a missing picture	- Notes and findings name the back	☐	
15.6	**Per-card images** 1. Export images PNG and JPEG, with backs	- One image per card - one back per different back	☐	
15.7	**Profiles and print colours** 1. Add a profile and a spot colour	- Used in the output and listed in the check	☐	
15.8	**Saved settings** 1. Save and reuse an export profile	- Settings return exactly	☐	

16. Snapshots and compare

Snapshots tab, Project menu.

ID	Test and steps	Expected result	OK	Notes
16.1	**Create and restore** 1. Create 2. change things 3. restore	- State returns - an automatic snapshot is kept first	☐	
16.2	**Export and delete** 1. Export a snapshot 2. delete one	- Files are made - deleting asks	☐	
16.3	**What changed** 1. Edit cards, fields, templates, images, set, backs, rules pages 2. compare	- Every change is listed in words	☐	
16.4	**Put back** 1. Use the old version for a card value, template, image, back, rules page	- Only the chosen items change - undo works	☐	
16.5	**Between two snapshots** 1. Compare two	- Read-only - no restore buttons	☐	
16.6	**Report** 1. Export the change list as text, Markdown, CSV, HTML	- Each opens and matches the screen	☐	

17. Rules

Rules tab.

ID	Test and steps	Expected result	OK	Notes
17.1	**Tree** 1. New page, subpage, rename, move up, down, in, out, fold, delete	- Works with buttons and arrow keys - delete asks - undo restores	☐	
17.2	**Write** 1. Toolbar and Ctrl+B, I, K 2. modes Write, Both, Read	- Marks inserted - preview matches - Saved shows a moment later	☐	
17.3	**Everything it reads** 1. Headings, lists, tasks, tables with alignment, quotes, code, rules, strike	- All render	☐	
17.4	**References** 1. Card link, card picture, library image, page link, missing names	- Chips open the card - pictures show - missing ones are marked	☐	
17.5	**Safety** 1. Type script tags and javascript links	- Shown as text - nothing runs	☐	
17.6	**Links** 1. Web link, heading link	- Web opens in the browser - heading scrolls	☐	
17.7	**Import** 1. Add Markdown files 2. add a folder 3. under a page	- Titles from headings or names - pictures join the image library - one undo removes all	☐	
17.8	**Export** 1. One page, all pages, one web page	- Numbered files with images folder - web page stands alone and links work	☐	
17.9	**Round trip** 1. Export all 2. import into a new project	- Same tree and words	☐	
17.10	**Undo and snapshots** 1. Ctrl+Z in the text 2. Edit Undo after a delete 3. snapshot restore	- Text undoes in the box - page returns - snapshot has the pages	☐	

18. Virtual table

Table tab.

ID	Test and steps	Expected result	OK	Notes
18.1	**Start** 1. New table with two sets, three hands, deal 3, shuffled	- Decks show with counts - hands have cards - backs show	☐	
18.2	**Drag** 1. Take a card, move a pile with Shift, drop on piles and into hands, reorder a hand	- Each lands as expected - Escape cancels a drag	☐	
18.3	**Flip shuffle rotate lock name collect** 1. Use keys F S R and the menu	- Flip reverses order - shuffle changes order - locked piles stay - collect gathers everything	☐	
18.4	**Draw and deal** 1. Draw N to a hand 2. deal N to all	- Cards move from the top - deal is one undo	☐	
18.5	**Look through** 1. Look through, filter, take to hand and table	- Pile changes only when a card is taken	☐	
18.6	**Dice and counters** 1. Roll d4 to d20 2. counter plus and minus 3. label 4. remove	- Values in range - tokens move	☐	

ID	Test and steps	Expected result	OK	Notes
18.7	**Undo and redo** 1. Edit menu Undo, Redo over many moves	- One step per move	☐	
18.8	**Save and open** 1. Save, restart the app, open	- Same cards in the same places - deleting a card since is reported	☐	
18.9	**Zoom and large view** 1. Zoom 2. hover cards	- Pictures stay sharp - large card appears	☐	
18.10	**Keyboard only** 1. Do the above with the keyboard	- Everything is reachable - names are read by a screen reader	☐	
18.11	**Big deck** 1. A deck of 300 cards	- Stays responsive - pictures load as needed	☐	
18.12	**Tabs** 1. Switch tabs and back	- The table is kept	☐	

19. Command line

The launcher in resources (spadewick.cmd).

ID	Test and steps	Expected result	OK	Notes
19.1	**Help and version** 1. help 2. version	- Quick answers, exit 0	☐	
19.2	**Read commands** 1. info 2. list sets, cards, templates 3. validate 4. preflight	- Output as documented - exit 1 when errors	☐	
19.3	**Exports** 1. export tts, pdf, png, images, production-pdf 2. render with --side back	- Files written - JSON output parses with --json	☐	
19.4	**Compare and snapshot** 1. snapshot create 2. compare	- Same as the screens	☐	
19.5	**Import** 1. import a CSV with --dry-run, then for real	- Dry run writes nothing	☐	
19.6	**Errors** 1. A wrong flag 2. a missing project 3. a locked project	- Exit codes 2 and 3, no stack trace - --force overrides a lock	☐	
19.7	**Watch** 1. watch export for two runs	- Re-exports after a change	☐	

20. History and undo

Edit menu.

ID	Test and steps	Expected result	OK	Notes
20.1	**Every kind of action** 1. Undo and redo cards, fields, templates, assets, sets, backs, rules structure	- Each goes back and forth cleanly	☐	
20.2	**After restart** 1. Undo after reopening the project	- History is kept up to its limit	☐	
20.3	**Set row undo** 1. Change a set default template through the library, then undo	- The set keeps all its cards	☐	

21. Accessibility and interface

Whole app.

ID	Test and steps	Expected result	OK	Notes
21.1	**Keyboard** 1. Tab through every tab, dialog and menu	- Focus is visible and logical - Escape closes dialogs - no traps	☐	
21.2	**Screen reader names** 1. Use a screen reader on buttons and tables	- Every control has a name	☐	
21.3	**Contrast** 1. Look at both themes	- Text and borders are readable	☐	
21.4	**Tab bar** 1. Arrow keys, Home and End on the tabs	- Moves between Card Data, Template Editor, Rules, Table, Assets, Snapshots	☐	
21.5	**Messages** 1. Cause an error in each area	- Plain words say what happened and what to do	☐	

22. Robustness

Rough use.

ID	Test and steps	Expected result	OK	Notes
22.1	**Kill during work** 1. End the program while editing 2. reopen	- Project opens - at most the last moment is lost	☐	
22.2	**Disk and folders** 1. Open a project from a folder with spaces and accents 2. move the whole app folder	- Works - portable data moves with it	☐	
22.3	**Long session** 1. Use for an hour with many edits and exports	- No slowdown or memory growth you can feel	☐	
22.4	**Wrong files** 1. Import a text file as an image, a damaged zip as a package	- Refused politely	☐	

Tester: _____ Date: _____ Passed: ____ Failed: ____ Decision: _____