Spadewick 2.0 (in development): test plan and checklist

Build under test: dist\Spadewick-2.0.0-dev-portable.exe (and dist\win-unpacked). Windows 10 or 11.

How to use this document

Each test case has steps and an expected result. Tick the box when the result matches. If it does not, write the case ID and what you saw in the notes column of the checklist at the end (or in the Fixes log, PRD section 28) so it can be fixed with a regression test. The last pages are a one-line checklist of every case with Pass / Fail / Notes columns.

Before you start

1. Use COPIES of your projects. Copy "Test Project" (17 cards, set "Test Set") from the older portable folder, or make a new project with 20 cards.
2. Run the new portable exe from a folder of its own so its data/ and projects/ folders are separate from the old version.
3. Keep a note of anything odd, even if it is not in a test case.
4. The command-line tests use resources\spadewick.cmd inside dist\win-unpacked.

What is not tested here (left out of this version on purpose)

Cloud features, vector production PDF, macOS and Linux, restoring field changes in snapshot compare, dictionary hyphenation.

A. Live text while dragging (template editor)

Project: any project with a set that has a template with text. Open the Template Editor tab and select the template.

ID	Test and steps	Expected result	OK
A1	**Text follows the mouse** 1. Click a text element on the canvas to select it. 2. Wait 2 seconds. Press and hold the mouse on it and drag it slowly 200 px down. Do NOT release.	- Within about a quarter of a second after each pause, the card picture shows the text at the new place. - The text is gone from the old place while you still hold the mouse. - The properties panel X and Y are unchanged until you release.	☐
A2	**Release writes the move** 1. Repeat A1 and release the mouse. 2. Press Ctrl+Z.	- After release X/Y in the properties panel show the new position and the picture matches (no jump). - Undo returns the text to its first place in one step.	☐
A3	**Escape cancels** 1. Drag a text element, keep the mouse down, press Escape, then release.	- The text returns to where it started and the SVG source (View source) is unchanged.	☐
A4	**Resize text box and move a group** 1. Select a text element that has a box (wrap fit) and drag a corner handle. 2. Select a group (g) layer and drag it.	- The text re-wraps / shrinks live while dragging (short lag allowed). - The group moves live. Nothing is saved until release.	☐
A5	**Images and shapes still smooth** 1. Select an image element and resize it. Select a rectangle and move it.	- The image/shape follows the mouse smoothly (no lag), as before this version.	☐

B. Snapshot compare

Prepare once: open the copy of "Test Project". Tab Snapshots -> "+ Create snapshot" named "Before". Then make these edits: change the Cost of one card; rename one card; change the copies (quantity) of another; delete one card; add one new card; edit the template text size; rename the set; delete one image in the Assets tab (one that is not used) after the snapshot.

ID	Test and steps	Expected result	OK
B1	**Open from the list** 1. Snapshots tab. Click "What changed?" on the snapshot "Before".	- A headline sentence appears, e.g. "Since Before (date): N cards changed, 1 added, 1 removed. ...". - Tabs: Cards, Fields, "Sets, templates, images and fonts" with counts.	☐
B2	**Open from the Project menu** 1. Project menu -> "What Changed Since...". 2. Pick "Before" and click Compare.	- Snapshots tab opens with a picker; the same compare screen opens for the chosen snapshot.	☐
B3	**Cards tab content** 1. Look at the Cards tab. 2. Use the filter: Changed, Added, Removed. Type a card name in the search box.	- Each row has a symbol (+ added, - removed, ~ changed), name, card ID and set. - Changed rows list what changed in words (e.g. "Cost: 3 -> 4", "Name: ...", "Copies: ..."). - Filter and search narrow the list correctly.	☐
B4	**Old and new card side by side** 1. Click a changed card row. 2. Use the View menu: Side by side, Overlay, Slider.	- Two pictures: Before and Now, drawn as the card really looked then. - Overlay: slider fades between them. Slider: a divider moves. - Edited long text shows green (added) and red (removed) words.	☐
B5	**Undo one change** 1. Open a card with a changed Cost. Click "Undo this change" next to Cost.	- A message says the change was restored. The card in the Cards tab has its old Cost again. - The row disappears from the compare list. Ctrl+Z brings the new Cost back (one step).	☐
B6	**Restore several** 1. Tick the boxes of two or three cards (or "Select all shown"). Click "Restore selected".	- Only ticked cards change back; unticked ones keep their edits. - One Ctrl+Z undoes the whole restore.	☐
B7	**Restore a whole card / one column** 1. On a card with 2+ changes click "Restore all changes to this card". 2. If several cards changed Cost, click "Restore all Cost values".	- All of that card (or all Cost values) go back; nothing else is touched.	☐
B8	**Bring a deleted card back, remove an added card** 1. Open the removed card and click "Bring this card back". 2. Open the added card and click "Remove this card".	- The removed card is back in its set with its data, template and copies. - The added card is gone. Both are undoable.	☐
B9	**Fields tab** 1. Add a field and rename another field after the snapshot, then re-open compare. Open the Fields tab.	- Shows "Field added" and "Field renamed: A -> B" (a rename, not a delete + add). No restore buttons (read only on purpose).	☐
B10	**Templates, images, sets** 1. Open the third tab. Click the changed template row. 2. Click "Show source differences".	- The template is drawn before and after. Source differences show red/green lines. - Set rename is listed. The deleted image is listed with a small picture. - Buttons "Use the old version" (template) and "Bring this image back" (image) work: template returns to the old design; the image is in the Assets tab again. Both undoable.	☐
B11	**Compare two snapshots** 1. Create a second snapshot "After". On "After" click "Compare..." and choose "Before".	- Headline says "From Before to After ...". The screen says comparing two snapshots is read-only; there are no restore buttons.	☐
B12	**Export change list** 1. Click "Export change list..." and choose Markdown, then CSV, then HTML. Save each file.	- A Save dialog opens each time. The files open correctly: Markdown headline + sections; CSV columns area,change,set,name,card_id,what,from,to; HTML page with the same list.	☐
B13	**Nothing changed** 1. Create a snapshot and compare it at once.	- Headline: "Nothing has changed since this snapshot." No tabs shown.	☐
B14	**Temp copy is cleaned up** 1. Open and close a compare screen (Close button). Look at %TEMP% for folders named spadewick-compare-*.	- No spadewick-compare-* folder is left after Close.	☐

C. Print readiness in per-card image export

Open Export (PNG) and choose "Per-card images for a print service".

ID	Test and steps	Expected result	OK
C1	**The check runs** 1. Choose a preset (e.g. The Game Crafter, poker). Look at the "Print readiness" section.	- A summary line like "N cards checked: 0 errors, ..." appears within a few seconds. Show/Hide lists findings with "Show me".	☐
C2	**Errors block the export** 1. Set Bleed to 0.	- An error (no bleed) appears and the text "There are errors..." shows. The Export button is disabled. - Tick "Export anyway": the Export button is enabled and the export writes the files.	☐

D. Production PDF: picture compression

Export (PDF) -> "A manufacturer (production)".

ID	Test and steps	Expected result	OK
D1	**Option is there** 1. Find "Picture compression".	- Choices: "Lossless (larger file)" (default) and "JPEG (smaller file, some loss)". Choosing JPEG shows "Quality (50 to 100)".	☐
D2	**JPEG export opens correctly** 1. Export with JPEG, quality 85. Open the PDF in Acrobat Reader or a browser, then in a preflight tool if you have one.	- Colours look the same as the lossless export (no inverted/negative colours, no colour cast) and the pages are the right size. CMYK values are the same within JPEG loss.	☐
D3	**Lossless unchanged** 1. Export again with Lossless.	- Same look as before this version.	☐

E. Command line (packaged launcher)

Open a Command Prompt in dist\win-unpacked\resources and use a COPY of a project. Replace P with the full path of the copy.

ID	Test and steps	Expected result	OK
E1	**Version and help** 1. spadewick.cmd version 2. spadewick.cmd help	- Prints 2.0.0-dev in under 1 second; help lists all commands and ends with the exit codes.	☐
E2	**info / list / validate** 1. spadewick.cmd info --project P 2. spadewick.cmd list cards --project P 3. spadewick.cmd validate --project P	- Tables with your sets and cards; validate prints "N cards checked: 0 errors..." and exit code 0 (echo %errorlevel%).	☐
E3	**validate finds problems** 1. In the app give a number field a value outside its min/max, then run validate again.	- The problem is listed with set, card and field; exit code 1.	☐
E4	**export** 1. spadewick.cmd export images --project P --out C:\temp\img 2. spadewick.cmd export pdf ... 3. spadewick.cmd export tts ...	- Files appear in the output folder; the last line says how many files. Image export matches the app export.	☐
E5	**production PDF gate** 1. spadewick.cmd export production-pdf --project P --opt bleedMm=0 --out C:\temp\pp	- Prints the preflight findings and "Nothing was exported", exit 1. Adding --export-anyway writes the PDF.	☐
E6	**render / compare / preflight** 1. spadewick.cmd render --card "" --out C:\temp\c.png 2. spadewick.cmd compare Before 3. spadewick.cmd compare Before --format csv 4. spadewick.cmd preflight --preset printninja	- A PNG of the card; the change list as text/CSV; preflight findings with exit 0 or 1.	☐
E7	**import** 1. Make a CSV with headers display_name,Title,Cost. spadewick.cmd import cards.csv --set "Test Set" --dry-run, then without --dry-run.	- Dry run says how many rows would be imported and writes nothing. The real import creates the cards; Ctrl+Z in the app (after reopening) can undo it.	☐
E8	**snapshot** 1. spadewick.cmd snapshot create cli-test 2. spadewick.cmd snapshot list 3. spadewick.cmd snapshot restore cli-test	- Created, listed, and restored; the restore reports an automatic "(auto) before restore" snapshot.	☐
E9	**watch** 1. spadewick.cmd watch images --project P --out C:\temp\w 2. Edit a card in the app (project closed in the app is safest) and wait. 3. Press Ctrl+C.	- Exports at once ("Start: ..."), again after the change ("Changed: ..."), and stops on Ctrl+C.	☐
E10	**Errors are friendly** 1. spadewick.cmd info --project C:\nowhere 2. spadewick.cmd export bogus 3. spadewick.cmd info --nope	- A clear one-line message, no stack trace. Exit codes 3, 2 and 2.	☐

F. Project lock

The app writes a lock file named .spadewick.lock in the project folder while the project is open.

ID	Test and steps	Expected result	OK
F1	**Writes refuse while the app has the project open** 1. Keep the project open in the app. In the command line run: spadewick.cmd snapshot create x --project P	- Message "The project is open in another program ..." and exit code 3. Reading commands (info, validate) still work. - Adding --force performs the write.	☐
F2	**Lock is released** 1. Close the project in the app (or quit the app). Look in the project folder. 2. Run the same command again.	- .spadewick.lock is gone; the command works. After a crash/kill of the app a stale lock does not block the command.	☐

G. Regression smoke (things that worked in 1.9 / earlier V2 work)

Quick pass over the main workflows; stop and note anything that looks different from before.

ID	Test and steps	Expected result	OK
G1	**Projects** 1. Create a project, close, reopen; duplicate it.	- All work; no .spadewick.lock is copied into the duplicate.	☐
G2	**Sets, fields, cards** 1. Add a set, fields of each type, 20 cards; edit in the table; undo/redo; find and replace.	- Edits, validation messages and undo/redo behave as before.	☐
G3	**Card IDs and sizes** 1. Open Project -> Card IDs; change the pattern. Change a set card size.	- IDs regenerate as chosen; sizes apply per set.	☐
G4	**Template editor** 1. Add text, image, rectangle; edit properties; layers panel; snapping guides; View source.	- All tools work; snapping and guides as before.	☐
G5	**Rich text, icons, text styles** 1. Use bold/italic/{icon:...} in a rich text field; open Icons and Text styles & keywords dialogs.	- Cards render the markup correctly; dialogs work.	☐
G6	**SVG import** 1. Import an SVG design; check the binding review.	- Layers bind to fields; text is live text.	☐
G7	**Template library and packages** 1. Save a template to the library; export and import a package.	- Round trip works.	☐
G8	**Exports (home)** 1. Export TTS, PDF (print and play) and PNG sheets.	- Files open; layout as before.	☐
G9	**Production PDF and presets** 1. Production PDF with a manufacturer preset; Profiles and Print colours dialogs; Project -> Check print readiness.	- Preset fills settings; proof shows; preflight lists findings and gates the export.	☐
G10	**Snapshots** 1. Create, restore (note the automatic snapshot), export and delete a snapshot.	- All work; restore is reversible through the automatic snapshot.	☐
G11	**Fonts and assets** 1. Import a font and an image; replace and delete an image.	- Used in cards; undo works.	☐
G12	**Keyboard and screen reader basics** 1. Tab through the compare screen, the export dialog and dialogs; check focus rings and Escape closes dialogs.	- Everything reachable by keyboard; no unlabeled controls.	☐
G13	**Version and size** 1. Help -> About; start the portable exe on a clean folder.	- App starts, creates its data/projects folders beside the exe, no error dialogs.	☐

H. Canvas editing: several things at once, paint, text (Template Editor)

Project: any with a set and a template that has a few shapes, a text and an image. Open the Template Editor and select the template.

ID	Test and steps	Expected result	OK
H1	**Select several and move them** 1. Click one element, Shift+click another. Drag a rubber band over empty canvas. Press Ctrl+A. Drag one selected element.	- Every touched element is selected; Ctrl+A skips hidden and locked ones. - Dragging moves them together and snaps as one block; the title says "n elements selected". Escape during the drag puts everything back.	☐
H2	**Resize and nudge several** 1. Select two elements and drag a corner of the common frame. Press the arrow keys, then Delete.	- Both scale with the frame. Arrow keys nudge both. Delete removes both. Each action is one Ctrl+Z.	☐
H3	**Copy, paste, duplicate** 1. Ctrl+C then Ctrl+V twice. Ctrl+D. Select an element with a gradient and copy it into another template (Ctrl+V there).	- Pasted elements lie on top, each a little further, with names like a_copy, a_copy2. The copy brings its gradient or effect; changing it does not change the original.	☐
H4	**Group and ungroup** 1. Select three elements, press Ctrl+G. Select the group, press Ctrl+Shift+G. Give a group an opacity and try to ungroup it.	- A group is one layer; ungroup puts the children back with their look. A group with opacity or an effect refuses with the reason.	☐
H5	**Align and distribute** 1. Select one element and use the align buttons (card). Select three and align left, centre, bottom; then distribute across and down.	- One element aligns to the card, several to the block they make. Distribute needs three and spaces them evenly. Locked elements stay.	☐
H6	**Rotation** 1. Drag the round handle above an element. Hold Shift while turning. Type a number in Rotation.	- The element turns about its centre, Shift snaps to 15 degrees, a label shows the angle, the panel number follows.	☐
H7	**Gradient fill** 1. Select a rectangle. In Appearance choose Linear, edit two stops and the angle; try Radial; go back to Solid.	- The card picture and every export show the gradient; Solid removes it cleanly (View source: no leftover gradient).	☐
H8	**Shadow, blur, blend, stroke** 1. Turn on Drop shadow (x, y, blur, colour). Add Blur. Choose a blend mode. Set stroke width, Dashed and Dotted.	- All draw on the card picture, also on text. Dashes follow the stroke width.	☐
H9	**Colours of the template** 1. Select a shape. Look under Fill and Stroke for small swatches. Click one.	- The swatches are the colours the template already uses; nothing is stored apart from the template.	☐
H10	**Text styles** 1. In Settings/Text styles make a style. Select a text, apply it from "Text style". Change the style afterwards. Click "Save as style…" on another text.	- The values are copied into the text (changing or deleting the style later does not change the text). A saved style appears in the list.	☐
H11	**Typing on the canvas** 1. Double-click a text with no field. Type. Click away. Press Enter on a selected text, type two lines, Ctrl+Enter. Double-click a text that shows a field. Add a new text in a set with no text field.	- The words are typed where the text sits at its size and the zoom; one Ctrl+Z undoes it; a field text says its words come from each card; a new text in a field-less set starts being typed.	☐
H12	**Zoom, pan, shortcuts** 1. Ctrl+wheel to zoom, Space+drag to pan, V T I R E keys, Escape.	- The canvas zooms and pans with the rulers kept; each key picks its tool; Escape deselects.	☐
H13	**Put an image in an art block** 1. Open a premade template (Quest card). Select the art area. Look at the panel. Then draw a plain rectangle, select it and use "Put an image in this block".	- The art area is an image layer: "Image source" with a button to choose or import a picture, and a menu (library image, nothing yet, image field). The rectangle becomes an image layer on top of itself.	☐

I. Starter templates

Open Template Editor -> Library (or Sidebar -> New Set from Template).

ID	Test and steps	Expected result	OK
I1	**The new starters are listed** 1. Browse the library for Poker and for Tarot sizes.	- Poker: Quest card, Action card (modern), two card backs. Tarot: Tarot arched window, Oracle card (night sky), two backs. Each has a picture.	☐
I2	**Quest card** 1. Use it for a new set with sample cards; open the template.	- Parchment card with cost badge, art image layer, type ribbon, rules text that shrinks, flavour and reward bar; two sample cards look right.	☐
I3	**Action card accent colour** 1. Use "Action card (modern)". In the card table change the Accent colour of one card.	- The stripe and the big value take the card's accent colour.	☐
I4	**Tarot arch and Oracle** 1. Use both for a tarot-size set.	- The arched art window and the gradient night sky draw; names, keywords and text show; text shrinks to fit.	☐

J. Card backs

Project: a set with a template and a few cards. Look at the sidebar under the card size.

ID	Test and steps	Expected result	OK
J1	**The two slots** 1. Find "Template" and "Card back" in the sidebar. Choose a back from the list; try one of another card size.	- Both slots list only templates of the set's size. Edit buttons open the template. A template of another size cannot be chosen.	☐
J2	**New back** 1. Click "New back…". Try the three designs and the colours. Choose "Create and edit".	- A preview of each design; the new back becomes the set's card back and opens in the Template Editor with an "emblem" image layer; the list marks it "back".	☐
J3	**Put a logo in the back** 1. Select the emblem layer. Choose or import a picture.	- The picture appears in the middle of the back.	☐
J4	**Preview Front / Back** 1. Select a card in the card table. Press Back above the preview, then Front.	- Back is off while no back exists; then it shows the back; changing the set's back updates it at once.	☐
J5	**A back of its own for a card** 1. In the card table use the "Card back" column to give one card another back.	- That card's preview and exports use it; "(set's back)" returns it to the set's.	☐
J6	**Library backs** 1. Template library -> a card back -> Use. Tick "Use it as the set's card back".	- It becomes the back, not the front template.	☐
J7	**Tabletop Simulator export** 1. Export -> Tabletop Simulator with "The set's card back". Give one card another back and export again.	- One back image for the shared back; a second deck sheet for the card with another back. A back that shows card data gives a sheet of backs.	☐
J8	**Print PDF with backs** 1. Export -> PDF with duplex backs.	- Each back page lines up behind its front, using each card's own back.	☐
J9	**Production PDF and images** 1. Production PDF with the set's back; per-card images; try each "fronts and backs" layout.	- One back picture per different back (per card when the back shows data); the layouts follow.	☐
J10	**Print readiness** 1. Run Project -> Check print readiness with no backs, with backs for some cards, and with a back that has a missing picture.	- A note when no card has a back, a warning for the cards without, and findings in the back named "(back)".	☐
J11	**Compare and delete** 1. Change a card's back after a snapshot and open What changed?. Delete a back template, then Ctrl+Z.	- The change is listed and can be put back. Deleting a back clears it from the set and cards; undo brings it all back.	☐
J12	**Command line** 1. spadewick render --card "" --side back --out back.png; spadewick list sets.	- The back is written; a card with no back says so (exit 2); list shows the card back.	☐

K. Virtual table (Table tab)

Project: a set with a template and about 10 cards. Open the Table tab.

ID	Test and steps	Expected result	OK
K1	**Start a table** 1. New table…; choose the set; 2 hands; deal 3; Start.	- A face-down deck with a count, two hands with three cards each; the deck shows the set's card back (or a plain back).	☐
K2	**Drag cards about** 1. Drag the deck onto the table, into a hand, then a hand card onto the table and onto the deck. Shift-drag the deck.	- A drag takes the top card; Shift-drag or the grip moves the whole pile; cards land on piles, in hands at the place of the pointer, on the table.	☐
K3	**Flip, shuffle, rotate, lock** 1. Select a pile: F, S, R; right-click Lock in place; double-click.	- Flip turns the pile (order reverses); shuffle changes the order; rotate turns a quarter; a locked pile does not move.	☐
K4	**Draw and deal** 1. Set Cards to 2, choose a hand, press Draw; press Deal.	- Draw moves cards from the top into the chosen hand; Deal gives each hand cards one at a time; each is one Undo step.	☐
K5	**Look through a pile** 1. Select a pile and press Look through…; filter by name; take a card into a hand and one onto the table.	- Every card is listed, top first; taking removes it from the pile.	☐
K6	**Dice and counters** 1. Add a d20 and press it several times; add a counter and use + and –; right-click to label and remove.	- The die shows 1..20; the counter counts; tokens move by dragging.	☐
K7	**Undo and redo** 1. Make several moves; Edit -> Undo and Redo.	- Each move is one step.	☐
K8	**Save and open** 1. Save as "Test"; close the app; open the project; Table -> Open….	- The table returns with the same cards in the same places; Delete removes a saved table; leaving a changed table asks first.	☐
K9	**Large view and pictures** 1. Hover a card; zoom out and in; change a template and press Redraw pictures.	- A large picture of the card appears; zoom works; the pictures update.	☐
K10	**Keyboard** 1. Tab to a pile and use F S R D L and the arrow keys; Tab to a hand card and use arrows, Enter, Shift+Enter, the context-menu key.	- Everything the mouse does can be done from the keyboard; piles and cards have names a screen reader reads.	☐

L. Components and the component library

Open the Template Editor on a template with a few shapes and a text.

ID	Test and steps	Expected result	OK
L1	**Make a component** 1. Select two or three elements. In Arrange click "Make component…"; name it.	- The selection becomes one instance; the panel shows a Component section with the name and version 1.	☐
L2	**Insert from the library** 1. Open another template. Click the Components button in the toolbar; Insert the component.	- It appears in the middle of the card (scaled if the canvas has another width); fields it shows that this set lacks are named.	☐
L3	**Change colours and words** 1. In the Component section change a fill, an outline and a text; insert a second copy and change it differently.	- Only that instance changes; the changed parts are marked.	☐
L4	**Update from the library** 1. Change the component in the library (Save changes to library from another instance). Select an older instance.	- The panel says a newer version exists; Update from library replaces the parts and keeps the changed colours and words; "Back to the library's colours" drops them.	☐
L5	**Detach and delete** 1. Detach an instance. Delete a component in the library dialog; open a template that used it.	- Detach makes an ordinary group. A deleted component leaves the templates unchanged; the panel says it is not in the library and Save changes puts it back.	☐
L6	**The library dialog** 1. Rename, search, Save as file…, then Add from a file… on another computer or after deleting.	- A file imports as a new component; a damaged file is refused.	☐
L7	**Select a part or the whole** 1. Click a part of an instance; use "Select the component".	- The part's panel names the component; the button selects the whole group.	☐

M. Rules (Markdown pages)

Open the Rules tab in a project that has a few cards.

ID	Test and steps	Expected result	OK
M1	**Pages in a tree** 1. New page, New subpage, rename in the title box; move up, down, in and out; fold; delete a page with a subpage.	- The list shows the tree; moves work with buttons and arrow keys; deleting asks and one Undo brings it back.	☐
M2	**Writing and formatting** 1. Use the toolbar and Ctrl+B, Ctrl+I, Ctrl+K; switch Write, Both, Read.	- Marks are inserted round the selection; the preview shows headings, lists, tables with alignment, quotes, code, tasks; text is saved a moment later ("Saved").	☐
M3	**Cards, pictures and pages** 1. Insert a card link and a card picture with "Card or page…"; insert an image; link to another page; type a card name that does not exist.	- Card names show as chips (click opens the card), picture of the card shows, the image shows, a missing card or page is marked.	☐
M4	**Links and safety** 1. Write a web link, a #heading link, and <script> text; click the links.	- The web link opens in the browser; the heading link scrolls; the script is shown as text and nothing runs.	☐
M5	**Import** 1. Import Markdown files and a folder (also "under this page").	- Titles come from the first heading or the file name; folders become pages; pictures beside a file come into the image library; one Undo removes the whole import.	☐
M6	**Export** 1. Save one page as Markdown; save all pages as Markdown files; save all as one web page; import the folder in a new project.	- Files are numbered and nested; pictures sit in "images"; the web page needs nothing else and links work; the folder re-imports as the same tree.	☐
M7	**Snapshots** 1. Snapshot, delete a page, edit another, then What changed?.	- Pages added, removed and changed are listed and can be put back.	☐

Checklist

Tester: _____ Date: _____ Build: 2.0.0-dev portable

ID	Test	Pass	Fail	Notes
	A. Live text while dragging (template editor)			
A1	Text follows the mouse	☐	☐	
A2	Release writes the move	☐	☐	
A3	Escape cancels	☐	☐	
A4	Resize text box and move a group	☐	☐	
A5	Images and shapes still smooth	☐	☐	
	B. Snapshot compare			
B1	Open from the list	☐	☐	
B2	Open from the Project menu	☐	☐	
B3	Cards tab content	☐	☐	
B4	Old and new card side by side	☐	☐	
B5	Undo one change	☐	☐	
B6	Restore several	☐	☐	
B7	Restore a whole card / one column	☐	☐	
B8	Bring a deleted card back, remove an added card	☐	☐	
B9	Fields tab	☐	☐	
B10	Templates, images, sets	☐	☐	
B11	Compare two snapshots	☐	☐	
B12	Export change list	☐	☐	
B13	Nothing changed	☐	☐	
B14	Temp copy is cleaned up	☐	☐	
	C. Print readiness in per-card image export			
C1	The check runs	☐	☐	
C2	Errors block the export	☐	☐	
	D. Production PDF: picture compression			
D1	Option is there	☐	☐	
D2	JPEG export opens correctly	☐	☐	
D3	Lossless unchanged	☐	☐	
	E. Command line (packaged launcher)			
E1	Version and help	☐	☐	
E2	info / list / validate	☐	☐	
E3	validate finds problems	☐	☐	
E4	export	☐	☐	
E5	production PDF gate	☐	☐	
E6	render / compare / preflight	☐	☐	
E7	import	☐	☐	
E8	snapshot	☐	☐	
E9	watch	☐	☐	

ID	Test	Pass	Fail	Notes
E10	Errors are friendly	☐	☐	
	F. Project lock			
F1	Writes refuse while the app has the project open	☐	☐	
F2	Lock is released	☐	☐	
	G. Regression smoke (things that worked in 1.9 / earlier V2 work)			
G1	Projects	☐	☐	
G2	Sets, fields, cards	☐	☐	
G3	Card IDs and sizes	☐	☐	
G4	Template editor	☐	☐	
G5	Rich text, icons, text styles	☐	☐	
G6	SVG import	☐	☐	
G7	Template library and packages	☐	☐	
G8	Exports (home)	☐	☐	
G9	Production PDF and presets	☐	☐	
G10	Snapshots	☐	☐	
G11	Fonts and assets	☐	☐	
G12	Keyboard and screen reader basics	☐	☐	
G13	Version and size	☐	☐	
	H. Canvas editing: several things at once, paint, text (Template Editor)			
H1	Select several and move them	☐	☐	
H2	Resize and nudge several	☐	☐	
H3	Copy, paste, duplicate	☐	☐	
H4	Group and ungroup	☐	☐	
H5	Align and distribute	☐	☐	
H6	Rotation	☐	☐	
H7	Gradient fill	☐	☐	
H8	Shadow, blur, blend, stroke	☐	☐	
H9	Colours of the template	☐	☐	
H10	Text styles	☐	☐	
H11	Typing on the canvas	☐	☐	
H12	Zoom, pan, shortcuts	☐	☐	
H13	Put an image in an art block	☐	☐	
	I. Starter templates			
I1	The new starters are listed	☐	☐	
I2	Quest card	☐	☐	
I3	Action card accent colour	☐	☐	
I4	Tarot arch and Oracle	☐	☐	
	J. Card backs			
J1	The two slots	☐	☐	
J2	New back	☐	☐	

ID	Test	Pass	Fail	Notes
J3	Put a logo in the back	☐	☐	
J4	Preview Front / Back	☐	☐	
J5	A back of its own for a card	☐	☐	
J6	Library backs	☐	☐	
J7	Tabletop Simulator export	☐	☐	
J8	Print PDF with backs	☐	☐	
J9	Production PDF and images	☐	☐	
J10	Print readiness	☐	☐	
J11	Compare and delete	☐	☐	
J12	Command line	☐	☐	
	K. Virtual table (Table tab)			
K1	Start a table	☐	☐	
K2	Drag cards about	☐	☐	
K3	Flip, shuffle, rotate, lock	☐	☐	
K4	Draw and deal	☐	☐	
K5	Look through a pile	☐	☐	
K6	Dice and counters	☐	☐	
K7	Undo and redo	☐	☐	
K8	Save and open	☐	☐	
K9	Large view and pictures	☐	☐	
K10	Keyboard	☐	☐	
	L. Components and the component library			
L1	Make a component	☐	☐	
L2	Insert from the library	☐	☐	
L3	Change colours and words	☐	☐	
L4	Update from the library	☐	☐	
L5	Detach and delete	☐	☐	
L6	The library dialog	☐	☐	
L7	Select a part or the whole	☐	☐	
	M. Rules (Markdown pages)			
M1	Pages in a tree	☐	☐	
M2	Writing and formatting	☐	☐	
M3	Cards, pictures and pages	☐	☐	
M4	Links and safety	☐	☐	
M5	Import	☐	☐	
M6	Export	☐	☐	
M7	Snapshots	☐	☐	

Overall: ____ passed ____ failed Release decision: _____