


Pangenome reconstruction in rats enhances genotype-phenotype mapping and novel variant discovery

Flavia Villani¹, Andrea Guarracino¹, Rachel Ward², Tomomi Green², Madeleine Emms³, Michal Pravenec⁴, Pjotr Prins¹, Robert W. Williams¹, Erik Garrison¹, Hao Chen² and Vincenza Colonna^{1,3}

1 Department of Genetics, Genomics and Informatics, University of Tennessee Health Science Center, Memphis, TN 38163, USA;

2 Department of Pharmacology, Addiction Science, and Toxicology, University of Tennessee Health Science Center, Memphis, TN 38163, USA; 3 Institute of Genetics and Biophysics, National Research Council, Naples 80111, Italy; 4 Institute of Physiology, Czech Academy of Sciences, 14200 Prague, Czech Republic.









Adrian Tan, et al., *Unified Representation of Genetic Variants*, 2015, Bioinformatics

Garrison E, et al., Variation graph toolkit improves read mapping by representing genetic variation in the reference, 2018, Nat Biotechnol

Mulligan et al., GeneNetwork: A toolbox for Systems Genetics, 2020, Methods Mol Biol. Wick R.R., et al., Bandage: interactive visualisation of de novo genome assemblies. 2015, Bioinformatics

Yun T, et al., Accurate, scalable cohort variant calls using DeepVariant and GLnexus, 2021, Bioinformatics









fvillan1@uthsc.edu vcolonna@uthsc.edu

