## Create_Address_Doge

to create a doge coin address with private key run
Create_Address_Doge.py

```python
from Create_Address_Helper import Create_Address_Helper
from typing import Tuple


class Create_Address_Doge:
    def __init__(
        self,
        testnet: bool = False,
    ):
        self.coin_symbol: str = "doge"
        self.create_address_helper: Create_Address_Helper = Create_Address_Helper(
            coin_symbol=self.coin_symbol,
            testnet=testnet,
        )

    def make_address_doge(
        self,
        print_result: bool = True,
    ) -> Tuple[str, str]:
        privkey: str = ""
        pub_address: str = ""
        privkey, pub_address = self.create_address_helper.make_address(
            print_result=print_result
        )

        return privkey, pub_address

    def print_available_coins(
        self,
    ):
        self.create_address_helper.print_available_coins()


if __name__ == "__main__":
    create_new_address: Create_Address_Doge = Create_Address_Doge()
    privkey: str = ""
    pub_address: str = ""
    privkey, pub_address = create_new_address.make_address_doge()
    # create_new_address.print_available_coins()
```

```
    Result is this:(print in terminal)

    ------------------------------------------------------------
    Created doge address  Network: Mainnet(the real doge blockchain)
    ------------------------------------------------------------
    doge:Private Key:        baa778ce2b842c97da52ac37e6163a2514844a637b02afabd92f0922d4ec1e88
    doge:Public_address:     DNV2oGc6jnYV3uZXx33oNWEzvSiYy5sVox
    ------------------------------------------------------------
    test it: https://live.blockcypher.com/btc/address/1EfayE6j4nv6L13Q2BdDtys7Gs2b791ev4/
    ------------------------------------------------------------
    ------------------------------------------------------------
    test it(testnet): https://blockexplorer.one/dogecoin/testnet/address/ns3c8yGKiTL1TGgQru9CFbSwGxgLt3EHph
    ------------------------------------------------------------
```