

Webhooks

Table of Contents

1. What is a webhook:	1
2. Configure the third party service	1
3. Configure webhooks in Taiga	1
4. Developing your own integration	3

Taiga comes with an easy third party integration system based on webhooks. Some applications can be integrated with it, and you can configure each one in Taiga.

1. What is a webhook:

A webHook is an HTTP callback: an HTTP POST that occurs when something happens; a simple event-notification via HTTP POST. A web application implementing webHooks will POST a message to a URL when certain things happen.

In other words a webhook is a way for an app to provide other applications with real-time information. A webhook delivers data to other applications as it happens, meaning you get data immediately.

Taiga emits a webhook when

- a sprint is created, updated or deleted.
- a user story is created, updated or deleted.
- a task is created, updated or deleted.
- an issue is created, updated or deleted.
- a wiki page is created, updated or deleted.


2. Configure the third party service

First of all, be sure that the service supports the Taiga webhooks and it's able to understand and process the messages Taiga sends. If we are sure that it's possible we can start:


1. Go to your service and search for support about how to enable Taiga webhooks, and do it.
2. After enabling it, you need to Copy the **payload url** for the webhook and the **secret key**.
 - The **payload url** is the service endpoint that will receive the information sent by Taiga.
 - A **secret key** is a string (long is better) that is used to encrypt and decrypt a message so that only those who know the key can decrypt and read it.

3. Configure webhooks in Taiga


- Go to **Admin > Integrations > Webhooks**.



- Fill the **name**, **secret key** and **payload url** based on the data provided by your service.




- Save the changes and the webhook will be created.



After creating a webhook you'll be able to edit, delete, or test if it works properly.


And you can view the history of the calls done.



The screenshot shows the Taiga webhooks interface. On the left is a sidebar with navigation links: The Princess Bride, Epics, Scrum, Kanban, Issues, Search, Wiki, Team, and Settings. The main content area is divided into two columns: PROJECT and WEBHOOKS. The PROJECT column has tabs for ATTRIBUTES, MEMBERS, PERMISSIONS, INTEGRATIONS, and PLUGINS. The WEBHOOKS column has tabs for GITHUB, GITLAB, BITBUCKET, and GOGS. The right panel shows a list of webhooks with columns for Name and URL. A 'Test' webhook is selected, showing its URL and a history of calls. A 'Do you need help? Check out our support page!' link is visible at the bottom.

PROJECT	WEBHOOKS
ATTRIBUTES	GITHUB
MEMBERS	GITLAB
PERMISSIONS	BITBUCKET
INTEGRATIONS	GOGS
PLUGINS	

Name	URL
Test	https://webhook.site/eb0f20d2-577b-4845-9916-3550c4056b54 (Hide history)
01 Feb 2021 at 12:46:07	
01 Feb 2021 at 12:45:23	



The screenshot shows the Taiga webhooks interface with a detailed view of a webhook call. The left sidebar and project/webhook tabs are the same as in the previous screenshot. The right panel shows the details of a selected webhook call, including the URL, the request headers, the payload, and the response. A 'Resend request' button is visible next to the request details. The payload is a JSON object containing user information. The response is a simple JSON object with a 'content' field.

Name	URL
Test	https://webhook.site/eb0f20d2-577b-4845-9916-3550c4056b54 (Hide history)
01 Feb 2021 at 12:46:07	

Request

Headers

```
Content-Type: application/json
Content-Length: 541
X-Hub-Signature: sha1=dcdf93e8aa4da08863cbec0843418931592969c6
X-TAIGA-WEBHOOK-SIGNATURE: dcd93e8aa4da08863cbec0843418931592969c6
```

Payload

```
{
  "by": {
    "id": 41,
    "photo": "https://taiga.io/media/user/b/1/c/b/bnsret89hfgdf0g8rt0dsg/inigo-montoya.jpg.80x80_q85_crop.jpg?token=YDSFI68D89GF0DF0BIC88DFdsfdfs089787fgdsg90s00dfsd",
    "username": "inigo-montoya",
    "full_name": "inigo-montoya",
    "permalink": "https://taiga.io/profile/inigo-montoya",
    "avatar": "https://taiga.io/profile/inigo-montoya"
  }
}
```

Response

```
{
  "content": ""
}
```

4. Developing your own integration

If you want to integrate your own system with the Taiga webhooks, you can see the technical documentation about [webhooks system](#).