



PNEUMATICS PLAN

MACHINE NUMBER: AS000025

MACHINE DESCRIPTION: FB FlexiBowl® 1200CC V3.0

 ARS Automation - Arezzo - IT	PNEUMATIC	Disegnatore/Designer:	Antonio Esposito	Commissa/Project nr.:	A3	=	#
		Approvazione/Approval:				+	
		Data/Date:	30/03/2026	Matricola/Serial nr.:		Rev.:	Page 1
		Modello macchina/Machine model:	FB_FlexiBowl® 1200CC V3.0	Codice/Equipment code:		AS000025	Total 7

	8	7	6	5	4	3	2	1																													
F	PLATE DATA				HOSE		PIPES			F																											
E	Equipment code				AS000025		Standard hose material:		Polyamide (PA)		Standard pipes material:		Technical Polymer/NBR/Brass		E																						
	Machine model:				FB_FlexiBowl® 1200CC V3.0				Special hose material:				Special pipes material:																								
	Air capacity:						l/min		Exhaust air not collected				Exhaust air collected																								
Air pressure at least:						Bar																															
D					RED				LABELING				Hose numbering:				ARS STANDARD				Components marking:				ARS STANDARD =MACHINE+CABINET#CATEGORY-COMPONENT				Hose connection numbering:				ARS STANDARD =MACHINE+CABINET#CATEGORY-COMPONENT:CONNECTION				D
C					BLUE		Cylinder expulsion																														
C					BLACK		Air supply																														
C					WHITE																																
C					GRAY																																
C					GREEN																																
C					YELLOW																																
C					CLEAR																																
C																																					
C																																					
B																					B																
B																																					
B																																					
B																																					
A	A3				Commissa/Project nr.:				AS000025				=				#				A																
A	DATA SHEET				Disegnatore/Designer:		Antonio Esposito		Matricola/Serial nr.:				Codice/Equipment code:				Rev.:					Page															
A					Approvazione/Approval:																	2															
A					Data/Date:		30/03/2026															Total															
A					Modello macchina/Machine model:		FB_FlexiBowl® 1200CC V3.0																														
	8	7	6	5	4	3	2	1																													



DATA SHEET

Disegnatore/Designer: Antonio Esposito
Approvazione/Approval:
Data/Date: 30/03/2026
Modello macchina/Machine model: FB_FlexiBowl® 1200CC V3.0

Commissa/Project nr.:
Matricola/Serial nr.:
Codice/Equipment code: AS000025
A3
= #
+
Rev.: Page 2
Total 7

	8	7	6	5	4	3	2	1							
F										F					
E	CODE	DESCRIPTION													
	A	Two or more purposes or tasks													
	AF	Control panel													
	B	Conversion of input variables (physical property, condition or event) in a signal intended for further processing													
	BF	Flow meter													
	BG	Position sensor, proximity switch													
	BK	Operating hours counter													
	BL	Level sensor													
	BP	Pressure sensor, vacuum circuit-breaker													
	BT	Temperature sensor, sensor													
	BX	Camera													
	C	Storing of energy, information or material													
	CA	Capacitor, capacitive buffer module													
	E	Supply of radiation or thermal energy													
	EA	Light, illumination, UV light, camera lighting													
	EB	Heating cartridge, heating rod, E-heating													
	EC	Cooling device (only cooling)													
	EZ	Temperature controllers (cooling, heating)													
	F	Direct (independent) protection of an energy or signal flow, from persons or equipment against dangerous or undesirable conditions including systems and equipment for safety purposes													
	FB	Protection against residual current (RCD - residual current device)													
	FC	Protection against excess currents (NH isolators, circuit breakers, motor protectors)													
	FN	Magnetic guard locking for safety doors (process protection)													
	FQ	Protection of individuals (safety door switch, safety light barrier)													
	FZ	Safety PLC (possibly also I/O cards??? - otherwise KF)													
	G	Initiation of energy or material flow; generation of signals used as information carriers or references sources													
	GQ	Fan, fan, vacuum pump, compressor, suction cup (dust extractor)													
	D	K	Processing (input, processing and output) of signals or information (except objects for safety purposes, see code F)												
KF		Relays, optocouplers, input/output assemblies (PLC cards), regulators, PLC													
KZ		Valve terminal (with bus connection) (incl. IO assemblies e.g. CPX)													
M		Provision of mechanical energy (mechanical rotary or linear motion) for drive purposes													
MA		Motor, linear motor, adjusting units, servo motors													
MB		Electromagnet													
P		Representation of information													
PF		Pilot lamp													
PJ		Horn, buzzer													
PZ		Signal light with acoustic element													
Q		Controlled switching or varying of energy, signal or material flow													
QA		Main switch, contactor													
QM		Solenoid valve, multipole valve block													
QN		Proportional valve													
R		Limiting or stabilising of movement or flow of energy, information or material													
RA		Resistor, choke, diode													
RF		Line filter (servos, FC)													
S		Conversion of manual triggering into a signal intended for further processing													
SF		Switch, button, selector switch, illuminated push button, and emergency stop button													
T		Conversion of energy while maintaining the energy type, converting an existing signal while maintaining the information content, changing the form or design of a material													
TA		Transformer, DC/DC inverter, FU													
TB		24V power supply, servo line modules, servo motor module, semiconductor generator													
TF		Measuring amplifier (e.g. at load cell)													
U		Keeping objects in a defined position													
UC		Control cabinet, terminal box, mounting plate, button box													
V		Processing of materials or products (including pretreatment and secondary treatment)													
VN		Printer (laser, thermal transfer, inkjet, etc.)													
VQ	Dust extractor														
W	Conducting or guiding energy, signals, material or products from one place to another														
WC	Busbar energy distribution <1kV (400VAC/24VDC)														
WD	Energy cable														
WE	Busbar reference potential (PE / N / SH / 24M)														
WF	BUS cables (PN,PB,Cube-Bus, Drive-Cliqu)														
WG	Control cables, measurement cables, data cables (e.g. interface cables for control signals, printer connection, scanner cable, etc.)														
X	Connecting objects														
XD	Terminal board, plug, socket (<1kV) e.g. power plug, clamping strips for energy distribution, combined clamping and plug strips														
XE	PE disconnect terminal														
XG	Terminals, plug-in connections (data, signals) e.g. bus plugs, interface terminal board														
XF	Hub, switch														
B	B	Conversion of input variables (physical property, condition or event) in a signal intended for further processing													
	BP	Pressure sensor, vacuum circuit-breaker													
	BK	Time switch timing module													
	C	Storing of energy, information or material													
	CM	Storage, vessel													
	FL	Relief valve													
	DP	Radiator, injector , ejector nozzle													
	GQ	Compressor, vacuum pump, suction cup													
	HQ	Filter													
	K	Processing (input, processing and output) of signals or information (except objects for safety purposes, see code F)													
	KH	Pneumatic valve, pre-control valve, valve block													
	KZ	Valve terminal (with bus connection)													
	M	Provision of mechanical energy (mechanical rotary or linear motion) for drive purposes													
	MM	Cylinder													
	P	Representation of information													
	PH	Visual representation of individual variables, manometer, displays, vacuum meter...													
	Q	Controlled switching or varying of energy, signal or material flow													
	QM	Solenoid valve, multipole valve block													
	QN	Pressure regulator, proportional valve													
	QZ	Service unit, logic components													
	R	Limiting or stabilising of movement or flow of energy, information or material													
	RA	Choke													
	RL	Stop valve													
	RN	Venturi nozzle													
	RM	Check valve / rapid venting													
	RP	Silencer													
	RZ	One-way restrictor / one-way restrictor with stop valve													
SJ	Manual valve														
WN	Conduct and guide flow of liquid, flowable and gaseous materials (closed, flexible containment														
WP	Conduct and guide flow of liquid, flowable and gaseous materials (closed, rigid containment														
X	Connecting objects														
XL	Flanges, fittings, couplings														
XM	Hose connection, hose coupling														
A			COMPONENTS CODING		Disegnatore/Designer: Antonio Esposito		Commissa/Project nr.:		A3		=		#		
					Approvazione/Approval:						+				
					Data/Date: 30/03/2026		Matricola/Serial nr.:		Codice/Equipment code: AS000025		Rev.:		Page 3		
					Modello macchina/Machine model: FB_FlexiBowI® 1200CC V3.0								Total 7		
	8	7	6	5	4	3	2	1							

8

7

6

5

4

3

2

1

F

E


D


C

B

A

PART LIST									
EQUIPMENT DESIGNATION			DESIGNATION			PART NUMBER			
MM1			Twin-Rod Cylinder			CM000730			
MM2			Twin-Rod Cylinder			CM000730			
MM3			Twin-Rod Cylinder			CM002197			
QM1			Solenoid Valve			CM000013			
QM2			Solenoid Valve			CM000013			
QM3			Solenoid Valve			CM000012			
QM4			Solenoid Valve			CM000012			
QM5			Solenoid Valve			CM000013			
QN1			Electronic Pressure Regulator			CM002056			
QN2			Electronic Pressure Regulator			CM002056			
RP1			Muffler			CM000017			
RP2			Muffler			CM000017			
RP3			Muffler			CM000017			
RP4			Muffler			CM000017			
RP5			Muffler			CM000017			
RP6			Muffler			CM000017			
RP7			Muffler			CM000017			
RP8			Muffler			CM000017			
RZ1			Flux Regulator			CM000009			
RZ2			Flux Regulator			CM000009			
WP1			Distributor Block			PD009629			
WP2			Distributor Block			PD009385			






AIR BLOW (OPTIONAL)

Disegnatore/Designer:	Antonio Esposito
Approvazione/Approval:	
Data/Date:	30/03/2026
Modello macchina/Machine model:	FB_FlexiBow® 1200CC V3.0

Commessa/Project nr.:		A3	=	#
Matricola/Serial nr.:			+	
Codice/Equipment code:	AS000025		Rev.:	Page 6
				Total 7



PNEUMATIC EMPTYING
(OPTIONAL)

Disegnatore/Designer:	Antonio Esposito
Approvazione/Approval:	
Data/Date:	30/03/2026
Modello macchina/Machine model:	FB_FlexiBow® 1200CC V3.0

Commessa/Project nr.:		A3	=	#
Matricola/Serial nr.:			+	
Codice/Equipment code:	AS000025		Rev.:	Page 7
				Total 7