














2
10
1
P1
9
2
10
1
P3
9
GND
GND
U1
Clock
Level
Shifter
CD4050BDR
Phi_21
Phi_2
Phi_1
Phi_12
+12V
LMAX
IRLX
RDX
RC
WRX
+5V
B4X
B5X
B6X
B7X
T16
PRIHX
DIS
This end plugs into the backplane
P1
1 TTL PHI 2
2 TTL PHI 1
3 TTL PHI 21
4 TTL PHI 12
5 PRIHX
6 PRIL
7 PWO
8 IRLX
9 GND
10 GND
P3
1 TTL PHI 1
2 LMAX
3 WRX
4 RC
5 RDX
6 HALTX
7 N/C
8 N/C
9 GND
10 GND
P2 Data Bus
1 Bit 0
2 Bit 4
3 Bit 1
4 Bit 5
5 Bit 2
6 Bit 6
7 Bit 3
8 Bit 7
9 GND
10 GND
Sorry, this may seem
illogical, but see
the schematic
Phi_21
SPKR
Phi_2
NC_2
Phi_1
NC_1
Phi_12
GND
+12V
GND
LMAX
GND
IRLX
HALTX
RDX
-5V
RC
-12V
WRX
PWO
+5V
+5V
B4X
B0X
B5X
B1X
B6X
B2X
B7X
B3X
T16
+6V
PRIHX
B17orIF
DIS
PRIL
J1
GND
Fliptronics(C) 2026_10_10
Series 80 I/O Extender
J2
P2
2
10
1
9
GND

SPKR
NC_2
NC_1
GND
GND
GND
$\overline{\text{HALTX}}$
-5V
-12V
PWO
+5V
B0X
B1X
B2X
B3X
+6V
B17 or IF
$\overline{\text{PRIL}}$


4900
2600.00
1100.00
ø 145.00
507
3936
508



