| ZU 2,0 SFU1204        | 1        |                                   |
|-----------------------|----------|-----------------------------------|
| ITEM                  | Quantity | note                              |
| SFU1204 C7            | 3        | 350-450-550-650-750               |
| BK10                  | 2        |                                   |
| Chassis M6x12         | 36       |                                   |
| Chassis M6x20         | 8        |                                   |
| M5x30                 | 4        |                                   |
| M5x45                 | 4        |                                   |
| m5x80                 | 4        |                                   |
| M6 Tnut               | 50       |                                   |
| M3 Tnut               | 5        |                                   |
| Cuntersunk M3x8       | 3        |                                   |
| M2x8                  | 4        |                                   |
| M3x40                 | 2        |                                   |
| m3x10                 | 8        |                                   |
| M3x15                 | 4        |                                   |
| M3x30                 | 4        |                                   |
| M3x20                 | 13       |                                   |
| M3x35                 | 2        |                                   |
| Shoulder Bolt D5M4x35 | 2        |                                   |
| Microshim 8x5x1       | 10       |                                   |
| M6 Washers            | 36       | not mandatory                     |
| M5 Washers            | 8        |                                   |
| Insert M4             | 24       |                                   |
| Insert M6             | 8        | For Old plate idler layout        |
| Insert M5             | 8        |                                   |
| Insert M2             | 4        |                                   |
| Insert M3             | 15       |                                   |
| Coupler 8x5 (Nema 17) | 3        | For Nema 23, check the shaft size |
| 608-2RS               | 3        |                                   |
| Magnet 8x3            | 12       |                                   |
| Ball bearing 4-6mm    | 12       |                                   |
| Dowel pin 35mm        | 6        |                                   |
| Dowel pin 10mm        | 48       |                                   |

| ZU 2,0 SFU1605         | ]        |
|------------------------|----------|
| ITEM                   | Quantity |
| SFU1605 C7             | 3        |
| BK12                   | 2        |
| Chassis M6x12          | 36       |
| Chassis M6x20          | 8        |
| M5x30                  | 8        |
|                        |          |
| m5x80                  | 4        |
| M6 Tnut                | 50       |
| M3 Tnut                | 5        |
| Cuntersunk M3x8        | 3        |
| M3x5                   | 12       |
| M3x40                  | 2        |
| m3x10                  | 8        |
| M3x15                  | 4        |
| M3x30                  | 4        |
| M3x20                  | 13       |
| M3x35                  | 2        |
| Shoulder Bolt D5M4x35  | 2        |
| Microshim 8x5x1        | 10       |
| M6 Washers             | 36       |
| M5 Washers             | 8        |
| Insert M4              | 4        |
| Insert M6              | 8        |
| Insert M5              | 24       |
| M5x16                  | 12       |
| Insert M3              | 18       |
| Coupler 10x5 (NEMA 17) | 3        |
| 6000-zz                | 3        |
| Magnet 8x3             | 12       |
| Ball bearing 4-6mm     | 12       |
| Dowel pin 35mm         | 6        |
| Dowel pin 10mm         | 48       |

| noto  |
|---|
| note  |
| 350-450-550-650-750                         |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
| add +2 if installing new idler plate design |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
| not mandatory                               |
|   |
|   |
| For Old idler plate layout                  |
| add +12 if installing Nema23                |
| For NEMA 23 Only                            |
|   |
| For Nema 23, check the shaft size           |
| 10x26x8mm                                   |
|   |
|   |
|   |
|   |
|   |