ConTEXt
comandi

IT

ConTEXt

comandi

AfterPar	`\AfterPar {...}`
Alphabeticnumerals	`\Alphabeticnumerals {...}`
AMSTEX	`\AMSTEX`
AmSTeX	`\AmSTeX`
And	`\And`
abjadnaivenumerals	`\abjadnaivenumerals {...}`
abjadnodotnumerals	`\abjadnodotnumerals {...}`
abjadnumerals	`\abjadnumerals {...}`
activatespacehandler	`\activatespacehandler {...}`
acute	`\acute {...}`
adaptcollector	`\adaptcollector [...] [..=..]`
adaptfontfeature	`\adaptfontfeature [...] [..=..]`
adaptpapersize	`\adaptpapersize [...] [...]`
adattacampo	`\adattacampo [...] [..=..]`
adattalayout	`\adattalayout [...] [..=..]`
addfeature	`\addfeature [...]`
addfeature:direct	`\addfeature {...}`
addfontpath	`\addfontpath [...]`
addtocommalist	`\addtocommalist {...} \...`
addtoJSpreamble	`\addtoJSpreamble {...} {...}`
addvalue	`\addvalue {...} {...}`
aftersplitstring	`\aftersplitstring ... \at ... \to \...`
aftertestandsplitstring	`\aftertestandsplitstring ... \at ... \to \...`
al	`\al {...} {...} [...]`
alignbottom	`\alignbottom`
aligned	`\aligned [...] {...}`
alignedbox	`\alignedbox [...] \... {...}`
alignedline	`\alignedline {...} {...} {...}`
alignhere	`\alignhere`
alignmentcharacter	`\alignmentcharacter`
allineacentro	`\allineacentro {...}`
allineadestra	`\allineadestra {...}`
allineasinistra	`\allineasinistra {...}`
allinputpaths	`\allinputpaths`
alphabeticnumerals	`\alphabeticnumerals {...}`
alwayscitation	`\alwayscitation [..=..] [...]`
alwayscitation:alternative	`\alwayscitation [...] [...]`
alwayscitation:userdata	`\alwayscitation [..=..] [..=..]`
alwayscite	`\alwayscite [..=..] [...]`
alwayscite:alternative	`\alwayscite [...] [...]`
alwayscite:userdata	`\alwayscite [..=..] [..=..]`
ambiente	`\ambiente [...]`
ambiente:string	`\ambiente ...`
ampersand	`\ampersand`
anchor	`\anchor [...] [..=..] [..=..] {...}`
ap	`\ap {...}`
apagina	`\apagina [...]`
appendetoks	`\appendetoks ... \to \...`
appendgvalue	`\appendgvalue {...} {...}`
appendtocommalist	`\appendtocommalist {...} \...`
appendtoks	`\appendtoks ... \to \...`
appendtoksonce	`\appendtoksonce ... \to \...`
appendvalue	`\appendvalue {...} {...}`
apply	`\apply {...} {...}`
applyalternativestyle	`\applyalternativestyle {...}`
applyprocessor	`\applyprocessor {...} {...}`
applytocharacters	`\applytocharacters \... {...}`
applytofirstcharacter	`\applytofirstcharacter \... {...}`
applytosplitstringchar	`\applytosplitstringchar \... {...}`
applytosplitstringcharspaced	`\applytosplitstringcharspaced \... {...}`
applytosplitstringline	`\applytosplitstringline \... {...}`
applytosplitstringlinespaced	`\applytosplitstringlinespaced \... {...}`
applytosplitstringword	`\applytosplitstringword \... {...}`
applytosplitstringwordspaced	`\applytosplitstringwordspaced \... {...}`
applytowords	`\applytowords \... {...}`
ap:instance	`\HIGH {...}`
ap:instance:unitshigh	`\unitshigh {...}`
arabicdecimals	`\arabicdecimals {...}`
arabicexnumerals	`\arabicexnumerals {...}`
arabicnumerals	`\arabicnumerals {...}`
arg	`\arg {...}`
asciistr	`\asciistr {...}`

assignalfadimension	`\assignalfadimension {...} \... {...} {...} {...}`
assigndimen	`\assigndimen \... {...}`
assigndimension	`\assigndimension {...} \... {...} {...} {...}`
assignifempty	`\assignifempty \... {...}`
assigntranslation	`\assigntranslation [..=..] \to \...`
assignvalue	`\assignvalue {...} \... {...} {...} {...}`
assignwidth	`\assignwidth {...} \... {...} {...}`
assumelongusagecs	`\assumelongusagecs \... {...}`
astype	`\astype {...}`
attachment:instance	`\ATTACHMENT [...] [..=..]`
attachment:instance:attachment	`\attachment [...] [..=..]`
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ... {...}`
autodirvbox	`\autodirvbox ... {...}`
autodirvtop	`\autodirvtop ... {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics {...}`
autopagestaterealpage	`\autopagestaterealpage {...}`
autopagestaterealpageorder	`\autopagestaterealpageorder {...}`
autosetups	`\autosetups {...}`
autostarttesto	`\autostarttesto ... \autostoptesto`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...] {...}`
bar	`\bar {...}`
barracolori	`\barracolori [...]`
barrainterazione	`\barrainterazione [...] [..=..]`
bar:instance	`\BAR {...}`
bar:instance:hiddenbar	`\hiddenbar {...}`
bar:instance:nobar	`\nobar {...}`
bar:instance:overbar	`\overbar {...}`
bar:instance:overbars	`\overbars {...}`
bar:instance:overstrike	`\overstrike {...}`
bar:instance:overstrikes	`\overstrikes {...}`
bar:instance:underbar	`\underbar {...}`
bar:instance:underbars	`\underbars {...}`
bar:instance:underdash	`\underdash {...}`
bar:instance:underdashes	`\underdashes {...}`
bar:instance:underdot	`\underdot {...}`
bar:instance:underdots	`\underdots {...}`
bar:instance:underrandom	`\underrandom {...}`
bar:instance:underrandoms	`\underrandoms {...}`
bar:instance:understrike	`\understrike {...}`
bar:instance:understrikes	`\understrikes {...}`
basegrid	`\basegrid [..=..]`
baselinebottom	`\baselinebottom`
baselineleftbox	`\baselineleftbox {...}`
baselinemiddlebox	`\baselinemiddlebox {...}`
baselinerightbox	`\baselinerightbox {...}`
bbordermatrix	`\bbordermatrix {...}`
bbox	`\bbox {...}`
beforesplitstring	`\beforesplitstring ... \at ... \to \...`
beforetestandsplitstring	`\beforetestandsplitstring ... \at ... \to \...`
beginblock:example	`\beginBLOCK [...] ... \endBLOCK`
beginhbox	`\beginhbox ... \endhbox`
beginofshapebox	`\beginofshapebox ... \endofshapebox`
beginvbox	`\beginvbox ... \endvbox`
beginvtop	`\beginvtop ... \endvtop`
begstrut	`\begstrut ... \endstrut`
bigg	`\bigg ...`

```
bigger                              \bigger
biggl                               \biggl ...
biggm                               \biggm ...
biggr                               \biggr ...
bigl                                \bigl ...
bigm                                \bigm ...
bigr                                \bigr ...
bigskip                             \bigskip
bitmapimage                         \bitmapimage [..=..] {...}
blap                                \blap {...}
bleed                               \bleed [..=..] {...}
bleedheight                         \bleedheight
bleedwidth                          \bleedwidth
blockligatures                      \blockligatures [...]
blocksynctexfile                    \blocksynctexfile [...]
bodyfontenvironmentlist             \bodyfontenvironmentlist
bodyfontsize                        \bodyfontsize
boldface                            \boldface
booleanmodevalue                    \booleanmodevalue {...}
bordermatrix                        \bordermatrix {...}
bottombox                           \bottombox {...}
bottomleftbox                       \bottomleftbox {...}
bottomrightbox                      \bottomrightbox {...}
boxcursor                           \boxcursor
boxmarker                           \boxmarker {...} {...}
boxofsize                           \boxofsize \... ... {...}
boxreference                        \boxreference [...] \... {...}
bpar                                \bpar ... \epar
bpos                                \bpos {...}
breakhere                           \breakhere
breve                               \breve {...}
bTABLE                              \bTABLE [..=..] ... \eTABLE
bTABLEbody                          \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot                          \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead                          \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnext                          \bTABLEnext [..=..] ... \eTABLEnext
bTC                                 \bTC [..=..] ... \eTC
bTD                                 \bTD [..=..] ... \eTD
bTDs                                \bTDs [...] ... \eTDs
bTH                                 \bTH [..=..] ... \eTH
bTN                                 \bTN [..=..] ... \eTN
bTR                                 \bTR [..=..] ... \eTR
bTRs                                \bTRs [...] ... \eTRs
bTX                                 \bTX [..=..] ... \eTX
bTY                                 \bTY [..=..] ... \eTY
btxabbreviatedjournal               \btxabbreviatedjournal {...}
btxaddjournal                       \btxaddjournal [...] [...]
btxalwayscitation                   \btxalwayscitation [..=..] [...]
btxalwayscitation:alternative       \btxalwayscitation [...] [...]
btxalwayscitation:userdata          \btxalwayscitation [..=..] [..=..]
btxauthorfield                      \btxauthorfield {...}
btxdetail                           \btxdetail {...}
btxdirect                           \btxdirect {...}
btxdoif                             \btxdoif {...} {...}
btxdoifcombiinlistelse              \btxdoifcombiinlistelse {...} {...} {...} {...}
btxdoifelse                         \btxdoifelse {...} {...} {...}
btxdoifelsecombiinlist              \btxdoifelsecombiinlist {...} {...} {...} {...}
btxdoifelsesameasprevious           \btxdoifelsesameasprevious {...} {...} {...}
btxdoifelsesameaspreviouschecked    \btxdoifelsesameaspreviouschecked {...} {...} {...} {...}
btxdoifelseuservariable             \btxdoifelseuservariable {...} {...} {...}
btxdoifnot                          \btxdoifnot {...} {...}
btxdoifsameaspreviouscheckedelse    \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}
btxdoifsameaspreviouselse           \btxdoifsameaspreviouselse {...} {...} {...}
btxdoifuservariableelse             \btxdoifuservariableelse {...} {...} {...}
btxexpandedjournal                  \btxexpandedjournal {...}
btxfield                            \btxfield {...}
btxfieldname                        \btxfieldname {...}
btxfieldtype                        \btxfieldtype {...}
btxfirstofrange                     \btxfirstofrange {...}
btxflush                            \btxflush {...}
btxflushauthor                      \btxflushauthor [...] {...}
btxflushauthorinverted              \btxflushauthorinverted {...}
```

```
btxflushauthorinvertedshort          \btxflushauthorinvertedshort {...}
btxflushauthorname                    \btxflushauthorname {...}
btxflushauthornormal                  \btxflushauthornormal {...}
btxflushauthornormalshort             \btxflushauthornormalshort {...}
btxflushsuffix                        \btxflushsuffix
btxfoundname                          \btxfoundname {...}
btxfoundtype                          \btxfoundtype {...}
btxhiddencitation                     \btxhiddencitation [...]
btxhybridcite                         \btxhybridcite [..=..] [...]
btxhybridcite:alternative             \btxhybridcite [...] [...]
btxhybridcite:direct                  \btxhybridcite {...}
btxhybridcite:userdata                \btxhybridcite [..=..] [..=..]
btxlistcitation                       \btxlistcitation [..=..] [...]
btxlistcitation:alternative           \btxlistcitation [...] [...]
btxlistcitation:userdata              \btxlistcitation [..=..] [..=..]
btxloadjournalist                     \btxloadjournalist [...]
btxoneorrange                         \btxoneorrange {...} {...} {...}
btxremapauthor                        \btxremapauthor [...] [...]
btxsavejournalist                     \btxsavejournalist [...]
btxsetup                              \btxsetup {...}
btxsingularorplural                   \btxsingularorplural {...} {...} {...}
btxsingularplural                     \btxsingularplural {...} {...} {...}
btxtextcitation                       \btxtextcitation [..=..] [...]
btxtextcitation:alternative           \btxtextcitation [...] [...]
btxtextcitation:userdata              \btxtextcitation [..=..] [..=..]
buildmathaccent                       \buildmathaccent {...} {...}
buildtextaccent                       \buildtextaccent {...} {...}
buildtextbottomcomma                  \buildtextbottomcomma {...}
buildtextbottomdot                    \buildtextbottomdot {...}
buildtextcedilla                      \buildtextcedilla {...}
buildtextgrave                        \buildtextgrave {...}
buildtextmacron                       \buildtextmacron {...}
buildtextognek                        \buildtextognek {...}
Cap                                   \Cap {...}
Caps                                  \Caps {...}
CONTEXT                               \CONTEXT
ConTeXt                               \ConTeXt
Context                               \Context
ConvertConstantAfter                  \ConvertConstantAfter \... {...} {...}
ConvertToConstant                     \ConvertToConstant \... {...} {...}
calligrafico                          \calligrafico
cambiaafontdeltesto                   \cambiaafontdeltesto [...]
camel                                 \camel {...}
campi                                 \campi [...] [...]
cap                                   \cap {...}
capello                               \capello
capoverso:instance                    \SECTION [...] {...}
capoverso:instance:assignment         \SECTION [..=..]
capoverso:instance:assignment:chapter \chapter [..=..]
capoverso:instance:assignment:part    \part [..=..]
capoverso:instance:assignment:section \section [..=..]
capoverso:instance:assignment:subject \subject [..=..]
capoverso:instance:assignment:subsection       \subsection [..=..]
capoverso:instance:assignment:subsubject        \subsubject [..=..]
capoverso:instance:assignment:subsubsection     \subsubsection [..=..]
capoverso:instance:assignment:subsubsubject     \subsubsubject [..=..]
capoverso:instance:assignment:subsubsubsection  \subsubsubsection [..=..]
capoverso:instance:assignment:subsubsubsubject  \subsubsubsubject [..=..]
capoverso:instance:assignment:title   \title [..=..]
capoverso:instance:chapter            \chapter [...] {...}
capoverso:instance:ownnumber          \SECTION [...] {...} {...}
capoverso:instance:ownnumber:chapter  \chapter [...] {...} {...}
capoverso:instance:ownnumber:part     \part [...] {...} {...}
capoverso:instance:ownnumber:section  \section [...] {...} {...}
capoverso:instance:ownnumber:subject  \subject [...] {...} {...}
capoverso:instance:ownnumber:subsection    \subsection [...] {...} {...}
capoverso:instance:ownnumber:subsubject    \subsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsection \subsubsection [...] {...} {...}
```

```
capoverso:instance:ownnumber:subsubsubsubject        \subsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubsection     \subsubsubsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubsubject     \subsubsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:title                   \title [...] {...} {...}
capoverso:instance:part                              \part [...] {...}
capoverso:instance:section                           \section [...] {...}
capoverso:instance:subject                           \subject [...] {...}
capoverso:instance:subsection                        \subsection [...] {...}
capoverso:instance:subsubject                        \subsubject [...] {...}
capoverso:instance:subsubsection                     \subsubsection [...] {...}
capoverso:instance:subsubsubject                     \subsubsubject [...] {...}
capoverso:instance:subsubsubsection                  \subsubsubsection [...] {...}
capoverso:instance:subsubsubsubject                  \subsubsubsubject [...] {...}
capoverso:instance:subsubsubsubsection               \subsubsubsubsection [...] {...}
capoverso:instance:subsubsubsubsubject               \subsubsubsubsubject [...] {...}
capoverso:instance:title                             \title [...] {...}
catcodetablename                                     \catcodetablename
cbox                                                 \cbox ... {...}
centeraligned                                        \centeraligned {...}
centerbox                                            \centerbox ... {...}
centeredbox                                          \centeredbox ... {...}
centeredlastline                                     \centeredlastline
centerednextbox                                      \centerednextbox ... {...}
centerline                                           \centerline {...}
centro                                               \centro ...
cfrac                                                \cfrac [...] {...} {...}
characterkerning:example                             \CHARACTERKERNING [...] {...}
chardescription                                      \chardescription {...}
charwidthlanguage                                    \charwidthlanguage
check                                                \check {...}
checkcharacteralign                                  \checkcharacteralign {...}
checkedblank                                         \checkedblank [...]
checkedchar                                          \checkedchar {...} {...}
checkedfiller                                        \checkedfiller {...}
checkedstrippedcsname                                \checkedstrippedcsname \...
checkedstrippedcsname:string                         \checkedstrippedcsname ...
checkinjector                                        \checkinjector [...]
checknextindentation                                 \checknextindentation [...]
checknextinjector                                    \checknextinjector [...]
checkpage                                            \checkpage [...] [..=..]
checkparameters                                      \checkparameters [...]
checkpreviousinjector                                \checkpreviousinjector [...]
checksoundtrack                                      \checksoundtrack {...}
checktwopassdata                                     \checktwopassdata {...}
checkvariables                                       \checkvariables [...] [..=..]
chemical                                             \chemical [...] [...] [...]
chemicalbottext                                      \chemicalbottext {...}
chemicalmidtext                                      \chemicalmidtext {...}
chemicalsymbol                                       \chemicalsymbol [...]
chemicaltext                                         \chemicaltext {...}
chemicaltoptext                                      \chemicaltoptext {...}
chim                                                 \chim {...} {...} {...}
chineseallnumerals                                   \chineseallnumerals {...}
chinesecapnumerals                                   \chinesecapnumerals {...}
chinesenumerals                                      \chinesenumerals {...}
circondato                                           \circondato [..=..] {...}
citation                                             \citation [..=..] [...]
citation:alternative                                 \citation [...] [...]
citation:direct                                      \citation {...}
citation:userdata                                    \citation [..=..] [..=..]
cite                                                 \cite [..=..] [...]
cite:alternative                                     \cite [...] [...]
cite:direct                                          \cite {...}
cite:userdata                                        \cite [..=..] [..=..]
clap                                                 \clap {...}
classfont                                            \classfont {...} {...}
cldcommand                                           \cldcommand {...}
cldcontext                                           \cldcontext {...}
cldloadfile                                          \cldloadfile {...}
cldprocessfile                                       \cldprocessfile {...}
clip                                                 \clip [..=..] {...}
clippedoverlayimage                                  \clippedoverlayimage {...}
```

```
clonacampo                                    \clonacampo [...] [...] [...] [...]
collect                                       \collect {...}
collectedtext                                 \collectedtext [..=..] [..=..] {...} {...}
collectexpanded                               \collectexpanded {...}
colonna                                       \colonna [...]
colorcomponents                               \colorcomponents {...}
colore                                        \colore [...] {...}
colored                                       \colored [..=..] {...}
colored:name                                  \colored [...] {...}
coloregrigio                                  \coloregrigio [...] {...}
coloronly                                     \coloronly [...] {...}
columnbreak                                   \columnbreak [...]
columnsetspanwidth                            \columnsetspanwidth {...}
combinepages                                  \combinepages [...] [..=..]
commalistelement                              \commalistelement
commalistsentence                             \commalistsentence [...] [...]
commalistsize                                 \commalistsize
commento                                      \commento (...,...) (...,...) [..=..] {...}
commento:instance                             \COMMENT [...] [..=..] {...}
commento:instance:comment                     \comment [...] [..=..] {...}
comparedimension                              \comparedimension {...} {...}
comparedimensioneps                           \comparedimensioneps {...} {...}
completebtxrendering                          \completebtxrendering [...] [..=..]
completecombinedlist:instance                 \completoCOMBINEDLIST [..=..]
completecombinedlist:instance:content         \completocontent [..=..]
completelist                                  \completelist [...] [..=..]
completelistoffloats:instance                 \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals       \completelistofchemicals [..=..]
completelistoffloats:instance:figures         \completelistoffigures [..=..]
completelistoffloats:instance:graphics        \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi      \completelistofintermezzi [..=..]
completelistoffloats:instance:tables          \completelistoftables [..=..]
completelistofpublications                    \completelistofpublications [...] [..=..]
completelistofsorts                           \completelistofsorts [...] [..=..]
completelistofsorts:instance                  \completelistofSORTS [..=..]
completelistofsorts:instance:logos            \completelistoflogos [..=..]
completelistofsynonyms                        \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance               \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations \completelistofabbreviations [..=..]
completeregister                              \completeregister [...] [..=..]
completeregister:instance                     \completoREGISTER [..=..]
completeregister:instance:index               \completoindex [..=..]
complexorsimple                               \complexorsimple \...
complexorsimpleempty                          \complexorsimpleempty \...
complexorsimpleempty:argument                 \complexorsimpleempty {...}
complexorsimple:argument                      \complexorsimple {...}
componenet                                    \componenet [...]
componenet:string                             \componenet ...
composedcollector                             \composedcollector {...}
composedlayer                                 \composedlayer {...}
compresult                                    \compresult
confrontagruppocolori                         \confrontagruppocolori [...]
confrontatavolozza                            \confrontatavolozza [...]
constantdimen                                 \constantdimen \...
constantdimenargument                         \constantdimenargument \...
constantemptyargument                         \constantemptyargument \...
constantnumber                                \constantnumber \...
constantnumberargument                        \constantnumberargument \...
contentreference                              \contentreference [...] [..=..] {...}
continuednumber                               \continuednumber {...}
continueifinputfile                           \continueifinputfile {...}
convertargument                               \convertargument ... \to \...
convertcommand                                \convertcommand \... \to \...
convertedcounter                              \convertedcounter [...] [..=..]
converteddimen                                \converteddimen {...} {...}
convertedsubcounter                           \convertedsubcounter [...] [...] [..=..]
convertinumero                                \convertinumero {...} {...}
convertmonth                                  \convertmonth {...}
convertvalue                                  \convertvalue ... \to \...
convertvboxtohbox                             \convertvboxtohbox
copiacampo                                    \copiacampo [...] [...]
copyboxfromcache                              \copyboxfromcache {...} {...} ...
```

```
copylabeltext:instance                    \copyLABELtesto [...] [..=..]
copylabeltext:instance:btxlabel           \copybtxlabeltesto [...] [..=..]
copylabeltext:instance:head               \copyheadtesto [...] [..=..]
copylabeltext:instance:label              \copylabeltesto [...] [..=..]
copylabeltext:instance:mathlabel          \copymathlabeltesto [...] [..=..]
copylabeltext:instance:operator           \copyoperatortesto [...] [..=..]
copylabeltext:instance:prefix             \copyprefixtesto [...] [..=..]
copylabeltext:instance:suffix             \copysuffixtesto [...] [..=..]
copylabeltext:instance:taglabel           \copytaglabeltesto [...] [..=..]
copylabeltext:instance:unit               \copyunittesto [...] [..=..]
copypages                                 \copypages [...] [..=..] [..=..]
copyparameters                            \copyparameters [...] [...] [...]
copyposition                              \copyposition {...} {...}
copysetups                                \copysetups [...] [...]
correggispaziobianco                      \correggispaziobianco {...}
corsivo                                   \corsivo
corsivograssetto                          \corsivograssetto
countersubs                               \countersubs [...] [...]
counttoken                                \counttoken ... \in ... \to \...
counttokens                               \counttokens ... \to \...
cramped                                   \cramped {...}
crampedclap                               \crampedclap {...}
crampedllap                               \crampedllap {...}
crampedrlap                               \crampedrlap {...}
ctop                                      \ctop ... {...}
ctxcommand                                \ctxcommand {...}
ctxdirectcommand                          \ctxdirectcommand {...}
ctxdirectlua                              \ctxdirectlua {...}
ctxfunction                               \ctxfunction {...}
ctxfunctiondefinition:example             \CTXFUNCTIONDEFINITION
ctxfunction:example                       \CTXFUNCTION
ctxlatecommand                            \ctxlatecommand {...}
ctxlatelua                                \ctxlatelua {...}
ctxloadluafile                            \ctxloadluafile {...}
ctxlua                                    \ctxlua {...}
ctxluabuffer                              \ctxluabuffer [...]
ctxluacode                                \ctxluacode {...}
ctxreport                                 \ctxreport {...}
ctxsprint                                 \ctxsprint {...}
currentassignmentlistkey                  \currentassignmentlistkey
currentassignmentlistvalue                \currentassignmentlistvalue
currentbtxuservariable                    \currentbtxuservariable {...}
currentcommalistitem                      \currentcommalistitem
currentcomponent                          \currentcomponent
currentenvironment                        \currentenvironment
currentfeaturetest                        \currentfeaturetest
currentinterface                          \currentinterface
currentlabel:example                      \currentETICHETTA [...] {...}
currentlanguage                           \currentlanguage
currentlistentrydestinationattribute      \currentlistentrydestinationattribute
currentlistentrylimitedtext               \currentlistentrylimitedtext {...}
currentlistentrynumber                    \currentlistentrynumber
currentlistentrypagenumber                \currentlistentrypagenumber
currentlistentryreferenceattribute        \currentlistentryreferenceattribute {...}
currentlistentrytitle                     \currentlistentrytitle
currentlistentrytitlerendered             \currentlistentrytitlerendered
currentlistsymbol                         \currentlistsymbol
currentmainlanguage                       \currentmainlanguage
currentmessagetext                        \currentmessagetext
currentmoduleparameter                    \currentmoduleparameter {...}
currentoutputstream                       \currentoutputstream
currentproduct                            \currentproduct
currentproject                            \currentproject
currentregime                             \currentregime
currentregisterpageuserdata               \currentregisterpageuserdata {...}
currentresponses                          \currentresponses
currenttime                               \currenttime [...]
currentvalue                              \currentvalue
currentxtablecolumn                       \currentxtablecolumn
currentxtablerow                          \currentxtablerow
d                                         \d {...}
da                                        \da [...]
```

```
daqualcheparte                              \daqualcheparte {...} {...} [...]
data                                        \data [..=..] [...]
datadioggi                                  \datadioggi [...]
datasetvariable                             \datasetvariable {...} {...} {...}
dayoftheweek                                \dayoftheweek {...} {...} {...}
dayspermonth                                \dayspermonth {...} {...}
dddot                                       \dddot {...}
ddot                                        \ddot {...}
decrement                                   \decrement \...
decrementcounter                            \decrementcounter [...] [...]
decrementedcounter                          \decrementedcounter [...]
decrementpagenumber                         \decrementpagenumber
decrementsubpagenumber                      \decrementsubpagenumber
decrementvalue                              \decrementvalue {...}
decrement:argument                          \decrement (...)
defaultinterface                            \defaultinterface
defaultobjectpage                           \defaultobjectpage
defaultobjectreference                      \defaultobjectreference
defcatcodecommand                           \defcatcodecommand \... ... {...}
defconvertedargument                        \defconvertedargument \... {...}
defconvertedcommand                         \defconvertedcommand \... \...
defconvertedvalue                           \defconvertedvalue \... {...}
defineactivecharacter                       \defineactivecharacter ... {...}
definealternativestyle                      \definealternativestyle [...] [...] [...]
defineanchor                                \defineanchor [...] [...] [..=..] [..=..]
defineattachment                            \defineattachment [...] [...] [..=..]
defineattribute                             \defineattribute [...] [...]
definebackground                            \definebackground [...] [...] [..=..]
definebar                                   \definebar [...] [...] [..=..]
definebodyfontswitch                        \definebodyfontswitch [...] [...]
definebreakpoint                            \definebreakpoint [...] [...] [..=..]
definebreakpoints                           \definebreakpoints [...]
definebtx                                   \definebtx [...] [...] [..=..]
definebtxdataset                            \definebtxdataset [...] [...] [..=..]
definebtxregister                           \definebtxregister [...] [...] [..=..]
definebtxrendering                          \definebtxrendering [...] [...] [..=..]
definebutton                                \definebutton [...] [...] [..=..]
definecapitals                              \definecapitals [...] [...] [..=..]
definecharacterkerning                      \definecharacterkerning [...] [...] [..=..]
definecharacterspacing                      \definecharacterspacing [...]
definechemical                              \definechemical [...] {...}
definechemicals                             \definechemicals [...] [...] [..=..]
definechemicalsymbol                        \definechemicalsymbol [...] [...]
definecollector                             \definecollector [...] [...] [..=..]
definecolumnbreak                           \definecolumnbreak [...] [...]
definecolumnsetarea                         \definecolumnsetarea [...] [...] [..=..]
definecolumnsetspan                         \definecolumnsetspan [...] [...] [..=..]
definecombination                           \definecombination [...] [...] [..=..]
definecomment                               \definecomment [...] [...] [..=..]
definecomplexorsimple                       \definecomplexorsimple \...
definecomplexorsimpleempty                  \definecomplexorsimpleempty \...
definecomplexorsimpleempty:argument         \definecomplexorsimpleempty {...}
definecomplexorsimple:argument              \definecomplexorsimple {...}
defineconversionset                         \defineconversionset [...] [...] [...]
definecounter                               \definecounter [...] [...] [..=..]
definedataset                               \definedataset [...] [...] [..=..]
definedelimitedtext                         \definedelimitedtext [...] [...] [..=..]
definedfont                                 \definedfont [...]
defineeffect                                \defineeffect [...] [...] [..=..]
defineexpandable                            \defineexpandable [...] \... {...}
defineexternalfigure                        \defineexternalfigure [...] [...] [..=..]
definefacingfloat                           \definefacingfloat [...] [...] [..=..]
definefallbackfamily                        \definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset                 \definefallbackfamily [...] [...] [...] [...]
definefieldbody                             \definefieldbody [...] [...] [..=..]
definefieldbodyset                          \definefieldbodyset [...] [...]
definefieldcategory                         \definefieldcategory [...] [...] [..=..]
definefileconstant                          \definefileconstant {...} {...}
definefilefallback                          \definefilefallback [...] [...]
definefilesynonym                           \definefilesynonym [...] [...]
definefiller                                \definefiller [...] [...] [..=..]
definefirstline                             \definefirstline [...] [...] [..=..]
```

8

```
definefittingpage                      \definefittingpage [...] [...] [..=..]
definefontalternative                  \definefontalternative [...]
definefontfallback                     \definefontfallback [...] [...] [...] [..=..]
definefontfamily                       \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset                 \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name            \definefontfamilypreset [...] [...]
definefontfamily:preset                \definefontfamily [...] [...] [...] [...]
definefontfeature                      \definefontfeature [...] [...] [..=..]
definefontfile                         \definefontfile [...] [...] [..=..]
definefontsize                         \definefontsize [...]
definefontsolution                     \definefontsolution [...] [...] [..=..]
defineformula                          \defineformula [...] [...] [..=..]
defineformulaalternative               \defineformulaalternative [...] [...] [...]
defineformulaframed                    \defineformulaframed [...] [...] [..=..]
defineframedcontent                    \defineframedcontent [...] [...] [..=..]
defineframedtable                      \defineframedtable [...] [...]
definefrozenfont                       \definefrozenfont [...] [...]
defineglobalcolor                      \defineglobalcolor [...] [..=..]
defineglobalcolor:name                 \defineglobalcolor [...] [...]
definegraphictypesynonym               \definegraphictypesynonym [...] [...]
definegridsnapping                     \definegridsnapping [...] [...]
defineheadalternative                  \defineheadalternative [...] [...] [..=..]
definehelp                             \definehelp [...] [...] [..=..]
definehigh                             \definehigh [...] [...] [..=..]
definehighlight                        \definehighlight [...] [...] [..=..]
definehspace                           \definehspace [...] [...] [...]
definehypenationfeatures               \definehypenationfeatures [...] [..=..]
defineindentedtext                     \defineindentedtext [...] [...] [..=..]
defineindenting                        \defineindenting [...] [...]
defineinitial                          \defineinitial [...] [...] [..=..]
defineinsertion                        \defineinsertion [...] [...] [..=..]
defineinteraction                      \defineinteraction [...] [...] [..=..]
defineinteractionbar                   \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant                \defineinterfaceconstant {...} {...}
defineinterfaceelement                 \defineinterfaceelement {...} {...}
defineinterfacevariable                \defineinterfacevariable {...} {...}
defineinterlinespace                   \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor                \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                        \defineitemgroup [...] [...] [..=..]
defineitems                            \defineitems [...] [...] [..=..]
definelabelclass                       \definelabelclass [...] [...]
definelayer                            \definelayer [...] [...] [..=..]
definelayerpreset                      \definelayerpreset [...] [..=..]
definelayerpreset:name                 \definelayerpreset [...] [...]
definelinefiller                       \definelinefiller [...] [...] [..=..]
definelinenote                         \definelinenote [...] [...] [..=..]
definelinenumbering                    \definelinenumbering [...] [...] [..=..]
definelines                            \definelines [...] [...] [..=..]
definelistalternative                  \definelistalternative [...] [...] [..=..]
definelistextra                        \definelistextra [...] [...] [..=..]
definelow                              \definelow [...] [...] [..=..]
definelowhigh                          \definelowhigh [...] [...] [..=..]
definelowmidhigh                       \definelowmidhigh [...] [...] [..=..]
defineMPinstance                       \defineMPinstance [...] [...] [..=..]
definemarginblock                      \definemarginblock [...] [...] [..=..]
definemargindata                       \definemargindata [...] [...] [..=..]
definemarker                           \definemarker [...]
definemathaccent                       \definemathaccent ... ...
definemathalignment                    \definemathalignment [...] [...] [..=..]
definemathcases                        \definemathcases [...] [...] [..=..]
definemathcommand                      \definemathcommand [...] [...] [...] {...}
definemathdouble                       \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible             \definemathdoubleextensible [...] [...] [...] [...]
definemathematics                      \definemathematics [...] [...] [..=..]
definemathextensible                   \definemathextensible [...] [...] [...]
definemathfence                        \definemathfence [...] [...] [..=..]
definemathfraction                     \definemathfraction [...] [...] [..=..]
definemathframed                       \definemathframed [...] [...] [..=..]
definemathmatrix                       \definemathmatrix [...] [...] [..=..]
definemathornament                     \definemathornament [...] [...] [..=..]
definemathover                         \definemathover [...] [...] [...]
definemathoverextensible               \definemathoverextensible [...] [...] [...]
```

9

```
definemathovertextextensible          \definemathovertextextensible [...] [...] [...]
definemathradical                      \definemathradical [...] [...] [..=..]
definemathstackers                     \definemathstackers [...] [...] [..=..]
definemathstyle                        \definemathstyle [...] [...]
definemathtriplet                      \definemathtriplet [...] [...] [...]
definemathunder                        \definemathunder [...] [...] [...]
definemathunderextensible              \definemathunderextensible [...] [...] [...]
definemathundertextextensible          \definemathundertextextensible [...] [...] [...]
definemathunstacked                    \definemathunstacked [...] [...] [...]
definemeasure                          \definemeasure [...] [...]
definemessageconstant                  \definemessageconstant {...}
definemixedcolumns                     \definemixedcolumns [...] [...] [..=..]
definemode                             \definemode [...] [...]
definemultitonecolor                   \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                       \definenamedcolor [...] [..=..]
definenamedcolor:name                  \definenamedcolor [...] [...]
definenamespace                        \definenamespace [...] [..=..]
definenarrower                         \definenarrower [...] [...] [..=..]
definenote                             \definenote [...] [...] [..=..]
defineornament:collector               \defineornament [...] [..=..] [..=..]
defineornament:layer                   \defineornament [...] [..=..] [..=..]
defineoutputroutine                    \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand             \defineoutputroutinecommand [...]
definepage                             \definepage [...] [...]
definepagebreak                        \definepagebreak [...] [...]
definepagechecker                      \definepagechecker [...] [...] [..=..]
definepagecolumns                      \definepagecolumns [...] [...] [..=..]
definepageinjection                    \definepageinjection [...] [...] [..=..]
definepageinjectionalternative         \definepageinjectionalternative [...] [...] [..=..]
definepageshift                        \definepageshift [...] [...] [...]
definepagestate                        \definepagestate [...] [...] [..=..]
definepairedbox                        \definepairedbox [...] [...] [..=..]
defineparagraph                        \defineparagraph [...] [...] [..=..]
defineparallel                         \defineparallel [...] [...]
defineparbuilder                       \defineparbuilder [...]
defineperiodkerning                    \defineperiodkerning [...] [...] [..=..]
defineplacement                        \defineplacement [...] [...] [..=..]
definepositioning                      \definepositioning [...] [...] [..=..]
defineprefixset                        \defineprefixset [...] [...] [...]
defineprocesscolor                     \defineprocesscolor [...] [...] [..=..]
defineprocessor                        \defineprocessor [...] [...] [..=..]
definepushbutton                       \definepushbutton [...] [..=..]
definepushsymbol                       \definepushsymbol [...] [...]
definerenderingwindow                  \definerenderingwindow [...] [...] [..=..]
defineresetset                         \defineresetset [...] [...] [...]
defineruby                             \defineruby [...] [...] [..=..]
definescale                            \definescale [...] [...] [..=..]
definescript                           \definescript [...] [...] [..=..]
definesectionlevels                    \definesectionlevels [...] [...]
defineselector                         \defineselector [...] [..=..]
defineseparatorset                     \defineseparatorset [...] [...] [...]
defineshift                            \defineshift [...] [...] [..=..]
definesidebar                          \definesidebar [...] [...] [..=..]
definesort                             \definesort [...] [...] [...] {...}
definespotcolor                        \definespotcolor [...] [...] [..=..]
definestyleinstance                    \definestyleinstance [...] [...] [...] [...]
definesubformula                       \definesubformula [...] [...] [..=..]
definesynonym                          \definesynonym [...] [...] [...] {...} {...}
definesystemattribute                  \definesystemattribute [...] [...]
definesystemconstant                   \definesystemconstant {...}
definesystemvariable                   \definesystemvariable {...}
defineTABLEsetup                       \defineTABLEsetup [...] [..=..]
definetabulation                       \definetabulation [...] [...] [..=..]
definetextbackground                   \definetextbackground [...] [...] [..=..]
definetextflow                         \definetextflow [...] [...] [..=..]
definetooltip                          \definetooltip [...] [...] [..=..]
definetransparency:1                   \definetransparency [...] [...]
definetransparency:2                   \definetransparency [...] [..=..]
definetransparency:3                   \definetransparency [...] [...]
definetwopasslist                      \definetwopasslist {...}
definetypeface                         \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix                 \definetypescriptprefix [...] [...]
```

```
definetypescriptsynonym                          \definetypescriptsynonym [...] [...]
definetypesetting                                \definetypesetting [...] [...] [..=..]
defineunit                                       \defineunit [...] [...] [..=..]
defineviewerlayer                                \defineviewerlayer [...] [...] [..=..]
definevspace                                     \definevspace [...] [...] [...]
definevspacing                                   \definevspacing [...] [...]
definevspacingamount                             \definevspacingamount [...] [...] [...]
definextable                                     \definextable [...] [...] [..=..]
definisci                                        \definisci [...] \... {...}
definisciaccento                                 \definisciaccento ... ... ...
definisciambientefontdeltesto                    \definisciambientefontdeltesto [...] [...] [..=..]
definisciblocco                                  \definisciblocco [...] [...] [..=..]
definiscibloccosezione                           \definiscibloccosezione [...] [...] [..=..]
definiscibuffer                                  \definiscibuffer [...] [...] [..=..]
definiscicampo                                   \definiscicampo [...] [...] [...] [...] [...]
definiscicapoversi                               \definiscicapoversi [...] [...] [..=..]
definiscicarattere                               \definiscicarattere ... ...
definiscicolore                                  \definiscicolore [...] [..=..]
definiscicolore:name                             \definiscicolore [...] [...]
definiscicomando                                 \definiscicomando ... ...
definisciconversione                             \definisciconversione [...] [...] [...]
definisciconversione:list                        \definisciconversione [...] [...] [...]
definiscidescrizione                             \definiscidescrizione [...] [...] [..=..]
definiscidimensionicarta                         \definiscidimensionicarta [...] [..=..]
definiscidimensionicarta:name                    \definiscidimensionicarta [...] [...] [...]
definiscielenco                                  \definiscielenco [...] [...] [..=..]
definiscielencocombinato                         \definiscielencocombinato [...] [...] [..=..]
definiscienumerazione                            \definiscienumerazione [...] [...] [..=..]
definiscietichetta                               \definiscietichetta [...] [...] [..=..]
definiscifigurasimbolo                           \definiscifigurasimbolo [...] [...] [..=..]
definiscifont                                    \definiscifont [...] [...] [..=..]
definiscifontdeltesto                            \definiscifontdeltesto [...] [...] [...] [..=..]
definiscifontdeltesto:argument                   \definiscifontdeltesto [...] [...] [...] [...]
definiscifont:argument                           \definiscifont [...] [...] [...]
definisciformatoriferimento                      \definisciformatoriferimento [...] [...] [..=..]
definiscigruppocolonne                           \definiscigruppocolonne [...] [...] [..=..]
definiscigruppocolori                            \definiscigruppocolori [...] [...] [x:y:z,..]
definiscihbox                                    \definiscihbox [...] [...]
definisciincorniciato                            \definisciincorniciato [...] [...] [..=..]
definisciiniziatermina                           \definisciiniziatermina [...] [...] [..=..]
definiscilayout                                  \definiscilayout [...] [...] [..=..]
definiscimakeup                                  \definiscimakeup [...] [...] [..=..]
definiscimarcatura                               \definiscimarcatura [...] [...] [..=..]
definiscimenuinterazione                         \definiscimenuinterazione [...] [...] [..=..]
definiscimodellotabella                          \definiscimodellotabella [...] [|...|] [...] [...]
definiscioggettomobile                           \definiscioggettomobile [...] [...] [..=..]
definiscioggettomobile:name                      \definiscioggettomobile [...] [...] [...]
definisciordinamento                             \definisciordinamento [...] [...] [...]
definisciprofilo                                 \definisciprofilo [...] [...] [..=..]
definisciprogramma                               \definisciprogramma [...] [...] [...]
definisciregistro                                \definisciregistro [...] [...] [..=..]
definisciriferimento                             \definisciriferimento [...] [...]
definiscisezione                                 \definiscisezione [...]
definiscisimbolo                                 \definiscisimbolo [...] [...] [...]
definiscisinonimi                                \definiscisinonimi [...] [...] [...] [...]
definiscisinonimofont                            \definiscisinonimofont [...] [...] [..=..]
definiscisottocampo                              \definiscisottocampo [...] [...] [...]
definiscisovrapposizione                         \definiscisovrapposizione [...] [...] [...]
definiscistackcampi                              \definiscistackcampi [...] [...] [..=..]
definiscistile                                   \definiscistile [...] [...] [..=..]
definiscistilefont                               \definiscistilefont [...] [...]
definiscitabulato                                \definiscitabulato [...] [...] [|...|]
definiscitavolozza                               \definiscitavolozza [...] [..=..] ᴼᴾᵀ
definiscitavolozza:name                          \definiscitavolozza [...] [...]
definiscitesta                                   \definiscitesta [...] [...] [..=..]
definiscitesto                                   \definiscitesto [...] [...] [...] [...] [...] [...] [...]
definiscitestoincorniciato                       \definiscitestoincorniciato [...] [...] [..=..]
definiscitype                                    \definiscitype [...] [...] [..=..]
definiscityping                                  \definiscityping [...] [...] [..=..]
delimited                                        \delimited [...] [...] {...}
delimitedtext                                    \delimitedtext [...] [...] {...}
delimitedtext:instance                           \DELIMITEDTEXT [...] {...}
```

delimitedtext:instance:aside   `\aside [...] {...}`
delimitedtext:instance:blockquote   `\blockquote [...] {...}`
delimitedtext:instance:quotation   `\quotation [...] {...}`
delimitedtext:instance:quote   `\quote [...] {...}`
delimitedtext:instance:speech   `\speech [...] {...}`
depthofstring   `\depthofstring {...}`
depthonlybox   `\depthonlybox {...}`
depthspanningtext   `\depthspanningtext {...} {...} {...}`
depthstrut   `\depthstrut`
descrizione:example   `\DESCRIZIONE [...] {...} ... \par`
destra   `\destra ...`
determinacaratteristicheregistro   `\determinacaratteristicheregistro [...] [..=..]`
determinacarattersticheelenco   `\determinacarattersticheelenco [...] [..=..]`
determinanumerotesta   `\determinanumerotesta [...]`
determinenoflines   `\determinenoflines {...}`
devanagarinumerals   `\devanagarinumerals {...}`
digits   `\digits {...}`
digits:string   `\digits ...`
dimensiontocount   `\dimensiontocount {...} \...`
directboxfromcache   `\directboxfromcache {...} {...}`
directcolor   `\directcolor [...]`
directcolored   `\directcolored [..=..]`
directcolored:name   `\directcolored [...]`
directconvertedcounter   `\directconvertedcounter {...} {...}`
directcopyboxfromcache   `\directcopyboxfromcache {...} {...}`
directdummyparameter   `\directdummyparameter {...}`
directgetboxllx   `\directgetboxllx ...`
directgetboxlly   `\directgetboxlly ...`
directhighlight   `\directhighlight {...} {...}`
directlocalframed   `\directlocalframed [...] {...}`
directluacode   `\directluacode {...}`
directselect   `\directselect {...} {...} {...} {...} {...} {...}`
directsetbar   `\directsetbar {...}`   OPT OPT OPT OPT OPT
directsetup   `\directsetup {...}`
directsymbol   `\directsymbol {...} {...}`
directvspacing   `\directvspacing {...}`
dis   `\dis {...}`
disabledirectives   `\disabledirectives [...]`
disableexperiments   `\disableexperiments [...]`
disablemode   `\disablemode [...]`
disableoutputstream   `\disableoutputstream`
disableparpositions   `\disableparpositions`
disableregime   `\disableregime`
disabletrackers   `\disabletrackers [...]`
displaymath   `\displaymath {...}`
displaymathematics   `\displaymathematics {...}`
displaymessage   `\displaymessage {...}`
distributedhsize   `\distributedhsize {...} {...} {...}`
dividedsize   `\dividedsize {...} {...} {...}`
doadaptleftskip   `\doadaptleftskip {...}`
doadaptrightskip   `\doadaptrightskip {...}`
doaddfeature   `\doaddfeature {...}`
doassign   `\doassign [...] [..=..]`
doassignempty   `\doassignempty [...] [..=..]`
doboundtext   `\doboundtext {...} {...} {...}`
docheckassignment   `\docheckassignment {...}`
docheckedpagestate   `\docheckedpagestate {...} {...} {...} {...} {...} {...} {...}`
docheckedpair   `\docheckedpair {...}`
documentvariable   `\documentvariable {...}`
dodoubleargument   `\dodoubleargument \... [...] [...]`
dodoubleargumentwithset   `\dodoubleargumentwithset \... [...] [...]`
dodoubleempty   `\dodoubleempty \... [...] [...]`
dodoubleemptywithset   `\dodoubleemptywithset \... [...] [...]`
dodoublegroupempty   `\dodoublegroupempty \... {...} {...}`
doeassign   `\doeassign [...] [..=..]`
doexpandedrecurse   `\doexpandedrecurse {...} {...}`
dofastloopcs   `\dofastloopcs {...} \...`
dogetattribute   `\dogetattribute {...}`
dogetattributeid   `\dogetattributeid {...}`
dogetcommacommandelement   `\dogetcommacommandelement ... \from ... \to \...`
dogobbledoubleempty   `\dogobbledoubleempty [...] [...]`
dogobblesingleempty   `\dogobblesingleempty [...]`

```
doif                                    \doif {...} {...} {...}
doifallcommon                           \doifallcommon {...} {...} {...}
doifallcommonelse                       \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse                      \doifalldefinedelse {...} {...} {...}
doifallmodes                            \doifallmodes {...} {...} {...}
doifallmodeselse                        \doifallmodeselse {...} {...} {...}
doifassignmentelse                      \doifassignmentelse {...} {...} {...}
doifblackelse                           \doifblackelse {...} {...} {...}
doifbothsides                           \doifbothsides {...} {...} {...}
doifbothsidesoverruled                  \doifbothsidesoverruled {...} {...} {...}
doifboxelse                             \doifboxelse {...} {...} {...} {...}
doifbufferelse                          \doifbufferelse {...} {...} {...}
doifcolor                               \doifcolor {...} {...}
doifcolorelse                           \doifcolorelse {...} {...} {...}
doifcommandhandler                      \doifcommandhandler \... {...} {...}
doifcommandhandlerelse                  \doifcommandhandlerelse \... {...} {...} {...}
doifcommon                              \doifcommon {...} {...} {...}
doifcommonelse                          \doifcommonelse {...} {...} {...} {...}
doifcontent                             \doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse               \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse                \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                             \doifcounter {...} {...}
doifcounterelse                         \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse           \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                             \doifdefined {...} {...}
doifdefinedcounter                      \doifdefinedcounter {...} {...}
doifdefinedcounterelse                  \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                         \doifdefinedelse {...} {...} {...}
doifdimensionelse                       \doifdimensionelse {...} {...} {...}
doifdimenstringelse                     \doifdimenstringelse {...} {...} {...}
doifdocumentargument                    \doifdocumentargument {...} {...}
doifdocumentargumentelse                \doifdocumentargumentelse {...} {...} {...}
doifdocumentfilename                    \doifdocumentfilename {...} {...}
doifdocumentfilenameelse                \doifdocumentfilenameelse {...} {...} {...}
doifdrawingblackelse                    \doifdrawingblackelse {...} {...}
doifelse                                \doifelse {...} {...} {...} {...}
doifelseallcommon                       \doifelseallcommon {...} {...} {...} {...}
doifelsealldefined                      \doifelsealldefined {...} {...} {...}
doifelseallmodes                        \doifelseallmodes {...} {...} {...}
doifelseassignment                      \doifelseassignment {...} {...} {...}
doifelseblack                           \doifelseblack {...} {...} {...}
doifelsebox                             \doifelsebox {...} {...} {...} {...}
doifelseboxincache                      \doifelseboxincache {...} {...} {...} {...}
doifelsebuffer                          \doifelsebuffer {...} {...} {...}
doifelsecolor                           \doifelsecolor {...} {...} {...}
doifelsecommandhandler                  \doifelsecommandhandler \... {...} {...} {...}
doifelsecommon                          \doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined               \doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber                \doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter                         \doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature           \doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused              \doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown             \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused              \doifelsecurrentsynonymused {...} {...}
doifelsedefined                         \doifelsedefined {...} {...} {...}
doifelsedefinedcounter                  \doifelsedefinedcounter {...} {...} {...}
doifelsedimension                       \doifelsedimension {...} {...} {...}
doifelsedimenstring                     \doifelsedimenstring {...} {...} {...}
doifelsedocumentargument                \doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename                \doifelsedocumentfilename {...} {...} {...}
doifelsedrawingblack                    \doifelsedrawingblack {...} {...}
doifelseempty                           \doifelseempty {...} {...} {...}
doifelseemptyvalue                      \doifelseemptyvalue {...} {...} {...}
doifelseemptyvariable                   \doifelseemptyvariable {...} {...} {...} {...}
doifelseenv                             \doifelseenv {...} {...} {...}
doifelsefastoptionalcheck               \doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs             \doifelsefastoptionalcheckcs \... \...
doifelsefieldbody                       \doifelsefieldbody {...} {...} {...}
doifelsefieldcategory                   \doifelsefieldcategory {...} {...} {...}
doifelsefigure                          \doifelsefigure {...} {...} {...}
doifelsefile                            \doifelsefile {...} {...} {...}
doifelsefiledefined                     \doifelsefiledefined {...} {...} {...}
```

13

doifelsefileexists	`\doifelsefileexists {...} {...} {...}`
doifelsefirstchar	`\doifelsefirstchar {...} {...} {...} {...}`
doifelseflagged	`\doifelseflagged {...} {...} {...}`
doifelsefontchar	`\doifelsefontchar {...} {...} {...} {...}`
doifelsefontfeature	`\doifelsefontfeature {...} {...} {...}`
doifelsefontpresent	`\doifelsefontpresent {...} {...} {...}`
doifelsefontsynonym	`\doifelsefontsynonym {...} {...} {...}`
doifelsehasspace	`\doifelsehasspace {...} {...} {...}`
doifelsehelp	`\doifelsehelp {...} {...}`
doifelseincsname	`\doifelseincsname {...} {...} {...} {...}`
doifelseinelement	`\doifelseinelement {...} {...} {...}`
doifelseinputfile	`\doifelseinputfile {...} {...} {...}`
doifelseinsertion	`\doifelseinsertion {...} {...} {...}`
doifelseinset	`\doifelseinset {...} {...} {...} {...}`
doifelseinstring	`\doifelseinstring {...} {...} {...} {...}`
doifelseinsymbolset	`\doifelseinsymbolset {...} {...} {...} {...}`
doifelseintoks	`\doifelseintoks {...} {...} {...} {...}`
doifelseintwopassdata	`\doifelseintwopassdata {...} {...} {...} {...}`
doifelseitalic	`\doifelseitalic {...} {...}`
doifelselanguage	`\doifelselanguage {...} {...} {...}`
doifelselayerdata	`\doifelselayerdata {...} {...} {...}`
doifelselayoutdefined	`\doifelselayoutdefined {...} {...} {...}`
doifelselayoutsomeline	`\doifelselayoutsomeline {...} {...} {...}`
doifelselayouttextline	`\doifelselayouttextline {...} {...} {...}`
doifelseleapyear	`\doifelseleapyear {...} {...} {...}`
doifelselist	`\doifelselist {...} {...} {...}`
doifelselocation	`\doifelselocation {...} {...}`
doifelselocfile	`\doifelselocfile {...} {...} {...}`
doifelseMPgraphic	`\doifelseMPgraphic {...} {...} {...}`
doifelsemainfloatbody	`\doifelsemainfloatbody {...} {...}`
doifelsemarkedpage	`\doifelsemarkedpage {...} {...} {...}`
doifelsemarking	`\doifelsemarking {...} {...} {...}`
doifelsemeaning	`\doifelsemeaning \... \... {...} {...}`
doifelsemessage	`\doifelsemessage {...} {...} {...} {...}`
doifelsemode	`\doifelsemode {...} {...} {...}`
doifelsenextbgroup	`\doifelsenextbgroup {...} {...}`
doifelsenextbgroupcs	`\doifelsenextbgroupcs \... \...`
doifelsenextchar	`\doifelsenextchar {...} {...} {...}`
doifelsenextoptional	`\doifelsenextoptional {...} {...}`
doifelsenextoptionalcs	`\doifelsenextoptionalcs \... \...`
doifelsenextparenthesis	`\doifelsenextparenthesis {...} {...}`
doifelsenonzeropositive	`\doifelsenonzeropositive {...} {...} {...}`
doifelsenoteonsamepage	`\doifelsenoteonsamepage {...} {...} {...}`
doifelsenothing	`\doifelsenothing {...} {...} {...}`
doifelsenumber	`\doifelsenumber {...} {...} {...}`
doifelseobjectfound	`\doifelseobjectfound {...} {...} {...} {...}`
doifelseobjectreferencefound	`\doifelseobjectreferencefound {...} {...} {...} {...}`
doifelseoddpage	`\doifelseoddpage {...} {...}`
doifelseoddpagefloat	`\doifelseoddpagefloat {...} {...}`
doifelseoldercontext	`\doifelseoldercontext {...} {...} {...}`
doifelseolderversion	`\doifelseolderversion {...} {...} {...} {...}`
doifelseoverlapping	`\doifelseoverlapping {...} {...} {...} {...}`
doifelseoverlay	`\doifelseoverlay {...} {...} {...}`
doifelseparallel	`\doifelseparallel {...} {...} {...} {...}`
doifelseparentfile	`\doifelseparentfile {...} {...} {...}`
doifelsepath	`\doifelsepath {...} {...} {...}`
doifelsepathexists	`\doifelsepathexists {...} {...} {...}`
doifelsepatterns	`\doifelsepatterns {...} {...} {...}`
doifelseposition	`\doifelseposition {...} {...} {...}`
doifelsepositionaction	`\doifelsepositionaction {...} {...} {...}`
doifelsepositiononpage	`\doifelsepositiononpage {...} {...} {...} {...}`
doifelsepositionsonsamepage	`\doifelsepositionsonsamepage {...} {...} {...}`
doifelsepositionsonthispage	`\doifelsepositionsonthispage {...} {...} {...}`
doifelsepositionsused	`\doifelsepositionsused {...} {...}`
doifelsereferencefound	`\doifelsereferencefound {...} {...} {...}`
doifelserightpage	`\doifelserightpage {...} {...}`
doifelserightpagefloat	`\doifelserightpagefloat {...} {...}`
doifelserighttoleftinbox	`\doifelserighttoleftinbox ... {...} {...}`
doifelsesamelinereference	`\doifelsesamelinereference {...} {...} {...}`
doifelsesamestring	`\doifelsesamestring {...} {...} {...} {...}`
doifelsesetups	`\doifelsesetups {...} {...} {...}`
doifelsesomebackground	`\doifelsesomebackground {...} {...} {...}`

doifelsesomespace	`\doifelsesomespace {...} {...} {...}`
doifelsesomething	`\doifelsesomething {...} {...} {...}`
doifelsesometoks	`\doifelsesometoks \... {...} {...}`
doifelsestringinstring	`\doifelsestringinstring {...} {...} {...} {...}`
doifelsestructurelisthasnumber	`\doifelsestructurelisthasnumber {...} {...}`
doifelsestructurelisthaspage	`\doifelsestructurelisthaspage {...} {...}`
doifelsesymboldefined	`\doifelsesymboldefined {...} {...} {...}`
doifelsesymbolset	`\doifelsesymbolset {...} {...} {...}`
doifelsetext	`\doifelsetext {...} {...} {...}`
doifelsetextflow	`\doifelsetextflow {...} {...} {...}`
doifelsetextflowcollector	`\doifelsetextflowcollector {...} {...} {...}`
doifelsetopofpage	`\doifelsetopofpage {...} {...}`
doifelsetypingfile	`\doifelsetypingfile {...} {...} {...}`
doifelseundefined	`\doifelseundefined {...} {...} {...}`
doifelseurldefined	`\doifelseurldefined {...} {...} {...}`
doifelsevalue	`\doifelsevalue {...} {...} {...} {...}`
doifelsevaluenothing	`\doifelsevaluenothing {...} {...} {...}`
doifelsevariable	`\doifelsevariable {...} {...} {...} {...}`
doifempty	`\doifempty {...} {...}`
doifemptyelse	`\doifemptyelse {...} {...} {...}`
doifemptytoks	`\doifemptytoks \... {...}`
doifemptyvalue	`\doifemptyvalue {...} {...}`
doifemptyvalueelse	`\doifemptyvalueelse {...} {...} {...}`
doifemptyvariable	`\doifemptyvariable {...} {...} {...}`
doifemptyvariableelse	`\doifemptyvariableelse {...} {...} {...} {...}`
doifenv	`\doifenv {...} {...}`
doifenvelse	`\doifenvelse {...} {...} {...}`
doiffastoptionalcheckcselse	`\doiffastoptionalcheckcselse \... \...`
doiffastoptionalcheckelse	`\doiffastoptionalcheckelse {...} {...}`
doiffieldbodyelse	`\doiffieldbodyelse {...} {...} {...}`
doiffieldcategoryelse	`\doiffieldcategoryelse {...} {...} {...}`
doiffigureelse	`\doiffigureelse {...} {...} {...}`
doiffile	`\doiffile {...} {...}`
doiffiledefinedelse	`\doiffiledefinedelse {...} {...} {...}`
doiffileelse	`\doiffileelse {...} {...} {...}`
doiffileexistselse	`\doiffileexistselse {...} {...} {...}`
doiffirstcharelse	`\doiffirstcharelse {...} {...} {...} {...}`
doifflaggedelse	`\doifflaggedelse {...} {...} {...}`
doiffontcharelse	`\doiffontcharelse {...} {...} {...} {...}`
doiffontfeatureelse	`\doiffontfeatureelse {...} {...} {...}`
doiffontpresentelse	`\doiffontpresentelse {...} {...} {...}`
doiffontsynonymelse	`\doiffontsynonymelse {...} {...} {...}`
doifhasspaceelse	`\doifhasspaceelse {...} {...} {...}`
doifhelpelse	`\doifhelpelse {...} {...}`
doifincsnameelse	`\doifincsnameelse {...} {...} {...} {...}`
doifinelementelse	`\doifinelementelse {...} {...} {...}`
doifinputfileelse	`\doifinputfileelse {...} {...} {...}`
doifinsertionelse	`\doifinsertionelse {...} {...} {...}`
doifinset	`\doifinset {...} {...} {...}`
doifinsetelse	`\doifinsetelse {...} {...} {...} {...}`
doifinstring	`\doifinstring {...} {...} {...}`
doifinstringelse	`\doifinstringelse {...} {...} {...} {...}`
doifinsymbolset	`\doifinsymbolset {...} {...} {...} {...}`
doifinsymbolsetelse	`\doifinsymbolsetelse {...} {...} {...} {...}`
doifintokselse	`\doifintokselse {...} {...} {...} {...}`
doifintwopassdataelse	`\doifintwopassdataelse {...} {...} {...} {...}`
doifitalicelse	`\doifitalicelse {...} {...}`
doiflanguageelse	`\doiflanguageelse {...} {...} {...}`
doiflayerdataelse	`\doiflayerdataelse {...} {...} {...}`
doiflayoutdefinedelse	`\doiflayoutdefinedelse {...} {...} {...}`
doiflayoutsomelineelse	`\doiflayoutsomelineelse {...} {...} {...}`
doiflayouttextlineelse	`\doiflayouttextlineelse {...} {...} {...}`
doifleapyearelse	`\doifleapyearelse {...} {...} {...}`
doiflistelse	`\doiflistelse {...} {...} {...}`
doiflocationelse	`\doiflocationelse {...} {...}`
doiflocfileelse	`\doiflocfileelse {...} {...} {...}`
doifMPgraphicelse	`\doifMPgraphicelse {...} {...} {...}`
doifmainfloatbodyelse	`\doifmainfloatbodyelse {...} {...}`
doifmarkingelse	`\doifmarkingelse {...} {...} {...}`
doifmeaningelse	`\doifmeaningelse \... \... {...} {...}`
doifmessageelse	`\doifmessageelse {...} {...} {...} {...}`
doifmode	`\doifmode {...} {...}`

```
doifmodeelse                      \doifmodeelse {...} {...} {...}
doifnextbgroupcselse              \doifnextbgroupcselse \... \...
doifnextbgroupelse                \doifnextbgroupelse {...} {...}
doifnextcharelse                  \doifnextcharelse {...} {...} {...}
doifnextoptionalcselse            \doifnextoptionalcselse \... \...
doifnextoptionalelse              \doifnextoptionalelse {...} {...}
doifnextparenthesiselse           \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse           \doifnonzeropositiveelse {...} {...} {...}
doifnot                           \doifnot {...} {...} {...}
doifnotallcommon                  \doifnotallcommon {...} {...} {...}
doifnotallmodes                   \doifnotallmodes {...} {...} {...}
doifnotcommandhandler             \doifnotcommandhandler \... {...} {...}
doifnotcommon                     \doifnotcommon {...} {...} {...}
doifnotcounter                    \doifnotcounter {...} {...}
doifnotdocumentargument           \doifnotdocumentargument {...} {...}
doifnotdocumentfilename           \doifnotdocumentfilename {...} {...}
doifnotempty                      \doifnotempty {...} {...}
doifnotemptyvalue                 \doifnotemptyvalue {...} {...}
doifnotemptyvariable              \doifnotemptyvariable {...} {...} {...}
doifnotenv                        \doifnotenv {...} {...}
doifnoteonsamepageelse            \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected                \doifnotescollected {...} {...}
doifnotfile                       \doifnotfile {...} {...}
doifnotflagged                    \doifnotflagged {...} {...}
doifnothing                       \doifnothing {...} {...}
doifnothingelse                   \doifnothingelse {...} {...} {...}
doifnotinset                      \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat           \doifnotinsidesplitfloat {...}
doifnotinstring                   \doifnotinstring {...} {...} {...}
doifnotmode                       \doifnotmode {...} {...}
doifnotnumber                     \doifnotnumber {...} {...}
doifnotsamestring                 \doifnotsamestring {...} {...} {...}
doifnotsetups                     \doifnotsetups {...} {...}
doifnotvalue                      \doifnotvalue {...} {...} {...}
doifnotvariable                   \doifnotvariable {...} {...} {...}
doifnumber                        \doifnumber {...} {...}
doifnumberelse                    \doifnumberelse {...} {...} {...}
doifobjectfoundelse               \doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse      \doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpageelse                   \doifoddpageelse {...} {...}
doifoddpagefloatelse              \doifoddpagefloatelse {...} {...}
doifoldercontextelse              \doifoldercontextelse {...} {...} {...}
doifolderversionelse              \doifolderversionelse {...} {...} {...} {...}
doifoverlappingelse               \doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse                   \doifoverlayelse {...} {...} {...}
doifparallelelse                  \doifparallelelse {...} {...} {...} {...}
doifparentfileelse                \doifparentfileelse {...} {...} {...}
doifpathelse                      \doifpathelse {...} {...} {...}
doifpathexistselse                \doifpathexistselse {...} {...} {...}
doifpatternselse                  \doifpatternselse {...} {...} {...}
doifposition                      \doifposition {...} {...} {...}
doifpositionaction                \doifpositionaction {...} {...} {...}
doifpositionactionelse            \doifpositionactionelse {...} {...} {...}
doifpositionelse                  \doifpositionelse {...} {...} {...}
doifpositiononpageelse            \doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse       \doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse       \doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse             \doifpositionsusedelse {...} {...}
doifreferencefoundelse            \doifreferencefoundelse {...} {...} {...}
doifrightpagefloatelse            \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse          \doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse         \doifsamelinereferenceelse {...} {...} {...}
doifsamestring                    \doifsamestring {...} {...} {...}
doifsamestringelse                \doifsamestringelse {...} {...} {...} {...}
doifsetups                        \doifsetups {...} {...}
doifsetupselse                    \doifsetupselse {...} {...} {...}
doifsomebackground                \doifsomebackground {...} {...} {...}
doifsomebackgroundelse            \doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse                 \doifsomespaceelse {...} {...} {...}
doifsomething                     \doifsomething {...} {...}
doifsomethingelse                 \doifsomethingelse {...} {...} {...}
doifsometoks                      \doifsometoks \... {...}
```

doifsometokselse	`\doifsometokselse \... {...} {...}`
doifstringinstringelse	`\doifstringinstringelse {...} {...} {...} {...}`
doifstructurelisthasnumberelse	`\doifstructurelisthasnumberelse {...} {...}`
doifstructurelisthaspageelse	`\doifstructurelisthaspageelse {...} {...}`
doifsymboldefinedelse	`\doifsymboldefinedelse {...} {...} {...}`
doifsymbolsetelse	`\doifsymbolsetelse {...} {...} {...}`
doiftext	`\doiftext {...} {...} {...}`
doiftextelse	`\doiftextelse {...} {...} {...}`
doiftextflowcollectorelse	`\doiftextflowcollectorelse {...} {...} {...}`
doiftextflowelse	`\doiftextflowelse {...} {...} {...}`
doiftopofpageelse	`\doiftopofpageelse {...} {...}`
doiftypingfileelse	`\doiftypingfileelse {...} {...} {...}`
doifundefined	`\doifundefined {...} {...}`
doifundefinedcounter	`\doifundefinedcounter {...} {...}`
doifundefinedelse	`\doifundefinedelse {...} {...} {...}`
doifunknownfontfeature	`\doifunknownfontfeature {...} {...} {...}`
doifurldefinedelse	`\doifurldefinedelse {...} {...} {...}`
doifvalue	`\doifvalue {...} {...} {...}`
doifvalueelse	`\doifvalueelse {...} {...} {...} {...}`
doifvaluenothing	`\doifvaluenothing {...} {...}`
doifvaluenothingelse	`\doifvaluenothingelse {...} {...} {...}`
doifvaluesomething	`\doifvaluesomething {...} {...}`
doifvariable	`\doifvariable {...} {...} {...}`
doifvariableelse	`\doifvariableelse {...} {...} {...} {...}`
doindentation	`\doindentation`
dollar	`\dollar`
doloop	`\doloop {...}`
doloopoverlist	`\doloopoverlist {...} {...}`
donothing	`\donothing`
dontconvertfont	`\dontconvertfont`
dontleavehmode	`\dontleavehmode`
dontpermitspacesbetweengroups	`\dontpermitspacesbetweengroups`
dopositionaction	`\dopositionaction {...}`
doprocesslocalsetups	`\doprocesslocalsetups {...}`
doquadrupleargument	`\doquadrupleargument \... [...] [...] [...] [...]`
doquadrupleempty	`\doquadrupleempty \... [...] [...] [...] [...]`
doquadruplegroupempty	`\doquadruplegroupempty \... {...} {...} {...} {...}`
doquintupleargument	`\doquintupleargument \... [...] [...] [...] [...] [...]`
doquintupleempty	`\doquintupleempty \... [...] [...] [...] [...] [...]`
doquintuplegroupempty	`\doquintuplegroupempty \... {...} {...} {...} {...} {...}`
dorechecknextindentation	`\dorechecknextindentation`
dorecurse	`\dorecurse {...} {...}`
dorepeatwithcommand	`\dorepeatwithcommand [...] \...`
doreplacefeature	`\doreplacefeature {...}`
doresetandafffeature	`\doresetandafffeature {...}`
doresetattribute	`\doresetattribute {...}`
dorotatebox	`\dorotatebox {...} \... {...}`
dosetattribute	`\dosetattribute {...} {...}`
dosetleftskipadaption	`\dosetleftskipadaption {...}`
dosetrightskipadaption	`\dosetrightskipadaption {...}`
dosetupcheckedinterlinespace	`\dosetupcheckedinterlinespace {..=..}`
dosetupcheckedinterlinespace:argument	`\dosetupcheckedinterlinespace {...}`
dosetupcheckedinterlinespace:name	`\dosetupcheckedinterlinespace {...}`
doseventupleargument	`\doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]`
doseventupleempty	`\doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]`
dosingleargument	`\dosingleargument \... [...]`
dosingleempty	`\dosingleempty \... [...]`
dosinglegroupempty	`\dosinglegroupempty \... {...}`
dosixtupleargument	`\dosixtupleargument \... [...] [...] [...] [...] [...] [...]`
dosixtupleempty	`\dosixtupleempty \... [...] [...] [...] [...] [...] [...]`
dostarttagged	`\dostarttagged {...} {...} ... \dostoptagged`
dostepwiserecurse	`\dostepwiserecurse {...} {...} {...} {...}`
dosubtractfeature	`\dosubtractfeature {...}`
dotfskip	`\dotfskip {...}`
dotoks	`\dotoks \...`
dotripleargument	`\dotripleargument \... [...] [...] [...]`
dotripleargumentwithset	`\dotripleargumentwithset \... [...] [...] [...]`
dotripleempty	`\dotripleempty \... [...] [...] [...]`
dotripleemptywithset	`\dotripleemptywithset \... [...] [...] [...]`
dotriplegroupempty	`\dotriplegroupempty \... {...} {...} {...}`
doublebond	`\doublebond`
dowith	`\dowith {...} {...}`

dowithnextbox	`\dowithnextbox {...} \... {...}`
dowithnextboxcontent	`\dowithnextboxcontent {...} {...} \... {...}`
dowithnextboxcontentcs	`\dowithnextboxcontentcs \... \... \... {...}`
dowithnextboxcs	`\dowithnextboxcs \... \... {...}`
dowithpargument	`\dowithpargument \...`
dowithrange	`\dowithrange {...} \...`
dowithwargument	`\dowithwargument \...`
dpofstring	`\dpofstring {...}`
dummydigit	`\dummydigit`
dummyparameter	`\dummyparameter {...}`
ETEX	`\ETEX`
EveryLine	`\EveryLine {...}`
EveryPar	`\EveryPar {...}`
edefconvertedargument	`\edefconvertedargument \... {...}`
efcmaxheight	`\efcmaxheight {...}`
efcmaxwidth	`\efcmaxwidth {...}`
efcminheight	`\efcminheight {...}`
efcminwidth	`\efcminwidth {...}`
efcparameter	`\efcparameter {...} {...}`
effect	`\effect [...] {...}`
elaborablocchi	`\elaborablocchi [...] [...] [..=..]`
elapsedseconds	`\elapsedseconds`
elapsedtime	`\elapsedtime`
elementi	`\elementi [..=..] {...}`
elemento	`\elemento [...]`
em	`\em`
emphasisboldface	`\emphasisboldface`
emphasistypeface	`\emphasistypeface`
emptylines	`\emptylines [...]`
emspace	`\emspace`
enabledirectives	`\enabledirectives [...]`
enableexperiments	`\enableexperiments [...]`
enablemode	`\enablemode [...]`
enableoutputstream	`\enableoutputstream [...]`
enableparpositions	`\enableparpositions`
enableregime	`\enableregime [...]`
enabletrackers	`\enabletrackers [...]`
enskip	`\enskip`
enspace	`\enspace`
enumerazione:example	`\ENUMERAZIONE [...] {...} ... \par`
env	`\env {...}`
envvar	`\envvar {...} {...}`
epos	`\epos {...}`
equaldigits	`\equaldigits {...}`
eTeX	`\eTeX`
etichetta:example	`\ETICHETTA [...] {...}`
executeifdefined	`\executeifdefined {...} {...}`
exitloop	`\exitloop`
exitloopnow	`\exitloopnow`
expandcheckedcsname	`\expandcheckedcsname \... {...} {...}`
expanded	`\expanded {...}`
expandeddoif	`\expandeddoif {...} {...} {...}`
expandeddoifelse	`\expandeddoifelse {...} {...} {...} {...}`
expandeddoifnot	`\expandeddoifnot {...} {...} {...}`
expandfontsynonym	`\expandfontsynonym \... {...}`
expdoif	`\expdoif {...} {...} {...}`
expdoifcommonelse	`\expdoifcommonelse {...} {...} {...} {...}`
expdoifelse	`\expdoifelse {...} {...} {...} {...}`
expdoifelsecommon	`\expdoifelsecommon {...} {...} {...} {...}`
expdoifelseinset	`\expdoifelseinset {...} {...} {...} {...}`
expdoifinsetelse	`\expdoifinsetelse {...} {...} {...} {...}`
expdoifnot	`\expdoifnot {...} {...} {...}`
externalfigurecollectionmaxheight	`\externalfigurecollectionmaxheight {...}`
externalfigurecollectionmaxwidth	`\externalfigurecollectionmaxwidth {...}`
externalfigurecollectionminheight	`\externalfigurecollectionminheight {...}`
externalfigurecollectionminwidth	`\externalfigurecollectionminwidth {...}`
externalfigurecollectionparameter	`\externalfigurecollectionparameter {...} {...}`
fakebox	`\fakebox ...`
fastdecrement	`\fastdecrement \...`
fastincrement	`\fastincrement \...`
fastlocalframed	`\fastlocalframed [...] [..=..] {...}`
fastloopfinal	`\fastloopfinal`

```
fastloopindex                      \fastloopindex
fastscale                          \fastscale {...} {...}
fastsetup                          \fastsetup {...}
fastsetupwithargument              \fastsetupwithargument {...} {...}
fastsetupwithargumentswapped       \fastsetupwithargumentswapped {...} {...}
fastswitchtobodyfont               \fastswitchtobodyfont {...}
fastsxsy                           \fastsxsy {...} {...} {...}
feature                            \feature [...] [...]
feature:direct                     \feature {...} {...}
fence                              \fence
fenced                             \fenced [...] {...}
fence:example                      \FENCE {...}
fetchallmarkings                   \fetchallmarkings [...] [...]
fetchallmarks                      \fetchallmarks [...]
fetchmark                          \fetchmark [...] [...]
fetchmarking                       \fetchmarking [...] [...] [...]
fetchonemark                       \fetchonemark [...] [...]
fetchonemarking                    \fetchonemarking [...] [...] [...]
fetchruntinecommand                \fetchruntinecommand \... {...}
fetchtwomarkings                   \fetchtwomarkings [...] [...]
fetchtwomarks                      \fetchtwomarks [...]
fieldbody                          \fieldbody [...] [..=..]
fifthoffivearguments               \fifthoffivearguments {...} {...} {...} {...} {...}
fifthofsixarguments                \fifthofsixarguments {...} {...} {...} {...} {...} {...}
figuraesterna                      \figuraesterna [...] [...] [..=..]
figurefilename                     \figurefilename
figurefilepath                     \figurefilepath
figurefiletype                     \figurefiletype
figurefullname                     \figurefullname
figureheight                       \figureheight
figurenaturalheight                \figurenaturalheight
figurenaturalwidth                 \figurenaturalwidth
figuresymbol                       \figuresymbol [...] [..=..]
figurewidth                        \figurewidth
filename                           \filename {...}
filledhboxb                        \filledhboxb ... {...}
filledhboxc                        \filledhboxc ... {...}
filledhboxg                        \filledhboxg ... {...}
filledhboxk                        \filledhboxk ... {...}
filledhboxm                        \filledhboxm ... {...}
filledhboxr                        \filledhboxr ... {...}
filledhboxy                        \filledhboxy ... {...}
filler                             \filler [...]
fillupto                           \fillupto [...] {...}
filterfromnext                     \filterfromnext {...} {...} {...} {...} {...} {...} {...}
filterfromvalue                    \filterfromvalue {...} {...} {...}  OPT    OPT    OPT    OPT
filterpages                        \filterpages [...] [...] [..=..]
filterreference                    \filterreference {...}
findtwopassdata                    \findtwopassdata {...} {...}
finishregisterentry                \finishregisterentry [...] [..=..] [..=..]
firstcharacter                     \firstcharacter
firstcounter                       \firstcounter [...] [...]
firstcountervalue                  \firstcountervalue [...]
firstinlist                        \firstinlist [...]
firstoffivearguments               \firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments               \firstoffourarguments {...} {...} {...} {...}
firstofoneargument                 \firstofoneargument {...}
firstofoneunexpanded               \firstofoneunexpanded {...}
firstofsixarguments                \firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments              \firstofthreearguments {...} {...} {...}
firstofthreeunexpanded             \firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments                \firstoftwoarguments {...} {...}
firstoftwounexpanded               \firstoftwounexpanded {...} {...}
firstrealpage                      \firstrealpage
firstrealpagenumber                \firstrealpagenumber
firstsubcountervalue               \firstsubcountervalue [...] [...]
firstsubpagenumber                 \firstsubpagenumber
firstuserpage                      \firstuserpage
firstuserpagenumber                \firstuserpagenumber
fitfieldframed                     \fitfieldframed [..=..] {...}
fittopbaselinegrid                 \fittopbaselinegrid {...}
flag                               \flag {...}
```

floatuserdataparameter	\floatuserdataparameter {...}
flushbox	\flushbox {...} {...}
flushboxregister	\flushboxregister ...
flushcollector	\flushcollector [...]
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer [...]
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream [...]
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {...}
flushtokens	\flushtokens [...]
flushtoks	\flushtoks \...
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {...}
fontcharbyindex	\fontcharbyindex {...}
fontclass	\fontclass
fontclassname	\fontclassname {...} {...}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [...] [...]
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [...] [..=..]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formula	\formula [...] {...}
foundbox	\foundbox {...} {...}
fourthoffivearguments	\fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments	\fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments	\fourthofsixarguments {...} {...} {...} {...} {...} {...}
frameddimension	\frameddimension {...}
framedparameter	\framedparameter {...}
frazione:instance	\FRACTION {...} {...}
frazione:instance:binom	\binom {...} {...}
frazione:instance:dbinom	\dbinom {...} {...}
frazione:instance:dfrac	\dfrac {...} {...}
frazione:instance:frac	\frac {...} {...}
frazione:instance:sfrac	\sfrac {...} {...}
frazione:instance:tbinom	\tbinom {...} {...}
frazione:instance:xfrac	\xfrac {...} {...}
frazione:instance:xxfrac	\xxfrac {...} {...}
freezedimenmacro	\freezedimenmacro \... \...
freezemeasure	\freezemeasure [...] [...]
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [...] {...}
frozenhbox	\frozenhbox {...}
frule	\frule ... \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {...}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {...}
gdefconvertedargument	\gdefconvertedargument \... {...}
gdefconvertedcommand	\gdefconvertedcommand \... \...
getboxfromcache	\getboxfromcache {...} {...} ...
getboxllx	\getboxllx ...
getboxlly	\getboxlly ...
getbufferdata	\getbufferdata [...]
getcommacommandsize	\getcommacommandsize [...]
getcommalistsize	\getcommalistsize [...]
getdayoftheweek	\getdayoftheweek {...} {...} {...}
getdayspermonth	\getdayspermonth {...} {...}
getdefinedbuffer	\getdefinedbuffer [...]
getdocumentargument	\getdocumentargument {...}
getdocumentargumentdefault	\getdocumentargumentdefault {...} {...}
getdocumentfilename	\getdocumentfilename {...}
getdummyparameters	\getdummyparameters [..=..]
getemptyparameters	\getemptyparameters [...] [..=..]

geteparameters	`\geteparameters [...] [..=..]`
getexpandedparameters	`\getexpandedparameters [...] [..=..]`
getfiguredimensions	`\getfiguredimensions [...] [..=..]`
getfirstcharacter	`\getfirstcharacter {...}`
getfirsttwopassdata	`\getfirsttwopassdata {...}`
getfromcommacommand	`\getfromcommacommand [...] [...]`
getfromcommalist	`\getfromcommalist [...] [...]`
getfromtwopassdata	`\getfromtwopassdata {...} {...}`
getglyphdirect	`\getglyphdirect {...} {...}`
getglyphstyled	`\getglyphstyled {...} {...}`
getgparameters	`\getgparameters [...] [..=..]`
getlasttwopassdata	`\getlasttwopassdata {...}`
getlocalfloat	`\getlocalfloat {...}`
getlocalfloats	`\getlocalfloats`
getMPdrawing	`\getMPdrawing`
getMPlayer	`\getMPlayer [...] [..=..] {...}`
getmessage	`\getmessage {...} {...}`
getnamedglyphdirect	`\getnamedglyphdirect {...} {...}`
getnamedglyphstyled	`\getnamedglyphstyled {...} {...}`
getnamedtwopassdatalist	`\getnamedtwopassdatalist \... {...}`
getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount \... {...} {...}`
getrandomdimen	`\getrandomdimen \... {...} {...}`
getrandomfloat	`\getrandomfloat \... {...} {...}`
getrandomnumber	`\getrandomnumber \... {...} {...}`
getrandomseed	`\getrandomseed \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getsubstring	`\getsubstring {...} {...} {...}`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
giornosettimana	`\giornosettimana {...}`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty \...`
globalpopbox	`\globalpopbox ...`
globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`
globalpushmacro	`\globalpushmacro \...`
globalpushreferenceprefix	`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`
globalswapcounts	`\globalswapcounts \... \...`
globalswapdimens	`\globalswapdimens \... \...`
globalswapmacros	`\globalswapmacros \... \...`
globalundefine	`\globalundefine {...}`
glyphfontfile	`\glyphfontfile {...}`
gobbledoubleempty	`\gobbledoubleempty [...] [...]`
gobbleeightarguments	`\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}`
gobblefivearguments	`\gobblefivearguments {...} {...} {...} {...} {...}`
gobblefiveoptionals	`\gobblefiveoptionals [...] [...] [...] [...] [...]`
gobblefourarguments	`\gobblefourarguments {...} {...} {...} {...}`
gobblefouroptionals	`\gobblefouroptionals [...] [...] [...] [...]`
gobbleninearguments	`\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...`

```
gobbleoneargument              \gobbleoneargument {...}
gobbleoneoptional              \gobbleoneoptional [...]
gobblesevenarguments           \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}
gobblesingleempty              \gobblesingleempty [...]
gobblesixarguments             \gobblesixarguments {...} {...} {...} {...} {...} {...}
gobblespacetokens              \gobblespacetokens
gobbletenarguments             \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...
gobblethreearguments           \gobblethreearguments {...} {...} {...}
gobblethreeoptionals           \gobblethreeoptionals [...] [...] [...]
gobbletwoarguments             \gobbletwoarguments {...} {...}
gobbletwooptionals             \gobbletwooptionals [...] [...]
gobbleuntil                    \gobbleuntil \...
gobbleuntilrelax               \gobbleuntilrelax ... \relax
grabbufferdata                 \grabbufferdata [...] [...] [...] [...]
grabbufferdatadirect           \grabbufferdatadirect {...} {...} {...}
grabuntil                      \grabuntil {...} \...
grafiamanuale                  \grafiamanuale
grande                         \grande ...
grassetto                      \grassetto
grassettocorsivo               \grassettocorsivo
grassettoinclinato             \grassettoinclinato
grave                          \grave {...}
grayvalue                      \grayvalue {...}
greedysplitstring              \greedysplitstring ... \at ... \to \... \and \...
greeknumerals                  \greeknumerals {...}
griglia                        \griglia [..=..]
grossofontdeltesto             \grossofontdeltesto
groupedcommand                 \groupedcommand {...} {...}
gsetboxllx                     \gsetboxllx ... {...}
gsetboxlly                     \gsetboxlly ... {...}
gujaratinumerals               \gujaratinumerals {...}
gurmurkhinumerals              \gurmurkhinumerals {...}
hairspace                      \hairspace
halflinestrut                  \halflinestrut
halfstrut                      \halfstrut
halfwaybox                     \halfwaybox {...}
handletokens                   \handletokens ... \with \...
hash                           \hash
hat                            \hat {...}
hboxofvbox                     \hboxofvbox ...
hboxreference                  \hboxreference [...] {...}
hbox:example                   \hboxBOX {...}
hdofstring                     \hdofstring {...}
headhbox                       \headhbox ... {...}
headnumbercontent              \headnumbercontent
headnumberdistance             \headnumberdistance
headnumberwidth                \headnumberwidth
headreferenceattributes        \headreferenceattributes
headsetupspacing               \headsetupspacing
headtextcontent                \headtextcontent
headtextdistance               \headtextdistance
headtextwidth                  \headtextwidth
headvbox                       \headvbox ... {...}
headwidth                      \headwidth
heightanddepthofstring         \heightanddepthofstring {...}
heightofstring                 \heightofstring {...}
heightspanningtext             \heightspanningtext {...} {...} {...}
help:instance                  \HELP [...] {...} {...}
help:instance:helptext         \helptext [...] {...} {...}
hglue                          \hglue ...
hiddencitation                 \hiddencitation [...]
hiddencite                     \hiddencite [...]
highlight                      \highlight [...] {...}
highlight:example              \HIGHLIGHT {...}
highordinalstr                 \highordinalstr {...}
hilo                           \hilo [...] {...} {...}
himilo                         \himilo {...} {...} {...}
hl                             \hl [...]
horizontalgrowingbar           \horizontalgrowingbar [..=..]
horizontalpositionbar          \horizontalpositionbar [..=..]
hphantom                       \hphantom {...}
hpos                           \hpos {...} {...}
```

```
hsizefraction                              \hsizefraction {...} {...}
hsmash                                     \hsmash {...}
hsmashbox                                  \hsmashbox ...
hsmashed                                   \hsmashed {...}
hspace                                     \hspace [...] [...]
htdpofstring                               \htdpofstring {...}
htofstring                                 \htofstring {...}
hyphen                                     \hyphen
hyphenatedcoloredword                      \hyphenatedcoloredword {...}
hyphenatedfile                             \hyphenatedfile {...}
hyphenatedfilename                         \hyphenatedfilename {...}
hyphenatedhbox                             \hyphenatedhbox {...}
hyphenatedpar                              \hyphenatedpar {...}
hyphenatedurl                              \hyphenatedurl {...}
hyphenatedword                             \hyphenatedword {...}
INRSTEX                                    \INRSTEX
ibox                                       \ibox {...}
ifassignment                               \ifassignment ... \else ... \fi
iff                                        \iff
ifinobject                                 \ifinobject ... \else ... \fi
ifinoutputstream                           \ifinoutputstream ... \else ... \fi
ifparameters                               \ifparameters ... \else ... \fi
iftrialtypesetting                         \iftrialtypesetting ... \else ... \fi
ignoreimplicitspaces                       \ignoreimplicitspaces
ignoretagsinexport                         \ignoretagsinexport [...]
ignorevalue                                \ignorevalue {...}
ignoto                                     \ignoto
immediatesavetwopassdata                   \immediatesavetwopassdata {...} {...} {...}
impliedby                                  \impliedby
implies                                    \implies
imposta                                    \imposta [...]
impostaallineamento                        \impostaallineamento [...]
impostaampiezzariga                        \impostaampiezzariga [...]
impostabarrainterazione                    \impostabarrainterazione [...] [..=..]
impostablocco                              \impostablocco [...] [..=..]
impostabloccosezione                       \impostabloccosezione [...] [..=..]
impostabuffer                              \impostabuffer [...] [..=..]
impostacampi                               \impostacampi [...] [..=..] [..=..] [..=..]
impostacampo                               \impostacampo [...] [...] [..=..] [..=..] [..=..]
impostacapoversi                           \impostacapoversi [...] [...] [..=..]
impostacapoversi:assignment                \impostacapoversi [...] [..=..]
impostacaption                             \impostacaption [...] [..=..]
impostacaptions                            \impostacaptions [...] [..=..]
impostacima                                \impostacima [...] [..=..]
impostaclippling                           \impostaclippling [..=..]
impostacolonne                             \impostacolonne [..=..]
impostacolore                              \impostacolore [...]
impostacolori                              \impostacolori [..=..]
impostacommento                            \impostacommento [...] [..=..]
impostacommentopagina                      \impostacommentopagina [..=..]
impostadimensionicarta                     \impostadimensionicarta [...] [..=..]
impostadimensionicarta:name                \impostadimensionicarta [...] [...]
impostaelementi                            \impostaelementi [...] [..=..]
impostaelencazioni                         \impostaelencazioni [...] [..=..]
impostaelenco                              \impostaelenco [...] [..=..]
impostaelencocombinato                     \impostaelencocombinato [...] [..=..]
impostaelencocombinato:instance            \impostaCOMBINEDLIST [..=..]
impostaelencocombinato:instance:content    \impostacontent [..=..]
impostaenumerazioni                        \impostaenumerazioni [...] [..=..]
impostafondo                               \impostafondo [...] [..=..]
impostafontdeltesto                        \impostafontdeltesto [...]
impostaforms                               \impostaforms [..=..]
impostaformule                             \impostaformule [...] [..=..]
impostagruppocolonne                       \impostagruppocolonne [...] [..=..]
impostaincorniciato                        \impostaincorniciato [...] [..=..]
impostainiziatermina                       \impostainiziatermina [...] [..=..]
impostainstestazione                       \impostainstestazione [...] [..=..]
impostainterazione                         \impostainterazione [...] [..=..]
impostainterazione:name                    \impostainterazione [...]
impostainterlinea                          \impostainterlinea [...] [..=..]
impostainterlinea:argument                 \impostainterlinea [...]
impostainterlinea:name                     \impostainterlinea [...]
```

```
impostalayout                                    \impostalayout [...] [..=..]
impostalayout:name                               \impostalayout [...]
impostalineemargine                              \impostalineemargine [...] [..=..]
impostalineenere                                 \impostalineenere [..=..]
impostalineeriempimento                          \impostalineeriempimento [..=..]
impostalineesottili                              \impostalineesottili [..=..]
impostalineetesto                                \impostalineetesto [..=..]
impostalingua                                    \impostalingua [...] [..=..]
impostamaiuscole                                 \impostamaiuscole [...] [..=..]
impostamakeup                                    \impostamakeup [...] [..=..]
impostamarcatura                                 \impostamarcatura [...] [..=..]
impostamenuinterazione                           \impostamenuinterazione [...] [..=..]
impostamenzione                                  \impostamenzione [..=..]
impostanumerazionecapoversi                      \impostanumerazionecapoversi [..=..]
impostanumerazionepagina                         \impostanumerazionepagina [..=..]
impostanumerazionerighe                          \impostanumerazionerighe [...] [..=..]
impostanumeropagina                              \impostanumeropagina [..=..]
impostanumerosottopagina                         \impostanumerosottopagina [..=..]
impostanumerotesta                               \impostanumerotesta [...] [...]
impostaoggettimobili                             \impostaoggettimobili [...] [..=..]
impostaoggettomobile                             \impostaoggettomobile [...] [..=..]
impostaordinamento                               \impostaordinamento [...] [..=..]
impostaparranging                                \impostaparranging [...]
impostapdp                                       \impostapdp [...] [..=..]
impostapiustretto                                \impostapiustretto [...] [..=..]
impostaposizionamento                            \impostaposizionamento [...] [..=..]
impostaposizionamentoopposti                     \impostaposizionamentoopposti [..=..]
impostaprogrammi                                 \impostaprogrammi [..=..]
impostaregistro                                  \impostaregistro [...] [..=..]
impostaregistro:argument                         \impostaregistro [...] [...] [..=..]
impostaregistro:instance                         \impostaREGISTER [...] [..=..]
impostaregistro:instance:index                   \impostaindex [...] [..=..]
impostarientro                                   \impostarientro [...]
impostariferimento                               \impostariferimento [..=..]
impostarighe                                     \impostarighe [...] [..=..]
impostarigheriempimento                          \impostarigheriempimento [..=..]
impostarigovuoto                                 \impostarigovuoto [...]
impostarotazione                                 \impostarotazione [..=..]
impostaschermointerazione                        \impostaschermointerazione [..=..]
impostasegnosillabazione                         \impostasegnosillabazione [..=..]
impostasetsimboli                                \impostasetsimboli [...]
impostasfondi                                    \impostasfondi [...] [...] [..=..]
impostasfondi:page                               \impostasfondi [...] [..=..]
impostasfondo                                    \impostasfondo [...] [..=..]
impostasinonimi                                  \impostasinonimi [...] [..=..]
impostaspaziatura                                \impostaspaziatura [...]
impostaspaziobianco                              \impostaspaziobianco [...]
impostaspezzamentooggettomobile                  \impostaspezzamentooggettomobile [..=..]
impostatabelle                                   \impostatabelle [..=..]
impostatabulato                                  \impostatabulato [...] [...] [..=..]
impostatavolozza                                 \impostatavolozza [...]
impostatesta                                     \impostatesta [...] [..=..]
impostateste                                     \impostateste [...] [..=..]
impostatesticima                                 \impostatesticima [...] [...] [...] [...] [...]
impostatestifondo                                \impostatestifondo [...] [...] [...] [...] [...]
impostatestiincorniciati                         \impostatestiincorniciati [...] [..=..]
impostatestiintestazioni                         \impostatestiintestazioni [...] [...] [...] [...] [...]
impostatestipdp                                  \impostatestipdp [...] [...] [...] [...] [...]
impostatesto                                     \impostatesto [...] [..=..]
impostatestoetichette:instance                   \impostaLABELtesto [...] [..=..]
impostatestoetichette:instance:btxlabel          \impostabtxlabeltesto [...] [..=..]
impostatestoetichette:instance:head              \impostaheadtesto [...] [..=..]
impostatestoetichette:instance:label             \impostalabeltesto [...] [..=..]
impostatestoetichette:instance:mathlabel         \impostamathlabeltesto [...] [..=..]
impostatestoetichette:instance:operator          \impostaoperatortesto [...] [..=..]
impostatestoetichette:instance:prefix            \impostaprefixtesto [...] [..=..]
impostatestoetichette:instance:suffix            \impostasuffixtesto [...] [..=..]
impostatestoetichette:instance:taglabel          \impostataglabeltesto [...] [..=..]
impostatestoetichette:instance:unit              \impostaunittesto [...] [..=..]
impostatestotesti                                \impostatestotesti [...] [...] [...] [...] [...]
impostatolleranza                                \impostatolleranza [...]
impostatransizionepagina                         \impostatransizionepagina [...]
```

```
impostatype                                    \impostatype [...] [..=..]
impostatyping                                  \impostatyping [...] [..=..]
impostaurl                                     \impostaurl [..=..]
imposta:direct                                 \imposta {...}
in                                             \in {...} {...} [...]
inclinato                                      \inclinato
inclinatograssetto                             \inclinatograssetto
includemenu                                    \includemenu [...]
includeversioninfo                             \includeversioninfo {...}
incorniciato                                   \incorniciato [..=..] {...}
incorniciato:instance                          \FRAMED [..=..] {...}
incorniciato:instance:fitfieldframed           \fitfieldframed [..=..] {...}
incorniciato:instance:unframed                 \unframed [..=..] {...}
incrementa                                     \incrementa \...
incrementa:argument                            \incrementa (...)
incrementcounter                               \incrementcounter [...] [...]
incrementedcounter                             \incrementedcounter [...]
incrementpagenumber                            \incrementpagenumber
incrementsubpagenumber                         \incrementsubpagenumber
incrementvalue                                 \incrementvalue {...}
indentation                                    \indentation
infofont                                       \infofont
infofontbold                                   \infofontbold
inheritparameter                               \inheritparameter [...] [...] [...]
inhibitblank                                   \inhibitblank
initializeboxstack                             \initializeboxstack {...}
inizia                                         \inizia [...] ... \termina
iniziaalignment                                \iniziaalignment [...] ... \terminaalignment
iniziaallineacentro                            \iniziaallineacentro ... \terminaallineacentro
iniziaallineadestra                            \iniziaallineadestra ... \terminaallineadestra
iniziaallineasinistra                          \iniziaallineasinistra ... \terminaallineasinistra
iniziaallmodes                                 \iniziaallmodes [...] ... \terminaallmodes
iniziaambiente                                 \iniziaambiente [...] ... \terminaambiente
iniziaambientebloccosezione                    \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
iniziaambiente:string                          \iniziaambiente ... ... \terminaambiente
iniziaattachment:instance                      \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance:attachment           \iniziaattachment [...] [..=..] ... \terminaattachment
iniziabar                                      \iniziabar [...] ... \terminabar
iniziabbordermatrix                            \iniziabbordermatrix ... \terminabbordermatrix
iniziabitmapimage                              \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix                             \iniziabordermatrix ... \terminabordermatrix
iniziabtxrenderingdefinitions                  \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions
iniziabuffer                                   \iniziabuffer [...] ... \terminabuffer
iniziabuffer:instance                          \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance:hiding                   \iniziahiding ... \terminahiding
iniziacapoverso                                \iniziacapoverso [...] [..=..] ... \terminacapoverso
iniziacapoverso:instance                       \iniziaSECTION [..=..] [..=..] ... \terminaSECTION
iniziacapoverso:instance:chapter               \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso:instance:part                  \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:section               \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject               \iniziasubject [..=..] [..=..] ... \terminasubject
iniziacapoverso:instance:subsection            \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsubject            \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubsection         \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
iniziacapoverso:instance:subsubsubject         \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection      \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsubject      \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubsection   \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection
iniziacapoverso:instance:subsubsubsubsubject   \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject
iniziacapoverso:instance:title                 \iniziatitle [..=..] [..=..] ... \terminatitle
iniziacatcodetable                             \iniziacatcodetable \... ... \terminacatcodetable
iniziacenteraligned                            \iniziacenteraligned ... \terminacenteraligned
iniziacharacteralign                           \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign:argument                  \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences                            \iniziacheckedfences ... \terminacheckedfences
iniziachemical                                 \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella                              \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato                             \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect                                  \iniziacollect ... \terminacollect
iniziacollecting                               \iniziacollecting ... \terminacollecting
iniziacolonne                                  \iniziacolonne [..=..] ... \terminacolonne
iniziacolore                                   \iniziacolore [...] ... \terminacolore
```

```
iniziacolorintent                          \iniziacolorintent [...] ... \terminacolorintent
iniziacoloronly                            \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset                             \iniziacolorset [...] ... \terminacolorset
iniziacolumnset                            \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnsetspan                        \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan
iniziacolumnset:example                    \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET
iniziacolumnspan                           \iniziacolumnspan [..=..] ... \terminacolumnspan
iniziacombination                          \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination:matrix                   \iniziacombination [...] [...] ... \terminacombination
iniziacommentopagina                       \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance                    \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment            \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet                           \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet:string                    \iniziacomponenet ... ... \terminacomponenet
iniziacontextcode                          \iniziacontextcode ... \terminacontextcode
iniziacontextdefinitioncode                \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction                          \iniziactxfunction ... ... \terminactxfunction
iniziactxfunctiondefinition                \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
iniziacurrentcolor                         \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentlistentrywrapper              \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper
iniziadelimited                            \iniziadelimited [...] [...] [...] ... \terminadelimited
iniziadelimitedtext                        \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext
iniziadelimitedtext:instance               \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside         \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote    \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation     \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote         \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:speech        \iniziaspeech [...] [...] ... \terminaspeech
iniziadescrizione:example                  \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example:title            \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadisplaymath                          \iniziadisplaymath ... \terminadisplaymath
iniziadmath                                \iniziadmath ... \terminadmath
iniziadocument                             \iniziadocument [..=..] ... \terminadocument
iniziaeffect                               \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example                       \iniziaEFFECT ... \terminaEFFECT
iniziaelement                              \iniziaelement {...} [..=..] ... \terminaelement
iniziaelemento                             \iniziaelemento [...] ... \terminaelemento
iniziaembeddedxtable                       \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name                  \iniziaembeddedxtable [...] ... \terminaembeddedxtable
iniziaenumerazione:example                 \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example:title           \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaexceptions                           \iniziaexceptions [...] ... \terminaexceptions
iniziaexpanded                             \iniziaexpanded ... \terminaexpanded
iniziaexpandedcollect                      \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaextendedcatcodetable                 \iniziaextendedcatcodetable \... ... \terminaextendedcatcodetable
iniziaexternalfigurecollection             \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollecti
iniziafacingfloat                          \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura                               \iniziafigura [...] [...] [..=..] ... \terminafigura
iniziafisso                                \iniziafisso [...] ... \terminafisso
iniziafittingpage                          \iniziafittingpage [...] [..=..] ... \terminafittingpage
iniziafittingpage:instance                 \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage          \iniziaMPpage [..=..] ... \terminaMPpage
iniziafittingpage:instance:TEXpage         \iniziaTEXpage [..=..] ... \terminaTEXpage
iniziafloatcombination                     \iniziafloatcombination [..=..] ... \terminafloatcombination
iniziafloatcombination:matrix              \iniziafloatcombination [...] ... \terminafloatcombination
iniziafloattext:instance                   \iniziaFLOATtesto [...] [...] {...} ... \terminaFLOATtesto
iniziafloattext:instance:chemical          \iniziachemicaltesto [...] [...] {...} ... \terminachemicaltesto
iniziafloattext:instance:figure            \iniziafiguretesto [...] [...] {...} ... \terminafiguretesto
iniziafloattext:instance:graphic           \iniziagraphictesto [...] [...] {...} ... \terminagraphictesto
iniziafloattext:instance:intermezzo        \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
iniziafloattext:instance:table             \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafont                                 \iniziafont [...] ... \terminafont
iniziafontclass                            \iniziafontclass [...] ... \terminafontclass
iniziafontsolution                         \iniziafontsolution [...] ... \terminafontsolution
iniziaformula                              \iniziaformula [...] ... \terminaformula
iniziaformula:assignment                   \iniziaformula [..=..] ... \terminaformula
iniziaformula:instance                     \iniziaFORMULAformula [...] ... \terminaFORMULAformula
iniziaformula:instance:md                  \iniziamdformula [...] ... \terminamdformula
iniziaformula:instance:mp                  \iniziampformula [...] ... \terminampformula
iniziaformula:instance:sd                  \iniziasdformula [...] ... \terminasdformula
iniziaformula:instance:sp                  \iniziaspformula [...] ... \terminaspformula
iniziaformule                              \iniziaformule [...] ... \terminaformule
```

```
iniziaframedcell                          \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcontent                       \iniziaframedcontent [...] ... \terminaframedcontent
iniziaframedrow                           \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedtable                         \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziagridsnapping                        \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping:list                   \iniziagridsnapping [...] ... \terminagridsnapping
iniziahboxestohbox                        \iniziahboxestohbox ... \terminahboxestohbox
iniziahboxregister                        \iniziahboxregister ... ... \terminahboxregister
iniziahelp:instance                       \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance:helptext              \iniziahelptext [...] ... \terminahelptext
iniziahighlight                           \iniziahighlight [...] ... \terminahighlight
iniziahyphenation                         \iniziahyphenation [...] ... \terminahyphenation
iniziaimath                               \iniziaimath ... \terminaimath
iniziaimpaccato                           \iniziaimpaccato [...] ... \terminaimpaccato
iniziaincorniciato                        \iniziaincorniciato [...] [..=..] ... \terminaincorniciato
iniziaindentedtext                        \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext:example                \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
iniziainterazione                         \iniziainterazione [...] ... \terminainterazione
iniziainterface                           \iniziainterface ... ... \terminainterface
iniziaintertext                           \iniziaintertext ... \terminaintertext
iniziaitemgroup                           \iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup
iniziaitemgroup:instance                  \iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP
iniziaitemgroup:instance:itemize          \iniziaitemize [...] [..=..] ... \terminaitemize
iniziaJScode                              \iniziaJScode ... ... ... ... \terminaJScode
iniziaJSpreamble                          \iniziaJSpreamble ... ... ... ... \terminaJSpreamble
iniziaknockout                            \iniziaknockout ... \terminaknockout
inizialayout                              \inizialayout [...] ... \terminalayout
inizialinealignment                       \inizialinealignment [...] ... \terminalinealignment
inizialineamargine                        \inizialineamargine [...] ... \terminalineamargine
inizialineamargine:assignment             \inizialineamargine [..=..] ... \terminalineamargine
inizialineatesto                          \inizialineatesto {...} ... \terminalineatesto
inizialinecorrection                      \inizialinecorrection [...] ... \terminalinecorrection
inizialinefiller                          \inizialinefiller [...] [..=..] ... \terminalinefiller
inizialinenumbering                       \inizialinenumbering [...] [..=..] ... \terminalinenumbering
inizialinenumbering:argument              \inizialinenumbering [...] [...] ... \terminalinenumbering
inizialinetable                           \inizialinetable ... \terminalinetable
inizialinetablebody                       \inizialinetablebody ... \terminalinetablebody
inizialinetablecell                       \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablehead                       \inizialinetablehead ... \terminalinetablehead
inizialocalfootnotes                      \inizialocalfootnotes ... \terminalocalfootnotes
inizialocalheadsetup                      \inizialocalheadsetup ... \terminalocalheadsetup
inizialocallinecorrection                 \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocalnotes                          \inizialocalnotes [...] ... \terminalocalnotes
inizialocalsetups                         \inizialocalsetups [...] [...] ... \terminalocalsetups
inizialocalsetups:string                  \inizialocalsetups ... ... \terminalocalsetups
inizialua                                 \inizialua ... \terminalua
inizialuacode                             \inizialuacode ... \terminaluacode
inizialuaparameterset                     \inizialuaparameterset [...] ... \terminaluaparameterset
inizialuasetups                           \inizialuasetups [...] [...] ... \terminaluasetups
inizialuasetups:string                    \inizialuasetups ... ... \terminaluasetups
iniziaMPclip                              \iniziaMPclip {...} ... \terminaMPclip
iniziaMPcode                              \iniziaMPcode {...} ... \terminaMPcode
iniziaMPdefinitions                       \iniziaMPdefinitions {...} ... \terminaMPdefinitions
iniziaMPdrawing                           \iniziaMPdrawing [...] ... \terminaMPdrawing
iniziaMPenvironment                       \iniziaMPenvironment [...] ... \terminaMPenvironment
iniziaMPextensions                        \iniziaMPextensions {...} ... \terminaMPextensions
iniziaMPinclusions                        \iniziaMPinclusions [...] {...} ... \terminaMPinclusions
iniziaMPinitializations                   \iniziaMPinitializations ... \terminaMPinitializations
iniziaMPpositiongraphic                   \iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic
iniziaMPpositionmethod                    \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod
iniziaMPrun                               \iniziaMPrun {...} ... \terminaMPrun
iniziamakeup                              \iniziamakeup [...] [..=..] ... \terminamakeup
iniziamakeup:instance                     \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup
iniziamakeup:instance:middle              \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance:page                \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance:standard            \iniziastandardmakeup [..=..] ... \terminastandardmakeup
iniziamakeup:instance:text                \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamarginblock                         \iniziamarginblock [...] ... \terminamarginblock
iniziamarkedcontent                       \iniziamarkedcontent [...] ... \terminamarkedcontent
iniziamarkpages                           \iniziamarkpages [...] ... \terminamarkpages
iniziamathalignment:instance              \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
iniziamathalignment:instance:align        \iniziaalign [..=..] ... \terminaalign
```

iniziamathalignment:instance:mathalignment	`\iniziamathalignment [..=..] ... \terminamathalignment`
iniziamathcases:instance	`\iniziaMATHCASES [..=..] ... \terminaMATHCASES`
iniziamathcases:instance:cases	`\iniziacases [..=..] ... \terminacases`
iniziamathcases:instance:mathcases	`\iniziamathcases [..=..] ... \terminamathcases`
iniziamathmatrix:instance	`\iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX`
iniziamathmatrix:instance:mathmatrix	`\iniziamathmatrix [..=..] ... \terminamathmatrix`
iniziamathmatrix:instance:matrix	`\iniziamatrix [..=..] ... \terminamatrix`
iniziamathmode	`\iniziamathmode ... \terminamathmode`
iniziamathstyle	`\iniziamathstyle [...] ... \terminamathstyle`
iniziamatrices	`\iniziamatrices [..=..] ... \terminamatrices`
iniziamaxaligned	`\iniziamaxaligned ... \terminamaxaligned`
iniziamenuinterattivo	`\iniziamenuinterattivo [...] ... \terminamenuinterattivo`
iniziamettiformula	`\iniziamettiformula [..=..] ... \terminamettiformula`
iniziamettiformula:argument	`\iniziamettiformula [...] ... \terminamettiformula`
iniziamiddlealigned	`\iniziamiddlealigned ... \terminamiddlealigned`
iniziamixedcolumns	`\iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns`
iniziamixedcolumns:instance	`\iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS`
iniziamixedcolumns:instance:boxedcolumns	`\iniziaboxedcolumns [..=..] ... \terminaboxedcolumns`
iniziamixedcolumns:instance:itemgroupcolumns	`\iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns`
iniziamode	`\iniziamode [...] ... \terminamode`
iniziamodeset	`\iniziamodeset [...] {...} ... \terminamodeset`
iniziamodule	`\iniziamodule [...] ... \terminamodule`
iniziamoduletestsection	`\iniziamoduletestsection ... \terminamoduletestsection`
iniziamodule:string	`\iniziamodule ... ... \terminamodule`
iniziamamedsection	`\iniziamamedsection [...] [..=..] [..=..] ... \terminamamedsection`
iniziamamedsubformulas	`\iniziamamedsubformulas [...] {...} ... \terminamamedsubformulas`
iniziamarrower	`\iniziamarrower [...] ... \terminamarrower`
iniziamarrower:example	`\iniziaNARROWER [...] ... \terminaNARROWER`
iniziamegativo	`\iniziamegativo ... \terminamegativo`
iniziamicelyfilledbox	`\iniziamicelyfilledbox [..=..] ... \terminamicelyfilledbox`
iniziamointerference	`\iniziamointerference ... \terminamointerference`
iniziamotallmodes	`\iniziamotallmodes [...] ... \terminamotallmodes`
iniziamota:instance	`\iniziaNOTE [...] ... \terminaNOTE`
iniziamota:instance:assignment	`\iniziaNOTE [..=..] ... \terminaNOTE`
iniziamota:instance:assignment:endnote	`\iniziaendnote [..=..] ... \terminaendnote`
iniziamota:instance:assignment:footnote	`\iniziafootnote [..=..] ... \terminafootnote`
iniziamota:instance:endnote	`\iniziaendnote [...] ... \terminaendnote`
iniziamota:instance:footnote	`\iniziafootnote [...] ... \terminafootnote`
iniziamotext	`\iniziamotext ... \terminamotext`
iniziamotmode	`\iniziamotmode [...] ... \terminamotmode`
iniziaopposto	`\iniziaopposto ... \terminaopposto`
iniziaoutputstream	`\iniziaoutputstream [...] ... \terminaoutputstream`
iniziaoverprint	`\iniziaoverprint ... \terminaoverprint`
iniziapagecolumns	`\iniziapagecolumns [..=..] ... \terminapagecolumns`
iniziapagecolumns:instance	`\iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS`
iniziapagecolumns:name	`\iniziapagecolumns [...] ... \terminapagecolumns`
iniziapagefigure	`\iniziapagefigure [...] [..=..] ... \terminapagefigure`
iniziapagelayout	`\iniziapagelayout [...] ... \terminapagelayout`
iniziapar	`\iniziapar [...] [..=..] ... \terminapar`
iniziaparagraphs	`\iniziaparagraphs [...] ... \terminaparagraphs`
iniziaparagraphscell	`\iniziaparagraphscell ... \terminaparagraphscell`
iniziaparagraphs:example	`\iniziaPARAGRAPHS ... \terminaPARAGRAPHS`
iniziaparallel:example	`\iniziaPARALLEL ... \terminaPARALLEL`
iniziaparbuilder	`\iniziaparbuilder [...] ... \terminaparbuilder`
iniziaplacefloat	`\iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat`
iniziaplacefloat:instance	`\iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT`
iniziaplacefloat:instance:chemical	`\iniziamettichemical [..=..] [..=..] ... \terminamettichemical`
iniziaplacefloat:instance:figure	`\iniziamettifigure [..=..] [..=..] ... \terminamettifigure`
iniziaplacefloat:instance:graphic	`\iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic`
iniziaplacefloat:instance:intermezzo	`\iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo`
iniziaplacefloat:instance:table	`\iniziamettitable [..=..] [..=..] ... \terminamettitable`
iniziaplacepairedbox	`\iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox`
iniziaplacepairedbox:instance	`\iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX`
iniziaplacepairedbox:instance:legend	`\iniziamettilegend [..=..] ... \terminamettilegend`
iniziapositioning	`\iniziapositioning [...] [..=..] ... \terminapositioning`
iniziapositionoverlay	`\iniziapositionoverlay {...} ... \terminapositionoverlay`
iniziapositivo	`\iniziapositivo ... \terminapositivo`
iniziaposporre	`\iniziaposporre [...] ... \terminaposporre`
iniziapostponingnotes	`\iniziapostponingnotes ... \terminapostponingnotes`
iniziaprocessassignmentcommand	`\iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcom`
iniziaprocessassignmentlist	`\iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist`
iniziaprocesscommacommand	`\iniziaprocesscommacommand [...] ... \terminaprocesscommacommand`

```
iniziaprocesscommalist                      \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprodotto                               \iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string                        \iniziaprodotto ... ... \terminaprodotto
iniziaprogetto                               \iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto:string                        \iniziaprogetto ... ... \terminaprogetto
iniziaprotectedcolors                        \iniziaprotectedcolors ... \terminaprotectedcolors
iniziapubblicazione                          \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziarandomized                             \iniziarandomized ... \terminarandomized
iniziarawsetups                              \iniziarawsetups [...] [...] ... \terminarawsetups
iniziarawsetups:string                       \iniziarawsetups ... ... \terminarawsetups
iniziareadingfile                            \iniziareadingfile ... \terminareadingfile
iniziaregime                                 \iniziaregime [...] ... \terminaregime
iniziareusableMPgraphic                      \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic
iniziariga                                   \iniziariga [...]
iniziarighe:instance                         \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance:lines                   \inizialines [..=..] ... \terminalines
iniziaruby                                   \iniziaruby [...] ... \terminaruby
iniziascript                                 \iniziascript [...] ... \terminascript
iniziasectionblock                           \iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock:instance                  \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices       \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:backmatter       \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:bodymatter       \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter      \iniziafrontmatter [..=..] ... \terminafrontmatter
iniziasectionlevel                           \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel
iniziasetups                                 \iniziasetups [...] [...] ... \terminasetups
iniziasetups:string                          \iniziasetups ... ... \terminasetups
iniziasfondo                                 \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo:example                         \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziashift                                  \iniziashift [...] ... \terminashift
iniziasidebar                                \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns                          \iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasospeso                                \iniziasospeso [..=..] {...} ... \terminasospeso
iniziasospeso:argument                       \iniziasospeso [...] {...} ... \terminasospeso
iniziasovrapponi                             \iniziasovrapponi ... \terminasovrapponi
iniziaspecialitem:item                       \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none                       \iniziaspecialitem [...] ... \terminaspecialitem
iniziaspecialitem:symbol                     \iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziasplitformula                           \iniziasplitformula ... \terminasplitformula
iniziaspread                                 \iniziaspread ... \terminaspread
iniziastartstop:example                      \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastaticMPfigure                         \iniziastaticMPfigure {...} ... \terminastaticMPfigure
iniziastaticMPgraphic                        \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastretto                                \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto:assignment                     \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name                           \iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter             \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle                                  \iniziastyle [..=..] ... \terminastyle
iniziastyle:argument                         \iniziastyle [...] ... \terminastyle
iniziastyle:instance                         \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas                            \iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel                           \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel
iniziasubsentence                            \iniziasubsentence ... \terminasubsentence
iniziasubstack                               \iniziasubstack ... \terminasubstack
iniziasymbolset                              \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziaTABLE                                  \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody                              \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEfoot                              \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead                              \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext                              \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella                                \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella:name                           \iniziatabella [...] [..=..] ... \terminatabella
iniziatabelle                                \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle:name                           \iniziatabelle [...] ... \terminatabelle
iniziatabulation:example                     \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulato                               \iniziatabulato [|...|] [..=..] ... \terminatabulato
iniziatabulato:instance                      \iniziaTABULATE [.ᵒᵖᵗ.] [..=..] ... \terminaTABULATE
iniziatabulato:instance:fact                 \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:legend               \inizialegend [...] [..=..] ... \terminalegend
iniziatesta                                  \iniziatesta [...] {...} ... \terminatesta
iniziatestatabella                           \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabulato                          \iniziatestatabulato [...] ... \terminatestatabulato
```

```
iniziatesto                                      \iniziatesto ... \terminatesto
iniziatestoaiuto                                 \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoetichetta:instance                    \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel           \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance:head               \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:label              \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:mathlabel          \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:operator           \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
iniziatestoetichetta:instance:prefix             \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:suffix             \iniziasuffixtesto [...] [...] ... \terminasuffixtesto
iniziatestoetichetta:instance:taglabel           \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:unit               \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoincorniciato:instance                 \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext      \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode                                    \iniziatexcode ... \terminatexcode
iniziatexdefinition                              \iniziatexdefinition ... ... ... ... ... ... ... ... \terminatexdefiniti
iniziatextbackground                             \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackgroundmanual                       \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
iniziatextbackground:example                     \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextcolor                                  \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolorintent                            \iniziatextcolorintent ... \terminatextcolorintent
iniziatextflow                                   \iniziatextflow [...] ... \terminatextflow
iniziatokens                                     \iniziatokens [...] ... \terminatokens
iniziatransparent                                \iniziatransparent [...] ... \terminatransparent
iniziatypescript                                 \iniziatypescript [...] [...] [...] ... \terminatypescript
iniziatypescriptcollection                       \iniziatypescriptcollection [...] ... \terminatypescriptcollection
iniziatyping:instance                            \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument                   \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA               \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP                \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML         \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX               \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:typing            \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:XML               \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA                        \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP                         \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML                  \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX                        \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:typing                     \iniziatyping [..=..] ... \terminatyping
iniziatyping:instance:XML                        \iniziaXML [..=..] ... \terminaXML
iniziauniqueMPgraphic                            \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
iniziauniqueMPpagegraphic                        \iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic
iniziaunpacked                                   \iniziaunpacked ... \terminaunpacked
iniziausableMPgraphic                            \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic
iniziauseMPgraphic                               \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
iniziausemathstyleparameter                      \iniziausemathstyleparameter \... ... \terminausemathstyleparameter
iniziausingbtxspecification                      \iniziausingbtxspecification [...] ... \terminausingbtxspecification
iniziavaia                                       \iniziavaia [...] ... \terminavaia
iniziavboxregister                               \iniziavboxregister ... ... \terminavboxregister
iniziavboxtohbox                                 \iniziavboxtohbox ... \terminavboxtohbox
iniziavboxtohboxseparator                        \iniziavboxtohboxseparator ... \terminavboxtohboxseparator
iniziaviewerlayer                                \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example                        \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister                               \iniziavtopregister ... ... \terminavtopregister
iniziaxcell                                      \iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcellgroup                                 \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxcolumn                                    \iniziaxcolumn [...] [..=..] ... \terminaxcolumn
iniziaxgroup                                     \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxmldisplayverbatim                         \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim
iniziaxmlinlineverbatim                          \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlraw                                     \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups                                  \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups:string                           \iniziaxmlsetups ... ... \terminaxmlsetups
iniziaxrow                                       \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrowgroup                                  \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxtable                                     \iniziaxtable [..=..] ... \terminaxtable
iniziaxtablebody                                 \iniziaxtablebody [..=..] ... \terminaxtablebody
iniziaxtablebody:name                            \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot                                 \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name                            \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablehead                                 \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead:name                            \iniziaxtablehead [...] ... \terminaxtablehead
```

```
iniziaxtablenext                          \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext:name                     \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtable:example                      \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:name                         \iniziaxtable [...] ... \terminaxtable
inlinebuffer                              \inlinebuffer [...]
inlinedbox                                \inlinedbox {...}
inlinemath                                \inlinemath {...}
inlinemathematics                         \inlinemathematics {...}
inlinemessage                             \inlinemessage {...}
inlineordisplaymath                       \inlineordisplaymath {...} {...}
inlineprettyprintbuffer                   \inlineprettyprintbuffer {...} {...}
inlinerange                               \inlinerange [...]
innerflushshapebox                        \innerflushshapebox
input                                     \input {...}
inputfilebarename                         \inputfilebarename
inputfilename                             \inputfilename
inputfilerealsuffix                       \inputfilerealsuffix
inputfilesuffix                           \inputfilesuffix
inputgivenfile                            \inputgivenfile {...}
input:string                              \input ...
inriga                                    \inriga {...} [...]
insertpages                               \insertpages [...] [...] [..=..]
installactionhandler                      \installactionhandler {...}
installactivecharacter                    \installactivecharacter ...
installalingua                            \installalingua [...] [..=..]
installalingua:name                       \installalingua [...] [...]
installanddefineactivecharacter           \installanddefineactivecharacter ... {...}
installattributestack                     \installattributestack \...
installautocommandhandler                 \installautocommandhandler \... {...} \...
installautosetuphandler                   \installautosetuphandler \... {...}
installbasicautosetuphandler              \installbasicautosetuphandler \... {...} \...
installbasicparameterhandler              \installbasicparameterhandler \... {...}
installbottomframerenderer                \installbottomframerenderer {...} {...}
installcommandhandler                     \installcommandhandler \... {...} \...
installcorenamespace                      \installcorenamespace {...}
installdefinehandler                      \installdefinehandler \... {...} \...
installdefinitionset                      \installdefinitionset \... {...}
installdefinitionsetmember                \installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler               \installdirectcommandhandler \... {...}
installdirectparameterhandler             \installdirectparameterhandler \... {...}
installdirectparametersethandler          \installdirectparametersethandler \... {...}
installdirectsetuphandler                 \installdirectsetuphandler \... {...}
installdirectstyleandcolorhandler         \installdirectstyleandcolorhandler \... {...}
installframedautocommandhandler           \installframedautocommandhandler \... {...} \...
installframedcommandhandler               \installframedcommandhandler \... {...} \...
installglobalmacrostack                   \installglobalmacrostack \...
installleftframerenderer                  \installleftframerenderer {...} {...}
installmacrostack                         \installmacrostack \...
installnamespace                          \installnamespace {...}
installoutputroutine                      \installoutputroutine \... {...}
installpagearrangement                    \installpagearrangement ... {...}
installparameterhandler                   \installparameterhandler \... {...}
installparameterhashhandler               \installparameterhashhandler \... {...}
installparametersethandler                \installparametersethandler \... {...}
installparentinjector                     \installparentinjector \... {...}
installrightframerenderer                 \installrightframerenderer {...} {...}
installrootparameterhandler               \installrootparameterhandler \... {...}
installsetuphandler                       \installsetuphandler \... {...}
installsetuponlycommandhandler            \installsetuponlycommandhandler \... {...}
installshipoutmethod                      \installshipoutmethod {...} {...}
installsimplecommandhandler               \installsimplecommandhandler \... {...} \...
installsimpleframedcommandhandler         \installsimpleframedcommandhandler \... {...} \...
installstyleandcolorhandler               \installstyleandcolorhandler \... {...}
installswitchcommandhandler               \installswitchcommandhandler \... {...} \...
installswitchsetuphandler                 \installswitchsetuphandler \... {...}
installtexdirective                       \installtexdirective {...} {...} {...}
installtextracker                         \installtextracker {...} {...} {...}
installtopframerenderer                   \installtopframerenderer {...} {...}
instalunitsseparator                      \instalunitsseparator {...} {...}
installunitsspace                         \installunitsspace {...} {...}
installversioninfo                        \installversioninfo {...} {...}
integerrounding                           \integerrounding {...}
```

```
intertext                               \intertext {...}
intorno                                 \intorno [...]
invokepageheandler                      \invokepageheandler {...} {...}
istltdir                                \istltdir ...
istrtdir                                \istrtdir ...
italiccorrection                        \italiccorrection
italicface                              \italicface
itemtag                                 \itemtag [...]
jobfilename                             \jobfilename
jobfilesuffix                           \jobfilesuffix
kap                                     \kap {...}
keeplinestogether                       \keeplinestogether {...}
keepunwantedspaces                      \keepunwantedspaces
kerncharacters                          \kerncharacters [...] {...}
koreancirclenumerals                    \koreancirclenumerals {...}
koreannumerals                          \koreannumerals {...}
koreannumeralsc                         \koreannumeralsc {...}
koreannumeralsp                         \koreannumeralsp {...}
koreanparentnumerals                    \koreanparentnumerals {...}
LAMSTEX                                 \LAMSTEX
LATEX                                   \LATEX
LamSTeX                                 \LamSTeX
LaTeX                                   \LaTeX
Lettera                                 \Lettera {...}
Lettere                                 \Lettere {...}
LUAJITTEX                               \LUAJITTEX
LUATEX                                  \LUATEX
Lua                                     \Lua
LuajitTeX                               \LuajitTeX
LuaTeX                                  \LuaTeX
labellanguage:instance                  \LABELlingua
labellanguage:instance:btxlabel         \btxlabellingua
labellanguage:instance:head             \headlingua
labellanguage:instance:label            \labellingua
labellanguage:instance:mathlabel        \mathlabellingua
labellanguage:instance:operator         \operatorlingua
labellanguage:instance:prefix           \prefixlingua
labellanguage:instance:suffix           \suffixlingua
labellanguage:instance:taglabel         \taglabellingua
labellanguage:instance:unit             \unitlingua
labeltexts:instance                     \LABELtexts {...} {...}
labeltexts:instance:head                \headtexts {...} {...}
labeltexts:instance:label               \labeltexts {...} {...}
labeltexts:instance:mathlabel           \mathlabeltexts {...} {...}
languageCharacters                      \languageCharacters {...}
languagecharacters                      \languagecharacters {...}
languagecharwidth                       \languagecharwidth {...}
lastcounter                             \lastcounter [...] [...]
lastcountervalue                        \lastcountervalue [...]
lastdigit                               \lastdigit {...}
lastlinewidth                           \lastlinewidth
lastnaturalboxdp                        \lastnaturalboxdp
lastnaturalboxht                        \lastnaturalboxht
lastnaturalboxwd                        \lastnaturalboxwd
lastpredefinedsymbol                    \lastpredefinedsymbol
lastrealpage                            \lastrealpage
lastrealpagenumber                      \lastrealpagenumber
lastsubcountervalue                     \lastsubcountervalue [...] [...]
lastsubpagenumber                       \lastsubpagenumber
lasttwodigits                           \lasttwodigits {...}
lastuserpage                            \lastuserpage
lastuserpagenumber                      \lastuserpagenumber
lateluacode                             \lateluacode {...}
layeredtext                             \layeredtext [..=..] [..=..] {...} {...}
layerheight                             \layerheight
layerwidth                              \layerwidth
lazysavetaggedtwopassdata               \lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata                     \lazysavetwopassdata {...} {...} {...}
lbox                                    \lbox ... {...}
leftbottombox                           \leftbottombox {...}
leftbox                                 \leftbox {...}
lefthbox                                \lefthbox {...}
```

```
leftlabeltext:instance                  \leftLABELtesto {...}
leftlabeltext:instance:head             \leftheadtesto {...}
leftlabeltext:instance:label            \leftlabeltesto {...}
leftlabeltext:instance:mathlabel        \leftmathlabeltesto {...}
leftline                                \leftline {...}
leftorrighthbox                         \leftorrighthbox ... {...}
leftorrightvbox                         \leftorrightvbox ... {...}
leftorrightvtop                         \leftorrightvtop ... {...}
leftskipadaption                        \leftskipadaption
leftsubguillemot                        \leftsubguillemot
lefttopbox                              \lefttopbox {...}
lefttoright                             \lefttoright
lefttorighthbox                         \lefttorighthbox ... {...}
lefttorightvbox                         \lefttorightvbox ... {...}
lefttorightvtop                         \lefttorightvtop ... {...}
letbeundefined                          \letbeundefined {...}
letcatcodecommand                       \letcatcodecommand \... ... \...
letcscsname                             \letcscsname \... \csname ... \endcsname
letcsnamecs                             \letcsnamecs \csname ... \endcsname \...
letcsnamecsname                         \letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter                       \letdummyparameter {...} \...
letempty                                \letempty \...
letgvalue                               \letgvalue {...} \...
letgvalueempty                          \letgvalueempty {...}
letgvalurelax                           \letgvalurelax {...}
lettera                                 \lettera {...}
letterampersand                         \letterampersand
letterat                                \letterat
letterbackslash                         \letterbackslash
letterbar                               \letterbar
letterbgroup                            \letterbgroup
letterclosebrace                        \letterclosebrace
lettercolon                             \lettercolon
letterdollar                            \letterdollar
letterdoublequote                       \letterdoublequote
lettere                                 \lettere {...}
letteregroup                            \letteregroup
letterescape                            \letterescape
letterexclamationmark                   \letterexclamationmark
letterhash                              \letterhash
letterhat                               \letterhat
letterleftbrace                         \letterleftbrace
letterleftbracket                       \letterleftbracket
letterleftparenthesis                   \letterleftparenthesis
letterless                              \letterless
lettermore                              \lettermore
letteropenbrace                         \letteropenbrace
letterpercent                           \letterpercent
letterquestionmark                      \letterquestionmark
letterrightbrace                        \letterrightbrace
letterrightbracket                      \letterrightbracket
letterrightparenthesis                  \letterrightparenthesis
lettersinglequote                       \lettersinglequote
letterslash                             \letterslash
letterspacing                           \letterspacing [...] {...}
lettertilde                             \lettertilde
letterunderscore                        \letterunderscore
letvalue                                \letvalue {...} \...
letvalueempty                           \letvalueempty {...}
letvaluerelax                           \letvaluerelax {...}
lfence                                  \lfence {...}
lhbox                                   \lhbox {...}
limitatefirstline                       \limitatefirstline {...} {...} {...}
limitatelines                           \limitatelines {...} {...} {...}
limitatetext                            \limitatetext {...} {...} {...}
limitatetext:list                       \limitatetext {...} {...} {...}
lineanera                               \lineanera [..=..]
lineasottile                            \lineasottile
lineatesto                              \lineatesto [...] {...}
linebox                                 \linebox {...}
lineenere                               \lineenere [..=..]
lineeriempimento                        \lineeriempimento [..=..] {...} {...}
```

```
lineesottili                        \lineesottili [..=..]
linenote:instance                   \LINENOTE {...}
linenote:instance:linenote          \linenote {...}
linespanningtext                    \linespanningtext {...} {...} {...}
lingua                              \lingua [...]
linguaprincipale                    \linguaprincipale [...]
lingua:example                      \LANGUAGE
listcitation                        \listcitation [..=..] [...]
listcitation:alternative            \listcitation [...] [...]
listcitation:userdata               \listcitation [..=..] [..=..]
listcite                            \listcite [..=..] [...]
listcite:alternative                \listcite [...] [...]
listcite:userdata                   \listcite [..=..] [..=..]
listnamespaces                      \listnamespaces
llap                                \llap {...}
loadanyfile                         \loadanyfile [...]
loadanyfileonce                     \loadanyfileonce [...]
loadbtxdefinitionfile               \loadbtxdefinitionfile [...]
loadbtxreplacementfile              \loadbtxreplacementfile [...]
loadcldfile                         \loadcldfile [...]
loadcldfileonce                     \loadcldfileonce [...]
loadfontgoodies                     \loadfontgoodies [...]
loadluafile                         \loadluafile [...]
loadluafileonce                     \loadluafileonce [...]
loadspellchecklist                  \loadspellchecklist [...] [...]
loadtexfile                         \loadtexfile [...]
loadtexfileonce                     \loadtexfileonce [...]
loadtypescriptfile                  \loadtypescriptfile [...]
localframed                         \localframed [...] [..=..] {...}
localframedwithsettings             \localframedwithsettings [...] [..=..] {...}
localhsize                          \localhsize
localpopbox                         \localpopbox ...
localpopmacro                       \localpopmacro \...
localpushbox                        \localpushbox ...
localpushmacro                      \localpushmacro \...
localundefine                       \localundefine {...}
locatedfilepath                     \locatedfilepath
locatefilepath                      \locatefilepath {...}
locfilename                         \locfilename {...}
lomihi                              \lomihi {...} {...} {...}
lowerbox                            \lowerbox {...} \... {...}
lowercased                          \lowercased {...}
lowercasestring                     \lowercasestring ... \to \...
lowerleftdoubleninequote            \lowerleftdoubleninequote
lowerleftsingleninequote            \lowerleftsingleninequote
lowerrightdoubleninequote           \lowerrightdoubleninequote
lowerrightsingleninequote           \lowerrightsingleninequote
lowhigh:instance                    \LOWHIGH [...] {...} {...}
lowmidhigh:instance                 \LOWMIDHIGH {...} {...} {...}
lrtbbox                             \lrtbbox {...} {...} {...} {...} {...}
ltop                                \ltop ... {...}
luacode                             \luacode {...}
luaconditional                      \luaconditional \...
luaenvironment                      \luaenvironment ...
luaexpanded                         \luaexpanded {...}
luaexpr                             \luaexpr {...}
luafunction                         \luafunction {...}
luajitTeX                           \luajitTeX
luamajorversion                     \luamajorversion
luaminorversion                     \luaminorversion
luaparameterset                     \luaparameterset {...} {...}
luasetup                            \luasetup {...}
luaTeX                              \luaTeX
luaversion                          \luaversion
lunghezzaelenco                     \lunghezzaelenco
MESE                                \MESE {...}
METAFONT                            \METAFONT
METAFUN                             \METAFUN
METAPOST                            \METAPOST
MetaFont                            \MetaFont
MetaFun                             \MetaFun
MetaPost                            \MetaPost
```

```
MKII                              \MKII
MKIV                              \MKIV
MKIX                              \MKIX
MKVI                              \MKVI
MKXI                              \MKXI
MONTHLONG                         \MONTHLONG {...}
MONTHSHORT                        \MONTHSHORT {...}
MPanchor                          \MPanchor {...}
MPbetex                           \MPbetex {...}
MPc                               \MPc {...}
MPcode                            \MPcode {...} {...}
MPcolor                           \MPcolor {...}
MPcoloronly                       \MPcoloronly {...}
MPcolumn                          \MPcolumn {...}
MPd                               \MPd {...}
MPdrawing                         \MPdrawing {...}
MPfontsizehskip                   \MPfontsizehskip {...}
MPgetmultipars                    \MPgetmultipars {...} {...}
MPgetmultishape                   \MPgetmultishape {...} {...}
MPgetposboxes                     \MPgetposboxes {...} {...}
MPh                               \MPh {...}
MPII                              \MPII
MPIV                              \MPIV
MPinclusions                      \MPinclusions [...] {...} {...}
MPleftskip                        \MPleftskip {...}
MPll                              \MPll {...}
MPlr                              \MPlr {...}
MPls                              \MPls {...}
MPmenubuttons                     \MPmenubuttons {...}
MPn                               \MPn {...}
MPoptions                         \MPoptions {...}
MPoverlayanchor                   \MPoverlayanchor {...}
MPp                               \MPp {...}
MPpage                            \MPpage {...}
MPpardata                         \MPpardata {...}
MPplus                            \MPplus {...} {...} {...}
MPpos                             \MPpos {...}
MPpositiongraphic                 \MPpositiongraphic {...} {..=..}
MPposset                          \MPposset {...}
MPr                               \MPr {...}
MPrawvar                          \MPrawvar {...} {...}
MPregion                          \MPregion {...}
MPrest                            \MPrest {...} {...}
MPrightskip                       \MPrightskip {...}
MPrs                              \MPrs {...}
MPstring                          \MPstring {...}
MPtext                            \MPtext {...}
MPtransparency                    \MPtransparency {...}
MPul                              \MPul {...}
MPur                              \MPur {...}
MPVI                              \MPVI
MPv                               \MPv {...} {...} {...}
MPvar                             \MPvar {...}
MPvariable                        \MPvariable {...}
MPvv                              \MPvv {...} {...}
MPw                               \MPw {...}
MPwhd                             \MPwhd {...}
MPx                               \MPx {...}
MPxy                              \MPxy {...}
MPxywhd                           \MPxywhd {...}
MPy                               \MPy {...}
m                                 \m [...] {...}
makecharacteractive               \makecharacteractive ...
makerawcommalist                  \makerawcommalist [...] \...
makestrutofbox                    \makestrutofbox ...
mapfontsize                       \mapfontsize [...] [...]
marcatura                         \marcatura (...,...) (...,...) [...]
margindata                        \margindata [...] [..=..] [..=..] {...}
margindata:instance               \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin  \atleftmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin \atrightmargin [..=..] [..=..] {...}
margindata:instance:ininner       \ininner [..=..] [..=..] {...}
```

```
margindata:instance:ininneredge                              \ininneredge [..=..] [..=..] {...}
margindata:instance:ininnermargin                            \ininnermargin [..=..] [..=..] {...}
margindata:instance:inleft                                   \inleft [..=..] [..=..] {...}
margindata:instance:inleftedge                               \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftmargin                             \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin                                 \inmargin [..=..] [..=..] {...}
margindata:instance:inother                                  \inother [..=..] [..=..] {...}
margindata:instance:inouter                                  \inouter [..=..] [..=..] {...}
margindata:instance:inouteredge                              \inouteredge [..=..] [..=..] {...}
margindata:instance:inoutermargin                            \inoutermargin [..=..] [..=..] {...}
margindata:instance:inright                                  \inright [..=..] [..=..] {...}
margindata:instance:inrightedge                              \inrightedge [..=..] [..=..] {...}
margindata:instance:inrightmargin                            \inrightmargin [..=..] [..=..] {...}
margindata:instance:margintext                               \margintext [..=..] [..=..] {...}
markcontent                                                  \markcontent [...] {...}
markedpages                                                  \markedpages [...]
markinjector                                                 \markinjector [...]
markpage                                                     \markpage [...] [...]
mat                                                          \mat {...}
matematica                                                   \matematica [...] {...}
math                                                         \math [...] {...}
mathbf                                                       \mathbf
mathbi                                                       \mathbi
mathblackboard                                               \mathblackboard
mathbs                                                       \mathbs
mathcommand:example                                          \MATHCOMMAND {...} {...}
mathdefault                                                  \mathdefault
mathdouble                                                   \mathdouble [...] {...} {...} {...}
mathdoubleextensible:instance                                \MATHDOUBLEEXTENSIBLE {...} {...}
mathdoubleextensible:instance:doublebar                      \doublebar {...} {...}
mathdoubleextensible:instance:doublebrace                    \doublebrace {...} {...}
mathdoubleextensible:instance:doublebracket                  \doublebracket {...} {...}
mathdoubleextensible:instance:doubleparent                   \doubleparent {...} {...}
mathdoubleextensible:instance:overbarunderbar                \overbarunderbar {...} {...}
mathdoubleextensible:instance:overbraceunderbrace            \overbraceunderbrace {...} {...}
mathdoubleextensible:instance:overbracketunderbracket        \overbracketunderbracket {...} {...}
mathdoubleextensible:instance:overparentunderparent          \overparentunderparent {...} {...}
mathextensible:instance                                      \MATHEXTENSIBLE {...} {...}
mathextensible:instance:cleftarrow                           \cleftarrow {...} {...}
mathextensible:instance:crightarrow                          \crightarrow {...} {...}
mathextensible:instance:crightoverleftarrow                  \crightoverleftarrow {...} {...}
mathextensible:instance:eleftarrowfill                       \eleftarrowfill {...} {...}
mathextensible:instance:eleftharpoondownfill                 \eleftharpoondownfill {...} {...}
mathextensible:instance:eleftharpoonupfill                   \eleftharpoonupfill {...} {...}
mathextensible:instance:eleftrightarrowfill                  \eleftrightarrowfill {...} {...}
mathextensible:instance:eoverbarfill                         \eoverbarfill {...} {...}
mathextensible:instance:eoverbracefill                       \eoverbracefill {...} {...}
mathextensible:instance:eoverbracketfill                     \eoverbracketfill {...} {...}
mathextensible:instance:eoverparentfill                      \eoverparentfill {...} {...}
mathextensible:instance:erightarrowfill                      \erightarrowfill {...} {...}
mathextensible:instance:erightharpoondownfill                \erightharpoondownfill {...} {...}
mathextensible:instance:erightharpoonupfill                  \erightharpoonupfill {...} {...}
mathextensible:instance:etwoheadrightarrowfill               \etwoheadrightarrowfill {...} {...}
mathextensible:instance:eunderbarfill                        \eunderbarfill {...} {...}
mathextensible:instance:eunderbracefill                      \eunderbracefill {...} {...}
mathextensible:instance:eunderbracketfill                    \eunderbracketfill {...} {...}
mathextensible:instance:eunderparentfill                     \eunderparentfill {...} {...}
mathextensible:instance:mequal                               \mequal {...} {...}
mathextensible:instance:mhookleftarrow                       \mhookleftarrow {...} {...}
mathextensible:instance:mhookrightarrow                      \mhookrightarrow {...} {...}
mathextensible:instance:mLeftarrow                           \mLeftarrow {...} {...}
mathextensible:instance:mLeftrightarrow                      \mLeftrightarrow {...} {...}
mathextensible:instance:mleftarrow                           \mleftarrow {...} {...}
mathextensible:instance:mleftharpoondown                     \mleftharpoondown {...} {...}
mathextensible:instance:mleftharpoonup                       \mleftharpoonup {...} {...}
mathextensible:instance:mleftrightarrow                      \mleftrightarrow {...} {...}
mathextensible:instance:mleftrightharpoons                   \mleftrightharpoons {...} {...}
mathextensible:instance:mmapsto                              \mmapsto {...} {...}
mathextensible:instance:mRightarrow                          \mRightarrow {...} {...}
mathextensible:instance:mrel                                 \mrel {...} {...}
mathextensible:instance:mrightarrow                          \mrightarrow {...} {...}
mathextensible:instance:mrightharpoondown                    \mrightharpoondown {...} {...}
```

mathextensible:instance:mrightharpoonup	\mrightharpoonup {...} {...}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {...} {...}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {...} {...}
mathextensible:instance:mtriplerel	\mtriplerel {...} {...}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {...} {...}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {...} {...}
mathextensible:instance:tequal	\tequal {...} {...}
mathextensible:instance:thookleftarrow	\thookleftarrow {...} {...}
mathextensible:instance:thookrightarrow	\thookrightarrow {...} {...}
mathextensible:instance:tLeftarrow	\tLeftarrow {...} {...}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {...} {...}
mathextensible:instance:tleftarrow	\tleftarrow {...} {...}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {...} {...}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {...} {...}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {...} {...}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {...} {...}
mathextensible:instance:tmapsto	\tmapsto {...} {...}
mathextensible:instance:tRightarrow	\tRightarrow {...} {...}
mathextensible:instance:trel	\trel {...} {...}
mathextensible:instance:trightarrow	\trightarrow {...} {...}
mathextensible:instance:trightharpoondown	\trightharpoondown {...} {...}
mathextensible:instance:trightharpoonup	\trightharpoonup {...} {...}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {...} {...}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {...} {...}
mathextensible:instance:ttriplerel	\ttriplerel {...} {...}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {...} {...}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {...} {...}
mathextensible:instance:xequal	\xequal {...} {...}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {...} {...}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {...} {...}
mathextensible:instance:xLeftarrow	\xLeftarrow {...} {...}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {...} {...}
mathextensible:instance:xleftarrow	\xleftarrow {...} {...}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {...} {...}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {...} {...}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {...} {...}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {...} {...}
mathextensible:instance:xmapsto	\xmapsto {...} {...}
mathextensible:instance:xRightarrow	\xRightarrow {...} {...}
mathextensible:instance:xrel	\xrel {...} {...}
mathextensible:instance:xrightarrow	\xrightarrow {...} {...}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {...} {...}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {...} {...}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {...} {...}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {...} {...}
mathextensible:instance:xtriplerel	\xtriplerel {...} {...}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {...} {...}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {...} {...}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [..=..] {...}
mathframed:instance:inmframed	\inmframed [..=..] {...}
mathframed:instance:mcframed	\mcframed [..=..] {...}
mathframed:instance:mframed	\mframed [..=..] {...}
mathfunction	\mathfunction {...}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {...}
mathop	\mathop {...}
mathornament:example	\MATHORNAMENT {...}
mathover	\mathover [...] {...} {...}
mathoverextensible:example	\MATHOVEREXTENSIBLE {...}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE {...} {...}
mathradical:example	\MATHRADICAL [...] {...}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext ... {...}
mathtextbf	\mathtextbf ... {...}
mathtextbi	\mathtextbi ... {...}
mathtextbs	\mathtextbs ... {...}
mathtextit	\mathtextit ... {...}

mathtextsl	`\mathtextsl ... {...}`
mathtexttf	`\mathtexttf ... {...}`
mathtf	`\mathtf`
mathtriplet	`\mathtriplet [...] {...} {...} {...}`
mathtriplet:example	*`\MATHTRIPLET [...] {...} {...} {...}`*
mathtt	`\mathtt`
mathunder	`\mathunder [...] {...} {...}`
mathunderextensible:example	*`\MATHUNDEREXTENSIBLE {...}`*
mathundertextextensible:instance	*`\MATHUNDERTEXTEXTENSIBLE {...} {...}`*
mathunstacked:example	*`\MATHUNSTACKED`*
mathupright	`\mathupright`
mathword	`\mathword ... {...}`
mathwordbf	`\mathwordbf ... {...}`
mathwordbi	`\mathwordbi ... {...}`
mathwordbs	`\mathwordbs ... {...}`
mathwordit	`\mathwordit ... {...}`
mathwordsl	`\mathwordsl ... {...}`
mathwordtf	`\mathwordtf ... {...}`
maxaligned	`\maxaligned {...}`
mbox	`\mbox {...}`
measure	`\measure {...}`
measured	`\measured {...}`
medskip	`\medskip`
medspace	`\medspace`
menuinterattivo	`\menuinterattivo [...] [..=..]`
mese	`\mese {...}`
message	`\message {...}`
metaTeX	`\metaTeX`
mettielenco	`\mettielenco [...] [..=..]`
mettielencocombinato	`\mettielencocombinato [...] [..=..]`
mettielencocombinato:instance	*`\mettiCOMBINEDLIST [..=..]`*
mettielencocombinato:instance:content	*`\metticontent [..=..]`*
mettifiancoafianco	`\mettifiancoafianco {...} {...}`
mettiformula	`\mettiformula [...] {...}`
mettiingriglia	`\mettiingriglia [...] {...}`
mettiingriglia:list	`\mettiingriglia [...] {...}`
mettinotepdp	`\mettinotepdp [..=..]`
mettinotepdplocali	`\mettinotepdplocali [..=..]`
mettinumeropagina	`\mettinumeropagina`
mettiregistro	`\mettiregistro [...] [..=..]`
mettiregistro:instance	*`\mettiREGISTER [..=..]`*
mettiregistro:instance:index	*`\mettiindex [..=..]`*
mettisegnalibro	`\mettisegnalibro [...] [...] [..=..]`
mettisottoformula	`\mettisottoformula [...] {...}`
mettiunosullaltro	`\mettiunosullaltro {...} {...}`
mfence	`\mfence {...}`
mfunction	`\mfunction {...}`
mfunctionlabeltext	`\mfunctionlabeltext {...}`
mhbox	`\mhbox {...}`
middlealigned	`\middlealigned {...}`
middlebox	`\middlebox {...}`
midhbox	`\midhbox {...}`
midsubsentence	`\midsubsentence`
minimalhbox	`\minimalhbox ... {...}`
mixedcaps	`\mixedcaps {...}`
mkvibuffer	`\mkvibuffer [...]`
moduleparameter	`\moduleparameter {...} {...}`
molecule	`\molecule {...}`
mono	`\mono`
monograssetto	`\monograssetto`
mononormal	`\mononormal`
monthlong	`\monthlong {...}`
monthshort	`\monthshort {...}`
mostraambientefontdeltesto	`\mostraambientefontdeltesto [...]`
mostracolore	`\mostracolore [...]`
mostracornice	`\mostracornice [...] [...]`
mostrafontdeltesto	`\mostrafontdeltesto [...]`
mostragriglia	`\mostragriglia [...]`
mostragruppocolori	`\mostragruppocolori [...] [...]`
mostraimpostazioni	`\mostraimpostazioni [...]`
mostralyout	`\mostralyout [...]`
mostramakeup	`\mostramakeup [...]`

```
mostrasetsimboli                    \mostrasetsimboli [...]
mostrastampa                        \mostrastampa [...] [...] [..=..]
mostrastruts                        \mostrastruts
mostratavolozza                     \mostratavolozza [...] [...]
mprandomnumber                      \mprandomnumber
mtext                               \mtext {...}
NormalizeFontHeight                 \NormalizeFontHeight \... {...} {...} {...}
NormalizeFontWidth                  \NormalizeFontWidth \... {...} {...} {...}
NormalizeTextHeight                 \NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth                  \NormalizeTextWidth {...} {...} {...}
Numeri                              \Numeri {...}
Numeriromani                        \Numeriromani {...}
namedheadnumber                     \namedheadnumber {...}
namedstructureheadlocation          \namedstructureheadlocation {...}
namedstructureuservariable          \namedstructureuservariable {...} {...}
namedstructurevariable              \namedstructurevariable {...} {...}
namedtaggedlabeltexts               \namedtaggedlabeltexts {...} {...} {...} {...} {...}
nascondiblocchi                     \nascondiblocchi [...] [...]
naturalhbox                         \naturalhbox ... {...}
naturalhpack                        \naturalhpack ... {...}
naturalvbox                         \naturalvbox ... {...}
naturalvcenter                      \naturalvcenter ... {...}
naturalvpack                        \naturalvpack ... {...}
naturalvtop                         \naturalvtop ... {...}
naturalwd                           \naturalwd ...
negatecolorbox                      \negatecolorbox ...
negated                             \negated {...}
negemspace                          \negemspace
negenspace                          \negenspace
negthinspace                        \negthinspace
newattribute                        \newattribute \...
newcatcodetable                     \newcatcodetable \...
newcounter                          \newcounter \...
newevery                            \newevery \... \...
newfrenchspacing                    \newfrenchspacing
newmode                             \newmode {...}
newsignal                           \newsignal \...
newsystemmode                       \newsystemmode {...}
nextbox                             \nextbox
nextboxdp                           \nextboxdp
nextboxht                           \nextboxht
nextboxhtdp                         \nextboxhtdp
nextboxwd                           \nextboxwd
nextcounter                         \nextcounter [...] [...]
nextcountervalue                    \nextcountervalue [...]
nextdepth                           \nextdepth
nextparagraphs                      \nextparagraphs
nextparagraphs:example              \successivoPARAGRAPHS
nextrealpage                        \nextrealpage
nextrealpagenumber                  \nextrealpagenumber
nextsubcountervalue                 \nextsubcountervalue [...] [...]
nextsubpagenumber                   \nextsubpagenumber
nextuserpage                        \nextuserpage
nextuserpagenumber                  \nextuserpagenumber
nientelineecimafondo                \nientelineecimafondo
nientelineintestazionepdp           \nientelineintestazionepdp
nientespazio                        \nientespazio
nocap                               \nocap {...}
nocharacteralign                    \nocharacteralign
nocitation                          \nocitation [...]
nocitation:direct                   \nocitation {...}
nocite                              \nocite [...]
nocite:direct                       \nocite {...}
nodetostring                        \nodetostring \... {...}
noffigurepages                      \noffigurepages
noflines                            \noflines
noflocalfloats                      \noflocalfloats
noheightstrut                       \noheightstrut
noindentation                       \noindentation
noitem                              \noitem
nonfrenchspacing                    \nonfrenchspacing
nonmathematics                      \nonmathematics {...}
```

```
normalboldface                          \normalboldface
normale                                  \normale
normalframedwithsettings                 \normalframedwithsettings [..=..] {...}
normalitalicface                         \normalitalicface
normalizebodyfontsize                    \normalizebodyfontsize \... {...}
normalizedfontsize                       \normalizedfontsize
normalizefontdepth                       \normalizefontdepth \... {...} {...} {...}
normalizefontheight                      \normalizefontheight \... {...} {...} {...}
normalizefontline                        \normalizefontline \... {...} {...} {...}
normalizefontwidth                       \normalizefontwidth \... {...} {...} {...}
normalizetextdepth                       \normalizetextdepth {...} {...} {...}
normalizetextheight                      \normalizetextheight {...} {...} {...}
normalizetextline                        \normalizetextline {...} {...} {...}
normalizetextwidth                       \normalizetextwidth {...} {...} {...}
normalslantedface                        \normalslantedface
normaltypeface                           \normaltypeface
nota                                     \nota [...] [...]
nota:instance                            \NOTE [...] {...}
nota:instance:assignment                 \NOTE [..=..]
nota:instance:assignment:endnote         \endnote [..=..]
nota:instance:assignment:footnote        \footnote [..=..]
nota:instance:endnote                    \endnote [...] {...}
nota:instance:footnote                   \footnote [...] {...}
notesymbol                               \notesymbol [...] [...]
notragged                                \notragged
ntimes                                   \ntimes {...} {...}
numberofpoints                           \numberofpoints {...}
numeri                                   \numeri {...}
numeriromani                             \numeriromani {...}
numeroformula                            \numeroformula [...]
numeropagina                             \numeropagina
numeropaginacompleto                     \numeropaginacompleto
numerotesta                              \numerotesta [...] [...]
numerotestacorrente                      \numerotestacorrente
obeydepth                                \obeydepth
objectdepth                              \objectdepth
objectheight                             \objectheight
objectmargin                             \objectmargin
objectwidth                              \objectwidth
obox                                     \obox {...}
offset                                   \offset [..=..] {...}
offsetbox                                \offsetbox [..=..] \... {...}
onedigitrounding                         \onedigitrounding {...}
ordinaldaynumber                         \ordinaldaynumber {...}
ordinalstr                               \ordinalstr {...}
ornamenttext:collector                   \ornamenttext [..=..] [..=..] {...} {...}
ornamenttext:direct                      \ornamenttext [...] {...} {...}
ornamenttext:layer                       \ornamenttext [..=..] [..=..] {...} {...}
ornament:example                         \ORNAMENT {...} {...}
outputfilename                           \outputfilename
outputstreambox                          \outputstreambox [...]
outputstreamcopy                         \outputstreamcopy [...]
outputstreamunvbox                       \outputstreamunvbox [...]
outputstreamunvcopy                      \outputstreamunvcopy [...]
over                                     \over [...]
overlaybutton                            \overlaybutton [...]
overlaybutton:direct                     \overlaybutton {...}
overlaycolor                             \overlaycolor
overlaydepth                             \overlaydepth
overlayfigure                            \overlayfigure {...}
overlayheight                            \overlayheight
overlayimage                             \overlayimage {...}
overlaylinecolor                         \overlaylinecolor
overlaylinewidth                         \overlaylinewidth
overlayoffset                            \overlayoffset
overlayrollbutton                        \overlayrollbutton [...] [...]
overlaywidth                             \overlaywidth
overloaderror                            \overloaderror
overset                                  \overset {...} {...}
PAROLA                                   \PAROLA {...}
PAROLE                                   \PAROLE {...}
Parola                                   \Parola {...}
```

Parole	\Parole {...}
PDFcolor	\PDFcolor {...}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {...} \...
PointsToReal	\PointsToReal {...} \...
PointsToWholeBigPoints	\PointsToWholeBigPoints {...} \...
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {...}
pagearea	\pagearea [...] [...] [...]
pagebreak	\pagebreak [...]
pagefigure	\pagefigure [...] [..=..]
pageinjection	\pageinjection [...] [..=..]
pageinjection:assignment	\pageinjection [..=..] [..=..]
pagestaterealpage	\pagestaterealpage {...} {...}
pagestaterealpageorder	\pagestaterealpageorder {...} {...}
pagina	\pagina [...]
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {...}
paroladestra	\paroladestra [...] {...}
pdfactualtext	\pdfactualtext {...} {...}
pdfbackendactualtext	\pdfbackendactualtext {...} {...}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate	\pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo	\pdfbackendsetinfo {...} {...}
pdfbackendsetname	\pdfbackendsetname {...} {...}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource	\pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern	\pdfbackendsetpattern {...} {...}
pdfbackendsetshade	\pdfbackendsetshade {...} {...}
pdfcolor	\pdfcolor {...}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {...}
pedap	\pedap [...] {...} {...}
ped:instance	\LOW {...}
ped:instance:unitslow	\unitslow {...}
percent	\percent
percentdimen	\percentdimen {...} {...}
perlungo	\perlungo {...}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {...}
persiannumerals	\persiannumerals {...}
phantom	\phantom {...}
phantombox	\phantombox [..=..]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {...} {...} {...}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [...] [..=..]
placecitation	\placecitation [...]
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {...}

```
placefloat                                    \placefloat [...] [...] [...] {...} {...}
placefloatwithsetups                          \placefloatwithsetups [...] [...] [...] {...} {...}
placefloat:instance                           \mettiFLOAT [...] [...] {...} {...}
placefloat:instance:chemical                  \mettichemical [...] [...] {...} {...}
placefloat:instance:figure                    \mettifigure [...] [...] {...} {...}
placefloat:instance:graphic                   \mettigraphic [...] [...] {...} {...}
placefloat:instance:intermezzo                \mettiintermezzo [...] [...] {...} {...}
placefloat:instance:table                     \mettitable [...] [...] {...} {...}
placeframed                                   \placeframed [...] [..=..] {...}
placehelp                                     \placehelp
placeinitial                                  \placeinitial [...]
placelayer                                    \placelayer [...]
placelayeredtext                              \placelayeredtext [...] [..=..] [..=..] {...} {...}
placelistoffloats:instance                    \placelistofFLOATS [..=..]
placelistoffloats:instance:chemicals          \placelistofchemicals [..=..]
placelistoffloats:instance:figures            \placelistoffigures [..=..]
placelistoffloats:instance:graphics           \placelistofgraphics [..=..]
placelistoffloats:instance:intermezzi         \placelistofintermezzi [..=..]
placelistoffloats:instance:tables             \placelistoftables [..=..]
placelistofpublications                       \placelistofpublications [...] [..=..]
placelistofsorts                              \placelistofsorts [...] [..=..]
placelistofsorts:instance                     \placelistofSORTS [..=..]
placelistofsorts:instance:logos               \placelistoflogos [..=..]
placelistofsynonyms                           \placelistofsynonyms [...] [..=..]
placelistofsynonyms:instance                  \placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations    \placelistofabbreviations [..=..]
placelocalnotes                               \placelocalnotes [...] [..=..]
placement                                     \placement [...] [..=..] {...}
placement:example                             \PLACEMENT [..=..] {...}
placenamedfloat                               \placenamedfloat [...] [...]
placenamedformula                             \placenamedformula [...] {...} {...}
placenotes                                    \placenotes [...] [..=..]
placepairedbox                                \placepairedbox [...] [..=..] {...} {...}
placepairedbox:instance                       \mettiPAIREDBOX [..=..] {...} {...}
placepairedbox:instance:legend                \mettilegend [..=..] {...} {...}
placeparallel                                 \placeparallel [...] [...] [..=..]
placerawlist                                  \placerawlist [...] [..=..]
placerenderingwindow                          \placerenderingwindow [...] [...]
popattribute                                  \popattribute \...
popmacro                                      \popmacro \...
popmode                                       \popmode [...]
popsystemmode                                 \popsystemmode {...}
positionoverlay                               \positionoverlay {...}
positionregionoverlay                         \positionregionoverlay {...} {...}
posizionanumerotesta                          \posizionanumerotesta [...]
posizionatestotesta                           \posizionatestotesta [...]
posizione                                     \posizione [..=..] (...,...) {...}
postponenotes                                 \postponenotes
predefinedfont                                \predefinedfont [...]
predefinefont                                 \predefinefont [...] [...]
predefinesymbol                               \predefinesymbol [...]
prefixedpagenumber                            \prefixedpagenumber
prendibuffer                                  \prendibuffer [...]
prendibuffer:instance                         \prendiBUFFER
prendimarcatura                               \prendimarcatura [...] [...] [...]
prependetoks                                  \prependetoks ... \to \...
prependgvalue                                 \prependgvalue {...} {...}
prependtocommalist                            \prependtocommalist {...} \...
prependtoks                                   \prependtoks ... \to \...
prependtoksonce                               \prependtoksonce ... \to \...
prependvalue                                  \prependvalue {...} {...}
prerollblank                                  \prerollblank [...]
presetdocument                                \presetdocument [..=..]
presetfieldsymbols                            \presetfieldsymbols [...]
presetlabeltext:instance                      \presetLABELtesto [...] [..=..]
presetlabeltext:instance:btxlabel             \presetbtxlabeltesto [...] [..=..]
presetlabeltext:instance:head                 \presetheadtesto [...] [..=..]
presetlabeltext:instance:label                \presetlabeltesto [...] [..=..]
presetlabeltext:instance:mathlabel            \presetmathlabeltesto [...] [..=..]
presetlabeltext:instance:operator             \presetoperatortesto [...] [..=..]
presetlabeltext:instance:prefix               \presetprefixtesto [...] [..=..]
presetlabeltext:instance:suffix               \presetsuffixtesto [...] [..=..]
```

```
presetlabeltext:instance:taglabel          \presettaglabeltesto [...] [..=..]
presetlabeltext:instance:unit              \presetunittesto [...] [..=..]
pretocommalist                             \pretocommalist {...} \...
prettyprintbuffer                          \prettyprintbuffer {...} {...}
prevcounter                                \prevcounter [...] [...]
prevcountervalue                           \prevcountervalue [...]
preventmode                                \preventmode [...]
prevrealpage                               \prevrealpage
prevrealpagenumber                         \prevrealpagenumber
prevsubcountervalue                        \prevsubcountervalue [...] [...]
prevsubpage                                \prevsubpage
prevsubpagenumber                          \prevsubpagenumber
prevuserpage                               \prevuserpage
prevuserpagenumber                         \prevuserpagenumber
primasottopagina                           \primasottopagina
procent                                    \procent
processaction                              \processaction [...] [..,..=>..,..]
processallactionsinset                     \processallactionsinset [...] [..,..=>..,..]
processassignlist                          \processassignlist [...] \...
processassignmentcommand                   \processassignmentcommand [..=..] \...
processassignmentlist                      \processassignmentlist [..=..] \...
processbetween                             \processbetween {...} \...
processbodyfontenvironmentlist             \processbodyfontenvironmentlist \...
processcolorcomponents                     \processcolorcomponents {...}
processcommacommand                        \processcommacommand [...] \...
processcommalist                           \processcommalist [...] \...
processcommalistwithparameters             \processcommalistwithparameters [...] \...
processcontent                             \processcontent {...} \...
processfile                                \processfile {...}
processfilemany                            \processfilemany {...}
processfilenone                            \processfilenone {...}
processfileonce                            \processfileonce {...}
processfirstactioninset                    \processfirstactioninset [...] [..,..=>..,..]
processisolatedchars                       \processisolatedchars {...} \...
processisolatedwords                       \processisolatedwords {...} \...
processlinetablebuffer                     \processlinetablebuffer [...]
processlinetablefile                       \processlinetablefile {...}
processlist                                \processlist {...} {...} {...} \...
processMPbuffer                            \processMPbuffer [...]
processMPfigurefile                        \processMPfigurefile {...}
processmonth                               \processmonth {...} {...} {...}
processranges                              \processranges [...] \...
processseparatedlist                       \processseparatedlist [...] [...] {...}
processtexbuffer                           \processTEXbuffer [...]
processtokens                              \processtokens {...} {...} {...} {...} {...}
processuntil                               \processuntil \...
processxtablebuffer                        \processxtablebuffer [...]
processyear                                \processyear {...} {...} {...} {...}
prodotto                                   \prodotto [...]
prodotto:string                            \prodotto ...
profiledbox                                \profiledbox [...] [..=..] {...}
profilegivenbox                            \profilegivenbox {...} ...
progetto                                   \progetto [...]
progetto:string                            \progetto ...
programma                                  \programma [...]
pseudoMixedCapped                          \pseudoMixedCapped {...}
pseudoSmallCapped                          \pseudoSmallCapped {...}
pseudoSmallcapped                          \pseudoSmallcapped {...}
pseudosmallcapped                          \pseudosmallcapped {...}
pulsante                                   \pulsante [..=..] {...} [...]
pulsantemenu:button                        \pulsantemenu [..=..] {...} {...}
pulsantemenu:interactionmenu               \pulsantemenu [...] [..=..] {...} {...}
pulsante:example                           \BUTTON [..=..] {...} [...]
pulsantinterazione                         \pulsantinterazione [..=..] [...]
punti                                      \punti [...]
punti:assignment                           \punti [..=..]
punto                                      \punto {...}
purenumber                                 \purenumber {...}
pusharrangedpages                          \pusharrangedpages ... \poparrangedpages
pushattribute                              \pushattribute \...
pushbar                                    \pushbar [...] ... \popbar
pushbutton                                 \pushbutton [...] [...]
```

pushcatcodetable	`\pushcatcodetable ... \popcatcodetable`
pushcolore	`\pushcolore [...] ... \popcolore`
pushendofline	`\pushendofline ... \popendofline`
pushindentation	`\pushindentation ... \popindentation`
pushMPdrawing	`\pushMPdrawing ... \popMPdrawing`
pushmacro	`\pushmacro \...`
pushmathstyle	`\pushmathstyle ... \popmathstyle`
pushmode	`\pushmode [...]`
pushoutputstream	`\pushoutputstream [...]`
pushpath	`\pushpath [...] ... \poppath`
pushpunctuation	`\pushpunctuation ... \poppunctuation`
pushrandomseed	`\pushrandomseed ... \poprandomseed`
pushreferenceprefix	`\pushreferenceprefix {...} ... \popreferenceprefix`
pushsfondo	`\pushsfondo [...] ... \popsfondo`
pushsystemmode	`\pushsystemmode {...}`
putboxincache	`\putboxincache {...} {...} ...`
putnextboxincache	`\putnextboxincache {...} {...} \... {...}`
qquad	`\qquad`
quad	`\quad`
quads	`\quads [...]`
qualcheriga	`\qualcheriga [...]`
quarterstrut	`\quarterstrut`
quitcommalist	`\quitcommalist`
quitprevcommalist	`\quitprevcommalist`
quittypescriptscanning	`\quittypescriptscanning`
ReadFile	`\ReadFile {...}`
raggedbottom	`\raggedbottom`
raggedcenter	`\raggedcenter`
raggedleft	`\raggedleft`
raggedright	`\raggedright`
raggedwidecenter	`\raggedwidecenter`
raisebox	`\raisebox {...} \... {...}`
randomizetext	`\randomizetext {...}`
randomnumber	`\randomnumber {...} {...}`
rawcounter	`\rawcounter [...] [...]`
rawcountervalue	`\rawcountervalue [...]`
rawdate	`\rawdate [...]`
rawdoifelseinset	`\rawdoifelseinset {...} {...} {...} {...}`
rawdoifinset	`\rawdoifinset {...} {...} {...}`
rawdoifinsetelse	`\rawdoifinsetelse {...} {...} {...} {...}`
rawgetparameters	`\rawgetparameters [...] [..=..]`
rawprocessaction	`\rawprocessaction [...] [..,..=>..,..]`
rawprocesscommacommand	`\rawprocesscommacommand [...] \...`
rawprocesscommalist	`\rawprocesscommalist [...] \...`
rawstructurelistuservariable	`\rawstructurelistuservariable {...}`
rawsubcountervalue	`\rawsubcountervalue [...] [...]`
rbox	`\rbox ... {...}`
readfile	`\readfile {...} {...} {...}`
readfixfile	`\readfixfile {...} {...} {...} {...}`
readjobfile	`\readjobfile {...} {...} {...}`
readlocfile	`\readlocfile {...} {...} {...}`
readsetfile	`\readsetfile {...} {...} {...} {...}`
readsysfile	`\readsysfile {...} {...} {...}`
readtexfile	`\readtexfile {...} {...} {...}`
readxmlfile	`\readxmlfile {...} {...} {...}`
realpagenumber	`\realpagenumber`
realSmallCapped	`\realSmallCapped {...}`
realSmallcapped	`\realSmallcapped {...}`
realsmallcapped	`\realsmallcapped {...}`
recursedepth	`\recursedepth`
recurselevel	`\recurselevel`
recursestring	`\recursestring`
redoconvertfont	`\redoconvertfont`
referenceformat:example	`\REFERENCEFORMAT {...} {...} [...]`
referenceprefix	`\referenceprefix`
referring	`\referring (...,...) (...,...) [...]`
registerattachment	`\registerattachment [...] [..=..]`
registerctxluafile	`\registerctxluafile {...} {...}`
registerexternalfigure	`\registerexternalfigure [...] [...] [..=..]`
registerfontclass	`\registerfontclass {...}`
registerhyphenationexception	`\registerhyphenationexception [...] [...]`
registerhyphenationpattern	`\registerhyphenationpattern [...] [...]`

```
registermenubuttons                      \registermenubuttons [...] [...]
registersort                             \registersort [...] [...]
registersynonym                          \registersynonym [...] [...]
registerunit                             \registerunit [...] [..=..]
registro:instance                        \REGISTER [...] {..+...+..}
registro:instance:index                  \index [...] {..+...+..}
registro:instance:ownnumber              \REGISTER [...] {...} {..+...+..}
registro:instance:ownnumber:index        \index [...] {...} {..+...+..}
regolare                                 \regolare
reimpostamarcatura                       \reimpostamarcatura [...]
relatemarking                            \relatemarking [...] [...]
relateparameterhandlers                  \relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined                    \relaxvalueifundefined {...}
remainingcharacters                      \remainingcharacters
removebottomthings                       \removebottomthings
removedepth                              \removedepth
removefromcommalist                      \removefromcommalist {...} \...
removelastskip                           \removelastskip
removelastspace                          \removelastspace
removemarkedcontent                      \removemarkedcontent [...]
removepunctuation                        \removepunctuation
removesubstring                          \removesubstring ... \from ... \to \...
removetoks                               \removetoks ... \from \...
removeunwantedspaces                     \removeunwantedspaces
replacefeature                           \replacefeature [...]
replacefeature:direct                    \replacefeature {...}
replaceincommalist                       \replaceincommalist \... {...}
replaceword                              \replaceword [...] [...] [...]
rescan                                   \rescan {...}
rescanwithsetup                          \rescanwithsetup {...} {...}
resetallattributes                       \resetallattributes
resetandaddfeature                       \resetandaddfeature [...]
resetandaddfeature:direct                \resetandaddfeature {...}
resetbar                                 \resetbar
resetboxesincache                        \resetboxesincache {...}
resetbreakpoints                         \resetbreakpoints
resetbuffer                              \resetbuffer [...]
resetcharacteralign                      \resetcharacteralign
resetcharacterkerning                    \resetcharacterkerning
resetcharacterspacing                    \resetcharacterspacing
resetcharacterstripping                  \resetcharacterstripping
resetcollector                           \resetcollector [...]
resetcounter                             \resetcounter [...] [...]
resetdigitsmanipulation                  \resetdigitsmanipulation
resetdirection                           \resetdirection
resetfeature                             \resetfeature
resetflag                                \resetflag {...}
resetfontcolorsheme                      \resetfontcolorsheme
resetfontfallback                        \resetfontfallback [...] [...]
resetfontsolution                        \resetfontsolution
resethyphenationfeatures                 \resethyphenationfeatures
resetinjector                            \resetinjector [...]
resetinteractionmenu                     \resetinteractionmenu [...]
resetitaliccorrection                    \resetitaliccorrection
resetlayer                               \resetlayer [...]
resetlocalfloats                         \resetlocalfloats
resetMPdrawing                           \resetMPdrawing
resetMPenvironment                       \resetMPenvironment
resetMPinstance                          \resetMPinstance [...]
resetmarker                              \resetmarker [...]
resetmode                                \resetmode {...}
resetpagenumber                          \resetpagenumber
resetparallel                            \resetparallel [...] [...]
resetpath                                \resetpath
resetpenalties                           \resetpenalties \...
resetperiodkerning                       \resetperiodkerning
resetprofile                             \resetprofile
resetrecurselevel                        \resetrecurselevel
resetreference                           \resetreference [...]
resetreplacement                         \resetreplacement
resetscript                              \resetscript
resetsetups                              \resetsetups [...]
```

```
resetshownsynonyms            \resetshownsynonyms [...]
resetsubpagenumber            \resetsubpagenumber
resetsymbolset                \resetsymbolset
resetsystemmode               \resetsystemmode {...}
resettimer                    \resettimer
resettrackers                 \resettrackers
resettrialtypesetting         \resettrialtypesetting
resetusedsortings             \resetusedsortings [...]
resetusedsynonyms             \resetusedsynonyms [...]
resetuserpagenumber           \resetuserpagenumber
resetvalue                    \resetvalue {...}
resetvisualizers              \resetvisualizers
reshapebox                    \reshapebox {...}
resolvedglyphdirect           \resolvedglyphdirect {...} {...}
resolvedglyphstyled           \resolvedglyphstyled {...} {...}
restartcounter                \restartcounter [...] [...] [...]
restorebox                    \restorebox {...} {...}
restorecatcodes               \restorecatcodes
restorecounter                \restorecounter [...]
restorecurrentattributes      \restorecurrentattributes {...}
restoreendofline              \restoreendofline
restoreglobalbodyfont         \restoreglobalbodyfont
reusableMPgraphic             \reusableMPgraphic {...} {..=..}
reuseMPgraphic                \reuseMPgraphic {...} {..=..}
reuserandomseed               \reuserandomseed
revivefeature                 \revivefeature
rfence                        \rfence {...}
rhbox                         \rhbox {...}
rif                           \rif [...] [...]
riferimento                   \riferimento [...] {...}
riferimentopagina             \riferimentopagina [...]
riferimentotesto              \riferimentotesto [...] {...}
riflessione                   \riflessione {...}
riga                          \riga {...}
rigariempimento               \rigariempimento [..=..]
rightbottombox                \rightbottombox {...}
rightbox                      \rightbox {...}
righthbox                     \righthbox {...}
rightlabeltext:instance       \rightLABELtesto {...}
rightlabeltext:instance:head  \rightheadtesto {...}
rightlabeltext:instance:label \rightlabeltesto {...}
rightlabeltext:instance:mathlabel \rightmathlabeltesto {...}
rightline                     \rightline {...}
rightorleftpageaction         \rightorleftpageaction {...} {...}
rightpageorder                \rightpageorder
rightskipadaption             \rightskipadaption
rightsubguillemot             \rightsubguillemot
righttoleft                   \righttoleft
righttolefthbox               \righttolefthbox ... {...}
righttoleftvbox               \righttoleftvbox ... {...}
righttoleftvtop               \righttoleftvtop ... {...}
righttopbox                   \righttopbox {...}
rigovuoto                     \rigovuoto [...]
ring                          \ring {...}
rlap                          \rlap {...}
robustaddtocommalist          \robustaddtocommalist {...} \...
robustdoifelseinset           \robustdoifelseinset {...} {...} {...} {...}
robustdoifinsetelse           \robustdoifinsetelse {...} {...} {...} {...}
robustpretocommalist          \robustpretocommalist {...} \...
rollbutton:button             \rollbutton [..=..] ... [...]
rollbutton:interactionmenu    \rollbutton [...] [..=..] ... [...]
roman                         \roman
rtop                          \rtop ... {...}
ruby                          \ruby [...] {...} {...}
ruledhbox                     \ruledhbox ... {...}
ruledhpack                    \ruledhpack ... {...}
ruledmbox                     \ruledmbox {...}
ruledtopv                     \ruledtopv ... {...}
ruledtpack                    \ruledtpack ... {...}
ruledvbox                     \ruledvbox ... {...}
ruledvpack                    \ruledvpack ... {...}
ruledvtop                     \ruledvtop ... {...}
```

runMPbuffer	`\runMPbuffer [...]`
runninghbox	`\runninghbox {...}`
ruota	`\ruota [..=..] {...}`
ScaledPointsToBigPoints	`\ScaledPointsToBigPoints {...} \...`
ScaledPointsToWholeBigPoints	`\ScaledPointsToWholeBigPoints {...} \...`
Smallcapped	`\Smallcapped {...}`
safechar	`\safechar {...}`
samplefile	`\samplefile {...}`
sans	`\sans`
sansgrassetto	`\sansgrassetto`
sansnormal	`\sansnormal`
sansserif	`\sansserif`
savebox	`\savebox {...} {...} {...}`
savebtxdataset	`\savebtxdataset [...] [...] [..=..]`
savebuffer	`\savebuffer [..=..]`
savebuffer:list	`\savebuffer [...] [...]`
savecolore	`\savecolore ... \restorecolore`
savecounter	`\savecounter [...]`
savecurrentattributes	`\savecurrentattributes {...}`
savenormalmeaning	`\savenormalmeaning \...`
savetaggedtwopassdata	`\savetaggedtwopassdata {...} {...} {...} {...}`
savetwopassdata	`\savetwopassdata {...} {...} {...}`
sbox	`\sbox {...}`
scala	`\scala [...] [..=..] {...}`
schermo	`\schermo [...]`
script:instance	`\SCRIPT`
script:instance:ethiopic	`\ethiopic`
script:instance:hangul	`\hangul`
script:instance:hanzi	`\hanzi`
script:instance:latin	`\latin`
script:instance:nihongo	`\nihongo`
script:instance:test	`\test`
script:instance:thai	`\thai`
scrividentroelenco	`\scrividentroelenco [...] [..=..] {...}`
scriviinelenco	`\scriviinelenco [...] [..=..] {...} {...}`
secondoffivearguments	`\secondoffivearguments {...} {...} {...} {...} {...}`
secondoffourarguments	`\secondoffourarguments {...} {...} {...} {...}`
secondofsixarguments	`\secondofsixarguments {...} {...} {...} {...} {...} {...}`
secondofthreearguments	`\secondofthreearguments {...} {...} {...}`
secondofthreeunexpanded	`\secondofthreeunexpanded {...} {...} {...}`
secondoftwoarguments	`\secondoftwoarguments {...} {...}`
secondoftwounexpanded	`\secondoftwounexpanded {...} {...}`
seeregister:instance	`\vediREGISTER [...] {..+...+..} {...}`
seeregister:instance:index	`\vediindex [...] {..+...+..} {...}`
segnalibro	`\segnalibro [...] {...}`
select	`\select {...} {...} {...} {...} {...} {...}`
selezionablocchi	`\selezionablocchi [...] [...] [..=..]` ^{OPT}
serializecommalist	`\serializecommalist [...]`
serializedcommalist	`\serializedcommalist`
serif	`\serif`
serifbold	`\serifbold`
serifnormal	`\serifnormal`
setautopagestaterealpageno	`\setautopagestaterealpageno {...}`
setbar	`\setbar [...]`
setbigbodyfont	`\setbigbodyfont`
setboxllx	`\setboxllx ... {...}`
setboxlly	`\setboxlly ... {...}`
setbreakpoints	`\setbreakpoints [...]`
setbuffer	`\setbuffer [...] ... \endbuffer`
setcapstrut	`\setcapstrut`
setcatcodetable	`\setcatcodetable \...`
setcharacteralign	`\setcharacteralign {...} {...}`
setcharacteraligndetail	`\setcharacteraligndetail {...} {...} {...} {...}`
setcharactercasing	`\setcharactercasing [...]`
setcharactercleaning	`\setcharactercleaning [...]`
setcharacterkerning	`\setcharacterkerning [...]`
setcharacterspacing	`\setcharacterspacing [...]`
setcharacterstripping	`\setcharacterstripping [...]`
setcharstrut	`\setcharstrut {...}`
setcollector	`\setcollector [...] [..=..] {...}`
setcolormodell	`\setcolormodell [...]`
setcounter	`\setcounter [...] [...] [...]`

setcounterown	`\setcounterown [...] [...] [...]`
setcurrentfontclass	`\setcurrentfontclass {...}`
setdataset	`\setdataset [...] [...] [..=..]`
setdefaultpenalties	`\setdefaultpenalties`
setdigitsmanipulation	`\setdigitsmanipulation [...]`
setdirection	`\setdirection [...]`
setdocumentargument	`\setdocumentargument {...} {...}`
setdocumentargumentdefault	`\setdocumentargumentdefault {...} {...}`
setdocumentfilename	`\setdocumentfilename {...} {...}`
setdummyparameter	`\setdummyparameter {...} {...}`
setelementexporttag	`\setelementexporttag [...] [...] [...]`
setemeasure	`\setemeasure {...} {...}`
setevalue	`\setevalue {...} {...}`
setevariable	`\setevariable {...} {...} {...}`
setevariables	`\setevariables [...] [..=..]`
setfirstline	`\setfirstline [...]`
setfirstpasscharacteralign	`\setfirstpasscharacteralign`
setflag	`\setflag {...}`
setfont	`\setfont ...`
setfontcolorsheme	`\setfontcolorsheme [...]`
setfontfeature	`\setfontfeature {...}`
setfontsolution	`\setfontsolution [...]`
setfontstrut	`\setfontstrut`
setglobalscript	`\setglobalscript [...]`
setgmeasure	`\setgmeasure {...} {...}`
setgvalue	`\setgvalue {...} {...}`
setgvariable	`\setgvariable {...} {...} {...}`
setgvariables	`\setgvariables [...] [..=..]`
sethboxregister	`\sethboxregister ... {...}`
sethyphenatedurlafter	`\sethyphenatedurlafter {...}`
sethyphenatedurlbefore	`\sethyphenatedurlbefore {...}`
sethyphenatedurlnormal	`\sethyphenatedurlnormal {...}`
sethyphenationfeatures	`\sethyphenationfeatures [...]`
setinitial	`\setinitial [...] [..=..]`
setinjector	`\setinjector [...] [...] [...]`
setinteraction	`\setinteraction [...]`
setinterfacecommand	`\setinterfacecommand {...} {...}`
setinterfaceconstant	`\setinterfaceconstant {...} {...}`
setinterfaceelement	`\setinterfaceelement {...} {...}`
setinterfacemessage	`\setinterfacemessage {...} {...} {...}`
setinterfacevariable	`\setinterfacevariable {...} {...}`
setinternalrendering	`\setinternalrendering [...] [...] {...}`
setitaliccorrection	`\setitaliccorrection [...]`
setJSpreamble	`\setJSpreamble {...} {...}`
setlayer	`\setlayer [...] [...] [..=..] {...}`
setlayerframed	`\setlayerframed [...] [..=..] [..=..] {...}`
setlayerframed:combination	`\setlayerframed [...] [..=..] {...}`
setlayertext	`\setlayertext [...] [..=..] [..=..] {...}`
setlinefiller	`\setlinefiller [...]`
setlocalhsize	`\setlocalhsize [...]`
setlocalscript	`\setlocalscript [...]`
setMPlayer	`\setMPlayer [...] [...] [..=..] {...}`
setMPpositiongraphic	`\setMPpositiongraphic {...} {...} {..=..}`
setMPpositiongraphicrange	`\setMPpositiongraphicrange {...} {...} {...} {..=..}`
setMPtext	`\setMPtext {...} {...}`
setMPvariable	`\setMPvariable [...] [..=..]`
setMPvariables	`\setMPvariables [...] [..=..]`
setmainbodyfont	`\setmainbodyfont`
setmainparbuilder	`\setmainparbuilder [...]`
setmarker	`\setmarker [...] [...]`
setmarking	`\setmarking [...] {...}`
setmathstyle	`\setmathstyle {...}`
setmeasure	`\setmeasure {...} {...}`
setmessagetext	`\setmessagetext {...} {...}`
setmode	`\setmode {...}`
setnostrut	`\setnostrut`
setnote	`\setnote [...] [...] {...}`
setnotetext	`\setnotetext [...] [...] {...}`
setnotetext:assignment	`\setnotetext [...] [..=..]`
setnote:assignment	`\setnote [...] [..=..]`
setobject	`\setobject {...} {...} \... {...}`
setoldstyle	`\setoldstyle`

setpagereference	`\setpagereference {...} {...}`
setpagestate	`\setpagestate [...] [...]`
setpagestaterealpageno	`\setpagestaterealpageno {...} {...}`
setpenalties	`\setpenalties \... {...} {...}`
setpercentdimen	`\setpercentdimen {...} {...}`
setperiodkerning	`\setperiodkerning [...]`
setposition	`\setposition {...}`
setpositionbox	`\setpositionbox {...} \... {...}`
setpositiondata	`\setpositiondata {...} {...} {...} {...}`
setpositiondataplus	`\setpositiondataplus {...} {...} {...} {...} {...}`
setpositiononly	`\setpositiononly {...}`
setpositionplus	`\setpositionplus {...} {...} \... {...}`
setpositionstrut	`\setpositionstrut {...}`
setprofile	`\setprofile [...]`
setrandomseed	`\setrandomseed {...}`
setreference	`\setreference [...] [..=..]`
setreferencedobject	`\setreferencedobject {...} {...} \... {...}`
setregisterentry	`\setregisterentry [...] [..=..] [..=..]`
setreplacement	`\setreplacement [...]`
setrigidcolumnbalance	`\setrigidcolumnbalance ...`
setrigidcolumnhsize	`\setrigidcolumnhsize {...} {...} {...}`
setscript	`\setscript [...]`
setsecondpasscharacteralign	`\setsecondpasscharacteralign`
setsectionblock	`\setsectionblock [...] [..=..]`
setsimplecolumnhsize	`\setsimplecolumnhsize [..=..]`
setsmallbodyfont	`\setsmallbodyfont`
setsmallcaps	`\setsmallcaps`
setstackbox	`\setstackbox {...} {...} {...}`
setstructurepageregister	`\setstructurepageregister [...] [..=..] [..=..]`
setstrut	`\setstrut`
setsuperiors	`\setsuperiors`
setsystemmode	`\setsystemmode {...}`
settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...} \... {...}`
settightreferencedobject	`\settightreferencedobject {...} {...} \... {...}`
settightstrut	`\settightstrut`
settightunreferencedobject	`\settightunreferencedobject {...} {...} \... {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...} {...}`
setugvalue	`\setugvalue {...} {...}`
setunreferencedobject	`\setunreferencedobject {...} {...} \... {...}`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`
setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`
setupbleeding	`\setupbleeding [..=..]`
setupbookmark	`\setupbookmark [..=..]`
setupbtx	`\setupbtx [...] [..=..]`
setupbtxdataset	`\setupbtxdataset [...] [..=..]`
setupbtxlist	`\setupbtxlist [...] [..=..]`
setupbtxregister	`\setupbtxregister [...] [..=..]`
setupbtxrendering	`\setupbtxrendering [...] [..=..]`
setupbtx:name	`\setupbtx [...]`
setupbutton	`\setupbutton [...] [..=..]`
setupcharacteralign	`\setupcharacteralign [..=..]`
setupcharacterkerning	`\setupcharacterkerning [...] [..=..]`
setupcharacterspacing	`\setupcharacterspacing [...] [...] [..=..]`
setupchemical	`\setupchemical [...] [..=..]`
setupchemicalframed	`\setupchemicalframed [...] [..=..]`
setupcollector	`\setupcollector [...] [..=..]`
setupcolumnsetarea	`\setupcolumnsetarea [...] [..=..]`
setupcolumnsetareatext	`\setupcolumnsetareatext [...] [...]`
setupcolumnsetlines	`\setupcolumnsetlines [...] [...] [...] [...]`
setupcolumnsetspan	`\setupcolumnsetspan [...] [..=..]`
setupcolumnsetstart	`\setupcolumnsetstart [...] [...] [...] [...]`
setupcolumnspan	`\setupcolumnspan [..=..]`
setupcombination	`\setupcombination [...] [..=..]`
setupcounter	`\setupcounter [...] [..=..]`

setupdataset	`\setupdataset [...] [..=..]`
setupdelimitedtext	`\setupdelimitedtext [...] [..=..]`
setupdescription	`\setupdescription [...] [..=..]`
setupdirections	`\setupdirections [..=..]`
setupdocument	`\setupdocument [..=..]`
setupeffect	`\setupeffect [...] [..=..]`
setupenumeration	`\setupenumeration [...] [..=..]`
setupenv	`\setupenv [..=..]`
setupexport	`\setupexport [..=..]`
setupexternalfigure	`\setupexternalfigure [...] [..=..]`
setupexternalsoundtracks	`\setupexternalsoundtracks [..=..]`
setupfacingfloat	`\setupfacingfloat [...] [..=..]`
setupfieldbody	`\setupfieldbody [...] [..=..]`
setupfieldcategory	`\setupfieldcategory [...] [..=..]`
setupfieldcontentframed	`\setupfieldcontentframed [...] [..=..]`
setupfieldlabelframed	`\setupfieldlabelframed [...] [..=..]`
setupfieldtotalframed	`\setupfieldtotalframed [...] [..=..]`
setupfiller	`\setupfiller [...] [..=..]`
setupfirstline	`\setupfirstline [...] [..=..]`
setupfittingpage	`\setupfittingpage [...] [..=..]`
setupfontexpansion	`\setupfontexpansion [...] [..=..]`
setupfontprotrusion	`\setupfontprotrusion [...] [..=..]`
setupfonts	`\setupfonts [..=..]`
setupfontsolution	`\setupfontsolution [...] [..=..]`
setupformula	`\setupformula [...] [..=..]`
setupformulaframed	`\setupformulaframed [...] [..=..]`
setupframedcontent	`\setupframedcontent [...] [..=..]`
setupframedtable	`\setupframedtable [...] [..=..]`
setupframedtablecolumn	`\setupframedtablecolumn [...] [...] [..=..]`
setupframedtablerow	`\setupframedtablerow [...] [...] [..=..]`
setupframedtext	`\setupframedtext [...] [..=..]`
setupglobalreferenceprefix	`\setupglobalreferenceprefix [...]`
setupheadalternative	`\setupheadalternative [...] [..=..]`
setuphelp	`\setuphelp [...] [..=..]`
setuphigh	`\setuphigh [...] [..=..]`
setuphighlight	`\setuphighlight [...] [..=..]`
setuphyphenation	`\setuphyphenation [..=..]`
setupindentedtext	`\setupindentedtext [...] [..=..]`
setupinitial	`\setupinitial [...] [..=..]`
setupinsertion	`\setupinsertion [...] [..=..]`
setupitaliccorrection	`\setupitaliccorrection [...]`
setupitemgroup	`\setupitemgroup [...] [...] [...] [..=..]`
setupitemgroup:assignment	`\setupitemgroup [...] [..=..]`
setupitemgroup:instance	`\impostaITEMGROUP [...] [...] [..=..]`
setupitemgroup:instance:itemize	`\impostaitemize [...] [...] [..=..]`
setuplabel	`\setuplabel [...] [..=..]`
setuplayer	`\setuplayer [...] [..=..]`
setuplayeredtext	`\setuplayeredtext [...] [..=..]`
setuplayouttext	`\setuplayouttext [...] [...] [..=..]`
setuplinefiller	`\setuplinefiller [...] [..=..]`
setuplinefillers	`\setuplinefillers [...] [..=..]`
setuplinenote	`\setuplinenote [...] [..=..]`
setuplinetable	`\setuplinetable [...] [...] [..=..]`
setuplistalternative	`\setuplistalternative [...] [..=..]`
setuplistextra	`\setuplistextra [...] [..=..]`
setuplocalfloats	`\setuplocalfloats [..=..]`
setuplocalinterlinespace	`\setuplocalinterlinespace [...] [..=..]`
setuplocalinterlinespace:argument	`\setuplocalinterlinespace [...]`
setuplocalinterlinespace:name	`\setuplocalinterlinespace [...]`
setuplow	`\setuplow [...] [..=..]`
setuplowhigh	`\setuplowhigh [...] [..=..]`
setuplowmidhigh	`\setuplowmidhigh [...] [..=..]`
setupMPgraphics	`\setupMPgraphics [..=..]`
setupMPinstance	`\setupMPinstance [...] [..=..]`
setupMPpage	`\setupMPpage [..=..]`
setupMPvariables	`\setupMPvariables [...] [..=..]`
setupmarginblock	`\setupmarginblock [...] [..=..]`
setupmargindata	`\setupmargindata [...] [..=..]`
setupmarginframed	`\setupmarginframed [...] [..=..]`
setupmarginrule	`\setupmarginrule [...] [..=..]`
setupmathalignment	`\setupmathalignment [...] [..=..]`
setupmathcases	`\setupmathcases [...] [..=..]`

setupmathematics	\setupmathematics [...] [..=..]
setupmathfence	\setupmathfence [...] [..=..]
setupmathfraction	\setupmathfraction [...] [..=..]
setupmathfractions	\setupmathfractions [...] [..=..]
setupmathframed	\setupmathframed [...] [..=..]
setupmathmatrix	\setupmathmatrix [...] [..=..]
setupmathornament	\setupmathornament [...] [..=..]
setupmathradical	\setupmathradical [...] [..=..]
setupmathstackers	\setupmathstackers [...] [..=..]
setupmathstyle	\setupmathstyle [...]
setupmixedcolumns	\setupmixedcolumns [...] [..=..]
setupmodule	\setupmodule [...] [..=..]
setupnotation	\setupnotation [...] [..=..]
setupnotations	\setupnotations [...] [..=..]
setupnote	\setupnote [...] [..=..]
setupnotes	\setupnotes [...] [..=..]
setupoffset	\setupoffset [..=..]
setupoffsetbox	\setupoffsetbox [..=..]
setupoutputroutine	\setupoutputroutine [...] [..=..]
setupoutputroutine:name	\setupoutputroutine [...]
setuppagechecker	\setuppagechecker [...] [..=..]
setuppagecolumns	\setuppagecolumns [...] [..=..]
setuppageinjection	\setuppageinjection [...] [..=..]
setuppageinjectionalternative	\setuppageinjectionalternative [...] [..=..]
setuppageshift	\setuppageshift [...] [...] [...]
setuppagestate	\setuppagestate [...] [..=..]
setuppairedbox	\setuppairedbox [...] [..=..]
setuppairedbox:instance	\impostaPAIREDBOX [..=..]
setuppairedbox:instance:legend	\impostalegend [..=..]
setuppaper	\setuppaper [..=..]
setupparagraph	\setupparagraph [...] [..=..]
setupparagraphintro	\setupparagraphintro [...] [...]
setupparallel	\setupparallel [...] [...] [..=..]
setupperiodkerning	\setupperiodkerning [...] [..=..]
setupperiods	\setupperiods [..=..]
setupplacement	\setupplacement [...] [..=..]
setuppositionbar	\setuppositionbar [..=..]
setupprocessor	\setupprocessor [...] [..=..]
setupprofile	\setupprofile [...] [..=..]
setupquotation	\setupquotation [..=..]
setuprealpagenumber	\setuprealpagenumber [..=..]
setupreferenceformat	\setupreferenceformat [...] [..=..]
setupreferenceprefix	\setupreferenceprefix [...]
setupreferencestructureprefix	\setupreferencestructureprefix [...] [...] [..=..]
setupregisters	\setupregisters [...] [..=..]
setupregisters:argument	\setupregisters [...] [...] [..=..]
setuprenderingwindow	\setuprenderingwindow [...] [..=..]
setupruby	\setupruby [...] [..=..]
setups	\setups [...]
setupscale	\setupscale [...] [..=..]
setupscript	\setupscript [...] [..=..]
setupscripts	\setupscripts [...] [..=..]
setupselector	\setupselector [...] [..=..]
setupshift	\setupshift [...] [..=..]
setupsidebar	\setupsidebar [...] [..=..]
setupspellchecking	\setupspellchecking [..=..]
setupstretched	\setupstretched [..=..]
setupstruts	\setupstruts [...]
setupstyle	\setupstyle [...] [..=..]
setupsubformula	\setupsubformula [...] [..=..]
setupsubformulas	\setupsubformulas [...] [..=..]
setupsynctex	\setupsynctex [..=..]
setups:direct	\setups {...}
setupTABLE	\setupTABLE [...] [...] [..=..]
setupTEXpage	\setupTEXpage [..=..]
setuptabulation	\setuptabulation [...] [..=..]
setuptagging	\setuptagging [..=..]
setuptextbackground	\setuptextbackground [...] [..=..]
setuptextflow	\setuptextflow [...] [..=..]
setuptooltip	\setuptooltip [...] [..=..]
setupunit	\setupunit [...] [..=..]
setupuserpagenumber	\setupuserpagenumber [..=..]

setupversion	\setupversion [...]
setupviewerlayer	\setupviewerlayer [..=..]
setupvspacing	\setupvspacing [...]
setupwithargument	\setupwithargument {...} {...}
setupwithargumentswapped	\setupwithargumentswapped {...} {...}
setupxml	\setupxml [..=..]
setupxtable	\setupxtable [...] [..=..]
setuvalue	\setuvalue {...} {...}
setuxvalue	\setuxvalue {...} {...}
setvalue	\setvalue {...} {...}
setvariable	\setvariable {...} {...} {...}
setvariables	\setvariables [...] [..=..]
setvboxregister	\setvboxregister ... {...}
setvisualizerfont	\setvisualizerfont [...]
setvtopregister	\setvtopregister ... {...}
setwidthof	\setwidthof ... \to \...
setxmeasure	\setxmeasure {...} {...}
setxvalue	\setxvalue {...} {...}
setxvariable	\setxvariable {...} {...} {...}
setxvariables	\setxvariables [...] [..=..]
sfondo	\sfondo {...}
sfondo:example	\SFONDO {...}
shapedhbox	\shapedhbox {...}
shiftbox	\shiftbox {...}
shift:instance	\SHIFT {...}
shift:instance:shiftdown	\shiftdown {...}
shift:instance:shiftup	\shiftup {...}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [..=..]
showbtxdatasetauthors:argument	\showbtxdatasetauthors [...]
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [..=..]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness [...]
showbtxdatasetfields	\showbtxdatasetfields [..=..]
showbtxdatasetfields:argument	\showbtxdatasetfields [...]
showbtxfields	\showbtxfields [..=..]
showbtxfields:argument	\showbtxfields [...]
showbtxhashedauthors	\showbtxhashedauthors [...]
showbtxtables	\showbtxtables [...]
showchardata	\showchardata {...}
showcharratio	\showcharratio {...}
showcolorbar	\showcolorbar [...]
showcolorcomponents	\showcolorcomponents [...]
showcolorset	\showcolorset [...]
showcolorstruts	\showcolorstruts
showcounter	\showcounter [...]
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [...] [...]
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip [...]
showfontstyle	\showfontstyle [...] [...] [...] [...]
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {...} [...]
showhyphenationtrace	\showhyphenationtrace [...] [...]
showhyphens	\showhyphens {...}
showinjector	\showinjector [...]
showjustification	\showjustification
showkerning	\showkerning {...}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {...}
showligatures	\showligatures [...]
showlogcategories	\showlogcategories

showmargins	`\showmargins`
showmessage	`\showmessage {...} {...} {...}`
showminimalbaseline	`\showminimalbaseline`
shownextbox	`\shownextbox \... {...}`
showotfcomposition	`\showotfcomposition {...} {...} {...}`
showparentchain	`\showparentchain \... {...}`
showsetupsdefinition	`\showsetupsdefinition [...]`
showtimer	`\showtimer {...}`
showtokens	`\showtokens [...]`
showtrackers	`\showtrackers`
showvalue	`\showvalue {...}`
showvariable	`\showvariable {...} {...}`
showwarning	`\showwarning {...} {...} {...}`
signalrightpage	`\signalrightpage`
simbolo	`\simbolo [...] [...]`
simbolo:direct	`\simbolo {...}`
simplealignedbox	`\simplealignedbox {...} {...} {...}`
simplealignedboxplus	`\simplealignedboxplus {...} {...} {...} {...}`
simplealignedspreadbox	`\simplealignedspreadbox {...} {...} {...}`
simplegroupedcommand	`\simplegroupedcommand {...} {...}`
simplereversealignedbox	`\simplereversealignedbox {...} {...} {...}`
simplereversealignedboxplus	`\simplereversealignedboxplus {...} {...} {...} {...}`
singalcharacteralign	`\singalcharacteralign {...} {...}`
singlebond	`\singlebond`
sinistra	`\sinistra ...`
sixthofsixarguments	`\sixthofsixarguments {...} {...} {...} {...} {...} {...}`
slantedface	`\slantedface`
slicepages	`\slicepages [...] [..=..] [..=..]`
slovenianNumerals	`\slovenianNumerals {...}`
sloveniannumerals	`\sloveniannumerals {...}`
smallcappedcharacters	`\smallcappedcharacters {...}`
smallcappedromannumerals	`\smallcappedromannumerals {...}`
smaller	`\smaller`
smallskip	`\smallskip`
smash	`\smash [...] {...}`
smashbox	`\smashbox ...`
smashboxed	`\smashboxed ...`
smashedhbox	`\smashedhbox ... {...}`
smashedvbox	`\smashedvbox ... {...}`
snaptogrid	`\snaptogrid [...] \... {...}`
snaptogrid:list	`\snaptogrid [...] \... {...}`
someheadnumber	`\someheadnumber [...] [...]`
somekindoftab	`\somekindoftab [..=..]`
somelocalfloat	`\somelocalfloat`
somenamedheadnumber	`\somenamedheadnumber {...} {...}`
someplace	`\someplace {...} {...} {...} {...} {...} [...]`
sorting:instance	`\SORTING [...] {...}`
sorting:instance:logo	`\logo [...] {...}`
sottopaginasuccessiva	`\sottopaginasuccessiva`
spanishNumerals	`\spanishNumerals {...}`
spanishnumerals	`\spanishnumerals {...}`
spazifissi	`\spazifissi`
spazio	`\spazio`
spaziofisso	`\spaziofisso`
spessoreriga	`\spessoreriga`
spezzaoggettomobile	`\spezzaoggettomobile [..=..] {...} {...}`
splitatasterisk	`\splitatasterisk ... \... \...`
splitatcolon	`\splitatcolon ... \... \...`
splitatcolons	`\splitatcolons ... \... \...`
splitatcomma	`\splitatcomma ... \... \...`
splitatperiod	`\splitatperiod ... \... \...`
splitdfrac	`\splitdfrac {...} {...}`
splitfilename	`\splitfilename {...}`
splitfrac	`\splitfrac {...} {...}`
splitoffbase	`\splitoffbase`
splitofffull	`\splitofffull`
splitoffkind	`\splitoffkind`
splitoffname	`\splitoffname`
splitoffpath	`\splitoffpath`
splitoffroot	`\splitoffroot`
splitofftokens	`\splitofftokens ... \from ... \to \...`
splitofftype	`\splitofftype`

splitstring	`\splitstring ... \at ... \to \... \and \...`
spreadhbox	`\spreadhbox ...`
sqrt	`\sqrt [...] {...}`
stackcampi	`\stackcampi [...] [...] [..=..]`
stackrel	`\stackrel {...} {...}`
startlinenote:instance	*\iniziaLINENOTE* `[...] {...}`
startlinenote:instance:linenote	*\inizialinenote* `[...] {...}`
startregister	`\startregister [...] [...] [...] [...] {..+...+..}`
startstop:example	*\STARTSTOP* `{...}`
startstructurepageregister	`\startstructurepageregister [...] [...] [..=..] [..=..]`
stirato	`\stirato [..=..] {...}`
stoplinenote:instance	*\terminaLINENOTE* `[...]`
stoplinenote:instance:linenote	*\terminalinenote* `[...]`
stopregister	`\stopregister [...] [...]`
stopstructurepageregister	`\stopstructurepageregister [...] [...]`
strictdoifelsenextoptional	`\strictdoifelsenextoptional {...} {...}`
strictdoifnextoptionalelse	`\strictdoifnextoptionalelse {...} {...}`
stripcharacter	`\stripcharacter ... \from ... \to \...`
strippedcsname	`\strippedcsname \...`
strippedcsname:string	`\strippedcsname ...`
stripspaces	`\stripspaces \from ... \to \...`
structurelistuservariable	`\structurelistuservariable {...}`
structurenumber	`\structurenumber`
structuretitle	`\structuretitle`
structureuservariable	`\structureuservariable {...}`
structurevariable	`\structurevariable {...}`
strut	`\strut`
strutdp	`\strutdp`
strutgap	`\strutgap`
strutht	`\strutht`
struthtdp	`\struthtdp`
struttedbox	`\struttedbox {...}`
strutwd	`\strutwd`
style	`\style [..=..] {...}`
styleinstance	`\styleinstance [...]`
style:argument	`\style [...] {...}`
style:instance	*\STYLE* `{...}`
subpagenumber	`\subpagenumber`
subsentence	`\subsentence {...}`
substituteincommalist	`\substituteincommalist {...} {...} \...`
subtractfeature	`\subtractfeature [...]`
subtractfeature:direct	`\subtractfeature {...}`
swapcounts	`\swapcounts \... \...`
swapdimens	`\swapdimens \... \...`
swapface	`\swapface`
swapmacros	`\swapmacros \... \...`
swaptypeface	`\swaptypeface`
switchstyleonly	`\switchstyleonly [...]`
switchstyleonly:command	`\switchstyleonly \...`
switchtocolor	`\switchtocolor [...]`
switchtointerlinespace	`\switchtointerlinespace [...] [..=..]`
switchtointerlinespace:argument	`\switchtointerlinespace [...]`
switchtointerlinespace:name	`\switchtointerlinespace [...]`
symbolreference	`\symbolreference [...]`
synchronizeblank	`\synchronizeblank`
synchronizeindenting	`\synchronizeindenting`
synchronizemarking	`\synchronizemarking [...] [...] [...]`
synchronizeoutputstreams	`\synchronizeoutputstreams [...]`
synchronizestrut	`\synchronizestrut {...}`
synchronizewhitespace	`\synchronizewhitespace`
synctexblockfilename	`\synctexblockfilename {...}`
synctexresetfilename	`\synctexresetfilename`
synctexsetfilename	`\synctexsetfilename {...}`
synonym:instance	*\SYNONYM* `[...] {...} {...}`
synonym:instance:abbreviation	*\abbreviation* `[...] {...} {...}`
systemlog	`\systemlog {...} {...} {...}`
systemlogfirst	`\systemlogfirst {...} {...} {...}`
systemloglast	`\systemloglast {...} {...} {...}`
systemsetups	`\systemsetups {...}`
TABLE	`\TABLE`
TaBlE	`\TaBlE`
TEX	`\TEX`

```
TeX                                         \TeX
TheNormalizedFontSize                       \TheNormalizedFontSize
TransparencyHack                            \TransparencyHack
tabulateautoline                            \tabulateautoline
tabulateautorule                            \tabulateautorule
tabulateline                                \tabulateline
tabulaterule                                \tabulaterule
taggedctxcommand                            \taggedctxcommand {...}
taggedlabeltexts                            \taggedlabeltexts {...} {...} {...}
tbox                                        \tbox {...}
terminariga                                 \terminariga [...]
testandsplitstring                          \testandsplitstring ... \at ... \to \... \and \...
testcolumn                                  \testcolumn [...] [...]
testfeature                                 \testfeature {...} {...}
testfeatureonce                             \testfeatureonce {...} {...}
testoaiuto                                  \testoaiuto [...] {...} {...}
testoetichetta:instance                     \LABELtesto {...}
testoetichetta:instance:btxlabel            \btxlabeltesto {...}
testoetichetta:instance:head                \headtesto {...}
testoetichetta:instance:label               \labeltesto {...}
testoetichetta:instance:mathlabel           \mathlabeltesto {...}
testoetichetta:instance:operator            \operatortesto {...}
testoetichetta:instance:prefix              \prefixtesto {...}
testoetichetta:instance:suffix              \suffixtesto {...}
testoetichetta:instance:taglabel            \taglabeltesto {...}
testoetichetta:instance:unit                \unittesto {...}
testoincorniciato:instance                  \FRAMEDTEXT [..=..] {...}
testoincorniciato:instance:framedtext       \framedtext [..=..] {...}
testonotapdp                                \testonotapdp [...] {...}
testonotapdp:assignment                     \testonotapdp [..=..]
testoriempimento                            \testoriempimento [..=..] {...} {...}
testpage                                    \testpage [...] [...]
testpageonly                                \testpageonly [...] [...]
testpagesync                                \testpagesync [...] [...]
testtokens                                  \testtokens [...]
tex                                         \tex {...}
texdefinition                               \texdefinition {...}
texsetup                                    \texsetup {...}
textbackground:example                      \TEXTBACKGROUND {...}
textcitation                                \textcitation [..=..] [...]
textcitation:alternative                    \textcitation [...] [...]
textcitation:userdata                       \textcitation [..=..] [..=..]
textcite                                    \textcite [..=..] [...]
textcite:alternative                        \textcite [...] [...]
textcite:userdata                           \textcite [..=..] [..=..]
textcontrolspace                            \textcontrolspace
textflowcollector                           \textflowcollector {...}
textmath                                    \textmath {...}
textminus                                   \textminus
textormathchar                              \textormathchar {...}
textormathchars                             \textormathchars {...}
textplus                                    \textplus
textvisiblespace                            \textvisiblespace
thainumerals                                \thainumerals {...}
thefirstcharacter                           \thefirstcharacter {...}
thenormalizedbodyfontsize                   \thenormalizedbodyfontsize {...}
theremainingcharacters                      \theremainingcharacters {...}
thickspace                                  \thickspace
thinspace                                   \thinspace
thirdoffivearguments                        \thirdoffivearguments {...} {...} {...} {...} {...}
thirdoffourarguments                        \thirdoffourarguments {...} {...} {...} {...}
thirdofsixarguments                         \thirdofsixarguments {...} {...} {...} {...} {...} {...}
thirdofthreearguments                       \thirdofthreearguments {...} {...} {...}
thirdofthreeunexpanded                      \thirdofthreeunexpanded {...} {...} {...}
threedigitrounding                          \threedigitrounding {...}
tibetannumerals                             \tibetannumerals {...}
tieniblocchi                                \tieniblocchi [...] [...]
tightlayer                                  \tightlayer [...]
tilde                                       \tilde {...}
tinyfont                                    \tinyfont
tlap                                        \tlap {...}
tochar                                      \tochar {...}
```

```
tolinenote                          \tolinenote [...]
tooltip:instance                    \TOOLTIP [..=..] {...} {...}
tooltip:instance:argument           \TOOLTIP [...] {...} {...}
tooltip:instance:argument:tooltip   \tooltip [...] {...} {...}
tooltip:instance:tooltip            \tooltip [..=..] {...} {...}
topbox                              \topbox {...}
topleftbox                          \topleftbox {...}
toplinebox                          \toplinebox {...}
toprightbox                         \toprightbox {...}
topskippedbox                       \topskippedbox {...}
tracecatcodetables                  \tracecatcodetables
tracedfontname                      \tracedfontname {...}
traceoutputroutines                 \traceoutputroutines
tracepositions                      \tracepositions
traduci                             \traduci [..=..]
transparencycomponents              \transparencycomponents {...}
transparent                         \transparent [...] {...}
triplebond                          \triplebond
truefilename                        \truefilename {...}
truefontname                        \truefontname {...}
ttraggedright                       \ttraggedright
twodigitrounding                    \twodigitrounding {...}
tx                                  \tx
txx                                 \txx
typ                                 \typ [..=..] {...}
type                                \type [..=..] {...}
typebuffer                          \typebuffer [...] [..=..]
typebuffer:instance                 \typeBUFFER [..=..]
typedefinedbuffer                   \typedefinedbuffer [...] [..=..]
typeface                            \typeface
typefile                            \typefile [...] [..=..] {...}
typeinlinebuffer                    \typeinlinebuffer [...] [..=..]
typescriptone                       \typescriptone
typescriptprefix                    \typescriptprefix {...}
typescriptthree                     \typescriptthree
typescripttwo                       \typescripttwo
typesetbuffer                       \typesetbuffer [...] [..=..]
typesetfile                         \typesetfile [...] [...] [..=..]
type:angles                         \type [..=..] <<...>>
type:example                        \TYPE [..=..] {...}
type:example:angles                 \TYPE [..=..] <<...>>
typ:angles                          \typ [..=..] <<...>>
uconvertnumber                      \uconvertnumber {...} {...}
uedcatcodecommand                   \uedcatcodecommand \... ... {...}
ultimasottopagina                   \ultimasottopagina
undefinevalue                       \undefinevalue {...}
undepthed                           \undepthed {...}
underset                            \underset {...} {...}
undoassign                          \undoassign [...] [..=..]
unexpandeddocumentvariable          \unexpandeddocumentvariable {...}
unhhbox                             \unhhbox ... \with {...}
unihex                              \unihex {...}
uniqueMPgraphic                     \uniqueMPgraphic {...} {..=..}
uniqueMPpagegraphic                 \uniqueMPpagegraphic {...} {..=..}
unita:instance                      \UNIT {...}
unita:instance:unit                 \unit {...}
unprotect                           \unprotect ... \protect
unprotected                         \unprotected ... \par
unregisterhyphenationpattern        \unregisterhyphenationpattern [...] [...]
unspaceafter                        \unspaceafter \... {...}
unspaceargument                     \unspaceargument ... \to \...
unspaced                            \unspaced {...}
unspacestring                       \unspacestring ... \to \...
untexargument                       \untexargument {...} \to \...
untexcommand                        \untexcommand {...} \to \...
uppercased                          \uppercased {...}
uppercasestring                     \uppercasestring ... \to \...
upperleftdoubleninequote            \upperleftdoubleninequote
upperleftdoublesixquote             \upperleftdoublesixquote
upperleftsingleninequote            \upperleftsingleninequote
upperleftsinglesixquote             \upperleftsinglesixquote
upperrightdoubleninequote           \upperrightdoubleninequote
```

upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsinglelineninequote	\upperrightsinglelineninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url [...]
usablocco	\usablocco [...] [...] [..=..]
usacartella	\usacartella [...]
usacolonnasonoraesterna	\usacolonnasonoraesterna [...] [...]
usadocumentoesterno	\usadocumentoesterno [...] [...] [...]
usafiguraesterna	\usafiguraesterna [...] [...] [...] [..=..]
usaJSscripts	\usaJSscripts [...] [...]
usamodulo	\usamodulo [...] [...] [..=..]
usasimboli	\usasimboli [...]
usaURL	\usaURL [...] [...] [...] [...]
usaurl	\usaurl [...] [...] [...] [...]
usealignparameter	\usealignparameter \...
useblankparameter	\useblankparameter \...
usebodyfont	\usebodyfont [...]
usebodyfontparameter	\usebodyfontparameter \...
usebtxdataset	\usebtxdataset [...] [...] [..=..]
usebtxdefinitions	\usebtxdefinitions [...]
usecitation	\usecitation [...]
usecitation:direct	\usecitation {...}
usecolors	\usecolors [...]
usecomponent	\usecomponent [...]
usedummycolorparameter	\usedummycolorparameter {...}
usedummystyleandcolor	\usedummystyleandcolor {...} {...}
usedummystyleparameter	\usedummystyleparameter {...}
useenvironment	\useenvironment [...]
useexternalrendering	\useexternalrendering [...] [...] [...] [...]
usefigurebase	\usefigurebase [...]
usefile	\usefile [...] [...] [...]
usegridparameter	\usegridparameter \...
useindentingparameter	\useindentingparameter \...
useindentnextparameter	\useindentnextparameter \...
useinterlinespaceparameter	\useinterlinespaceparameter \...
uselanguageparameter	\uselanguageparameter \...
useluamodule	\useluamodule [...]
useMPenvironmentbuffer	\useMPenvironmentbuffer [...]
useMPgraphic	\useMPgraphic {...} {..=..}
useMPlibrary	\useMPlibrary [...]
useMPrun	\useMPrun {...} {...}
useMPvariables	\useMPvariables [...] [...]
usemathstyleparameter	\usemathstyleparameter \...
useproduct	\useproduct [...]
useprofileparameter	\useprofileparameter \...
useproject	\useproject [...]
usereferenceparameter	\usereferenceparameter \...
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \...
usestaticMPfigure	\usestaticMPfigure [..=..] [...]
usesubpath	\usesubpath [...]
usetexmodule	\usetexmodule [...] [...] [..=..]
usetypescript	\usetypescript [...] [...] [...]
usetypescriptfile	\usetypescriptfile [...]
usezipfile	\usezipfile [...] [...]
utfchar	\utfchar {...}
utflower	\utflower {...}
utfupper	\utfupper {...}
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {...}
vaia	\vaia {...} [...]
vaiabox	\vaiabox {...} [...]
vaiapagina	\vaiapagina {...} [...]
vaigiu	\vaigiu [...]
valorecolore	\valorecolore {...}
vboxreference	\vboxreference [...] {...}
vec	\vec {...}
verbatim	\verbatim {...}
verbatimstring	\verbatimstring {...}
verbosenumber	\verbosenumber {...}
versione	\versione [...]
verticalgrowingbar	\verticalgrowingbar [..=..]

verticalpositionbar	`\verticalpositionbar [..=..]`
veryraggedcenter	`\veryraggedcenter`
veryraggedleft	`\veryraggedleft`
veryraggedright	`\veryraggedright`
vglue	`\vglue ...`
viewerlayer	`\viewerlayer [...] {...}`
vl	`\vl [...]`
vphantom	`\vphantom {...}`
vpos	`\vpos {...} {...}`
vsmash	`\vsmash {...}`
vsmashbox	`\vsmashbox ...`
vsmashed	`\vsmashed {...}`
vspace	`\vspace [...] [...]`
vspacing	`\vspacing [...]`
WidthSpanningText	`\WidthSpanningText {...} {...} {...}`
wdofstring	`\wdofstring {...}`
widthofstring	`\widthofstring {...}`
widthspanningtext	`\widthspanningtext {...} {...} {...}`
withoutpt	`\withoutpt {...}`
words	`\words {...}`
wordtonumber	`\wordtonumber {...} {...}`
writedatatolist	`\writedatatolist [...] [..=..] [..=..]`
writestatus	`\writestatus {...} {...}`
XETEX	`\XETEX`
XeTeX	`\XeTeX`
xdefconvertedargument	`\xdefconvertedargument \... {...}`
xmladdindex	`\xmladdindex {...}`
xmlafterdocumentsetup	`\xmlafterdocumentsetup {...} {...} {...}`
xmlaftersetup	`\xmlaftersetup {...} {...}`
xmlall	`\xmlall {...} {...}`
xmlappenddocumentsetup	`\xmlappenddocumentsetup {...} {...}`
xmlappendsetup	`\xmlappendsetup {...}`
xmlapplyselectors	`\xmlapplyselectors {...}`
xmlatt	`\xmlatt {...} {...}`
xmlattdef	`\xmlattdef {...} {...} {...}`
xmlattribute	`\xmlattribute {...} {...} {...}`
xmlattributedef	`\xmlattributedef {...} {...} {...} {...}`
xmlbadinclusions	`\xmlbadinclusions {...}`
xmlbeforedocumentsetup	`\xmlbeforedocumentsetup {...} {...} {...}`
xmlbeforesetup	`\xmlbeforesetup {...} {...}`
xmlchainatt	`\xmlchainatt {...} {...}`
xmlchainattdef	`\xmlchainattdef {...} {...} {...}`
xmlchecknamespace	`\xmlchecknamespace {...} {...}`
xmlcommand	`\xmlcommand {...} {...} {...}`
xmlconcat	`\xmlconcat {...} {...} {...}`
xmlconcatrange	`\xmlconcatrange {...} {...} {...} {...} {...}`
xmlcontext	`\xmlcontext {...} {...}`
xmlcount	`\xmlcount {...}`
xmldefaulttotext	`\xmldefaulttotext {...}`
xmldirectives	`\xmldirectives {...}`
xmldirectivesafter	`\xmldirectivesafter {...}`
xmldirectivesbefore	`\xmldirectivesbefore {...}`
xmldisplayverbatim	`\xmldisplayverbatim {...}`
xmldoif	`\xmldoif {...} {...} {...}`
xmldoifatt	`\xmldoifatt {...} {...}`
xmldoifelse	`\xmldoifelse {...} {...} {...} {...}`
xmldoifelseatt	`\xmldoifelseatt {...} {...} {...}`
xmldoifelseempty	`\xmldoifelseempty {...} {...} {...} {...}`
xmldoifelseselfempty	`\xmldoifelseselfempty {...} {...} {...}`
xmldoifelsetext	`\xmldoifelsetext {...} {...} {...} {...}`
xmldoifelsevalue	`\xmldoifelsevalue {...} {...} {...} {...}`
xmldoifnot	`\xmldoifnot {...} {...} {...}`
xmldoifnotatt	`\xmldoifnotatt {...} {...}`
xmldoifnotselfempty	`\xmldoifnotselfempty {...} {...}`
xmldoifnottext	`\xmldoifnottext {...} {...} {...}`
xmldoifselfempty	`\xmldoifselfempty {...} {...}`
xmldoiftext	`\xmldoiftext {...} {...} {...}`
xmlelement	`\xmlelement {...} {...}`
xmlfilter	`\xmlfilter {...} {...}`
xmlfirst	`\xmlfirst {...} {...}`
xmlflush	`\xmlflush {...}`
xmlflushcontext	`\xmlflushcontext {...}`

```
xmlflushdocumentsetups                          \xmlflushdocumentsetups {...} {...}
xmlflushlinewise                                \xmlflushlinewise {...}
xmlflushpure                                    \xmlflushpure {...}
xmlflushspacewise                               \xmlflushspacewise {...}
xmlflushtext                                    \xmlflushtext {...}
xmlinclude                                      \xmlinclude {...} {...} {...}
xmlinclusion                                    \xmlinclusion {...}
xmlinclusions                                   \xmlinclusions {...}
xmlinfo                                         \xmlinfo {...}
xmlinjector                                     \xmlinjector {...}
xmlinlineprettyprint                            \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext                        \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim                               \xmlinlineverbatim {...}
xmlinstalldirective                             \xmlinstalldirective {...} {...}
xmllast                                         \xmllast {...} {...}
xmllastatt                                      \xmllastatt
xmllastmatch                                    \xmllastmatch
xmllastpar                                      \xmllastpar
xmlloadbuffer                                   \xmlloadbuffer {...} {...} {...}
xmlloaddata                                     \xmlloaddata {...} {...} {...}
xmlloaddirectives                               \xmlloaddirectives {...}
xmlloadfile                                     \xmlloadfile {...} {...} {...}
xmlloadonly                                     \xmlloadonly {...} {...} {...}
xmlmain                                         \xmlmain {...}
xmlmapvalue                                     \xmlmapvalue {...} {...} {...}
xmlname                                         \xmlname {...}
xmlnamespace                                    \xmlnamespace {...}
xmlnonspace                                     \xmlnonspace {...} {...}
xmlpar                                          \xmlpar {...} {...}
xmlparam                                        \xmlparam {...} {...} {...}
xmlpath                                         \xmlpath {...}
xmlpos                                          \xmlpos {...}
xmlposition                                     \xmlposition {...} {...} {...}
xmlprependdocumentsetup                         \xmlprependdocumentsetup {...} {...}
xmlprependsetup                                 \xmlprependsetup {...}
xmlprettyprint                                  \xmlprettyprint {...} {...}
xmlprettyprinttext                              \xmlprettyprinttext {...} {...}
xmlprocessbuffer                                \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                                  \xmlprocessdata {...} {...} {...}
xmlprocessfile                                  \xmlprocessfile {...} {...} {...}
xmlpure                                         \xmlpure {...} {...}
xmlraw                                          \xmlraw {...}
xmlrefatt                                       \xmlrefatt {...} {...}
xmlregistereddocumentsetups                     \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups                             \xmlregisteredsetups
xmlregisterns                                   \xmlregisterns {...} {...}
xmlremapname                                    \xmlremapname {...} {...} {...} {...}
xmlremapnamespace                               \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup                          \xmlremovedocumentsetup {...} {...}
xmlremovesetup                                  \xmlremovesetup {...}
xmlresetdocumentsetups                          \xmlresetdocumentsetups {...}
xmlresetinjectors                               \xmlresetinjectors
xmlresetsetups                                  \xmlresetsetups {...}
xmlsave                                         \xmlsave {...} {...}
xmlsetatt                                       \xmlsetatt {...} {...} {...}
xmlsetattribute                                 \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                                    \xmlsetentity {...} {...}
xmlsetfunction                                  \xmlsetfunction {...} {...} {...}
xmlsetinjectors                                 \xmlsetinjectors [...]
xmlsetpar                                       \xmlsetpar {...} {...} {...}
xmlsetparam                                     \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                                     \xmlsetsetup {...} {...} {...}
xmlsetup                                        \xmlsetup {...} {...}
xmlshow                                         \xmlshow {...}
xmlsnippet                                      \xmlsnippet {...} {...}
xmlstrip                                        \xmlstrip {...} {...}
xmlstripnolines                                 \xmlstripnolines {...} {...}
xmlstripped                                     \xmlstripped {...} {...}
xmlstrippednolines                              \xmlstrippednolines {...} {...}
xmltag                                          \xmltag {...}
xmltexentity                                    \xmltexentity {...} {...}
xmltext                                         \xmltext {...} {...}
```

```
xmltobuffer                 \xmltobuffer {...} {...} {...}
xmltobufferverbose          \xmltobufferverbose {...} {...} {...}
xmltofile                   \xmltofile {...} {...} {...}
xmlvalue                    \xmlvalue {...} {...} {...}
xmlverbatim                 \xmlverbatim {...}
xsplitstring                \xsplitstring \... {...}
xypos                       \xypos {...}
```