

MP attributes backends **bit32** blobs boolean  
buffers builders caches **callback** callbacks  
catcodes characters chemistry commands  
containers context converters **coroutine**  
ctxrunner **debug** dir directives document  
documentdata environment **epdf** experiments ffi  
figures **file** **fio** floats **font** fonts functions  
global graphics **gzip** **img** interactions  
interfaces **io** job **lang** languages layouts **lfs**  
libraries lmx logs lpdf **lpeg** **ltn12** lua luatex  
lxml **math** mathematics mbox **md5** metapost **mime**  
moduledata modules mp **mplib** noads **node** nodes  
number objects **os** **package** pagebuilders  
parametersets **pdf** pdfscanner physics  
publications regimes resolvers sandbox scripts  
set sio **socket** sorters statistics **status**  
storage streams **string** structures **table** **tex**  
texconditionals **texconfig** texconstants texifs  
**texio** texitdefined texmodes texsystemmodes  
thirddata **token** tokens tracers trackers  
typesetters **unicode** url userdata utilities vf  
visualizers xml **zip** **zlib**

# ConT<sub>E</sub>Xt MkIV

# global (alias: \_G)

FFISUPPORTED	function	environment	table
INITEXMODE	boolean	epdf	table
LUAEXCOREVERSION	number	error	function
LUAEXENGINE	string	experiments	table
LUAEXFUNCTIONALITY	number	ffi	table
LUAEXVERSION	number	ffilib	function
MP	table	figures	table
_LUAVERSION	number	file	table
_MAJORVERSION	number	fio	table
_MINORVERSION	number	floats	table
arg	table	font	table
assert	function	fonts	table
attributes	table	frozen	boolean
backends	table	functions	table
bit32	table	getmetatable	function
blobs	table	getpos	function
blockrequire	function	getvpos	function
boolean	table	global	table
buffers	table	grammar_parsed_text_one_nop	userdata
builders	table	grammar_parsed_text_one_yes	userdata
caches	table	grammar_parsed_text_two_nop	userdata
callback	table	grammar_parsed_text_two_yes	userdata
callbacks	table	grammar_unparsed_text_nop	userdata
catcodes	table	grammar_unparsed_text_yes	userdata
characters	table	graphics	table
chemistry	table	gregorian_to_jalali	function
collectgarbage	function	gzip	table
commands	table	img	table
containers	table	inspect	function
context	function	interactions	table
converters	table	interfaces	table
coroutine	table	io	table
ctxrunner	table	ipairs	function
debug	table	jalali_to_gregorian	function
dimen	function	job	table
dir	table	lang	table
directives	table	languages	table
document	table	last	number
documentdata	table	layouts	table
dofile	function	lfs	table
done	boolean	libraries	table

lmx	table	regimes	table
load	function	require	function
loadfile	function	requireswiglib	function
loadstring	function	resolvers	table
logs	table	sandbox	table
lpdf	table	scripts	table
lpeg	table	select	function
ltn12	table	set	table
lua	table	setinspector	function
luatex	table	setmetatable	function
lxml	table	sio	table
math	table	socket	table
mathematics	table	sorters	table
mbox	table	statistics	table
md5	table	status	table
metapost	table	storage	table
mime	table	streams	table
module	function	string	table
moduledata	table	structures	table
modules	table	swiglib	function
mp	function	table	table
mplib	table	tex	table
next	function	texconditionals	data table
noads	table	texconfig	table
node	table	texconstants	data table
nodes	table	texifs	data table
number	table	texio	table
objects	table	texisdefined	function
optionalrequire	function	texmodes	data table
os	table	texsystemmodes	data table
package	table	thirddata	table
pagebuilders	table	toboolean	function
pairs	function	token	table
parametersets	table	tokens	table
pcall	function	tonumber	function
pdf	table	tostring	function
pdfscanner	table	tracers	table
physics	table	trackers	table
print	function	type	function
publications	table	typesetters	table
rawequal	function	unicode	table
rawget	function	unpack	function
rawlen	function	url	table
rawset	function	userdata	table

utf  
utilities  
v  
vf  
visualizers

table  
table  
number  
table  
table

xml  
xpcall  
zip  
zlib

table  
function  
table  
table

# attributes (context)

## colorintents      table

- N attribute
- D data
- F enable
- F handler
- F register
- D registered

## colors              table

- N attribute
- F cmyk
- F cmyktogray
- F cmyktorgb
- F colorcomponents
- D counts
- B couple
- F currentmodel
- F currentnamedmodel
- D data
- N default
- F defineintermediatecolor
- F definemultitonecolor
- F defineprocesscolor
- F definesimplegray
- F definespotcolor
- F definetransparency
- F enable
- F filter
- F forcedmodel
- F forcesupport
- F formatcolor
- F formatgray
- F getpagecolormodel
- F gray
- F graytohsv
- F handler
- F hsvtorgay
- F hsvtorgb
- F iccprofile
- F isblack
- N main
- S model

- D models
- F mpcolor
- F mpnamedcolor
- F mpoptions
- F namedcolorattributes
- U none
- F popset
- F processcolorcomponents
- F pushset
- F register
- D registered
- F registerspotcolor
- F rgb
- F rgbtocmyk
- F rgbtorgay
- F rgbtohsv
- N selector
- F setlist
- F setmodel
- F setpagecolormodel
- D sets
- F spec
- F spot
- F spotcolorname
- F spotcolorparent
- F spotcolorvalue
- B supported
- F transparencycomponents
- B triggering
- F usecolors
- D valid
- F value
- D values
- B weightgray

define

effects

function

table

- N attribute
- D data
- F enable
- F handler
- F register

D registered		N hardlight	
D values		N hue	
<b>handlers</b>	table	N lighten	
<b>list</b>	data table	N luminosity	
<b>names</b>	data table	N multiply	
<b>negatives</b>	table	N none	
N attribute		N normal	
D data		N overlay	
F enable		N saturation	
F handler		N screen	
F register		N softlight	
D registered		U none	
F set		F register	
<b>numbers</b>	data table	D registered	
<b>ofnode</b>	function	B supported	
<b>private</b>	function	B triggering	
<b>public</b>	function	F value	
<b>restore</b>	function	D values	
<b>save</b>	function	<b>unsetvalue</b>	number
<b>showcurrent</b>	function	<b>viewerlayers</b>	table
<b>states</b>	table	N attribute	
F disabletriggering		F cleanup	
F enabletriggering		D data	
F finalize		F define	
F initialize		F definedlayoutcomponent	
F process		F enable	
F selective		F forcesupport	
F stacked		F handler	
F stacker		B hasorder	
<b>system</b>	function	D listwise	
<b>transparencies</b>	table	F register	
N attribute		D registered	
D data		F resolve_begin	
F enable		F resolve_end	
F forcesupport		F resolve_reset	
F handler		F resolve_step	
T names		D scopes	
N color		F setfeatures	
N colorburn		F start	
N colordodge		F stop	
N darken		B supported	
N difference		D values	
N exclusion			

# backends (context)

## **codeinjections** table

F boxresourcedimensions  
F registerboxresource  
F restoreboxresource

## **current** string

## **defaults** table

T codeinjections  
F gethpos  
F getmatrix  
F getpos  
F getvpos  
F hasmatrix  
T nodeinjections  
T registrations  
D tables

## **included** table

B context  
B date  
B id  
B metadata  
B pdf

## **install** function

## **nodeinjections** table

F restore  
F save  
F transform

## **nothing** function

## **pdf** table

T codeinjections  
F addbookmarks  
F attachmentid  
F clonefield  
F definefield  
F definefieldset  
F defineviewerlayer  
F embedfile  
F enabletags  
F exportformdata  
F getbookmarks  
F getdefaultfieldvalue  
F getfieldcategory

F getfieldset  
F getformatoption  
F gethpos  
F getmatrix  
F getoutputfilename  
F getpos  
F getpreviewfigure  
F getvpos  
F hasmatrix  
F insertrenderingwindow  
F mergebookmarks  
F mergereferences  
F mergeviewerlayers  
F prerollreference  
F presetsymbol  
F presetsymbollist  
F processrendering  
F registerdocumentcloseaction  
F registerdocumentopenaction  
F registeredsymbol  
F registerpagecloseaction  
F registerpageopenaction  
F registersymbol  
F setfieldcalculationset  
F setfigurealternative  
F setfigurecolorspace  
F setfiguremask  
F setformat  
F setformsmethod  
F setpagetransition  
F setupcanvas  
F setupidentity  
F setxmpfile  
F startlayer  
F startunicodetoactualtext  
F startunicodetoactualtextdirect  
F stoplayer  
F stopunicodetoactualtext  
F stopunicodetoactualtextdirect  
F supportedformats  
F unicodetoactualtext

F useviewerlayer	F reference
F validfield	F rgbcolor
F validfieldcategory	F spotcolor
F validfieldset	F startlayer
S comment	F startstackedlayer
T nodeinjections	F stoplayer
F addtags	F stopstackedlayer
F annotation	F transparency
F attachfile	F typesetfield
F changestackedlayer	T registrations
F cmykcolor	F cmykindexcolor
F comment	F cmykspotcolor
F destination	F getspotcolorreference
F effect	F grayindexcolor
F graycolor	F grayspotcolor
F injectbitmap	F rgbindexcolor
F insertmovie	F rgbspotcolor
F insertsound	F spotcolorname
F insertswf	F transparency
F insertu3d	T tables
F knockout	D vfspecials
F negative	<b>registrations</b> table
F overprint	<b>tables</b> table
F positive	<b>timestamp</b> function



## bit32 (basic lua)

**arshift** function

**band** function

**bnot** function

**bor** function

**btest** function

**bxor** function

**extract** function

**lrotate** function

**lshift** function

**replace** function

**rrotate** function

**rshift** function

## blobs (context)

<b>append</b>	function
<b>dimensions</b>	function
<b>dispose</b>	function
<b>new</b>	function
<b>pack</b>	function
<b>strdp</b>	function
<b>strhd</b>	function

<b>strht</b>	function
<b>strwd</b>	function
<b>tohpack</b>	function
<b>tonodes</b>	function
<b>tovpack</b>	function
<b>write</b>	function

## boolean (context)

**tocontext** function

**tonumber** function

# buffers (context)

<b>append</b>	function	<b>F</b> hassomecontent	
<b>assign</b>	function	<b>F</b> next	
<b>collectcontent</b>	function	<b>F</b> place	
<b>erase</b>	function	<b>F</b> reset	
<b>exists</b>	function	<b>F</b> save	
<b>getcontent</b>	function	<b>prepend</b>	function
<b>getlines</b>	function	<b>raw</b>	function
<b>loadcontent</b>	function	<b>run</b>	function
<b>parallel</b>	table	<b>undent</b>	function
<b>F</b> define			

# builders (context)

## kernel table

- F hyphenation
- F kerning
- F ligaturing
- F mlist\_to\_hlist
- T originals
  - F hyphenate
  - F kerning
  - F ligaturing

## paragraphs table

- T constructors
  - N attribute
  - F define
  - F disable
  - F enable
  - F handler
- T methods
  - F basic
  - F default
  - F hpack
  - F oneline
- D names
- D numbers
- F set
- F start
- F stop
- T expansion
  - F trace
- F kepttogether
- F registertogether
- T solutions
  - T splitters
    - F define
    - F optimize

- T registered
- F reset
- F set
- F split
- F start
- F stop
- F tag

## profiling table

- F add
- F distance
- F fixedprofile
- F get
- F list
- F pagehandler
- F profilebox
- F set

## vspacing table

- F analyze
- D categories
- F collapsevbox
- T data
  - D map
  - D skip
  - D snapmethods
- F definesnapmethod
- B fixed
- F pagehandler
- F resetprevdepth
- F setmap
- F setskip
- F snapbox
- F tocategories
- F tocategory
- F vboxhandler

## cache (context)

<b>ask</b>	boolean	<b>is_writable</b>	function
<b>base</b>	string	<b>loadcontent</b>	function
<b>collapsecontent</b>	function	<b>loaddata</b>	function
<b>configfiles</b>	function	<b>more</b>	string
<b>contentstate</b>	function	<b>relocate</b>	boolean
<b>defaults</b>	table	<b>savecontent</b>	function
<b>define</b>	function	<b>savedata</b>	function
<b>direct</b>	boolean	<b>setfirstwritablefile</b>	function
<b>force</b>	boolean	<b>setluanames</b>	function
<b>getfirstreadablefile</b>	function	<b>tree</b>	string
<b>getreadablepaths</b>	function	<b>treehash</b>	function
<b>getwritablepath</b>	function	<b>usedpaths</b>	function
<b>hashed</b>	function		

## callback (basic tex)

**find**      function  
**list**      function

**register** overloaded function

# callbacks (context)

<b>freeze</b>	function	B insert_local_par
<b>known</b>	function	B kerning
<b>list</b>	data table	B ligaturing
<b>pop</b>	function	B linebreak_filter
<b>push</b>	function	B mlist_to_hlist
<b>register</b>	function	B open_read_file
<b>report</b>	function	B post_linebreak_filter
<b>supported</b>	table	B pre_dump
B append_to_vlist_filter		B pre_linebreak_filter
B build_page_insert		B pre_output_filter
B buildpage_filter		B process_input_buffer
B call_edit		B process_jobname
B char_exists		B process_output_buffer
B contribute_filter		B process_rule
B define_font		B read_cidmap_file
B find_cidmap_file		B read_data_file
B find_data_file		B read_enc_file
B find_enc_file		B read_font_file
B find_font_file		B read_map_file
B find_format_file		B read_opentype_file
B find_image_file		B read_pk_file
B find_map_file		B read_sfd_file
B find_opentype_file		B read_truetype_file
B find_output_file		B read_type1_file
B find_pk_file		B read_vf_file
B find_read_file		B show_error_hook
B find_sfd_file		B show_error_message
B find_truetype_file		B show_lua_error_hook
B find_type1_file		B show_warning_message
B find_vf_file		B start_file
B find_write_file		B start_page_number
B finish_pdffile		B start_run
B finish_pdfpage		B stop_file
B finish_synctex_callback		B stop_page_number
B glyph_stream_provider		B stop_run
B hpack_filter		B vpack_filter
B hpack_quality		B vpack_quality
B hyphenate		



## catcodes (context)

**names** data table

**numbers** data table

**register** function

characters (context)

[illegible]

$S E_+$   
 $S F'$   
 $S G'$   
 $S G^{\wedge}$   
 $S G^{-}$   
 $S G^{-}$   
 $S G'$   
 $S G^{\vee}$   
 $S G_+$   
 $S H^{\wedge}$   
 $S H'$   
 $S H''$   
 $S H^{\vee}$   
 $S H_+$   
 $S H_+$   
 $S H_+$   
 $S I^{\backslash}$   
 $S I'$   
 $S I^{\wedge}$   
 $S I^{-}$   
 $S I^{-}$   
 $S I^{-}$   
 $S I'$   
 $S I''$   
 $S I'''$   
 $S I'$   
 $S I'$   
 $S I^{\vee}$   
 $S I^{-}$   
 $S I_+$   
 $S I_+$   
 $S I_+$   
 $S J^{\wedge}$   
 $S K'$   
 $S K^{\vee}$   
 $S K_+$   
 $S K_+$   
 $S K_+$   
 $S L'$   
 $S L^{\vee}$   
 $S L_+$   
 $S L_+^{-}$   
 $S L_+$   
 $S L_+$

$S L_+$   
 $S M'$   
 $S M'$   
 $S M_+$   
 $S N^{\backslash}$   
 $S N'$   
 $S N''$   
 $S N'$   
 $S N^{\vee}$   
 $S N_+$   
 $S N_+$   
 $S N_+$   
 $S N_+$   
 $S O^{\backslash}$   
 $S O'$   
 $S O^{\wedge}$   
 $S O^{\wedge\backslash}$   
 $S O^{\wedge'}$   
 $S O^{\wedge''}$   
 $S O^{\wedge'}$   
 $S O''$   
 $S O'''$   
 $S O^{-}$   
 $S O^{-\backslash}$   
 $S O^{-'}$   
 $S O^{\vee}$   
 $S O'$   
 $S O'^{-}$   
 $S O''$   
 $S O''^{-}$   
 $S O^{\flat}$   
 $S O^{\flat}$   
 $S O^{\flat}$   
 $S O^{\flat}$   
 $S O^{\flat}$   
 $S O^{\flat\backslash}$   
 $S O^{\flat'}$   
 $S O^{\flat''}$   
 $S O^{\flat'}$   
 $S O^{\flat_+}$   
 $S O_+$





S i`	S o`´
S i`	S o`^-
S i`´	S o`^^
S i`	S o`-
S i`	S o`^^
S i`	S o`´
S i`	S o`-
S i`	S o`
S i,	S o`-
S i,	S o`
S i_	S o`^-
S j^	S o`´
S j`	S o`´
S k´	S o`
S k`	S o`
S k,	S o`
S k,	S o`
S k_	S o`
S l´	S o`^^
S l`	S o`´
S l,	S o`^^
S l,-	S o`´
S l,	S o`.
S l,	S o,
S l_	S o,^
S m´	S o,
S m`	S o,^-
S m,	S p´
S n`	S p`
S n´	S r´
S n`	S r`
S n`	S r`
S n`	S r`
S n,	S r`
S n,	S r,
S n,	S r,-
S n_	S r,
S o`	S r_
S o´	S s´
S o^	S s`´
S o`^^	S s^
S o`´	S s`
S o`^^	S s`
S o`´	S s`´
S o`	S s,



S 0̇	S ä́
S 0̈́	S Ě̀
S 0̈́	S Ě́
S 0̈́	S ě̀
S 0̈́	S ě́
S Ǿ	S 0̀
S Ǜ	S 0́
S Ǘ	S 0̀
S Ǜ	S 0́
S Ǘ	S Š́
S à̀	S š́
S à́	S Š́
S ầ	S š́
S ấ	S Ů́
S ä̀	S ů́
S ǻ	S Ů̀
S ǽ	S ů̀
S æ̀	S ı́
S ḉ	S 0̀
S ề	S 0́
S ế	S 0̀
S ề	S 0́
S ế	S Œ̀
S ĩ́	S Œ́
S ồ	S Œ̀
S ố	S Œ́
S ồ	S Œ̀
S ố	S Œ́
S 0̈́	S Œ̀
S 0̈́	S Œ́
S 0̈́	S Œ̀
S 0̈́	S Œ́
S Ǿ	S Œ̀
S ǜ	S Œ́
S ǘ	S Œ̀
S ǜ	S Œ́
S ǘ	S Œ̀
S Ä̀	S Œ́
S Ä́	S Œ̀
S Ä̀	S Œ́
S Ä́	S Œ̀
S ằ	S Ä́
S ắ	S Ä̀
S ằ	S Ɛ̀



S $\varnothing^\sim$	S H'
S $\emptyset^\sim$	S H''\`
S $\circ^\sim$	S H''\`
S $\mathfrak{z}^\sim$	S H'\'
S $\sim^\sim\prime$	S H'\'
S A`	S H'
S A'	S H'
S A $^\sim$	S H'
S A $^\sim$	S H
S A'	S I $^\sim$
S A''\`	S I'
S A''\`	S I $^\sim$
S A'\'	S I $^\sim$
S A'\'	S I $^\sim$
S A'	S I'
S A'	S I''\`
S A'	S I'\'
S A'	S I'
S A''\`	S I'
S A''\`	S I''\`
S A'\'	S I'\'
S A'\'	S I'
S A'	S $\emptyset^\sim$
S A'	S $\emptyset'$
S A'	S $\emptyset'$
S A	S $\emptyset''\`$
S E $^\sim$	S $\emptyset'$
S E'	S $\emptyset''\`$
S E'	S $\emptyset'$
S E''\`	S $\emptyset'$
S E'\'	S $\emptyset'$
S E'	S P'
S E''\`	S Y $^\sim$
S E'\'	S Y'
S H $^\sim$	S Y $^\sim$
S H'	S Y $^\sim$
S H'	S Y'
S H''\`	S Y''\`
S H''\`	S Y'\'
S H'\'	S Y'
S H'\'	S $\Omega^\sim$
S H'	S $\Omega'$
S H'	S $\Omega'$
S H'	S $\Omega''\`$

$\mathcal{S} \Omega''$   
 $\mathcal{S} \Omega''$   
 $\mathcal{S} \Omega''$   
 $\mathcal{S} \Omega'$   
 $\mathcal{S} \Omega'$   
 $\mathcal{S} \Omega'$   
 $\mathcal{S} \Omega'$   
 $\mathcal{S} \Omega''$   
 $\mathcal{S} \Omega''$   
 $\mathcal{S} \Omega''$   
 $\mathcal{S} \Omega''$   
 $\mathcal{S} \Omega'$   
 $\mathcal{S} \Omega'$   
 $\mathcal{S} \Omega'$   
 $\mathcal{S} \Omega$   
 $\mathcal{S} \acute{\alpha}$   
 $\mathcal{S} \grave{\eta}$   
 $\mathcal{S} \alpha^{\backslash}$   
 $\mathcal{S} \alpha^{\backslash}$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha^{-}$   
 $\mathcal{S} \alpha^{-}$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha''$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha'$   
 $\mathcal{S} \alpha$   
 $\mathcal{S} \alpha$   
 $\mathcal{S} \alpha$   
 $\mathcal{S} \epsilon^{\backslash}$   
 $\mathcal{S} \epsilon'$

$\mathcal{S} \epsilon'$   
 $\mathcal{S} \epsilon''$   
 $\mathcal{S} \epsilon''$   
 $\mathcal{S} \epsilon'$   
 $\mathcal{S} \epsilon''$   
 $\mathcal{S} \epsilon''$   
 $\mathcal{S} \eta^{\backslash}$   
 $\mathcal{S} \eta^{\backslash}$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta''$   
 $\mathcal{S} \eta''$   
 $\mathcal{S} \eta''$   
 $\mathcal{S} \eta''$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta''$   
 $\mathcal{S} \eta''$   
 $\mathcal{S} \eta''$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta'$   
 $\mathcal{S} \eta$   
 $\mathcal{S} \eta$   
 $\mathcal{S} \eta$   
 $\mathcal{S} \eta$   
 $\mathcal{S} \mathfrak{t}^{\backslash}$   
 $\mathcal{S} \mathfrak{t}'$   
 $\mathcal{S} \mathfrak{t}^{-}$   
 $\mathcal{S} \mathfrak{t}^{\sim}$   
 $\mathcal{S} \mathfrak{t}^{\sim}$   
 $\mathcal{S} \mathfrak{t}^{\sim\sim}$   
 $\mathcal{S} \mathfrak{t}^{\sim\sim}$   
 $\mathcal{S} \mathfrak{t}^{\sim}$   
 $\mathcal{S} \mathfrak{t}'$   
 $\mathcal{S} \mathfrak{t}''$   
 $\mathcal{S} \mathfrak{t}''$   
 $\mathcal{S} \mathfrak{t}'$   
 $\mathcal{S} \mathfrak{t}'$   
 $\mathcal{S} \mathfrak{t}'$   
 $\mathcal{S} \mathfrak{t}'$   
 $\mathcal{S} \mathfrak{t}'$   
 $\mathcal{S} \mathfrak{t}'$

S ı´	S ı´
S ı	S ı´
S o`	S ı´
S o´	S ı´
S o´	S ı´
S o´`	S ı
S o´´	S ı
S o´	S ı
S o´`	S ı´
S o´´	S ı´
S ρ´	S ı
S ρ´	S ü`
S ü`	S ü´
S ü´	S ü
S ü~	S ō
S ü~	S ı´
S ü~	S ı´
S ü~`	S I´
S ü~´	S A´
S ü~	S A´
S ü´	S Γ´
S ü´`	S E´
S ü´´	S E´
S ü´	S E´
S ü´	S Ж´
S ü´`	S Ж´
S ü´´	S 3´
S ü´	S И´
S ü	S И´
S ō`	S И´
S ō`	S И´
S ō´	S K´
S ō´	S O´
S ō´	S ı´
S ō´`	S ı´
S ō´´	S ı´
S ō´	S ı´
S ō´	S ı´
S ō´	S ı´
S ō´`	S ı´
S ō´´	S ı´
S ō´	S ı´
S ō´	S ı´
S ō´	S ı´
S ō´`	S ı´
S ō´´	S ı´

[illegible]











S		T <
S		S /
S		T =
S		S /
S		T >
S		S /
S		T A
S		S `
S		S ´
S		S ^
S		S ~
S		S -
S		S ~
S		S ´
S		S "
S		S ´
S		S °
S		S ˇ
S		S "
S		S ^
S		S .
S		S .
contextname	function	S .
csletters	data table	S .
data	data table	T B
decomposed	data table	S ´
description	function	S .
descriptions	data table	S _
detailltags	data table	T C
directions	table	S ´
emoji	table	S ^
F compact		S ´
F known		S ˇ
F resolve		S ,
emojized	function	T D
encodes	data table	S ´
entities	data table	S ˇ
fallbacks	data table	S .
filters	data table	S ,
fractions	table	S ^
fromnumber	function	S _
fschars	data table	T E
fscodes	data table	S `
getrange	function	S ´
graphemes	table	S ^

S ~	S ^
S -	S ,
S ~	S ,
S ' .	S ~
S "	T J
S ' ,	S ^
S ^	T K
S "	S ' .
S ^	S ^
S ,	S ,
S ,	S ,
S ,	S _
S ^	T L
S ~	S ' .
T F	S ^
S ' .	S ,
T G	S ,
S ' .	S ^
S ^	S _
S -	T M
S ~	S ' .
S ' .	S ' .
S ^	S ,
S ,	T N
T H	S ^
S ^	S ' .
S ' .	S ~
S "	S ' .
S ^	S ^
S ,	S ,
S ,	S ,
S ,	S ^
T I	S _
S ^	T O
S ' .	S ^
S ^	S ' .
S "	S ^
S -	S ~
S ~	S -
S ' .	S ~
S "	S ' .
S ' ,	S "
S ^	S ' ,
S "	S "

S ^	S "
S "	S ^
S ^	S "
S ^	S ^
S ^	S ^
S ^	S ^
S ^	S ^
T P	S ..
S ^	S
S ^	S ^
T R	S ..
S ^	T V
S ^	S "
S ^	S ^
S "	T W
S ^	S ^
S ^	S ^
S ^	S ^
S ^	S ^
T S	S "
S ^	S ^
S ^	T X
S ^	S ^
S ^	S "
S ^	T Y
S ^	S ^
S ^	S ^
T T	S ^
S ^	S "
S ^	S ^
S ^	S ^
S ^	S "
S ^	S "
S ^	S ^
S ^	S ^
T U	T Z
S ^	S ^
S ^	S ^
S ^	S ^
S ^	S ^
S ^	S ^
S ^	S ^
S ^	S ^
S ^	T a
S ^	S ^
S ^	S ^
S ^	S ^

S ~	S ,
S -	S ,
S ~	S ^
S ' .	S ~
S "	T f
S ' ,	S ' .
S °	T g
S v	S ' .
S "	S ^
S ^	S -
S ,	S ~
S °	S ' .
S ,	S v
T b	S ,
S ' .	T h
S ,	S ^
S _	S ' .
T c	S "
S ' .	S v
S ^	S ,
S ' .	S ,
S v	S ~
S ,	S _
T d	T i
S ' .	S `
S v	S ' .
S ,	S ^
S ,	S ~
S ^	S -
S _	S ~
T e	S "
S `	S ' ,
S ' .	S v
S ^	S "
S ~	S ^
S -	S ,
S ~	S ,
S ' .	S ~
S "	T j
S ' ,	S ^
S v	S v
S "	T k
S ^	S ' .
S ,	S v

S .	T r
S .	S ´
S _	S ´
T l	S ˇ
S ´	S ¨
S ˇ	S ^
S .	S .
S ,	S ,
S ^	S _
S _	T s
T m	S ´
S ´	S ^
S ´	S ´
S .	S ˇ
T n	S ,
S `	S ,
S ´	S ,
S ¨	T t
S ´	S ´
S ˇ	S ¨
S .	S ˇ
S ,	S .
S ^	S ,
S _	S ,
T o	S ^
S `	S _
S ´	T u
S ^	S `
S ¨	S ´
S ˇ	S ^
S ´	S ^
S ¨	S ˇ
S `	S -
S ¨	S ˇ
S ˆ	S ¨
S ¨	S ˆ
S ^	S ¨
S ´	S ˇ
S .	S ^
S ,	S ´
T p	S ,
S ´	S ..
S ´	S ,

S ^	S ^
S ~	T Å
T v	S ´
S ¨	T Æ
S .	S ´
T w	S ^
S `	T Ç
S ´	S ´
S ^	T Ê
S ´	S `
S ¨	S ´
S °	S ~
S .	S ´
T x	T Ĭ
S ´	S ´
S ¨	T Ò
T y	S `
S `	S ´
S ´	S ~
S ^	S ´
S ¨	T Õ
S ^	S ´
S ¨	S ^
S ´	S ¨
S ¨	T Ö
S ´	S ^
S ¨	S ^
S ´	T Ø
S °	S ´
S .	T Ù
T z	S `
S ´	S ´
S ^	S ^
S ´	S ^
S ˇ	S ^
S .	S ˇ
S _	T â
T ¨	S `
S `	S ´
S ´	S ~
S	S ´
T Å	T ä
S `	S ^
S ´	T å
S ~	S ´
S ´	T æ
T Ä	S ´

S <sup>˘</sup>	T Ȯ
T Ç	S <sup>`</sup>
S <sup>˙</sup>	S <sup>˙</sup>
T Ê	T Ȯ
S <sup>`</sup>	S <sup>`</sup>
S <sup>˙</sup>	S <sup>˙</sup>
S <sup>˝</sup>	T Š
S <sup>˘</sup>	S <sup>˙</sup>
T Ĭ	T Š
S <sup>˙</sup>	S <sup>˙</sup>
T Ô	T Š
S <sup>`</sup>	S <sup>˙</sup>
S <sup>˙</sup>	T Š
S <sup>˝</sup>	S <sup>˙</sup>
S <sup>˘</sup>	T Ū
T Ȯ	S <sup>˙</sup>
S <sup>˙</sup>	T Ū
S <sup>˝</sup>	S <sup>˙</sup>
S <sup>˝</sup>	T Ū
T Ȯ	S <sup>˝</sup>
S <sup>˝</sup>	T Ū
T Ø	S <sup>˝</sup>
S <sup>˙</sup>	T ƒ
T Ū	S <sup>˙</sup>
S <sup>`</sup>	T Œ
S <sup>˙</sup>	S <sup>`</sup>
S <sup>˝</sup>	S <sup>˙</sup>
S <sup>˘</sup>	S <sup>˝</sup>
T Ä	S <sup>˘</sup>
S <sup>`</sup>	S <sup>˙</sup>
S <sup>˙</sup>	T σ
S <sup>˝</sup>	S <sup>`</sup>
S <sup>˘</sup>	S <sup>˙</sup>
T ă	S <sup>˝</sup>
S <sup>`</sup>	S <sup>˘</sup>
S <sup>˙</sup>	S <sup>˙</sup>
S <sup>˝</sup>	S <sup>˙</sup>
S <sup>˘</sup>	T Ū
T Ě	S <sup>`</sup>
S <sup>`</sup>	S <sup>˝</sup>
S <sup>˙</sup>	S <sup>˘</sup>
T ě	S <sup>˙</sup>
S <sup>`</sup>	T ů
S <sup>˙</sup>	S <sup>`</sup>

S ´	S
S ~	T I
S ´	S `
S .	S ´
T 3	S -
S ˇ	S ~
T 0	S "
S -	S ´
T 0	S ´
S -	T 0
T Å	S `
S -	S ´
T à	S ´
S -	S ´
T Ě	T P
S ~	S ´
T ę	T Y
S ~	S `
T 0	S ´
S -	S -
T ó	S ~
S -	S "
T 3	S ´
S ˇ	T 0
T "	S `
S ´	S ´
T A	S ´
S `	S ´
S ´	S
S -	T á
S ~	S
S ´	T ħ
S ´	S
S	T α
T E	S `
S `	S ´
S ´	S -
S ´	S ~
S ´	S ´
T H	S ´
S `	S
S ´	S
S ´	T ε
S ´	S `



S ´	S `
S ´	S ´
S ´	S
T η	T ü
S `	S `
S ´	S ´
S ´	S
S ´	T ů
S	S
S	T Υ
T ι	S ´
S `	S "
S ´	T I
S ¯	S "
S ~	T A
S "	S ~
S ´	S "
S ´	T Γ
S	S ´
T o	T E
S `	S `
S ´	S ~
S ´	S "
S ´	T Ж
T ρ	S ~
S ´	S "
S ´	T 3
T υ	S "
S `	T И
S ´	S `
S ¯	S ¯
S ~	S ~
S "	S "
S ´	T K
S ´	S ´
S	T 0
T ω	S "
S `	T y
S ´	S ¯
S ´	S ~
S ´	S "
S	S "
S	T 4
T ï	S "

Т Ы	Т Ә
С "	С "
Т Ә	Т ә
С "	С "
Т а	Т Ө
С ~	С "
С "	Т ө
Т г	С "
С ´	Т
Т е	С
С `	С
С ~	С
С "	Т
Т ж	С
С ~	С
С "	Т
Т з	С
С "	Т
Т и	С
С `	Т
С ~	С
С ~	Т
С "	С
Т к	С
С ´	Т
Т о	С
С "	Т
Т у	С
С ~	Т
С ~	С
С "	С
С "	Т
Т ч	С
С "	Т
Т ы	С
С "	С
Т ә	Т
С "	С
Т і	Т
С "	С
Т	Т
С "	С
Т	Т
С "	С

[illegible][illegible]



T Œ	S
S `	T Å
T Œ	S `
S `	S ´
T Å	S
S ^	S
S ~	T Å
T ą	S
S ^	T Å
S ~	S
T Ě	T Å
S ^	S
T ę	T Å
S ^	S
T Ő	T Å
S ^	S
T օ	T Å
S ^	S
T ǎ	T ě
S `	S `
S ´	S ´
S	T ě
S	S `
T ǎ	S ´
S `	T Ě
S ´	S `
S	S ´
S	T Ě
T ǎ	S `
S	S ´
T ǎ	T ħ
S	S `
T ǎ	S ´
S	S
T ǎ	S
S	T ħ
T ǎ	S `
S	S ´
T ǎ	S
S	S
T Å	T ħ
S `	S
S ´	T ħ
S	S

T ħ	S ´
S	S
T ħ	T ó
S	S `
T ħ	S ´
S	T ó
T ħ	S `
S	S ´
T H	T 0
S `	S `
S ´	S ´
S	T 0
S	S `
T H	S ´
S `	T ù
S ´	S `
S	S ´
S	S
T ¨H	T ù
S	S `
T ¨H	S ´
S	S
T ¨H	T Y
S	S `
T ¨H	S ´
S	S
T ¨H	T ı
S	S `
T ¨H	S ´
S	S
T i	S
S `	T ı
S ´	S `
S	S ´
T i	S
S `	S
S ´	T ı
S	S
T I	T ı
S `	S
S ´	T ı
S	S
T I	T ı
S `	S

$T \tilde{\omega}$	$S \prime$
$S$	$S$
$T \tilde{\omega}$	$T \leftarrow$
$S$	$S /$
$T \eta$	$T \rightarrow$
$S \backslash$	$S /$
$S \prime$	$T \leftrightarrow$
$S$	$S /$
$S$	$T \approx$
$T \eta$	$S /$
$S \backslash$	$T \Rightarrow$
$S \prime$	$S /$
$S$	$T \leftrightarrow$
$S$	$S /$
$T \eta$	$T \exists$
$S$	$S /$
$T \eta$	$T \in$
$S$	$S /$
$T \eta$	$T \exists$
$S$	$S /$
$T \eta$	$T$
$S$	$S /$
$T \eta$	$T$
$S$	$S /$
$T \eta$	$T \sim$
$S$	$S /$
$T \alpha$	$T \approx$
$S$	$S /$
$T \dot{\eta}$	$T \equiv$
$S$	$S /$
$T \dot{\omega}$	$T \approx$
$S$	$S /$
$T \tilde{\alpha}$	$T \approx$
$S$	$S /$
$T \prime$	$T \equiv$
$S \backslash$	$S /$
$S \prime$	$T \leq$
$S$	$S /$
$T \tilde{\eta}$	$T \geq$
$S$	$S /$
$T \tilde{\omega}$	$T \leq$
$S$	$S /$
$T \prime$	$T \geq$
$S \backslash$	$S /$







T		S ex	
S		S gl	
S		S h2	
S		S h3	
S		S hl	
S		S hy	
T		S id	
S		S in	
T		S is	
S		S jl	
T		S jt	
S		S jv	
S		S lf	
T		S nl	
S		S ns	
S		S nu	
hangul	data table	S op	
initialize	function	S po	
is_character	data table	S pr	
is_command	data table	S qu	
is_letter	data table	S ri	
is_mark	data table	S sa	
is_punctuation	data table	S sg	
is_spacing	data table	S sp	
lcchars	data table	S sy	
lccode	function	S wj	
lccodes	data table	S xx	
lettered	function	S zw	
lhash	data table	S zwj	
linebreaks	table	<b>lower</b>	function
S ai		<b>math</b>	table
S al		<b>mathpairs</b>	table
S b2		T :	
S ba		S =	
S bb		T <	
S bk		S =	
S cb		T =	
S cj		S :	
S cl		T >	
S cm		S =	
S cp		T /	
S cr		S <	
S eb		S =	
S em		S >	

S ↵	S	
S →	S	
S ↔	<b>mirrors</b>	table
S =	<b>otfscripts</b>	data table
S ⇨	<b>ranges</b>	data table
S ⇩	<b>registerentities</b>	function
S ∃	<b>remap_hangul_syllabe</b>	function
S ∈	<b>setactivecatcodes</b>	function
S ∋	<b>setlettercatcodes</b>	function
S	<b>shape</b>	function
S	<b>shaped</b>	function
S ~	<b>shash</b>	data table
S ≈	<b>shchars</b>	data table
S ≡	<b>shcodes</b>	data table
S ≐	<b>showstring</b>	function
S ×	<b>specialchars</b>	data table
S ≡	<b>specials</b>	data table
S ≍	<b>splits</b>	table
S ≎	T char	
S ≏	T compat	
S ≈	<b>subscripts</b>	table
S ≍	<b>superscripts</b>	table
S ≐	<b>synonyms</b>	data table
S <	<b>tex</b>	table
S >	D accentmapping	
S ≍	D commandmapping	
S ≧	F defineaccents	
S ⊂	F safechar	
S ⊃	F toutf	
S ⊆	F toutfpattern	
S ⊇	<b>textclasses</b>	table
S ≡	<b>tonumber</b>	function
S ≡	<b>ucchars</b>	data table
S ⊢	<b>uccode</b>	function
S	<b>uccodes</b>	data table
S	<b>uhash</b>	data table
S	<b>unicodechar</b>	function
S	<b>upper</b>	function
S		

## chemistry (context)

<b>component</b>	function
<b>define</b>	function
<b>definitions</b>	data table
<b>format</b>	string
<b>inlinechemical</b>	function
<b>instance</b>	string
<b>method</b>	string

<b>molecule</b>	function
<b>moleculeparser</b>	userdata
<b>start</b>	function
<b>stop</b>	function
<b>structures</b>	number
<b>undefine</b>	function

## containers (context)

**cleannname** function  
**content** function  
**define** function  
**is\_usable** function

**is\_valid** function  
**read** function  
**usecache** boolean  
**write** function

## converters (context)

<b>A</b>	function	<b>cn-c</b>	function
<b>A:es</b>	function	<b>convert</b>	function
<b>A:ru</b>	function	<b>decimals</b>	function
<b>A:sl</b>	function	<b>define</b>	function
<b>AK</b>	function	<b>hexstringtonumber</b>	function
<b>Alphabetic</b>	function	<b>hour</b>	function
<b>Alphabetic:es</b>	function	<b>i</b>	function
<b>Alphabetic:ru</b>	function	<b>isleapyear</b>	function
<b>Alphabetic:sl</b>	function	<b>lchexnumber</b>	function
<b>Character</b>	function	<b>lchexnumbers</b>	function
<b>Characters</b>	function	<b>leapyear</b>	function
<b>I</b>	function	<b>lower</b>	function
<b>KA</b>	function	<b>max</b>	function
<b>KR</b>	function	<b>maxchrs</b>	function
<b>R</b>	function	<b>minute</b>	function
<b>RK</b>	function	<b>month</b>	function
<b>Romannumerals</b>	function	<b>nicenumber</b>	function
<b>Russiannumerals</b>	function	<b>nofdays</b>	function
<b>Sloveniannumerals</b>	function	<b>number</b>	function
<b>Spanishnumerals</b>	function	<b>numbers</b>	function
<b>Word</b>	function	<b>octnumber</b>	function
<b>Words</b>	function	<b>octstringtonumber</b>	function
<b>a</b>	function	<b>ordinal</b>	function
<b>a:es</b>	function	<b>r</b>	function
<b>a:ru</b>	function	<b>rawcharacter</b>	function
<b>a:sl</b>	function	<b>romannumerals</b>	function
<b>abjadnodotnumerals</b>	function	<b>russiannumerals</b>	function
<b>abjadnumerals</b>	function	<b>second</b>	function
<b>alphabetic</b>	function	<b>sequences</b>	data table
<b>alphabetic:es</b>	function	<b>settime</b>	function
<b>alphabetic:ru</b>	function	<b>sloveniannumerals</b>	function
<b>alphabetic:sl</b>	function	<b>spanishnumerals</b>	function
<b>character</b>	function	<b>textime</b>	function
<b>characters</b>	function	<b>toabjad</b>	function
<b>chineseallnumerals</b>	function	<b>tochinese</b>	function
<b>chinesecapnumerals</b>	function	<b>toroman</b>	function
<b>chinesenumerals</b>	function	<b>totime</b>	function
<b>chr</b>	function	<b>uchexnumber</b>	function
<b>chrs</b>	function	<b>uchexnumbers</b>	function
<b>cn</b>	function	<b>upper</b>	function
<b>cn-a</b>	function	<b>verbose</b>	table

D data		<b>word</b>	function
F translate		<b>words</b>	function
<b>weekday</b>	function	<b>year</b>	function

## coroutine (basic lua)

**create**    function  
**resume**   function  
**running** function

**status**   function  
**wrap**     function  
**yield**    function



# ctxrunner (context)

<b>load</b>	function	<b>prepfiles</b>	data table
<b>preparedfile</b>	function	<b>resolve</b>	function

## debug (basic lua)

<b>debug</b>	function
<b>gethook</b>	function
<b>getinfo</b>	function
<b>getlocal</b>	function
<b>getmetatable</b>	function
<b>getregistry</b>	function
<b>getupvalue</b>	function
<b>getuservalue</b>	function

<b>sethook</b>	function
<b>setlocal</b>	function
<b>setmetatable</b>	function
<b>setupvalue</b>	function
<b>setuservalue</b>	function
<b>traceback</b>	function
<b>upvalueid</b>	function
<b>upvaluejoin</b>	function

## dir (context)

<b>collectpattern</b>	function
<b>current</b>	function
<b>expandname</b>	function
<b>found</b>	function
<b>glob</b>	function
<b>globdirs</b>	function
<b>globfiles</b>	function

<b>globpattern</b>	function
<b>ls</b>	function
<b>makedirs</b>	function
<b>mkdirs</b>	function
<b>pop</b>	function
<b>push</b>	function

## directives (context)

<b>data</b>	data table
<b>default</b>	function
<b>disable</b>	function
<b>done</b>	table
<b>enable</b>	function
<b>list</b>	function

<b>name</b>	string
<b>register</b>	function
<b>report</b>	function
<b>reset</b>	function
<b>show</b>	function
<b>value</b>	function

# document (context)

<b>arguments</b>	data table		D modes	
<b>files</b>	table		D modules	
<b>functions</b>	table	<b>setargument</b>		function
<b>getargument</b>	function	<b>setcommandline</b>		function
<b>getfilename</b>	function	<b>setdefaultargument</b>		function
<b>options</b>	table	<b>setenvironments</b>		function
T commandline		<b>setfilename</b>		function
D environments		<b>setfilenames</b>		function
D modes		<b>setmodes</b>		function
D modules		<b>setmodules</b>		function
T ctxfile		<b>variables</b>		data table
D environments				

## environment (context)

<b>argument</b>	function	<b>luafile</b>	function
<b>arguments</b>	data table	<b>luafilechunk</b>	function
<b>basicengines</b>	data table	<b>luatexengine</b>	string
<b>currentrun</b>	number	<b>luatexfuncitonality</b>	number
<b>default_texmfcnf</b>	string	<b>luatexversion</b>	number
<b>definefilefallback</b>	function	<b>maxnofruns</b>	number
<b>definefilesynonym</b>	function	<b>originalarguments</b>	data table
<b>engineflags</b>	data table	<b>outputfilename</b>	string
<b>filename</b>	string	<b>ownbin</b>	string
<b>files</b>	table	<b>ownmain</b>	string
<b>filesynonyms</b>	data table	<b>ownname</b>	string
<b>forcedruns</b>	number	<b>ownpath</b>	string
<b>getargument</b>	function	<b>prerollrun</b>	boolean
<b>homedir</b>	string	<b>rawarguments</b>	data table
<b>initex</b>	boolean	<b>reconstructcommandline</b>	function
<b>initexmode</b>	boolean	<b>relativepath</b>	function
<b>initializearguments</b>	function	<b>setargument</b>	function
<b>initializefilenames</b>	function	<b>splitarguments</b>	function
<b>inputfilebarename</b>	string	<b>suffix</b>	string
<b>inputfilename</b>	string	<b>texfile</b>	function
<b>inputfilesuffix</b>	string	<b>texmfos</b>	string
<b>jobfilefullname</b>	string	<b>texos</b>	string
<b>jobfilename</b>	string	<b>texroot</b>	string
<b>jobfilesuffix</b>	string	<b>truefilename</b>	function
<b>jobname</b>	string	<b>uselua module</b>	function
<b>kindofrun</b>	number	<b>usemodules</b>	function
<b>loadexamodes</b>	function	<b>validengines</b>	data table
<b>loadluafile</b>	function	<b>version</b>	string

## epdf (extra tex)

**Array** function  
**Attribute** function  
**AttributeOwner\_Type** function  
**Attribute\_Type** function  
**Dict** function  
**Object** function

**PDFRectangle** function  
**StructElement\_Type** function  
**open** overloaded function  
**openMemStream** function  
**type** function

# experiments (context)

<b>data</b>	data table	<b>register</b>	function
<b>default</b>	function	<b>report</b>	function
<b>disable</b>	function	<b>reset</b>	function
<b>enable</b>	function	<b>show</b>	function
<b>list</b>	function	<b>value</b>	function
<b>name</b>	string		



# figures (context)

<b>applyratio</b>	function	<b>F ofindex</b>	
<b>badname</b>	function	<b>F package</b>	
<b>bases</b>	data table	<b>F print</b>	
<b>bitmapimage</b>	function	<b>F scan</b>	
<b>boxnumber</b>	number	<b>F serialize</b>	
<b>cachepaths</b>	data table	<b>F totable</b>	
<b>check</b>	function	<b>F types</b>	
<b>checkers</b>	data table	<b>F write</b>	
<b>converters</b>	data table	<b>include</b>	function
<b>current</b>	function	<b>includes</b>	data table
<b>defaultdepth</b>	number	<b>initialize</b>	function
<b>defaultheight</b>	number	<b>loaded</b>	data table
<b>defaultsearch</b>	boolean	<b>localpaths</b>	data table
<b>defaultwidth</b>	number	<b>magics</b>	data table
<b>done</b>	function	<b>mergegoodies</b>	function
<b>dummy</b>	function	<b>nofprocessed</b>	number
<b>exists</b>	data table	<b>order</b>	data table
<b>exists</b>	function	<b>paths</b>	data table
<b>formats</b>	data table	<b>patterns</b>	data table
<b>found</b>	data table	<b>pop</b>	function
<b>get</b>	function	<b>preferquality</b>	boolean
<b>getrealpage</b>	function	<b>programs</b>	data table
<b>guess</b>	function	<b>push</b>	function
<b>hash</b>	function	<b>registerpattern</b>	function
<b>identifiers</b>	data table	<b>registerresource</b>	function
<b>identify</b>	function	<b>registersuffix</b>	function
<b>images</b>	table	<b>resources</b>	data table
<b>F boxes</b>		<b>scale</b>	function
<b>F check</b>		<b>set</b>	function
<b>F checksize</b>		<b>setlookups</b>	function
<b>F clone</b>		<b>setmemstream</b>	function
<b>F copy</b>		<b>setorder</b>	function
<b>F immediatewrite</b>		<b>setpaths</b>	function
<b>F keys</b>		<b>suffixes</b>	data table
<b>F new</b>		<b>used</b>	data table
<b>F node</b>			

## file (basic lua)

<b>addsuffix</b>	function
<b>basename</b>	function
<b>checksum</b>	function
<b>collapsepath</b>	function
<b>copy</b>	function
<b>dirname</b>	function
<b>expandname</b>	function
<b>extname</b>	function
<b>is_qualified_path</b>	function
<b>is_readable</b>	function
<b>is_rootbased_path</b>	function
<b>is_writable</b>	function
<b>isreadable</b>	function
<b>iswritable</b>	function
<b>join</b>	function
<b>joinpath</b>	function
<b>loadchecksum</b>	function
<b>nameonly</b>	function
<b>nametotable</b>	function
<b>needs Updating</b>	function

<b>needsupdating</b>	function
<b>pathpart</b>	function
<b>readdata</b>	function
<b>removesuffix</b>	function
<b>replacesuffix</b>	function
<b>reslash</b>	function
<b>robustname</b>	function
<b>savechecksum</b>	function
<b>savedata</b>	function
<b>size</b>	function
<b>splitbase</b>	function
<b>splitname</b>	function
<b>splitpath</b>	function
<b>strip</b>	function
<b>suffix</b>	function
<b>suffixes</b>	function
<b>suffixesonly</b>	function
<b>suffixonly</b>	function
<b>syncmtimes</b>	function

## fio (extra lua)

<b>checkpermission</b>	function	<b>readfixed4</b>	function
<b>getposition</b>	function	<b>readinteger1</b>	function
<b>read2dot14</b>	function	<b>readinteger2</b>	function
<b>readbytes</b>	function	<b>readinteger3</b>	function
<b>readbytetable</b>	function	<b>readinteger4</b>	function
<b>readcardinal1</b>	function	<b>readline</b>	function
<b>readcardinal2</b>	function	<b>recordfilename</b>	function
<b>readcardinal3</b>	function	<b>setposition</b>	function
<b>readcardinal4</b>	function	<b>skipposition</b>	function
<b>readfixed2</b>	function		

# floats (context)

<b>analysemethod</b>	function	<b>nofstacked</b>	function
<b>checkedpagefloat</b>	function	<b>pop</b>	function
<b>collect</b>	function	<b>push</b>	function
<b>consult</b>	function	<b>resave</b>	function
<b>flush</b>	function	<b>save</b>	function
<b>getvariable</b>	function	<b>stacked</b>	function
<b>hasstacked</b>	function		

## font (basic tex)

<b>addcharacters</b>	function	<b>id</b>	function
<b>current</b>	function	<b>max</b>	function
<b>define</b>	function	<b>nextid</b>	function
<b>each</b>	function	<b>read_tfm</b>	function
<b>fonts</b>	table	<b>read_vf</b>	function
<b>frozen</b>	function	<b>setfont</b>	function
<b>getfont</b>	overloaded function		

# fonts (context)

## analyzers

table

T features

N blwf

N fin2

N fin3

N fina

N half

N init

N isol

N med2

N medi

N pref

N pstf

N rphf

D initializers

D methods

F setstate

T states

N blwf

N fin2

N fin3

N fina

N half

N init

N isol

N mark

N med2

N medi

N pref

N pstf

N rest

N rphf

B useunicodemarks

## checkers

table

F getmissing

F missing

F placeholder

## cid

table

F getmap

F loadfile

## collections

table

F checkenabled

F clonevector

F define

T definitions

F found

F prepare

F process

F registermain

F report

F reset

T vectors

## constructors

table

F addcharacters

F addcoreunicodes

F aftercopyingcharacters

F applymanipulators

F assignmathparameters

B autocleanup

F beforecopyingcharacters

D cache

B cacheintex

F calculatescale

F checkedfeatures

F checkedfilename

F cleanupable

F collectprocessors

F currentfonthasfeature

D designsizes

D dontembed

F enhanceparameters

T enhancers

T afm

F apply

F patch

T patches

F register

F report

F register

F report

T otf

F addfeature

F apply	F addfeature
F enhance	F basemodeinitializer
F patch	D cache
T patches	F collectlookups
F register	T coverup
F report	T actions
F register	F alternate
F report	F chainposition
T tfm	F chainsubstitution
F apply	F kern
F patch	F ligature
T patches	F multiple
F register	F pair
F report	F single
F register	F substitution
F report	F register
N factor	S stepkey
T features	F dataset
D afm	S defaultbasealternate
D otf	S defaultnodealternate
D tfm	D features
F finalize	F featuresinitializer
F getfeatureaction	F featuresprocessor
T handlers	F getactualtext
T afm	F getalternate
B autoprefixed	F getgsub
D cache	F getkern
D features	F getmultiple
F getkern	F getsubstitution
T helpdata	T handlers
D bothkerned	F devanagari_remove_joiners
D leftkerned	F devanagari_reorder_matras
D ligatures	F devanagari_reorder_pre_base_reordering_consonants
D rightkerned	F devanagari_reorder_reph
D texligatures	F gpos_context
F load	F gpos_contextchain
T readers	F gpos_cursive
F getinfo	F gpos_mark2base
F loadfont	F gpos_mark2ligature
F loadshapes	F gpos_mark2mark
F setfeatures	F gpos_pair
B syncspace	F gpos_single
N version	F gsub_alternate
T otf	F gsub_context

F gsub_contextchain	F context
F gsub_ligature	F cursive
F gsub_multiple	F extension
F gsub_reversecontextchain	F marktobase
F gsub_single	F marktligature
F trigger_space_kerns	F marktomark
T helpers	F pair
F blockligatures	F single
F pardirstate	F gsub
F txtldirstate	T gsubhandlers
F load	F alternate
F loadoutlinedata	F chainedcontext
F loadstreamdata	F context
F modeinitializer	F extension
D pdfcache	F ligature
F plugininitializer	F multiple
F pluginprocessor	F reversechainedcontextsingle
T plugins	F single
T readers	F gvar
F addunicodetable	F head
F avar	T helpers
F cbdt	F axistofactors
F cblc	F cleanname
F cff	F getaxisscale
F cff2	F getfactors
F cffcheck	F getscales
F checkhash	F gotodatatable
F cmap	F normalizedaxis
F colr	T normalizedaxishash
F compact	F readvariationdata
F cpal	F reportskippedtable
F ebdt	F setvariabledata
F eblc	F hhea
F ebsc	F hmtx
F expand	F hvar
F extend	F kern
F fvar	F loadfont
F gdef	F loadshapes
F getcomponents	F loca
F getinfo	F math
F glyf	F maxp
F gpos	F mvar
T gposhandlers	F name
F chainedcontext	F os/2



F pack	F skipshort
F parsecharstrings	F writebyte
F post	F writecardinal2
F registerextender	F writecardinal4
F rehash	F writestring
F sbix	F svg
F stat	N tableversion
T streamreader	F unifymissing
F close	F unpack
F getposition	F vhea
F getsize	F vmtx
F look	F vorg
F open	F vvar
F read2dot14	F woff2otf
F readbyte	F registerpalette
F readbytes	F registerplugin
F readbytetable	F reorderlookups
F readcardinal	T sbix
F readcardinal1	F topdf
F readcardinal2	D sbixcache
F readcardinal2le	B sbixenabled
F readcardinal3	F scriptandlanguage
F readcardinal3le	F setdynamics
F readcardinal4	F setfeatures
F readcardinal4le	T statistics
F readchar	D usedfeatures
F readfixed2	F storepdfdata
F readfixed4	T svg
F readinteger	F filterglyph
F readinteger1	F topdf
F readinteger2	D svgcache
F readinteger2le	B svgenabled
F readinteger3	T tables
F readinteger3le	D baselines
F readinteger4	D features
F readinteger4le	D featuretypes
F readsignedbyte	D languages
F readstring	D scripts
F readtag	N version
F setposition	T pfb
F size	F loadvector
F skip	T tfm
F skiplong	F addtounicode
F skipposition	D features

N maxnestingdepth	S slantfactor
N maxnestingsize	S slantperpoint
F reencode	T spacing
F setfeatures	S extra
N version	S shrink
T vf	S stretch
T combinations	S width
F combine	S units
T combiner	S vfactor
D commands	S xheight
D helpers	T properties
D math	S autoitalicamount
D predefined	S cidinfo
N version	S embedding
D whatever	S encodingbytes
F hashfeatures	S filename
F hashinstance	S finalized
T hashmethods	S fontname
F normal	S format
F virtual	S fullname
F initializefeatures	S hasitalics
T keys	S hasmath
T characters	S mathitalics
T descriptions	S mode
T parameters	S name
S ascender	S noglyphnames
S descender	S nostackmath
S designsize	S psname
T expansion	S textitalics
S auto	S virtualized
S shrink	D loadedfonts
S step	S namemode
S stretch	N noffontsloaded
S extendfactor	N nofsharedfonts
S factor	N nofsharedhashes
S hfactor	N nofsharedvectors
S mathsize	N privateoffset
T protrusion	D privateslots
S auto	F readanddefine
S quad	F registerfeature
S scaledpoints	F resetfeature
S scriptpercentage	B resolvevirtualtoo
S scriptscriptpercentage	F scale
S size	F scaled

F setfactor		N Checyrillic
F setfeature		N Decyrillic
F setname		N Djecyrillic
B sharefonts		N Dzecyrillic
F trytosharefont		N Dzhecyrillic
N version		N Ecyrillic
<b>current</b>	function	N Edot
<b>currentid</b>	function	N Efcyrillic
<b>definers</b>	table	N Elcyrillic
F addlookup		N Emcyrillic
F analyze		N Encyrillic
F applypostprocessors		N Ercyrillic
F checkedmode		N Ereversedcyrillic
F checkedscript		N Escyrillic
F current		N Fitacyrillic
S defaultlookup		N Gcedilla
F define		N Gdot
F getspecification		N Gecyrillic
F internal		N Gheupturncyrillic
F loadfont		N Gjecyrillic
F makespecification		N Hardsigncyrillic
T methods		N IAcyrillic
F install		N IUcyrillic
D variants		N Icyrillic
F read		N Idot
F register		N Iecyrillic
F registered		N Iicyrillic
F registersplit		N Iishortcyrillic
F resetnullfont		N Iocyrillic
F resolve		N Izhitsacyrillic
T resolvers		N Jecyrillic
F file		N Kacyrillic
F name		N Kcedilla
F spec		N Khacyrillic
<b>definetypeface</b>	function	N Kjecyrillic
<b>encodings</b>	table	N Lcedilla
T agl		N Ljecyrillic
D ctxcodes		N Ncedilla
D extras		N Njecyrillic
D names		N Ocyrillic
T synonyms		N Odblacute
N Acyrillic		N Ohm
N Becyrillic		N Pecyrillic
N Cdot		N Rcedilla

N Shacyrillic	N dagesh
N Shchacyrillic	N dalet
N Softsigncyrillic	N daletdagesh
N Tcedilla	N daletthatafpatah
N Tecyrillic	N daletthatafpatahhebrew
N Tsecyrillic	N daletthatafsegol
N Tshecyrillic	N daletthatafsegolhebrew
N Ucyrillic	N dalethebrew
N Udblacute	N daletthiriq
N Ushortcyrillic	N daletthiriqhebrew
N Vecyrillic	N daletholam
N Yatcyrillic	N daletholamhebrew
N Yericyrillic	N daletpatah
N Yicyrillic	N daletpatahhebrew
N Zdot	N daletqamats
N Zecyrillic	N daletqamatshebrew
N Zhecyrillic	N daletqubuts
N acutecmb	N daletqubutshebrew
N acyrillic	N daletsegol
N afii00208	N daletsegolhebrew
N afii08941	N daletsheva
N afii57694	N daletshevahebrew
N afii57695	N dalettsere
N afii57700	N dammaarabic
N afii57705	N dammatanaltonearabic
N afii57723	N dargahebrew
N alef	N dbllowline
N alefmaksurainitialarabic	N decimalseparatorarabic
N alefmaksuramedialarabic	N dialytikatonos
N approximatelyequal	N dotbelowcmb
N asteriskaltonearabic	N doubleyodpatah
N ayin	N doubleyodpatahhebrew
N bet	N edot
N betdagesh	N eightarabic
N blackdownpointingtriangle	N eighthnotebeamed
N blackleftpointingpointer	N etnahtafoukhhebrew
N blackrectangle	N etnahtafoukhlefthebrew
N blackrightpointingpointer	N etnahtahebrew
N blacksmilingface	N fathaarabic
N blacksquare	N finalkaf
N blackuppointingtriangle	N finalkafdagesh
N bulletinverse	N finalkafhebrew
N cdot	N finalkafqamats
N compass	N finalkafqamatshebrew

N finalkafsheva	N hedagesh
N finalmem	N hehfinalalttwoarabic
N finalnun	N het
N finalpe	N hiriq
N finaltsadi	N hiriq14
N fivearabic	N hiriq21
N forall	N hiriq2d
N fourarabic	N hiriqhebrew
N gcedilla	N hiriqnarrowhebrew
N gdot	N hiriqqarterhebrew
N gimel	N holam
N gimeldagesh	N holam19
N gravecmb	N holam26
N haaltonearabic	N holam32
N hamzaarabic	N holamhebrew
N hamzadammaarabic	N holamnarrowhebrew
N hamzadammatanarabic	N holamquarterhebrew
N hamzafathaarabic	N ilde
N hamzafathatanarabic	N integralbottom
N hamzalowarabic	N integraltop
N hamzalowkasraarabic	N kaf
N hamzalowkasratanarabic	N kafdagesh
N hatafpatah	N kashidaautoarabic
N hatafpatah16	N kashidaautonosidebearingarabic
N hatafpatah23	N kcedilla
N hatafpatah2f	N lamed
N hatafpatahhebrew	N lameddagesh
N hatafpatahnarrowhebrew	N lamedhebrew
N hatafpatahquarterhebrew	N lamedholam
N hatafqamats	N lamedholamdagesh
N hatafqamats1b	N lamedholamdageshhebrew
N hatafqamats28	N laminitialarabic
N hatafqamats34	N lammeemjeeminitialarabic
N hatafqamatshebrew	N lcedilla
N hatafqamatsnarrowhebrew	N logicalnotreversed
N hatafqamatsquarterhebrew	N mahapakhhebrew
N hatafsegol	N mem
N hatafsegol17	N memdagesh
N hatafsegol24	N merkhahebrew
N hatafsegol30	N merkhakefulahebrew
N hatafsegolhebrew	N middot
N hatafsegolnarrowhebrew	N munahhebrew
N hatafsegolquarterhebrew	N nbspace
N he	N ncedilla

N newsheqelsign	N qofpatahhebrew
N ninearabic	N qofqamats
N noonhehinitialarabic	N qofqamatshebrew
N nun	N qofqubuts
N nundagesh	N qofqubutshebrew
N odblacute	N qofsego1
N onearabic	N qofsego1hebrew
N overscore	N qofsheva
N patah	N qofshevahebrew
N patah11	N qoftsere
N patah1d	N qubuts
N patah2a	N qubuts18
N patahhebrew	N qubuts25
N patahnarrowhebrew	N qubuts31
N patahquarterhebrew	N qubutshebrew
N pe	N qubutsnarrowhebrew
N pedagesh	N qubutsquarterhebrew
N qamats	N quoteleftreversed
N qamats10	N rafe
N qamats1a	N rcedilla
N qamats1c	N reharabic
N qamats27	N resh
N qamats29	N reshhatafpatah
N qamats33	N reshhatafpatahhebrew
N qamatsde	N reshhatafsego1
N qamatshebrew	N reshhatafsego1hebrew
N qamatsnarrowhebrew	N reshhebrew
N qamatsqatanhebrew	N reshhiri1
N qamatsqatannarrowhebrew	N reshhiri1hebrew
N qamatsqatanquarterhebrew	N reshholam
N qamatsqatanwidehebrew	N reshholamhebrew
N qamatsquarterhebrew	N reshpatah
N qof	N reshpatahhebrew
N qofdagesh	N reshqamats
N qofhatafpatah	N reshqamatshebrew
N qofhatafpatahhebrew	N reshqubuts
N qofhatafsego1	N reshqubutshebrew
N qofhatafsego1hebrew	N reshsego1
N qofhebrew	N reshsego1hebrew
N qofhiri1	N reshsheva
N qofhiri1hebrew	N reshshevahebrew
N qofholam	N reshtsere
N qofholamhebrew	N reviahebrew
N qofpatah	N samekh

N samekhdagesh	N tsere1e
N segol	N tsere2b
N segol13	N tserehebrew
N segol1f	N tserenarrowhebrew
N segol2c	N tserequarterhebrew
N segolhebrew	N twoarabic
N segolnarrowhebrew	N udblacute
N segolquarterhebrew	N vav
N sevenarabic	N vavdagesh
N sfthyphen	N vavdagesh65
N shaddaarabic	N vavholam
N sheqel	N yerahbenyomohebrew
N sheva	N yod
N sheva115	N yoddagesh
N sheva15	N zayin
N sheva22	N zayindagesh
N sheva2e	N zdot
N shevahebrew	N zeroarabic
N shevanarrowhebrew	D unicodes
N shevaquarterhebrew	D cache
N shin	T ctxcodes
N shindagesh	N AEacute
N shindageshshindot	N AEligature
N shindageshsindot	N AEmacron
N shinshindot	N Aacute
N shinsindot	N Abreve
N siluqhebrew	N Abreveacute
N sixarabic	N Abrevedotbelow
N tav	N Abrevegrave
N tavdages	N Abrevehook
N tavdagesh	N Abrevetilde
N tcedilla	N Acaron
N tchehinitialarabic	N Acircumflex
N tet	N Acircumflexacute
N tetdagesh	N Acircumflexdotbelow
N tevirhebrew	N Acircumflexgrave
N thousandsseparatorarabic	N Acircumflexhook
N threearabic	N Acircumflextilde
N tildecmb	N Adiaeresis
N tipehahebrew	N Adiaeresismacron
N tsadi	N Adotaccent
N tsadidagesh	N Adotaccentmacron
N tsere	N Adotbelow
N tsere12	N Adoublegrave

N Agrave  
N Ahook  
N Ainvertedbreve  
N Amacron  
N Aogonek  
N Aring  
N Aringacute  
N Astroke  
N Atilde  
N Bhook  
N Cacute  
N Ccaron  
N Ccedilla  
N Ccircumflex  
N Cdotaccent  
N Chook  
N Cstroke  
N DZcaronligature  
N DZligature  
N Dafrican  
N Dcaron  
N Dhook  
N Dstroke  
N Dzcaronligature  
N Dzligature  
N Eacute  
N Ebreve  
N Ecaron  
N Ecedilla  
N Ecircumflex  
N Ecircumflexacute  
N Ecircumflexdotbelow  
N Ecircumflexgrave  
N Ecircumflexhook  
N Ecircumflextilde  
N Ediaeresis  
N Edotaccent  
N Edotbelow  
N Edoublegrave  
N Egrave  
N Ehook  
N Einvertedbreve  
N Emacron  
N Eogonek

N Eth  
N Etilde  
N Fhook  
N Gacute  
N Gbreve  
N Gcaron  
N Gcircumflex  
N Gcommaaccent  
N Gdotaccent  
N Ghook  
N Gstroke  
N Hcaron  
N Hcircumflex  
N Hstroke  
N IJligature  
N Iacute  
N Ibreve  
N Icaron  
N Icircumflex  
N Idiaeresis  
N Idotaccent  
N Idotbelow  
N Idoublegrave  
N Igrave  
N Ihook  
N Iinvertedbreve  
N Imacron  
N Iogonek  
N Istroke  
N Itilde  
N Jcircumflex  
N Kcaron  
N Kcommaaccent  
N Khook  
N LJligature  
N Lacute  
N Lbar  
N Lcaron  
N Lcommaaccent  
N Ldotmiddle  
N Ljligature  
N Lstroke  
N NJligature  
N Nacute



N Ncaron	N Rinvertedbreve
N Ncommaaccent	N Sacute
N Neng	N Scaron
N Ngrave	N Scedilla
N Njligature	N Schwa
N Ntilde	N Scircumflex
N OEligature	N Scommaaccent
N Oacute	N Tcaron
N Obreve	N Tcedilla
N Ocaron	N Tcommaaccent
N Ocircumflex	N Thook
N Ocircumflexacute	N Thorn
N Ocircumflexdotbelow	N Tstroke
N Ocircumflexgrave	N Uacute
N Ocircumflexhook	N Ubreve
N Ocircumflextilde	N Ucaron
N Odiaeresis	N Ucircumflex
N Odiaeresismacron	N Udiaeresis
N Odotaccent	N Udiaeresisacute
N Odotaccentmacron	N Udiaeresiscaron
N Odotbelow	N Udiaeresisgrave
N Odoublegrave	N Udiaeresismacron
N Ograve	N Udotbelow
N Ohook	N Udoublegrave
N Ohorn	N Ugrave
N Ohornacute	N Uhook
N Ohorndotbelow	N Uhorn
N Ohorngrave	N Uhornacute
N Ohornhook	N Uhorndotbelow
N Ohorntilde	N Uhorngrave
N Ohungarumlaut	N Uhornhook
N Oinvertedbreve	N Uhorntilde
N Omacron	N Uhungarumlaut
N Oogonek	N Uinvertedbreve
N Oogonekmacron	N Umacron
N Ostroke	N Uogonek
N Ostrokeacute	N Uring
N Otilde	N Utilde
N Otildemacron	N Wcircumflex
N Phook	N Yacute
N Racute	N Ycircumflex
N Rcaron	N Ydiaeresis
N Rcommaaccent	N Ydotbelow
N Rdoublegrave	N Ygrave

N Yhook	N ccaron
N Ymacron	N ccedilla
N Ytilde	N ccircumflex
N Zacute	N ccurl
N Zcaron	N cdotaccent
N Zdotaccent	N chook
N Zhook	N copyright
N Zstroke	N cstroke
N aacute	N cyrillicA
N abreve	N cyrillicAE
N abreveacute	N cyrillicAbreve
N abovedotbelow	N cyrillicAdiaeresis
N abrevegrave	N cyrillicB
N abrevehook	N cyrillicBIGYUS
N abrevetilde	N cyrillicBIGYUSiotified
N acaron	N cyrillicC
N acircumflex	N cyrillicCH
N acircumflexacute	N cyrillicCHEDC
N acircumflexdotbelow	N cyrillicCHEDCabkhasian
N acircumflexgrave	N cyrillicCHEabkhasian
N acircumflexhook	N cyrillicCHEdiaeresis
N acircumflextilde	N cyrillicCHEkhakassian
N adiaeresis	N cyrillicCHEvertstroke
N adiaeresismacron	N cyrillicD
N adotaccent	N cyrillicDASIAPNEUMATA
N adotaccentmacron	N cyrillicDJE
N adotbelow	N cyrillicDZE
N adoublegrave	N cyrillicDZEabkhasian
N aacute	N cyrillicDZHE
N aeligature	N cyrillicE
N amacron	N cyrillicEltail
N agrave	N cyrillicEMtail
N ahook	N cyrillicENDC
N ainvertedbreve	N cyrillicENGHE
N amacron	N cyrillicENhook
N aogonek	N cyrillicENTail
N aring	N cyrillicEREV
N aringacute	N cyrillicERY
N atilde	N cyrillicERTick
N bhook	N cyrillicEbreve
N breakablethinspace	N cyrillicEdiaeresis
N bstroke	N cyrillicEgrave
N cacute	N cyrillicEiotified
N carriagereturn	N cyrillicF

N cyrillicFITA	N cyrillicOdiaeresis
N cyrillicG	N cyrillicP
N cyrillicGHEmidhook	N cyrillicPALATALIZATION
N cyrillicGHEstroke	N cyrillicPALOCHKA
N cyrillicGHEupturn	N cyrillicPEmidhook
N cyrillicGJE	N cyrillicPSI
N cyrillicH	N cyrillicPSILIPNEUMATA
N cyrillicHA	N cyrillicR
N cyrillicHADC	N cyrillicS
N cyrillicHRDSN	N cyrillicSCHWA
N cyrillicI	N cyrillicSCHWAdiaeresis
N cyrillicIE	N cyrillicSDSC
N cyrillicII	N cyrillicSEMIsoft
N cyrillicISHRT	N cyrillicSFTSN
N cyrillicISHRTtail	N cyrillicSH
N cyrillicIZHITSA	N cyrillicSHCH
N cyrillicIZHITSAdoublegrave	N cyrillicSHHA
N cyrillicIdiaeresis	N cyrillicT
N cyrillicIgrave	N cyrillicTEDC
N cyrillicImacron	N cyrillicTETSE
N cyrillicJE	N cyrillicTITLO
N cyrillicK	N cyrillicTSHE
N cyrillicKADC	N cyrillicU
N cyrillicKAbashkir	N cyrillicUK
N cyrillicKAhook	N cyrillicUSHRT
N cyrillicKAstroke	N cyrillicUdiaeresis
N cyrillicKAvertstroke	N cyrillicUdoubleacute
N cyrillicKJE	N cyrillicUmacron
N cyrillicKOPPA	N cyrillicV
N cyrillicKSI	N cyrillicYA
N cyrillicL	N cyrillicYAT
N cyrillicLITTLEYUS	N cyrillicYERUdiaeresis
N cyrillicLITTLEYUSiotified	N cyrillicYI
N cyrillicLJE	N cyrillicY0
N cyrillicM	N cyrillicYU
N cyrillicN	N cyrillicYstr
N cyrillicNJE	N cyrillicYstrstroke
N cyrillicO	N cyrillicZ
N cyrillicOMEGA	N cyrillicZDSC
N cyrillicOMEGAround	N cyrillicZEdiaeresis
N cyrillicOMEGAtitlo	N cyrillicZH
N cyrillicOT	N cyrillicZHEbreve
N cyrillicObarred	N cyrillicZHEdescender
N cyrillicObarreddiaeresis	N cyrillicZHEdiaeresis

N cyrillica	N cyrillichrdsn
N cyrillicabreve	N cyrillici
N cyrillicadiaeresis	N cyrillicidiaeresis
N cyrillicae	N cyrillicie
N cyrillicb	N cyrillicigrave
N cyrillicbigus	N cyrillicii
N cyrillicbigusiotified	N cyrillicimacron
N cyrillicc	N cyrillicishrt
N cyrillicch	N cyrillicishrttail
N cyrilliccheabkhasian	N cyrillicizhitsa
N cyrillicchedc	N cyrillicizhitsadoublegrave
N cyrillicchedcabkhasian	N cyrillicje
N cyrillicchediaeresis	N cyrillick
N cyrillicchekhakassian	N cyrillickabashkir
N cyrillicchevertstroke	N cyrillickadc
N cyrillicd	N cyrillickahook
N cyrillicdje	N cyrillickastroke
N cyrillicdze	N cyrillickavertstroke
N cyrillicdzeabkhasian	N cyrillickje
N cyrillicdzhe	N cyrillickoppa
N cyrillice	N cyrillicksi
N cyrillicebreve	N cyrillicl
N cyrillicediaeresis	N cyrilliclittleyus
N cyrillicegrave	N cyrilliclittleyusiotified
N cyrilliciotified	N cyrilliclje
N cyrilliceltail	N cyrillicm
N cyrillicemtail	N cyrillicn
N cyrillicencd	N cyrillicnje
N cyrillicenghe	N cyrillico
N cyrillicenhook	N cyrillicobarred
N cyrillicentail	N cyrillicobarreddiaeresis
N cyrillicerev	N cyrillicodiaeresis
N cyrillicertick	N cyrillicomega
N cyrillicery	N cyrillicomegaround
N cyrillicf	N cyrillicomegatitlo
N cyrillicfita	N cyrillicot
N cyrillicg	N cyrillicp
N cyrillicghemidhook	N cyrillicpemidhook
N cyrillicghestroke	N cyrillicpsi
N cyrillicgheupturn	N cyrillicr
N cyrillicgje	N cyrillics
N cyrillich	N cyrillicschwa
N cyrillicha	N cyrillicschwadiaeresis
N cyrillichadc	N cyrillicsdsc

N cyrillicsemisoft  
N cyrillicsftsn  
N cyrillicsh  
N cyrillicshch  
N cyrillicshha  
N cyrillict  
N cyrillictcd  
N cyrillictetse  
N cyrillictshe  
N cyrillicu  
N cyrillicudiaeresis  
N cyrillicdoubleacute  
N cyrillicuk  
N cyrillicumacron  
N cyrillicushrt  
N cyrillicv  
N cyrillicya  
N cyrillicyat  
N cyrillicyerudiaeresis  
N cyrillicyi  
N cyrillicyo  
N cyrillicystr  
N cyrillicystrstroke  
N cyrillicyu  
N cyrillicz  
N cyrilliczdsc  
N cyrilliczediaeresis  
N cyrilliczh  
N cyrilliczhebreve  
N cyrilliczhedescender  
N cyrilliczhediaeresis  
N dcaron  
N dcurl  
N dhook  
N dotlessI  
N dotlessJ  
N dotlessi  
N dotlessj  
N dotlessjstroke  
N dstroke  
N dtail  
N dzcaronligature  
N dzligature  
N eacute

N ebreve  
N ecaron  
N ecedilla  
N ecircumflex  
N ecircumflexacute  
N ecircumflexdotbelow  
N ecircumflexgrave  
N ecircumflexhook  
N ecircumflextilde  
N ediaeresis  
N edotaccent  
N edotbelow  
N edoublegrave  
N egrave  
N ehook  
N einvertedbreve  
N emacron  
N emdash  
N emspace  
N endash  
N enspace  
N eogonek  
N etilde  
N exclamdown  
N ffiligature  
N ffligature  
N ffligature  
N fhook  
N figurespace  
N filigature  
N fiveeighths  
N fivesixths  
N flligature  
N fourfifths  
N fourperemspace  
N gacute  
N gbreve  
N gcaron  
N gcircumflex  
N gcommaaccent  
N gdotaccent  
N greekAlpha  
N greekAlphadasia  
N greekAlphadasiaepispomeni

N greekAlphadasiatonos  
N greekAlphadasiavaria  
N greekAlphaiotasub  
N greekAlphaiotasubdasia  
N greekAlphaiotasubdasiaperispomeni  
N greekAlphaiotasubdasiatonos  
N greekAlphaiotasubdasiavaria  
N greekAlphaiotasubpsili  
N greekAlphaiotasubpsiliperispomeni  
N greekAlphaiotasubpsilitonos  
N greekAlphaiotasubpsilivaria  
N greekAlphamacron  
N greekAlphapsili  
N greekAlphapsiliperispomeni  
N greekAlphapsilitonos  
N greekAlphapsilivaria  
N greekAlphatonos  
N greekAlphavaria  
N greekAlphavrachy  
N greekBeta  
N greekChi  
N greekCoronis  
N greekDelta  
N greekEpsilon  
N greekEpsilondasia  
N greekEpsilondasiatonos  
N greekEpsilondasiavaria  
N greekEpsilonpsili  
N greekEpsilonpsilitonos  
N greekEpsilonpsilivaria  
N greekEpsilontonos  
N greekEpsilonvaria  
N greekEta  
N greekEtadasia  
N greekEtadasiaaperispomeni  
N greekEtadasiatonos  
N greekEtadasiaavaria  
N greekEtaiotasub  
N greekEtaiotasubdasia  
N greekEtaiotasubdasiaperispomeni  
N greekEtaiotasubdasiatonos  
N greekEtaiotasubdasiavaria  
N greekEtaiotasubpsili  
N greekEtaiotasubpsiliperispomeni

N greekEtaiotasubpsilitonos  
N greekEtaiotasubpsilivaria  
N greekEtapsili  
N greekEtapsiliperispomeni  
N greekEtapsilitonos  
N greekEtapsilivaria  
N greekEtatonos  
N greekEtavaria  
N greekGamma  
N greekIota  
N greekIotadasia  
N greekIotadasiaaperispomeni  
N greekIotadasiatonos  
N greekIotadasiaavaria  
N greekIotadialytika  
N greekIotamacron  
N greekIotapsili  
N greekIotapsiliperispomeni  
N greekIotapsilitonos  
N greekIotapsilivaria  
N greekIotatonos  
N greekIotavaria  
N greekIotavrachy  
N greekKappa  
N greekLambda  
N greekMu  
N greekNu  
N greekOmega  
N greekOmegasia  
N greekOmegasiaaperispomeni  
N greekOmegasiatonos  
N greekOmegasiaavaria  
N greekOmegaiotasub  
N greekOmegaiotasubdasia  
N greekOmegaiotasubdasiaperispomeni  
N greekOmegaiotasubdasiatonos  
N greekOmegaiotasubdasiavaria  
N greekOmegaiotasubpsili  
N greekOmegaiotasubpsiliperispomeni  
N greekOmegaiotasubpsilitonos  
N greekOmegaiotasubpsilivaria  
N greekOmegapsili  
N greekOmegapsiliperispomeni  
N greekOmegapsilitonos

N greek0Megapsilivaria	N greekalphaiotasubpsili
N greek0Megatonos	N greekalphaiotasubpsiliperispomeni
N greek0Megavaria	N greekalphaiotasubpsilitonos
N greek0Micron	N greekalphaiotasubpsilivaria
N greek0Microndasia	N greekalphaiotasubtonos
N greek0Microndasiatonos	N greekalphaiotasubvaria
N greek0Microndasiavaria	N greekalphamacron
N greek0Micronpsili	N greekalphaoxia
N greek0Micronpsilitonos	N greekalphaperispomeni
N greek0Micronpsilivaria	N greekalphapsili
N greek0Microntonos	N greekalphapsiliperispomeni
N greek0Micronvaria	N greekalphapsilitonos
N greekPhi	N greekalphapsilivaria
N greekPi	N greekalphatonos
N greekPsi	N greekalphavaria
N greekRho	N greekalphavrachy
N greekRhodasia	N greekbeta
N greekSigma	N greekchi
N greekSigmaunate	N greekdasia
N greekTau	N greekdasiaperispomeni
N greekTheta	N greekdasiatonos
N greekUpsilon	N greekdasiavaria
N greekUpsilondasia	N greekdelta
N greekUpsilondasiaperispomeni	N greekdialytikaperispomeni
N greekUpsilondasiatonos	N greekdialytikatonos
N greekUpsilondasiavaria	N greekdialytikavaria
N greekUpsilondialytika	N greekdigamma
N greekUpsilonmacron	N greekepsilon
N greekUpsilonontonos	N greekepsilonalt
N greekUpsilonvaria	N greekepsilonondasia
N greekUpsilonvrachy	N greekepsilonondasiatonos
N greekXi	N greekepsilonondasiavaria
N greekZeta	N greekepsilonoxia
N greekalpha	N greekepsilonpsili
N greekalphadasia	N greekepsilonpsilitonos
N greekalphadasiaperispomeni	N greekepsilonpsilivaria
N greekalphadasiatonos	N greekepsilonontonos
N greekalphadasiavaria	N greekepsilononvaria
N greekalphaiotasub	N greeketa
N greekalphaiotasubdasia	N greeketadasia
N greekalphaiotasubdasiaperispomeni	N greeketadasiaperispomeni
N greekalphaiotasubdasiatonos	N greeketadasiatonos
N greekalphaiotasubdasiavaria	N greeketadasiavaria
N greekalphaiotasubperispomeni	N greeketaiotasub

N greeketaiotasubdasia  
N greeketaiotasubdasiaperispomeni  
N greeketaiotasubdasiatonos  
N greeketaiotasubdasiavaria  
N greeketaiotasubperispomeni  
N greeketaiotasubpsili  
N greeketaiotasubpsiliperispomeni  
N greeketaiotasubpsilitonos  
N greeketaiotasubpsilivaria  
N greeketaiotasubtonos  
N greeketaiotasubvaria  
N greeketaoxia  
N greeketaperispomeni  
N greeketapsili  
N greeketapsiliperispomeni  
N greeketapsilitonos  
N greeketapsilivaria  
N greeketatonos  
N greeketavaria  
N greekfinalsigma  
N greekgamma  
N greekiota  
N greekiotadasia  
N greekiotadasiaaperispomeni  
N greekiotadasiatonos  
N greekiotadasiaavaria  
N greekiotadialytika  
N greekiotadialytikaperispomeni  
N greekiotadialytikatonos  
N greekiotadialytikavaria  
N greekiotamacron  
N greekiotaoxia  
N greekiotaperispomeni  
N greekiotapsili  
N greekiotapsiliperispomeni  
N greekiotapsilitonos  
N greekiotapsilivaria  
N greekiotatonos  
N greekiotavaria  
N greekiotavrachy  
N greekkappa  
N greekkoppa  
N greeklambda  
N greekmu

N greeknu  
N greeknumkoppa  
N greekomega  
N greekomegadasia  
N greekomegadasiaaperispomeni  
N greekomegadasiatonos  
N greekomegadasiaavaria  
N greekomegaiotasub  
N greekomegaiotasubdasia  
N greekomegaiotasubdasiaperispomeni  
N greekomegaiotasubdasiatonos  
N greekomegaiotasubdasiavaria  
N greekomegaiotasubperispomeni  
N greekomegaiotasubpsili  
N greekomegaiotasubpsiliperispomeni  
N greekomegaiotasubpsilitonos  
N greekomegaiotasubpsilivaria  
N greekomegaiotasubtonos  
N greekomegaiotasubvaria  
N greekomegaoxia  
N greekomegaperispomeni  
N greekomegapsili  
N greekomegapsiliperispomeni  
N greekomegapsilitonos  
N greekomegapsilivaria  
N greekomegatonos  
N greekomegavaria  
N greekomicron  
N greekomicrondasia  
N greekomicrondasiatonos  
N greekomicrondasiavaria  
N greekomicronoxia  
N greekomicronpsili  
N greekomicronpsilitonos  
N greekomicronpsilivaria  
N greekomicrontonos  
N greekomicronvaria  
N greekoxia  
N greekperispomeni  
N greekphi  
N greekphialt  
N greekpi  
N greekpialt  
N greekprosgegrammeni



N greekpsi	N hcircumflex
N greekpsili	N hebrewAlef
N greekpsiliperispomeni	N hebrewAyin
N greekpsilitonos	N hebrewBet
N greekpsilivaria	N hebrewDalet
N greekrho	N hebrewGimel
N greekrhoalt	N hebrewHe
N greekrhodasia	N hebrewHet
N greekrhopsili	N hebrewKaf
N greeksampi	N hebrewKaffinal
N greeksigma	N hebrewLamed
N greeksigmalunate	N hebrewMem
N greekstigma	N hebrewMemfinal
N greektau	N hebrewNun
N greektheta	N hebrewNunfinal
N greekthetaalt	N hebrewPe
N greektonos	N hebrewPefinal
N greekupsilon	N hebrewQof
N greekupsilondasia	N hebrewResh
N greekupsilondasiaperispomeni	N hebrewSamekh
N greekupsilondasiatonos	N hebrewShin
N greekupsilondasiavaria	N hebrewTav
N greekupsilondiaeresis	N hebrewTet
N greekupsilondialytikaperispomeni	N hebrewTsadi
N greekupsilondialytikatonos	N hebrewTsadifinal
N greekupsilondialytikavaria	N hebrewVav
N greekupsilonmacron	N hebrewYod
N greekupsilonoxia	N hebrewZayin
N greekupsilonperispomeni	N hstroke
N greekupsilonpsili	N iacute
N greekupsilonpsiliperispomeni	N ibreve
N greekupsilonpsilitonos	N icaron
N greekupsilonpsilivaria	N icircumflex
N greekupsilontonos	N ideographichalffillspace
N greekupsilonvaria	N ideographicspace
N greekupsilonvrachy	N idiaeresis
N greekvaria	N idotaccent
N greekxi	N idotbelow
N greekzeta	N idoublegrave
N gstroke	N igrave
N guilsingleleft	N ihook
N guilsingleright	N iinvertedbreve
N hairspace	N ijligature
N hcaron	N imacron

N iogonek	N oeligature
N itilde	N ograve
N jcaron	N ohook
N jcircumflex	N ohorn
N kcaron	N ohornacute
N kcommaaccent	N ohorndotbelow
N khook	N ohorngrave
N kkra	N ohornhook
N lacute	N ohorntilde
N lbar	N ohungarumlaut
N lcaron	N oinvertedbreve
N lcommaaccent	N omacron
N lcurl	N oneeighth
N ldotmiddle	N onefifth
N leftguillemot	N onehalf
N lligature	N onequarter
N lstroke	N onesixth
N medspace	N onesuperior
N nacute	N onethird
N napostrophe	N oogonek
N narrownobreakspace	N oogonekmacron
N ncaron	N ordfeminine
N ncommaaccent	N ordmasculine
N ncurl	N ostroke
N neng	N ostrokeacute
N ngrave	N otilde
N njligature	N otildemacron
N nobreakspace	N paragraphmark
N ntilde	N periodcentered
N oacute	N perthousand
N obreve	N phook
N ocaron	N punctuationspace
N ocircumflex	N questiondown
N ocircumflexacute	N quotedbl
N ocircumflexdotbelow	N quotedblbase
N ocircumflexgrave	N quotedblleft
N ocircumflexhook	N quotedblright
N ocircumflextilde	N quoteleft
N odiaeresis	N quoteright
N odiaeresismacron	N quotesingle
N odotaccent	N quotesinglebase
N odotaccentmacron	N racute
N odotbelow	N rcaron
N odoublegrave	N rcommaaccent

N rdoublegrave	N seveneighths
N registered	N sixperemspace
N rightguillemot	N slong
N rinvertedbreve	N softthyphen
N romanC	N ssharp
N romanD	N stligature
N romanI	N tcaron
N romanII	N tcedilla
N romanIII	N tcommaaccent
N romanIV	N tcurl
N romanIX	N textAngstrom
N romanL	N textacute
N romanM	N textampersand
N romanV	N textasciicircum
N romanVI	N textasciitilde
N romanVII	N textat
N romanVIII	N textbackslash
N romanX	N textbar
N romanXI	N textbottomcomma
N romanXII	N textbottomdot
N romanc	N textbraceleft
N romand	N textbraceright
N romani	N textbreve
N romanii	N textbrokenbar
N romaniii	N textbullet
N romaniv	N textcaron
N romanix	N textcedilla
N romanl	N textcelsius
N romanm	N textcent
N romanv	N textcircledP
N romanvi	N textcircumflex
N romanvii	N textcomma
N romanviii	N textcurrency
N romanx	N textdag
N romanxi	N textddag
N romanxii	N textdegree
N sacute	N textdiaeresis
N scaron	N textdiv
N scedilla	N textdollar
N schwa	N textdong
N schwahook	N textdotaccent
N scircumflex	N textellipsis
N scommaaccent	N texteuro
N sectionmark	N textfraction

N textgrave	N udiaeresisgrave
N texthash	N udiaeresismacron
N texthorizontalbar	N udotbelow
N texthungarumlaut	N udoublegrave
N texthyphen	N ugrave
N textkelvin	N uhook
N textlognot	N uhorn
N textmacron	N uhornacute
N textmho	N uhorndotbelow
N textminus	N uhorngrave
N textmu	N uhornhook
N textmultiply	N uhorntilde
N textnumero	N uhungarumlaut
N textogonek	N uinvertedbreve
N textohm	N umacron
N textounce	N uogonek
N textpercent	N uring
N textperiod	N utilde
N textpm	N wcircumflex
N textring	N yacute
N textslash	N ycircumflex
N textsterling	N ydiaeresis
N texttilde	N ydotbelow
N textunderscore	N ygrave
N textyen	N yhook
N thook	N ymacron
N thorn	N ytilde
N threeeighths	N zacute
N threefifths	N zcaron
N threeperemspace	N zdotaccent
N threequarter	N zerowidthnobreospace
N threesuperior	N zerowidthspace
N trademark	N zhook
N tstroke	N zstroke
N twofifths	N zwj
N twosuperior	N zwnj
N twothirds	F is_known
N uacute	D known
N ubreve	F load
N ucaron	F make_unicode_vector
N ucircumflex	D math
N udiaeresis	T names
N udiaeresisacute	T unicodes
N udiaeresiscaron	N A

N AE	N Becyrillic
N AEacute	N Benarmenian
N AEmacron	N Beta
N Aacute	N Bhook
N Abreve	N Blinebelow
N Abreveacute	N Bmonospace
N Abrevecyrillic	N Btopbar
N Abrevedotbelow	N C
N Abrevegrave	N Caarmenian
N Abrevehookabove	N Cacute
N Abrevetilde	N Ccaron
N Acaron	N Ccedilla
N Acircle	N Ccedillaacute
N Acircumflex	N Ccircle
N Acircumflexacute	N Ccircumflex
N Acircumflexdotbelow	N Cdot
N Acircumflexgrave	N Cdotaccent
N Acircumflexhookabove	N Chaarmenian
N Acircumflextilde	N Cheabkhasiancyrillic
N Acyrillic	N Checyrillic
N Adblgrave	N Chedescenderabkhasiancyrillic
N Adieresis	N Chedescendercyrillic
N Adieresiscyrillic	N Chedieresiscyrillic
N Adieresismacron	N Cheharmenian
N Adotbelow	N Chekhakassiancyrillic
N Adotmacron	N Cheverticalstrokecyrillic
N Agrave	N Chi
N Ahookabove	N Chook
N Aiecyrillic	N Cmonospace
N Ainvertedbreve	N Coarmenian
N Alpha	N D
N Alphanos	N DZ
N Amacron	N DZcaron
N Amonospace	N Daarmenian
N Aogonek	N Dafrican
N Aring	N Dcaron
N Aringacute	N Dcedilla
N Aringbelow	N Dcircle
N Atilde	N Dcircumflexbelow
N Aybarmenian	N Dcroat
N B	N Ddotaccent
N Bcircle	N Ddotbelow
N Bdotaccent	N Decyrillic
N Bdotbelow	N Deicoptic

N Delta  
N Deltagreek  
N Dhook  
N Digammagreek  
N Djecyrillic  
N Dlinebelow  
N Dmonospace  
N Dslash  
N Dtopbar  
N Dz  
N Dzcaron  
N Dzeabkhasiancyrillic  
N Dzecyrillic  
N Dzhecyrillic  
N E  
N Eacute  
N Ebreve  
N Ecaron  
N Ecedillabreve  
N Echarmenian  
N Ecircle  
N Ecircumflex  
N Ecircumflexacute  
N Ecircumflexbelow  
N Ecircumflexdotbelow  
N Ecircumflexgrave  
N Ecircumflexhookabove  
N Ecircumflextilde  
N Ecyrillic  
N Edblgrave  
N Edieresis  
N Edot  
N Edotaccent  
N Edotbelow  
N Efcyrillic  
N Egrave  
N Eharmenian  
N Ehookabove  
N Eightroman  
N Einvertedbreve  
N Eiotifiedcyrillic  
N Elcyrillic  
N Elevenroman  
N Emacron

N Emacronacute  
N Emacrongrave  
N Emcyrillic  
N Emonospace  
N Encyrillic  
N Endescendercyrillic  
N Eng  
N Enghecyrillic  
N Enhookcyrillic  
N Eogonek  
N Eopen  
N Epsilon  
N Epsilontonos  
N Ercyrillic  
N Ereversed  
N Ereversedcyrillic  
N Escyrillic  
N Esdescendercyrillic  
N Esh  
N Eta  
N Etarmenian  
N Etatonos  
N Eth  
N Etilde  
N Etildebelow  
N Euro  
N Ezh  
N Ezhcaron  
N Ezhreversed  
N F  
N Fcircle  
N Fdotaccent  
N Feharmenian  
N Feicoptic  
N Fhook  
N Fitacyrillic  
N Fiveroman  
N Fmonospace  
N Fourroman  
N G  
N GBsquare  
N Gacute  
N Gamma  
N Gammaafrican

N Gangiacoptic	N IJ
N Gbreve	N IUcyrillic
N Gcaron	N Iacute
N Gcedilla	N Ibreve
N Gcircle	N Icaron
N Gcircumflex	N Icircle
N Gcommaaccent	N Icircumflex
N Gdot	N Icyrillic
N Gdotaccent	N Idblgrave
N Gecyrillic	N Idieresis
N Ghadarmenian	N Idieresisacute
N Ghemiddlehookcyrillic	N Idieresiscyrillic
N Ghestrokecyrillic	N Idot
N Gheupturncyrillic	N Idotaccent
N Ghook	N Idotbelow
N Gimarmenian	N Iebrevecyrillic
N Gjecyrillic	N Iecyrillic
N Gmacron	N Ifraktur
N Gmonospace	N Igrave
N Gsmallhook	N Ihookabove
N Gstroke	N Iicyrillic
N H	N Iinvertedbreve
N H18533	N Iishortcyrillic
N H18543	N Imacron
N H18551	N Imacroncyrillic
N H22073	N Imonospace
N HPsquare	N Iniarmenian
N Haabkhasiancyrillic	N Iocyrlilic
N Hadescendercyrillic	N Iogonek
N Hardsigncyrillic	N Iota
N Hbar	N Iotaafrican
N Hbrevebelow	N Iotadieresis
N Hcedilla	N Iotatonos
N Hcircle	N Istroke
N Hcircumflex	N Itilde
N Hdieresis	N Itildebelow
N Hdotaccent	N Izhitsacyrillic
N Hdotbelow	N Izhitsadblgravecyrillic
N Hmonospace	N J
N Hoarmenian	N Jaarmenian
N Horicoptic	N Jcircle
N Hzsquare	N Jcircumflex
N I	N Jecyrillic
N IAcyrillic	N Jheharmenian

N Jmonospace	N Llinebelow
N K	N Lmonospace
N KBsquare	N Lslash
N Kksquare	N M
N Kabashkircyrillic	N MBsquare
N Kacute	N Macute
N Kacyrillic	N Mcircle
N Kadescendercyrillic	N Mdotaccent
N Kahookcyrillic	N Mdotbelow
N Kappa	N Menarmenian
N Kastrokecyrillic	N Mmonospace
N Kaverticalsestrokecyrillic	N Mturned
N Kcaron	N Mu
N Kcedilla	N N
N Kcircle	N NJ
N Kcommaaccent	N Nacute
N Kdotbelow	N Ncaron
N Keharmenian	N Ncedilla
N Kenarmenian	N Ncircle
N Khacyrillic	N Ncircumflexbelow
N Kheicoptic	N Ncommaaccent
N Khook	N Ndotaccent
N Kjecyrillic	N Ndotbelow
N Klinebelow	N Nhookleft
N Kmonospace	N Nineroman
N Koppacyrillic	N Nj
N Koppagreek	N Njecyrillic
N Ksicyrillic	N Nlinebelow
N L	N Nmonospace
N LJ	N Nowarmenian
N Lacute	N Ntilde
N Lambda	N Nu
N Lcaron	N O
N Lcedilla	N OE
N Lcircle	N Oacute
N Lcircumflexbelow	N Obarredcyrillic
N Lcommaaccent	N Obarreddieresiscyrillic
N Ldot	N Obreve
N Ldotaccent	N Ocaron
N Ldotbelow	N Ocenteredtilde
N Ldotbelowmacron	N Ocicle
N Liwnarmenian	N Ocircumflex
N Lj	N Ocircumflexacute
N Ljecyrillic	N Ocircumflexdotbelow



N Ocircumflexgrave  
 N Ocircumflexhookabove  
 N Ocircumflextilde  
 N Ocyrillic  
 N Odblacute  
 N Odblgrave  
 N Odieresis  
 N Odieresiscyrillic  
 N Odotbelow  
 N Ograve  
 N Oharmenian  
 N Ohm  
 N Ohookabove  
 N Ohorn  
 N Ohornacute  
 N Ohorndotbelow  
 N Ohorngrave  
 N Ohornhookabove  
 N Ohorntilde  
 N Ohungarumlaut  
 N Oi  
 N Oinvertedbreve  
 N Omacron  
 N Omacronacute  
 N Omacrongrave  
 N Omega  
 N Omegacyrillic  
 N Omegagreek  
 N Omegaroundcyrillic  
 N Omegatitlocyrillic  
 N Omegatonos  
 N Omicron  
 N Omicrontonos  
 N Omonospace  
 N Oneroman  
 N Oogonek  
 N Oogonekmacron  
 N Oopen  
 N Oslash  
 N Oslashacute  
 N Ostrokeacute  
 N Otcyrillic  
 N Otilde  
 N Otildeacute

N Otildedieresis  
 N P  
 N Pacute  
 N Pcircle  
 N Pdotaccent  
 N Pecyrillic  
 N Peharmenian  
 N Pemiddlehookcyrillic  
 N Phi  
 N Phook  
 N Pi  
 N Piwrmarmenian  
 N Pmonospace  
 N Psi  
 N Psicyrillic  
 N Q  
 N Qcircle  
 N Qmonospace  
 N R  
 N Raarmenian  
 N Racute  
 N Rcaron  
 N Rcedilla  
 N Rcircle  
 N Rcommaaccent  
 N Rdblgrave  
 N Rdotaccent  
 N Rdotbelow  
 N Rdotbelowmacron  
 N Reharmenian  
 N Rfraktur  
 N Rho  
 N Rinvertedbreve  
 N Rlinebelow  
 N Rmonospace  
 N Rsmallinverted  
 N Rsmallinvertedsuperior  
 N S  
 N SF010000  
 N SF020000  
 N SF030000  
 N SF040000  
 N SF050000  
 N SF060000

N SF070000	N Sacutedotaccent
N SF080000	N Sampigreek
N SF090000	N Scaron
N SF10000	N Scarondotaccent
N SF100000	N Scedilla
N SF110000	N Schwa
N SF190000	N Schwacyrillic
N SF20000	N Schwadiesiscyrillic
N SF200000	N Scircle
N SF210000	N Scircumflex
N SF220000	N Scommaaccent
N SF230000	N Sdotaccent
N SF240000	N Sdotbelow
N SF250000	N Sdotbelowdotaccent
N SF260000	N Seharmerian
N SF270000	N Sevenroman
N SF280000	N Shaarmenian
N SF30000	N Shacyrillic
N SF360000	N Shchacyrillic
N SF370000	N Sheicoptic
N SF380000	N Shhacyrillic
N SF390000	N Shimacoptic
N SF40000	N Sigma
N SF400000	N Sixroman
N SF410000	N Smonospace
N SF420000	N Softsigncyrillic
N SF430000	N Stigmagreek
N SF440000	N T
N SF450000	N Tau
N SF460000	N Tbar
N SF470000	N Tcaron
N SF480000	N Tcedilla
N SF490000	N Tcircle
N SF50000	N Tcircumflexbelow
N SF500000	N Tcommaaccent
N SF510000	N Tdotaccent
N SF520000	N Tdotbelow
N SF530000	N Tecyrillic
N SF540000	N Tedescendercyrillic
N SF60000	N Tenroman
N SF70000	N Tetsecyrillic
N SF80000	N Theta
N SF90000	N Thook
N Sacute	N Thorn

N Threeroman  
 N Tiwnarmenian  
 N Tlinebelow  
 N Tmonospace  
 N Toarmenian  
 N Tonefive  
 N Tonesix  
 N Tonetwo  
 N Tretroflexhook  
 N Tsecyrillic  
 N Tshecyrillic  
 N Twelveroman  
 N Tworoman  
 N U  
 N Uacute  
 N Ubreve  
 N Ucaron  
 N Ucircle  
 N Ucircumflex  
 N Ucircumflexbelow  
 N Ucyrillic  
 N Udblacute  
 N Udblgrave  
 N Udieresis  
 N Udieresisacute  
 N Udieresisbelow  
 N Udieresiscaron  
 N Udieresiscyrillic  
 N Udieresisgrave  
 N Udieresismacron  
 N Udotbelow  
 N Ugrave  
 N Uhookabove  
 N Uhorn  
 N Uhornacute  
 N Uhorndotbelow  
 N Uhorngrave  
 N Uhornhookabove  
 N Uhorntilde  
 N Uhungarumlaut  
 N Uhungarumlautcyrillic  
 N Uinvertedbreve  
 N Ukcyrillic  
 N Umacron

N Umacroncyrillic  
 N Umacrondieresis  
 N Umonospace  
 N Uogonek  
 N Upsilon  
 N Upsilonl  
 N Upsilonacutehooksgreek  
 N Upsilonafrican  
 N Upsilondieresis  
 N Upsilondieresishooksgreek  
 N Upsilonhooksymbol  
 N Upsilontonos  
 N Uring  
 N Ushortcyrillic  
 N Ustraightcyrillic  
 N Ustraightstrokecyrillic  
 N Utilde  
 N Utildeacute  
 N Utildebelow  
 N V  
 N Vcircle  
 N Vdotbelow  
 N Vecyrillic  
 N Vewarmenian  
 N Vhook  
 N Vmonospace  
 N Voarmenian  
 N Vtilde  
 N W  
 N Wacute  
 N Wcircle  
 N Wcircumflex  
 N Wdieresis  
 N Wdotaccent  
 N Wdotbelow  
 N Wgrave  
 N Wmonospace  
 N X  
 N Xcircle  
 N Xdieresis  
 N Xdotaccent  
 N Xeharmenian  
 N Xi  
 N Xmonospace

N Y	N aabengali
N Yacute	N aacute
N Yatcyrillic	N aadeva
N Ycircle	N aagujarati
N Ycircumflex	N aagurmukhi
N Ydieresis	N aamatragurmukhi
N Ydotaccent	N aarusquare
N Ydotbelow	N aavowelsignbengali
N Yericyrillic	N aavowelsigndeva
N Yerudieresiscyrillic	N aavowelsigngujarati
N Ygrave	N abbreviationmarkarmenian
N Yhook	N abbreviationsigndeva
N Yhookabove	N abengali
N Yiarmenian	N abopomofo
N Yicyrillic	N abreve
N Yiwnarmenian	N abreveacute
N Ymonospace	N abrevecyrillic
N Ytilde	N abrevedotbelow
N Yusbigcyrillic	N abrevegrave
N Yusbigiotifiedcyrillic	N abrevehookabove
N Yuslittlecyrillic	N abrevetilde
N Yuslittleiotifiedcyrillic	N acaron
N Z	N acircle
N Zaarmenian	N acircumflex
N Zacute	N acircumflexacute
N Zcaron	N acircumflexdotbelow
N Zcircle	N acircumflexgrave
N Zcircumflex	N acircumflexhookabove
N Zdot	N acircumflextilde
N Zdotaccent	N acute
N Zdotbelow	N acutebelowcmb
N Zecyrillic	N acutecmb
N Zedescendercyrillic	N acutecomb
N Zedieresiscyrillic	N acutedeva
N Zeta	N acutelowmod
N Zhearmanian	N acutetonecmb
N Zhebrevecyrillic	N acyrillic
N Zhecyrillic	N adblgrave
N Zhedescendercyrillic	N addakgurmukhi
N Zhedieresiscyrillic	N adeva
N Zlinebelow	N adieresis
N Zmonospace	N adieresiscyrillic
N Zstroke	N adieresismacron
N a	N adotbelow

N adotmacron	N afii10054
N ae	N afii10055
N aeacute	N afii10056
N aekorean	N afii10057
N aemacron	N afii10058
N afii00208	N afii10059
N afii08941	N afii10060
N afii10017	N afii10061
N afii10018	N afii10062
N afii10019	N afii10065
N afii10020	N afii10066
N afii10021	N afii10067
N afii10022	N afii10068
N afii10023	N afii10069
N afii10024	N afii10070
N afii10025	N afii10071
N afii10026	N afii10072
N afii10027	N afii10073
N afii10028	N afii10074
N afii10029	N afii10075
N afii10030	N afii10076
N afii10031	N afii10077
N afii10032	N afii10078
N afii10033	N afii10079
N afii10034	N afii10080
N afii10035	N afii10081
N afii10036	N afii10082
N afii10037	N afii10083
N afii10038	N afii10084
N afii10039	N afii10085
N afii10040	N afii10086
N afii10041	N afii10087
N afii10042	N afii10088
N afii10043	N afii10089
N afii10044	N afii10090
N afii10045	N afii10091
N afii10046	N afii10092
N afii10047	N afii10093
N afii10048	N afii10094
N afii10049	N afii10095
N afii10050	N afii10096
N afii10051	N afii10097
N afii10052	N afii10098
N afii10053	N afii10099

N afii10100	N afii57415
N afii10101	N afii57416
N afii10102	N afii57417
N afii10103	N afii57418
N afii10104	N afii57419
N afii10105	N afii57420
N afii10106	N afii57421
N afii10107	N afii57422
N afii10108	N afii57423
N afii10109	N afii57424
N afii10110	N afii57425
N afii10145	N afii57426
N afii10146	N afii57427
N afii10147	N afii57428
N afii10148	N afii57429
N afii10193	N afii57430
N afii10194	N afii57431
N afii10195	N afii57432
N afii10196	N afii57433
N afii10846	N afii57434
N afii208	N afii57440
N afii299	N afii57441
N afii300	N afii57442
N afii301	N afii57443
N afii57381	N afii57444
N afii57388	N afii57445
N afii57392	N afii57446
N afii57393	N afii57448
N afii57394	N afii57449
N afii57395	N afii57450
N afii57396	N afii57451
N afii57397	N afii57452
N afii57398	N afii57453
N afii57399	N afii57454
N afii57400	N afii57455
N afii57401	N afii57456
N afii57403	N afii57457
N afii57407	N afii57458
N afii57409	N afii57470
N afii57410	N afii57505
N afii57411	N afii57506
N afii57412	N afii57507
N afii57413	N afii57508
N afii57414	N afii57509

N afii57511	N afii57793
N afii57512	N afii57794
N afii57513	N afii57795
N afii57514	N afii57796
N afii57519	N afii57797
N afii57534	N afii57798
N afii57636	N afii57799
N afii57645	N afii57800
N afii57658	N afii57801
N afii57664	N afii57802
N afii57665	N afii57803
N afii57666	N afii57804
N afii57667	N afii57806
N afii57668	N afii57807
N afii57669	N afii57839
N afii57670	N afii57841
N afii57671	N afii57842
N afii57672	N afii57929
N afii57673	N afii61248
N afii57674	N afii61289
N afii57675	N afii61352
N afii57676	N afii61573
N afii57677	N afii61574
N afii57678	N afii61575
N afii57679	N afii61664
N afii57680	N afii63167
N afii57681	N afii64937
N afii57682	N agrave
N afii57683	N agujarati
N afii57684	N agurmukhi
N afii57685	N ahiragana
N afii57686	N ahookabove
N afii57687	N aibengali
N afii57688	N aibopomofo
N afii57689	N aideva
N afii57690	N aiecyrillic
N afii57694	N aigujarati
N afii57695	N aigurmukhi
N afii57700	N aimatragurmukhi
N afii57705	N ainarabic
N afii57716	N ainfinalarabic
N afii57717	N aininitialarabic
N afii57718	N ainmedialarabic
N afii57723	N ainvertedbreve

N aivowelsignbengali	N anoteleia
N aivowelsigndeva	N anudattadeva
N aivowelsigngujarati	N anusvarabengali
N akatakana	N anusvaradeva
N akatakanahalfwidth	N anusvaragujarati
N akorean	N aogonek
N alef	N apaatosquare
N alefarabic	N aparen
N alefdageshhebrew	N apostrophearmenian
N aleffinalarabic	N apostrophemod
N alefhamzaabovearabic	N apple
N alefhamzaabovefinalarabic	N approaches
N alefhamzabelowarabic	N approxequal
N alefhamzabelowfinalarabic	N approxequalorimage
N alefhebrew	N approximatelyequal
N aleflamedhebrew	N araeaekorean
N alefmaddaabovearabic	N araeakorean
N alefmaddaabovefinalarabic	N arc
N alefmaksuraarabic	N arighthalfring
N alefmaksurafinalarabic	N aring
N alefmaksurainitialarabic	N aringacute
N alefmaksuramedialarabic	N aringbelow
N alefpatahhebrew	N arrowboth
N alefqamatshebrew	N arrowdashdown
N aleph	N arrowdashleft
N allequal	N arrowdashright
N alpha	N arrowdashup
N alphanos	N arrowdblboth
N amacron	N arrowdbldown
N amonospace	N arrowdblleft
N ampersand	N arrowdblright
N ampersandmonospace	N arrowdblup
N amsquare	N arrowdown
N anbopomofo	N arrowdownleft
N angbopomofo	N arrowdownright
N angkhankhuthai	N arrowdownwhite
N angle	N arrowheaddownmod
N anglebracketleft	N arrowheadleftmod
N anglebracketleftvertical	N arrowheadrightmod
N anglebracketright	N arrowheadupmod
N anglebracketrightvertical	N arrowleft
N angleleft	N arrowleftdbl
N angleright	N arrowleftdblstroke
N angstrom	N arrowlefttoverright



N arrowleftwhite	N aumatragurmukhi
N arrowright	N auvowelsignbengali
N arrowrightdblstroke	N auvowelsigndeva
N arrowrightheavy	N auvowelsigngujarati
N arrowrightoverleft	N avagrahadeva
N arrowrightwhite	N aybarmenian
N arrowtableft	N ayin
N arrowtabright	N ayinaltonehebrew
N arrowup	N ayinhebrew
N arrowupdn	N b
N arrowupdnbs	N babengali
N arrowupdownbase	N backslash
N arrowupleft	N backslashmonospace
N arrowupleftofdown	N badeva
N arrowupright	N bagujarati
N arrowupwhite	N bagurmukhi
N asciicircum	N bahiragana
N asciicircummonospace	N bahtthai
N asciitilde	N bakatakana
N asciitildemonospace	N bar
N ascript	N barmonospace
N ascriptturned	N bbopomofo
N asmallhiragana	N bcircle
N asmallkatakana	N bdotaccent
N asmallkatakanahalfwidth	N bdotbelow
N asterisk	N beamedsixteenthnotes
N asteriskaltonearabic	N because
N asteriskarabic	N becyrillic
N asteriskmath	N beharabic
N asteriskmonospace	N behfinalarabic
N asterisksmall	N behinitialarabic
N asterism	N behiragana
N asymptoticallyequal	N behmedialarabic
N at	N behmeeminitialarabic
N atilde	N behmeemisolatedarabic
N atmonospace	N behnoonfinalarabic
N atsmall	N bekatakana
N aturned	N benarmenian
N aubengali	N bet
N aubopomofo	N beta
N audeva	N betasymbolgreek
N augujarati	N betdagesh
N augurmukhi	N betdageshhebrew
N aulengthmarkbengali	N bethebrew

N betrafehebrew	N braceleftsmall
N bhabengali	N braceleftvertical
N bhadeva	N braceright
N bhagujarati	N bracerightmonospace
N bhagurmukhi	N bracerightsmall
N bhook	N bracerightvertical
N bihiragana	N bracketleft
N bikatakana	N bracketleftmonospace
N bilabialclick	N bracketright
N bindigurmukhi	N bracketrightmonospace
N birusquare	N breve
N blackcircle	N brevebelowcmb
N blackdiamond	N brevecmb
N blackdownpointingtriangle	N breveinvertedbelowcmb
N blackleftpointingpointer	N breveinvertedcmb
N blackleftpointingtriangle	N breveinverteddoublecmb
N blacklenticularbracketleft	N bridgebelowcmb
N blacklenticularbracketleftvertical	N bridgeinvertedbelowcmb
N blacklenticularbracketright	N brokenbar
N blacklenticularbracketrightvertical	N bstroke
N blacklowerlefttriangle	N btopbar
N blacklowerrighttriangle	N buhiragana
N blackrectangle	N bukatakana
N blackrightpointingpointer	N bullet
N blackrightpointingtriangle	N bulletinverse
N blacksmallsquare	N bulletoperator
N blacksmilingface	N bullseye
N blacksquare	N c
N blackstar	N caarmenian
N blackupperlefttriangle	N cabengali
N blackupperrighttriangle	N cacute
N blackuppointingsmalltriangle	N cadeva
N blackuppointingtriangle	N cagujarati
N blank	N cagurmukhi
N blinebelow	N calsquare
N block	N candrabindubengali
N bmonospace	N candrabinducmb
N bobaimaithai	N candrabindudeva
N bohiragana	N candrabindugujarati
N bokatakana	N capslock
N bparen	N careof
N bqsquare	N caron
N braceleft	N caronbelowcmb
N braceleftmonospace	N caroncmb

N carriagereturn	N cieuccirclekorean
N cbopomofo	N cieuckorean
N ccaron	N cieucparenkorean
N ccedilla	N cieucuparenkorean
N ccedillaacute	N circle
N ccircle	N circlemultiply
N ccircumflex	N circleot
N ccurl	N circleplus
N cdot	N circlepostalmark
N cdotaccent	N circlewithlefthalfblack
N cdsquare	N circlewithrighthalfblack
N cedilla	N circumflex
N cedillacmb	N circumflexbelowcmb
N cent	N circumflexcmb
N centigrade	N clear
N centmonospace	N clickalveolar
N chaarmenian	N clickdental
N chabengali	N clicklateral
N chadeva	N clickretroflex
N chagujarati	N club
N chagurmukhi	N clubsuitblack
N chbopomofo	N clubsuitwhite
N cheabkhasiancyrillic	N cmcubedsquare
N checkmark	N cmonospace
N checyrillic	N cmsquaredsquare
N chedescenderabkhasiancyrillic	N coarmenian
N chedescendercyrillic	N colon
N chedieresiscyrillic	N colonmonetary
N cheharmenian	N colonmonospace
N chekhakassiancyrillic	N colonsign
N cheverticalstrokecyrillic	N colonsmall
N chi	N colontriangularhalfmod
N chieuchacirclekorean	N colontriangularmod
N chieuchaparenkorean	N comma
N chieuchcirclekorean	N commaabovecmb
N chieuchkorean	N commaaboverightcmb
N chieuchparenkorean	N commaarabic
N chochangthai	N commaarmenian
N chochanthai	N commamonospace
N chochingthai	N commareversedabovecmb
N chochoethai	N commareversedmod
N chook	N commasmall
N cieucacirclekorean	N commaturnedabovecmb
N cieucaparenkorean	N commaturnedmod

N compass	N cosquare
N congruent	N coverkgsquare
N contourintegral	N cparen
N control	N cruzeiro
N controlACK	N cstretched
N controlBEL	N curlyand
N controlBS	N curlyor
N controlCAN	N currency
N controlCR	N d
N controlDC1	N daarmenian
N controlDC2	N dabengali
N controlDC3	N dadarabic
N controlDC4	N dadeva
N controlDEL	N dadfinalarabic
N controlDLE	N dadinitialarabic
N controlEM	N dadmedialarabic
N controlENQ	N dagesh
N controlEOT	N dageshhebrew
N controlESC	N dagger
N controlETB	N daggerdbl
N controlETX	N dagujarati
N controlFF	N dagurmukhi
N controlFS	N dahiragana
N controlGS	N dakatakana
N controlHT	N dalarabic
N controlLF	N dalet
N controlNAK	N daletdagesh
N controlRS	N daletdageshhebrew
N controlSI	N dalethatafpatah
N controlSO	N dalethatafpatahhebrew
N controlSOT	N dalethatafsegol
N controlSTX	N dalethatafsegolhebrew
N controlSUB	N dalethebrew
N controlSYN	N dalethiriq
N controlUS	N dalethiriqhebrew
N controlVT	N daletholam
N copyright	N daletholamhebrew
N cornerbracketleft	N daletpatah
N cornerbracketlefthalfwidth	N daletpatahhebrew
N cornerbracketleftvertical	N daletqamats
N cornerbracketright	N daletqamatshebrew
N cornerbracketrighthalfwidth	N daletqubuts
N cornerbracketrightvertical	N daletqubutshebrew
N corporationsquare	N daletsegol

N daletsegohebrew	N ddhabengali
N daletsheva	N ddhadeva
N daletshevahebrew	N ddhagujarati
N dalettsere	N ddhagurmukhi
N dalettserehebrew	N ddotaccent
N dalfinalarabic	N ddotbelow
N dammaarabic	N decimalseparatorarabic
N dammalowarabic	N decimalseparatorpersian
N dammatanaltonearabic	N decyrillic
N dammatanarabic	N degree
N danda	N dehihebrew
N dargahebrew	N dehiragana
N dargalefthebrew	N deicoptic
N dasiapneumatacyrilliccmb	N dekatakana
N dblanglebracketleft	N deleteleft
N dblanglebracketleftvertical	N deleteright
N dblanglebracketright	N delta
N dblanglebracketrightvertical	N deltaturned
N dblarchinvertedbelowcmb	N denominatorminusonenumeratorbengali
N dbllarrowleft	N dezhang
N dbllarrowright	N dhabengali
N dbldanda	N dhadeva
N dblgravecmb	N dhagujarati
N dblintegral	N dhagurmukhi
N dbllowline	N dhook
N dbllowlinecmb	N dialytikatonos
N dbloverlinecmb	N dialytikatonoscmb
N dblprimemod	N diamond
N dblverticalbar	N diamondsuitwhite
N dblverticallineabovecmb	N dieresis
N dbopomofo	N dieresisbelowcmb
N dbsquare	N dieresiscmb
N dcaron	N dieresis-tonos
N dcedilla	N dihiragana
N dcircle	N dikatakana
N dcircumflexbelow	N dittomark
N dcroat	N divide
N ddabengali	N divides
N ddadeva	N divisionslash
N ddagujarati	N djecyrillic
N ddagurmukhi	N dkshade
N ddalarabic	N dlinebelow
N ddalfinalarabic	N dlsquare
N dddhadeva	N dmacron

N dmonospace  
 N dnblock  
 N dochadathai  
 N dodekthai  
 N dohiragana  
 N dokatakana  
 N dollar  
 N dollarmonospace  
 N dollarsmall  
 N dong  
 N dorussquare  
 N dotaccent  
 N dotaccentcmb  
 N dotbelowcmb  
 N dotbelowcomb  
 N dotkatakana  
 N dotlessi  
 N dotlessj  
 N dotlessjstrokehook  
 N dotmath  
 N dottedcircle  
 N doubleyodpatah  
 N doubleyodpatahhebrew  
 N downtackbelowcmb  
 N downtackmod  
 N dparen  
 N dtail  
 N dtopbar  
 N duhiragana  
 N dukatakana  
 N dz  
 N dzaltone  
 N dzcaron  
 N dzcurl  
 N dzeabkhasiancyrillic  
 N dzecyrillic  
 N dzhecyrillic  
 N e  
 N eacute  
 N earth  
 N ebengali  
 N ebopomofo  
 N ebreve  
 N ecandradeva

N ecandragujarati  
 N ecandravowelsigndeva  
 N ecandravowelsigngujarati  
 N ecaron  
 N ecedillabreve  
 N echarmenian  
 N echiwnarmenian  
 N ecircle  
 N ecircumflex  
 N ecircumflexacute  
 N ecircumflexbelow  
 N ecircumflexdotbelow  
 N ecircumflexgrave  
 N ecircumflexhookabove  
 N ecircumflextilde  
 N ecyrillic  
 N edblgrave  
 N edeva  
 N edieresis  
 N edot  
 N edotaccent  
 N edotbelow  
 N eegurmukhi  
 N eematragurmukhi  
 N efcyrillic  
 N egrave  
 N egujarati  
 N eharmanian  
 N ehbopomofo  
 N ehiragana  
 N ehookabove  
 N eibopomofo  
 N eight  
 N eightarabic  
 N eightbengali  
 N eightcircle  
 N eightcircleinversesansserif  
 N eightdeva  
 N eightteencircle  
 N eighteenparen  
 N eighteenperiod  
 N eightgujarati  
 N eightgurmukhi  
 N eighthackarabic

N eighthangzhou	N eogonek
N eighthnotebeamed	N eokorean
N eightideographicparen	N eopen
N eightinferior	N eopenclosed
N eightmonospace	N eopenreversed
N eightparen	N eopenreversedclosed
N eightperiod	N eopenreversedhook
N eightpersian	N eparen
N eightroman	N epsilon
N eightsuperior	N epsilontonos
N eightthai	N equal
N einvertedbreve	N equalmonospace
N eiotifiedcyrillic	N equalsmall
N ekatakana	N equalsuperior
N ekatakanahalfwidth	N equivalence
N ekonkargurmukhi	N erbopomofo
N ekorean	N ercyrillic
N elcyrillic	N ereversed
N element	N ereversedcyrillic
N elevencircle	N escyrillic
N elevenparen	N esdescendercyrillic
N elevenperiod	N esh
N elevenroman	N eshcurl
N ellipsis	N eshortdeva
N ellipsisvertical	N eshortvowelsigndeva
N emacron	N eshreversedloop
N emacronacute	N eshsquatreversed
N emacrongrave	N esmallhiragana
N emcyrillic	N esmallkatakana
N emdash	N esmallkatakanahalfwidth
N emdashvertical	N estimated
N emonospace	N eta
N emphasismarkarmenian	N etarmenian
N emptyset	N etatonos
N enbopomofo	N eth
N encyrillic	N etilde
N endash	N etildebelow
N endashvertical	N etnahtaafoukhhebrew
N endescendercyrillic	N etnahtaafoukhlefthebrew
N eng	N etnahtahebrew
N engbopomofo	N etnahtalefthebrew
N enghecyrillic	N eturned
N enhookcyrillic	N eukorean
N enspace	N euro

N ewowelsignbengali	N finalkafhebrew
N ewowelsigndeva	N finalkafqamats
N ewowelsigngujarati	N finalkafqamatshebrew
N exclam	N finalkafsheva
N exclamarmenian	N finalkafshevahebrew
N exclamdbl	N finalmem
N exclamdown	N finalmemhebrew
N exclammonospace	N finalnun
N existential	N finalnunhebrew
N ezh	N finalpe
N ezhcaron	N finalpehebrew
N ezhcurl	N finaltsadi
N ezhreversed	N finaltsadihebrew
N ezhtail	N firsttonechinese
N f	N fisheye
N fadeva	N fitacyrillic
N fagurmukhi	N five
N fahrenheit	N fivearabic
N fathaarabic	N fivebengali
N fathalowarabic	N fivecircle
N fathatanarabic	N fivecircleinversesansserif
N fbopomofo	N fivedeva
N fcircle	N fiveeighths
N fdotaccent	N fivegujarati
N feharabic	N fivegurmukhi
N feharmenian	N fivehackarabic
N fehfinalarabic	N fivehangzhou
N fehinitialarabic	N fiveideographicparen
N fehmedialarabic	N fiveinferior
N feicoptic	N fivemonospace
N female	N fiveparen
N ff	N fiveperiod
N ffi	N fivepersian
N ffl	N fiveroman
N fi	N fivesuperior
N fifteencircle	N fivethai
N fifteenparen	N fl
N fifteenperiod	N florin
N figuredash	N fmonospace
N filledbox	N fmsquare
N filledrect	N fofanthai
N finalkaf	N fofathai
N finalkafdagesh	N fongmanthai
N finalkafdageshhebrew	N forall



N four  
 N fourarabic  
 N fourbengali  
 N fourcircle  
 N fourcircleinversesansserif  
 N fourdeva  
 N fourgujarati  
 N fourgurmukhi  
 N fourhackarabic  
 N fourhangzhou  
 N fourideographicparen  
 N fourinferior  
 N fourmonospace  
 N fournumeratorbengali  
 N fourparen  
 N fourperiod  
 N fourpersian  
 N fourroman  
 N foursuperior  
 N fourteencircle  
 N fourteenparen  
 N fourteenperiod  
 N fourthai  
 N fourthtonechinese  
 N fparen  
 N fraction  
 N franc  
 N g  
 N gabengali  
 N gacute  
 N gadeva  
 N gafarabic  
 N gaffinalarabic  
 N gafinitialarabic  
 N gafmedialarabic  
 N gagujarati  
 N gagurmukhi  
 N gahiragana  
 N gakatakana  
 N gamma  
 N gammalatinsmall  
 N gammasuperior  
 N gangiacoptic  
 N gbopomofo

N gbreve  
 N gcaron  
 N gcedilla  
 N gcircle  
 N gcircumflex  
 N gcommaaccent  
 N gdot  
 N gdotaccent  
 N gecyrillic  
 N gehiragana  
 N gekatakana  
 N geometricallyequal  
 N gereshaccenthebrew  
 N gereshhebrew  
 N gereshmuqdamhebrew  
 N germandbls  
 N gershayimaccenthebrew  
 N gershayimhebrew  
 N getamark  
 N ghabengali  
 N ghadarmenian  
 N ghadeva  
 N ghagujarati  
 N ghagurmukhi  
 N ghainarabic  
 N ghainfinalarabic  
 N ghaininitialarabic  
 N ghainmedialarabic  
 N ghemiddlehookcyrillic  
 N ghestrokecyrillic  
 N gheupturncyrillic  
 N ghadeva  
 N ghagurmukhi  
 N ghook  
 N ghzsquare  
 N gihiragana  
 N gikatakana  
 N gimarmenian  
 N gimel  
 N gimeldagesh  
 N gimeldageshhebrew  
 N gimelhebrew  
 N gjecyrillic  
 N glottalinvertedstroke

N glottalstop	N habengali
N glottalstopinverted	N hadescendercyrillic
N glottalstopmod	N hadeva
N glottalstopreversed	N hagujarati
N glottalstopreversedmod	N hagurmukhi
N glottalstopreversedsuperior	N haharabic
N glottalstopstroke	N hahfinalarabic
N glottalstopstrokereversed	N hahinitialarabic
N gmacron	N hahiragana
N gmonospace	N hahmedialarabic
N gohiragana	N haitusquare
N gokatakana	N hakatakana
N gparen	N hakatakanahalfwidth
N gpassquare	N halantgurmukhi
N gradient	N hamzaarabic
N grave	N hamzadammarabic
N gravebelowcmb	N hamzadammatanarabic
N gravecmb	N hamzafathaarabic
N gravecomb	N hamzafathatanarabic
N gravedeva	N hamzalowarabic
N gravelowmod	N hamzalowkasraarabic
N gravemonospace	N hamzalowkasratanarabic
N gravetonecmb	N hamzasukunarabic
N greater	N hangulfiller
N greaterequal	N hardsigncyrillic
N greaterequalorless	N harpoonleftbarbup
N greatermonospace	N harpoonrightbarbup
N greaterorequivalent	N hasquare
N greaterorless	N hatafpatah
N greateroverequal	N hatafpatah16
N greatersmall	N hatafpatah23
N gscript	N hatafpatah2f
N gstroke	N hatafpatahhebrew
N guhiragana	N hatafpatahnarrowhebrew
N guillemotleft	N hatafpatahquarterhebrew
N guillemotright	N hatafpatahwidehebrew
N guilsinglleft	N hatafqamats
N guilsinglright	N hatafqamats1b
N gukatakana	N hatafqamats28
N gurusquare	N hatafqamats34
N gysquare	N hatafqamatshebrew
N h	N hatafqamatsnarrowhebrew
N haabkhasiancyrillic	N hatafqamatsquarterhebrew
N haaltonearabic	N hatafqamatswidehebrew

N hatafsegol	N hhook
N hatafsegol17	N hhooksuperior
N hatafsegol24	N hieuhacirclekorean
N hatafsegol30	N hieuhaparenkorean
N hatafsegolhebrew	N hieuhcirclekorean
N hatafsegolnarrowhebrew	N hieuhkorean
N hatafsegolquarterhebrew	N hieuhparenkorean
N hatafsegolwidehebrew	N hihiragana
N hbar	N hikatakana
N hbopomofo	N hikatakanahalfwidth
N hbrevebelow	N hiriq
N hcedilla	N hiriq14
N hcircle	N hiriq21
N hcircumflex	N hiriq2d
N hdieresis	N hiriqhebrew
N hdotaccent	N hiriqnarrowhebrew
N hdotbelow	N hiriqqarterhebrew
N he	N hiriqwidehebrew
N heart	N hlinebelow
N heartsuitblack	N hmonospace
N heartsuitwhite	N hoarmenian
N hedagesh	N hohipthai
N hedageshhebrew	N hohiragana
N hehalttonearabic	N hokatakana
N heharabic	N hokatakanahalfwidth
N hehebrew	N holam
N hehfinalalttonearabic	N holam19
N hehfinalalttwoarabic	N holam26
N hehfinalarabic	N holam32
N hehhamzaabovefinalarabic	N holamhebrew
N hehhamzaaboveisolatedarabic	N holamnarrowhebrew
N hehinitialalttonearabic	N holamquarterhebrew
N hehinitialarabic	N holamwidehebrew
N hehiragana	N honokhukthai
N hehmedialalttonearabic	N hookabovecomb
N hehmedialarabic	N hookcmb
N heiseierasquare	N hookpalatalizedbelowcmb
N hekatakana	N hookretroflexbelowcmb
N hekatakanahalfwidth	N hoonsquare
N hekutaarusquare	N horicoptic
N henghook	N horizontalbar
N herutusquare	N horncmb
N het	N hotspings
N hethebrew	N house

N hparen	N ideographiciterationmark
N hsuperior	N ideographiclaborcircle
N hturned	N ideographiclaborparen
N huhiragana	N ideographicleftcircle
N huitosquare	N ideographiclowcircle
N hukatakana	N ideographicmedicinecircle
N hukatakanahalfwidth	N ideographicmetalparen
N hungarumlaut	N ideographicmoonparen
N hungarumlautcmb	N ideographicnameparen
N hv	N ideographicperiod
N hyphen	N ideographicprintcircle
N hyphenmonospace	N ideographicreachparen
N hyphensmall	N ideographicrepresentparen
N hyphentwo	N ideographicresourceparen
N i	N ideographicrightcircle
N iacute	N ideographicsecretcircle
N iacyrillic	N ideographicselfparen
N ibengali	N ideographicsocietyparen
N ibopomofo	N ideographicspace
N ibreve	N ideographicspecialparen
N icaron	N ideographicstockparen
N icircle	N ideographicstudyparen
N icircumflex	N ideographicsunparen
N icyrillic	N ideographicsuperviseparen
N idblgrave	N ideographicwaterparen
N ideographearthcircle	N ideographicwoodparen
N ideographfirecircle	N ideographiczero
N ideographicallianceparen	N ideographmetalcircle
N ideographiccallparen	N ideographmooncircle
N ideographiccentrecircle	N ideographnamecircle
N ideographicclose	N ideographsuncircle
N ideographiccomma	N ideographwatercircle
N ideographiccommaleft	N ideographwoodcircle
N ideographiccongratulationparen	N ideva
N ideographiccorrectcircle	N idieresis
N ideographicearthparen	N idieresisacute
N ideographicenterpriseparen	N idieresiscyrillic
N ideographicexcellencircle	N idotbelow
N ideographicfestivalparen	N iebrevecyrillic
N ideographicfinancialcircle	N iecyrillic
N ideographicfinancialparen	N ieungacirclekorean
N ideographicfireparen	N ieungaparenkorean
N ideographichaveparen	N ieungcirclekorean
N ideographichighcircle	N ieungkorean

N ieungparenkorean  
 N igrave  
 N igujarati  
 N igurmukhi  
 N ihiragana  
 N ihookabove  
 N iibengali  
 N iicyrillic  
 N iideva  
 N iigujarati  
 N iigurmukhi  
 N iimatragurmukhi  
 N iinvertedbreve  
 N iishortcyrillic  
 N iivowelsignbengali  
 N iivowelsigndeva  
 N iivowelsigngujarati  
 N ij  
 N ikatakana  
 N ikatakanahalfwidth  
 N ikorean  
 N ilde  
 N iluyhebrew  
 N imacron  
 N imacroncyrillic  
 N imageorapproximatelyequal  
 N imatragurmukhi  
 N imonospace  
 N increment  
 N infinity  
 N iniarmenian  
 N integral  
 N integralbottom  
 N integralbt  
 N integraltop  
 N integraltop  
 N intersection  
 N intisquare  
 N invbullet  
 N invcircle  
 N invsmileface  
 N iocyrlilic  
 N iogonek  
 N iota

N iodadieresis  
 N iodadieresistonos  
 N iotalatin  
 N iotatonos  
 N iparen  
 N irigurmukhi  
 N ismallhiragana  
 N ismallkatakana  
 N ismallkatakanahalfwidth  
 N issharbengali  
 N istroke  
 N iterationhiragana  
 N iterationkatakana  
 N itilde  
 N itildebelow  
 N iubopomofo  
 N iucyrlilic  
 N ivowelsignbengali  
 N ivowelsigndeva  
 N ivowelsigngujarati  
 N izhitsacyrillic  
 N izhitsadblgravecyrillic  
 N j  
 N jaarmenian  
 N jabengali  
 N jadeva  
 N jagujarati  
 N jagurmukhi  
 N jbopomofo  
 N jcaron  
 N jcircle  
 N jcircumflex  
 N jcrossetail  
 N jdotlessstroke  
 N jecyrlilic  
 N jeemarabic  
 N jeemfinalarabic  
 N jeeminitialarabic  
 N jeemmedialarabic  
 N jeharabic  
 N jehfinalarabic  
 N jhabengali  
 N jhadeva  
 N jhagujarati

N jhagurmukhi	N kbopomofo
N jheharmerian	N kcalsquare
N jis	N kcaron
N jmonospace	N kcedilla
N jparen	N kcircle
N jsuperior	N kcommaaccent
N k	N kdotbelow
N kabashkircyrillic	N keharmerian
N kabengali	N kehiragana
N kacute	N kekatakana
N kacyrillic	N kekatakanahalfwidth
N kadescendercyrillic	N kenarmenian
N kadeva	N kesmallkatakana
N kaf	N kgreenlandic
N kafarabic	N khabengali
N kafdagesh	N khacyrillic
N kafdageshhebrew	N khadeva
N kaffinalarabic	N khagujarati
N kafhebrew	N khagurmukhi
N kafinitialarabic	N khaharabic
N kafmedialarabic	N khahfinalarabic
N kafrafehebrew	N khahinitialarabic
N kagujarati	N khahmedialarabic
N kagurmukhi	N kheicoptic
N kahiragana	N khhadeva
N kahookcyrillic	N khhagurmukhi
N kakatakana	N khieukhacirclekorean
N kakatakanahalfwidth	N khieukhaparenkorean
N kappa	N khieukhcirclekorean
N kappasymbolgreek	N khieukhkorean
N kapyeounmieumkorean	N khieukhparenkorean
N kapyeounphieuphkorean	N khokhaithai
N kapyeounpieupkorean	N khokhonthai
N kapyeounssangpieupkorean	N khokhuatthai
N karoriisquare	N khokhwaithai
N kashidaautoarabic	N khomutthai
N kashidaautosidebearingarabic	N khook
N kasmallkatakana	N khorakhangthai
N kasquare	N khzsquare
N kasraarabic	N kihiragana
N kasratanarabic	N kikatakana
N kastrokecyrillic	N kikatakanahalfwidth
N katahiraprolongmarkhalfwidth	N kiroguramusquare
N kaverticallstrokecyrillic	N kiromeetorusquare

N kirosquare	N lamalefisolatedarabic
N kiyeokacirclekorean	N lamalefmaddaabovefinalarabic
N kiyeokaparenkorean	N lamalefmaddaaboveisolatedarabic
N kiyeokcirclekorean	N lamarabic
N kiyeokkorean	N lambda
N kiyeokparenkorean	N lambdastroke
N kiyeoksioskorean	N lamed
N kjecyrillic	N lameddagesh
N klinebelow	N lameddageshhebrew
N klsquare	N lamedhebrew
N kmcubedsquare	N lamedholam
N kmonospace	N lamedholamdagesh
N kmsquaredsquare	N lamedholamdageshhebrew
N kohiragana	N lamedholamhebrew
N kohmsquare	N lamfinalarabic
N kokaithai	N lamhahinitialarabic
N kokatakana	N laminitialarabic
N kokatakanahalfwidth	N lamjeeminitialarabic
N kooposquare	N lamkhahinitialarabic
N koppacyrillic	N lamlamhehisolatedarabic
N koreanstandardsymbol	N lammedialarabic
N koroniscmb	N lammeemhahinitialarabic
N kparen	N lammeeminitialarabic
N kpasquare	N lammeemjeeminitialarabic
N ksicyrillic	N lammeemkhahinitialarabic
N ktsquare	N largecircle
N kturned	N lbar
N kuhiragana	N lbelt
N kukatakana	N lbopomofo
N kukatakanahalfwidth	N lcaron
N kvsquare	N lcedilla
N kwsquare	N lcircle
N l	N lcircumflexbelow
N labengali	N lcommaaccent
N lacute	N ldot
N ladeva	N ldotaccent
N lagujarati	N ldotbelow
N lagurmukhi	N ldotbelowmacron
N lakkhangyaotthai	N leftangleabovecmb
N lamaleffinalarabic	N lefttackbelowcmb
N lamalefhamzaabovefinalarabic	N less
N lamalefhamzaaboveisolatedarabic	N lessequal
N lamalefhamzabelowfinalarabic	N lessequalorgreater
N lamalefhamzabelowisolatedarabic	N lessmonospace

N lessorequivalent  
 N lessorgreater  
 N lessoverequal  
 N lesssmall  
 N lezh  
 N lfblock  
 N lhookretroflex  
 N lira  
 N liwnarmenian  
 N lj  
 N ljecyrillic  
 N lladeva  
 N llagujarati  
 N llinebelow  
 N llladeva  
 N llvocalicbengali  
 N llvocalicdeva  
 N llvocalicvowelsignbengali  
 N llvocalicvowelsigndeva  
 N lmiddletilde  
 N lmonospace  
 N lmsquare  
 N lochulathai  
 N logicaland  
 N logicalnot  
 N logicalnotreversed  
 N logicalor  
 N lolingthai  
 N longs  
 N lowlinecenterline  
 N lowlinecmb  
 N lowlinedashed  
 N lozenge  
 N lparen  
 N lslash  
 N lsquare  
 N ltshade  
 N luthai  
 N lvocalicbengali  
 N lvocalicdeva  
 N lvocalicvowelsignbengali  
 N lvocalicvowelsigndeva  
 N lxsquare  
 N m

N mabengali  
 N macron  
 N macronbelowcmb  
 N macroncmb  
 N macronlowmod  
 N macronmonospace  
 N macute  
 N madeva  
 N magujarati  
 N magurmukhi  
 N mahapakhhebrew  
 N mahapakhlefthebrew  
 N mahiragana  
 N maichattawathai  
 N maiekthai  
 N maihanakatthai  
 N maitaikhuthai  
 N maithothai  
 N maitrithai  
 N maiyamokthai  
 N makatakana  
 N makatakanahalfwidth  
 N male  
 N mansyonsquare  
 N maqafhebrew  
 N mars  
 N masoracirclehebrew  
 N masquare  
 N mbopomofo  
 N mbsquare  
 N mcircle  
 N mcubedsquare  
 N mdotaccent  
 N mdotbelow  
 N meemarabic  
 N meemfinalarabic  
 N meeminitialarabic  
 N meemmedialarabic  
 N meemmeeminitialarabic  
 N meemmeemisolatedarabic  
 N meetorusquare  
 N mehiragana  
 N meizierasquare  
 N mekatakana



N mekatakanahalfwidth	N moverssquare
N mem	N moverssquaredsquare
N memdagesh	N mparen
N memdageshhebrew	N mpasquare
N memhebrew	N mssquare
N menarmenian	N mturned
N merkhahebrew	N mu
N merkhakefulahebrew	N mul
N merkhakefulalefthebrew	N muasquare
N merkhalefthebrew	N muchgreater
N mhook	N muchless
N mhzsquare	N mufsquare
N middledotkatakanahalfwidth	N mugreek
N middot	N mugsquare
N mieumacirclekorean	N muhiragana
N mieumaparenkorean	N mukatakana
N mieumcirclekorean	N mukatakanahalfwidth
N mieumkorean	N mulsquare
N mieumpansioskorean	N multiply
N mieumparenkorean	N mumsquare
N mieumpieupkorean	N munahhebrew
N mieumsioskorean	N munahlefthebrew
N mhiragana	N musicalnote
N mikatakana	N musicalnotedbl
N mikatakanahalfwidth	N musicflatsign
N minus	N musicsharpsign
N minusbelowcmb	N mussquare
N minuscircle	N muvsquare
N minusmod	N muwsquare
N minusplus	N mvmeasquare
N minute	N mvsquare
N miribaarusquare	N mwmeasquare
N mirisquare	N mwsquare
N mlonglegturned	N n
N mlsquare	N nabengali
N mmcubedsquare	N nabra
N mmonospace	N nacute
N mmsquaredsquare	N nadeva
N mohiragana	N nagujarati
N mohmsquare	N nagurmukhi
N mokatakana	N nahiragana
N mokatakanahalfwidth	N nakatakana
N molsquare	N nakatakanahalfwidth
N momathai	N napostrophe

N nasquare  
 N nbopomofo  
 N nbspace  
 N ncaron  
 N ncedilla  
 N ncircle  
 N ncircumflexbelow  
 N ncommaaccent  
 N ndotaccent  
 N ndotbelow  
 N nehiragana  
 N nekatakana  
 N nekatakanahalfwidth  
 N newsheqelsign  
 N nfsquare  
 N ngabengali  
 N ngadeva  
 N ngagujarati  
 N ngagurmukhi  
 N ngonguthai  
 N nhiragana  
 N nhookleft  
 N nhookretroflex  
 N nieunacirclekorean  
 N nieunaparenkorean  
 N nieuncieuckorean  
 N nieuncirclekorean  
 N nieunhieuhkorean  
 N nieunkorean  
 N nieunpansioskorean  
 N nieunparenkorean  
 N nieunsioskorean  
 N nieuntikeutkorean  
 N nihiragana  
 N nikatakana  
 N nikatakanahalfwidth  
 N nikhahitthai  
 N nine  
 N ninearabic  
 N ninebengali  
 N ninecircle  
 N ninecircleinversesansserif  
 N ninedeva  
 N ninegujarati

N ninegurmukhi  
 N ninehackarabic  
 N ninehangzhou  
 N nineideographicparen  
 N nineinferior  
 N ninemonospace  
 N nineparen  
 N nineperiod  
 N ninepersian  
 N nineroman  
 N ninesuperior  
 N nineteencircle  
 N nineteenparen  
 N nineteenperiod  
 N ninthai  
 N nj  
 N njecyrillic  
 N nkatakana  
 N nkatakanahalfwidth  
 N nlegrightlong  
 N nlinebelow  
 N nmonospace  
 N nmsquare  
 N nnabengali  
 N nnadeva  
 N nnagujarati  
 N nnagurmukhi  
 N nnnadeva  
 N nohiragana  
 N nokatakana  
 N nokatakanahalfwidth  
 N nonbreakingspace  
 N nonenthai  
 N nonuthai  
 N noonarabic  
 N noonfinalarabic  
 N noonghunnaarabic  
 N noonghunnafinalarabic  
 N noonhehinitialarabic  
 N nooninitialarabic  
 N noonjeeminitialarabic  
 N noonjeemisolatedarabic  
 N noonmedialarabic  
 N noonmeeminitialarabic

N noonmeemisolatedarabic  
 N noonnoonfinalarabic  
 N notcontains  
 N notelement  
 N notelementof  
 N notequal  
 N notgreater  
 N notgreaternorequal  
 N notgreaternorless  
 N notidentical  
 N notless  
 N notlessnorequal  
 N notparallel  
 N notprecedes  
 N notsubset  
 N notsucceeds  
 N notsuperset  
 N nowarmenian  
 N nparen  
 N nssquare  
 N nsuperior  
 N ntilde  
 N nu  
 N nuhiragana  
 N nukatakana  
 N nukatakanahalfwidth  
 N nuktabengali  
 N nuktadeva  
 N nuktagujarati  
 N nuktagurmukhi  
 N numbersign  
 N numbersignmonospace  
 N numbersignsmall  
 N numeralsigngreek  
 N numeralsignlowergreek  
 N numero  
 N nun  
 N nundagesh  
 N nundageshhebrew  
 N nunhebrew  
 N nvsquare  
 N nwsquare  
 N nyabengali  
 N nyadeva

N nyagujarati  
 N nyagurmukhi  
 N o  
 N oacute  
 N oangthai  
 N obarred  
 N obarredcyrillic  
 N obarreddieresiscyrillic  
 N obengali  
 N obopomofo  
 N obreve  
 N ocandradeva  
 N ocandragujarati  
 N ocandravowelsigndeva  
 N ocandravowelsigngujarati  
 N ocaron  
 N ocircle  
 N ocircumflex  
 N ocircumflexacute  
 N ocircumflexdotbelow  
 N ocircumflexgrave  
 N ocircumflexhookabove  
 N ocircumflextilde  
 N ocyrillic  
 N odblacute  
 N odblgrave  
 N odeva  
 N odieresis  
 N odieresiscyrillic  
 N odotbelow  
 N oe  
 N oekorean  
 N ogonek  
 N ogonekcmb  
 N ograve  
 N ogujarati  
 N oharmenian  
 N ohiragana  
 N ohookabove  
 N ohorn  
 N ohornacute  
 N ohorndotbelow  
 N ohorngrave  
 N ohornhookabove

N ohorntilde	N oneroman
N ohungarumlaut	N onesuperior
N oi	N onethai
N oinvertedbreve	N onethird
N okatakana	N oogonek
N okatakanahalfwidth	N oogonekmacron
N okorean	N oogurmukhi
N olehebrew	N oomatragurmukhi
N omacron	N oopen
N omacronacute	N oparen
N omacrongrave	N openbullet
N omdeva	N option
N omega	N ordfeminine
N omegal	N ordmasculine
N omegacyrillic	N orthogonal
N omegalatinclosed	N oshortdeva
N omegaroundcyrillic	N oshortvowelsigndeva
N omegatitlocyrillic	N oslash
N omegatonos	N oslashacute
N omgujarati	N osmallhiragana
N omicron	N osmallkatakana
N omicrontonos	N osmallkatakanahalfwidth
N omonospace	N ostrokeacute
N one	N otcyrillic
N onearabic	N otilde
N onebengali	N otildeacute
N onecircle	N otildedieresis
N onecircleinversesansserif	N oubopomofo
N onedeva	N overline
N onedotenleader	N overlinecenterline
N oneeighth	N overlinecmb
N onegujarati	N overlinedashed
N onegurmukhi	N overlinedblwavy
N onehackarabic	N overlinewavy
N onehalf	N overscore
N onehangzhou	N ovowelsignbengali
N oneideographicparen	N ovowelsigndeva
N oneinferior	N ovowelsigngujarati
N onemonospace	N p
N onenumeratorbengali	N paampssquare
N oneparen	N paasentosquare
N oneperiod	N pabengali
N onepersian	N pacute
N onequarter	N padeva

N pagedown	N pedagesh
N pageup	N pedageshhebrew
N pagujarati	N peezeisquare
N pagurmukhi	N pefinaldageshhebrew
N pahiragana	N peharabic
N paiyannoithai	N peharmenian
N pakatakana	N pehebrew
N palatalizationcyrillicmb	N pehfinalarabic
N palochkacyrillic	N pehinitialarabic
N pansioskorean	N pehiragana
N paragraph	N pehmedialarabic
N parallel	N pekatakana
N parenleft	N pemiddlehookcyrillic
N parenleftalttonearabic	N perafehebrew
N parenleftinferior	N percent
N parenleftmonospace	N percentarabic
N parenleftsmall	N percentmonospace
N parenleftsuperior	N percentsmall
N parenleftvertical	N period
N parenright	N periodarmenian
N parenrightalttonearabic	N periodcentered
N parenrightinferior	N periodhalfwidth
N parenrightmonospace	N periodmonospace
N parenrightsmall	N periodsmall
N parenrightsuperior	N perispomenigreekcmb
N parenrightvertical	N perpendicular
N partialdiff	N perthousand
N paseqhebrew	N peseta
N pashtahebrew	N pfsquare
N pasquare	N phabengali
N patah	N phadeva
N patah1l	N phagujarati
N patah1d	N phagurmukhi
N patah2a	N phi
N patahhebrew	N phil
N patahnarrowhebrew	N phieuphacirclekorean
N patahquarterhebrew	N phieuphaparenkorean
N patahwidehebrew	N phieuphcirclekorean
N pazerhebrew	N phieuphkorean
N pbopomofo	N phieuphparenkorean
N pcircle	N philatin
N pdotaccent	N phinthuthai
N pe	N phisymbolgreek
N pecyrillic	N phook

N phophanthai	N product
N phophungthai	N projective
N phosamphaothai	N prolongedkana
N pi	N propellor
N pieupacirclekorean	N propersubset
N pieupaparenkorean	N propersuperset
N pieupcieuckorean	N proportion
N pieupcirclekorean	N proportional
N pieupkiyeokkorean	N psi
N pieupkorean	N psicyrillic
N pieupparenkorean	N psilipneumatacyrilliccmb
N pieupsioskiyeokkorean	N pssquare
N pieupsioskorean	N puhiragana
N pieupsiosstikeutkorean	N pukatakana
N pieupthieuthkorean	N pvsquare
N pieuptikeutkorean	N pwsquare
N pihiragana	N q
N pikatakana	N qadeva
N pisymbolgreek	N qadmahebrew
N piwrarmenian	N qafarabic
N plus	N qaffinalarabic
N plusbelowcmb	N qafinitaliarabic
N pluscircle	N qafmedialarabic
N plusminus	N qamats
N plusmod	N qamats10
N plusmonospace	N qamats1a
N plussmall	N qamats1c
N plussuperior	N qamats27
N pmonospace	N qamats29
N pmsquare	N qamats33
N pohiragana	N qamatsde
N pointingindexdownwhite	N qamatshebrew
N pointingindexleftwhite	N qamatsnarrowhebrew
N pointingindexrightwhite	N qamatsqatanhebrew
N pointingindexupwhite	N qamatsqatanarrowhebrew
N pokatakana	N qamatsqatanquarterhebrew
N poplathai	N qamatsqatanwidehebrew
N postalmark	N qamatsquarterhebrew
N postalmarkface	N qamatswidehebrew
N pparen	N qarneyparahebrew
N precedes	N qbopomofo
N prescription	N qcircle
N primemod	N qhook
N primereversed	N qmonospace

N qof	N quotedblprime
N qofdagesh	N quotedblprimereversed
N qofdageshhebrew	N quotedblright
N qofhatafpatah	N quoteleft
N qofhatafpatahhebrew	N quoteleftreversed
N qofhatafsegol	N quotereversed
N qofhatafsegolhebrew	N quoteright
N qofhebrew	N quoterightn
N qofhiriq	N quotesinglbase
N qofhiriqhebrew	N quotesingle
N qofholam	N quotesinglemonospace
N qofholamhebrew	N r
N qofpatah	N raarmenian
N qofpatahhebrew	N rabengali
N qofqamats	N racute
N qofqamatshebrew	N radeva
N qofqubuts	N radical
N qofqubutshebrew	N radoverssquare
N qofsegol	N radoverssquaresquare
N qofsegolhebrew	N radsquare
N qofsheva	N rafe
N qofshevahebrew	N rafehebrew
N qoftsere	N ragujarati
N qoftserehebrew	N ragurmukhi
N qparen	N rahiragana
N quarternote	N rakatakana
N qubuts	N rakatakanahalfwidth
N qubuts18	N ralowerdiagonalbengali
N qubuts25	N ramiddlediagonalbengali
N qubuts31	N ramshorn
N qubutshebrew	N ratio
N qubutsnarrowhebrew	N rbopomofo
N qubutsquarterhebrew	N rcaron
N qubutswidehebrew	N rcedilla
N question	N rcircle
N questionarabic	N rcommaaccent
N questionarmenian	N rdblgrave
N questiondown	N rdotaccent
N questiongreek	N rdotbelow
N questionmonospace	N rdotbelowmacron
N quotedbl	N referencemark
N quotedblbase	N reflexsubset
N quotedblleft	N reflexsuperset
N quotedblmonospace	N registered

N reharabic	N rieulacirclekorean
N reharmenian	N rieulaparenkorean
N rehfinalarabic	N rieulcirclekorean
N rehiragana	N rieulhieuhkorean
N rehyehaleflamarabic	N rieulkiyeokkorean
N rekatakana	N rieulkiyeoksioskorean
N rekatakanahalfwidth	N rieulcorean
N resh	N rieulmieumkorean
N reshdageshhebrew	N rieulpansioskorean
N reshhatafpatah	N rieulparenkorean
N reshhatafpatahhebrew	N rieulphieuphkorean
N reshhatafsegol	N rieulpieupkorean
N reshhatafsegolhebrew	N rieulpieupsioskorean
N reshhebrew	N rieulsioskorean
N reshhiriq	N rieulthieuthkorean
N reshhiriqhebrew	N rieultikeutkorean
N reshholam	N rieulyeorinhieuhkorean
N reshholamhebrew	N rightangle
N reshpatah	N righttackbelowcmb
N reshpatahhebrew	N righttriangle
N reshqamats	N rihiragana
N reshqamatshebrew	N rikatakana
N reshqubuts	N rikatakanahalfwidth
N reshqubutshebrew	N ring
N reshsegol	N ringbelowcmb
N reshsegolhebrew	N ringcmb
N reshsheva	N ringhalfleft
N reshshevahebrew	N ringhalfleftarmenian
N reshtere	N ringhalfleftbelowcmb
N reshterehebrew	N ringhalfleftcentered
N reversedtilde	N ringhalfright
N reviahebrew	N ringhalfrightbelowcmb
N reviamugrashhebrew	N ringhalfrightcentered
N revlogicalnot	N rinvertedbreve
N rfishhook	N rittorusquare
N rfishhookreversed	N rlinebelow
N rhabengali	N rlongleg
N rhadeva	N rlonglegturned
N rho	N rmonospace
N rhoonk	N rohiragana
N rhoonkturned	N rokatakana
N rhoonkturnedsuperior	N rokatakanahalfwidth
N rhosymbolgreek	N roruathai
N rhotichookmod	N rparen



N rrabengali	N samekhhebrew
N rradeva	N saraaathai
N rragurmukhi	N saraaethai
N rreharabic	N saraaimaimalaithai
N rrehfinalarabic	N saraaimaimuanthai
N rrvoalibengali	N saraamthai
N rrvoalibdeva	N saraathai
N rrvoalibgujarati	N saraethai
N rrvoalibvowelsignbengali	N saraiithai
N rrvoalibvowelsigndeva	N saraiithai
N rrvoalibvowelsigngujarati	N saraothai
N rtblock	N sarauethai
N rturned	N sarauethai
N rturnedsuperior	N sarauthai
N ruhiragana	N sarauuthai
N rukatakana	N sbopomofo
N rukatakanahalfwidth	N scaron
N rupeemarkbengali	N scarondotaccent
N rupeesignbengali	N scedilla
N ruthai	N schwa
N rvocalibengali	N schwacyrillic
N rvocalibdeva	N schwadiesiscyrillic
N rvocalibgujarati	N schwahook
N rvocalibvowelsignbengali	N scircle
N rvocalibvowelsigndeva	N scircumflex
N rvocalibvowelsigngujarati	N scommaaccent
N s	N sdotaccent
N sabengali	N sdotbelow
N sacute	N sdotbelowdotaccent
N sacutedotaccent	N seagullbelowcmb
N sadarabic	N second
N sadeva	N secondtonechinese
N sadfinalarabic	N section
N sadinitialarabic	N seenarabic
N sadmedialarabic	N seenfinalarabic
N sagujarati	N seeninitialarabic
N sagurmukhi	N seenmedialarabic
N sahiragana	N segol
N sakatakana	N segoll3
N sakatakanahalfwidth	N segollf
N sallallahoualayhewasallamarabic	N segol2c
N samekh	N segolhebrew
N samekhdagesh	N segolnarrowhebrew
N samekhdageshhebrew	N segolquarterhebrew

N segoltahebrew	N shaddafathaarabic
N segolwidehebrew	N shaddafathatanarabic
N seharmerian	N shaddakasraarabic
N sehiragana	N shaddakasratanarabic
N sekatakana	N shade
N sekatakanahalfwidth	N shadedark
N semicolon	N shadelight
N semicolonarabic	N shademedium
N semicolonmonospace	N shadeva
N semicolonsmall	N shagujarati
N semivoicedmarkkana	N shagurmukhi
N semivoicedmarkkanahalfwidth	N shalshethebrew
N sentisquare	N shbopomofo
N sentosquare	N shchacyrillic
N seven	N sheenarabic
N sevenarabic	N sheenfinalarabic
N sevenbengali	N sheeninitialarabic
N sevenscircle	N sheenmedialarabic
N sevenscircleinversesansserif	N sheicoptic
N sevendeva	N sheqel
N seveneighths	N sheqelhebrew
N sevengujarati	N sheva
N sevengurmukhi	N sheva115
N sevenhackarabic	N sheva15
N sevenhangzhou	N sheva22
N sevenideographicparen	N sheva2e
N seveninferior	N shevahebrew
N sevenmonospace	N shevanarrowhebrew
N sevenparen	N shevaquarterhebrew
N sevenperiod	N shevawidehebrew
N sevenpersian	N shhacyrillic
N sevenroman	N shimacoptic
N sevensuperior	N shin
N seventeencircle	N shindagesh
N seventeenparen	N shindageshhebrew
N seventeenperiod	N shindageshshindot
N seventhai	N shindageshshindothebrew
N sfthyphen	N shindageshsindot
N shaarmenian	N shindageshsindothebrew
N shabengali	N shindothebrew
N shacyrillic	N shinhebrew
N shaddaarabic	N shinshindot
N shaddadammarabic	N shinshindothebrew
N shaddadammatanarabic	N shinsindot

N shinsindothewbrew	N sixteenperiod
N shook	N sixthai
N sigma	N slash
N sigma1	N slashmonospace
N sigmafinal	N slong
N sigmaunatesymbolgreek	N slongdotaccent
N sihiragana	N smileface
N sikatakana	N smonospace
N sikatakanahalfwidth	N sofasuqhebrew
N siluqhebrew	N softthyphen
N siluqlfthebrew	N softsigncyrillic
N similar	N sohiragana
N sindothewbrew	N sokatakana
N siosacirclekorean	N sokatakanahalfwidth
N siosaparenkorean	N soliduslongoverlaycmb
N sioscieuckorean	N solidusshortoverlaycmb
N sioscirclekorean	N sorusithai
N sioskiyeokkorean	N sosalathai
N sioskorean	N sosothai
N siosnieunkorean	N sosuathai
N siosparenkorean	N space
N siospieupkorean	N spacehackarabic
N siostikeutkorean	N spade
N six	N spadesuitblack
N sixarabic	N spadesuitwhite
N sixbengali	N sparen
N sixcircle	N squarebelowcmb
N sixcircleinversesansserif	N squarecc
N sixdeva	N squarecm
N sixgujarati	N squarediagonalcrosshatchfill
N sixgurmukhi	N squarehorizontalfill
N sixhackarabic	N squarekg
N sixhangzhou	N squarekm
N sixideographicparen	N squarekmcapital
N sixinferior	N squareln
N sixmonospace	N squarelog
N sixparen	N squaremg
N sixperiod	N squaremil
N sixpersian	N squaremm
N sixroman	N squaremsquared
N sixsuperior	N squareorthogonalcrosshatchfill
N sixteencircle	N squareupperlefttolowerrightfill
N sixteencurrencydenominatorbengali	N squareupperrighttolowerleftfill
N sixteenparen	N squareverticalfill

N squarewhitewithsmallblack	N tahmedialarabic
N srsquare	N taisyouerasquare
N ssabengali	N takatakana
N ssadeva	N takatakanahalfwidth
N ssagujarati	N tatweelarabic
N ssangcieuckorean	N tau
N ssanghieuhkorean	N tav
N ssangieungkorean	N tavadages
N ssangkiyeokkorean	N tavadagesh
N ssangnieunkorean	N tavadageshhebrew
N ssangpieupkorean	N tavhebrew
N ssangsioskorean	N tbar
N ssangtikeutkorean	N tbopomofo
N sterling	N tcaron
N sterlingmonospace	N tccurl
N strokelongoverlaycmb	N tcedilla
N strokeshortoverlaycmb	N tccheharabic
N subset	N tcchfinalarabic
N subsetnotequal	N tcchinitialarabic
N subsetorequal	N tcchmedialarabic
N succeeds	N tcchmeeminitialarabic
N suchthat	N tcircle
N suhiragana	N tcircumflexbelow
N sukatakana	N tcommaaccent
N sukatakanahalfwidth	N tdieresis
N sukunarabic	N tdotaccent
N summation	N tdotbelow
N sun	N tecyrillic
N superset	N tedescendercyrillic
N supersetnotequal	N teharabic
N supersetorequal	N tehfinalarabic
N svsquare	N tehhahinitialarabic
N syouwaerasquare	N tehhahisolatedarabic
N t	N tehinitialarabic
N tabengali	N tehiragana
N tackdown	N tehjeeminitialarabic
N tackleft	N tehjeemisolatedarabic
N tadeva	N tehmarbutaarabic
N tagujarati	N tehmarbutafinalarabic
N tagurmukhi	N tehmedialarabic
N taharabic	N tehmeeminitialarabic
N tahfinalarabic	N tehmeemisolatedarabic
N tahinitialarabic	N tehnoonfinalarabic
N tahiragana	N tekatakana

N tekatakanahalfwidth	N thophuthaothai
N telephone	N thorn
N telephoneblack	N thothahanthai
N telishagedolahebrew	N thothanthai
N telishaqetanahebrew	N thothongthai
N tencircle	N thothungthai
N tenideographicparen	N thousandcyrillic
N tenparen	N thousandsseparatorarabic
N tenperiod	N thousandsseparatorpersian
N tenroman	N three
N tesh	N threearabic
N tet	N threebengali
N tetdagesh	N threecircle
N tetdageshhebrew	N threecircleinversesansserif
N tethebrew	N threedeva
N tetsecyrillic	N threeeighths
N tevirhebrew	N threegujarati
N tevirlefthebrew	N threegurukhi
N thabengali	N threehackarabic
N thadeva	N threehangzhou
N thagujarati	N threeideographicparen
N thagurukhi	N threeinferior
N thalarabic	N threemonospace
N thalfinalarabic	N threenumeratorbengali
N thanthakhatthai	N threeparen
N theharabic	N threepersian
N thehfinalarabic	N threepersian
N thehinitialarabic	N threepersian
N thehmedialarabic	N threepersian
N thereexists	N threesuperior
N therefore	N threethai
N theta	N thzsquare
N theta1	N tihiragana
N thetasymbolgreek	N tikatakana
N thieuthacirclekorean	N tikatakanahalfwidth
N thieuthaparenkorean	N tikeutacirclekorean
N thieuthcirclekorean	N tikeutaparenkorean
N thieuthkorean	N tikeutcirclekorean
N thieuthparenkorean	N tikeutkorean
N thirteencircle	N tikeutparenkorean
N thirteenparen	N tilde
N thirteenperiod	N tildebelowcmb
N thonangmonthothai	N tildecmb
N thook	N tildecomb

N tildedoublecmb	N tsadidagesh
N tildeoperator	N tsadidageshhebrew
N tildeoverlaycmb	N tsadihebrew
N tildeverticalcmb	N tsecyrillic
N timescircle	N tsere
N tipehahebrew	N tsere12
N tipehalefthebrew	N tsere1e
N tippigurmukhi	N tsere2b
N titlocyrilliccmb	N tserehebrew
N tiwnarmenian	N tserenarrowhebrew
N tlinebelow	N tserequarterhebrew
N tmonospace	N tserewidehebrew
N toarmenian	N tshecyrillic
N tohiragana	N ttabengali
N tokatakana	N ttadeva
N tokatakanahalfwidth	N ttagujarati
N tonebarextrahighmod	N ttagurmukhi
N tonebarextralowmod	N tteharabic
N tonebarhighmod	N ttehfinalarabic
N tonebarlowmod	N ttehinitialarabic
N tonebarmidmod	N ttehmedialarabic
N tonefive	N tthabengali
N tonesix	N tthadeva
N tonetwo	N tthagujarati
N tonos	N tthagurmukhi
N tonsquare	N tturned
N topatakthai	N tuhiragana
N tortoiseshellbracketleft	N tukatakana
N tortoiseshellbracketleftsmall	N tukatakanahalfwidth
N tortoiseshellbracketleftvertical	N tusmallhiragana
N tortoiseshellbracketright	N tusmallkatakana
N tortoiseshellbracketrightsmall	N tusmallkatakanahalfwidth
N tortoiseshellbracketrightvertical	N twelvecircle
N totaothai	N twelveparen
N tpalatalhook	N twelveperiod
N tparen	N twelveroman
N trademark	N twentycircle
N retroflexhook	N twentyparen
N triagdn	N twentyperiod
N triaglf	N two
N triagrt	N twoarabic
N triagup	N twobengali
N ts	N twocircle
N tsadi	N twocircleinversesansserif

N twodeva	N ugujarati
N twodotenleader	N ugurmukhi
N twodotleader	N uhiragana
N twodotleadervertical	N uhookabove
N twogujarati	N uhorn
N twogurmukhi	N uhornacute
N twohackarabic	N uhorndotbelow
N twohangzhou	N uhorngrave
N twoideographicparen	N uhornhookabove
N twoinferior	N uhorntilde
N twomonospace	N uhungarumlaut
N twonumeratorbengali	N uhungarumlautcyrillic
N twoparen	N uinvertedbreve
N twoperiod	N ukatakana
N twopersian	N ukatakanahalfwidth
N tworoman	N ukcyrillic
N twostroke	N ukorean
N twosuperior	N umacron
N twothai	N umacroncyrillic
N twothirds	N umacrondieresis
N u	N umatragurmukhi
N uacute	N umonospace
N ubar	N underscore
N ubengali	N underscoredbl
N ubopomofo	N underscoremonospace
N ubreve	N underscorevertical
N ucaron	N underscorewavy
N ucircle	N union
N ucircumflex	N universal
N ucircumflexbelow	N uogonek
N ucyrillic	N uparen
N udattadeva	N upblock
N udblacute	N upperdothebrew
N udblgrave	N upsilon
N udeva	N upsilondieresis
N udieresis	N upsilondieresis-tonos
N udieresisacute	N upsilonlatin
N udieresisbelow	N upsilontonos
N udieresiscaron	N uptackbelowcmb
N udieresis-cyrillic	N uptackmod
N udieresisgrave	N uragurmukhi
N udieresismacron	N uring
N udotbelow	N ushort-cyrillic
N ugrave	N usmallhiragana

N usmallkatakana	N verticallinelowmod
N usmallkatakanahalfwidth	N verticallinemod
N ustraightcyrillic	N vewarmenian
N ustraightstrokecyrillic	N vhook
N utilde	N vikatakana
N utildeacute	N viramabengali
N utildebelow	N viramadeva
N uubengali	N viramagujarati
N uudeva	N visargabengali
N uugujarati	N visargadeva
N uugurmukhi	N visargagujarati
N uumatragurmukhi	N vmonospace
N uuvowelsignbengali	N voarmenian
N uuvowelsigndeva	N voicediterationhiragana
N uuvowelsigngujarati	N voicediterationkatakana
N uvowelsignbengali	N voicedmarkkana
N uvowelsigndeva	N voicedmarkkanahalfwidth
N uvowelsigngujarati	N vokatakana
N v	N vparen
N vadeva	N vtilde
N vagujarati	N vturned
N vagurmukhi	N vuhiragana
N vakatakana	N vukatakana
N vav	N w
N vavdagesh	N wacute
N vavdagesh65	N waekorean
N vavdageshhebrew	N wahiragana
N vavhebrew	N wakatakana
N vavholam	N wakatakanahalfwidth
N vavholamhebrew	N wakorean
N vavvavhebrew	N wasmallhiragana
N vavyodhebrew	N wasmallkatakana
N vcircle	N wattosquare
N vdotbelow	N wavedash
N vecyrillic	N wavyunderscorevertical
N veharabic	N wawarabic
N vehfinalarabic	N wawfinalarabic
N vehinitialarabic	N wawhamzaabovearabic
N vehmedialarabic	N wawhamzaabovefinalarabic
N vekatakana	N wbsquare
N venus	N wcircle
N verticalbar	N wcircumflex
N verticallineabovecmb	N wdieresis
N verticallinebelowcmb	N wdotaccent



N wdotbelow	N wring
N wehiragana	N wsuperior
N weierstrass	N wturned
N wekatakana	N wynn
N wekorean	N x
N weokorean	N xabovecmb
N wgrave	N xbopomofo
N whitebullet	N xcircle
N whitecircle	N xdieresis
N whitecircleinverse	N xdotaccent
N whitecornerbracketleft	N xeharmenian
N whitecornerbracketleftvertical	N xi
N whitecornerbracketright	N xmonospace
N whitecornerbracketrightvertical	N xparen
N whitediamond	N xsuperior
N whitediamondcontainingblacksmalldiamond	N y
N whitedownpointingsmalltriangle	N yaadosquare
N whitedownpointingtriangle	N yabengali
N whiteleftpointingsmalltriangle	N yacute
N whiteleftpointingtriangle	N yadeva
N whitelenticularbracketleft	N yaekorean
N whitelenticularbracketright	N yagujarati
N whiterightpointingsmalltriangle	N yagurmukhi
N whiterightpointingtriangle	N yahiragana
N whitesmallsquare	N yakatakana
N whitesmilingface	N yakatakanahalfwidth
N whitesquare	N yakorean
N whitestar	N yamakkanthai
N whitetelephone	N yasmallhiragana
N whitetortoiseshellbracketleft	N yasmallkatakana
N whitetortoiseshellbracketright	N yasmallkatakanahalfwidth
N whiteuppointingsmalltriangle	N yatcyrillic
N whiteuppointingtriangle	N ycircle
N wihiragana	N ycircumflex
N wikatakana	N ydieresis
N wikorean	N ydotaccent
N wmonospace	N ydotbelow
N wohiragana	N yeharabic
N wokatakana	N yehbarreearabic
N wokatakanahalfwidth	N yehbarreefinalarabic
N won	N yehfinalarabic
N wonmonospace	N yehhamzaabovearabic
N wowaenthai	N yehhamzaabovefinalarabic
N wparen	N yehhamzaaboveinitialarabic

N yehhamzaabovemedialarabic  
 N yehinitialarabic  
 N yehmedialarabic  
 N yehmeeminitialarabic  
 N yehmeemisolatedarabic  
 N yehnoonfinalarabic  
 N yehthreedotsbelowarabic  
 N yekorean  
 N yen  
 N yenmonospace  
 N yeokorean  
 N yeorinhieuhkorean  
 N yerahbenyomohebrew  
 N yerahbenyomolefthebrew  
 N yericyrillic  
 N yerudieresiscyrillic  
 N yesieungkorean  
 N yesieungpansioskorean  
 N yesieungsioskorean  
 N yetivhebrew  
 N ygrave  
 N yhook  
 N yhookabove  
 N yiarmenian  
 N yicyrillic  
 N yikorean  
 N yinyang  
 N yiwnarmenian  
 N ymonospace  
 N yod  
 N yoddagesh  
 N yoddageshhebrew  
 N yodhebrew  
 N yodyodhebrew  
 N yodyodpatahhebrew  
 N yohiragana  
 N yoikorean  
 N yokatakana  
 N yokatakanahalfwidth  
 N yokorean  
 N yosmallhiragana  
 N yosmallkatakana  
 N yosmallkatakanahalfwidth  
 N yotgreek

N yoyaekorean  
 N yoyakorean  
 N yoyakthai  
 N yoyingthai  
 N yparen  
 N ypogegrammeni  
 N ypogegrammenigreekcmb  
 N yr  
 N yring  
 N ysuperior  
 N ytilde  
 N yturned  
 N yuhiragana  
 N yuikorean  
 N yukatakana  
 N yukatakanahalfwidth  
 N yukorean  
 N yusbigcyrillic  
 N yusbigiotifiedcyrillic  
 N yuslittlecyrillic  
 N yuslittletifiedcyrillic  
 N yusmallhiragana  
 N yusmallkatakana  
 N yusmallkatakanahalfwidth  
 N yuyekorean  
 N yuyeokorean  
 N yyabengali  
 N yyadeva  
 N z  
 N zaarmenian  
 N zacute  
 N zadeva  
 N zagurmukhi  
 N zaharabic  
 N zahfinalarabic  
 N zahinitialarabic  
 N zahiragana  
 N zahmedialarabic  
 N zainarabic  
 N zainfinalarabic  
 N zakatakana  
 N zaqefgadolhebrew  
 N zaqefqatanhebrew  
 N zarqahebrew

N zayin  
 N zayindagesh  
 N zayindageshhebrew  
 N zayinhebrew  
 N zbopomofo  
 N zcaron  
 N zcircle  
 N zcircumflex  
 N zcurl  
 N zdot  
 N zdotaccent  
 N zdotbelow  
 N zecyrillic  
 N zedescendercyrillic  
 N zedieresiscyrillic  
 N zhiragana  
 N zekatakana  
 N zero  
 N zeroarabic  
 N zerobengali  
 N zerodeva  
 N zerogujarati  
 N zerogurmukhi  
 N zerohackarabic  
 N zeroinferior  
 N zeromonospace  
 N zeropersian  
 N zerosuperior  
 N zerothai  
 N zerowidthjoiner  
 N zerowidthnonjoiner  
 N zerowidthspace  
 N zeta  
 N zhbopomofo  
 N zhearmenian  
 N zhebrevecyrillic  
 N zhecyrillic  
 N zhedescendercyrillic  
 N zhedieresiscyrillic  
 N zhiragana  
 N zikatakana  
 N zinorhebrew  
 N zlinebelow  
 N zmonospace

N zohiragana  
 N zokatakana  
 N zparen  
 N zretroflexhook  
 N zstroke  
 N zuhiragana  
 N zukatakana  
 N version  
**enhanceid** function  
**expansions** data table  
**formats** data table  
**getalternate** function  
**getdiscexpansion** function  
**getkern** function  
**getmultiple** function  
**getsubstitution** function  
**getters** table  
 T alternate  
 F opentype  
 T kern  
 F opentype  
 F type1  
 T multiple  
 F opentype  
 T substitution  
 F opentype  
**goodies** table  
 D colorschemes  
 T data  
 T dejavu-math  
 S author  
 S comment  
 S copyright  
 B initialized  
 T mathematics  
 T alternates  
 T dotless  
 S comment  
 S feature  
 N value  
 T kerns  
 S name  
 S version  
 D designsizes

- D filenames
- F getcompositions
- T list
- F load
- F prepare\_features
- F register
- F registerpostprocessor
- F report
- T suffixes
- handlers**                   table
- hashes**                   table
- D characters
- D classes
- D csnames
- D descriptions
- D dynamics
- D emwidths
- D exheights
- D extensibles
- D features
- D identifiers
- D italics
- D lastmathids
- D marks
- D modes
- D originals
- D parameters
- T processes
- D properties
- D quads
- D resources
- T setdynamics
- T shapes
- D spaces
- D spacings
- T streams
- D unicodes
- D variants
- D xheights
- helpers**                   table
- F addextraprivate
- F addprivate
- F descriptiontoslot
- F dimenfactor

- F expandglyph
- F fontpatternhassize
- F getcoloredglyphs
- F getdigitwidth
- F getinstancespec
- F getparameters
- F getprivatecharornode
- F getprivatenode
- F getprivates
- F getprivateslot
- F hasprivate
- F indextoslot
- F name
- F nametoslot
- F setdigitwidth
- F splitfontpattern
- F tochar
- infofont**                   function
- iterators**                table
- F characters
- F descriptions
- F glyphs
- loggers**                   table
- F add\_placeholders
- D category\_to\_placeholder
- F format
- F onetimemessage
- F register
- F reportdefinedfonts
- F reportusedfeatures
- mappings**                table
- F addtounicode
- F fromunicode16
- F loadfile
- F loadline
- F makenameparser
- T overloads
- T IJ
- N mess
- S name
- T unicode
- T f\_f
- N mess
- S name

T unicode  
 T f\_f\_i  
 N mess  
 S name  
 T unicode  
 T f\_f\_l  
 N mess  
 S name  
 T unicode  
 T f\_i  
 N mess  
 S name  
 T unicode  
 T f\_j  
 S name  
 T unicode  
 T f\_k  
 S name  
 T unicode  
 T f\_l  
 N mess  
 S name  
 T unicode  
 T i\_j  
 N mess  
 S name  
 T unicode  
 F reset  
 F tounicode  
 F tounicode16  
 F tounicode16sequence  
**metapost**                      table  
 F boundingbox  
 F boxtomp  
 F draw  
 F fill  
 F maxbounds  
 F output  
 F paths  
 F widthline  
 F zeroline  
**mp**                              table  
 D cache  
 B inline

N version  
**names**                      data table  
**nulldata**                      data table  
**protrusions**                      data table  
**readers**                      table  
 F afm  
 F check\_lua  
 F check\_tfm  
 F lua  
 F ofm  
 F opentype  
 F otf  
 F pfb  
 D sequence  
 F tfm  
 F ttc  
 F ttf  
 F woff  
**reserveid**                      function  
**select**                      table  
 D alternatives  
 F bodyfont  
 D data  
 F default  
 D defaults  
 F definefallbackfamily  
 F definefontfamily  
 F definefontfamilypreset  
 D extras  
 F fallback  
 D fallbacks  
 F features  
 F filefallback  
 F fontdata  
 F fontfallback  
 F fontsynonym  
 F goodies  
 F mathfallback  
 D methods  
 D presets  
 F registerfallback  
 F registerfiles  
 F registerfontalternative  
 F registerfontfamily

F textfallback	
F typeface	
F typescript	
F userdata	
<b>setdiscexpansion</b>	function
<b>specifiers</b>	table
D contextmerged	
F contextnumber	
D contextnumbers	
D contextsetups	
F contexttostring	
F definecontext	
F mergecontext	
F presetcontext	
F registercontext	
F showcontext	
F splitcontext	
D synonyms	
D variants	

<b>symbols</b>	table
T emoji	
F checked	
F resolved	
F uselibrary	
<b>tables</b>	table
D data	
F savefont	
F saveoriginal	
<b>tracers</b>	table
<b>treatments</b>	table
F applyfixes	
D data	
S filename	
F ignoredfile	
F report	
F trace	
<b>typefaces</b>	table

# functions (context)

**dummy** function

# graphics (context)

**backgrounds** table

F fetchmultipar

F pair

F path

F point



## gzip (extra lua)

**close**    function

**lines**    function

**load**    function

**open**    function

**save**    function

**suffix**    function

## img (basic tex)

<b>boxes</b>	function
<b>check</b>	function
<b>checksize</b>	function
<b>clone</b>	function
<b>copy</b>	function
<b>immediatewrite</b>	function
<b>keys</b>	function
<b>new</b>	function
<b>node</b>	function

<b>ofindex</b>	function
<b>package</b>	function
<b>print</b>	function
<b>scan</b>	function
<b>serialize</b>	function
<b>totable</b>	function
<b>types</b>	function
<b>write</b>	function

# interactions (context)

**attachments** data table

**fields** table

F clone

F define

F defineset

F insert

**general** table

F getidentity

F setupidentity

**help** table

F collect

F reference

F register

**javascripts** table

F addtopreamble

F code

D codes

F flushpreambles

D functions

D preambles

F setpreamble

F storecode

F storepreamble

F usepreamblenow

F usescripts

**linkedList** data table

**pages** table

F setpagetransition

F setupcanvas

**references** table

F setcloseddocument

F setclosepage

F setopendocument

F setopenpage

**renderings** data table

**soundclips** data table

# interfaces (context)

<b>addvalidkeys</b>	function	F MPpardata
<b>cachedsetups</b>	data table	F MPplus
<b>cachesetup</b>	function	F MPpos
<b>checkedspecification</b>	function	F MPposset
<b>complete</b>	data table	F MPr
<b>constants</b>	data table	F MPrest
<b>corenamespaces</b>	data table	F MPrs
<b>currentinterface</b>	string	F MPul
<b>currentresponse</b>	string	F MPur
<b>definecommand</b>	function	F MPw
<b>defined</b>	function	F MPwhd
<b>doifelsemessage</b>	function	F MPx
<b>elements</b>	data table	F MPxy
<b>formats</b>	data table	F MPxywhd
<b>getcheckedparameters</b>	function	F MPy
<b>getmessage</b>	function	F Romannumerals
<b>getnamespace</b>	function	F abjadnodotnumerals
<b>getsetupstring</b>	function	F abjadnumerals
<b>hashedsetups</b>	data table	F adaptfontfeature
<b>implement</b>	function	F addcounter
<b>interfacedcommand</b>	function	F addfeature
<b>interfaces</b>	table	F addgrapheme
<b>invalidkey</b>	function	F addlinklistelement
<b>message</b>	function	F addreplacements
<b>namespaces</b>	table	F addtocolumnset
F define		F addtojavascriptpreamble
F list		F addtolist
<b>registernamespace</b>	function	F addvalidinterfacekeys
<b>scanners</b>	table	F allinputpaths
F Alphabetic		F alphabetic
F Character		F analysefloatmethod
F Characters		F analyzeitemgroup
F MPLIBconvertoutlinetext		F analyzelist
F MPc		F analyzeregister
F MPd		F applypattern
F MPH		F applytobox
F MPll		F applytofirstcharacter
F MPLr		F assignbuffer
F MPLs		F autofinishstructurelevels
F MPn		F autonextspace
F MPp		F autonextstructurelevel

F autose setups	F btxhandle nocite
F autostarttext	F btxlastofrange
F autostoptext	F btxlistvariant
F averagecharwidth	F btxloaddefinitionfile
F bitmapimage	F btxloadjournallist
F blockcolumnset	F btxloadreplacementfile
F blockligatures	F btxoneorrange
F boxtostring	F btxpreparelistentries
F bposcolumn	F btxremapauthor
F bposcolumnregistered	F btxsavedataset
F btxabbreviatedjournal	F btxsavejournallist
F btxaddentry	F btxsetdataset
F btxaddjournal	F btxsetentry
F btxauthor	F btxsetregister
F btxauthorfield	F btxsetspecification
F btxauthorortoregister	F btxsingularorplural
F btxcollectlistentries	F btxtoregister
F btxcurrentfirstnames	F btxusedataset
F btxcurrentinitials	F btxuservariable
F btxcurrentjuniors	F buildtextaccent
F btxcurrentsurnames	F character
F btxcurrentvons	F characters
F btxdetail	F chardescription
F btxdirect	F checkcolumnset
F btxdoif	F checkcountersetup
F btxdoifelse	F checkedconversion
F btxdoifelsecombiinlist	F checkedemoji
F btxdoifelsesameasprevious	F checkedpagefloat
F btxdoifelseuservariable	F checkinjector
F btxdoifnot	F checkinterfacechain
F btxexpandedjournal	F checktwopassdata
F btxfetchlistentries	F chemicalcomponent
F btxfield	F chinesenumerals
F btxfieldname	F cleanfontname
F btxfieldtype	F cleanupbox
F btxfirstofrange	F cleanupplayers
F btxflush	F clonefield
F btxflushlistcombi	F collectfloat
F btxflushlistentry	F collecthelp
F btxflushmarked	F colorcomponents
F btxflushpages	F columnsetcurrentcolumn
F btxfoundname	F columnsetgoto
F btxfoundtype	F columnsetnoto
F btxhandlecite	F concatcommalist

F consultfloat	F definefontcolorpalette
F convertbtxdatasettoxml	F definefontfamily
F converteddimen	F definefontfamilypreset
F convertmpstopdf	F definefontfeature
F copyboxfromcache	F definefontsolution
F copyposition	F definehyphenationfeatures
F cos	F defineinsertion
F cosd	F defineintermediatecolor
F countervalue	F definelabels
F counttwopassdata	F definelanguage
F currentcomponent	F definelinefiller
F currentdate	F definelinkedlist
F currentdesignsize	F definemarking
F currentenvironment	F definemetafont
F currentfontinstancespec	F definemultitonecolorglobal
F currentpostthyphenchar	F definenamespace
F currentprehyphenchar	F definenote
F currentproduct	F defineparallel
F currentproject	F defineparbuilder
F currentreferenceorder	F defineprocesscolordummy
F currentsectiontolist	F defineprocesscolorglobal
F datasetvariable	F defineprocesscolorlocal
F dayname	F defineprogram
F decimals	F definereference
F decrementcounter	F defineregister
F decrementedcounter	F definerule
F decrementsubcounter	F definesectionlevels
F defineaccents	F defineshift
F defineattribute	F definesnapmethod
F definebreakpoint	F definespotcolorglobal
F definebreakpoints	F definestructureblock
F definecharacterspacing	F definestructureset
F definechemical	F definetransparency
F definecolumnset	F definetransparencyglobal
F defineconversion	F definetwopasslist
F definecounter	F definetypeface
F definedlayoutcomponent	F defineviewerlayer
F definefallbackfamily	F depthnumber
F definefield	F digits_normal
F definefieldset	F digits_reverse
F definefilefallback	F directboxfromcache
F definefilesynonym	F directcopyboxfromcache
F definefont_one	F disableautofontscript
F definefont_two	F disabledirectives

F disableexperiments	F doifelseparentfile
F disablejobsave	F doifelsepathexist
F disableparbuilder	F doifelseposition
F disableregime	F doifelsepositiononpage
F disablespellchecking	F doifelsepositionsonsamepage
F disablestatetriggering	F doifelsepositionsonthispage
F disablestream	F doifelsepositionsused
F disabletrackers	F doifelserangeonpage
F discardfromlist	F doifelsereference
F doanalyzeframedbox	F doifelserightttoleftinbox
F doifcommon	F doifelsesame
F doifcounter	F doifelsestackedfloats
F doifelseblack	F doifelsesynonymshown
F doifelseboxincache	F doifelsesynonymused
F doifelsebuffer	F doifelseurldefined
F doifelsecharinfont	F doifelseutfmathabove
F doifelsecommon	F doifelseutfmathaccent
F doifelsecontinewithfile	F doifelseutfmathbelow
F doifelseconverter	F doifelseutfmathfiller
F doifelsecounter	F doifelseutfmathlimop
F doifelsecurrentfonthasfeature	F doifelsevisualizer
F doifelsedrawingblack	F doiffieldsetelse
F doifelsefieldcategory	F doifinset
F doifelsefiledefined	F doifnotcommon
F doifelsefileexist	F doifnotcounter
F doifelsefirstchar	F doifnotecontent
F doifelsefontpresent	F doifnoteonsamepageasprevious
F doifelseinelement	F doifnotinset
F doifelseinputfile	F doifnotsame
F doifelseinset	F doifposition
F doifelseintwopassdata	F doifsame
F doifelseleapyear	F doprocesstypescriptfile
F doifselisthasentry	F doreshapeframedbox
F doifselisthasnumber	F dosaveposition
F doifselisthaspage	F dosavepositionplus
F doifselisthastitle	F dosavepositionwhd
F doifselocfile	F dosetposition
F doifelsemarking	F dosetpositionbox
F doifelsemessage	F dosetpositionplus
F doifelseobject	F dosetpositionstrut
F doifelseobjectreference	F dosetpositionstrutkind
F doifelseolderversion	F dosetpositionwhd
F doifelseoverlapping	F dostarttextfile
F doifelseparallel	F dostoptextfile

F elapsedtime	F fetchonemark
F enableasciimode	F fetchposboxes
F enableautofences	F fetchtwomarks
F enableautofontscript	F figure_check
F enablebackgroundalign	F figure_done
F enablebackgroundboxes	F figure_dummy
F enablecolor	F figure_flush_registered_pages
F enablecolorintents	F figure_identify
F enablecrlf	F figure_include
F enabledirectives	F figure_mergegoodies
F enableexperiments	F figure_nof_registered_pages
F enablefontcolorsschemes	F figure_pop
F enableinteraction	F figure_push
F enablelinefillers	F figure_register_page
F enableparbuilder	F figure_reset
F enableregime	F figure_scale
F enablerules	F figurefilename
F enableshifts	F figurefilepath
F enablespellchecking	F figurefiletype
F enablestatetriggering	F figurerequest
F enablestream	F figuresetdimensions
F enabletrackers	F figurestatus
F enabletransparency	F figureused
F enableutf	F filterdefaultreference
F enhancelinkedlist	F filterreference
F enhancelist	F finalizebox
F enhancereference	F findregisterinternal
F enhanceregister	F findtwopassdata
F eposcolumn	F finishcolumnsetflush
F eposcolumnregistered	F finishexport
F erasebuffer	F firstcountervalue
F execute	F firstinset
F expandcurrentreference	F firstsubcountervalue
F exportformdata	F flushcolumnsetareas
F exportreferences	F flushcolumnsetcolumn
F extendregister	F flushcolumnsetrest
F extensiblecode	F flushfloat
F fakenextstrutline	F flushlabeledfloat
F fakeword	F flushnotes
F featureattribute	F flushpageinjectionsafter
F featurelist	F flushpageinjectionsbefore
F feedback	F flushpostponedblocks
F fetchallmarks	F flushpostponednotes
F fetchmultipar	F flushstream



F flushstreamcopy	F getmessage
F fontchar	F getmpextensions
F fontcharbyindex	F getnaturaldimensions
F fontcollectionclone	F getnaturalwd
F fontcollectiondefine	F getnotestate
F fontcollectionprepare	F getobjectdimensions
F fontcollectionregister	F getobjectreference
F fontcollectionreport	F getobjectreferencepage
F fontcollectionreset	F getprivatechar
F fontlookupgetkey	F getprivateglyphslot
F fontlookupgetkeyofindex	F getprivatemathchar
F fontlookupinitialize	F getprivateslot
F fontlookupnoffound	F getprogram
F forceendjob	F getrandomdimen
F forcequitjob	F getrandomfloat
F formatcolor	F getrandomnumber
F formatgray	F getrandomseed
F from	F getreadfilename
F frule	F getsetupstring
F getbidimode	F getsomefullstructurenumber
F getbodyfontsizes	F getsomestructurenumber
F getboxfromcache	F getspecificstructuretitle
F getbuffer	F getstructurelevel
F getbuffercxtlua	F getstructurenumber
F getbuffermkvi	F getsubstring
F getcheckedinterfaceparameters	F gettexbuffer
F getcurrentprefixspec	F gettwopassdata
F getcurrentreferencemetadata	F gettwopassdatalist
F getdefaultfieldvalue	F geturl
F getdocumentargument	F getvisual
F getdocumentfilename	F hboxtovbox
F getelementtag	F helpaction
F getfieldcategory	F helpreference
F getfile	F hexstringtonumber
F getfirstcharacter	F horizontalcode
F getfirsttwopassdata	F hour
F getfloatvariable	F hyphenatedlist
F getfullstructurenumber	F hyphenatedurl
F getinternalcachedlistreference	F immediatemessage
F getinternallistreference	F incrementcounter
F getlasttwopassdata	F incrementedcounter
F getmarking	F incrementsubcounter
F getmathdomain	F initializejob
F getmathitalics	F initializemathdomain

F initializemathitalics	F loadfontgoodies
F initializemathkernpairs	F loadluamodule
F initializestream	F loadmapfile
F initializetexdirectives	F loadmapline
F initializetexttrackers	F loadspellchecklist
F injectcurrentreference	F loadtypescriptfile
F injectcurrentreferencehtdp	F loadvisualizer
F injectreference	F locatefilepath
F inlinechemical	F locfilename
F inputfilebarename	F lower
F inputfilename	F lpdf_adddocumentcolorspace
F inputfilerealsuffix	F lpdf_adddocumenttextgstate
F inputfilesuffix	F lpdf_adddocumentpattern
F insertattachment	F lpdf_adddocumentshade
F insertcomment	F lpdf_addtocatalog
F insertfield	F lpdf_addtoinfo
F insertionnumber	F lpdf_addtonames
F insertrenderingwindow	F lpdf_addtopageattributes
F installedlanguages	F lpdf_addtopageresources
F installtexdirective	F lpdf_addtopagesattributes
F installtextracker	F lpdf_collectedresources
F jobfilefullname	F lpdf_color
F jobfilename	F luascript
F jobfilesuffix	F luathread
F languagenumber	F lxmlid
F lastcountervalue	F markcontent
F lastlinewidth	F markingnumber
F lastsubcountervalue	F markingtitle
F lchexnumber	F markinjector
F lchexnumbers	F markregionbox
F leapyear	F markregionboxcorrected
F linenumbersstageone	F markregionboxtagged
F linenumbersstagetwo	F markregionboxtaggedkind
F listgroupindex	F markvisualfonts
F listlabel	F mathfraction
F listlocation	F mathrenderset
F listnamespaces	F message
F listprefixednumber	F metapostescaped
F listprefixedpage	F metapostformatted
F listrealpage	F metapostgraphformat
F listsize	F minute
F listtitle	F mixcleanup
F listuserdata	F mixfinalize
F loadexamodes	F mixflushlist

F mixflushrest	F number
F mixgetsplit	F numbers
F mixsetsplit	F octnumber
F mixstate	F octstringtonumber
F molecule	F operatingsystem
F month	F ordinal
F monthnm	F outputfilename
F monthname	F overloadbookmark
F mpcolor	F overloaderror
F mpflushliteral	F overloadlowercase
F mpflushreset	F overloaduppercase
F mpgettext	F pageofinternal
F mpgraphic	F pagestaterealpage
F mpoptions	F parpos
F mppopvariables	F pdfannot
F mppushvariables	F pdfdest
F mprunset	F pdfrotation
F mpruntab	F pdfstartmatrix
F mprunvar	F pdfstartmirroring
F mpsetclippath	F pdfstartrotation
F mpsetoutercolor	F pdfstartscaling
F mpsetsxxy	F pdfstopmatrix
F mpsettext	F pdfstopmirroring
F mptexget	F pdfstoprotation
F mptexreset	F pdfstopscaling
F mptexset	F percentageof
F mptexsetfrombuffer	F pgfxcolorspec
F namedstructureuservariable	F pickupbuffer
F namedstructurevariable	F pickupmarkedcontent
F naturalwd	F pickuppunctuation
F nbfs	F placeparallel
F negatedcolorcomponent	F popfloat
F nextcountervalue	F pophyphenation
F nextparallel	F popitaliccorrection
F nextsubcountervalue	F poplist
F nofconversions	F poppath
F nofdays	F poprandomseed
F nofstackedfloats	F popreferenceprefix
F notedeltapage	F popregime
F noteinternal	F popsectionblock
F notelistindex	F postponeotes
F noteprefixednumber	F prefixedconverted
F notetitle	F prepareMPvariable
F ntimes	F preparecolumnsetflush

F presetmathalternate	F registerbodyfontsize
F presetsymbolist	F registerbookmark
F presettabulate	F registerbuttons
F previouscountervalue	F registercolorintent
F previoussubcountervalue	F registercolumnsetarea
F processbodyfontsizes	F registeredviewerlayer
F processbuffer	F registerfigurepattern
F processcolorcomponents	F registerfiguresuffix
F processedfile	F registerfontalternative
F processedfiles	F registerfontfallbackid
F processfile	F registerfontfamily
F processfilemany	F registerhelp
F processfilenone	F registerhyphenationexception
F processfileonce	F registerhyphenationpattern
F processjob	F registeritemgroup
F processlist	F registerlanguagefeatures
F processregister	F registerlinenumbering
F processsplit	F registermaintextcolor
F processsynonyms	F registermpyfile
F profilebox	F registernamedlua
F purefontname	F registernamespace
F pushfloat	F registerobject
F pushhyphenation	F registerpattern
F pushitaliccorrection	F registerpostponedblock
F pushlist	F registerreferencedobject
F pushpath	F registerrendering
F pushrandomseed	F registersection
F pushreferenceprefix	F registershownsynonym
F pushregime	F registerstructureprocessor
F pushsectionblock	F registersynonym
F pushstream	F registerunit
F putboxincache	F registerusedsynonym
F putincolumnset	F registeruserdata
F rawcharacter	F relatemarking
F rawcountervalue	F renderingvar
F rawdate	F replacefeature
F rawsetupstring	F replacepospxywhd
F rawsubcountervalue	F reportstructure
F referencepagedetail	F resavefloat
F referencepagestate	F resetboxesincache
F referencerealpage	F resetcharacteralign
F registerattachment	F resetcolumnset
F registerbackendsymbol	F resetcounter
F registerbackground	F reseteffect

F resetfeature	F savefont
F resetfontfeature	F savemargindata
F resetfontsolution	F savenote
F resetinjector	F savepagedata
F resetitaliccorrection	F savepageinjections
F resetmapfiles	F saveparallel
F resetmarking	F savespecificfloat
F resetmathattributes	F savestructureblock
F resetmathhang	F savetaggedtwopassdata
F resetmathitalics	F savetwopassdata
F resetnullfont	F savevariable
F resetparallel	F second
F resetpath	F selectstructureblock
F resetprevdepth	F setactivecatcodes
F resetreference	F setbreakpoints
F resetscript	F setcharacteralign
F resetshownsynonyms	F setcharactercasing
F resetstructureprocessor	F setcharactercleaning
F resetsubcounter	F setcharacterkerning
F resettimer	F setcharacterspacing
F resettrackers	F setcharacterstripping
F resetusedsynonyms	F setcloseddocumentaction
F resolvedemoji	F setclosepageaction
F restartcounter	F setcolormodel
F restartsubcounter	F setcolumnsetarea
F restorecounter	F setcolumnsetlines
F restorecurrentattributes	F setcolumnsetproperties
F restorenote	F setcolumnsetstart
F restoreobject	F setcounter
F reuserandomseed	F setdataset
F revivefeature	F setdestinationattribute
F romannumerals	F setdigitsmanipulation
F rounded	F setdirection
F ruby	F setdocumentargument
F runbuffer	F setdocumentcommandline
F runcontextjob	F setdocumentctxfile
F safechar	F setdocumentdefaultargument
F savebuffer	F setdocumentenvironments
F savecounter	F setdocumentfilename
F savecurrentattributes	F setdocumentfilenames
F savedlistnumber	F setdocumentmodes
F savedlistprefixednumber	F setdocumentmodules
F savedlisttitle	F seteffect
F savefloat	F setelementuserproperties

F setextrafontkerns	F setmpextensions
F setfieldcalculationset	F setnaturalwd
F setfigurelookuporder	F setnegative
F setfigurepaths	F setnextinternalreference
F setfirstline	F setnextreferenceorder
F setfontfeature	F setnotestate
F setfontofid	F setopendocumentaction
F setfontsolution	F setopenpageaction
F setformat	F setowncounter
F setformsmethod	F setownsubcounter
F sethsizecolumnset	F setpagecolormodel
F sethsizecolumnspan	F setpagestate
F sethyphenatedurlcharacters	F setpagestaterealpageno
F sethyphenationfeatures	F setpagetransition
F sethyphenationmethod	F setparbuilder
F setinitial	F setpdfcompression
F setinitialsectionblock	F setprofile
F setinjector	F setrandomseed
F setinnerreferencemethod	F setrealign
F setinsertionlocation	F setrealspaces
F setinterfaceconstant	F setreferencearguments
F setinterfaceelement	F setreferenceoperation
F setinterfacemessage	F setregionbox
F setinterfacemessages	F setregionboxtagged
F setinterfacevariable	F setregistermethod
F setinternalreference	F setreplacements
F setitaliccorrection	F setruby
F setjavascriptpreamble	F setscript
F setjobcomment	F setsectionblock
F setlanguageexceptions	F setsectionentry
F setlanguagesynonym	F setstructureblockstate
F setlettercatcodes	F setstructurelevel
F setmapfile	F setstructurenumber
F setmapline	F setsubcounter
F setmarking	F settagaspect
F setmathalphabet	F settagcombination
F setmathalternate	F settagdelimitedsymbol
F setmathattribute	F settagfigure
F setmathdirection	F settaggedmetadata
F setmathdomain	F settaghighlight
F setmathhang	F settagitem
F setmathitalics	F settagitemgroup
F setmathpenalties	F settaglist
F setmathstyle	F settagnotation

F settagnotationsymbol	F specifiedfont
F settagproperty	F specifiedfontsize
F settagproperty_b	F specifiedfontspec
F settagproperty_n	F splitfilename
F settagregister	F spotcolorname
F settagsorting	F spotcolorparent
F settagsubsentencesymbol	F spotcolorvalue
F settagsynonym	F startactualtext
F settagtablecell	F startchemical
F settagtabulatecell	F startcolorset
F setupbookmarks	F startcomponent
F setupcanvas	F startenvironment
F setupcharacterspacing	F startfontsolution
F setupexport	F startparbuilder
F setupfontexpansion	F startproduct
F setupfontprotrusion	F startproject
F setupidentity	F startregime
F setupinsertion	F startruby
F setupitaliccorrection	F startsectionlevel
F setuplinenumbers	F startstream
F setuserinterface	F starttag
F setvalidinterfacekeys	F starttag_c
F setvisual	F starttag_d
F setvisualfont	F starttag_u
F setvisuallayer	F starttext
F setvisuals	F startviewerlayer
F setvsizecolumnset	F step
F setxmpfile	F stopactualtext
F showassignerror	F stopchemical
F showattributes	F stopcolorset
F showcounter	F stopcomponent
F showdebuginfo	F stopenvironment
F showdirectives	F stopfontsolution
F showdiscretionaries	F stopparbuilder
F showexperiments	F stopproduct
F showhyphenatedinlist	F stopproject
F showhyphenationtrace	F stopregime
F showinjector	F stopsectionlevel
F showjustification	F stopstream
F showlogcategories	F stoptag
F showmessage	F stoptext
F showtrackers	F stopviewerlayer
F sin	F storejavascriptcode
F sind	F storejavascriptpreamble

F storenote	F transparencycomponents
F storeregister	F triggerpagebuilder
F strdp	F truefilename
F strhd	F truefontname
F strht	F type
F strip	F typebuffer
F structureautocatcodedget	F typefile
F structurecatcodedget	F typesetbuffer
F structuregivencatcodedget	F uchar
F structurenumber	F uchexnumber
F structuretitle	F uchexnumbers
F structureuservariable	F undefinechemical
F structurevariable	F unicodechar
F strwd	F unihex
F subcountervalue	F unit_normal
F subcountervalues	F unit_reverse
F subsubcountervalues	F unloadlanguage
F subtractfeature	F upper
F synccolor	F useMPLibrary
F synccolorclone	F useanyfile
F synccolorcount	F useanyfileonce
F synchronizemarking	F usecldfilename
F synchronizestream	F usecldfilenameonce
F synctexblockfilename	F usecolors
F synctexdisable	F usecomponent
F synctexenable	F useenvironment
F synctexpause	F usefigurebase
F synctexresetfilename	F usefile
F synctexresume	F usejavascriptpreamble
F synctexsetfilename	F usejavascriptscripts
F synonymmeaning	F useluafile
F synonymname	F useluafileonce
F systemlog	F useluamodule
F tagmfunctionlab	F usemodules
F tagmfunctiontxt	F usepath
F tan	F useproduct
F tand	F useproject
F texdefinition_one	F usesubpath
F texdefinition_two	F usesymbols
F textime	F usetexfile
F thefirstcharacter	F usetexfileonce
F themaxboxwidth	F useurl
F theremainingcharacters	F usexmlfile
F tochar	F usexmlfileonce



F usezipfile	F xmlapplyselectors
F utfchar	F xmlatt
F utfmathclass	F xmlattdef
F utfmathcommand	F xmlattribute
F utfmathcommandabove	F xmlattributedef
F utfmathcommandbelow	F xmlbadinclusions
F utfmathcommandfiller	F xmlbeforesetup
F utfmathfiller	F xmlchainatt
F utfmathstretch	F xmlchainattdef
F vboxliststohbox	F xmlchecknamespace
F verbose	F xmlcommand
F vspacing	F xmlconcat
F vspacingcollapse	F xmlconcatrange
F vspacingcollapseonly	F xmlcontext
F vspacingdefine	F xmlcount
F vspacingsetamount	F xmldelete
F vspacingsnap	F xmldirect
F way	F xmldirectives
F weekday	F xmldirectivesafter
F weekdayname	F xmldirectivesbefore
F writestatus	F xmldisplayverbatim
F x_table_c	F xmldoif
F x_table_cleanup	F xmldoifelse
F x_table_construct	F xmldoifelseempty
F x_table_create	F xmldoifelseselfempty
F x_table_finish_row	F xmldoifelsetext
F x_table_flush	F xmldoifempty
F x_table_init_construct	F xmldoifnot
F x_table_init_reflow_height	F xmldoifnotempty
F x_table_init_reflow_height_option	F xmldoifnotselfempty
F x_table_init_reflow_width	F xmldoifnottext
F x_table_init_reflow_width_option	F xmldoifselfempty
F x_table_next_row	F xmldoiftext
F x_table_next_row_option	F xmlelement
F x_table_r	F xmlfilter
F x_table_reflow_height	F xmlfilterlist
F x_table_reflow_width	F xmlfirst
F x_table_set_construct	F xmlflush
F x_table_set_reflow_height	F xmlflushcontext
F x_table_set_reflow_width	F xmlflushlinewidth
F xmladdindex	F xmlflushpure
F xmlafterssetup	F xmlflushsetups
F xmlall	F xmlflushspacewise
F xmlappendsetup	F xmlflushstext

F xmlfunction	F xmlsnippet	
F xmlgetindex	F xmlstartraw	
F xmlinclude	F xmlstarttiming	
F xmlincludeoptions	F xmlstopraw	
F xmlinclusion	F xmlstoptiming	
F xmlinclusions	F xmlstrip	
F xmlindex	F xmlstripanywhere	
F xmlinlineverbatim	F xmlstripnolines	
F xmlinstalldirective	F xmlstripped	
F xmllast	F xmlstrippednolines	
F xmllastatt	F xmltag	
F xmllastmatch	F xmltexentity	
F xmlload	F xmltext	
F xmlloadbuffer	F xmltobuffer	
F xmlloaddata	F xmltobufferverbose	
F xmlloaddirectives	F xmltofile	
F xmlloadentities	F xmltoparameters	
F xmlmain	F xmlverbatim	
F xmlmatch	F xmlwithindex	
F xmlname	F year	
F xmlnamespace	<b>setconstant</b>	function
F xmlnonspace	<b>setcount</b>	function
F xmlpath	<b>setdimen</b>	function
F xmlpopmatch	<b>setelement</b>	function
F xmlpos	<b>setformat</b>	function
F xmlprependsetup	<b>setmacro</b>	function
F xmlpure	<b>setmessage</b>	function
F xmlpushmatch	<b>setmessages</b>	function
F xmlraw	<b>settranslation</b>	function
F xmlrawtex	<b>setupstrings</b>	data table
F xmlrefatt	<b>setuserinterface</b>	function
F xmlregisters	<b>setvalidkeys</b>	function
F xmlremapname	<b>setvariable</b>	function
F xmlremapnamespace	<b>showmessage</b>	function
F xmlremovesetup	<b>storedscanners</b>	data table
F xmlresetinjectors	<b>strings</b>	table
F xmlresetsetup	<b>syntax</b>	data table
F xmlsave	<b>tolist</b>	function
F xmlsetcommandtonone	<b>translations</b>	data table
F xmlsetcommandtotext	<b>usednamespaces</b>	data table
F xmlsetentity	<b>variables</b>	data table
F xmlsetinjectors	<b>writestatus</b>	function
F xmlsetsetup		

## io (basic lua)

<b>ask</b>	function	<b>pathseparator</b>	string
<b>bytes</b>	function	<b>popen</b>	overloaded function
<b>characters</b>	function	<b>read</b>	function
<b>close</b>	function	<b>readall</b>	function
<b>copydata</b>	function	<b>readnumber</b>	function
<b>exists</b>	function	<b>readstring</b>	function
<b>fileseparator</b>	string	<b>saved_lines</b>	function
<b>flush</b>	function	<b>savedata</b>	function
<b>input</b>	overloaded function	<b>size</b>	function
<b>lines</b>	overloaded function	<b>stderr</b>	userdata
<b>loadchunk</b>	function	<b>stdin</b>	userdata
<b>loaddata</b>	function	<b>stdout</b>	userdata
<b>loadlines</b>	function	<b>tmpfile</b>	function
<b>noflines</b>	function	<b>type</b>	function
<b>open</b>	overloaded function	<b>write</b>	function
<b>output</b>	overloaded function		

# job (context)

<b>comment</b>	function	F define	
<b>datasets</b>	table	F find	
D collected		F first	
F extend		F get	
F getdata		F getcollected	
F setdata		F getdata	
D tobesaved		F getfield	
<b>disablesave</b>	function	F gettobesaved	
<b>fileobjreferences</b>	table	F inlist	
D collected		F last	
D tobesaved		F list	
<b>files</b>	table	F save	
D collected		F savetagged	
F context		D tobesaved	
B forcerun		<b>positions</b>	table
F run		F b_column	
D tobesaved		F b_region	
<b>getrandomseed</b>	function	F c	
<b>initialize</b>	function	D collected	
<b>load</b>	function	F column	
<b>loadother</b>	function	F copy	
<b>objects</b>	table	F depth	
D collected		F e_column	
F get		F e_region	
F number		F enhance	
F page		F extra	
F save		T free	
F set		F get	
D tobesaved		F getreserved	
<b>pack</b>	boolean	F gettobesaved	
<b>packversion</b>	number	F hangafter	
<b>pagestates</b>	table	F hangindent	
D collected		F height	
F extend		F hsize	
F realpage		F leftskip	
F setstate		F lowerleft	
D tobesaved		F lowerright	
<b>passes</b>	table	F markregionbox	
F check		F n	
D collected		F onsamepage	
F count		F overlapping	

F p	F y	
T page	<b>register</b>	function
F paragraph	<b>save</b>	function
F parindent	<b>structure</b>	table
F position	D collected	
F r	T components	
F region	T tobesaved	
F replace	T branches	
F rightskip	S name	
F set	S type	
F setall	<b>variables</b>	table
F setregionbox	D checksums	
D tobesaved	D collected	
F upperleft	F getchecksum	
F upperright	F makechecksum	
S used	F restore	
F whd	F save	
F width	F setchecksum	
F x	D tobesaved	
F xy	<b>version</b>	number

## lang (basic tex)

<b>clean</b>	function
<b>clear_hyphenation</b>	function
<b>clear_patterns</b>	function
<b>exceptions</b>	function
<b>gethjcode</b>	function
<b>hyphenate</b>	function
<b>hyphenation</b>	function
<b>hyphenationmin</b>	function

<b>id</b>	function
<b>new</b>	function
<b>patterns</b>	function
<b>postexhyphenchar</b>	function
<b>posthyphenchar</b>	function
<b>preexhyphenchar</b>	function
<b>prehyphenchar</b>	function
<b>sethjcode</b>	function

# languages (context)

<b>associate</b>	function	<b>F registerpattern</b>	
<b>associated</b>	data table	<b>F setfeatures</b>	
<b>association</b>	function	<b>installed</b>	function
<b>counters</b>	data table	<b>labels</b>	table
<b>current</b>	function	<b>F define</b>	
<b>data</b>	data table	<b>F split</b>	
<b>decimals</b>	data table	<b>loadable</b>	function
<b>define</b>	function	<b>loadwords</b>	function
<b>expand</b>	function	<b>logger</b>	table
<b>flatten</b>	function	<b>F report</b>	
<b>frequencies</b>	table	<b>nofflatten</b>	function
<b>F averagecharwidth</b>		<b>numbers</b>	data table
<b>F getdata</b>		<b>postexhyphenchar</b>	function
<b>getdata</b>	function	<b>posthyphenchar</b>	function
<b>getnumber</b>	function	<b>preexhyphenchar</b>	function
<b>hjcounts</b>	table	<b>prehyphenchar</b>	function
<b>hyphenate</b>	function	<b>registered</b>	data table
<b>hyphenators</b>	table	<b>replacements</b>	table
<b>T dictionaries</b>		<b>F add</b>	
<b>D featuresets</b>		<b>F handler</b>	
<b>F handler</b>		<b>F set</b>	
<b>T methods</b>		<b>serializediscretionary</b>	function
<b>F expanded</b>		<b>setexceptions</b>	function
<b>B none</b>		<b>setsynonym</b>	function
<b>F original</b>		<b>showdiscretionaries</b>	function
<b>F tex</b>		<b>unload</b>	function
<b>F traditional</b>		<b>urls</b>	table
<b>F popmethod</b>		<b>D characters</b>	
<b>F pushmethod</b>		<b>N lefthyphenmin</b>	
<b>F setmethod</b>		<b>D mapping</b>	
<b>F setup</b>		<b>B packslashes</b>	
<b>F showhyphenationtrace</b>		<b>N righthyphenmin</b>	
<b>T traditional</b>		<b>F setcharacters</b>	
<b>F definefeatures</b>		<b>version</b>	number
<b>F gettrace</b>		<b>visualizediscretionaries</b>	function
<b>F hyphenate</b>		<b>words</b>	table
<b>F injecthyphens</b>		<b>F check</b>	
<b>F installmethod</b>		<b>T data</b>	
<b>F lasttrace</b>		<b>F disable</b>	
<b>F loadpatterns</b>		<b>F enable</b>	
<b>F registerexception</b>		<b>T enablers</b>	

B enables

T methods

F found

N threshold

F load



# layouts (context)

<b>status</b>	table	F leftorrightpageaction
	F isleftpage	

## lfs (extra lua)

<b>attributes</b>	overloaded function	<b>mkdirs</b>	function
<b>chdir</b>	overloaded function	<b>readlink</b>	overloaded function
<b>currentdir</b>	function	<b>rmdir</b>	overloaded function
<b>dir</b>	overloaded function	<b>setmode</b>	overloaded function
<b>isdir</b>	overloaded function	<b>shortname</b>	overloaded function
<b>isfile</b>	overloaded function	<b>symlinkattributes</b>	overloaded function
<b>lock</b>	function	<b>touch</b>	overloaded function
<b>lock_dir</b>	overloaded function	<b>unlock</b>	function
<b>mkdir</b>	overloaded function		

## libraries (context)

**basiclua** data table

**basictex** data table

**builtin** data table

**extralua** data table

**extratex** data table

**functions** data table

**globals** data table

## lmx (context)

<b>color</b>	function
<b>convert</b>	function
<b>convertfile</b>	function
<b>convertstring</b>	function
<b>einject</b>	function
<b>eprint</b>	function
<b>escape</b>	function
<b>finalized</b>	function
<b>finject</b>	function
<b>fprint</b>	function
<b>get</b>	function
<b>getvariables</b>	function
<b>htmfile</b>	function
<b>html</b>	table
F a	
F td	
F th	
<b>include</b>	function
<b>inherited</b>	table
S color-background-four	
S color-background-one	
S color-background-three	
S color-background-two	
S title	
<b>initialize</b>	function
<b>inject</b>	function
<b>lmxfile</b>	function

<b>loadedfile</b>	function
<b>make</b>	function
<b>new</b>	function
<b>overloaderror</b>	function
<b>popupfile</b>	function
<b>print</b>	function
<b>pv</b>	function
<b>report</b>	function
<b>reset</b>	function
<b>result</b>	function
<b>set</b>	function
<b>show</b>	function
<b>showdebuginfo</b>	function
<b>showerror</b>	function
<b>stripcss</b>	function
<b>tv</b>	function
<b>type</b>	function
<b>urlescape</b>	function
<b>variable</b>	function
<b>variables</b>	table
S color-background-blue	
S color-background-body	
S color-background-green	
S color-background-main	
S color-background-purple	
S color-background-yellow	
S title-default	

# logs (context)

<b>application</b>	function
<b>categories</b>	function
<b>direct</b>	function
<b>disable</b>	function
<b>enable</b>	function
<b>exporters</b>	table
<b>extendbanner</b>	function
<b>flush</b>	function
<b>help</b>	function
<b>messenger</b>	function
<b>new</b>	function
<b>newline</b>	function
<b>poptarget</b>	function
<b>pushtarget</b>	function
<b>report</b>	function
<b>reportbanner</b>	function
<b>reporter</b>	function
<b>reporters</b>	table
F banner	
F export	
F help	
F info	
F lines	
F version	
<b>reportline</b>	function

<b>reportlines</b>	function
<b>setformats</b>	function
<b>setformatters</b>	function
<b>setlogfile</b>	function
<b>setmessenger</b>	function
<b>setprocessor</b>	function
<b>setprogram</b>	function
<b>settarget</b>	function
<b>settimedlog</b>	function
<b>settranslations</b>	function
<b>show</b>	function
<b>show_close</b>	function
<b>show_load</b>	function
<b>show_open</b>	function
<b>simple</b>	function
<b>simpleline</b>	function
<b>simplelines</b>	function
<b>start_page_number</b>	function
<b>status</b>	function
<b>stop_page_number</b>	function
<b>subdirect</b>	function
<b>subreport</b>	function
<b>system</b>	function
<b>texerrormessage</b>	function
<b>writer</b>	function

# lpdf (context)

<b>action</b>	function	<b>finalizedocument</b>	function
<b>adddocumentcolorspace</b>	function	<b>finalizepage</b>	function
<b>adddocumenttextgstate</b>	function	<b>finishtransparencycode</b>	function
<b>adddocumentpattern</b>	function	<b>flushobject</b>	function
<b>adddocumentshade</b>	function	<b>flushstreamfileobject</b>	function
<b>addtocatalog</b>	function	<b>flushstreamobject</b>	function
<b>addtoinfo</b>	function	<b>formats</b>	data table
<b>addtonames</b>	function	<b>frompdfdoc</b>	function
<b>addtopageattributes</b>	function	<b>fromsixteen</b>	function
<b>addtopageresources</b>	function	<b>gethpos</b>	function
<b>addtopagesattributes</b>	function	<b>getmatrix</b>	function
<b>addtxmpinfo</b>	function	<b>getpos</b>	function
<b>annotationspecification</b>	function	<b>getvpos</b>	function
<b>array</b>	function	<b>graycode</b>	function
<b>boolean</b>	function	<b>hasmatrix</b>	function
<b>border</b>	function	<b>id</b>	function
<b>checkedkey</b>	function	<b>injecttxmpinfo</b>	function
<b>checkedvalue</b>	function	<b>inserttxmpinfo</b>	function
<b>circularshade</b>	function	<b>layerreference</b>	function
<b>cmykcode</b>	function	<b>limited</b>	function
<b>collectedresources</b>	function	<b>linearshade</b>	function
<b>color</b>	function	<b>nametree</b>	function
<b>colorspace</b>	function	<b>null</b>	function
<b>colorspaceconstants</b>	data table	<b>number</b>	function
<b>colorspec</b>	function	<b>pagereference</b>	function
<b>colorvalue</b>	function	<b>patternstream</b>	function
<b>colorvalues</b>	function	<b>pdfcolor</b>	function
<b>constant</b>	function	<b>pdftimestamp</b>	function
<b>delayedobject</b>	function	<b>permitdetail</b>	function
<b>destinationspecification</b>	function	<b>protectresources</b>	boolean
<b>dictionary</b>	function	<b>rectangle</b>	function
<b>docstring</b>	function	<b>reference</b>	function
<b>epdf</b>	table	<b>registerannotation</b>	function
F contenttotext		<b>registerdestination</b>	function
F expand		<b>registerdocumentfinalizer</b>	function
F expanded		<b>registerpagefinalizer</b>	function
F getpagecontent		<b>registerpattern</b>	function
F getstructure		<b>reserveobject</b>	function
F load		<b>rgbcode</b>	function
F unload		<b>rotationcm</b>	function
<b>escaped</b>	function	<b>setdates</b>	function

<b>settime</b>	function	<b>tosixteen</b>	function
<b>settrailerid</b>	function	<b>transform</b>	function
<b>shareobject</b>	function	<b>transparency</b>	function
<b>shareobjectreference</b>	function	<b>transparencycode</b>	function
<b>spotcode</b>	function	<b>transparencygroups</b>	table
<b>stream</b>	function	<b>B none</b>	
<b>string</b>	function	<b>transparencyvalue</b>	function
<b>timestamp</b>	function	<b>unicode</b>	function
<b>toeight</b>	function	<b>verbose</b>	function
<b>topdfdoc</b>	function		

## lpeg (basic lua)

<b>B</b>	function	<b>finder</b>	function
<b>C</b>	function	<b>firstofsplit</b>	function
<b>Carg</b>	function	<b>frontstripper</b>	function
<b>Cb</b>	function	<b>instrchecker</b>	function
<b>Cc</b>	function	<b>is_lpeg</b>	function
<b>Cf</b>	function	<b>keeper</b>	function
<b>Cg</b>	function	<b>locale</b>	function
<b>Cmt</b>	function	<b>match</b>	function
<b>Cp</b>	function	<b>oneof</b>	function
<b>Cs</b>	function	<b>patterns</b>	data table
<b>Ct</b>	function	<b>pcode</b>	function
<b>P</b>	function	<b>print</b>	function
<b>R</b>	function	<b>ptree</b>	function
<b>S</b>	function	<b>replacer</b>	function
<b>UP</b>	function	<b>secondofsplit</b>	function
<b>UR</b>	function	<b>setmaxstack</b>	function
<b>US</b>	function	<b>split</b>	function
<b>V</b>	function	<b>splitat</b>	function
<b>afterprefix</b>	function	<b>splitter</b>	function
<b>anywhere</b>	function	<b>stripper</b>	function
<b>append</b>	function	<b>times</b>	function
<b>balancer</b>	function	<b>tsplitat</b>	function
<b>beforesuffix</b>	function	<b>tsplitter</b>	function
<b>checkedsplit</b>	function	<b>type</b>	function
<b>counter</b>	function	<b>utfchartabletopattern</b>	function
<b>endstripper</b>	function	<b>version</b>	function



# ltn12 (extra lua)

**BLOCKSIZE**    number

**filter**        table

    F chain

    F cycle

**pump**          table

    F all

    F step

**sink**           table

    F chain

    F error

    F file

    F null

    F simplify

    F table

**source**        table

    F cat

    F chain

    F empty

    F error

    F file

    F rewind

    F simplify

    F string

# lua (basic tex)

<b>bytecode</b>	table	<b>lastbytecode</b>	number
<b>bytedata</b>	data table	<b>mask</b>	string
<b>bytedone</b>	table	<b>messages</b>	data table
B page-cst		<b>name</b>	table
<b>collectgarbage</b>	function	<b>numbers</b>	data table
<b>delay</b>	function	<b>registercode</b>	function
<b>finalize</b>	function	<b>registeredcodes</b>	function
<b>firstbytecode</b>	number	<b>registerfinalizer</b>	function
<b>flush</b>	function	<b>registername</b>	function
<b>flushdelayed</b>	function	<b>setbytecode</b>	function
<b>get_functions_table</b>	function	<b>setluaname</b>	function
<b>getbytecode</b>	function	<b>startupfile</b>	string
<b>getluaname</b>	function	<b>version</b>	string

# luatex (context)

<b>cleanuptempfiles</b>	function	F collect
<b>currentfile</b>	function	F disable
<b>registerdumpactions</b>	function	F enable
<b>registerpageactions</b>	function	F finish
<b>registerstartactions</b>	function	F flush
<b>registerstopactions</b>	function	F pause
<b>registertempfile</b>	function	F resetfilename
<b>starttime</b>	number	F resume
<b>synctex</b>	table	F setfilename
F blockfilename		F wrapup

# lxml (context)

<b>addindex</b>	function	<b>flush</b>	function
<b>all</b>	function	<b>flushlinewise</b>	function
<b>applyfunction</b>	function	<b>flushsetups</b>	function
<b>applyselectors</b>	function	<b>flushspacewise</b>	function
<b>att</b>	function	<b>get_id</b>	function
<b>attribute</b>	function	<b>getid</b>	function
<b>badinclusions</b>	function	<b>getindex</b>	function
<b>chainattribute</b>	function	<b>id</b>	function
<b>checkindex</b>	function	<b>idsplitter</b>	userdata
<b>collected</b>	function	<b>include</b>	function
<b>command</b>	function	<b>inclusion</b>	function
<b>concat</b>	function	<b>inclusions</b>	function
<b>concatrange</b>	function	<b>index</b>	function
<b>content</b>	function	<b>inlineverbatimim</b>	function
<b>context</b>	function	<b>installsetup</b>	function
<b>convert</b>	function	<b>last</b>	function
<b>count</b>	function	<b>lastatt</b>	function
<b>delete</b>	function	<b>lastmatch</b>	function
<b>direct</b>	function	<b>load</b>	function
<b>directives</b>	table	<b>loadbuffer</b>	function
F after		<b>loaddata</b>	function
F before		<b>loaded</b>	table
F handle		<b>main</b>	function
F load		<b>match</b>	function
F setup		<b>name</b>	function
<b>displayverbatimim</b>	function	<b>namespace</b>	function
<b>doif</b>	function	<b>nonspace</b>	function
<b>doifelse</b>	function	<b>path</b>	function
<b>doifelseempty</b>	function	<b>popmatch</b>	function
<b>doifelsetext</b>	function	<b>pos</b>	function
<b>doifempty</b>	function	<b>position</b>	function
<b>doifnot</b>	function	<b>pure</b>	function
<b>doifnotempty</b>	function	<b>pushmatch</b>	function
<b>doifnottext</b>	function	<b>raw</b>	function
<b>doiftext</b>	function	<b>rawroot</b>	function
<b>element</b>	function	<b>rawtex</b>	function
<b>elements</b>	function	<b>refatt</b>	function
<b>entities</b>	data table	<b>register</b>	function
<b>filter</b>	function	<b>registerentity</b>	function
<b>filterlist</b>	function	<b>removesetup</b>	function
<b>first</b>	function	<b>resetcdata</b>	function

<b>resetsetup</b>	function	<b>splitid</b>	function
<b>resolvedentity</b>	function	<b>startraw</b>	function
<b>root</b>	function	<b>startunesaped</b>	function
<b>save</b>	function	<b>stopraw</b>	function
<b>serialize</b>	function	<b>stopunesaped</b>	function
<b>setaction</b>	function	<b>store</b>	function
<b>setcdata</b>	function	<b>strip</b>	function
<b>setcommandtonone</b>	function	<b>stripped</b>	function
<b>setcommandtotext</b>	function	<b>tag</b>	function
<b>setsetup</b>	function	<b>text</b>	function
<b>snippet</b>	function	<b>tobuffer</b>	function
<b>sorters</b>	table	<b>tofile</b>	function
F add		<b>toparameters</b>	function
F compare		<b>toverbatim</b>	function
F flush		<b>verbatim</b>	function
F reset		<b>withindex</b>	function
F show		<b>xmltexhandler</b>	data table
F sort			

## math (basic lua)

<b>abs</b>	function	<b>log</b>	function
<b>acos</b>	function	<b>max</b>	function
<b>asin</b>	function	<b>min</b>	function
<b>atan</b>	function	<b>mod</b>	function
<b>atan2</b>	function	<b>modf</b>	function
<b>ceil</b>	function	<b>odd</b>	function
<b>ceiling</b>	function	<b>pi</b>	number
<b>cos</b>	function	<b>pow</b>	function
<b>cosd</b>	function	<b>rad</b>	function
<b>cosh</b>	function	<b>random</b>	overloaded function
<b>deg</b>	function	<b>randomseed</b>	function
<b>div</b>	function	<b>round</b>	function
<b>even</b>	function	<b>setrandomseed</b>	function
<b>exp</b>	function	<b>sin</b>	function
<b>floor</b>	function	<b>sind</b>	function
<b>fmod</b>	function	<b>sinh</b>	function
<b>frexp</b>	function	<b>sqrt</b>	function
<b>huge</b>	number	<b>tan</b>	function
<b>initialseed</b>	number	<b>tand</b>	function
<b>ldexp</b>	function	<b>tanh</b>	function

# mathematics (context)

<b>addfallbacks</b>	function	<b>makefont</b>	function
<b>alphabets</b>	data table	<b>mapremap</b>	data table
<b>alternatives</b>	data table	<b>overloadadditions</b>	function
<b>big</b>	function	<b>overloadparameters</b>	function
<b>boldmap</b>	data table	<b>privatebase</b>	number
<b>categories</b>	table	<b>registerdomain</b>	function
D functions		<b>registerfallbackid</b>	function
<b>charactersets</b>	data table	<b>remapalphabets</b>	function
<b>checkaccentbaseheight</b>	function	<b>renderings</b>	table
<b>checkprivateparameters</b>	function	D mappings	
<b>classes</b>	data table	D numbers	
<b>codes</b>	data table	D sets	
<b>define</b>	function	<b>renderset</b>	function
<b>dimensions</b>	function	<b>resetattributes</b>	function
<b>domains</b>	table	<b>resetitalics</b>	function
<b>extensiblecode</b>	function	<b>resolvefallbacks</b>	function
<b>extensibles</b>	data table	<b>scaleparameters</b>	function
<b>extrabase</b>	number	<b>setdomain</b>	function
<b>extras</b>	table	<b>setitalics</b>	function
F add		<b>setridofprime</b>	function
F copy		<b>sets</b>	data table
<b>fallbacks</b>	table	<b>styles</b>	data table
F apply		<b>syncboth</b>	function
F install		<b>syncname</b>	function
<b>fallbackstyleattr</b>	function	<b>syncstyle</b>	function
<b>families</b>	data table	<b>toname</b>	function
<b>finishfallbacks</b>	function	<b>tostyle</b>	function
<b>gaps</b>	data table	<b>tweakaftercopyingfont</b>	function
<b>getboth</b>	function	<b>tweakbeforecopyingfont</b>	function
<b>getdomain</b>	function	<b>tweaks</b>	table
<b>getitalics</b>	function	<b>utfmathaccent</b>	function
<b>getridofprime</b>	function	<b>utfmathclass</b>	function
<b>getstyle</b>	function	<b>utfmathcommand</b>	function
<b>horizontalcode</b>	function	<b>utfmathfiller</b>	function
<b>initializeparameters</b>	function	<b>utfmathstretch</b>	function

## mbox (context)

<b>parse</b>	function
<b>parse_from</b>	function
<b>parse_header</b>	function
<b>parse_headers</b>	function

<b>parse_message</b>	function
<b>split_headers</b>	function
<b>split_mbox</b>	function
<b>split_message</b>	function



## md5 (extra lua)

<b>HEX</b>	function
<b>crypt</b>	function
<b>dec</b>	function
<b>decrypt</b>	function
<b>exor</b>	function

<b>hex</b>	function
<b>sum</b>	function
<b>sumHEXA</b>	overloaded function
<b>sumhexa</b>	overloaded function

# metapost (context)

<b>analyzeplugins</b>	function	<b>getstatistics</b>	function
<b>checkformat</b>	function	<b>gettext</b>	function
<b>checktexts</b>	function	<b>graphic</b>	function
<b>collapse</b>	boolean	<b>graphic_base_pass</b>	function
<b>colorinitializer</b>	function	<b>initializescriptrunner</b>	function
<b>comment</b>	function	<b>instance</b>	function
<b>convert</b>	function	<b>intermediate</b>	table
<b>defaultformat</b>	string	T actions	
<b>defaultinstance</b>	string	F makempy	
<b>defaultmethod</b>	string	<b>lastlog</b>	string
<b>directrun</b>	function	<b>load</b>	function
<b>escaped</b>	function	<b>makempy</b>	table
<b>exectime</b>	table	N nofconverted	
<b>extensiondata</b>	data table	F processgraphics	
<b>filterclippath</b>	function	F registerfile	
<b>flush</b>	function	<b>maketext</b>	function
<b>flushers</b>	table	<b>metafun</b>	table
T pdf		F interpolate	
F comment		F topath	
F flushfigure		<b>method</b>	number
F startfigure		<b>mptopdf</b>	table
F stopfigure		F convertmpstopdf	
F textfigure		N nofconverted	
<b>flushliteral</b>	function	<b>n</b>	number
<b>flushnormalpath</b>	function	<b>nvformat</b>	function
<b>flushreset</b>	function	<b>optimize</b>	boolean
<b>fonts</b>	table	<b>parse</b>	function
F define		<b>pdfliterals</b>	function
T flusher		<b>pluginactions</b>	function
F flushfigure		<b>popvariable</b>	function
F startfigure		<b>popvariables</b>	function
F stopfigure		<b>process</b>	function
N instances		<b>processplugins</b>	function
F process		<b>processspecial</b>	function
<b>format</b>	function	<b>properties</b>	table
<b>format_number</b>	function	<b>pushvariable</b>	function
<b>format_string</b>	function	<b>pushvariables</b>	function
<b>formatnumber</b>	function	<b>quickanddirty</b>	function
<b>getclippath</b>	function	<b>reducetogray</b>	boolean
<b>getextensions</b>	function	<b>reporterror</b>	function
<b>getjobdata</b>	function	<b>reset</b>	function

<b>resetlastlog</b>	function	F get	
<b>resetplugins</b>	function	F reset	
<b>runscript</b>	function	F set	
<b>scripterror</b>	function	F setfrombuffer	
<b>setextensions</b>	function	<b>texerrors</b>	boolean
<b>setoutercolor</b>	function	<b>texexp</b>	function
<b>settext</b>	function	<b>texttextsdata</b>	function
<b>setvariable</b>	function	<b>theclippath</b>	function
<b>showlog</b>	boolean	<b>totable</b>	function
<b>simple</b>	function	<b>unload</b>	function
<b>svformat</b>	function	<b>untagvariable</b>	function
<b>tex</b>	table	<b>variables</b>	table

## mime (extra lua)

**b64** function

**decode** function

**decodet** table

F base64

F quoted-printable

**dot** function

**encode** function

**encodet** table

F base64

F quoted-printable

**eol** function

**normalize** function

**qp** function

**qpwrp** function

**stuff** function

**unb64** function

**unqp** function

**wrap** function

**wrapt** table

F base64

F default

F quoted-printable

F text

**wrp** function

## mp (context)

<b>BackSpace</b>	function	<b>OuterMarginWidth</b>	function
<b>BaselineSkip</b>	function	<b>OverlayDepth</b>	function
<b>BodyFontSize</b>	function	<b>OverlayHeight</b>	function
<b>BottomDistance</b>	function	<b>OverlayLineWidth</b>	function
<b>BottomHeight</b>	function	<b>OverlayOffset</b>	function
<b>BottomSpace</b>	function	<b>OverlayWidth</b>	function
<b>CurrentColumn</b>	function	<b>PageDepth</b>	function
<b>CurrentHeight</b>	function	<b>PageFraction</b>	function
<b>CurrentWidth</b>	function	<b>PageNumber</b>	function
<b>CutSpace</b>	function	<b>PageOffset</b>	function
<b>EmWidth</b>	function	<b>PaperBleed</b>	function
<b>ExHeight</b>	function	<b>PaperHeight</b>	function
<b>FooterDistance</b>	function	<b>PaperWidth</b>	function
<b>FooterHeight</b>	function	<b>PrintPaperHeight</b>	function
<b>HSize</b>	function	<b>PrintPaperWidth</b>	function
<b>HeaderDistance</b>	function	<b>RealPageNumber</b>	function
<b>HeaderHeight</b>	function	<b>RightEdgeDistance</b>	function
<b>InPageBody</b>	function	<b>RightEdgeWidth</b>	function
<b>InnerEdgeDistance</b>	function	<b>RightMarginDistance</b>	function
<b>InnerEdgeWidth</b>	function	<b>RightMarginWidth</b>	function
<b>InnerMarginDistance</b>	function	<b>SpineWidth</b>	function
<b>InnerMarginWidth</b>	function	<b>StrutDepth</b>	function
<b>LastPageNumber</b>	function	<b>StrutHeight</b>	function
<b>LayoutColumnDistance</b>	function	<b>TextHeight</b>	function
<b>LayoutColumnWidth</b>	function	<b>TextWidth</b>	function
<b>LayoutColumns</b>	function	<b>TopDistance</b>	function
<b>LeftEdgeDistance</b>	function	<b>TopHeight</b>	function
<b>LeftEdgeWidth</b>	function	<b>TopSkip</b>	function
<b>LeftMarginDistance</b>	function	<b>TopSpace</b>	function
<b>LeftMarginWidth</b>	function	<b>VSize</b>	function
<b>LineHeight</b>	function	<b>_f_</b>	function
<b>MakeupHeight</b>	function	<b>_get_count_</b>	function
<b>MakeupWidth</b>	function	<b>_get_dimen_</b>	function
<b>NOfColumns</b>	function	<b>_get_toks_</b>	function
<b>NOfPages</b>	function	<b>_set_count_</b>	function
<b>NamedColor</b>	function	<b>_set_dimen_</b>	function
<b>OnOddPage</b>	function	<b>_set_toks_</b>	function
<b>OnRightPage</b>	function	<b>boolean</b>	function
<b>OuterEdgeDistance</b>	function	<b>dataset</b>	function
<b>OuterEdgeWidth</b>	function	<b>datasets</b>	table
<b>OuterMarginDistance</b>	function		

F load

<b>defaultcolormodel</b>	function	<b>positionbox</b>	function
<b>dimensions</b>	function	<b>positioncurve</b>	function
<b>disposehash</b>	function	<b>positionpage</b>	function
<b>format</b>	function	<b>positionpath</b>	function
<b>formatted</b>	function	<b>positionpxy</b>	function
<b>fprint</b>	function	<b>positionregion</b>	function
<b>get</b>	table	<b>positionwhd</b>	function
F boolean		<b>positionxy</b>	function
F number		<b>prefix</b>	function
F numeric		<b>print</b>	function
F string		<b>quadruple</b>	function
<b>get_outline_text</b>	function	<b>quoted</b>	function
<b>getcount</b>	function	<b>report</b>	function
<b>getdimen</b>	function	<b>setcount</b>	function
<b>gettoks</b>	function	<b>setdimen</b>	function
<b>graphformat</b>	function	<b>settoks</b>	function
<b>inhash</b>	function	<b>size</b>	function
<b>integer</b>	function	<b>systemmode</b>	function
<b>isarray</b>	function	<b>tb_dimensions</b>	function
<b>mode</b>	function	<b>texstr</b>	function
<b>n</b>	function	<b>texvar</b>	function
<b>newhash</b>	function	<b>tohash</b>	function
<b>numeric</b>	function	<b>triplet</b>	function
<b>pair</b>	function	<b>tt_dimensions</b>	function
<b>path</b>	function	<b>tt_initialize</b>	function
<b>positionanchor</b>	function		

## mplib (extra tex)

<b>fields</b>	function	<b>get_numeric</b>	function
<b>finder</b>	function	<b>get_string</b>	function
<b>finders</b>	table	<b>new</b>	overloaded function
<b>F file</b>		<b>pen_info</b>	function
<b>get_boolean</b>	function	<b>preprocessed</b>	function
<b>get_number</b>	function	<b>version</b>	function

# noads (context)

<b>handlers</b>	table		F tags
F align			F unscript
F alternates			F variants
F autofences		<b>process</b>	function
F classes		<b>processnested</b>	function
F collapse		<b>processors</b>	table
F domains		T autofences	
F families		T collapse	
F italics		F mlist_to_hlist	
F kernpairs		T relocate	
F makeup		T render	
F relocate		T resize	
F render		T unscript	
F resize		<b>processouter</b>	function
F showtree			



## node (basic tex)

**check\_discretionaries** function  
**check\_discretionary** function  
**copy** function  
**copy\_list** function  
**count** function  
**current\_attr** function  
**dimensions** function  
**direct** table

F check\_discretionaries  
F check\_discretionary  
F copy  
F copy\_list  
F count  
F current\_attr  
F dimensions  
F effective\_glue  
F end\_of\_math  
F find\_attribute  
F first\_glyph  
F flush\_list  
F flush\_node  
F flush\_properties\_table  
F free  
F get\_attribute  
F get\_properties\_table  
F get\_synctex\_fields  
F getattributelist  
F getboth  
F getbox  
F getchar  
F getcomponents  
F getdepth  
F getdir  
F getdisc  
F getfield  
F getfont  
F getglue  
F getheight  
F getid  
F getkern  
F getlang

F getleader  
F getlist  
F getnext  
F getnucleus  
F getoffsets  
F getpenalty  
F getprev  
F getproperty  
F getshift  
F getsub  
F getsubtype  
F getsup  
F getwhd  
F getwidth  
F has\_attribute  
F has\_field  
F has\_glyph  
F hpack  
F insert\_after  
F insert\_before  
F is\_char  
F is\_direct  
F is\_glyph  
F is\_node  
F is\_zero\_glue  
F kerning  
F last\_node  
F length  
F ligaturing  
F new  
F protect\_glyph  
F protect\_glyphs  
F protrusion\_skippable  
F rangedimensions  
F remove  
F set\_attribute  
F set\_properties\_mode  
F set\_synctex\_fields  
F setattributelist  
F setboth  
F setbox

F setchar		<b>fields</b>	function
F setcomponents		<b>find_attribute</b>	function
F setdepth		<b>first_glyph</b>	function
F setdir		<b>fix_node_lists</b>	function
F setdisc		<b>flush_list</b>	function
F setfield		<b>flush_node</b>	function
F setfont		<b>flush_properties_table</b>	function
F setglue		<b>free</b>	function
F setheight		<b>get_attribute</b>	function
F setkern		<b>get_properties_table</b>	function
F setlang		<b>getboth</b>	function
F setleader		<b>getchar</b>	function
F setlink		<b>getdisc</b>	function
F setlist		<b>getfield</b>	function
F setnext		<b>getfont</b>	function
F setnucleus		<b>getglue</b>	function
F setoffsets		<b>getid</b>	function
F setpenalty		<b>getleader</b>	function
F setprev		<b>getlist</b>	function
F setproperty		<b>getnext</b>	function
F setshift		<b>getprev</b>	function
F setsplit		<b>getproperty</b>	function
F setsub		<b>getsubtype</b>	function
F setsubtype		<b>getwhd</b>	function
F setup		<b>has_attribute</b>	function
F setwhd		<b>has_field</b>	function
F setwidth		<b>has_glyph</b>	function
F slide		<b>hpack</b>	function
F tail		<b>id</b>	function
F todirect		<b>insert_after</b>	function
F tonode		<b>insert_before</b>	function
F tostring		<b>is_char</b>	function
F traverse		<b>is_glyph</b>	function
F traverse_char		<b>is_node</b>	function
F traverse_id		<b>is_zero_glue</b>	function
F unprotect_glyphs		<b>kerning</b>	function
F unset_attribute		<b>last_node</b>	function
F usedlist		<b>length</b>	function
F uses_font		<b>ligaturing</b>	function
F vpack		<b>mlist_to_hlist</b>	function
F write		<b>new</b>	function
<b>effective_glue</b>	function	<b>next</b>	function
<b>end_of_math</b>	function	<b>prev</b>	function
<b>family_font</b>	function	<b>protect_glyph</b>	function

<b>protect_glyphs</b>	function	<b>tostring</b>	function
<b>protrusion_skippable</b>	function	<b>traverse</b>	function
<b>rangedimensions</b>	function	<b>traverse_char</b>	function
<b>remove</b>	function	<b>traverse_id</b>	function
<b>set_attribute</b>	function	<b>type</b>	function
<b>set_properties_mode</b>	function	<b>types</b>	function
<b>setfield</b>	function	<b>unprotect_glyphs</b>	function
<b>setglue</b>	function	<b>unset_attribute</b>	function
<b>setproperty</b>	function	<b>usedlist</b>	function
<b>setwhd</b>	function	<b>uses_font</b>	function
<b>slide</b>	function	<b>vpack</b>	function
<b>subtype</b>	function	<b>whatsits</b>	function
<b>subtypes</b>	function	<b>write</b>	function
<b>tail</b>	function		

# nodes (context)

<b>accentcodes</b>	data table	<b>fields</b>	function
<b>aligned</b>	function	<b>fillcodes</b>	data table
<b>append</b>	function	<b>find_attribute</b>	function
<b>apply</b>	function	<b>first_glyph</b>	function
<b>astable</b>	function	<b>firstcharacter</b>	function
<b>basepoints</b>	function	<b>firstcharinbox</b>	function
<b>boundarycodes</b>	data table	<b>firstdirinbox</b>	function
<b>boxes</b>	table	<b>firstglyph</b>	function
F dimensions		<b>flush</b>	function
F direct		<b>flush_list</b>	function
F found		<b>flush_node</b>	function
F reset		<b>free</b>	function
F restore		<b>fullhpack</b>	function
F save		<b>getbox</b>	function
<b>builders</b>	table	<b>getchar</b>	function
F buildpage_filter		<b>getdisc</b>	function
F vpack_filter		<b>getfield</b>	function
<b>check_discretionaries</b>	function	<b>getfont</b>	function
<b>codes</b>	data table	<b>getglue</b>	function
<b>concat</b>	function	<b>getid</b>	function
<b>copy</b>	function	<b>getleader</b>	function
<b>copy_list</b>	function	<b>getlist</b>	function
<b>copy_node</b>	function	<b>getnext</b>	function
<b>count</b>	function	<b>getprev</b>	function
<b>countall</b>	function	<b>getsubtype</b>	function
<b>current_attr</b>	function	<b>getwhd</b>	function
<b>delete</b>	function	<b>gluecodes</b>	data table
<b>destinations</b>	table	<b>glyphcodes</b>	data table
N attribute		<b>glyphdir_is_equal</b>	data table
T done		<b>glyphdir_is_opposite</b>	data table
F handler		<b>glyphdir_is_orthogonal</b>	data table
T stack		<b>handlers</b>	table
<b>dimensionfields</b>	data table	F accessibility	
<b>dimensions</b>	function	F alignbackgrounds	
<b>dir_is_pop</b>	data table	F backgrounds	
<b>dir_negation</b>	data table	F characters	
<b>disccodes</b>	data table	F checkforleaks	
<b>discretionarycodes</b>	data table	F checkglyphs	
<b>effective_glue</b>	function	F cleanupbox	
<b>end_of_math</b>	function	F cleanuppage	
<b>fencecodes</b>	data table	F export	

F finalize		<b>ischar</b>	function
F flatten		<b>isglyph</b>	function
F flattenline		<b>kerncodes</b>	data table
F migrate		<b>kerining</b>	function
F protectglyphs		<b>keys</b>	table
F stripping		T whatsit	
F textbackgrounds		<b>last_node</b>	function
F unprotectglyphs		<b>leadercodes</b>	data table
<b>has_attribute</b>	function	<b>leftmarginwidth</b>	function
<b>has_field</b>	function	<b>length</b>	function
<b>has_glyph</b>	function	<b>ligaturing</b>	function
<b>hpack</b>	function	<b>linefillers</b>	table
<b>idstousing</b>	function	D data	
<b>ignorablefields</b>	data table	F define	
<b>injections</b>	table	F enable	
F copy		F handler	
F getligaindex		<b>lines</b>	table
F getthreshold		T boxed	
F handler		F register	
F installgetspaceboth		F setup	
F installnewkern		F stage_one	
F isspace		F stage_two	
F keepcounts		D data	
F reset		F finalize	
F resetcounts		F number	
F setcursive		N scratchbox	
F setkern		<b>link</b>	function
F setligaindex		<b>linked</b>	function
F setmark		<b>list</b>	function
F setpair		<b>listablefields</b>	data table
F setspacekerns		<b>listcodes</b>	data table
<b>insert_after</b>	function	<b>listtoutf</b>	function
<b>insert_before</b>	function	<b>load</b>	function
<b>insert_list_after</b>	function	<b>locate</b>	function
<b>installattributehandler</b>	function	<b>margincodes</b>	data table
<b>is_char</b>	function	<b>marginkerncodes</b>	data table
<b>is_direct</b>	function	<b>markers</b>	table
<b>is_display_math</b>	function	F get	
<b>is_glyph</b>	function	<b>mathcodes</b>	data table
<b>is_mirrored</b>	data table	<b>maxboxwidth</b>	function
<b>is_node</b>	function	<b>mlist_to_hlist</b>	function
<b>is_nut</b>	function	<b>new</b>	function
<b>is_rotated</b>	data table	<b>noadcodes</b>	data table
<b>is_zero_glue</b>	function	<b>noadoptions</b>	table

N axis		F getattr
N exact		F getattribute
N left		F getattributelist
N middle		F getattrlist
N no_axis		F getboth
N right		F getbox
N set		F getchar
N unused_1		F getcomponents
N unused_2		F getdepth
<b>nodecodes</b>	<b>data table</b>	F getdir
<b>nopts</b>	<b>function</b>	F getdisc
<b>nuts</b>	<b>table</b>	F getdiscretionary
F append		F getfield
F apply		F getfont
F applyvisuals		F getglue
F check_discretionaries		F getheight
F concat		F getid
F copy		F getkern
F copy_list		F getlang
F copy_no_components		F getlanguage
F copy_node		F getleader
F copy_only_glyphs		F getlist
F copy_properties		F getnext
F copyvisual		F getnucleus
F count		F getoffsets
F count_components		F getpenalty
F countall		F getprev
F current_attr		F getprop
F delete		F getshift
F dimensions		F getsub
F effective_glue		F getsubtype
F end_of_math		F getsup
F find_attribute		F getsurround
F first_glyph		F getwhd
F firstcharacter		F getwidth
F firstcharinbox		F has_attribute
F firstglyph		F has_field
F flush		F has_glyph
F flush_list		F hpack
F flush_node		F insert_after
F free		F insert_before
F fullhpack		F insert_list_after
F get_components		F is_char
F get_synctex_fields		F is_direct

F is_display_math	F pdfpageliteral
F is_glyph	F pdfdrawliteral
F is_node	F pdfrestore
F is_nut	F pdfsave
F is_zero_glue	F pdfsetmatrix
F ischar	F penalty
F isglyph	F register
F kerning	F rightmarginkern
F last_node	F rightskip
F leftmarginwidth	F rule
F length	F shrink
F ligaturing	F special
F link	F stretch
F linked	F temp
F locate	F textdir
F mlist_to_hlist	F usage
F nestedtracedslide	F userattributes
F new	T userids
T pool	N margins.inline
F baselineskip	N property
F boundary	N splitters.one
F cleanup	N splitters.two
F disc	F userlist
F emptyrule	F userlua
F fontkern	F usernumber
F glue	F userrule
F gluespec	F userstring
F glyph	F usertokens
F hlist	F vlist
F italickern	F wordboundary
F kern	F prepend
F latelua	F protect_glyph
F lateluafunction	F protect_glyphs
F leader	F protrusion_skippable
F leftmarginkern	F rangedimensions
F leftskip	F rawprop
F lineskip	F reference
F negatedglue	F rehpac
F noad	F remove
F pdfannotation	F repacklist
F pdfdestination	F replace
F pdfdirectliteral	F rightmarginwidth
F pdfliteral	F set_attribute
F pdforiginliteral	F set_components

F set\_synctex\_fields  
 F setattr  
 F setattrattribute  
 F setattrattributelist  
 F setattrattributes  
 F setattrrlist  
 F setboth  
 F setbox  
 F setchar  
 F setcomponents  
 F setdepth  
 F setdir  
 F setdisc  
 F setdiscretionary  
 F setfield  
 F setfont  
 F setglue  
 F setheight  
 F setkern  
 F setlang  
 F setlanguage  
 F setleader  
 F setlink  
 F setlist  
 F setnext  
 F setnucleus  
 F setoffsets  
 F setpenalty  
 F setprev  
 F setprop  
 F setshift  
 F setsplit  
 F setsub  
 F setsubtype  
 F setup  
 F setsurround  
 F setunsetattributes  
 F setvisual  
 F setvisuals  
 F setwhd  
 F setwidth  
 F slide  
 F somepenalty  
 F somespace

F splitbox  
 F tail  
 F take\_components  
 F takeattr  
 F takebox  
 F takelist  
 F theprop  
 F tonode  
 F tonodes  
 F tonut  
 F tosequence  
 F toString  
 F tracedslide  
 F traverse  
 F traverse\_char  
 F traverse\_id  
 T typesetters  
 F tohbox  
 F tohpack  
 F tonodes  
 F tovbox  
 F tovpack  
 F unprotect\_glyphs  
 F unset\_attribute  
 F unsetattribut  
 F unsetattributes  
 F untracedslide  
 F use\_components  
 F usedlist  
 F uses\_font  
 F vianodes  
 F vianuts  
 F vpack  
 F write

**packlist**  
**pardir\_is\_equal**  
**pardir\_is\_opposite**  
**pardir\_is\_parallel**  
**partextdir\_is\_equal**  
**penaltycodes**  
**plugindata**

F finalizer  
 F initializer  
 S name

function  
 data table  
 data table  
 data table  
 data table  
 data table  
 table



T namespace		F fdelayed	
N attribute		F immediate	
D data		F attach	
F enable		T data	
F handler		F delayed	
F register		<b>protect_glyph</b>	function
D registered		<b>protect_glyphs</b>	function
D values		<b>protrusion_skippable</b>	function
F processor		<b>pts</b>	function
<b>points</b>	function	<b>radicalcodes</b>	data table
<b>pool</b>	table	<b>rangedimensions</b>	function
F baselineskip		<b>reference</b>	function
F cleanup		<b>references</b>	table
F glyph		N attribute	
F hlist		T done	
F kern		F handler	
F latelua		T stack	
F lineskip		<b>rehpack</b>	function
F pdfdirect		<b>remove</b>	function
F pdfliteral		<b>repackhlist</b>	function
F pdforiginliteral		<b>replace</b>	function
F pdfrestore		<b>report</b>	function
F pdfsave		<b>rightmarginwidth</b>	function
F pdfsetmatrix		<b>rulecodes</b>	data table
F register		<b>rules</b>	table
F rule		D data	
F special		F define	
F usage		F enable	
F usernumber		F handler	
F vlist		T ruleactions	
<b>prepend</b>	function	F draw	
<b>print</b>	function	F fill	
<b>processors</b>	table	F mp	
F contribute_filter		F stroke	
B enabled		F userrule	
F hpack_filter		<b>save</b>	function
F post_linebreak_filter		<b>serialize</b>	function
F pre_linebreak_filter		<b>serializebox</b>	function
F tracer		<b>set_attribute</b>	function
<b>processranges</b>	function	<b>setattributes</b>	function
<b>processwords</b>	function	<b>setboth</b>	function
<b>properties</b>	table	<b>setbox</b>	function
T actions		<b>setboxtonaturalwd</b>	function
F delayed		<b>setfield</b>	function

<b>setglue</b>	function	F new	
<b>setlink</b>	function	F prependaction	
<b>setlist</b>	function	F removeaction	
<b>setnext</b>	function	F replaceaction	
<b>setprev</b>	function	F restart	
<b>setunsetattributes</b>	function	F setaction	
<b>setwhd</b>	function	F showactions	
<b>shifts</b>	table	F table	
D data		<b>textdir_is_equal</b>	data table
F define		<b>textdir_is_is</b>	data table
F enable		<b>textdir_is_opposite</b>	data table
F handler		<b>textdir_is_parallel</b>	data table
<b>show</b>	function	<b>tobasepoints</b>	function
<b>showboxes</b>	function	<b>tocentimeters</b>	function
<b>showcodes</b>	function	<b>tociceros</b>	function
<b>showlist</b>	function	<b>todidots</b>	function
<b>showsimplelist</b>	function	<b>todimen</b>	function
<b>skipcodes</b>	data table	<b>toinches</b>	function
<b>slide</b>	function	<b>tomillimeters</b>	function
<b>snapshots</b>	table	<b>tonewciceros</b>	function
F getparameters		<b>tonewdidots</b>	function
F getsamples		<b>tonode</b>	function
F resetsamples		<b>tonodes</b>	function
F takesample		<b>tonut</b>	function
<b>somepenalty</b>	function	<b>topicsas</b>	function
<b>somespace</b>	function	<b>topoints</b>	function
<b>splitbox</b>	function	<b>toscaledpoints</b>	function
<b>stripdiscretionaries</b>	function	<b>tosequence</b>	function
<b>stripping</b>	table	<b>tostring</b>	function
T glyphs		<b>totable</b>	function
F set		<b>totree</b>	function
<b>striprange</b>	function	<b>toutf</b>	function
<b>tail</b>	function	<b>tracers</b>	table
<b>takeattr</b>	function	T characters	
<b>takebox</b>	function	F collect	
<b>tasks</b>	table	F equal	
F actions		F start	
F appendaction		F string	
F disableaction		F unicodes	
F disablegroup		T colors	
F enableaction		F reset	
F enablegroup		F set	
F freeze		F setlist	
F freezegroup		F fontchar	

T frequencies		<b>traverse_char</b>	function
F register		<b>traverse_id</b>	function
T pool		<b>typesetters</b>	table
T nodes		F hbox	
F rule		F hpack	
T nuts		F tohbox	
F rule		F tohpack	
F resetproperties		F tonodes	
F rule		F tovbox	
F setlist		F tovpack	
F setproperties		F vpack	
F start		<b>unprotect_glyphs</b>	function
T steppers		<b>unset_attribute</b>	function
F check		<b>unsetattribute</b>	function
F codes		<b>unsetattributes</b>	function
F features		<b>usedlist</b>	function
F font		<b>usercodes</b>	data table
F glyphs		<b>vianodes</b>	function
F message		<b>vianuts</b>	function
F messages		<b>visualizebox</b>	function
F nofsteps		<b>visualizers</b>	table
F register		F box	
F reset		F handler	
F start		F markfonts	
F stop		F setfont	
F stop		F setlayer	
T transparencies		F setvisual	
F reset		<b>vpack</b>	function
F set		<b>whatcodes</b>	data table
F setlist		<b>whatsitcodes</b>	data table
<b>traverse</b>	function	<b>write</b>	function

## number (context)

	function	<b>tobasepoints</b>	function
<b>basepoints</b>	function	<b>tobitstring</b>	function
<b>bit</b>	function	<b>tocentimeters</b>	function
<b>bits</b>	function	<b>toxiceros</b>	function
<b>bytetodecimal</b>	function	<b>tocontext</b>	function
<b>clearbit</b>	function	<b>todidots</b>	function
<b>decimaltobyte</b>	function	<b>todimen</b>	function
<b>dimenfactors</b>	data table	<b>toevenhex</b>	function
<b>formatted</b>	function	<b>toinches</b>	function
<b>formattedfloat</b>	function	<b>tomillimeters</b>	function
<b>hasbit</b>	function	<b>tonewciceros</b>	function
<b>maxdimen</b>	number	<b>tonewdidots</b>	function
<b>nopts</b>	function	<b>tonumberf</b>	function
<b>percent</b>	function	<b>tonumberg</b>	function
<b>points</b>	function	<b>topicas</b>	function
<b>pts</b>	function	<b>topoints</b>	function
<b>setbit</b>	function	<b>toscaled</b>	function
<b>signed</b>	function	<b>toscaledpoints</b>	function
<b>sparseexponent</b>	function	<b>toset</b>	function
<b>splitdimen</b>	function	<b>valid</b>	function

## objects (context)

<b>data</b>	table	<b>page</b>	function
<b>dimensions</b>	function	<b>reference</b>	function
<b>found</b>	function	<b>register</b>	function
<b>n</b>	number	<b>restore</b>	function

## os (basic lua)

<b>__getenv__</b>	function	<b>remove</b>	overloaded function
<b>__setenv__</b>	function	<b>rename</b>	overloaded function
<b>binsuffix</b>	string	<b>resolvers</b>	table
<b>binsuffixes</b>	table	<b>  F bits</b>	
<b>clock</b>	function	<b>resultof</b>	function
<b>converttime</b>	function	<b>runtime</b>	function
<b>date</b>	function	<b>selfdir</b>	string
<b>difftime</b>	function	<b>setenv</b>	overloaded function
<b>env</b>	data table	<b>setlocale</b>	overloaded function
<b>exec</b>	overloaded function	<b>sleep</b>	function
<b>execute</b>	overloaded function	<b>spawn</b>	overloaded function
<b>exit</b>	function	<b>time</b>	function
<b>fulltime</b>	function	<b>times</b>	function
<b>getenv</b>	overloaded function	<b>timezone</b>	function
<b>gettimeofday</b>	function	<b>tmpdir</b>	function
<b>isleapyear</b>	function	<b>tmpname</b>	function
<b>launch</b>	function	<b>today</b>	function
<b>libsuffix</b>	string	<b>type</b>	string
<b>localtime</b>	function	<b>uname</b>	function
<b>name</b>	string	<b>uuid</b>	function
<b>newline</b>	string	<b>validdatetime</b>	function
<b>nofdays</b>	function	<b>weekday</b>	function
<b>now</b>	function	<b>where</b>	function
<b>pipeto</b>	function	<b>which</b>	function
<b>platform</b>	string		

## package (basic lua)

<b>config</b>	string	<b>loaders</b>	table
<b>cpath</b>	string	<b>loadlib</b>	function
<b>extralibpath</b>	function	<b>luapaths</b>	function
<b>extralibpaths</b>	function	<b>path</b>	string
<b>extralupath</b>	function	<b>preload</b>	table
<b>extralupaths</b>	function	<b>searchers</b>	table
<b>helpers</b>	table	<b>searchpath</b>	function
<b>libpaths</b>	function	<b>seeall</b>	function
<b>loaded</b>	table		

# pagebuilders (context)

## columnsets      table

- F add
- F block
- F check
- F currentcolumn
- F define
- F finishflush
- F flushareas
- F flushcolumn
- F flushrest
- F goto
- F noto
- F prepareflush
- F put
- F registerarea
- F reset
- F setarea

- F sethsize
- F sethspace
- F setlines
- F setproperties
- F setstart
- F setvsize

## injections      table

- F flushafter
- F flushbefore
- F save

## mixedcolumns      table

- F cleanup
- F finalize
- F getlist
- F getrest
- F getsplit
- F setsplit



## pdf (basic tex)

<b>fontname</b>	function	<b>immediateobj</b>	function
<b>fontobjnum</b>	function	<b>mapfile</b>	function
<b>fontsize</b>	function	<b>mapline</b>	function
<b>getcatalg</b>	function	<b>maxobjnum</b>	function
<b>getcompresslevel</b>	function	<b>newcolorstack</b>	function
<b>getcreationdate</b>	function	<b>obj</b>	function
<b>getdecimaldigits</b>	function	<b>objtype</b>	function
<b>getdestmargin</b>	function	<b>pageref</b>	function
<b>getgentounicode</b>	function	<b>print</b>	function
<b>gethpos</b>	function	<b>refobj</b>	function
<b>getignoreunknownimages</b>	function	<b>registerannot</b>	overloaded function
<b>getimageresolution</b>	function	<b>reserveobj</b>	function
<b>getinclusionerrorlevel</b>	function	<b>setcatalg</b>	overloaded function
<b>getinfo</b>	function	<b>setcompresslevel</b>	function
<b>getlastannot</b>	function	<b>setdecimaldigits</b>	function
<b>getlastlink</b>	function	<b>setdestmargin</b>	function
<b>getlastobj</b>	function	<b>setfontattributes</b>	function
<b>getlinkmargin</b>	function	<b>setgentounicode</b>	function
<b>getmajorversion</b>	function	<b>setignoreunknownimages</b>	function
<b>getmatrix</b>	function	<b>setimageresolution</b>	function
<b>getminorversion</b>	function	<b>setinclusionerrorlevel</b>	function
<b>getnames</b>	function	<b>setinfo</b>	overloaded function
<b>getobjcompresslevel</b>	function	<b>setlinkmargin</b>	function
<b>getomitcidset</b>	function	<b>setmajorversion</b>	function
<b>getorigin</b>	function	<b>setminorversion</b>	function
<b>getpageattributes</b>	function	<b>setnames</b>	overloaded function
<b>getpageresources</b>	function	<b>setobjcompresslevel</b>	function
<b>getpagesattributes</b>	function	<b>setomitcidset</b>	function
<b>getpkresolution</b>	function	<b>setorigin</b>	function
<b>getpos</b>	function	<b>setpageattributes</b>	overloaded function
<b>getretval</b>	function	<b>setpageresources</b>	overloaded function
<b>getsuppressoptionalinfo</b>	function	<b>setpagesattributes</b>	overloaded function
<b>getthreadmargin</b>	function	<b>setpkresolution</b>	function
<b>gettrailer</b>	function	<b>setsuppressoptionalinfo</b>	function
<b>gettrailerid</b>	function	<b>setthreadmargin</b>	function
<b>getversion</b>	function	<b>settrailer</b>	overloaded function
<b>getvpos</b>	function	<b>settrailerid</b>	function
<b>getxformattributes</b>	function	<b>setxformattributes</b>	function
<b>getxformmargin</b>	function	<b>setxformmargin</b>	function
<b>getxformresources</b>	function	<b>setxformresources</b>	function
<b>hasmatrix</b>	function	<b>xformname</b>	function

# pdfscanner (context)

**scan** function

# physics (context)

**units** table

F registerunit

D tables

# publications (context)

<b>addtexentry</b>	function	S author
<b>analyze</b>	function	T categories
<b>anywhere</b>	function	T article
<b>authorcache</b>	data table	S category
<b>authorcollapsers</b>	data table	T extra
<b>authorhashers</b>	table	T fields
F invertedshort		S author
F normal		S editor
F normalinverted		S journal
F normalshort		S keywords
F short		S number
<b>authormap</b>	data table	S pages
<b>authortoregister</b>	function	S title
<b>casters</b>	table	S volume
F author		S year
F keyword		T optional
F pagenumber		T required
F range		T sets
<b>checkeddataset</b>	function	T author
<b>citevariants</b>	table	T virtual
F author		T book
F authornum		S category
F authoryear		T extra
F authoryears		T fields
F category		S address
F default		S author
F entry		S edition
F index		S editor
F keywords		S keywords
F num		S number
F page		S publisher
F short		S subtitle
F tag		S title
F textnum		S volume
F year		S year
<b>collected</b>	data table	T optional
<b>components</b>	table	T required
F author		T sets
<b>concatstate</b>	function	T author
<b>converttoxml</b>	function	T editionset
<b>currentspecification</b>	table	T virtual

T demo-a	T virtualfields	
S category	B authornum	
T extra	B authoryear	
T fields	B authoryears	
S author	B num	
S institution	B suffix	
S organization	<b>datasets</b>	table
S subtitle	<b>detailed</b>	table
S title	<b>endnotes_to_btx</b>	function
S year	<b>enhancer</b>	table
T optional	S arguments	
T required	T askip	
T sets	B dirty	
T author	T gskip	
T virtual	T kind	
T demo-b	T list	
S category	T system	
T extra	T order	
T fields	<b>enhancers</b>	table
S author	F details	
S institution	F order	
S organization	F suffixes	
S subtitle	<b>finder</b>	function
S title	<b>firstofrange</b>	function
S year	<b>found</b>	function
T optional	<b>get</b>	function
T required	<b>getcasted</b>	function
T sets	<b>getdetail</b>	function
T authors	<b>getdirect</b>	function
T virtual	<b>getfaster</b>	function
S comment	<b>getfield</b>	function
S copyright	<b>getfuzzy</b>	function
T fields	<b>getindex</b>	function
S name	<b>inspectors</b>	data table
T types	<b>journals</b>	table
S author	F abbreviated	
S editor	F add	
S keywords	F expanded	
S number	F load	
S page	F save	
S pages	<b>lastofrange</b>	function
S volume	<b>lists</b>	table
S version	F collectentries	
D virtual	F combiinlist	

F fetchentries		<b>okay</b>	function
F filterall		<b>oneorange</b>	function
F flushcombi		<b>parenttag</b>	function
F flushentry		<b>permitted</b>	function
T methods		<b>refman_to_btx</b>	function
F dataset		<b>resolvedname</b>	function
F force		<b>save</b>	function
F global		<b>search</b>	function
F local		<b>setcategory</b>	function
F nofreeregistered		<b>setspecification</b>	function
F prepareentries		<b>singularorplural</b>	function
F register		<b>sortedentries</b>	function
F sameasprevious		<b>sortmethods</b>	table
T sorters		T authoryear	
F cite		T sequence	
F dataset		<b>specifications</b>	table
F default		T default	
F index		S author	
F list		S comment	
F reference		S copyright	
F short		S name	
F used		S version	
F uservariable		D virtual	
<b>listvariants</b>	table	<b>splitauthor</b>	function
F default		<b>splitoneauthor</b>	function
F index		<b>statistics</b>	table
F num		N nofbytes	
F page		N nofdatasets	
F short		N nofdefinitions	
F tag		N nofshortcuts	
<b>load</b>	function	<b>tables</b>	table
<b>loadbibdata</b>	function	D implicits	
<b>loaddefinitionfile</b>	function	D origins	
<b>loaders</b>	table	D privates	
F bbl		D sets	
F bib		D specials	
F buffer		D types	
F endnote		D virtuals	
F lua		<b>tags</b>	function
F refman		<b>tracers</b>	table
F registercleaner		F showdatasetauthors	
F xml		F showdatasetcompleteness	
<b>loadreplacementfile</b>	function	F showdatasetfields	
<b>new</b>	function	F showentry	

F showfields		<b>usedataset</b>	function
F showhashedauthors		<b>usedentries</b>	function
F showtables		<b>writers</b>	table
F showvariants		F author	
<b>typesetters</b>	table	F keyword	
F author		F pagenumber	
F string		F range	

## regimes (context)

<b>cleanup</b>	function
<b>disable</b>	function
<b>enable</b>	function
<b>fromregime</b>	function
<b>pop</b>	function

<b>process</b>	function
<b>push</b>	function
<b>toregime</b>	function
<b>translate</b>	function



## resolvers (context)

<b>allprefixes</b>	function	<b>findpath</b>	function
<b>appendhash</b>	function	<b>findtexfile</b>	function
<b>automount</b>	function	<b>findwildcardfile</b>	function
<b>automounted</b>	table	<b>findwildcardfiles</b>	function
<b>booleanvariable</b>	function	<b>formatofsuffix</b>	function
<b>cacheversion</b>	string	<b>formatofvariable</b>	function
<b>checkedvariable</b>	function	<b>formats</b>	data table
<b>cleanedpathlist</b>	function	<b>foundintree</b>	function
<b>cleanpath</b>	function	<b>foundintrees</b>	function
<b>cleanpathlist</b>	function	<b>generators</b>	data table
<b>concatinators</b>	data table	<b>get_from_content</b>	function
<b>configbanner</b>	string	<b>getenv</b>	function
<b>configurationfiles</b>	function	<b>getextrapaths</b>	function
<b>criticalvars</b>	data table	<b>getfilehashes</b>	function
<b>dangerous</b>	data table	<b>gethashes</b>	function
<b>datastate</b>	function	<b>getownpath</b>	function
<b>defaultsuffixes</b>	table	<b>getreadfilename</b>	function
<b>dowithfilesandreport</b>	function	<b>hashers</b>	data table
<b>dowithfilesintree</b>	function	<b>homedir</b>	string
<b>dowithpath</b>	function	<b>initialized</b>	function
<b>dowithvariable</b>	function	<b>inputstack</b>	table
<b>env</b>	function	<b>installinputfilehandler</b>	function
<b>executers</b>	table	<b>installinputlinehandler</b>	function
<b>expandbraces</b>	function	<b>jobpath</b>	function
<b>expandedpathfromlist</b>	function	<b>jobs</b>	table
<b>expandedpathlist</b>	function	F currentcomponent	
<b>expandedpathlistfromvariable</b>	function	F currentenvironment	
<b>expandpath</b>	function	F currentproduct	
<b>expandpathfromvariable</b>	function	F currentproject	
<b>expansion</b>	function	F justacomponent	
<b>extendtexmfvariable</b>	function	D processors	
<b>filtered_from_content</b>	function	F productcomponent	
<b>find_file</b>	function	F usefile	
<b>find_files</b>	function	<b>joinpath</b>	function
<b>findbinfile</b>	function	<b>knownvariables</b>	function
<b>findctxfile</b>	function	<b>load</b>	function
<b>finders</b>	data table	<b>loadbinfile</b>	function
<b>findfile</b>	function	<b>loaders</b>	data table
<b>findfiles</b>	function	<b>loadlua lib</b>	function
<b>findgivenfile</b>	function	<b>loadtexfile</b>	function
<b>findgivenfiles</b>	function	<b>loadtime</b>	function

<b>locateformat</b>	function	<b>savers</b>	data table
<b>locators</b>	data table	<b>scandata</b>	function
<b>luacnffallback</b>	string	<b>scanfiles</b>	function
<b>luacnfname</b>	string	<b>schemes</b>	table
<b>luacnfspec</b>	string	T cleaners	
<b>luacnfstate</b>	string	F md5	
<b>macros</b>	table	F none	
F convertfile		F strip	
F decodecomment		F cleanname	
F enablecomment		F fetchstring	
F encodecomment		F fetchtable	
F preprocessed		F install	
F processmk		<b>setdynamic</b>	function
F processmkvi		<b>setenv</b>	function
F version		<b>setmemstream</b>	function
<b>maxreadlevel</b>	number	<b>showpath</b>	function
<b>methodhandler</b>	function	<b>simplescanfiles</b>	function
<b>openbinfile</b>	function	<b>splitconfigurationpath</b>	function
<b>openers</b>	data table	<b>splitexpansions</b>	function
<b>openfile</b>	function	<b>splitmethod</b>	function
<b>opentexfile</b>	function	<b>splitpath</b>	function
<b>ownpath</b>	string	<b>stackpath</b>	function
<b>popextrapath</b>	function	<b>starttiming</b>	function
<b>poppath</b>	function	<b>stoptiming</b>	function
<b>prefixes</b>	data table	<b>suffixes</b>	data table
<b>prependhash</b>	function	<b>suffixmap</b>	data table
<b>pushextrapath</b>	function	<b>suffixofformat</b>	function
<b>pushpath</b>	function	<b>texdatablob</b>	function
<b>registerextrapath</b>	function	<b>toppath</b>	function
<b>registerfile</b>	function	<b>unexpandedpath</b>	function
<b>registerfilehash</b>	function	<b>unexpandedpathlist</b>	function
<b>registerintrees</b>	function	<b>unresolve</b>	function
<b>registermethod</b>	function	<b>updaterelations</b>	function
<b>registerzipfile</b>	function	<b>updatescript</b>	function
<b>relations</b>	data table	<b>uselibrary</b>	function
<b>renew</b>	function	<b>usertypes</b>	data table
<b>renewcache</b>	function	<b>usezipfile</b>	function
<b>repath</b>	function	<b>validatedpath</b>	function
<b>reset</b>	function	<b>variable</b>	function
<b>resetextrapaths</b>	function	<b>variableofformat</b>	function
<b>resetmemstream</b>	function	<b>variableofformatorsuffix</b>	function
<b>resetresolve</b>	function	<b>wildcardpattern</b>	function
<b>resolve</b>	function		

## sandbox (context)

<b>disablelibraries</b>	function
<b>disablerunners</b>	function
<b>enable</b>	function
<b>filehandlerone</b>	function
<b>filehandlertwo</b>	function
<b>finalizer</b>	function
<b>getrunner</b>	function
<b>initializer</b>	function
<b>iohandler</b>	function
<b>logcalls</b>	function
<b>logfiles</b>	function
<b>original</b>	function
<b>overload</b>	function

<b>possiblepath</b>	function
<b>redefine</b>	function
<b>register</b>	function
<b>registerbinary</b>	function
<b>registerlibrary</b>	function
<b>registerroot</b>	function
<b>registerrunner</b>	function
<b>report</b>	function
<b>setfilenamelogger</b>	function
<b>setlogger</b>	function
<b>setreporter</b>	function
<b>settrace</b>	function
<b>validfilename</b>	function

# scripts (context)

<b>autofontfeature</b>	table	N inter_char_stretch_factor
F disable		N inter_word_stretch_factor
F enable		<b>handlers</b>
F handler		data table
<b>categorytonumber</b>	data table	<b>hash</b>
<b>colors</b>	data table	table
<b>decomposehangul</b>	function	<b>injectors</b>
<b>defaults</b>	table	data table
N inter_char_half_shrink_factor		<b>installdataset</b>
N inter_char_half_stretch_factor		function
N inter_char_hangul_penalty		<b>installmethod</b>
N inter_char_quarter_shrink_factor		function
N inter_char_quarter_stretch_factor		<b>numbertocategory</b>
N inter_char_shrink_factor		data table
		<b>numbertodataset</b>
		data table
		<b>numbertohandler</b>
		data table
		<b>reset</b>
		function
		<b>set</b>
		function
		<b>splitters</b>
		data table

## set (context)

**contains**    function

**create**     function

**tolist**     function

**tonumber**   function

**totable**    function

## sio (context)

<b>read2dot14</b>	function
<b>readbytes</b>	function
<b>readbytetable</b>	function
<b>readcardinal1</b>	function
<b>readcardinal2</b>	function
<b>readcardinal3</b>	function
<b>readcardinal4</b>	function

<b>readfixed2</b>	function
<b>readfixed4</b>	function
<b>readinteger1</b>	function
<b>readinteger2</b>	function
<b>readinteger3</b>	function
<b>readinteger4</b>	function

# socket (extra lua)

**BLOCKSIZE** number  
**\_DEBUG** boolean  
**\_SETSIZE** number  
**bind** function  
**choose** function  
**connect** function  
**connect4** function  
**connect6** function  
**dns** table

F getaddrinfo  
F gethostname  
F getnameinfo  
F tohostname  
F toip

**ftp** table

S PASSWORD  
N PORT  
N TIMEOUT  
S USER  
F command  
F get  
F open  
F put

**gettime** function

**headers** table

T canonic  
S accept  
S accept-charset  
S accept-encoding  
S accept-language  
S accept-ranges  
S action  
S age  
S allow  
S alternate-recipient  
S arrival-date  
S authorization  
S bcc  
S cache-control  
S cc  
S comments

S connection  
S content-description  
S content-disposition  
S content-encoding  
S content-id  
S content-language  
S content-length  
S content-location  
S content-md5  
S content-range  
S content-transfer-encoding  
S content-type  
S date  
S diagnostic-code  
S dsn-gateway  
S etag  
S expect  
S expires  
S final-log-id  
S final-recipient  
S from  
S host  
S if-match  
S if-modified-since  
S if-none-match  
S if-range  
S if-unmodified-since  
S in-reply-to  
S keywords  
S last-attempt-date  
S last-modified  
S location  
S max-forwards  
S message-id  
S mime-version  
S original-envelope-id  
S original-recipient  
S pragma  
S proxy-authenticate  
S proxy-authorization  
S range

S received  
 S received-from-mta  
 S references  
 S referer  
 S remote-mta  
 S reply-to  
 S reporting-mta  
 S resent-bcc  
 S resent-cc  
 S resent-date  
 S resent-from  
 S resent-message-id  
 S resent-reply-to  
 S resent-sender  
 S resent-to  
 S retry-after  
 S return-path  
 S sender  
 S server  
 S smtp-remote-recipient  
 S status  
 S subject  
 S te  
 S to  
 S trailer  
 S transfer-encoding  
 S upgrade  
 S user-agent  
 S vary  
 S via  
 S warning  
 S will-retry-until  
 S www-authenticate  
 S x-mailer

**http**      **table**

N PORT  
 N TIMEOUT  
 S USERAGENT  
 F open  
 F request

**newtry**      **function**

**protect**      **function**  
**select**      **function**  
**sink**      **function**  
**sinkt**      **table**

F close-when-done  
 F default  
 F http-chunked  
 F keep-open

**skip**      **function**  
**sleep**      **function**  
**smtp**      **table**

S DOMAIN  
 N PORT  
 S SERVER  
 N TIMEOUT  
 S ZONE  
 F message  
 F open  
 F send

**source**      **function**  
**sourcet**      **table**

F by-length  
 F default  
 F http-chunked  
 F until-closed

**tcp**      **function**  
**tcp6**      **function**  
**tp**      **table**

N TIMEOUT  
 F connect

**try**      **function**  
**udp**      **function**  
**udp6**      **function**  
**url**      **table**

F absolute  
 F build  
 F build\_path  
 F escape  
 F parse  
 F parse\_path  
 F unescape



# sorters (context)

**basicsorter**      function

**comparers**        table

    F basic

**constants**        table

    S defaultdigits

    S defaultlanguage

    S defaultmethod

    N digitmaximum

    N digitoffset

    N ignoredoffset

    N replacementoffset

    T validmethods

        B ch

        B mc

        B mm

        B pc

    B pm

    B uc

    B zc

    B zm

**definitions**      data table

**firstofsplit**      function

**packch**            function

**packuc**            function

**setlanguage**      function

**sort**                function

**splitters**         table

    F utf

**strip**              function

**tracers**           data table

**update**            function

## statistics (context)

<b>checkfmtstatus</b>	function	<b>resettiming</b>	function
<b>elapsed</b>	function	<b>runtime</b>	function
<b>elapsedindeed</b>	function	<b>savefmtstatus</b>	function
<b>elapsedseconds</b>	function	<b>show</b>	function
<b>elapsedtime</b>	function	<b>starttiming</b>	function
<b>enable</b>	boolean	<b>stoptiming</b>	function
<b>formatruntime</b>	function	<b>threshold</b>	number
<b>hastiming</b>	function	<b>timed</b>	function
<b>memused</b>	function	<b>tracefunction</b>	function
<b>register</b>	function		

## status (basic tex)

**list**                    function  
**resetmessages**    function

## storage (context)

<b>allocate</b>	function	<b>noftables</b>	number
<b>data</b>	table	<b>register</b>	function
<b>mark</b>	function	<b>shared</b>	data table
<b>marked</b>	function	<b>storedfunctions</b>	data table
<b>max</b>	number	<b>strip</b>	boolean
<b>min</b>	number	<b>tofmodules</b>	number
<b>nofmodules</b>	number	<b>toftables</b>	number

## streams (context)

<b>collect</b>	function
<b>disable</b>	function
<b>enable</b>	function
<b>flush</b>	function
<b>initialize</b>	function

<b>push</b>	function
<b>start</b>	function
<b>stop</b>	function
<b>synchronize</b>	function

## string (basic lua)

<b>autodouble</b>	function	<b>nspace</b>	table
<b>autosingle</b>	function	<b>optionalquoted</b>	function
<b>booleanstring</b>	function	<b>quote</b>	function
<b>byte</b>	function	<b>quoted</b>	function
<b>bytepairs</b>	function	<b>rep</b>	function
<b>bytes</b>	function	<b>replacenewlines</b>	function
<b>bytetable</b>	function	<b>reverse</b>	function
<b>char</b>	function	<b>split</b>	function
<b>characterpairs</b>	function	<b>splitlines</b>	function
<b>characters</b>	function	<b>splitup</b>	function
<b>checkedsplit</b>	function	<b>strip</b>	function
<b>collapsespaces</b>	function	<b>sub</b>	function
<b>count</b>	function	<b>tformat</b>	function
<b>dump</b>	function	<b>toHEX</b>	function
<b>escapedpattern</b>	function	<b>toboollean</b>	function
<b>explode</b>	function	<b>tobytes</b>	function
<b>find</b>	function	<b>tocontext</b>	function
<b>format</b>	function	<b>todec</b>	function
<b>formatter</b>	function	<b>todimen</b>	function
<b>formatters</b>	function	<b>tohex</b>	function
<b>fullstrip</b>	function	<b>tonodes</b>	function
<b>gmatch</b>	function	<b>topattern</b>	function
<b>gsub</b>	function	<b>totable</b>	function
<b>is_boolean</b>	function	<b>toutf</b>	function
<b>is_empty</b>	function	<b>tracedchar</b>	function
<b>itself</b>	function	<b>tracedchars</b>	table
<b>len</b>	function	<b>unquote</b>	function
<b>limit</b>	function	<b>unquoted</b>	function
<b>longtostring</b>	function	<b>upper</b>	function
<b>lower</b>	function	<b>utfcharacters</b>	function
<b>match</b>	function	<b>utfvalues</b>	function
<b>nspace</b>	function	<b>valid</b>	function

# structures (context)

<b>atlocation</b>	function	F previous
<b>blocks</b>	table	F raw
D collected		F record
F define		F reset
F print		F restart
F save		F restore
F select		F save
F setstate		F set
D states		F setlevel
D tobesaved		F setoffset
<b>bookmarks</b>	table	F setown
T extras		F setstate
F get		F setvalue
F mergesections		T specials
F register		F userpage
F reset		F subs
F tosections		D tobesaved
F finalize		F value
F flatten		F way
F installhandler		<b>currentsectionnumber</b> function
F merge		<b>descriptions</b> table
S method		<b>documents</b> table
F overload		D data
F place		F initialize
F register		F preset
F setup		F reset
<b>counters</b>	table	<b>floats</b> table
F add		<b>formulas</b> table
F analyze		<b>helpers</b> table
F check		F analyze
D collected		F formulanumber
F compact		F merged
F converted		F page
F currentvalue		F pageofinternal
D data		F prefix
F define		F prefixlastpage
F first		F prefixpage
F get		F simplify
F last		F title
F next		F touserdata
F prev		<b>inserts</b> table

D data		F savedlistnumber	
F define		F savedlistprefixednumber	
F getdata		F savedlisttitle	
F getlocation		D sectionblocks	
F getname		F sectionnumber	
F getnumber		F size	
F setlocation		F title	
F setup		D tobесaved	
D stored		F userdata	
		F uservalue	
<b>itemgroups</b>	<b>table</b>	<b>marks</b>	<b>table</b>
<b>lists</b>	<b>table</b>		
F addto		D data	
F analyze		F define	
B autoreorder		F exists	
D cached		F fetch	
D collected		F fetchallmarks	
F discard		F fetched	
F enhance		F fetchonemark	
T enhancers		F fetchtwomarks	
F filter		F get	
F formulainumber		F number	
F getresult		F relate	
F groupindex		F reset	
F hasnumberdata		F set	
F haspagedata		F show	
F hastitledata		F synchronize	
F iscached		F title	
D kinds		T tracers	
F label		F showtable	
F location		<b>notes</b>	<b>table</b>
D names		F check_spacing	
F number		F checkpagechange	
D ordered		F define	
F page		F doifonsamepageasprevious	
F popnesting		F get	
F prefix		F getdeltapage	
F prefixednumber		F getinternal	
F prefixedpage		F getn	
F process		F getstate	
D pushed		F hascontent	
F pushnesting		F internal	
F realpage		F internalid	
F reordered		F listindex	
T result		T numbers	



- F ordered
- F postpone
- F resetpostponed
- F restore
- F save
- F setstate
- D states
- F store

## pages

- F analyze
- D collected
- F in\_body
- F is\_odd
- N nopages
- F number
- F on\_right
- F save
- D tobesaved

## references

- F analyze
- F checkedfile
- F checkedfileorurl
- F checkedprogram
- F checkedrealpage
- F checkedurl
- D collected
- U componentsplitter
- F currentmetadata
- F currentorder
- D currentset
- F define
- D defined
- D derived
- F enableinteraction
- F enhance
- D executers
- F expandcurrent
- F export
- T files
- T data
- F define
- F found
- F get
- F filter

## table

## table

- F filterdefault
- D filters
- D flaginternals
- F from
- D functions
- F get
- F getcurrentmetadata
- F getcurrentprefixspec
- F getinnermethod
- F getinternalcachedlistreference
- F getinternallistreference
- F getinternalreference
- D handlers
- F identify
- F import
- F inject
- F injectcurrentset
- S innermethod
- D internals
- F load
- F loadpresets
- F mark
- D pages
- U prefixsplitter
- D productdata
- T programs
- T data
- F define
- F get
- F realpageofpage
- U referencesplitter
- D referred
- F referredpage
- F registerfinalizer
- F registerinitializer
- F registerpage
- F reportproblems
- F reset
- D runners
- F set
- F setandgetattribute
- F setcomponent
- F setinnermethod
- F setinternalreference

- F setnextinternal
- F setnextorder
- F setreferencerealpage
- D specials
- F splitcomponent
- F splitprefix
- F splitreference
- F synchronizepage
- T testrunners
  - F inner
  - F special
  - F special operation
  - F special operation with arguments
- T testspecials
  - F deltapage
  - F i
  - F internal
  - F page
  - F realpage
  - F section
  - F userpage
- D tobereferred
- D tobesaved
- D tracedpages
- T urls
  - T data
  - F define
  - F found
  - F get
  - F untex
- D usedinternals
- D usedviews
- F valid

## registers

- F analyze
- D collected
- F compare
- F define
- F enhance
- F extend
- F filter
- F filtercollected
- F finalize
- F findinternal

## table

- F flush
- F get
- F prepare
- F process
- F setmethod
- F sort
- F store
- D tobosaved
- F unique
- F userdata

## sections

## table

- F autodepth
- F cct
- D collected
- F current
- F currentblock
- F currentid
- F currentlevel
- F currentsectionindex
- F depthnumber
- F finddata
- F findnumber
- F fullnumber
- F getcurrentlevel
- F getlevel
- F getnumber
- F internalreference
- D levelmap
- D levels
- F load
- F matchingtilldepth
- F numberatdepth
- F numbers
- F popblock
- F prefixedconverted
- F pushblock
- F register
- D registered
- F reportstructure
- F save
- T sectionblockdata
  - T bodypart
    - S bookmark
- F set

F setblock		D tobesaved	
F setchecker		<b>tags</b>	<b>table</b>
F setentry		F elementtag	
F setinitialblock		F finishhexport	
F setlevel		F getid	
F setnumber		F handler	
F structuredata		D labels	
F title		F last	
D tobesaved		F lastinchain	
F typesetnumber		F locatedtag	
F userdata		T patterns	
B verbose		U splitter	
<b>sets</b>	<b>table</b>	D properties	
F define		F registermetadata	
F get		F restart	
F getall		F setaspect	
D setlist		F setattributefield	
<b>specials</b>	<b>table</b>	F setcombination	
D collected		F setfigure	
F retrieve		F sethighlight	
F store		F setitem	
D tobesaved		F setitemgroup	
<b>synonyms</b>	<b>table</b>	F setlist	
F analyzed		F setnotation	
D collected		F setnotationsymbol	
F compare		F setproperty	
F define		F setregister	
F filter		F setsorting	
F finalize		F setsynonym	
F flush		F settablecell	
F isshown		F settabulatecell	
F isused		F settagdelimitedsymbol	
F meaning		F settagssubsentencesymbol	
F prepare		F setupexport	
F process		F setuserproperties	
F register		D specifications	
F registershown		F start	
F registerused		F stop	
F resetshown		F strip	
F resetused		D taglist	
F sort		T usewithcare	
F synonym		T images	

## table (basic lua)

<b>allkeys</b>	function	<b>prepend</b>	function
<b>append</b>	function	<b>print</b>	function
<b>are_equal</b>	function	<b>remove</b>	function
<b>autokey</b>	function	<b>reverse</b>	function
<b>collapsed</b>	function	<b>reversed</b>	function
<b>collapsedhash</b>	function	<b>save</b>	function
<b>compact</b>	function	<b>sequenced</b>	function
<b>concat</b>	function	<b>serialize</b>	function
<b>contains</b>	function	<b>setmetatablecall</b>	function
<b>copy</b>	function	<b>setmetatableindex</b>	function
<b>count</b>	function	<b>setmetatablekey</b>	function
<b>derive</b>	function	<b>setmetatablenewindex</b>	function
<b>deserialize</b>	function	<b>sort</b>	function
<b>drop</b>	function	<b>sorted</b>	function
<b>fastcopy</b>	function	<b>sortedhash</b>	function
<b>fastserialize</b>	function	<b>sortedhashkeys</b>	function
<b>filtered</b>	function	<b>sortedhashonly</b>	function
<b>flattened</b>	function	<b>sortedindexonly</b>	function
<b>fromhash</b>	function	<b>sortedkeys</b>	function
<b>getmetatablekey</b>	function	<b>sortedpairs</b>	function
<b>has_one_entry</b>	function	<b>sparse</b>	function
<b>hashed</b>	function	<b>strip</b>	function
<b>identical</b>	function	<b>sub</b>	function
<b>imerge</b>	function	<b>swapped</b>	function
<b>imerged</b>	function	<b>tocontext</b>	function
<b>insert</b>	function	<b>tocsv</b>	function
<b>is_empty</b>	function	<b>tofile</b>	function
<b>is_simple_table</b>	function	<b>tohandle</b>	function
<b>keys</b>	function	<b>tohash</b>	function
<b>load</b>	function	<b>toxml</b>	function
<b>loweredkeys</b>	function	<b>twowaymapper</b>	function
<b>merge</b>	function	<b>unique</b>	function
<b>merged</b>	function	<b>unnest</b>	function
<b>mirrored</b>	function	<b>unpack</b>	function
<b>pack</b>	function	<b>values</b>	function

## tex (basic tex)

<b>attribute</b>	table	<b>getmuglue</b>	function
<b>badness</b>	function	<b>getmuskip</b>	function
<b>box</b>	table	<b>getnest</b>	function
<b>catcode</b>	table	<b>getsfcode</b>	function
<b>conditionals</b>	data table	<b>getskip</b>	function
<b>constants</b>	data table	<b>gettoks</b>	function
<b>count</b>	table	<b>getuccode</b>	function
<b>cprint</b>	function	<b>glue</b>	table
<b>ctdcatcodes</b>	number	<b>hashtokens</b>	function
<b>ctxcatcodes</b>	number	<b>ifs</b>	data table
<b>definefont</b>	function	<b>inimatcodes</b>	number
<b>delcode</b>	table	<b>init_rand</b>	function
<b>dimen</b>	table	<b>isattribute</b>	function
<b>directives</b>	data table	<b>isbox</b>	function
<b>enableprimitives</b>	function	<b>iscount</b>	overloaded function
<b>error</b>	function	<b>isdefined</b>	function
<b>extraprimitives</b>	function	<b>isdimen</b>	overloaded function
<b>finish</b>	function	<b>ismuskip</b>	overloaded function
<b>fontidentifier</b>	function	<b>isskip</b>	overloaded function
<b>fontname</b>	function	<b>istoken</b>	function
<b>force_synctex_line</b>	function	<b>istoks</b>	function
<b>force_synctex_tag</b>	function	<b>lccode</b>	table
<b>fprint</b>	function	<b>linebreak</b>	function
<b>get</b>	function	<b>lists</b>	table
<b>get_synctex_line</b>	function	<b>lua_math_random</b>	function
<b>get_synctex_mode</b>	function	<b>lua_math_randomseed</b>	function
<b>get_synctex_tag</b>	function	<b>luacatcodes</b>	number
<b>getattribute</b>	function	<b>mathcode</b>	table
<b>getbox</b>	function	<b>modes</b>	data table
<b>getboxresourcedimensions</b>	function	<b>muglue</b>	table
<b>getcatcode</b>	function	<b>muskip</b>	table
<b>getcount</b>	function	<b>nest</b>	table
<b>getdelcode</b>	function	<b>nilcatcodes</b>	number
<b>getdelcodes</b>	function	<b>normal_rand</b>	function
<b>getdimen</b>	function	<b>notcatcodes</b>	number
<b>getglue</b>	function	<b>number</b>	function
<b>getlccode</b>	function	<b>primitives</b>	function
<b>getlist</b>	function	<b>print</b>	function
<b>getmath</b>	function	<b>prtcacodes</b>	number
<b>getmathcode</b>	function	<b>resetparagraph</b>	function
<b>getmathcodes</b>	function	<b>romannumeral</b>	function

<b>round</b>	function	<b>setuccode</b>	function
<b>run</b>	function	<b>sfcode</b>	table
<b>saveboxresource</b>	function	<b>shipout</b>	function
<b>scale</b>	function	<b>show_context</b>	function
<b>scantoks</b>	function	<b>skip</b>	table
<b>set</b>	function	<b>sp</b>	function
<b>set_synctex_line</b>	function	<b>splitbox</b>	function
<b>set_synctex_mode</b>	function	<b>sprint</b>	function
<b>set_synctex_tag</b>	function	<b>systemmodes</b>	data table
<b>setattribute</b>	function	<b>takebox</b>	function
<b>setbox</b>	function	<b>texcatcodes</b>	number
<b>setcatcode</b>	function	<b>toks</b>	table
<b>setcount</b>	function	<b>tpacatcodes</b>	number
<b>setdelcode</b>	function	<b>tpbcacodes</b>	number
<b>setdimen</b>	function	<b>tprint</b>	function
<b>setglue</b>	function	<b>trackers</b>	data table
<b>setlcode</b>	function	<b>triggerbuildpage</b>	function
<b>setlist</b>	function	<b>txtcatcodes</b>	number
<b>setmath</b>	function	<b>type</b>	function
<b>setmathcode</b>	function	<b>uccode</b>	table
<b>setmuglue</b>	function	<b>uniform_rand</b>	function
<b>setmuskip</b>	function	<b>uniformdeviate</b>	function
<b>setnest</b>	function	<b>uprint</b>	function
<b>setsfcode</b>	function	<b>useboxresource</b>	function
<b>setskip</b>	function	<b>vrbcacodes</b>	number
<b>settoks</b>	function	<b>write</b>	function

## texconfig (basic tex)

<b>error_line</b>	number	<b>max_print_line</b>	number
<b>expand_depth</b>	number	<b>max_strings</b>	number
<b>formatname</b>	string	<b>nest_size</b>	number
<b>half_error_line</b>	number	<b>param_size</b>	number
<b>hash_extra</b>	number	<b>save_size</b>	number
<b>init</b>	overloaded function	<b>shell_escape</b>	string
<b>kpse_init</b>	boolean	<b>stack_size</b>	overloaded number
<b>max_in_open</b>	number		

## texio (basic tex)

**setescape** function  
**write** function

**write\_nl** function



## token (basic tex)

<b>create</b>	function	<b>is_token</b>	function
<b>get_active</b>	function	<b>put_next</b>	function
<b>get_cmdname</b>	function	<b>scan_code</b>	function
<b>get_command</b>	function	<b>scan_csname</b>	function
<b>get_csname</b>	function	<b>scan_dimen</b>	function
<b>get_expandable</b>	function	<b>scan_glue</b>	function
<b>get_id</b>	function	<b>scan_int</b>	function
<b>get_index</b>	function	<b>scan_keyword</b>	function
<b>get_macro</b>	function	<b>scan_string</b>	function
<b>get_meaning</b>	function	<b>scan_token</b>	function
<b>get_mode</b>	function	<b>scan_toks</b>	function
<b>get_next</b>	function	<b>scan_word</b>	function
<b>get_protected</b>	function	<b>set_macro</b>	function
<b>get_tok</b>	function	<b>type</b>	function

# tokens (context)

**astable** function  
**bgroup** userdata  
**bits** table

N active  
N alignment  
N begingroup  
N character  
N close  
N comment  
N endgroup  
N endofline  
N escape  
N ignore  
N invalid  
N letter  
N mathshift  
N open  
N other  
N parameter  
N space  
N subscript  
N superscript  
N whitespace

**collectors** table

T data  
F defaultwords  
F dowithwords  
F flush  
F install  
F register  
T registered  
F show  
F test

**compile** function  
**constant** function  
**converters** table

S toboolean  
S todimen  
S toglue  
S tonumber  
S tostring

**defined** function  
**egroup** userdata  
**getters** table

F box  
F count  
F dimen  
F glue  
F macro  
F meaning  
F skip  
F token

**hbox** userdata  
**istoken** function  
**letter** function  
**letters** function  
**other** function  
**pickup** function  
**printlist** function  
**scanners** table

F boolean  
F code  
F conditional  
F count  
F csname  
F dimen  
F dimension  
F glue  
F integer  
F keyword  
F list  
F lxmlid  
F number  
F scanclose  
F scanopen  
F skip  
F string  
F token  
F tokens  
F toks  
F word

**scantable** function

## setters table

F box  
F count  
F dimen  
F glue  
F macro  
F skip

## shortcuts table

T bits  
N active  
N alignment  
N begingroup  
N character  
N close  
N comment  
N endgroup  
N endofline  
N escape  
N ignore  
N invalid  
N letter  
N mathshift  
N open  
N other  
N parameter  
N space  
N subscript  
N superscript  
N whitespace  
N close  
F inspect  
N open  
F report  
F scanboolean  
F scanclose  
F scancode  
F scanconditional  
F scanscname  
F scandimen  
F scandimension  
F scaninteger  
F scankeyword  
F scanlist  
T scanners

F boolean  
F code  
F conditional  
F count  
F csname  
F dimen  
F dimension  
F glue  
F integer  
F keyword  
F list  
F lxmlid  
F number  
F scanclose  
F scanopen  
F skip  
F string  
F token  
F tokens  
F toks  
F word  
F scannumber  
F scanopen  
F scanstring  
F scanword  
F toboolean  
F todimen  
T tokens  
F astable  
U bgroup  
T collectors  
F defaultwords  
F dowithwords  
F flush  
F install  
F register  
F show  
F test  
F compile  
F constant  
T converters  
S toboolean  
S todimen  
S toglue

S tonumber	N close	
S toString	F inspect	
F defined	N open	
U egroup	F report	
T getters	F scanboolean	
F box	F scanclose	
F count	F scancode	
F dimen	F scanconditional	
F glue	F scanscname	
F macro	F scandimen	
F meaning	F scandimension	
F skip	F scaninteger	
F token	F scankeyword	
U hbox	F scanlist	
F istoken	F scannumber	
F letter	F scanopen	
F letters	F scanstring	
F other	F scanword	
F pickup	F toboolean	
F printlist	F todimen	
F scantable	F tonumber	
T setters	F toString	
F box	U vbox	
F count	U vtop	
F dimen	F tonumber	
F glue	F toString	
F macro	<b>vbox</b>	userdata
F skip	<b>vtop</b>	userdata
T shortcuts		

# tracers (context)

<b>count</b>	function	<b>primitive</b>	function
<b>cs</b>	function	<b>printerror</b>	function
<b>dimen</b>	function	<b>printwarning</b>	function
<b>knownlist</b>	function	<b>showlines</b>	function
<b>lists</b>	table	<b>strings</b>	table
T context		S undefined	
T internals		<b>toks</b>	function
T scratch		<b>type</b>	function
<b>name</b>	function		

## trackers (context)

<b>data</b>	data table	<b>register</b>	function
<b>default</b>	function	<b>report</b>	function
<b>disable</b>	function	<b>reset</b>	function
<b>dumphashtofile</b>	function	<b>savehash</b>	function
<b>enable</b>	function	<b>show</b>	function
<b>list</b>	function	<b>value</b>	function
<b>name</b>	string		

# typesetters (context)

<b>alignments</b>	table				T handlers
F handler					F installhandler
F set					F processmath
<b>breakpoints</b>	table				F set
F define					F setcolor
F handler					F setmath
D mapping					F tomode
T methods				<b>firstlines</b>	table
T numbers				T actions	
F set				F default	
F setreplacement				F line	
<b>cases</b>	table			F word	
T actions				F handler	
F handler				F set	
F register				<b>fontkerns</b>	table
F set				F handler	
<b>characteralign</b>	table			<b>initials</b>	table
F handler				T actions	
F resetcharacteralign				F default	
F setcharacteralign				F addanchortoline	
<b>characters</b>	table			F addtoline	
F handler				F calculatedelta	
T methods				F checkline	
F replacensp				F handler	
F replacenspaces				F moveinline	
<b>checkers</b>	table			F normalize	
F handler				F set	
F reset				<b>injectors</b>	table
F set				F check	
<b>cleaners</b>	table			T list	
F handler				F mark	
F set				F reset	
<b>digits</b>	table			F set	
T actions				F show	
F handler				<b>italics</b>	table
F set				F enablemath	
<b>directions</b>	table			F enabletext	
F getfences				F forcevariant	
F getglobal				F handler	
F getmethod				F reset	
F handler				F set	

## **kerns**                      table

D factors  
F handler  
F keepligature  
B keptogether  
D mapping  
F set

## **manipulators**            table

F apply  
F applyspecification  
T methods  
F Word  
F Words  
F abbreviatedjournal  
F expandedjournal  
F lowercase  
F stripperperiod  
F uppercase  
T patterns  
U list  
U pair  
F splitspecification

## **margins**                      table

F finalhandler  
F globalhandler  
F localhandler  
F save

## **marksuspects**            function

## **paragraphs**                table

F addanchortoline  
F addtoline  
F calculatedelta  
F checkline  
F handler  
F moveinline  
F normalize  
F set

## **processors**                table

F apply  
F register

F reset  
F split  
F startapply  
F stopapply  
F stripped  
F toString

## **rubies**                      table

F attach  
F check

## **showsuspects**            function

## **spacings**                      table

F define  
F handler  
D mapping  
T numbers  
T frenchpunctuation  
T characters  
S name  
N number

F reset  
F set  
F setup

## **wrappers**                      table

F handler

## **xtables**                      table

F cleanup  
F construct  
F create  
F finish\_row  
F flush  
F initialize\_construct  
F initialize\_reflow\_height  
F initialize\_reflow\_width  
F next\_row  
F reflow\_height  
F reflow\_width  
F set\_construct  
F set\_reflow\_height  
F set\_reflow\_width



# unicode (extra lua)

## ascii table

F byte  
F char  
F dump  
F find  
F format  
F gfind  
F gmatch  
F gsub  
F len  
F lower  
F match  
F rep  
F reverse  
F sub  
F upper

## grapheme table

F byte  
F char  
F dump  
F find  
F format  
F gfind  
F gmatch  
F gsub  
F len  
F lower  
F match  
F rep  
F reverse  
F sub  
F upper

## latin1 table

F byte  
F char  
F dump  
F find  
F format  
F gfind  
F gmatch  
F gsub

F len  
F lower  
F match  
F rep  
F reverse  
F sub  
F upper

## toutf32string function

## utf8 table

F byte  
F char  
F characters  
F chrln  
F count  
F dump  
F filetype  
F find  
F format  
F gfind  
F gmatch  
F gsub  
F is\_valid  
F len  
F length  
F lower  
F magic  
F match  
F remapper  
F rep  
F replacer  
F reverse  
F split  
F splitlines  
F sub  
F substituter  
F tocodes  
F toeight  
F toentities  
F tostring  
F totable  
F upper

F ustring	F utf32_to_utf8_le_t
F utf16_to_utf8_be	F utf32_to_utf8_t
F utf16_to_utf8_be_t	F utf8_to_utf16
F utf16_to_utf8_le	F utf8_to_utf16_be
F utf16_to_utf8_le_t	F utf8_to_utf16_le
F utf16_to_utf8_t	F utf8_to_utf8_t
F utf32_to_utf8_be	F values
F utf32_to_utf8_be_t	F xstring
F utf32_to_utf8_le	

## url (context)

<b>addscheme</b>	function
<b>barepath</b>	function
<b>construct</b>	function
<b>escape</b>	function
<b>filename</b>	function
<b>hashed</b>	function

<b>hascheme</b>	function
<b>query</b>	function
<b>split</b>	function
<b>toquery</b>	function
<b>unescapeget</b>	function

# utilities (context)

## debugger table

- F disable
- F enable
- F savestats
- F showstats
- F showtraceback

## files table

- F close
- F getposition
- F getsize
- F look
- F open
- F read2dot14
- F readbyte
- F readbytes
- F readbytetable
- F readcardinal
- F readcardinal1
- F readcardinal2
- F readcardinal2le
- F readcardinal3
- F readcardinal3le
- F readcardinal4
- F readcardinal4le
- F readchar
- F readfixed2
- F readfixed4
- F readinteger
- F readinteger1
- F readinteger2
- F readinteger2le
- F readinteger3
- F readinteger3le
- F readinteger4
- F readinteger4le
- F readsignedbyte
- F readstring
- F readtag
- F setposition
- F size
- F skip

- F skiplong
- F skipposition
- F skipshort
- F writebyte
- F writecardinal2
- F writecardinal4
- F writestring

## formatters table

- F formatcolumns
- F list
- F stripzeros

## garbagecollector table

- F check
- N criterium
- B enabled

## lua table

- B alwaysstripcode
- F compile
- F loadedluacode
- F loadstripped
- N nofstrippedbytes
- N nofstrippedchunks
- F registerfinalizer
- B stripcode
- T strippedchunks
- F strippedloadstring
- T suffixes
- S lua
- S luc
- S lui
- S luj
- S luv
- S tma
- S tmc
- S tua
- S tuc

## packers table

- F hashed
- F new
- F pack
- F simplehashed

F strip	B modern-light
F unpack	T modern-mono,modern-base-mono
N version	B modern-base-mono
<b>parsers</b>	B modern-mono
<b>table</b>	T modern-variable,latin-modern-variable-designsize,latin-modern-variable
F add_settings_to_array	B latin-modern-variable
F arguments_to_table	B latin-modern-variable-designsize
F array_to_string	B modern-variable
F csvsplitter	T modernvariable,modern-variable
F getparameters	B modern-variable
F groupedsplitat	B modernvariable
F hash_to_string	T modernvariablelight,modern-variable-light
T hashes	B modern-variable-light
T settings_to_set	B modernvariablelight
T max,fit,broad,auto	T serif,sans,mono
B auto	B mono
B broad	B sans
B fit	B serif
B max	T text,hidden,paper,page,leftpage,rightpage
T modern,latin-modern	B hidden
B latin-modern	B leftpage
B modern	T modern-condensed,latin-modern-condensed
T modern,latin-modern,modern-variable,latin-modern-variable,modern-condensed,latin-modern-condensed	B paper
B latin-modern	B rightpage
B latin-modern-condensed	B text
B latin-modern-variable	F iterator
B modern	F keq_to_hash
B modern-condensed	F listitem
B modern-variable	F make_settings_to_hash_pattern
T modern,latin-modern-designsize,latin-modern	F mergehashes
B latin-modern	F options_to_array
B latin-modern-designsize	F options_to_hash
B modern	T patterns
T modern,modern-base	U settings_to_array
B modern	U settings_to_hash_a
B modern-base	U settings_to_hash_b
T modern-condensed,latin-modern-condensed-designsize,latin-modern-condensed,latin-modern-light-condensed,latin-modern-light	U settings_to_hash_c
B latin-modern-condensed	U unittotex
B latin-modern-condensed-designsize	F process_stripped_settings
B latin-modern-light-condensed	F rfc4180splitter
B modern-condensed	F runtime
B modern-light-condensed	F settings_to_array
T modern-light,latin-modern-light-designsize,latin-modern-light	F settings_to_array_obey_fences
B latin-modern-light	F settings_to_array_with_repeat
B latin-modern-light-designsize	

F settings_to_hash		F list	
F settings_to_hash_strict		F new	
F settings_to_hash_tolerant		F register	
F settings_to_numbers		F report	
F settings_to_set		F reset	
F simple_hash_to_string		F show	
F splitmethod		<b>stacker</b>	table
F splitthousands		F new	
F stepper		<b>storage</b>	table
F stripped_settings_to_array		F allocate	
F unittotex		F checked	
F unittoxml		F mark	
<b>randomizer</b>	table	F marked	
F get		F setinitializer	
F getnumber		F sparse	
F getseed		<b>streams</b>	table
F popseed		F close	
F pushseed		F getposition	
F reuseseed		F look	
F setseed		F open	
F setseedi		F read2dot14	
<b>report</b>	function	F read2dot4	
<b>sequencers</b>	table	F readbyte	
F appendaction		F readbytes	
F appendgroup		F readbytetable	
F compile		F readcardinal	
F disableaction		F readcardinal1	
F disablegroup		F readcardinal2	
F enableaction		F readcardinal2LE	
F enablegroup		F readcardinal3	
D functions		F readcardinal3le	
F localize		F readcardinal4	
F new		F readchar	
F nodeprocessor		F readfixed2	
F prependaction		F readfixed4	
F prependgroup		F readinteger	
F removeaction		F readinteger1	
F replaceaction		F readinteger2	
F setkind		F readinteger2le	
F tostring		F readinteger3	
<b>setters</b>	table	F readinteger3le	
F disable		F readinteger4	
F enable		F readinteger4le	
F initialize		F readsignedbyte	

- F readstring
- F setposition
- F size
- F skip
- F skipbytes
- F skiplong
- F skipshort
- strings**                      table
- F collapsecrLf
- T formatters
  - F add
  - F new
- F newrepeater
- F nice
- T striplinepatterns
  - U collapse
  - U prune
  - U prune and collapse
  - U prune and no empty
  - U retain
  - U retain and collapse

- U retain and no empty
- F striplines
- F striplong
- F tabtospace
- T tracers
- tables**                      table
- F accesstable
- F definedtable
- F definetable
- F encapsulate
- F insertaftervalue
- F insertbeforevalue
- F migratetable
- F removevalue
- F replacevalue
- templates**                      table
- F load
- F replace
- F replacer
- F resolve

## vf (context)

<b>char</b>	function
<b>down</b>	function
<b>fontid</b>	function
<b>image</b>	function
<b>node</b>	function
<b>nop</b>	function

<b>pop</b>	function
<b>push</b>	function
<b>right</b>	function
<b>rule</b>	function
<b>special</b>	function



## visualizers (context)

<b>escapepatterns</b>	data table	<b>signal</b>	string
<b>getspecification</b>	function	<b>signalpattern</b>	userdata
<b>getvisualizer</b>	function	<b>specifications</b>	data table
<b>load</b>	function	<b>visualize</b>	function
<b>makenested</b>	function	<b>visualizebuffer</b>	function
<b>makepattern</b>	function	<b>visualizefile</b>	function
<b>newgrammar</b>	function	<b>visualizestring</b>	function
<b>newhandler</b>	function	<b>write</b>	function
<b>parsedxml</b>	function	<b>writeargument</b>	function
<b>pattern</b>	function	<b>writedefault</b>	function
<b>register</b>	function	<b>writeemptyline</b>	function
<b>registerescapecommand</b>	function	<b>writenewline</b>	function
<b>registerescapepline</b>	function	<b>writespace</b>	function
<b>registerescapepattern</b>	function		

# xml (context)

<b>addentitiesdoctype</b>	function	<b>defaulthandlers</b>	table
<b>addspecialcode</b>	function	D file	
<b>after</b>	function	D parsedxml	
<b>all</b>	function	D string	
<b>applylpath</b>	function	D tex	
<b>applyselector</b>	function	D texline	
<b>assign</b>	function	D texspace	
<b>attribute</b>	function	D verbose	
<b>badinclusions</b>	function	<b>defaultprotocol</b>	string
<b>before</b>	function	<b>delete</b>	function
<b>body</b>	function	<b>delete_element</b>	function
<b>builtinentities</b>	table	<b>despecialized</b>	function
B amp		<b>each</b>	function
B apos		<b>each_element</b>	function
B gt		<b>elements</b>	function
B lt		<b>elementtocdata</b>	function
B quot		<b>empty</b>	function
<b>cdata</b>	function	<b>entities</b>	data table
<b>cdatatotext</b>	function	<b>erase</b>	function
<b>checkbom</b>	function	<b>errorhandler</b>	function
<b>checkerror</b>	function	<b>escaped</b>	function
<b>checknamespace</b>	function	<b>expressions</b>	table
<b>checkns</b>	function	F boolean	
<b>cleansed</b>	function	F child	
<b>collect</b>	function	F contains	
<del>collect_elements</del>	<del>function</del>	F count	
<b>collect_tags</b>	function	F error	
<del>collect_texts</del>	<del>function</del>	F find	
<b>collected</b>	function	F idstring	
<b>collecttexts</b>	function	F lower	
<b>content</b>	function	F name	
<b>convert</b>	function	F number	
<b>copy</b>	function	F oneof	
<b>count</b>	function	F print	
<b>cprint</b>	function	F quit	
<b>css</b>	table	F tag	
F applyselector		F text	
F colorspecification		F undefined	
F dimension		F upper	
F fontspecification		<b>fillin</b>	function
F padding		<b>filter</b>	function

## finalizers

F paragraphs  
T tex  
F all  
F attribute  
F chainattribute  
F chainpath  
F command  
F concat  
F concatrange  
F context  
F count  
F ctxtext  
F default  
F first  
F function  
F index  
F last  
F lettered  
F lower  
F lowerall  
F match  
F name  
F position  
F reverse  
F stripped  
F tag  
F tags  
F text  
F upper  
F upperall  
T xml  
F all  
F att  
F attribute  
F attributes  
F cdata  
F chainattribute  
F count  
F default  
F elements  
F empty  
F first  
F function

## table

F index  
F last  
F lowerall  
F match  
F name  
F position  
F reverse  
F table  
F tag  
F tags  
F text  
F texts  
F upperall

<b>first</b>	function
<b>found</b>	function
<b>functions</b>	table
<b>getbuffer</b>	function
<b>gethandlers</b>	function
<b>gethandlersfunction</b>	function
<b>helpers</b>	table
F recursetext	
<b>include</b>	function
<b>inclusion</b>	function
<b>inclusions</b>	function
<b>index</b>	function
<b>inheritedconvert</b>	function
<b>inject</b>	function
<b>inject_element</b>	function
<b>inject_element_after</b>	function
<b>inject_element_before</b>	function
<b>injectafter</b>	function
<b>injectbefore</b>	function
<b>insert</b>	function
<b>insert_element</b>	function
<b>insert_element_after</b>	function
<b>insert_element_before</b>	function
<b>insertafter</b>	function
<b>insertbefore</b>	function
<b>insertcdata</b>	function
<b>insertcomment</b>	function
<b>inspect</b>	function
<b>is_valid</b>	function
<b>kind</b>	function
<b>last</b>	function

<b>lastmatch</b>	function	<b>replace</b>	function
<b>load</b>	function	<b>replace_element</b>	function
<b>lpath</b>	function	<b>resetinjectors</b>	function
<b>lpathcached</b>	function	<b>resolvens</b>	function
<b>lpathcalls</b>	function	<b>root</b>	function
<b>lshow</b>	function	<b>save</b>	function
<b>makestandalone</b>	function	<b>selection</b>	function
<b>match</b>	function	<b>separate</b>	function
<b>name</b>	function	<b>serialize</b>	function
<b>newhandlers</b>	function	<b>setcdata</b>	function
<b>nodesettostring</b>	function	<b>setcomment</b>	function
<b>originalload</b>	function	<b>sethandlersfunction</b>	function
<b>package</b>	function	<b>setinjectors</b>	function
<b>parent</b>	function	<b>setproperty</b>	function
<b>parsedentitylpeg</b>	userdata	<b>settings</b>	function
<b>pihandlers</b>	table	<b>specialcodes</b>	table
F injector		S "	
F tex		S #	
<b>placeholders</b>	table	S \$	
F unknown_any_entity		S %	
F unknown_dec_entity		S &	
F unknown_hex_entity		S '	
<b>popmatch</b>	function	S <	
<b>position</b>	function	S >	
<b>privatecodes</b>	table	S \	
<b>privatetoken</b>	function	S {	
<b>process</b>	function	S	
<b>process_attributes</b>	function	S }	
<b>process_elements</b>	function	S ~	
<b>processattributes</b>	function	<b>specialhandler</b>	table
<b>profiled</b>	table	<b>sprint</b>	function
<b>pushmatch</b>	function	<b>string</b>	function
<b>raw</b>	function	<b>strip</b>	function
<b>registerentity</b>	function	<b>strip_whitespace</b>	function
<b>registers</b>	function	<b>stripelement</b>	function
<b>reindex</b>	function	<b>stripleadingspaces</b>	function
<b>remap_name</b>	function	<b>table</b>	function
<b>remap_namespace</b>	function	<b>text</b>	function
<b>remap_tag</b>	function	<b>textonly</b>	function
<b>remapname</b>	function	<b>texttocdata</b>	function
<b>remapnamespace</b>	function	<b>tocdata</b>	function
<b>remaptag</b>	function	<b>toelement</b>	function
<b>renamespace</b>	function	<b>tostring</b>	function
<b>reparsedentitylpeg</b>	userdata	<b>totable</b>	function

<b>toxml</b>	function	<b>unspecialized</b>	function
<b>tprint</b>	function	<b>withelement</b>	function
<b>traverse</b>	function	<b>withelements</b>	function
<b>unescaped</b>	function	<b>wrap</b>	function
<b>unescapedentitylpeg</b>	userdata	<b>xmlns</b>	table
<b>unprivatized</b>	function		

## zip (extra lua)

<b>archives</b>	table	<b>openarchive</b>	function
<b>close</b>	function	<b>openfile</b>	function
<b>closearchive</b>	function	<b>registeredfiles</b>	table
<b>open</b>	overloaded function	<b>type</b>	function

## zlib (extra lua)

<b>adler32</b>	function
<b>compress</b>	function
<b>compressobj</b>	function
<b>crc32</b>	function

<b>decompress</b>	function
<b>decompressobj</b>	function
<b>version</b>	function