## ConTeXt

přikazy

CS

## ConTEXt přikazy

cs / český 25. dubna 2018

| ACC D                        | NACL - Dec. C. 3   |
|------------------------------|--|
| AfterPar                     | \AfterPar {}   |
| Alphabeticnumerals           | \Alphabeticnumerals {}                                   |
| AMSTEX                       | \AMSTEX  |
| AmSTeX                       | \AmSTeX  |
| And                          | \And   |
| abjadnaivenumerals           | \abjadnaivenumerals {}                                   |
| abjadnodotnumerals           | \abjadnodotnumerals {}                                   |
| abjadnumerals                | \abjadnumerals {}  |
| activatespacehandler         | \activatespacehandler {}                                 |
| acute                        | \acute {}  |
| adaptcollector               | \adaptcollector [] [=]                                   |
| adaptfontfeature             | \adaptfontfeature [] [=]                                 |
| adaptpapersize               | \adaptpapersize []                                       |
| addfeature                   | \addfeature []   |
| addfeature:direct            | \addfeature {}   |
|                              |  |
| addfontpath                  | \addfontpath []  |
| addtocommalist               | \addtocommalist {} \                                     |
| addtoJSpreamble              | \addtoJSpreamble {} {}                                   |
| addvalue                     | \addvalue {} {}  |
| aftersplitstring             | \aftersplitstring \at \to \                              |
| aftertestandsplitstring      | \aftertestandsplitstring \at \to \                       |
| aktualnicislonadpisu         | \aktualnicislonadpisu                                    |
| aktualnidatum                | \aktualnidatum []  |
| alignbottom                  | \alignbottom   |
| aligned                      | \aligned [] {}   |
| alignedbox                   | \alignedbox [] \ {}                                      |
| alignedline                  | \alignedline {} {}                                       |
| alignhere                    | \alignhere   |
| <u> </u>                     |  |
| alignmentcharacter           | \alignmentcharacter                                      |
| allinputpaths                | \allinputpaths   |
| alphabeticnumerals           | \alphabeticnumerals {}                                   |
| alwayscitation               | \alwayscitation [=] []                                   |
| alwayscitation:alternative   | \alwayscitation [] []                                    |
| alwayscitation:userdata      | \alwayscitation [=] [=]                                  |
| alwayscite                   | \alwayscite [=] []                                       |
| alwayscite:alternative       | \alwayscite [] []  |
| alwayscite:userdata          | \alwayscite [=] [=]                                      |
| ampersand                    | \ampersand   |
| anchor                       | \anchor [] [=] {}  |
| antikva                      | \antikva   |
| appendetoks                  | \appendetoks \to \                                       |
| appendgvalue                 | \appendgvalue \{\ldot\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| •.                           |  |
| appendtocommalist            | \appendtocommalist {} \                                  |
| appendtoks                   | \appendtoks \to \  |
| appendtoksonce               | \appendtoksonce \to \                                    |
| appendvalue                  | \appendvalue {} {}                                       |
| apply                        | \apply {} {}   |
| applyalternativestyle        | \applyalternativestyle {}                                |
| applyprocessor               | \applyprocessor {} {}                                    |
| applytofirstcharacter        | \applytofirstcharacter \ {}                              |
| applytocharacters            | \applytocharacters \ {}                                  |
| applytosplitstringchar       | \applytosplitstringchar \ {}                             |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \ {}                       |
| applytosplitstringline       | \applytosplitstringline \ {}                             |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \ \{\}                     |
| applytosplitstringword       | \applytosplitstringword \ \{\}                           |
| 11 0 1 0                     |  |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \ \{\}                     |
| applytowords                 | \applytowords \ {}                                       |
| arabicdecimals               | \arabicdecimals {}                                       |
| arabicexnumerals             | \arabicexnumerals {}                                     |
| arabicnumerals               | \arabicnumerals {}                                       |
| arg                          | \arg {}  |
| asciistr                     | \asciistr {}   |
| assignalfadimension          | \assignalfadimension {} \ {} {} {}                       |
| assigndimen                  | \assigndimen \ {}  |
| assigndimension              | \assigndimension \{\dots\} \\\\} \\\\} \\\\}             |
| assignifempty                | \assignifempty \ \{\\}                                   |
| assigntranslation            | \assigntranslation [=] \to \                             |
| _                            |  |
| assignvalue                  | \assignvalue {} \ {} {} {}                               |
| assignwidth                  | \assignwidth {} \ {} {}                                  |
| assumelongusagecs            | \assumelongusagecs \ {}                                  |
| astype                       | \astype {}   |

|                                | \ATTACUMENT [ ] [ _ ]                 |
|--------------------------------|---------------------------------------|
| attachment:instance            | \ATTACHMENT [] [=] \attachment [] [=] |
| attachment:instance:attachment |                                       |
| autocap                        | \autocap {}<br>\autodirhbox {}        |
| autodirhbox<br>autodirvbox     | \autodirhbox {}                       |
| autodirytop                    | \autodirvbox {}                       |
| autoinsertnextspace            | \autoinsertnextspace                  |
| autointegral                   | \autointegral {} {}                   |
| automathematics                | \automathematics {}                   |
| autosetups                     | \autosetups {}                        |
| autostarttext                  | \autostarttext \autostoptext          |
| availablehsize                 | \availablehsize                       |
| averagecharwidth               | \averagecharwidth                     |
| BeforePar                      | \BeforePar {}                         |
| Big                            | \Big                                  |
| Bigg                           | \Bigg                                 |
| Biggl                          | \Biggl                                |
| Biggm                          | \Biggm                                |
|                                | \Biggr                                |
| Biggr                          |                                       |
| Bigl<br>Piom                   | \Bigl<br>\Bigm                        |
| Bigm                           | . •                                   |
| Bigr                           | \Bigr                                 |
| backgroundimage                | \backgroundimage \{\} \{\} \{\}       |
| backgroundimagefill            | \backgroundimagefill {} {} {}         |
| backgroundline                 | \backgroundline [] {}                 |
| bar                            | \bar {}                               |
| barevnalista                   | \barevnalista []                      |
| barva                          | \barva [] {}                          |
| bar:instance                   | \BAR {}                               |
| bar:instance:hiddenbar         | \hiddenbar {}                         |
| bar:instance:nobar             | \nobar {}                             |
| bar:instance:overbar           | \overbar {}                           |
| bar:instance:overbars          | \overbars {}                          |
| bar:instance:overstrike        | \overstrike {}                        |
| bar:instance:overstrikes       | \overstrikes {}                       |
| bar:instance:underbar          | \underbar {}                          |
| bar:instance:underbars         | \underbars {}                         |
| bar:instance:underdash         | \underdash {}                         |
| bar:instance:underdashes       | \underdashes {}                       |
| bar:instance:underdot          | \underdot {}                          |
| bar:instance:underdots         | \underdots {}                         |
| bar:instance:underrandom       | \underrandom {}                       |
| bar:instance:underrandoms      | \underrandoms {}                      |
| bar:instance:understrike       | \understrike {}                       |
| bar:instance:understrikes      | \understrikes {}                      |
| basegrid                       | \basegrid [=]                         |
| baselinebottom                 | \baselinebottom                       |
| baselineleftbox                | \baselineleftbox {}                   |
| baselinemiddlebox              | \baselinemiddlebox {}                 |
| baselinerightbox               | \baselinerightbox {}                  |
| bbordermatrix                  | \bbordermatrix {}                     |
| bbox                           | \bbox {}                              |
| beforesplitstring              | \beforesplitstring \at \to \          |
| beforetestandsplitstring       | \beforetestandsplitstring \at \to \   |
| beginblock:example             | \beginBLOCK [] \endBLOCK              |
| beginhbox                      | \beginhbox \endhbox                   |
| beginofshapebox                | \beginofshapebox \endofshapebox       |
| beginvbox                      | \beginvbox \endvbox                   |
| beginvtop                      | \beginvtop \endvtop                   |
| begstrut                       | \begstrut \endstrut                   |
| bezserifu                      | \bezserifu                            |
| bigbodyfont                    | \bigbodyfont                          |
| bigg                           | \bigg                                 |
| bigger                         | \bigger                               |
| biggl                          | \biggl                                |
| biggm                          | \biggm                                |
| biggr                          | \biggr                                |
| bigl                           | \bigl                                 |
| bigm                           | \bigm                                 |
| -                              | \bigr                                 |
| bigr                           | \bigskip                              |
| bigskip                        | \bitmapimage [=] {}                   |
| bitmapimage                    | /promabruago [] []                    |

| blap  | \blap {}   |
|---|--|
| bleed   | \bleed [=] {}  |
| bleedheight   | \bleedheight   |
| bleedwidth  | \bleedwidth  |
| blockligatures  | \blockligatures []   |
| blocksynctexfile  | \blocksynctexfile []   |
| •   |  |
| bodyfontenvironmentlist   | \bodyfontenvironmentlist   |
| bodyfontsize  | \bodyfontsize  |
| boldface  | \boldface  |
| booleanmodevalue  | \booleanmodevalue {}   |
| bordermatrix  | \bordermatrix {}   |
| bottombox   | \bottombox {}  |
| bottomleftbox   | \bottomleftbox {}  |
| bottomrightbox  | \bottomrightbox {}   |
| boxcursor   | \boxcursor   |
| boxmarker   | \boxmarker {} {}   |
| boxofsize   | \boxofsize \ {}  |
| boxreference  | \boxreference [] \ {}  |
| bpar  | \bpar \epar  |
| -   |  |
| bpos  | \bpos {}   |
| breakhere   | \breakhere   |
| breve   | \breve {}  |
| bTABLE  | \bTABLE [=] \eTABLE  |
| bTABLEbody  | \bTABLEbody [=] \eTABLEbody  |
| bTABLEfoot  | \bTABLEfoot [=] \eTABLEfoot  |
| bTABLEhead  | \bTABLEhead [=] \eTABLEhead  |
| bTABLEnext  | \bTABLEnext [=] \eTABLEnext  |
| bTC   | \bTC [=] \eTC  |
| bTD   | \bTD [=] \eTD  |
| bTDs  | \bTDs [] \eTDs   |
| bTH   | \bTH [=] \eTH  |
| bTN   | \bTN [=] \eTN  |
| bTR   |  |
|   | \bTR [=] \eTR  |
| bTRs  | \bTRs [] \eTRs   |
| bTX   | \bTX [=] \eTX  |
| bTY   | \bTY [=] \eTY  |
| btxabbreviatedjournal   | \btxabbreviatedjournal {}  |
| btkabbieviateajournar   |  |
| btxaddjournal   | \btxaddjournal [] []   |
| · ·   | \btxaddjournal [] [] \btxalwayscitation [=] []   |
| btxaddjournal   | · · · · · · · · · · · · · · · · · · ·  |
| btxaddjournal<br>btxalwayscitation  | \btxalwayscitation [=] []  |
| btxaddjournal<br>btxalwayscitation<br>btxalwayscitation:alternative   | \btxalwayscitation [=] [] \btxalwayscitation []  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata  | \btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=]  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail   | \btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {}   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect   | \btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {}   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {}</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {}</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsecombiinlist   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoirect {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {}</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetial {} \btxdetial {} \btxdoirect {} \btxdoif {} {} \btxdoifcombinhistelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinhist {} {} {} {} \btxdoifelsesameasprevious {} {} {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombinilistelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable   | \btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombiniistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {}   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifelse(combinilistelse {} {} {} {} \btxdoifelse(combinilist {} {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot btxdoifsameaspreviouselse  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {} \btxdoifsameaspreviouselse {} {} {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifelse(combinilistelse {} {} {} {} \btxdoifelse(combinilist {} {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot btxdoifsameaspreviouselse  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {} \btxdoifsameaspreviouselse {} {} {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot btxdoifsameaspreviouscheckedelse   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {} \btxdoifsameaspreviouscheckedlse {} {} {}</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifotbtxdoifotbtxdoifelseuservariable btxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} {} \btxdoifelse sameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \end{array}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifolseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxexpandedjournal   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifont {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxexpandedjournal {} \btxfield {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifont btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxxpandedjournal btxfield btxfieldname  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifont {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouschecked {} {} \btxdoifsameaspreviouschecked {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfield {} \btxfieldname {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifont btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifinot {} {} \btxdoifinameaspreviouschecked {} {} {} \btxdoifinameaspreviouschecked {} {} {} \btxdoifinameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {}</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifont btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombiinlistelse {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifont {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldtype {} \btxfirstofrange {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxfirstofrange {} \btxflush {}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthor  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflush {} \btxflush {} \btxflushauthor [] {}</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdifush btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthor btxflushauthorinverted   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \end{array}</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif(combiinlistelse {} {} {} \btxdoifelse(combiinlist {} {} {} \btxdoifelse(combiinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \end{arrange} \end{arrange} \end{arrange} \end{arrange} \text{arrange} arr</pre> |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxtdoifuservariableelse btxield btxfield btxfieldname btxfieldype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort btxflushauthorname  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorname {} \btxflushauthorname {} \end{array}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorinvertedshort {} \btxflushauthorinvertedshort {} \end{array}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxtdoifuservariableelse btxield btxfield btxfieldname btxfieldype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort btxflushauthorname  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorname {} \btxflushauthorname {} \end{array}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifoot btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort btxflushauthorname btxflushauthornormal   | <pre>\btxalwayscitation [] [] \btxalwayscitation [] [] \btxalwayscitation [] [] \btxathorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorname {} \btxflushauthorname {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \end{array}</pre>  |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifolseuservariable btxdoifosameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinverted btxflushauthorinvertedshort btxflushauthornormal btxflushauthornormal   | <pre>\btxalwayscitation [] [] \btxalwayscitation [] [] \btxalwayscitation [] [] \btxalthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {} \btxdoifelsecombiinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflush</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdetail btxdoifect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelsesarvariable btxdoifont btxdoifsameaspreviouselse btxdoifuservariableelse btxdoifuservariableelse btxdifuservariableelse btxdifuservariableelse btxdifuservariableelse btxdifuservariableelse btxtield btxfield btxfield btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinverted btxflushauthorname btxflushauthornormal btxflushauthornormal btxflushauthornormal   | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombiinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldname {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthornormal {} \btxflushsuffix</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelsesameaspreviouschecked btxdoifsameaspreviouselse btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxtieldd btxfield btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthor btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushautfix btxfoundname  | <pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoifcombinilistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldname {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorname {} \btxflushauthornormal {.</pre>   |
| btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesombiinlist btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelsesameaspreviouschecked btxdoifotbtxdoifsameaspreviouselse btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedlse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxfield btxfield btxfieldname btxfieldtype btxfirstofrange btxflushauthorinverted btxflushauthorinvertedshort btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal | <pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoifect {} \btxdoiffcombinilistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorname {} \btxflushauthornormal {} \btxflushauthornormalshort {} \btxflushsuffix \btxfoundname {} \btxfoundname {} \btxfoundtype {} \btxfoundtype {} \btxfoundtype {} \btxfoundtype {} \end{array} \rightarrow \text{foundtype {} \rightarrow \text{foundtype {} \end{array} \rightarrow \text{foundtype {} \text{foundtype {} \end{array} \rightarrow \text{foundtype {} foundtype</pre>  |

| btxhybridcite:alternative                    | \btxhybridcite [] []                         |
|--|--|
| btxhybridcite:direct                         | \btxhybridcite {}                            |
| btxhybridcite:userdata                       | \btxhybridcite [=] [=]                       |
| btxlistcitation                              | \btxlistcitation [=] []                      |
| btxlistcitation:alternative                  | \btxlistcitation [] []                       |
| btxlistcitation:userdata                     | \btxlistcitation [=] [=]                     |
| btxloadjournalist                            | \btxloadjournalist []                        |
| 3  | <u> </u>                                     |
| btxoneorrange                                | \btxoneorrange {} {} {}                      |
| btxremapauthor                               | \btxremapauthor [] []                        |
| btxsavejournalist                            | \btxsavejournalist []                        |
| btxsetup                                     | \btxsetup {}                                 |
| btxsingularorplural                          | \btxsingularorplural {} {}                   |
| btxsingularplural                            | \btxsingularplural $\{\ldots\}$ $\{\ldots\}$ |
| btxtextcitation                              | \btxtextcitation [=] []                      |
| btxtextcitation:alternative                  | \btxtextcitation [] []                       |
| btxtextcitation:userdata                     | \btxtextcitation [=] [=]                     |
| bublinkovanapoveda:instance                  | \TOOLTIP [=] {} {}                           |
| bublinkovanapoveda:instance:argument         | \TOOLTIP [] {} {}                            |
| bublinkovanapoveda:instance:argument:tooltip | \tooltip [] {}                               |
| bublinkovanapoveda:instance:tooltip          | \tooltip [=] {} {}                           |
| buildmathaccent                              | \buildmathaccent {} {}                       |
| buildtextaccent                              | \buildtextaccent {} {}                       |
| buildtextbottomcomma                         |  |
|  | \buildtextbottomcomma {}                     |
| buildtextbottomdot                           | \buildtextbottomdot {}                       |
| buildtextcedilla                             | \buildtextcedilla {}                         |
| buildtextgrave                               | \buildtextgrave {}                           |
| buildtextmacron                              | \buildtextmacron {}                          |
| buildtextognek                               | \buildtextognek {}                           |
| Caps   | \Caps {}                                     |
| Cisla  | \Cisla {}                                    |
| CONTEXT                                      | \CONTEXT                                     |
| ConTeXt                                      | \ConTeXt                                     |
| Context                                      | \Context                                     |
| ConvertConstantAfter                         | \ConvertConstantAfter \ {} {}                |
| ConvertToConstant                            | \ConvertToConstant \ {} {}                   |
| camel  | \came1 {}                                    |
| catcodetablename                             | \catcodetablename                            |
|  | ·  |
| cbox   | \cbox {}                                     |
| centeraligned                                | \centeraligned {}                            |
| centerbox                                    | \centerbox {}                                |
| centeredbox                                  | \centeredbox {}                              |
| centeredlastline                             | \centeredlastline                            |
| centerednextbox                              | \centerednextbox {}                          |
| centerline                                   | \centerline {}                               |
| cernalinka                                   | \cernalinka [=]                              |
| cernelinky                                   | \cernelinky [=]                              |
| cfrac  | \cfrac [] {} {}                              |
| cisla  | \cisla {}                                    |
| cislonadpisu                                 | \cislonadpisu [] []                          |
| cislorovnice                                 | \cislorovnice []                             |
| cislostrany                                  | \cislostrany                                 |
| citation                                     | \citation [=] []                             |
|  |  |
| citation:alternative                         | \citation [] []                              |
| citation:direct                              | \citation {}                                 |
| citation:userdata                            | \citation [=] [=]                            |
| cite   | \cite [=] []                                 |
| cite:alternative                             | \cite [] []                                  |
| cite:direct                                  | \cite {}                                     |
| cite:userdata                                | \cite [=] [=]                                |
| clap   | \clap {}                                     |
| classfont                                    | \classfont {} {}                             |
| cldcommand                                   | \cldcommand {}                               |
| cldcontext                                   | \cldcontext {}                               |
| cldloadfile                                  | \cldloadfile {}                              |
| cldprocessfile                               | \cldprocessfile {}                           |
| collect                                      | \collect {}                                  |
|  |  |
| collectedtext                                | \collectedtext [=] [=] {} {}                 |
| collectexpanded                              | \collectexpanded {}                          |
| colorcomponents                              | \colorcomponents {}                          |
| colored                                      | \colored [=] {}                              |
| colored:name                                 | \colored [] {}                               |
| coloronly                                    | \coloronly [ ] { }                           |

| columnbreak  | \columnbreak []   |
|--|---|
| combinepages   | \combinepages [] [=]  |
| commalistelement   | \commalistelement   |
| commalistsentence  | \commalistsentence [] []  |
| commalistsize comparedimension   | \commalistsize \comparedimension \{\ldots\} \{\ldots\}  |
| comparedimensioneps  | \comparedimensioneps \{\ldots\} \\\   |
| completebtxrendering   | \completebtxrendering [] [=]  |
| completecombinedlist:instance  | \uplnyCOMBINEDLIST [=]  |
| completecombinedlist:instance:content  | \uplnycontent [=]   |
| completelist   | \completelist [] [=]  |
| completelistoffloats:instance  | \completelistofFLOATS [=]   |
| completelistoffloats:instance:figures  | \completelistoffigures [=]  |
| <pre>completelistoffloats:instance:graphics completelistoffloats:instance:chemicals</pre>  | \completelistofgraphics [=] \completelistofchemicals [=]  |
| completelistoffloats:instance:intermezzi   | \completelistofintermezzi [=]   |
| completelistoffloats:instance:tables   | \completelistoftables [=]   |
| completelistofpublications   | \completelistofpublications [] [=]  |
| completelistofsorts  | \completelistofsorts [] [=]   |
| completelistofsorts:instance   | \completelistofSORTS [=]  |
| completelistofsorts:instance:logos   | \completelistoflogos [=]  |
| completelistofsynonyms   | \completelistofsynonyms [] [=]  |
| completelistofsynonyms:instance  | \completelistofSYNONYMS [=] \completelistofabbreviations [=]  |
| completelistofsynonyms:instance:abbreviations completepagenumber   | \completeristorabbleviations []   |
| completeregister   | \completeregister [] [=]  |
| completeregister:instance  | \uplnyREGISTER [=]  |
| completeregister:instance:index  | \uplnyindex [=]   |
| complexorsimple  | \complexorsimple \  |
| complexorsimpleempty   | \complexorsimpleempty \   |
| complexorsimpleempty:argument  | \complexorsimpleempty {}  |
| complexorsimple:argument composedcollector   | \complexorsimple {} \composedcollector {}   |
| composedlayer  | \composedlayer {}   |
| compresult   | \compresult   |
| constantdimen  | \constantdimen \  |
| constantdimenargument  | \constantdimenargument \  |
| constantemptyargument  | \constantemptyargument \  |
| constantnumber   | \constantnumber \   |
| constantnumberargument contentreference  | \constantnumberargument \ \contentreference [] [=] {}   |
| continuednumber  | \continuednumber {}   |
| continueifinputfile  | \continueifinputfile {}   |
| convertargument  | \convertargument \to \  |
| convertcommand   | \convertcommand \ \to \   |
| convertedcounter   | \convertedcounter [] [=]  |
| converteddimen convertedsubcounter   | \converteddimen \{\ldots\} \\convertedsubcounter \[\ldots\] \[\ldots\] \[\ldots\]   |
| convertmenth   | \convertedsubcounter [] [] \convertmenth {}   |
| convertvalue   | \convertvalue \to \   |
| convertvboxtohbox  | \convertvboxtohbox  |
| copyboxfromcache   |   |
| copylabeltext:instance   | \copyboxfromcache {} {}   |
| copylabeltext:instance:btxlabel  | \copyLABELtext [] [=]   |
|  | \copyLABELtext [] [=] \copybtxlabeltext [] [=]  |
| copylabeltext:instance:head  | \copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=]   |
| copylabeltext:instance:label   | \copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=]   |
| copylabeltext:instance:label copylabeltext:instance:mathlabel  | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=]</pre>  |
| copylabeltext:instance:label   | \copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=]   |
| <pre>copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator</pre>   | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copyomethlabeltext [] [=] \copyoperatortext [] [=]</pre>  |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel  | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copyoperatortext [] [=] \copyprefixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=]</pre>  |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit  | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=] \copyoperatortext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=]</pre>  |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages  | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=] \copyoperatortext [] [=] \copyprefixtext [] [=] \copysuffixtext [] [=] \copyunittext [] [=] \copypages [] [=] [=]</pre>  |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copyparameters   | \copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=] \copyoperatortext [] [=] \copyprefixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copypages [] [=] [=] \copypages [] [=] [=]   |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages  | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=] \copyoperatortext [] [=] \copyprefixtext [] [=] \copysuffixtext [] [=] \copyunittext [] [=] \copypages [] [=] [=]</pre>  |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copyparameters copyposition  | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copynathlabeltext [] [=] \copyoperatortext [] [=] \copyprefixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=] \copypages [] [=] [=] \copypages [] [=] [=] \copyposition {} {}</pre>   |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copypages copyparameters copyposition countersubs                                  | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copynathlabeltext [] [=] \copyoperatortext [] [=] \copyprefixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=] \copypages [] [=] [=] \copypages [] [=] [=] \copyposition {} {} \countersubs [] []</pre>  |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copypages copyparameters copyposition countersubs counttoken counttokens cramped   | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copynathlabeltext [] [=] \copyoperatortext [] [=] \copyoperfixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copytaglabeltext [] [=] \copynattext [] [=] \copypages [] [=] [=] \copypages [] [] [] \countersubs [] [] \counttoken \in \to \ \counttokens \to \ \cramped {}</pre>        |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copyparameters copyposition countersubs counttoken counttokens cramped crampedclap | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=] \copyprefixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copytaglabeltext [] [=] \copypages [] [=] [=] \copypages [] [=] [] \copyparameters [] [] \countersubs [] [] \counttoken \in \to \ \camped {} \cramped {} \crampedclap {}</pre> |
| copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copypages copyparameters copyposition countersubs counttoken counttokens cramped   | <pre>\copyLABELtext [] [=] \copybtxlabeltext [] [=] \copyheadtext [] [=] \copynathlabeltext [] [=] \copyoperatortext [] [=] \copyoperfixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copytaglabeltext [] [=] \copynattext [] [=] \copypages [] [=] [=] \copypages [] [] [] \countersubs [] [] \counttoken \in \to \ \counttokens \to \ \cramped {}</pre>        |

| ctop                                 | \ctop {}                                     |
|--------------------------------------|--|
| ctxcommand                           | \ctxcommand {}                               |
| ctxdirectcommand                     | \ctxdirectcommand {}                         |
| ctxdirectlua                         | \ctxdirectlua {}                             |
| ctxfunction                          | \ctxfunction {}                              |
| ctxfunctiondefinition:example        | \CTXFUNCTIONDEFINITION                       |
| ctxfunction:example                  | $\CTXFUNCTION$                               |
| ctxlatecommand                       | \ctxlatecommand {}                           |
| ctxlatelua                           | \ctxlatelua {}                               |
| ctxloadluafile                       | \ctxloadluafile {}                           |
|                                      | ***  |
| ctxlua                               | \ctxlua {}                                   |
| ctxluabuffer                         | \ctxluabuffer []                             |
| ctxluacode                           | \ctxluacode {}                               |
| ctxreport                            | \ctxreport {}                                |
| ctxsprint                            | \ctxsprint {}                                |
| currentassignmentlistkey             | $\verb \currentassignmentlistkey $           |
| currentassignmentlistvalue           | $\c$ currentassignmentlistvalue              |
| currentbtxuservariable               | \currentbtxuservariable {}                   |
| currentcommalistitem                 | \currentcommalistitem                        |
| currentcomponent                     | \currentcomponent                            |
| currentenvironment                   | \currentenvironment                          |
| currentfeaturetest                   | \currentfeaturetest                          |
| currentinterface                     | \currentinterface                            |
|                                      | \currentPOPISEK [] {}                        |
| currentlabel:example                 | \currentlanguage                             |
| currentlanguage                      | 8 8  |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute        |
| currentlistentrylimitedtext          | \currentlistentrylimitedtext {}              |
| currentlistentrynumber               | $\c$ urrentlistentrynumber                   |
| currentlistentrypagenumber           | $\verb \currentlistentrypagenumber $         |
| currentlistentryreferenceattribute   | \currentlistentryreferenceattribute {}       |
| currentlistentrytitle                | \currentlistentrytitle                       |
| currentlistentrytitlerendered        | \currentlistentrytitlerendered               |
| currentlistsymbol                    | \currentlistsymbol                           |
| currentmainlanguage                  | \currentmainlanguage                         |
| currentmessagetext                   | \currentmessagetext                          |
| currentmoduleparameter               | \currentmoduleparameter {}                   |
| currentoutputstream                  | \currentoutputstream                         |
| currentproduct                       | \currentproduct                              |
| -                                    |  |
| currentproject                       | \currentproject                              |
| currentregime                        | \currentregime                               |
| currentregisterpageuserdata          | \currentregisterpageuserdata {}              |
| currentresponses                     | \currentresponses                            |
| currenttime                          | \currenttime []                              |
| currentvalue                         | \currentvalue                                |
| currentxtablecolumn                  | \currentxtablecolumn                         |
| currentxtablerow                     | \currentxtablerow                            |
| d                                    | \d {}  |
| dalsipodstranka                      | \dalsipodstranka                             |
| datasetvariable                      | \datasetvariable {} {} {}                    |
| datum                                | \datum [=] []                                |
| dayoftheweek                         | \dayoftheweek {} {} {}                       |
| dayspermonth                         |  |
| · -                                  | \dayspermonth {} {}<br>\dddot {}             |
| dddot                                |  |
| ddot                                 | \ddot {}                                     |
| decrement                            | \decrement \                                 |
| decrementcounter                     | \decrementcounter [] []                      |
| decrementedcounter                   | \decrementedcounter []                       |
| decrementpagenumber                  | \decrementpagenumber                         |
| decrementsubpagenumber               | \decrementsubpagenumber                      |
| decrementvalue                       | \decrementvalue {}                           |
| decrement:argument                   | \decrement cd:parentheses-s                  |
| defaultinterface                     | \defaultinterface                            |
|                                      |  |
| defaultobjectpage                    | \defaultobjectpage                           |
| defaultobjectreference               | \defaultobjectreference                      |
| defcatcodecommand                    | \defcatcodecommand \ \ \{\}                  |
| defconvertedargument                 | \defconvertedargument \ \{\}                 |
| defconvertedcommand                  | \defconvertedcommand \ \                     |
| defconvertedvalue                    | $\def converted value \ \ldots \ \{\ldots\}$ |
| defineactivecharacter                | \defineactivecharacter {}                    |
| definealternativestyle               | \definealternativestyle [] []                |
| defineanchor                         | \defineanchor [] [=] [=]                     |
| defineattachment                     | \defineattachment [] [] [=]                  |
|                                      |  |

| defineattribute   | \defineattribute [] []  |
|---|---|
| definebackground  | \definebackground [] [=]  |
| definebar   | \definebar [] [=]   |
| definebodyfontswitch  | \definebodyfontswitch [] []   |
| definebreakpoint  | \definebreakpoint [] [=]  |
| definebreakpoints<br>definebtx  | \definebreakpoints [] \definebtx [] [=]   |
| definebtx   | \definebtx [] [] [=] \definebtxdataset [] [] [=]  |
| definebtxregister   | \definebtxregister [] [] [=]  |
| definebtxrendering  | \definebtxrendering [] [] []  |
| definebutton  | \definebutton [] [=]  |
| definecapitals  | \definecapitals [] [=]  |
| definecollector   | \definecollector [] [=]   |
| definecolumnbreak   | \definecolumnbreak [] []  |
| definecombination   | \definecombination [] [=]   |
| definecomment   | \definecomment [] [=]   |
| definecomplexorsimple   | \definecomplexorsimple \  |
| definecomplexorsimpleempty  | \definecomplexorsimpleempty \   |
| <pre>definecomplexorsimpleempty:argument definecomplexorsimple:argument</pre> | \definecomplexorsimpleempty {} \definecomplexorsimple {}  |
| defineconversionset   | \definecomplexorsimple \(\lambda \cdots \) \defineconversionset \[ \lambda \cdots \] \[ \lambda \cdots \] |
| definecounter   | \definecounter [] [] [=]  |
| definedataset   | \definedataset [] [] [=]  |
| definedelimitedtext   | \definedelimitedtext [] [] [=]  |
| definedfont   | \definedfont []   |
| defineeffect  | \defineeffect [] [=]  |
| defineexpandable  | \defineexpandable [] \ {}   |
| defineexternalfigure  | \defineexternalfigure [] []   |
| definefallbackfamily  | \definefallbackfamily [] [] [] []   |
| definefallbackfamily:preset   | \definefallbackfamily [] [] [] \definefieldbody [] [] [=]   |
| definefieldbody<br>definefieldbodyset   | \definefieldbodyset [] []   |
| definefieldcategory   | \definefieldcategory [] [=]   |
| definefileconstant  | \definefileconstant {} {}   |
| definefilefallback  | \definefilefallback [] []   |
| definefilesynonym   | \definefilesynonym []   |
| definefiller  | \definefiller [] [=]  |
| definefirstline   | \definefirstline [] [] [=]  |
| definefittingpage<br>definefontalternative                                    | \definefittingpage [] [=] \definefontalternative []   |
| definefontfallback  | \definefontfallback [] [] [] [=]  |
| definefontfamily  | \definefontfamily [] [] [] [=]  |
| definefontfamilypreset  | \definefontfamilypreset [] [=]  |
| definefontfamilypreset:name   | \definefontfamilypreset [] []   |
| definefontfamily:preset   | \definefontfamily [] [] []  |
| definefontfeature   | \definefontfeature [] [] [=]  |
| definefontfile<br>definefontsize  | \definefontfile [] [=] \definefontsize []   |
| definefontsolution  | \definefontsolution [] [] [=]   |
| defineformula   | \defineformula [] [] [=]  |
| defineformulaalternative  | \defineformulaalternative [] []   |
| defineformulaframed   | \defineformulaframed [] [] [=]  |
| defineframedcontent   | \defineframedcontent [] [=]   |
| defineframedtable   | \defineframedtable [] []  |
| definefrozenfont<br>defineglobalcolor   | \definefrozenfont [] [] \defineglobalcolor [] [=]   |
| defineglobalcolor:name  | \defineglobalcolor [] [] \defineglobalcolor []  |
| definegraphictypesynonym  | \definegraphictypesynonym [] []   |
| definegridsnapping  | \definegridsnapping [] []   |
| defineheadalternative   | \defineheadalternative [] [] [=]  |
| definehelp  | \definehelp [] [=]  |
| definehigh  | \definehigh [] [=]  |
| definehighlight   | \definehighlight [] [] [=]  |
| definehyperationfoatures  | \definehspace [] [] \definehypenationfeatures [] [=]  |
| definehypenationfeatures<br>definecharacterkerning                            | \definecharacterkerning [] [=]  |
| definecharacterspacing  | \definecharacterspacing []  |
| definechemical  | \definechemical [] {}   |
| definechemicals   | \definechemicals [] [=]   |
| definechemicalsymbol  | \definechemicalsymbol []  |
| defineindentedtext  | \defineindentedtext [] [=]  |
| defineindenting   | \defineindenting []   |
|   |   |

| defineinitial                                  | \defineinitial [] [=]                                     |
|--|---|
| defineinsertion                                | \defineinsertion [] [=]                                   |
| defineinteraction                              | \defineinteraction [] [=]                                 |
| defineinteractionbar                           | \defineinteractionbar [] [] [=]                           |
| defineinterfaceconstant                        | \defineinterfaceconstant {} {}                            |
| defineinterfaceelement                         | \defineinterfaceelement {} {}                             |
| defineinterfacevariable                        | \defineinterfacevariable {} {}                            |
| defineinterlinespace                           | \defineinterlinespace [] [] [=]                           |
| defineintermediatecolor                        | \defineintermediatecolor [] [] [=]                        |
| defineitemgroup                                | \defineitemgroup [] [=]                                   |
| defineitems                                    | \defineitems [] [=]                                       |
| definelabelclass                               | \definelabelclass [] []                                   |
| definelayer                                    | \definelayer [] [=]                                       |
| definelayerpreset                              | \definelayerpreset [] [=]                                 |
| definelayerpreset:name                         | \definelayerpreset []                                     |
| definelayout                                   | \definelayout [] [=]                                      |
| definelinefiller                               | \definelinefiller [] [=]                                  |
| definelinenote                                 | \definelinenote [] [] [=]                                 |
| definelinenumbering                            | \definelinenumbering [] [] [=]                            |
| definelines                                    | \definelines [] [] \definelines []                        |
| definelistalternative                          | \definelistalternative [] [] [=]                          |
| definelistextra                                | \definelistatternative [] [] [] \definelistextra [] [] [] |
|  | \definelow [] [] []                                       |
| definelow                                      |   |
| definelowhigh                                  | \definelowhigh [] [] [=]                                  |
| definelowmidhigh                               | \definelowmidhigh [] []                                   |
| defineMPinstance                               | \defineMPinstance [] [] [=]                               |
| definemarginblock                              | \definemarginblock [] [=]                                 |
| definemargindata                               | \definemargindata [] [] [=]                               |
| definemarker                                   | \definemarker []  |
| definemathaccent                               | \definemathaccent   |
| definemathalignment                            | \definemathalignment [] [] [=]                            |
| definemathcases                                | \definemathcases [] [] [=]                                |
| definemathcommand                              | \definemathcommand [] [] {}                               |
| definemathdouble                               | \definemathdouble [] [] []                                |
| definemathdoubleextensible                     | \definemathdoubleextensible [] [] []                      |
| definemathematics                              | \definemathematics [] [=]                                 |
| definemathextensible                           | \definemathextensible [] []                               |
| definemathfence                                | \definemathfence [] [=]                                   |
| definemathfraction                             | \definemathfraction [] [] [=]                             |
| definemathframed                               | \definemathframed [] [] [=]                               |
| definemathmatrix                               | \definemathmatrix [] [] [=]                               |
| definemathornament                             | \definemathornament [] [] [=]                             |
| definemathover                                 | \definemathover [] []                                     |
| definemathoverextensible                       | \definemathoverextensible [] []                           |
| definemathovertextextensible                   | \definemathovertextextensible [] []                       |
| definemathradical                              | \definemathradical [] [] [=]                              |
| definemathstackers                             | \definemathstackers [] [] [=]                             |
| definemathstyle                                | \definemathstyle [] []                                    |
| definemathtriplet                              | \definemathtriplet [] []                                  |
| definemathunder                                | \definemathunder [] []                                    |
| definemathunderextensible                      | \definemathunderextensible [] []                          |
| definemathundertextextensible                  | \definemathundertextextensible [] []                      |
| definemathunstacked                            | \definemathunstacked [] []                                |
| definemeasure                                  | \definemeasure [] []                                      |
| definemessageconstant                          | \definemessageconstant {}                                 |
| definemixedcolumns                             | \definemixedcolumns [] [] [=]                             |
| definemode                                     | \definemode [] []   |
| definemultitonecolor                           | \definemultitonecolor [] [=] [=]                          |
| definenamedcolor                               | \definenamedcolor [] [=]                                  |
| definenamedcolor:name                          | \definenamedcolor []                                      |
| definenamespace                                | \definenamespace [] [=]                                   |
| definenarrower                                 | \definenarrower [] [=]                                    |
| definenote                                     | \definenote [] []   |
| definencee defineornament:collector            | \definenote [] [=] \defineornament [] [=]                 |
| defineornament:layer                           | \defineornament [] [=] [=] \defineornament [] [=]         |
| defineoutputroutine                            | \defineoutputroutine [] [=]                               |
| defineoutputroutine defineoutputroutinecommand | \defineoutputroutine [] [] \defineoutputroutinecommand [] |
| definepage                                     | \defineoutputroutinecommand [] \definepage [] []          |
| definepage<br>definepagebreak                  | \definepage [] [] \definepagebreak [] []                  |
|  |   |
| definepagegrid                                 | \definepagegrid [] [] [=]                                 |
| definepagegridarea                             | \definepagegridarea [] [] []                              |
| definepagegridspan                             | \definepagegridspan [] [=]                                |

| dofinanagachackar                        | \definepagechecker [] [] [=]                               |
|--|--|
| definepagechecker<br>definepageinjection | \definepageinjection [] [] [] \definepageinjection [] []   |
| definepageinjectionalternative           | \definepageinjectionalternative [] [] [=]                  |
| definepageshift                          | \definepageshift [] []                                     |
| definepagestate                          | \definepagestate [] [=]                                    |
| definepairedbox                          | \definepairedbox [] [=]                                    |
| defineparagraph                          | \defineparagraph [] [=]                                    |
| defineparallel                           | \defineparallel []   |
| defineparbuilder                         | \defineparbuilder []                                       |
| defineplacement                          | \defineplacement [] [=]                                    |
| definepositioning                        | \definepositioning [] [] []                                |
| defineprefixset defineprocesscolor       | \defineprefixset [] [] [] \defineprocesscolor [] [] [=]    |
| defineprocessor                          | \defineprocessor [] [] [=]                                 |
| definepushbutton                         | \definepushbutton [] [=]                                   |
| definepushsymbol                         | \definepushsymbol [] []                                    |
| definerenderingwindow                    | \definerenderingwindow [] [=]                              |
| defineresetset                           | \defineresetset [] []                                      |
| definescale                              | \definescale [] [=]  |
| definescript                             | \definescript [] [=]                                       |
| definesectionlevels                      | \definesectionlevels []                                    |
| defineselector                           | \defineselector [] [=]                                     |
| defineseparatorset                       | \defineseparatorset [] []                                  |
| defineshift                              | \defineshift [] [=]  |
| definesidebar                            | \definesidebar [] [=]                                      |
| definesort                               | \definesort [] [] {}                                       |
| definespotcolor definestyleinstance      | \definespotcolor [] [] [] \definestyleinstance [] [] [] [] |
| definesubformula                         | \definesubformula [] [] [] \definesubformula [] []         |
| definesynonym                            | \definesynonym [] [] {} {}                                 |
| definesystemattribute                    | \definesystemattribute [] []                               |
| definesystemconstant                     | \definesystemconstant {}                                   |
| definesystemvariable                     | \definesystemvariable {}                                   |
| defineTABLEsetup                         | \defineTABLEsetup [] [=]                                   |
| definetabulation                         | \definetabulation [] [=]                                   |
| definetextbackground                     | \definetextbackground [] [=]                               |
| definetextflow                           | \definetextflow [] [=]                                     |
| definetooltip                            | \definetooltip [] [=]                                      |
| definetransparency:1                     | \definetransparency []                                     |
| definetransparency:2                     | \definetransparency [] [=]                                 |
| definetransparency:3 definetwopasslist   | \definetransparency [] [] \definetwopasslist {}            |
| definetype                               | \definetype [] [=]   |
| definetypeface                           | \definetypeface [] [] [] [] []                             |
| definetypescriptprefix                   | \definetypescriptprefix [] []                              |
| definetypescriptsynonym                  | \definetypescriptsynonym [] []                             |
| definetypesetting                        | \definetypesetting [] [=]                                  |
| defineunit                               | \defineunit [] [=]   |
| defineviewerlayer                        | \defineviewerlayer [] [=]                                  |
| definevspace                             | \definevspace [] []  |
| definevspacing                           | \definevspacing [] []                                      |
| definevspacingamount                     | \definevspacingamount [] []                                |
| definextable                             | \definextable [] [=]                                       |
| definuj                                  | \definuj [] \ {} \definujakcent                            |
| definujakcent<br>definujbarvu            | \definujbarvu [] [=]                                       |
| definujbarvu:name                        | \definujbarvu [] []  |
| definujblok                              | \definujblok [] [=]  |
| definujbloksekce                         | \definujbloksekce [] [=]                                   |
| definujbuffer                            | \definujbuffer [] [=]                                      |
| definujfont                              | \definujfont [] [=]  |
| definujfont:argument                     | \definujfont [] []   |
| definujformatodkazu                      | \definujformatodkazu [] [=]                                |
| definujhbox                              | \definujhbox []  |
| definujinterakcnimenu                    | \definujinterakcnimenu [] [] [=]                           |
| definujkombinovanyseznam                 | \definujkombinovanyseznam [] [=]                           |
| definujkonverzi                          | \definujkonverzi [] []                                     |
| definujadnis                             | \definujkonverzi [] [] [] \definujnadpis [] [] [=]         |
| definujnadpis<br>definujobrazeksymbol    | \definujobrazeksymbol [] []                                |
| definujodkaz                             | \definujodkaz [] []  |
| definujodstavce                          | \definujodstavce [] [=]                                    |
| ·  | <del>-</del>   |

| definujopis  | \definujopis [] [=]   |
|--|---|
| definujoramovani   | \definujoramovani [] [=]  |
| definujoramovanytext   | \definujoramovanytext [] [=]  |
| · ·  | · · · · · · · · · · · · · · · · · · ·   |
| definujpaletu  | \definujpaletu [] [=]   |
| definujpaletu:name   | \definujpaletu []   |
|  |   |
| definujplvouciobjekt   | \definujplvouciobjekt [] [] [=]   |
| definujplvouciobjekt:name  | \definujplvouciobjekt [] []   |
| definujpodpole   | \definujpodpole [] []   |
|  |   |
| definujpole  | \definujpole [] [] [] []  |
| definujpopis   | \definujpopis [] [=]  |
|  |   |
| definujpopisek   | \definujpopisek [] [=]  |
| definujprekryv   | \definujprekryv [] []   |
| <b>01 V</b>  | \definujprikaz  |
| definujprikaz  | <b>01</b>   |
| definujprofil  | \definujprofil [] [=]   |
| definujprogram   | \definujprogram [] []   |
|  |   |
| definujprostredizakladnihofontu  | \definujprostredizakladnihofontu [] [] [=]  |
| definujrejstrik  | \definujrejstrik [] [=]   |
|  |   |
| definujsablonutabulky  | \definujsablonutabulky [] [  ] []   |
| definujsekci   | \definujsekci []  |
| definujseznam  | \definujseznam [] [] [=]  |
| •  |   |
| definujskupinubarev  | \definujskupinubarev [] [x:y:z,]  |
| definujstartstop   | \definujstartstop [] [=]  |
| •  |   |
| definujstyl  | \definujstyl [] [=]   |
| definujstylfontu   | \definujstylfontu [] []   |
|  | \definujsymbol [] []  |
| definujsymbol  |   |
| definujsynonumumfontu  | \definujsynonumumfontu [] [] [=]  |
| definujsynonyma  | \definujsynonyma [] [] []   |
|  |   |
| definujtabelaci  | \definujtabelaci [] []  |
| definujtext  | \definujtext [] [] [] [] [] []  |
| · ·  |   |
| definujtrideni   | \definujtrideni [] []   |
| definujupravu  | \definujupravu [] [=]   |
| definujvelikostpapiru  | \definujvelikostpapiru [] [=]   |
|  |   |
| definujvelikostpapiru:name   | \definujvelikostpapiru [] []  |
| definujvycet   | \definujvycet [] [=]  |
|  |   |
| definujzakladnifont  | \definujzakladnifont [] [] [] [=]   |
| definujzakladnifont:argument   | \definujzakladnifont [] [] []   |
| definujzasobnikpoli  | \definujzasobnikpoli [] [=]   |
|  | (dollad)Edbobalapoll [] [] []   |
|  |   |
| definujznaceni   | \definujznaceni [] [=]  |
| definujznaceni   |   |
| definujznaceni<br>definujznak  | \definujznak  |
| definujznaceni   | \definujznak \delimited [] [] {}  |
| definujznaceni<br>definujznak  | \definujznak \delimited [] [] {}  |
| definujznaceni definujznak delimited delimitedtext   | \definujznak \delimited [] [] {} \delimitedtext [] [] {}  |
| definujznaceni definujznak delimited delimitedtext delimitedtext:instance  | \definujznak<br>\delimited [] [] {}<br>\delimitedtext [] [] {}<br>\DELIMITEDTEXT [] {}  |
| definujznaceni definujznak delimited delimitedtext   | \definujznak \delimited [] [] {} \delimitedtext [] [] {}  |
| definujznaceni definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside   | \definujznak<br>\delimited [] [] {}<br>\delimitedtext [] [] {}<br>\DELIMITEDTEXT [] {}<br>\aside [] {}  |
| definujznaceni definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote   | \definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {}  |
| definujznaceni definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside   | \definujznak<br>\delimited [] [] {}<br>\delimitedtext [] [] {}<br>\DELIMITEDTEXT [] {}<br>\aside [] {}  |
| definujznaceni definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation  | \definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {}  |
| definujznaceni definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote   | \definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {}   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote   | \definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \speech [] {}   |
| definujznaceni definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote   | \definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {}   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu  | \definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \speech [] {} \delkaseznamu   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring  | \definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \speech [] {} \delkaseznamu \depthofstring {}  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \plockquote [] {} \quotation [] {} \quote [] {} \speech [] {} \delkaseznamu \depthofstring {} \depthonlybox {}</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \plockquote [] {} \quotation [] {} \quote [] {} \speech [] {} \delkaseznamu \depthofstring {} \depthonlybox {}</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \speech [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {}</pre>   |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \duotation [] {} \quotation [] {} \speech [] {} \delkaseznamu \depthofstring {} \depthspanningtext {} {} {} \depthstrut</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \speech [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {}</pre>   |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \dlockquote [] {} \quotation [] {} \quote [] {} \specch [] {} \delkaseznamu \depthofstring {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {}</pre>  |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines  devanagarinumerals   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \specch [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {} \devanagarinumerals {}</pre>  |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] {} \DELIMITEDTEXT [] {} \aside [] {} \dlockquote [] {} \quotation [] {} \quote [] {} \specch [] {} \delkaseznamu \depthofstring {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {}</pre>  |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines  devanagarinumerals  digits   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \speech [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {} \digits {}</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \dlockquote [] {} \quotation [] {} \quote [] {} \specch [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {} \digits {} \digits {}</pre>  |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines  devanagarinumerals  digits  digits:string  dimensiontocount  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \specch [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \dlockquote [] {} \quotation [] {} \quote [] {} \specch [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {} \digits {} \digits {}</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} {}</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolor   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolor []</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} {}</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolor   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolor []</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \depthofstring {} \depthofstring {} \depthonlybox {} \depthspanningtext {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored []</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \depthonup {} \depthonlybox {} \depthonlybox {} \depthspanningtext {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directcolored [] \directcolored [] \directcolored [] \directcolovertedcounter {} {}</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quote [] {} \depthofstring {} \depthofstring {} \depthonlybox {} \depthspanningtext {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored []</pre>  |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:plockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines  devanagarinumerals  digits  digits:string  dimensiontocount  directboxfromcache  directcolored  directcolored:name  directconvertedcounter  directcopyboxfromcache   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quotation [] {} \depthose [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {}</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:duote delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconyetoxfromcache directcdummyparameter  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \plockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \deltherminentlines {} \depthspanningtext {} {} \determinentlines {} \digits {} \digits {} \digits \dimensiontocount {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcolored [] \directcoloredtcolored [] \directcoloredtcoloredtcolored [] \directcoloredtc</pre>   |
| definujznak  delimited  delimitedtext  delimitedtext:instance  delimitedtext:instance:aside  delimitedtext:instance:plockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines  devanagarinumerals  digits  digits:string  dimensiontocount  directboxfromcache  directcolored  directcolored:name  directconvertedcounter  directcopyboxfromcache   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quotation [] {} \depthose [] {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \depthstrut \determinenoflines {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {}</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:duote delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \plockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \determinenoflines {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcolored [] \directcoloredtoxfromcache {} {} \directconvertedcounter {} {} \directcoloredtectcolored [] \directconvertedcounter {} {} \directcoloredtectcolored [] \directcoloredtectcoloredtectcolor</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:plockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \plockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \delther \lambda \l</pre> |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:duote delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx  | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \plockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \delkaseznamu \depthofstring {} \depthonlybox {} \depthspanningtext {} {} {} \determinenoflines {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcolored [] \directcoloredtoxfromcache {} {} \directconvertedcounter {} {} \directcoloredtectcolored [] \directconvertedcounter {} {} \directcoloredtectcolored [] \directcoloredtectcoloredtectcolor</pre>  |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:plockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \plockquote [] {} \quotation [] {} \quote [] {} \delkaseznamu \depthofstring {} \delther \lambda \l</pre> |
| definujznaceni  definujznak  delimited  delimitedtext:  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:speech  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines  devanagarinumerals  digits  digits:string  dimensiontocount  directboxfromcache  directcolored  directcolored  directcolored:name  directcotowertedcounter  directgetboxllx  directgetboxlly  directhighlight  directlocalframed | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \blockquote [] {} \quotation [] {} \quotation [] {} \delimitedtext [] {} \delimitedtext [] {} \delimited [] {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directcomposition [] \directdummyparameter {} \directgetboxllx \directgetboxlly \directlocalframed [] {} \directlocalframed []</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:speech delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directcotowertedcounter directgetboxllx directgetboxlly directhighlight directlocalframed directluacode        | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \duotation [] {} \quotation [] {} \depthose [] {} \depthose [] {} \depthose [] {} \depthose [] {} \depthonlybox {} \depthonlybox {} \depthspanningtext {} {} {} \digits {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcluacode {} \directluacode {.</pre>  |
| definujznaceni  definujznak  delimited  delimitedtext:  delimitedtext:instance:aside  delimitedtext:instance:blockquote  delimitedtext:instance:quotation  delimitedtext:instance:quote  delimitedtext:instance:speech  delimitedtext:instance:speech  delkaseznamu  depthofstring  depthonlybox  depthspanningtext  depthstrut  determinenoflines  devanagarinumerals  digits  digits:string  dimensiontocount  directboxfromcache  directcolored  directcolored  directcolored:name  directcotowertedcounter  directgetboxllx  directgetboxlly  directhighlight  directlocalframed | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \blockquote [] {} \quotation [] {} \quotation [] {} \delimitedtext [] {} \delimitedtext [] {} \delimited [] {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directcomposition [] \directdummyparameter {} \directgetboxllx \directgetboxlly \directlocalframed [] {} \directlocalframed []</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:quote delimitedtext:instance:speech delekaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored directconvertedcounter directgetboxllx directgetboxlly directhighlight directluacode directselect                   | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \blockquote [] {} \quotation [] {} \quotation [] {} \depthose [] \depthose [] \die depthose [</pre>   |
| definujznak delimited delimitedtext delimitedtext:instance delimitedtext:instance:aside delimitedtext:instance:blockquote delimitedtext:instance:quotation delimitedtext:instance:quote delimitedtext:instance:speech delimitedtext:instance:speech delkaseznamu depthofstring depthonlybox depthspanningtext depthstrut determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directcotowertedcounter directgetboxllx directgetboxlly directhighlight directlocalframed directluacode        | <pre>\definujznak \delimited [] [] {} \delimitedtext [] [] {} \DELIMITEDTEXT [] {} \aside [] {} \divertion [] {} \quotation [] {} \quote [] {} \deltasseznamu \depthofstring {} \depthonlybox {} \depthonlybox {} \depthspanningtext {} {} {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directcolored [] \directcolored [] \directdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} \directselect {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} {} \directselect {} {} {} {</pre>   |

| 11 1 . 1                      | \ 1\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \   |
|-------------------------------|--|
| directsymbol                  | \directsymbol \{\ldots\}   |
| directvspacing                | \directvspacing {}   |
| dis                           | \dis {}  |
| disabledirectives             | \disabledirectives []  |
| disableexperiments            | \disableexperiments []   |
| disablemode                   | \disablemode []  |
| disableoutputstream           | \disableoutputstream   |
| disableparpositions           | \disableparpositions   |
| disableregime                 | \disableregime   |
| disabletrackers               | \disabletrackers []  |
| displaymath                   | \displaymath {}  |
| displaymathematics            | \displaymathematics {}   |
| displaymessage                | \displaymessage {}   |
| distributedhsize              | \distributedhsize {} {} {}   |
| dividedsize                   | \dividedsize {} {} {}  |
| doadaptleftskip               | \doadaptleftskip {}  |
| doadaptrightskip              | \doadaptrightskip {}   |
| doaddfeature                  | \doaddfeature {}   |
| doassign                      | \doassign [] [=]   |
|                               | \doassignempty [] [=]  |
| doassignempty doboundtext     |  |
|                               | \doboundtext {} {} {}  |
| documentvariable              | \documentvariable {}   |
| dodoubleargument              | \dodoubleargument \ []   |
| dodoubleargumentwithset       | \dodoubleargumentwithset \ [] []   |
| dodoubleempty                 | \dodoubleempty \ []  |
| dodoubleemptywithset          | \dodoubleemptywithset \ [] []  |
| dodoublegroupempty            | \dodoublegroupempty \ \{\} \{\}  |
| doeassign                     | \doeassign [] [=]  |
| doexpandedrecurse             | \doexpandedrecurse {} {}   |
| dofastloopcs                  | \dofastloopcs {} \   |
| dogetattribute                | \dogetattribute {}   |
| dogetattributeid              | \dogetattributeid {}   |
| dogetcommacommandelement      | \dogetcommacommandelement \from \to \  |
| dogobbledoubleempty           | \dogobbledoubleempty [] []   |
| dogobblesingleempty           | \dogobblesingleempty []  |
| docheckassignment             | \docheckassignment {}  |
| docheckedpagestate            | \docheckedpagestate \{\ldots\} \{ |
| docheckedpair                 | \docheckedpair {}  |
| doif                          | \doif {} {}  |
|                               |  |
| doifallcommon                 | \doifallcommon \{\} \{\}   |
| doifallcommonelse             | \doifallcommonelse {} {} {}  |
| doifalldefinedelse            | \doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifallmodes                  | \doifallmodes {} {}  |
| doifallmodeselse              | \doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifassignmentelse            | \doifassignmentelse \{\ldots\} \{\ldots\} \\   |
| doifblackelse                 | \doifblackelse $\{\ldots\}$ $\{\ldots\}$   |
| doifbothsides                 | \doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifbothsidesoverruled        | \doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifboxelse                   | \doifboxelse {} {} {}  |
| doifbufferelse                | \doifbufferelse {} {}  |
| doifcolor                     | \doifcolor {} {}   |
| doifcolorelse                 | \doifcolorelse {} {}   |
| doifcommandhandler            | \doifcommandhandler \ \{\} \{\}  |
| doifcommandhandlerelse        | \doifcommandhandlerelse \ \{\} \{\}  |
| doifcommon                    | \doifcommon {} {} {}   |
| doifcommonelse                | \doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifcontent                   | \doifcontent {} {} \ {}  |
| doifconversiondefinedelse     | \doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifconversionnumberelse      | \doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifcounter                   | \doifcounter \{\ldots\}  |
|                               |  |
| doifcounterelse               | \doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {} {} {}  |
| doifdefined                   | \doifdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifdefinedcounter            | \doifdefinedcounter {} {}  |
| doifdefinedcounterelse        | \doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifdefinedelse               | \doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifdimensionelse             | \doifdimensionelse $\{\ldots\}$ $\{\ldots\}$   |
| doifdimenstringelse           | \doifdimenstringelse $\{\}$ $\{\}$   |
| doifdocumentargument          | $\verb \doifdocumentargument {} {} $   |
| doifdocumentargumentelse      | \4-:44   |
| 6                             | \doifdocumentargumentelse {} {} {}   |
| doifdocumentfilename          | \doifdocumentargumentelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |

| doifdrawingblackelse          | \doifdrawingblackelse {} {}  |
|-------------------------------|--|
| doifelse                      | \doifelse {} {} {}   |
| doifelseallcommon             | \doifelseallcommon {} {} {} {}   |
| doifelsealldefined            | \doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelseallmodes              | \doifelseallmodes $\{\ldots\}$ $\{\ldots\}$  |
| doifelseassignment            | \doifelseassignment $\{\}$ $\{\}$  |
| doifelseblack                 | \doifelseblack {} {}   |
| doifelsebox                   | \doifelsebox {} {} {}  |
| doifelseboxincache            | \doifelseboxincache $\{\}$ $\{\}$ $\{\}$   |
| doifelsebuffer                | \doifelsebuffer {} {}  |
| doifelsecolor                 | \doifelsecolor {} {}   |
| doifelsecommandhandler        | \doifelsecommandhandler $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$  |
| doifelsecommon                | \doifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$   |
| doifelseconversiondefined     | \doifelseconversiondefined \{\ldots\} \{\ldots\} \\  |
| doifelseconversionnumber      | \doifelseconversionnumber $\{\}$ $\{\}$ $\{\}$   |
| doifelsecounter               | \doifelsecounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature \{\ldots\} \{\ldots\}   |
| doifelsecurrentsortingused    | \doifelsecurrentsortingused {} {}  |
| doifelsecurrentsynonymshown   | \doifelsecurrentsynonymshown {} {}   |
| doifelsecurrentsynonymused    | \doifelsecurrentsynonymused {} {}  |
| doifelsedefined               | \doifelsedefined \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsedefinedcounter        | \doifelsedefinedcounter {} {} {}   |
| doifelsedimension             | \doifelsedimension \{\ldots\} \\ \ldots\}  |
| doifelsedimenstring           | \doifelsedimenstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsedocumentargument      | \doifelsedocumentargument \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \   |
| doifelsedocumentfilename      | \doifelsedocumentfilename \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsedrawingblack          | \doifelsedrawingblack \{\doifelsedrawingblack \{\doife |
| doifelseempty                 | \doifelseempty \{\ldots\} \\\.\\   |
| doifelseemptyvalue            | \doifelseemptyvalue \{\ldots\} \{\ldots\}  |
| doifelseemptyvariable         | \doifelseemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseenv                   | \doifelseenv \{\} \{\}   |
|                               | \doifelsefastoptionalcheck \{\ldots\} \{\ldots\}   |
| doifelsefastoptionalcheck     |  |
| doifelsefastoptionalcheckcs   | \doifelsefastoptionalcheckcs \ \   |
| doifelsefieldbody             | \doifelsefieldbody \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefieldcategory         | \doifelsefieldcategory \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefigure                | \doifelsefigure \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsefile                  | \doifelsefile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsefiledefined           | \doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefileexists            | \doifelsefileexists {} {}  |
| doifelsefirstchar             | \doifelsefirstchar {} {} {}  |
| doifelseflagged               | \doifelseflagged \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefontfeature           | \doifelsefontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefontchar              | \doifelsefontchar \{\} \{\} \{\}   |
| doifelsefontpresent           | \doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefontsynonym           | \doifelsefontsynonym \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsehasspace              | \doifelsehasspace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsehelp                  | \doifelsehelp {} {}  |
| doifelseincsname              | \doifelseincsname {} {} {}   |
| doifelseinelement             | \doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseinputfile             | \doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseinsertion             | \doifelseinsertion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseinset                 | \doifelseinset \{\} \{\} \{\}  |
| doifelseinstring              | \doifelseinstring {} {} {}   |
| doifelseinsymbolset           | \doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseintoks                | \doifelseintoks \{\} \{\} \{\}   |
| doifelseintwopassdata         | \doifelseintwopassdata {} {} {}  |
| doifelseitalic                | \doifelseitalic {} {}  |
| doifelselanguage              | \doifelselanguage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelselayerdata             | \doifelselayerdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelselayoutdefined         | \doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelselayoutsomeline        | \doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$  |
| doifelselayouttextline        | \doifelselayouttextline \{\ldots\} \{\ldots\}  |
| doifelseleapyear              | \doifelseleapyear {} {}  |
| doifelselist                  | \doifelselist {} {} {}   |
| doifelselocation              | \doifelselocation {} {}  |
| doifelselocfile               | \doifelselocfile {} {}   |
| doifelseMPgraphic             | $\verb \doifelseMPgraphic {} {} {} $   |
| doifelsemainfloatbody         | \doifelsemainfloatbody $\{\ldots\}$ $\{\ldots\}$   |
| doifelsemarkedpage            | \doifelsemarkedpage $\{\ldots\}$ $\{\ldots\}$  |
| doifelsemarking               | \doifelsemarking {} {}   |
| doifelsemeaning               | \doifelsemeaning \ \ \ \}  |
| doifelsemessage               | \doifelsemessage $\{\}$ $\{\}$ $\{\}$  |
|                               |  |

| doifolosmodo   | \daifalaamada [ ] [ ] [   |
|--|---|
| doifelsemode<br>doifelsenextbgroup                             | \doifelsemode \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                                |
| doifelsenextbgroupcs   | \doifelsenextbgroupcs \ \   |
| doifelsenextchar   | \doifelsenextchar {} {} {}  |
| doifelsenextoptional   | \doifelsenextoptional {} {}   |
| doifelsenextoptionalcs   | \doifelsenextoptionalcs \ \   |
| doifelsenextparenthesis  | \doifelsenextparenthesis $\{\ldots\}$ $\{\ldots\}$  |
| doifelsenonzeropositive  | \doifelsenonzeropositive $\{\ldots\}$ $\{\ldots\}$  |
| doifelsenoteonsamepage   | \doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                      |
| doifelsenothing  | \doifelsenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                             |
| doifelsenumber<br>doifelseobjectfound                          | \doifelsenumber \{\} \\{\} \\doifelseobjectfound \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\       |
| doifelseobjectreferencefound                                   | \doifelseobjectround \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                        |
| doifelseoddpage  | \doifelseoddpage \{\ldots\} \\\.\\  |
| doifelseoddpagefloat   | \doifelseoddpagefloat {} {}   |
| doifelseoldercontext   | \doifelseoldercontext {} {}   |
| doifelseolderversion   | \doifelseolderversion $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$                                |
| doifelseoverlapping  | \doifelseoverlapping $\{\}$ $\{\}$ $\{\}$   |
| doifelseoverlay  | \doifelseoverlay \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                             |
| doifelseparallel   | \doifelseparallel \{\} \{\}   |
| <pre>doifelseparentfile doifelsepath</pre>                     | \doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                          |
| doifelsepathexists   | \doifelsepath \{\} \{\} \\doifelsepathexists \{\} \{\} \{\}                                 |
| doifelsepatterns   | \doifelsepatterns \{\} \{\}   |
| doifelseposition   | \doifelseposition {} {} {}  |
| doifelsepositionaction   | \doifelsepositionaction {} {} {}  |
| doifelsepositiononpage   | \doifelsepositiononpage {} {} {}  |
| doifelsepositionsonsamepage                                    | $\verb \doifelse  positions on same page {} {} {}$  |
| doifelsepositionsonthispage                                    | \doifelsepositionsonthispage \{\ldots\} \{\ldots\} \\                                       |
| doifelsepositionsused  | \doifelsepositionsused \{\ldots\} \\  |
| doifelsereferencefound   | \doifelsereferencefound \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                     |
| doifelserightpagefloat<br>doifelserighttoleftinbox             | \doifelserightpagefloat {} {}<br>\doifelserighttoleftinbox {} {}                            |
| doifelsesamelinereference                                      | \doifelsesamelinereference \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                   |
| doifelsesamestring   | \doifelsesamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                          |
| doifelsesetups   | \doifelsesetups {} {}   |
| doifelsesomebackground   | \doifelsesomebackground {} {}   |
| doifelsesomespace  | \doifelsesomespace $\{\ldots\}$ $\{\ldots\}$  |
| doifelsesomething  | \doifelsesomething \{\ldots\} \{\ldots\}  |
| doifelsesometoks   | \doifelsesometoks \ \{\} \{\}   |
| doifelsestringinstring<br>doifelsestructurelisthasnumber       | \doifelsestringinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                      |
| doifelsestructurelisthasnumber<br>doifelsestructurelisthaspage | \doifelsestructurelisthasnumber \{\ldots\} \\doifelsestructurelisthaspage \{\ldots\} \\\.\} |
| doifelsesymboldefined  | \doifelsesymboldefined \{\ldots\} \\\.\}  |
| doifelsesymbolset  | \doifelsesymbolset {} {}  |
| doifelsetext   | \doifelsetext {} {}   |
| doifelsetextflow   | \doifelsetextflow {} {}   |
| doifelsetextflowcollector                                      | \doifelsetextflowcollector $\{\ldots\}$ $\{\ldots\}$  |
| doifelsetopofpage  | \doifelsetopofpage {} {}  |
| doifelsetypingfile   | \doifelsetypingfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                          |
| doifelseundefined<br>doifelseurldefined                        | \doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                           |
| doifelsevalue  | \doifelsevalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                               |
| doifelsevaluenothing   | \doifelsevaluenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                        |
| doifelsevariable   | \doifelsevariable {} {} {}  |
| doifempty  | \doifempty {} {}  |
| doifemptyelse  | \doifemptyelse $\{\}$ $\{\}$  |
| doifemptytoks  | \doifemptytoks \ \{\}   |
| doifemptyvalue   | \doifemptyvalue {} {}   |
| doifemptyvalueelse   | \doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                          |
| <pre>doifemptyvariable doifemptyvariableelse</pre>             | \doifemptyvariable \{\} \{\} \\doifemptyvariableelse \{\} \{\} \{\} \{\}                    |
| doifenv  | \doifenv \{\} \\\}  |
| doifenvelse  | \doifenvelse \{\} \\ \\}  |
| doiffastoptionalcheckcselse                                    | \doiffastoptionalcheckcselse \ \  |
| doiffastoptionalcheckelse                                      | \doiffastoptionalcheckelse {} {}  |
| doiffieldbodyelse  | \doiffieldbodyelse {} {}  |
| doiffieldcategoryelse  | \doiffieldcategoryelse {} {} {}   |
| doiffigureelse   | \doiffigureelse {} {}   |
| doiffile   | \doiffile {} {}   |
| doiffiledefinedelse<br>doiffileelse                            | \doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                         |
| WW. L. L. L. EELOE   | /MOTITIOGING [] []  |

|  | \   |
|--|---|
| doiffileexistselse   | \doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doiffirstcharelse  | \doiffirstcharelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifflaggedelse  | \doifflaggedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doiffontfeatureelse  | \doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doiffontcharelse   | \doiffontcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doiffontpresentelse  | \doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doiffontsynonymelse  | \doiffontsynonymelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifhasspaceelse   | \doifhasspaceelse {} {} {}  |
| doifhelpelse   | \doifhelpelse {} {}   |
| doifincsnameelse   | \doifincsnameelse $\{\}$ $\{\}$ $\{\}$  |
| doifinelementelse  | \doifinelementelse \{\ldots\} \{\ldots\}  |
| doifinputfileelse  | \doifinputfileelse {} {}  |
| doifinsertionelse  | \doifinsertionelse \{\ldots\} \{\ldots\} \\   |
| doifinset  | \doifinset {} {}  |
| doifinsetelse  | \doifinsetelse $\{\}$ $\{\}$ $\{\}$   |
| doifinstring   | \doifinstring {} {}   |
| doifinstringelse   | \doifinstringelse {} {} {} {}   |
| doifinsymbolset  | \doifinsymbolset $\{\}$ $\{\}$ $\{\}$   |
| doifinsymbolsetelse  | \doifinsymbolsetelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$   |
| doifintokselse   | \doifintokselse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$  |
| doifintwopassdataelse  | \doifintwopassdataelse $\{\}$ $\{\}$ $\{\}$   |
| doifitalicelse   | \doifitalicelse {} {}   |
| doiflanguageelse   | \doiflanguageelse {} {} {}  |
| doiflayerdataelse  | \doiflayerdataelse $\{\ldots\}$ $\{\ldots\}$  |
| doiflayoutdefinedelse  | \doiflayoutdefinedelse $\{\ldots\}$ $\{\ldots\}$  |
| doiflayoutsomelineelse   | \doiflayoutsomelineelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$  |
| doiflayouttextlineelse   | \doiflayouttextlineelse $\{\ldots\}$ $\{\ldots\}$   |
| doifleapyearelse   | \doifleapyearelse $\{\ldots\}$ $\{\ldots\}$   |
| doiflistelse   | \doiflistelse $\{\}$ $\{\}$   |
| doiflocationelse   | \doiflocationelse {} {}   |
| doiflocfileelse  | \doiflocfileelse {} {} {}   |
| doifMPgraphicelse  | \doifMPgraphicelse {} {}  |
| doifmainfloatbodyelse  | $\doint Mainfloat Modelse {} {}$  |
| doifmarkingelse  | \doifmarkingelse $\{\ldots\}$ $\{\ldots\}$  |
| doifmeaningelse  | \doifmeaningelse \ \ \} \\}   |
| doifmessageelse  | \doifmessageelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$   |
| doifmode   | \doifmode {} {}   |
| doifmodeelse   | \doifmodeelse {} {} {}  |
| doifnextbgroupcselse   | \doifnextbgroupcselse \ \   |
| doifnextbgroupelse   | \doifnextbgroupelse \{\ldots\}  |
| doifnextcharelse   | \doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifnextoptionalcselse   | \doifnextoptionalcselse \ \   |
| doifnextoptionalelse   | \doifnextoptionalelse {} {}   |
|  | <del>_</del>  |
| doifnextparenthesiselse  | \doifnextparenthesiselse {} {}  |
| doifnextparenthesiselse<br>doifnonzeropositiveelse   | \doifnextparenthesiselse \{\ldots\} \{\ldots\} \doifnonzeropositiveelse \{\ldots\} \{\ldots\} \doifnonzeropositiveelse \{\ldots\} \{\ldots\} \doifnonzeropositiveelse \{\ldots\} \{\ldots\} \dots\}   |
| doifnextparenthesiselse<br>doifnonzeropositiveelse<br>doifnot  | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {}  |
| doifnextparenthesiselse<br>doifnonzeropositiveelse<br>doifnot<br>doifnotallcommon  | \doifnextparenthesiselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {}  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler   | \doifnextparenthesiselse \{\} \\doifnonzeropositiveelse \{\} \\doifnot \{\} \\doifnotallcommon \{\} \\doifnotallmodes \{\} \\doifnotcommandhandler \\\} \\\doifnotcommandhandler \\\} \\\doifnotcommandhandler \\\} \\\doifnotcommandhandler \\\} \\\doifnotcommandhandler \\\\} \\\doifnotcommandhandler \\\\} \\\\doifnotcommandhandler \\\\\} \\\\doifnotcommandhandler \\\\\} \\\\doifnotcommandhandler \\\\\\} \\\\\doifnotcommandhandler \\\\\\\\\doifnotcommandhandler \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon   | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {}</pre>  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcommon   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {}  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument  | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {}</pre>  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename  | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {}</pre>   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty   | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {}</pre>   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue   | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {}</pre>   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable  | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {}  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {} \doifnotenv {} {}  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse  | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} \doifnotenotenv {} {} \doifnotenv {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenosamepageelse {} {} {} \doifnotenosamepageelse {} {} {} \doifnotenotenosamepageelse {} {} {} \doifnotenotenotenosamepageelse {} {} {} \doifnotenotenotenotenotenotenotenotenotenote</pre>  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotescollected   | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenotended {} {} {} \doifnotescollected {} {}</pre>  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotescollected doifnotfile   | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} \doifnotenotenv {} {} \doifnoteonsamepageelse {} {} {} \doifnotescollected {} {} \doifnotfile {} {}</pre>   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotescollected doifnotfile doifnotflagged  | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} \doifnotenotenv {} {} \doifnoteonsamepageelse {} {} {} \doifnotescollected {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnotflagged {} {} {} \doifnotflagged {} {} {} \doifnotflagged {} {} {} {} \doifnotflagge</pre> |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotescollected doifnotfile doifnotflagged doifnothing  | <pre>\doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdecumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {} {} \doifnotenotenousamepageelse {} {} {} \doifnotefile {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnotflagged {} {} \doifnothing {} {} {} \doifnothing {} {} {} \doifnothing {} {} {} \doif</pre>                               |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnotflagged doifnothing doifnothingelse   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotemptyvalue {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenotende {} {} \doifnotenotende {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnothing {} {}   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnotfile doifnothing doifnothingelse doifnotinset   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenotend {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnothing {} {} \doifnothing {} {} \doifnotinotine {} {}   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothing doifnotinset doifnotinsidesplitfloat   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenv {} {} \doifnotenotenotend {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnothing {} {} \doifnotinotenotend {} {} \doifnothing {} {} \doifnotinotinsidesplitfloat {}  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothing doifnotinset doifnotinsidesplitfloat doifnotinstring   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {} {} \doifnotenotenosamepageelse {} {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnotinothing {} {} \doifnotinotinsidesplitfloat {} \doifnotinotinstring {} {}  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothing doifnotinset doifnotinstring doifnotmode  | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {} {} \doifnoteonsamepageelse {} {} {} \doifnotefile {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnotinothing {} {} \doifnotinotinset {} {} {}   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnoteonsamepageelse doifnotescollected doifnotfile doifnothing doifnothingelse doifnotinset doifnotinstring doifnotmode doifnotmode doifnotmode   | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotemptyvalue {} {} \doifnotemptyvalue {} {} \doifnotenotenosamepageelse {} {} {} \doifnotescollected {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnotinotinset {} {} \doifnotinotinotinset {} {}  |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothing doifnotinset doifnotinset doifnotmode doifnotmode doifnotmode doifnotmode doifnotnumber doifnotsamestring  | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} {} \doifnotenotenotenoramepageelse {} {} {} \doifnotescollected {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnotinotinset {} {} {} \doifnotinotinotinset {} {} \doifnotinotinset {} {} {} \doifnotinotinset {} {} \doifnotinotinotinset {} {} \doifnotinotinotining {} {} \doifnotinotinining {} {}   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothing doifnotinset doifnotinset doifnotmode doifnotmode doifnotmode doifnotmode doifnotmode doifnotsamestring doifnotsetups | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {} {} \doifnotenotenosamepageelse {} {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnothing {} {} \doifnotinotinsidesplitfloat {} \doifnotinotinsidesplitfloat {} \doifnotnotnumber {} {} \doifnotsamestring {} {} \doifnotsamestring {} {} \doifnotsetups {} {}   |
| doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothing doifnotinset doifnotinset doifnotmode doifnotmode doifnotmode doifnotmode doifnotnumber doifnotsamestring  | \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} \doifnotcommon {} {} {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcommon {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {} {} \doifnotenotenosamepageelse {} {} {} \doifnotescollected {} {} \doifnotfile {} {} \doifnothing {} {} \doifnothing {} {} \doifnotinotinset {} {} \doifnotnotinset {} {} \doifnotinotinset {} {} \doifnotinotinset {} {} \doifnotinotinset {} {} \doifnotinotinotinset {} {} \doifnotinotinotining {} {}  |

| 1-: £  | \  |
|--|--|
| doifnumber                                   | \doifnumber \{\} \\doifnumberelse \{\} \\\}  |
| doifnumberelse<br>doifobjectfoundelse        |  |
| doifobjectreferencefoundelse                 | \doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifoddpageelse                              | \doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| 1 0  | \doifoddpagefloatelse \{\ldots\} \\\.\}  |
| doifoddpagefloatelse<br>doifoldercontextelse | \doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifolderversionelse                         | \doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
|  |  |
| doifoverlappingelse<br>doifoverlayelse       | \doifoverlappingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifparallelelse                             | \doifnorellelele \\ \.\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \   |
| doifparentfileelse                           | \doifparallelelse \{\\} \{\\} \\doifparentfileelse \{\\} \{\\}   |
| doifpathelse                                 | \doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpathexistselse                           | \doifpatherist \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifpatternselse                             |  |
| doifposition                                 | \doifpatternselse \{\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpositionaction                           | \doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpositionactionelse                       | \doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpositionelse                             | \doifpositionaltronelse \{\doifpositionaltronelse \{\doifpositionaltro |
| •  |  |
| doifpositiononpageelse                       | \doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpositionsonsamepageelse                  | \doifpositionsonsamepageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifpositionsonthispageelse                  | \doifpositionsonthispageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifpositionsusedelse                        | \doifpositionsusedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifreferencefoundelse                       |  |
| doifrightpagefloatelse                       | \doifrightpagefloatelse {} {}  |
| doifrighttoleftinboxelse                     | \doifrighttoleftinboxelse \{\}   |
| doifsamelinereferenceelse                    | \doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifsamestring                               | \doifsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifsamestringelse                           | \doifsamestringelse \{\} \{\} \{\}   |
| doifsetups                                   | \doifsetups \{\}   |
| doifsetupselse                               | \doifsetupselse {} {} {}   |
| doifsomebackground                           | \doifsomebackground \{\doifsomebackground \{ |
| doifsomebackgroundelse                       | \doifsomebackgroundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifsomespaceelse                            | \doifsomespaceelse {} {} {}  |
| doifsomething                                | \doifsomething \{\ldots\} \\doifsomething \{\ldots\} \\dots\} \\doifsomething \{\ldots\} \\dots\} \\doifsomething \{\ldots\} \\doofsomething \{\ldots\} \\do |
| doifsomethingelse                            | \doifgomethingelse \{\ldots\} \\\.\\   |
| doifsometoks<br>doifsometokselse             | \doifsometoks \ \{\}   |
| doifstringinstringelse                       | \doifatringingtringslag { \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \  |
| doifstructurelisthasnumberelse               | \doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifstructurelisthaspageelse                 | \doifstructurelisthaspageelse \{\doifstructurelisthaspageelse \}\doifstructurelisthaspageelse  |
| doifsymboldefinedelse                        | \doifsymboldefinedelse \{\ldots\} \\\\   |
| doifsymbolsetelse                            | \doifsymbolsetelse \{\ldots\} \{\ldots\}   |
| doiftext                                     | \doiftext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doiftextelse                                 | \doiftextelse {} {} {}   |
| doiftextflowcollectorelse                    | \doiftextflowcollectorelse \{\ldots\} \\\.\}   |
| doiftextflowelse                             | \doiftextflowcoffectofelse \(\ldots\right) \\ \doiftextflowelse \{\ldots\right |
| doiftopofpageelse                            | \doiftopofpageelse {} {}   |
| doiftypingfileelse                           | \doiftypingfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifundefined                                | \doifundefined \{\ldots\} \\\  |
| doifundefinedcounter                         | \doifundefined \(\cdot\) \\ \doifundefinedcounter \{\ldot\ldot\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifundefinedelse                            | \doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifunknownfontfeature                       | \doifunknownfontfeature \{\ldots\} \\\.\\  |
| doifurldefinedelse                           | \doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifvalue                                    | \doifvalue {} {} {}  |
| doifvalueelse                                | \doifvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifvaluenothing                             | \doifvaluenothing {} {}  |
| doifvaluenothingelse                         | \doifvaluenothingelse \{\ldots\} \\\.\}  |
| doifvaluesomething                           | \doifvaluesomething \{\ldots\} \\\.\\  |
| doifvariable                                 | \doifvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifvariableelse                             | \doifvariableelse \{\doifvariableelse \{\doifvariableelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doindentation                                | \doindentation   |
| dollar                                       | \dollar  |
| doloop                                       | \doloop {}   |
| doloopoverlist                               | \doloop \(\(\)\\\doloopoverlist \{\\} \\\\.\)  |
| donothing                                    | \donothing   |
| dontconvertfont                              | \dontconvertfont   |
| dontleavehmode                               | \dontleavehmode  |
| dontpermitspacesbetweengroups                | \dontreavenmode \dontreavenmode \dontreavenmode \  |
| dopositionaction                             | \donctionaction \{\ldots\}   |
| doprocesslocalsetups                         | \doprocesslocalsetups {}   |
| doquadrupleargument                          | \doquadrupleargument \ [] [] [] []   |
| O  | 1 1 0  |

| doquadrupleempty   | \doquadrupleempty \ [] [] []   |
|--|--|
| doquadruplegroupempty  | $\label{local-problem} $$ \doquadruple group empty $$\ldots $$ {\ldots} $$ {\ldots} $$$  |
| doquintupleargument  | \doquintupleargument \ [] [] [] []   |
| doquintupleempty   | \doquintupleempty \ [] [] [] []  |
| doquintuplegroupempty  | \doquintuplegroupempty \ \{\} \{\} \{\} \{\}   |
| dorecurse  | \dorecurse {} {}   |
| dorechecknextindentation   | \dorechecknextindentation  |
| dorepeatwithcommand  | \dorepeatwithcommand [] \  |
| doreplacefeature   | \doreplacefeature {}   |
| doresetandafffeature   | \dorestandafffeature {}  |
| doresetattribute   | \doresetattribute {}   |
|  |  |
| dorotatebox  | \dorotatebox \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| dosetattribute   | \dosetattribute \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| dosetleftskipadaption  | \dosetleftskipadaption {}  |
| dosetrightskipadaption   | \dosetrightskipadaption {}   |
| dosetupcheckedinterlinespace   | \dosetupcheckedinterlinespace {=}  |
| dosetupcheckedinterlinespace:argument  | \dosetupcheckedinterlinespace {}   |
| dosetupcheckedinterlinespace:name  | \dosetupcheckedinterlinespace {}   |
| doseventupleargument   | \doseventupleargument \ [] [] [] [] [] []  |
| doseventupleempty  | \doseventupleempty \ [] [] [] [] [] []   |
| dosingleargument   | \dosingleargument \ []   |
| dosingleempty  | \dosingleempty \ []  |
| dosinglegroupempty   | \dosinglegroupempty \ {}   |
| dosixtupleargument   | \dosixtupleargument \ [] [] [] [] []   |
| dosixtupleempty  | \dosixtupleempty \ [] [] [] [] []  |
| dostarttagged  | \dostarttagged \{\ldostarttagged \{\ldostarttagged \}\} \ldostarttagged  |
| dostepwiserecurse  | \dostartragged \(\therefore\) \(\the |
| •  | \dosubtractfeature \{\ldots\}  |
| dosubtractfeature  |  |
| dotfskip   | \dotfskip {}   |
| dotoks   | \dotoks \  |
| dotripleargument   | \dotripleargument \ [] []  |
| dotripleargumentwithset  | \dotripleargumentwithset \ [] []   |
| dotripleempty  | \dotripleempty \ [] []   |
| dotripleemptywithset   | \dotripleemptywithset \ [] []  |
| dotriplegroupempty   | \dotriplegroupempty \ \{\} \{\}  |
| doublebond   | \doublebond  |
| dowith   | \dowith {} {}  |
|  |  |
| dowithnextbox  | \dowithnextbox {} \ {}   |
| dowithnextbox dowithnextboxcontent   | \dowithnextbox {} \ {}   |
| dowithnextboxcontent   | \dowithnextbox \{\ldots\} \\ldots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| dowithnextboxcontent dowithnextboxcontentcs  | \dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {}   |
| dowithnextboxcontentcs dowithnextboxcs   | \dowithnextbox \{\} \\\\\\.\\\\\\\\\\\\\\\\\\\\\   |
| dowithnextboxcontent dowithnextboxcs dowithnextboxcs dowithpargument   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \</pre>   |
| dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \</pre>   |
| dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \</pre>  |
| dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dopofstring {}</pre>  |
| dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ \ \ \ \ \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dopofstring {} \dummydigit</pre>  |
| dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ \ \ \ \dowithnextboxcontentcs \ \ \ \ \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \domithup \down \dow</pre>   |
| dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \domithwargument \ \domithwargument {} \dummydigit \dummyparameter {} \ETEX</pre>   |
| dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \dpofstring {} \dummydigit \dummyparameter {} \ETEX \EveryLine {}</pre>   |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \domithwargument \ \domithwargument {} \dummydigit \dummyparameter {} \ETEX</pre>   |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \dpofstring {} \dummydigit \dummyparameter {} \ETEX \EveryLine {}</pre>   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \domithwargument \ \domithwargument {} \dummydigit \dummyparameter {} \ETEX \EveryLine {} \EveryPar {}</pre>  |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithrange {} \ \dowithwargument \ \domithwargument \ \domithwargument {} \dummydigit \dummyparameter {} \ETEX \EVERYLine {} \EveryPar {} \edefconvertedargument \ {} \dowithwargument \ {} \end{arrangement} \end{arrangement}  \end{arrangement} \text{Line {}} \text{Line {}} \end{arrangement} \text{Line {}} Li</pre>   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithwargument \ \dowithwargument \ \dpofstring {} \dummydigit \dummyparameter {} \ETEX \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxheight {}</pre>  |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dpofstring {} \dummydigit \dummyparameter {} \ETEX \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxwidth {} \efcmaxwidth {} \efcmaxwidth {} \end{array}</pre>  |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcminheight efcminwidth   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \dpofstring {} \dummydigit \dummyparameter {} \ETEX \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxwidth {} \efcminheight {} \efcminwidth {} \efcminwidth {} \efcminwidth {} \end{arrangement} \]</pre>  |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcminheight   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \domithwargument \ align* \def converted argument \ \end{align* \def converted argument \ \def converted ar</pre>  |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcminheight efcminwidth efcparameter effect   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithwargument \ \dowithwargument \ \domithwargument \ \end{array} \text{ETEX} \text{EveryLine {} \end{array} \defconvertedargument \ {} \efcomaxheight {} \efcomaxheight {} \efcominheight {} \efcominheight {} \efcominheight {} \efcominheight {} \efcominheight {} \efcominheight {} \effect [] {} \</pre>   |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \downwardigit \dummydigit \dummydigit \EveryLine {} \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxheight {} \efcmaxwidth {} \efcminheight {} \efcminheight {} \efcparameter {} {} \efcparameter {} {} \effect [] {} \effect [] {} \elapsedseconds</pre>   |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \downdowndigit \ddummydigit \ddummydigit \ddummydigit \EveryLine {} \EveryLine {} \everyPar {} \edefconvertedargument \ {} \efcmaxheight {} \efcmaxheight {} \efcminheight {} \efcminheight {} \efcminwidth {} \efcparameter {} {} \effect [] {} \effect [] {} \elapsedseconds \elapsedtime</pre>  |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \dpofstring {} \dummydigit \dummyparameter {} \ETEX \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxheight {} \efcmaxwidth {} \efcminheight {} \efcminheight {} \efcparameter {} {} \effect [] {} \elapsedseconds \elapsedtime \em</pre>  |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em emphasisboldface   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \ \dowithwargument \ \dpofstring {} \dummydigit \dummyparameter {} \ETEX \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxheight {} \efcmaxwidth {} \efcminheight {} \efcminwidth {} \efcparameter {} {} \effect [] {} \elapsedseconds \elapsedtime \em \emphasisboldface</pre>   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphasistypeface  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ \ \dowithnextboxcs \ \ {} \dowithnextboxcontents \ \ \downtrents \ \downtrents \ \</pre>   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphylines  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcos \ \ {} \dowithnextboxcos \ \ {} \dowithpargument \ \dowithpargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \end{array} \text{EVEX} \text{EVEYYLine {} \text{EveryPar {} \edef converted argument \ {} \efc maxheight {} \efc maxwidth {} \efc minheight {} \efc minheight {} \efc parameter {} {} \effect [] {} \elapsed seconds \elapsed seconds \elapsed selapsed time \em \emphasis bold face \emphylines []</pre>   |
| dowithnextboxcontents dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphylines emspace   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ \ {} \dowithnextboxcs \ \ \ {} \dowithnextboxcontentcs \ {} \dowithnextboxcontentcs \ {} \dowithnextboxcontentcs \ {} \downtherefore \ {} \downth</pre>   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcmindight efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphasistypeface emptylines emspace enabledirectives  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithwargument \ \express \text{EveryLine {}} \text{EveryPar {}} \edefconvertedargument \ {} \efcmaxheight {} \efcmaxwidth {} \efcminheight {} \efcminheight {} \efcminwidth {} \efcparameter {} {} \effcet [] {} \edefbasedseconds \elapsedtime \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives []</pre>   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcminheight efcmindight efcmindight efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcs \ \ {} \dowithnextboxcs \ \ {} \dowithpargument \ \dowithpargument \ \dowithvargument \ \dowithwargument \ \dowithwargument \ \doumydigit \dummydigit \dummyparameter {} \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxheight {} \efcmaxheight {} \efcminheight {} \efcminheight {} \efcminwidth {} \efcparameter {} {} \effect [] {} \end{alpasedseconds} \elapsedlapsedtime \em \emphasisboldface \emphasistypeface \emphylines [] \emspace \enabledirectives [] \enableexperiments []</pre>  |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode   | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcos \ \ {} \dowithpargument \ \dowithpargument \ \dowithvargument \ \dowithwargument \ \dowithwargument \ \dowithwargument \ \doumydigit \dummydigit \dummydigit \dummyparameter {} \ETEX \EveryLine {} \EveryPar {} \edefconvertedargument \ {} \efcmaxwidth {} \efcmaxwidth {} \efcminheight {} \efcminwidth {} \efcparameter {} {} \effect [] {} \elapsedseconds \elapsedime \em \emphasisboldface \emphasistypeface \emphylines [] \emspace \enabledirectives [] \enableexperiments [] \enableexperiments [] \enableexperiments []</pre>   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphasistypeface emptylines emspace enabledirectives enablemode enableoutputstream  | <pre>\dowithnextbox {} \ {} \dowithnextboxcontent {} {} \ {} \dowithnextboxcontentcs \ \ \ {} \downtherefore \ \ \ \ \ \ {} \downtherefore \ \ \ \ \ \ \ \.</pre>  |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxheight efcminheight efcminheight efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphysistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions | \dowithnextbox \\ \   |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxwidth efcminheight efcminwidth efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphasistypeface emptylines emspace enabledirectives enablemode enableoutputstream enableparpositions enableregime        | \dowithnextbox \ \ \ \ \ \ \ \.  |
| dowithnextboxcontentcs dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine EveryPar edefconvertedargument efcmaxheight efcmaxheight efcminheight efcminheight efcparameter effect elapsedseconds elapsedtime em emphasisboldface emphysistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions | \dowithnextbox \\ \   |

| enspace   | \enspace  |
|---|---|
| env   | \env {}   |
| envvar  | \envvar {} {}   |
| epos  | \epos {}  |
| equaldigits   | \equaldigits {}   |
| eTeX  | \eTeX   |
| executeifdefined  | \executeifdefined {} {}   |
| exitloop  | \exitloop   |
| exitloopnow   | \exitloopnow  |
| expanded  | \expanded {}  |
| expandfontsynonym   | \expandfontsynonym \ {}   |
| expandcheckedcsname   | \expandcheckedcsname \ {} {}  |
| expdoif   | \expdoif {} {}  |
| expdoifcommonelse   | \expdoifcommonelse $\{\}$ $\{\}$ $\{\}$   |
| expdoifelse   | \expdoifelse {} {} {}   |
| expdoifelsecommon   | \expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$   |
| expdoifelseinset  | \expdoifelseinset $\{\}$ $\{\}$ $\{\}$  |
| expdoifinsetelse  | \expdoifinsetelse $\{\}$ $\{\}$ $\{\}$  |
| expdoifnot  | \expdoifnot {} {}   |
| externalfigurecollectionmaxheight   | \externalfigurecollectionmaxheight {}   |
| externalfigurecollectionmaxwidth  | \externalfigurecollectionmaxwidth {}  |
| externalfigurecollectionminheight   | \externalfigurecollectionminheight {}   |
| externalfigurecollectionminwidth  | \externalfigurecollectionminwidth {}  |
| externalfigurecollectionparameter   | \externalfigurecollectionparameter {} {}  |
| externiobraz  | \externiobraz [] [=]  |
| fakebox   | \fakebox  |
| fastdecrement   | \fastdecrement \  |
| fastincrement   | \fastincrement \  |
| fastlocalframed   | \fastlocalframed [] [=] {}  |
| fastloopfinal   | \fastloopfinal  |
| fastloopindex   | \fastloopindex  |
| fastscale   | \fastscale {} {}  |
| fastsetup   | \fastsetup {}   |
| fastsetupwithargument   | \fastsetupwithargument {} {}  |
| fastsetupwithargumentswapped  | \fastsetupwithargumentswapped {} {}   |
| fastswitchtobodyfont  | \fastswitchtobodyfont {}  |
| fastsxsy  | \fastsxsy {} {}   |
| feature   | \feature [] []  |
| feature:direct  | \feature {} {}  |
| fence   | \fence  |
|   |   |
| fenced  | \fenced [] {}   |
|   | \FENCE {}   |
| fenced fence:example fetchallmarkings   | \FENCE \{\ldots\} \fetchallmarkings [\ldots\] [\ldots\]   |
| fenced fence:example fetchallmarkings fetchallmarks   | \FENCE {} \fetchallmarkings [] [] \fetchallmarks []   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark   | \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark []   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking  | \FENCE \{\ldots\} \fetchallmarkings [\ldots\] \fetchallmarks [\ldots\] \fetchmark [\ldots\] [\ldots\] \fetchmarking [\ldots\] [\ldots\]   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark   | \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] []  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemark  | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] []   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchonemarking   | \FENCE \{\delta\} \fetchallmarkings [\dots] [\dots] \fetchallmarks [\dots] \fetchmark [\dots] [\dots] \fetchmarking [\dots] [\dots] \fetchonemark [\dots] [\dots] \fetchonemarking [\dots] [\dots] \fetchruntinecommand \dots \{\dots\}   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchonemarking fetchonemarking   | \FENCE \{\\} \fetchallmarkings [\] [\] \fetchallmarks [\] \fetchmark [\] [\] \fetchmarking [\] [\] \fetchonemark [\] [\] \fetchonemarking [\] [\] \fetchruntinecommand \\ \{\\} \fetchtwomarkings [\] [\]   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemark fetchonemarking fetchtuntinecommand fetchtwomarkings fetchtwomarks   | \FENCE \{\\} \fetchallmarkings [\] [\] \fetchallmarks [\] \fetchmark [\] [\] \fetchmarking [\] [\] \fetchonemark [\] [\] \fetchonemarking [\] [\] \fetchruntinecommand \\ \{\\} \fetchtwomarkings [\] [\] \fetchtwomarks [\]  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchonemarking fetchtwomarkings fetchtwomarkings   | \FENCE \{\\} \fetchallmarkings [\] [\] \fetchallmarks [\] \fetchmark [\] [\] \fetchmarking [\] [\] \fetchonemark [\] [\] \fetchonemarking [\] [\] \fetchruntinecommand \\ \{\\} \fetchtwomarkings [\] [\] \fetchtwomarks [\] \fieldbody [\] [\=\]   |
| fenced  fence:example  fetchallmarkings  fetchallmarks  fetchmark  fetchmarking  fetchonemark  fetchonemarking  fetchruntinecommand  fetchtwomarkings  fetchtwomarks  fieldbody  fifthoffivearguments   | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [] \fifthoffivearguments \{\} \{\} \{\} \{\}  |
| fenced  fence:example  fetchallmarkings  fetchallmarks  fetchmark  fetchmarking  fetchonemark  fetchonemarking  fetchonemarking  fetchtvuntinecommand  fetchtwomarkings  fetchtwomarks  fieldbody  fifthoffivearguments  fifthofsixarguments  | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \{\}  |
| fenced  fence:example  fetchallmarkings  fetchallmarks  fetchmark  fetchmarking  fetchonemark  fetchonemarking  fetchoruntinecommand  fetchtwomarkings  fetchtwomarks  fieldbody  fifthoffivearguments  figurefilename  | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \{\} \figurefilename  |
| fenced  fence:example  fetchallmarkings  fetchallmarks  fetchmark  fetchmarking  fetchonemark  fetchonemarking  fetchoruntinecommand  fetchtwomarkings  fetchtwomarks  fieldbody  fifthoffivearguments  figurefilename  figurefilepath  | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \{\} \figurefilename \figurefilepath  |
| fenced  fence:example  fetchallmarkings  fetchallmarks  fetchmark  fetchmarking  fetchonemark  fetchonemarking  fetchruntinecommand  fetchtwomarkings  fetchtwomarks  fieldbody  fifthoffivearguments  figurefilename  figurefilepath  figurefiletype   | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \\ \figurefilename \figurefilepath \figurefiletype  |
| fenced  fence:example  fetchallmarkings  fetchallmarks  fetchmark  fetchmarking  fetchonemark  fetchonemarking  fetchruntinecommand  fetchtwomarkings  fetchtwomarks  fieldbody  fifthoffivearguments  figurefilename  figurefiletype  figurefullname   | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilepath \figurefiletype \figurefulname</pre>  |
| fenced  fence:example  fetchallmarkings  fetchallmarks  fetchmark  fetchmarking  fetchonemark  fetchonemarking  fetchruntinecommand  fetchtwomarkings  fetchtwomarks  fieldbody  fifthoffivearguments  figurefilename  figurefiletype  figurefullname  figureheight   | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fitchtwomarks [] \fitldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilename \figurefiletype \figurefullname \figurefilerepath</pre>   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefullname figureheight figurenaturalheight   | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilename \figurefiletype \figurefullname \figurenaturalheight</pre>  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefullname figurenaturalheight figurenaturalwidth   | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fitchtwomarkings [] [] \fitchtwomarkings [] {} \fitldbody [] [=] \fitldbody [] [=] \fitldbody [] {} {} {} {} \fiturefilename \fiturefilename \fiturefilename \fiturefiletype \fiturefiletyp</pre> |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefullname figurefulename figureheight figurenaturalheight figurenaturalwidth figuresymbol  | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fitchtwomarkings [] [] \fitchtwomarkings [] {} \fitchtwomarkings [] [] \fitchtwomarkings [] {} \fitchtwomarkings [] [] \fitchtwomarkings [] [] \fitchtwomarkings [] [] \fitchtwomarkings [] [] \fitchtwomarkings [] {} \fitchtwomarkings [] [] \fitchtwoma</pre>  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefullname figurefullname figurenaturalheight figuresymbol figurewidth  | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilename \figurefiletype \figurefiletype \figurefiletype \figurenaturalheight \figurenaturalwidth \figuresymbol [] [=] \figurewidth</pre>   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefiletype figurefullname figureheight figurenaturalheight figuresymbol figurewidth filename  | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilename \figurefiletype \figurefiletype \figurefiletype \figurenaturalheight \figurenaturalwidth \figuresymbol [] [=] \figurewidth \figurewidth \filename {}</pre>  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments fifthofsixarguments figurefilename figurefilepath figurefullname figureheight figurenaturalheight figuresymbol figurewidth filename filledhboxb   | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilename \figurefiletype \figurefiletype \figurefiletype \figurenaturalheight \figurenaturalwidth \figuresymbol [] [=] \figliename {} \filledhboxb {}</pre>   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefiletype figurefullname figureheight figurenaturalheight figuresymbol figurewidth filename filledhboxc  | <pre>\FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilename \figurefiletype \figurefiletype \figurefiletype \figurenaturalheight \figurenaturalwidth \figuresymbol [] [=] \figldedboxb {} \filledhboxb {} \filledhboxc {}</pre>  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figturefilename figurefilepath figurefiletype figurefullname figureheight figurenaturalheight figuresymbol figurewidth filename filledhboxc filledhboxc filledhboxg                         | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchonemarking [] [] \fetchtwomarkings [] [] \fetchtwomarkings [] \fieldbody [] [=] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \{\} \figurefilename \figurefilename \figurefiletype \figurefiletype \figurenaturalheight \figurenaturalwidth \figuresymbol [] [=] \figliedhboxb \{\} \filledhboxc \{\} \filledhboxg \{\}   |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchonemark fetchonemark fetchonemarking fetchtwomarkings fetchtwomarkings fitchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefiletype figurefullname figureheight figurenaturalheight figuresymbol figurewidth filename filledhboxb filledhboxc filledhboxg filledhboxk                 | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarkings [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \figurefilename \figurefilename \figurefiletype \figurefiletype \figurenaturalheight \figurenaturalwidth \figuresymbol [] [=] \filledhboxb \{\} \filledhboxc \{\} \filledhboxc \{\} \filledhboxc \{\} \filledhboxc \{\} \filledhboxc \{\} \filledhboxc \{\}  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefiletype figurefullname figureheight figurenaturalwidth figuresymbol figurewidth filename filledhboxc filledhboxc filledhboxk filledhboxm                         | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarkings [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \figurefilename \figurefilename \figurefilepath \figurefiletype \figurefulname \figurenaturalwidth \figurenaturalwidth \figuresymbol [] [=] \filledhboxb \{\} \filledhboxc \{\} \filledhboxm \{\} \filledhboxm \{\} \filledhboxm \{\} \filledhboxm \{\} \filledhboxm \{\}  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefiletype figurefullname figureheight figurenaturalwidth figuresymbol figurewidth filename filledhboxc filledhboxc filledhboxk filledhboxm filledhboxm filledhboxm | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchonemarking [] [] \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \{\} \figurefilename \figurefilename \figurefiletype \figurefullname \figurenaturalheight \figurenaturalwidth \figurenaturalwidth \figluresymbol [] [=] \filledhboxb \{\} \filledhboxc \{\} \filledhboxm \{\}  |
| fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefiletype figurefullname figureheight figurenaturalwidth figuresymbol figurewidth filename filledhboxc filledhboxc filledhboxk filledhboxm                         | \FENCE \{\} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ \{\} \fetchtwomarkings [] [] \fetchtwomarkings [] \fieldbody [] [=] \fifthoffivearguments \{\} \{\} \{\} \{\} \figurefilename \figurefilename \figurefilepath \figurefiletype \figurefulname \figurenaturalwidth \figurenaturalwidth \figuresymbol [] [=] \filledhboxb \{\} \filledhboxc \{\} \filledhboxm \{\} \filledhboxm \{\} \filledhboxm \{\} \filledhboxm \{\}  |

| filterfromnext                         | \filterfromnext \{\ldots\} \{\ldo |
|--|--|
| filterfromvalue                        | \filterfromvalue $\{\ldots\}$ $\{\ldots\}$ $\{^{DPT}$ $^{OPT}$ $^{OPT}$ $^{OPT}$ $^{OPT}$ $^{OPT}$   |
| filterpages                            | \filterpages [] [=]  |
| filterreference                        | \filterreference {}  |
| findtwopassdata<br>finishregisterentry | \findtwopassdata {} {} \finishregisterentry [] [=] [=]   |
| firstcounter                           | \firstcounter [] [] \firstcounter []   |
| firstcountervalue                      | \firstcounter []   |
| firstcharacter                         | \firstcharacter  |
| firstoffivearguments                   | \firstoffivearguments \{\} \{\} \{\} \{\}  |
| firstoffourarguments                   | \firstoffourarguments \{\ldots\} \{\ldots\} \{\ldots\}   |
| firstofoneargument                     | \firstofoneargument {}   |
| firstofoneunexpanded                   | \firstofoneunexpanded {}   |
| firstofsixarguments                    | \firstofsixarguments {} {} {} {} {} {}   |
| firstofthreearguments                  | \firstofthreearguments {} {} {}  |
| firstofthreeunexpanded                 | \firstofthreeunexpanded $\{\}$ $\{\}$  |
| firstoftwoarguments                    | \firstoftwoarguments {} {}   |
| firstoftwounexpanded                   | \firstoftwounexpanded {} {}  |
| firstrealpage                          | \firstrealpage   |
| firstrealpagenumber                    | \firstrealpagenumber   |
| firstsubcountervalue                   | \firstsubcountervalue [] []  |
| firstsubpagenumber                     | \firstsubpagenumber  |
| firstuserpage                          | \firstuserpage   |
| firstuserpagenumber                    | \firstuserpagenumber   |
| fitfieldframed                         | \fitfieldframed [=] {}   |
| fittopbaselinegrid                     | \fittopbaselinegrid {}   |
| flag                                   | \flag {}   |
| floatuserdataparameter                 | \floatuserdataparameter {}<br>\flushbox {} {}  |
| flushbox                               |  |
| flushboxregister<br>flushcollector     | \flushboxregister<br>\flushcollector []  |
|  | \flushedrightlastline  |
| flushedrightlastline<br>flushlayer     | \flushlayer []   |
| flushlocalfloats                       | \flushlocalfloats  |
| flushnextbox                           | \flushnextbox  |
| flushnotes                             | \flushnotes  |
| flushoutputstream                      | \flushoutputstream []  |
| flushshapebox                          | \flushshapebox   |
| flushtextflow                          | \flushtextflow {}  |
| flushtokens                            | \flushtokens []  |
| flushtoks                              | \flushtoks \   |
| fontalternative                        | \fontalternative   |
| fontbody                               | \fontbody  |
| fontclass                              | \fontclass   |
| fontclassname                          | \fontclassname {} {}   |
| fontface                               | \fontface  |
| fontfeaturelist                        | \fontfeaturelist [] []   |
| fontchar                               | \fontchar {}   |
| fontcharbyindex                        | \fontcharbyindex {}  |
| fontsize                               | \fontsize  |
| fontstyle                              | \fontstyle   |
| footnotetext                           | \footnotetext [] {}  |
| footnotetext:assignment                | \footnotetext [=]  |
| forcecharacterstripping                | \forcecharacterstripping   |
| forcelocalfloats                       | \forcelocalfloats  |
| forgeteverypar                         | \forgeteverypar  |
| forgetparameters                       | \forgetparameters [] [=]   |
| forgetragged                           | \forgetragged  |
| foundbox                               | \foundbox {} {}  |
| fourthoffivearguments                  | \fourthoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}  |
| fourthoffourarguments                  | \fourthoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$  |
| fourthofsixarguments                   | \fourthofsixarguments \{\ldots\}  |
| frameddimension                        | \frameddimension \{\ldots\}  |
| framedparameter                        | \framedparameter {}  |
| freezedimenmacro                       | \freezedimenmacro \ \  |
| freezemeasure                          | \freezemeasure [] []   |
| frenchspacing                          | \frenchspacing   |
| fromlinenote                           | \fromlinenote [] {}  |
| frozenhbox                             | \frozenhbox {}   |
| frule                                  | \frule \relax  |
| GetPar                                 | \GetPar  |
| GotoPar                                | \GotoPar   |

 ${\tt GotoPar}$ 

| Greeknumerals                                  | \Greeknumerals \{\ldots\}  |
|--|--|
| gdefconvertedargument                          | \gdefconvertedargument \ \{\}  |
| gdefconvertedcommand<br>getboxfromcache        | \gdefconvertedcommand \ \ \getboxfromcache \{\} \{\} \                       |
| getboxllx                                      | \getbox11x   |
| getboxlly                                      | \getboxlly   |
| getbufferdata                                  | \getbufferdata []  |
| getcommacommandsize                            | \getcommacommandsize []  |
| getcommalistsize                               | \getcommalistsize []   |
| getdayoftheweek                                | \getdayoftheweek {} {} {}  |
| getdayspermonth                                | \getdayspermonth {} {}   |
| getdefinedbuffer                               | \getdefinedbuffer []   |
| getdocumentargument                            | \getdocumentargument {}  |
| getdocumentargumentdefault                     | \getdocumentargumentdefault {} {}  |
| getdocumentfilename                            | \getdocumentfilename {}  |
| getdummyparameters                             | \getdummyparameters [=]  |
| getemptyparameters                             | \getemptyparameters [] [=]   |
| geteparameters                                 | \geteparameters [] [=] \getexpandedparameters [] [=]                         |
| getexpandedparameters<br>getfiguredimensions   | \getfiguredimensions [] [=]  |
| getfirstcharacter                              | \getfirstcharacter {}  |
| getfirsttwopassdata                            | \getfirsttwopassdata {}  |
| getfromcommacommand                            | \getfromcommacommand [] []   |
| getfromcommalist                               | \getfromcommalist [] []  |
| getfromtwopassdata                             | \getfromtwopassdata {} {}  |
| getglyphdirect                                 | \getglyphdirect {} {}  |
| getglyphstyled                                 | \getglyphstyled {} {}  |
| getgparameters                                 | \getgparameters [] [=]   |
| getlasttwopassdata                             | \getlasttwopassdata {}   |
| getlocalfloat                                  | \getlocalfloat {}  |
| getlocalfloats                                 | \getlocalfloats  |
| getMPdrawing                                   | \getMPdrawing  |
| getMPlayer                                     | \getMPlayer [] [=] {}  |
| getmessage                                     | \getmessage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                   |
| getnamedglyphdirect                            | \getnamedglyphdirect {} {}   |
| getnamedglyphstyled<br>getnamedtwopassdatalist | \getnamedglyphstyled {} {}   |
| getnaturaldimensions                           | \getnamedtwopassdatalist \ \{\} \getnaturaldimensions                        |
| getnoflines                                    | \getnoflines {}  |
| getobject                                      | \getobject {} {}   |
| getobjectdimensions                            | \getobjectdimensions {} {}   |
| getpaletsize                                   | \getpaletsize []   |
| getparameters                                  | \getparameters [] [=]  |
| getprivatechar                                 | \getprivatechar {}   |
| getprivateslot                                 | \getprivateslot {}   |
| getrandomcount                                 | \getrandomcount \ \{\} \{\}  |
| getrandomdimen                                 | \getrandomdimen \ \{\} \{\}  |
| getrandomfloat                                 | \getrandomfloat \ \{\}   |
| getrandomnumber                                | \getrandomnumber \ \{\} \{\}   |
| getrandomseed<br>getraweparameters             | \getrandomseed \<br>\getraweparameters [] [=]                                |
| getrawgparameters                              | \getraweparameters [] [=]  |
| getrawnoflines                                 | \getrawnoflines {}   |
| getrawparameters                               | \getrawparameters [] [=]   |
| getrawxparameters                              | \getrawxparameters [] [=]  |
| getreference                                   | \getreference [] []  |
| getreferenceentry                              | \getreferenceentry {}  |
| getroundednoflines                             | \getroundednoflines {}   |
| getsubstring                                   | \getsubstring {} {}  |
| gettwopassdata                                 | \gettwopassdata {}   |
| gettwopassdatalist                             | \gettwopassdatalist {}   |
| getuvalue                                      | \getuvalue {}  |
| getvalue                                       | \getvalue {}   |
| getvariable getvariabledefault                 | \getvariable \{\dots\} \\  |
| getvariabledefault<br>getxparameters           | \getvariabledefault \{\dots\} \{\dots\} \\getxparameters \[\dots\] \[\dots\] |
| globaldisablemode                              | \globaldisablemode []  |
| globalenablemode                               | \globalenablemode []   |
| globalletempty                                 | \globalletempty \  |
| globalpopbox                                   | \globalpopbox  |
| globalpopmacro                                 | \globalpopmacro \  |
| globalpreventmode                              | \globalpreventmode []  |
|  |  |

| globalprocesscommalist    | \globalprocesscommalist [] \   |
|---------------------------|--|
| 9 -                       | · ·  |
| globalpushbox             | \globalpushbox   |
| globalpushmacro           | \globalpushmacro \   |
| globalpushreferenceprefix | \globalpushreferenceprefix {} \globalpopreferenceprefix  |
| globalswapcounts          | \globalswapcounts \ \  |
| globalswapdimens          | \globalswapdimens \ \  |
| globalswapmacros          | \globalswapmacros \ \  |
| globalundefine            | \globalundefine {}   |
| glyphfontfile             | \glyphfontfile {}  |
| gobbledoubleempty         | \gobbledoubleempty [] []   |
|                           |  |
| gobbleeightarguments      | \gobbleeightarguments {} {} {} {} {} {} {} {}  |
| gobblefivearguments       | \gobblefivearguments {} {} {} {}   |
| gobblefiveoptionals       | \gobblefiveoptionals [] [] [] []   |
| gobblefourarguments       | \gobblefourarguments \{\ldots\} \{\ldots\} \{\ldots\}  |
| gobblefouroptionals       | \gobblefouroptionals [] [] []  |
| gobbleninearguments       | \gobbleninearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| gobbleoneargument         | \gobbleoneargument {}  |
| gobbleoneoptional         | \gobbleoneoptional []  |
| gobblesevenarguments      | \gobblesevenarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| gobblesingleempty         | \gobblesingleempty []  |
| gobblesixarguments        | \gobblesixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
|                           |  |
| gobblespacetokens         | \gobblespacetokens   |
| gobbletenarguments        | \gobbletenarguments {} {} {} {} {} {} {} {} {  |
| gobblethreearguments      | \gobblethreearguments {} {}  |
| gobblethreeoptionals      | \gobblethreeoptionals [] []  |
| gobbletwoarguments        | \gobbletwoarguments \{\ldots\} \{\ldots\}  |
| gobbletwooptionals        | \gobbletwooptionals []   |
| gobbleuntil               | \gobbleuntil \   |
| gobbleuntilrelax          | \gobbleuntilrelax \relax   |
| grabbufferdata            | \grabbufferdata [] [] []   |
| grabbufferdatadirect      | \grabbufferdatadirect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
|                           |  |
| grabuntil                 | \grabuntil {} \  |
| grave                     | \grave {}  |
| grayvalue                 | \grayvalue {}  |
| greedysplitstring         | \greedysplitstring \at \to \ \and \  |
| greeknumerals             | \greeknumerals {}  |
| groupedcommand            | \groupedcommand \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| gsetboxllx                | \gsetboxllx {}   |
| gsetboxlly                | \gsetboxlly {}   |
| gujaratinumerals          | \gujaratinumerals {}   |
| gurmurkhinumerals         | \gurmurkhinumerals {}  |
| hairspace                 | \hairspace   |
| halflinestrut             | \halflinestrut   |
| halfstrut                 | \halfstrut   |
| halfwaybox                | \halfwaybox {}   |
| handletokens              | \handletokens \with \  |
| hash                      | \hash  |
|                           | \hat {}  |
| hat                       |  |
| hboxofvbox                | \hboxofvbox  |
| hboxreference             | \hboxreference [] {}   |
| hbox:example              | \hboxBOX {}  |
| hdofstring                | \hdofstring {}   |
| headhbox                  | \headhbox {}   |
| headnumbercontent         | \headnumbercontent   |
| headnumberdistance        | \headnumberdistance  |
| headnumberwidth           | \headnumberwidth   |
| headreferenceattributes   | \headreferenceattributes   |
| headsetupspacing          | \headsetupspacing  |
| headtextcontent           | \headtextcontent   |
| headtextdistance          | \headtextdistance  |
| headtextwidth             | \headtextwidth   |
| headybox                  | \headvbox {}   |
|                           |  |
| headwidth                 | \headwidth   |
| heightanddepthofstring    | \heightanddepthofstring {}   |
| heightofstring            | \heightofstring {}   |
| heightspanningtext        | \heightspanningtext {} {} {}   |
| help:instance             | \HELP [] {} {}   |
| help:instance:helptext    | \helptext [] {}  |
| hglue                     | \hglue   |
| hiddencitation            | \hiddencitation []   |
| hiddencite                | \hiddencite []   |
| highlight                 | \highlight [] {}   |

| highlight:example   | \HIGHLIGHT {}   |
|---|---|
| highordinalstr  | \highordinalstr {}  |
| hilo  | \hilo [] {}   |
| himilo  | \himilo {} {} {}  |
| hl  | \hl []  |
| hlavnijazyk   | \hlavnijazyk []   |
| hodnotabarvy<br>horizontalgrowingbar  | \hodnotabarvy {} \horizontalgrowingbar [=]  |
| horizontalpositionbar   | \horizontalgrowingbar [=]   |
| hphantom  | \hphantom {}  |
| hpos  | \hpos {} {}   |
| hsizefraction   | \hsizefraction {} {}  |
| hsmash  | \hsmash {}  |
| hsmashbox   | \hsmashbox  |
| hsmashed  | \hsmashed {}  |
| hspace  | \hspace [] []   |
| htdpofstring  | \htdpofstring {}  |
| httofstring   | \htofstring {} \hyphen  |
| hyphen<br>hyphenatedcoloredword   | \hyphenatedcoloredword {}   |
| hyphenatedfile  | \hyphenatedfile {}  |
| hyphenatedfilename  | \hyphenatedfilename {}  |
| hyphenatedhbox  | \hyphenatedhbox {}  |
| hyphenatedpar   | \hyphenatedpar {}   |
| hyphenatedurl   | \hyphenatedurl {}   |
| hyphenatedword  | \hyphenatedword {}  |
| characterkerning:example  | \CHARACTERKERNING [] {}   |
| chardescription   | \chardescription {}   |
| charwidthlanguage   | \charwidthlanguage  |
| check<br>checkedfiller  | \check {}   |
| checkedchar   | \checkedfiller {}<br>\checkedchar {} {}   |
| checkedstrippedcsname   | \checkedstrippedcsname \  |
| checkedstrippedcsname:string  | \checkedstrippedcsname  |
| checkcharacteralign   | \checkcharacteralign {}   |
| checkinjector   | \checkinjector []   |
| checknextindentation  | \checknextindentation []  |
| checknextinjector   | \checknextinjector []   |
| checkpage   | \checkpage [] [=]   |
| checkparameters   | \checkparameters []   |
| checkpreviousinjector   | \checkpreviousinjector []   |
| checksoundtrack   | \checksoundtrack {}   |
| checktwopassdata<br>checkvariables  | \checktwopassdata {}<br>\checkvariables [] [=]  |
| chem  | \chem {} {}   |
| chemical  | \chemical [] []   |
| chemicalbottext   | \chemicalbottext {}   |
| chemicalmidtext   | \chemicalmidtext {}   |
| chemicalsymbol  | \chemicalsymbol []  |
| chemicaltext  | \chemicaltext {}  |
| chemicaltoptext   | \chemicaltoptext {}   |
| chineseallnumerals  | \chineseallnumerals {}  |
| chinesecapnumerals  | \chinesecapnumerals {}  |
| chinesenumerals<br>INRSTEX  | \chinesenumerals {} \INRSTEX  |
| ibox  | \ibox {}  |
| ifassignment  | \ifassignment \else \fi   |
|   |   |
| _   |   |
| iff ifinobject  | \iff  |
| iff   |   |
| iff<br>ifinobject   | \iff \ifinobject \else \fi  |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting   | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi</pre>   |
| iff ifinobject ifinoutputstream ifparameters  | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces</pre>   |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue  | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {}</pre>   |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue immediatesavetwopassdata   | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {} \immediatesavetwopassdata {} {} {}</pre>  |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue immediatesavetwopassdata impliedby   | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {} \immediatesavetwopassdata {} {} {}</pre>  |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue immediatesavetwopassdata impliedby implies   | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {} \immediatesavetwopassdata {} {} {} \impliedby \implies</pre>  |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue immediatesavetwopassdata impliedby implies includemenu                                     | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {} \immediatesavetwopassdata {} {} {} \impliedby \implies \includemenu []</pre>  |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue immediatesavetwopassdata impliedby implies includemenu includeversioninfo                  | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {} \immediatesavetwopassdata {} {} {} \impliedby \implies \includemenu [] \includeversioninfo {}</pre>   |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue immediatesavetwopassdata impliedby implies includemenu                                     | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {} \immediatesavetwopassdata {} {} {} \impliedby \implies \includemenu [] \includeversioninfo {} \incrementcounter [] []</pre> |
| iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignorevalue immediatesavetwopassdata impliedby implies includemenu includeversioninfo incrementcounter | <pre>\iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignorevalue {} \immediatesavetwopassdata {} {} {} \impliedby \implies \includemenu [] \includeversioninfo {}</pre>   |

| incrementsubpagenumber                         | \incrementsubpagenumber                               |
|--|---|
| incrementvalue                                 | \incrementvalue {}                                    |
| indentation                                    | \indentation  |
| infofont                                       | \infofont   |
|  | •   |
| infofontbold                                   | \infofontbold   |
| inheritparameter                               | \inheritparameter [] []                               |
| inhibitblank                                   | \inhibitblank   |
| initializeboxstack                             | \initializeboxstack {}                                |
| inlinebuffer                                   | \inlinebuffer []                                      |
|  |   |
| inlinedbox                                     | \inlinedbox {}  |
| inlinemath                                     | \inlinemath {}  |
| inlinemathematics                              | \inlinemathematics {}                                 |
| inlinemessage                                  | \inlinemessage {}                                     |
| inlineordisplaymath                            | \inlineordisplaymath {} {}                            |
| - ·  |   |
| inlineprettyprintbuffer                        | \inlineprettyprintbuffer {} {}                        |
| inlinerange                                    | \inlinerange []                                       |
| innerflushshapebox                             | \innerflushshapebox                                   |
| input  | \input {}   |
| •  |   |
| inputfilebarename                              | \inputfilebarename                                    |
| inputfilename                                  | \inputfilename  |
| inputfilerealsuffix                            | \inputfilerealsuffix                                  |
| inputfilesuffix                                | \inputfilesuffix                                      |
| inputgivenfile                                 | \inputgivenfile {}                                    |
| 1 0  |   |
| input:string                                   | \input  |
| insertpages                                    | \insertpages [] [=]                                   |
| instalacejazyka                                | \instalacejazyka [] [=]                               |
| instalacejazyka:name                           | \instalacejazyka [] []                                |
| installactionhandler                           | \installactionhandler {}                              |
| installactivecharacter                         | \installactivecharacter                               |
|  | ·   |
| installanddefineactivecharacter                | \installanddefineactivecharacter {}                   |
| installattributestack                          | \installattributestack \                              |
| installautocommandhandler                      | \installautocommandhandler \ \} \                     |
| installautosetuphandler                        | \installautosetuphandler \ {}                         |
| •  |   |
| installbasicautosetuphandler                   | \installbasicautosetuphandler \ \{\} \                |
| installbasicparameterhandler                   | \installbasicparameterhandler \ \{\}                  |
| installbottomframerenderer                     | \installbottomframerenderer {} {}                     |
| installcommandhandler                          | \installcommandhandler \ \ \                          |
| installcorenamespace                           | \installcorenamespace {}                              |
| -  | \installdefinehandler \ \{\} \                        |
| installdefinehandler                           |   |
| installdefinitionset                           | \installdefinitionset \ \{\}                          |
| installdefinitionsetmember                     | \installdefinitionsetmember \ \ \ \                   |
| installdirectcommandhandler                    | \installdirectcommandhandler \ \{\}                   |
| installdirectparameterhandler                  | \installdirectparameterhandler \ {}                   |
| installdirectparametersethandler               |   |
| •  | \installdirectparametersethandler \ \{\}              |
| installdirectsetuphandler                      | \installdirectsetuphandler \ $\{\}$                   |
| ${\tt install direct style and color handler}$ | $\$ installdirectstyleandcolorhandler $\$ $\{\dots\}$ |
| installframedautocommandhandler                | \installframedautocommandhandler \ {} \               |
| installframedcommandhandler                    | \installframedcommandhandler \ {} \                   |
| installleftframerenderer                       | \installleftframerenderer {} {}                       |
|  |   |
| installnamespace                               | \installnamespace {}                                  |
| installoutputroutine                           | \installoutputroutine \ \{\}                          |
| installpagearrangement                         | \installpagearrangement {}                            |
| installparameterhandler                        | \installparameterhandler \ {}                         |
| installparameterhashhandler                    | \installparameterhashhandler \ {}                     |
| installparametersethandler                     | \installparametersethandler \ \{\}                    |
| <del>-</del>                                   |   |
| installparentinjector                          | \installparentinjector \ {}                           |
| installrightframerenderer                      | \installrightframerenderer {} {}                      |
| installrootparameterhandler                    | \installrootparameterhandler \ {}                     |
| installsetuphandler                            | \installsetuphandler \ {}                             |
| •  |   |
| installsetuponlycommandhandler                 | \installsetuponlycommandhandler \ \{\}                |
| installshipoutmethod                           | \installshipoutmethod {} {}                           |
| installsimplecommandhandler                    | $\$ \installsimplecommandhandler \ \                  |
| installsimpleframedcommandhandler              | \installsimpleframedcommandhandler \ \                |
| installstyleandcolorhandler                    | \installstyleandcolorhandler \ {}                     |
| installswitchcommandhandler                    | \installswitchcommandhandler \ \\                     |
|  |   |
| installswitchsetuphandler                      | \installswitchsetuphandler \ \{\}                     |
| installtexdirective                            | \installtexdirective \{\ldots\} \{\ldots\}            |
| installtextracker                              | \installtextracker {} {} {}                           |
| installtopframerenderer                        | \installtopframerenderer {} {}                        |
| installunitsseparator                          | \installunitsseparator {} {}                          |
| <del>-</del>                                   |   |
| installunitsspace                              | \installunitsspace \{\ldots\} \\\                     |
| installversioninfo                             | \installversioninfo {} {}                             |
|  |   |

| integerrounding                  | \integerrounding {}            |
|----------------------------------|--------------------------------|
| interakcnilista                  | \interakcnilista [] [=]        |
| interakcnitlacitka               | \interakcnitlacitka [=] []     |
| interaktivnimenu                 | \interaktivnimenu [] [=]       |
| intertext                        | \intertext {}                  |
| invokepageheandler               | \invokepageheandler \{\ldots\} |
| istltdir                         | \istltdir                      |
| istrtdir                         | \istrtdir                      |
| italiccorrection                 | \italiccorrection              |
| italicface                       | \italicface                    |
| itemtag                          | \itemtag []                    |
|                                  | \jazyk []                      |
| jazyk                            | \LANGUAGE                      |
| jazyk:example<br>jdidolu         | \jdidolu []                    |
| jdina                            | \jdina {} []                   |
| jdinabox                         | \jdinabox {} []                |
| jdinastranu                      | \jdinastranu {} []             |
| jednotka:instance                | \UNIT {}                       |
|                                  | \unit {}                       |
| jednotka:instance:unit           | \jobfilename                   |
| jobfilename<br>jobfilesuffix     | \jobfilesuffix                 |
| <u> </u>                         | •                              |
| Kap                              | \Kap {}                        |
| kaligraficke                     | \kaligraficke                  |
| kap                              | \kap {}                        |
| keeplinestogether                | \keeplinestogether {}          |
| keepunwantedspaces               | \keepunwantedspaces            |
| kerncharacters                   | \kerncharacters [] {}          |
| klonujpole                       | \klonujpole [] [] []           |
| komentar:instance                | \COMMENT [] [=] {}             |
| komentar:instance:comment        | \comment [] [=] {}             |
| komponenta                       | \komponenta []                 |
| komponenta:string                | \komponenta                    |
| konvertujcislo                   | \konvertujcislo {} {}          |
| kopirujpole                      | \kopirujpole []                |
| koreancirclenumerals             | \koreancirclenumerals {}       |
| koreannumerals                   | \koreannumerals {}             |
| koreannumeralsc                  | \koreannumeralsc {}            |
| koreannumeralsp                  | \koreannumeralsp {}            |
| koreanparentnumerals             | \koreanparentnumerals {}       |
| korekcebilehomista               | \korekcebilehomista {}         |
| kurziva                          | \kurziva                       |
| kurzivnitucne                    | \kurzivnitucne                 |
| LAMSTEX                          | LAMSTEX                        |
| LATEX                            | LATEX                          |
| LamSTeX                          | \LamSTeX                       |
| LaTeX                            | LaTeX                          |
| LUAJITTEX                        | LUAJITTEX                      |
| LUATEX                           | LUATEX                         |
| Lua                              | \Lua                           |
| LuajitTeX                        | \LuajitTeX                     |
| LuaTeX                           | \LuaTeX                        |
| labellanguage:instance           | \LABELjazyk                    |
| labellanguage:instance:btxlabel  | \btxlabeljazyk                 |
| labellanguage:instance:head      | \headjazyk                     |
| labellanguage:instance:label     | \labeljazyk                    |
| labellanguage:instance:mathlabel | \mathlabeljazyk                |
| labellanguage:instance:operator  | \operatorjazyk                 |
| labellanguage:instance:prefix    | \prefixjazyk                   |
| labellanguage:instance:suffix    | \suffixjazyk                   |
| labellanguage:instance:taglabel  | \taglabeljazyk                 |
| labellanguage:instance:unit      | \unitjazyk                     |
| labeltexts:instance              | \LABELtexts {} {}              |
| labeltexts:instance:head         | \headtexts {} {}               |
| labeltexts:instance:label        | \labeltexts {} {}              |
| labeltexts:instance:mathlabel    | \mathlabeltexts {} {}          |
| languageCharacters               | \languageCharacters {}         |
| languagecharacters               | \languagecharacters {}         |
| languagecharwidth                | \languagecharwidth {}          |
| lastcounter                      | \lastcounter [] []             |
| lastcountervalue                 | \lastcountervalue []           |
| lastdigit                        | \lastdigit {}                  |
| lastlinewidth                    | \lastlinewidth                 |
|                                  |                                |

| lastnaturalboxdp   | $\label{lastnatural} \$  |
|--|--|
| lastnaturalboxht   | \lastnaturalboxht  |
| lastnaturalboxwd   | \lastnaturalboxwd  |
| lastpredefinedsymbol   | \lastpredefinedsymbol  |
| lastrealpage   | \lastrealpage  |
| lastrealpagenumber   | \lastrealpagenumber  |
| lastsubcountervalue  | \lastsubcountervalue [] [] \lastsubpagenumber  |
| lastsubpagenumber<br>lasttwodigits                               | \lastsubpagenumber<br>\lasttwodigits {}  |
| lastuserpage   | \lastuserpage  |
| lastuserpage<br>lastuserpagenumber                               | \lastuserpage \lastuserpagenumber  |
| lateluacode  | \lateluacode {}  |
| layeredtext  | \layeredtext [=] [=] {}  |
| layerheight  | \layerheight   |
| layerwidth   | \layerwidth  |
| lazysavetaggedtwopassdata  | \lazysavetaggedtwopassdata {} {} {} {}   |
| lazysavetwopassdata  | \lazysavetwopassdata {} {} {}  |
| lbox   | \lbox {}   |
| leftbottombox  | \leftbottombox {}  |
| leftbox  | \leftbox {}  |
| lefthbox   | \lefthbox {}   |
| leftlabeltext:instance   | \leftLABELtext {}  |
| leftlabeltext:instance:head                                      | \leftheadtext {}   |
| leftlabeltext:instance:label<br>leftlabeltext:instance:mathlabel | \leftlabeltext {} \leftmathlabeltext {}  |
| leftline   | \leftline {}   |
| leftorrighthbox  | \leftorrighthbox {}  |
| leftorrightvbox  | \leftorrightvbox {}  |
| leftorrightvtop  | \leftorrightvtop {}  |
| leftskipadaption   | \leftskipadaption  |
| leftsubguillemot   | \leftsubguillemot  |
| lefttopbox   | \lefttopbox {}   |
| lefttoright  | \lefttoright   |
| lefttorighthbox  | \lefttorighthbox {}  |
| lefttorightvbox  | \lefttorightvbox {}  |
| lefttorightvtop  | \lefttorightvtop {}  |
| letbeundefined   | \letbeundefined {}   |
| letcatcodecommand  | \letcatcodecommand \ \   |
| letcscsname  | \letcscsname \ \csname \endcsname  |
| letcsnamecs  | \letcsnamecs \csname \endcsname \  |
| letcsnamecsname  | \letcsnamecsname \csname \\endcsname \csname \\endcsname \letdummyparameter \{\dots\}\ |
| letdummyparameter<br>letempty                                    | \letenpty \  |
| letgvalue  | \letgvalue {} \  |
| letgvalueempty   | \letgvalueempty {}   |
| letgvalurelax  | \letgvalurelax {}  |
| letterampersand  | \letterampersand   |
| letterat   | \letterat  |
| letterbackslash  | \letterbackslash   |
| letterbar  | \letterbar   |
| letterbgroup   | \letterbgroup  |
| letterclosebrace   | \letterclosebrace  |
| lettercolon  | \lettercolon   |
| letterdollar   | \letterdollar  |
| letterdoublequote  | \letterdoublequote   |
| letteregroup   | \letteregroup  |
| letterescape   | \letterescape  |
| letterexclamationmark<br>letterhash                              | \letterexclamationmark<br>\letterhash  |
| letterhat  | \letternasn  |
| letterleftbrace  | \letterleftbrace   |
| letterleftbracket  | \letterleftbracket   |
| letterleftparenthesis  | \letterleftparenthesis   |
| letterless   | \letterless  |
| lettermore   | \lettermore  |
| letteropenbrace  | \letteropenbrace   |
| letterpercent  | \letterpercent   |
| letterquestionmark   | \letterquestionmark  |
| letterrightbrace   | \letterrightbrace  |
| letterrightbracket   | \letterrightbracket  |
| letterrightparenthesis   | $\$ \lefty letterright parenthesis   |
| lettersinglequote  | \lettersinglequote   |

| letterslash                | \letterslash  |
|----------------------------|---|
| letterspacing              | \letterspacing [] {}  |
| lettertilde                | \letterspacing [] \lettertilde                                    |
| letterunderscore           | \lettertilde<br>\letterunderscore                                 |
| letvalue                   | \letvalue {} \  |
| letvalueempty              | \letvalueempty {}   |
| letvaluerelax              | \letvaluerelax {}   |
| lfence                     | \lfence {}  |
| lhbox                      | \lhbox {}   |
| limitatefirstline          | \limitatefirstline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| limitatelines              | \limitatelines \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\     |
| limitatetext               | \limitatetext {} {} {}  |
| limitatetext:list          | \limitatetext {} {} {}  |
| linenote:instance          | \LINENOTE {}  |
| linenote:instance:linenote | \linenote {}  |
| linespanningtext           | \linespanningtext {} {} {}  |
| listcitation               | \listcitation [=] []  |
| listcitation:alternative   | \listcitation []  |
| listcitation:userdata      | \listcitation [=] [=]   |
| listcite                   | \listcite [=] []  |
| listcite:alternative       | \listcite [] []   |
| listcite:userdata          | \listcite [=] [=]   |
| listnamespaces             | \listnamespaces   |
| llap                       | \lap {}   |
| loadanyfile                | \lambda \text{limp ()} \lambda \text{lambda file []}              |
| loadanyfileonce            | \loadanyfileonce []   |
| loadbtxdefinitionfile      | \loadbtxdefinitionfile []   |
| loadbtxreplacementfile     | \loadbtxreplacementfile []  |
| loadcldfile                | \loadcldfile []   |
| loadcldfileonce            | \loadcldfileonce []   |
| loadfontgoodies            | \loadfontgoodies []   |
| loadluafile                | \loadluafile []   |
| loadluafileonce            | \loadluafileonce []   |
| loadspellchecklist         | \loadspellchecklist [] []   |
| loadtexfile                | \loadtexfile []   |
| loadtexfileonce            | \loadtexfile []   |
| loadtypescriptfile         | \loadtypescriptfile []  |
| localframed                | \localframed [] [=] {}  |
| localframedwithsettings    | \localframedwithsettings [] [=] {}                                |
| localhsize                 | \localhsize   |
| localpopbox                | \localpopbox  |
| localpopmacro              | \localpopmacro \  |
| localpushbox               | \localpushbox   |
| localpushmacro             | \localpushmacro \   |
| localundefine              | \localundefine {}   |
| locatedfilepath            | \locatedfilepath  |
| locatefilepath             | \locatefilepath {}  |
| locfilename                | \locfilename {}   |
| lomihi                     | \lomihi {} {}   |
| lowerbox                   | \lowerbox {} \ {}   |
| lowercased                 | \lowercased {}  |
| lowercasestring            | \lowercasestring \to \  |
| lowerleftdoubleninequote   | \lowerleftdoubleninequote   |
| lowerleftsingleninequote   | \lowerleftsingleninequote   |
| lowerrightdoubleninequote  | \lowerrightdoubleninequote  |
| lowerrightsingleninequote  | \lowerrightsingleninequote  |
| lowhigh:instance           | \LOWHIGH [] {}  |
| lowmidhigh:instance        | \LOWMIDHIGH {} {}   |
| lrtbbox                    | \lrtbbox {} {} {} {}  |
| ltop                       | \ltop {}  |
| luacode                    | \luacode {}   |
| luaconditional             | \luaconditional \   |
| luaenvironment             | \luaenvironment   |
| luaexpanded                | \luaexpanded {}   |
| luaexpanded                | \luaexpanded \(\tau\)   |
| luafunction                | \luafunction {}   |
| luajitTeX                  | \luajitTeX  |
| luamajorversion            | \luamajorversion  |
| luaminorversion            | \luaminorversion  |
| luaparameterset            | \luaparameterset {} {}  |
| luasetup                   | \luasetup {}  |
| luaTeX                     | \luaTeX   |
| 1441011                    | 124200  |

| luaversion   | \luaversion   |
|--|---|
| MESIC  | \MESIC {}   |
| METAFONT   | \METAFONT   |
| METAFUN  | \METAFUN  |
|  |   |
| METAPOST   | \METAPOST   |
| MetaFont   | \MetaFont   |
| MetaFun  | \MetaFun  |
| MetaPost   | \MetaPost   |
| MKII   | \MKII   |
| MKIV   | \MKIV   |
| MKIX   | \MKIX   |
| MKVI   |   |
|  | \MKVI   |
| MKXI   | \MKXI   |
| MONTHLONG  | \MONTHLONG {}   |
| MONTHSHORT   | \MONTHSHORT {}  |
| MPanchor   | \MPanchor {}  |
| MPbetex  | \MPbetex {}   |
| MPc  | \MPc {}   |
| MPcode   | \MPcode {} {}   |
|  |   |
| MPcolor  | \MPcolor {}   |
| MPcoloronly  | \MPcoloronly {}   |
| MPcolumn   | \MPcolumn {}  |
| MPd  | \MPd {}   |
| MPdrawing  | \MPdrawing {}   |
| MPfontsizehskip  | \MPfontsizehskip {}   |
| -  | \MPgetmultipars \{\ldots\}  |
| MPgetmultipars   |   |
| MPgetmultishape  | \MPgetmultishape \{\ldots\}   |
| MPgetposboxes  | \MPgetposboxes {} {}  |
| MPh  | \MPh {}   |
| MPII   | \MPII   |
| MPIV   | \MPIV   |
| MPinclusions   | \MPinclusions [] {} {}  |
|  |   |
| MPleftskip   | \MPleftskip {}  |
| MP11   | \MP11 {}  |
| MPlr   | \MPlr {}  |
| MPls   | \MPls {}  |
| MPmenubuttons  | \MPmenubuttons {}   |
|  | / MD=   |
| MPn  | \MPH 1r   |
| MPn MPontions  | \MPn {}   |
| MPoptions  | \MPoptions {}   |
| MPoptions<br>MPoverlayanchor   | \MPoptions {} \MPoverlayanchor {}   |
| MPoptions<br>MPoverlayanchor<br>MPp  | \MPoptions {} \MPoverlayanchor {} \MPp {}   |
| MPoptions<br>MPoverlayanchor   | \MPoptions {} \MPoverlayanchor {}   |
| MPoptions<br>MPoverlayanchor<br>MPp  | \MPoptions {} \MPoverlayanchor {} \MPp {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata   | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus  | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {}</pre>   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos  | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {}</pre>   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic  | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {}</pre>   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset   | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=}</pre>   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr   | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {}</pre>  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset   | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPrawvar {} </pre>   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr   | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {}</pre>  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar  | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPrawvar {} </pre>   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPrawvar   | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPosset {} \MPrawvar {} \MPregion {} \MPrest {} \MPrightskip {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPrawvar MPregion MPrest MPrightskip MPrs  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPrawvar {} \MPregion {} \MPrest {} \MPrightskip {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MProsset {} \MPrawvar {} \MPregion {} \MPrest {} \MPrest {} \MPrightskip {} \MPrs {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPstring MPtext   | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MProset {} \MPrawvar {} \MPregion {} \MPrest {} \MPrightskip {} \MPrs {} \MPrs {} \MPrest {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency  | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MProsset {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPratura {} \MPratura {} \MPrest {} \MPrightskip {} \MProst {} \MPstring {} \MPtext {</pre>  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPstring MPtext   | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MProset {} \MPrawvar {} \MPregion {} \MPrest {} \MPrightskip {} \MPrs {} \MPrs {} \MPrest {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency  | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MProsset {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPratura {} \MPratura {} \MPrest {} \MPrightskip {} \MProst {} \MPstring {} \MPtext {</pre>  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul   | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MProsset {} \MPrawvar {} \MPregion {} \MPrest {} \MPstring {} \MPtransparency {} \MPtul {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI   | <pre>\MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPpositiongraphic {} \MPregion {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPranyan {} \MPrightskip {} \MPrightskip {} \MPrest {} \MPrest {} \MPoption {} \MPoption {} \MPoption {} \MPrightskip {} \MPrightskip {} \MPoption {</pre>   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPv  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPregion {} \MPregion {} \MPregion {} \MPrest {} {} \MPrest {} \MPrest {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPul {} \MPul {} \MPul {} \MPur {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPregion {} \MPregion {} \MPregion {} \MPrest {} {} \MPrest {} \MPrightskip {} \MPrawrage {} \MPrawrage {} \MProperion {} \MProperion {} \MPrightskip {} \MPrightskip {} \MProperion {} \MProperion {} \MPstring {} \MPstring {} \MPtransparency {} \MPtul {} \MPul {} \MPur {} \MPvar {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV MPVar MPvar MPvariable   | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPregion {} \MPregion {} \MPregion {} \MPrest {} {} \MPrest {} \MPrightskip {} \MPrawranger {} \MPrawranger {} \MPrest {} \MPoptring {} \MPoptransparency {} \MPul {} \MPul {} \MPvar {} \MPvar {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV MPVar MPvar MPvariable MPvv  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPressitiongraphic {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPstring {} \MPtransparency {} \MPtransparency {} \MPul {} \MPul {} \MPvul {} \MPvar {} \MPvariable {} \MPvariable {} \MPvv {} {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV MPVar MPvar MPvariable   | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPregion {} \MPregion {} \MPregion {} \MPrest {} {} \MPrest {} \MPrightskip {} \MPrawranger {} \MPrawranger {} \MPrest {} \MPoptring {} \MPoptransparency {} \MPul {} \MPul {} \MPvar {} \MPvar {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV MPVar MPvar MPvariable MPvv  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPressitiongraphic {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPstring {} \MPtransparency {} \MPtransparency {} \MPul {} \MPul {} \MPvul {} \MPvar {} \MPvariable {} \MPvariable {} \MPvv {} {}  |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV MPV MPV MPVar MPvariable MPvv MPw  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPstring {} \MPstring {} \MPtransparency {} \MPul {} \MPul {} \MPvu {} {} \MPvu {} {} \MPvariable {} \MPvw {} {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV MPV MPV MPV MPV MPV MPV MPW                              | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPtul {} \MPul {} \MPvu {} {} \MPvariable {} \MPvw {} \MPvw {} \MPvw {} \MPwhd {} \MPwhd {} \MPw {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPv MPv MPvar MPvar MPvar MPvariable MPv MPw                  | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPstring {} \MPstring {} \MPtransparency {} \MPul {} \MPul {} \MPvu {} {} \MPvariable {} \MPvariable {} \MPvx {} \MPw {} \MPx {} \MPxy {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvar MPvariable MPvv MPw MPw MPwM MPwM MPxy MPxy MPxy MPxy MPxy MPxy MPxy MPx     | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPressitiongraphic {} \MPstring {} \MPstring {} \MPstring {} \MPtransparency {} \MPut {} \MPut {} \MPvu {} {} \MPvu {} {} \MPvu {} \MPvu {} \MPw {} \MPwy {} \MPxy {} \MPxy {} \MPxy {} \MPxywhd {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPv MPv MPv MPvar MPvar MPvariable MPv MPw MPw MPw MPw MPw MPw MPxy MPxy MPxy MPxy MPxy MPxy MPxy MPxy | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPressitiongraphic {} \MPstring {} \MPstring {} \MPstring {} \MPtransparency {} \MPtur {} \MPul {} \MPul {} \MPvu {} {} \MPvariable { |
| MPoptions MPoverlayanchor MPp MPpage MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPv MPv MPvar MPvariable MPv MPw MPw MPw MPw MPw MPw MPxy MPxy MPxy MPxy MPxy MPxy MPxy MPy m     | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPtransparency {} \MPtul {} \MPul {} \MPul {} \MPvu {} {} \MPvariable {} \MPvariable {} \MPvx {} \MPvx {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPy {}   |
| MPoptions MPoverlayanchor MPp MPpage MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPv MPv MPvar MPvar MPvar MPvar MPvariable MPvv MPw           | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPresset {} \MPregion {} \MPregion {} \MPrest {} \MPrightskip {} \MPtrightskip {} \MPtransparency {} \MPtul {} \MPul {} \MPul {} \MPv {} {} \MPvariable {} \MPvariable {} \MPvx {} \MPxy {} \MPy {} \MRecharacteractive   |
| MPoptions MPoverlayanchor MPp MPpage MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPv MPv MPvar MPvariable MPv MPw MPw MPw MPw MPw MPw MPxy MPxy MPxy MPxy MPxy MPxy MPxy MPy m     | \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPtransparency {} \MPtul {} \MPul {} \MPul {} \MPvu {} {} \MPvariable {} \MPvariable {} \MPvx {} \MPvx {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPy {}   |

| makestrutofbox  | \makestrutofbox  |
|---|--|
| male  | \male  |
| malekurzivnitucne   | \malekurzivnitucne   |
| malenormalni  | \malenormalni  |
| malesklonene  | \malesklonene  |
| malesklonenetucne   | \malesklonenetucne   |
| maletucne   | \maletucne   |
| maletucnekurzivni   | \maletucnekurzivni   |
| maletucnesklonene   | \maletucnesklonene   |
| maletype  | \maletype  |
| mapfontsize   | \mapfontsize []  |
| margindata margindata:instance  | \margindata [] [=] [=] {}<br>\MARGINDATA [=] [=] {}  |
| margindata:instance margindata:instance:atleftmargin  | \text{\tinc{\tint{\text{\tinc{\tint{\text{\tinx}\tint{\text{\text{\text{\text{\text{\text{\text{\text{\tin\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\t |
| margindata:instance:atrightmargin   | \atrightmargin [=] [=] {}  |
| margindata:instance:ininner   | \ininner [=] [=] {}  |
| margindata:instance:ininneredge   | \ininneredge [=] [=] {}  |
| margindata:instance:ininnermargin   | \ininnermargin [=] [=] {}  |
| margindata:instance:inleft  | \inleft [=] [=] {}   |
| margindata:instance:inleftedge  | \inleftedge [=] [=] {}   |
| margindata:instance:inleftmargin  | \inleftmargin [=] [=] {}   |
| margindata:instance:inmargin  | \inmargin [=] [=] {}   |
| margindata:instance:inother   | \inother [=] [=] {}  |
| margindata:instance:inouter   | \inouter [=] [=] {}  |
| margindata:instance:inouteredge   | \inouteredge [=] [=] {}  |
| margindata:instance:inoutermargin   | \inoutermargin [=] [=] {}  |
| margindata:instance:inright   | \inright [=] [=] {}  |
| margindata:instance:inrightedge   | \inrightedge [=] [=] {}  |
| margindata:instance:inrightmargin   | \inrightmargin [=] [=] {}  |
| margindata:instance:margintext  | \margintext [=] [=] {}   |
| markcontent   | \markcontent [] {}   |
| markinjector<br>markpage  | \markinjector []<br>\markpage [] []  |
| mat   | \mat \{\}  |
| matematika  | \matematika [] {}  |
| math  | \math [] {}  |
| mathbf  | \mathbf  |
| mathbi  | \mathbi  |
|   | /machor  |
| mathblackboard  | \mathbl \mathblackboard  |
|   | • • • •  |
| mathblackboard  | \mathblackboard  |
| mathblackboard mathbs   | \mathblackboard<br>\mathbs<br>\MATHCOMMAND {} {}<br>\mathdefault   |
| mathblackboard<br>mathbs<br>mathcommand:example   | \mathblackboard<br>\mathbs<br>\MATHCOMMAND {} {}   |
| <pre>mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoublesinstance</pre>   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} {} \MATHDOUBLEEXTENSIBLE {} {}</pre>   |
| <pre>mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar</pre>   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {}</pre>  |
| <pre>mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebar</pre>   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {}</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace  | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {}</pre>   |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket  | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {}</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar  | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {}</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace  | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbrace {} {}</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouelebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbrace {} {} \overbracketunderbracket {} {}</pre>   |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbarce mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent  | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbrace {} {} \overbracketunderbracket {} {} \overbracketunderbracket {} {} \overparentunderparent {} {}</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbare mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbrace {} {} \overbracketunderbracket {} {} \overbracketunderbracket {} {} \overparentunderparent {} {} \MATHEXTENSIBLE {} {}</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleprace {.</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbracketunderbrace mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:overparentunderparent mathextensible:instance:cleftarrow mathextensible:instance:crightarrow   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doublebracket {} {} \overbarunderbar {} {} \overbarunderbrace {} {} \overbracketunderbracket {} {} \coverbracketunderbracket {} {} \coverbracketunderbracketu</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleprace {.</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:cleftarrow mathextensible:instance:eleftarrowfill   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \overbarunderbar {} {} \overbarunderbar {} {} \overbarcketunderbracket {} {} \coverbracketunderbracket {} {} \coverbarcketunderbracket {} {} \coverbarchetarrow {} {} \coverbarcheta</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbar {} {} \coverbarunderbracket {} {} \coverbracketunderbracket {} {} \coverbarunderbracket {} {} \coverbarunderbrac</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbrace {} {} \overbraceunderbracket {} {} \coverbracketunderbracket {} {} \coverparentunderparent {} {} \coverparentunderparent {} {} \crightarrow {} {} \crightoverleftarrow {} {} \eleftarrowfill {} {} \eleftarrowfill {} {} \eleftharpoondownfill {} {}</pre>   |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \verbarcketunderbracket {} {} \verparentunderparent {} {} \cightarrow {} {} \cightarrow {} {} \crightarrow {} {} \eleftarrowfill {} {} \eleftharpoondownfill {} {} \eleftrightarrowfill {} {} \eleftrightar</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbarcefill  | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarcketunderbracket {} {} \verbarcketunderbracket {} {} \verbartextensible {} {} \cleftarrow {} {} \cleftarrow {} {} \crightoverleftarrow {} {} \eleftharpoondownfill {} {} \eleftrightarrowfill {} {} \</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbacefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \ve</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublepracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbacefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill  | \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbare {} {} \verbareunderbracket {  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbacefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill   | \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \verbarc  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbacefill mathextensible:instance:eoverbracefill  | \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verparentunderbare {} {} \verparentunderbracket {} {} \verparentunderbracket {} {} \verparentunderbracket {} {} \crightarrow {} {} \crightarrow {} {} \crightarrowfill {} {} \eleftharpoondownfill {} {} \everparentfill {} {} \everparentfill {} {} \everparentfill {} {} \end{arguments} \mathbelleftrightarrowfill {} {} \end{arguments} \mathbelleftrightarrowfill {} {} \end{arguments} \mathbelleftrightarrowfill {} {} \end{arguments} \mathbelleftrightarrowfill {} {}  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbacefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill  | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \verbarceunderbracket {} {} \verbarceunderbracket {} {} \verbarcharceunderbracket {} {} \verbarceunderbracket {} {} \verbarcharceunderbracket {} {} \verbarcharceunderbr</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill   | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \verbarceunderbracket {} {} \verbarchacketunderbracket {} {} \verbarchacketinderbracket {} {} \verbarchacketinderbracket {} {} \verbarchacketfill {} {}</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill  | \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \verbarceunderbracket {} {} \verbarchacketunderbracket {} {} \verbarchacketleftarrow {} {} \verbarchacketleftarrow {} {} \verbarchacketleftarrowfill {} {}   |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverparentfill mathextensible:instance:eightarrowfill | <pre>\mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \verbarceunderbracket {} {} \verbarceunderbracket {} {} \verbarcharceunderbracket {} {} \verbarcharceund</pre>  |
| mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill  | \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarceunderbracket {} {} \verbarceunderbracket {} {} \verbarchacketunderbracket {} {} \verbarchacketleftarrow {} {} \verbarchacketleftarrow {} {} \verbarchacketleftarrowfill {} {}   |

| mathextensible:instance:mequal   | \mequal \{\} \{\}   |
|--|---|
| mathextensible:instance:mhookleftarrow   | \mhookleftarrow {} {}   |
| mathextensible:instance:mhookrightarrow  | \mhookrightarrow {} {}  |
| mathextensible:instance:mLeftarrow   | \mLeftarrow {} {}   |
| mathextensible:instance:mLeftrightarrow  | \mLeftrightarrow {} {}  |
| mathextensible:instance:mleftarrow   | \mleftarrow {} {}   |
| mathextensible:instance:mleftharpoondown   | \mleftharpoondown {} {}   |
| mathextensible:instance:mleftharpoonup   | \mleftharpoonup {} {}   |
| mathextensible:instance:mleftrightarrow  | \mleftrightarrow {} {}  |
| mathextensible:instance:mleftrightharpoons   | \mleftrightharpoons {} {}   |
| mathextensible:instance:mmapsto  | \mmapsto {} {}  |
| mathextensible:instance:mRightarrow  | \mRightarrow {} {}  |
| mathextensible:instance:mrel   | \mrel {} {}   |
| mathextensible:instance:mrightarrow  | \mrightarrow {} {}  |
| mathextensible:instance:mrightharpoondown  | \mrightharpoondown \{\ldots\} \{\ldots\}  |
| mathextensible:instance:mrightharpoonup  | \mrightharpoonup {} {}  |
| mathextensible:instance:mrightleftharpoons   | \mrightleftharpoons {} {}   |
| mathextensible:instance:mrightoverleftarrow  | $\mbox{\mbox{$\mbox{mrightoverleftarrow} $\{\dots$}}$   |
| mathextensible:instance:mtriplerel   | \mtriplerel {} {}   |
| mathextensible:instance:mtwoheadleftarrow  | \mtwoheadleftarrow {} {}  |
| mathextensible:instance:mtwoheadrightarrow   | $\mbox{\tt mtwoheadrightarrow } \{\ldots\} \ \{\ldots\}$  |
| mathextensible:instance:tequal   | \tequal {} {}   |
| mathextensible:instance:thookleftarrow   | $\t$  |
| mathextensible:instance:thookrightarrow  | \thookrightarrow {} {}  |
| mathextensible:instance:tLeftarrow   | \tLeftarrow {} {}   |
| mathextensible:instance:tLeftrightarrow  | $\t Leftrightarrow {\ldots} {\ldots}$   |
| mathextensible:instance:tleftarrow   | \tleftarrow {} {}   |
| mathextensible:instance:tleftharpoondown   | $\t = \{\ldots\}$   |
| mathextensible:instance:tleftharpoonup   | $\t = \{\ldots\}$   |
| mathextensible:instance:tleftrightarrow  | \tleftrightarrow {} {}  |
| mathextensible:instance:tleftrightharpoons   | \tleftrightharpoons {} {}   |
| mathextensible:instance:tmapsto  | \tmapsto {} {}  |
| mathextensible:instance:tRightarrow  | \tRightarrow {} {}  |
| mathextensible:instance:trel   | \trel {} {}   |
| mathextensible:instance:trightarrow  | \trightarrow {} {}  |
| mathextensible:instance:trightharpoondown  | $\trightharpoondown {} {}$  |
| mathextensible:instance:trightharpoonup  | \trightharpoonup {} {}  |
| mathextensible:instance:trightleftharpoons   | $\trightleftharpoons {} {}$   |
| mathextensible:instance:trightoverleftarrow  | \trightoverleftarrow {} {}  |
| mathextensible:instance:ttriplerel   | $\time {ttriplerel {} {}}$  |
| mathextensible:instance:ttwoheadleftarrow  | $\ttwo headleftarrow {} {}$   |
| mathextensible:instance:ttwoheadrightarrow   | $\ttwo head right arrow {} {}$  |
| mathextensible:instance:xequal   | \xequal {} {}   |
| mathextensible:instance:xhookleftarrow   | $\xhookleftarrow {} {}$   |
| mathextensible:instance:xhookrightarrow  | $\xhookrightarrow {} {}$  |
| mathextensible:instance:xLeftarrow   | \xLeftarrow {} {}   |
| mathextensible:instance:xLeftrightarrow  | $\xleftrightarrow {} {}$  |
| mathextensible:instance:xleftarrow   | \xleftarrow {} {}   |
| mathextensible:instance:xleftharpoondown   | $\xleft$ that poon down $\{\ldots\}$ $\{\ldots\}$   |
| mathextensible:instance:xleftharpoonup   | $\xleft$ that poon up $\{\ldots\}$ $\{\ldots\}$   |
| mathextensible:instance:xleftrightarrow  | \xleftrightarrow {} {}  |
| mathextensible:instance:xleftrightharpoons   | $\xleftrightharpoons {} {}$   |
| mathextensible:instance:xmapsto  | \xmapsto {} {}  |
| mathextensible:instance:xRightarrow  | \xRightarrow {} {}  |
| mathextensible:instance:xrel   | \xrel {} {}   |
| mathextensible:instance:xrightarrow  | \xrightarrow {} {}  |
| mathextensible:instance:xrightharpoondown  | $\xrightharpoondown {} {}$  |
| mathextensible:instance:xrightharpoonup  | $\xrightharpoonup {} {}$  |
| mathextensible:instance:xrightleftharpoons   | $\xrightleftharpoons {} {}$   |
| mathextensible:instance:xrightoverleftarrow  |   |
| mathextensible:instance:xtriplerel   | $\xrightoverleftarrow {} {}$  |
|  | \xrightoverleftarrow {} {} \xtriplerel {} {}  |
| mathextensible:instance:xtwoheadleftarrow  |   |
| <pre>mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow</pre>  | \xtriplerel {} {}   |
|  | <pre>\xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur</pre>  |
| mathextensible:instance:xtwoheadrightarrow   | \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {}  |
| <pre>mathextensible:instance:xtwoheadrightarrow mathfraktur</pre>  | <pre>\xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {}</pre>   |
| <pre>mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance</pre>  | \xtriplerel {} {}<br>\xtwoheadleftarrow {} {}<br>\xtwoheadrightarrow {} {}<br>\mathfraktur<br>\MATHFRAMED [=] {}<br>\inmframed [=] {}<br>\mcframed [=] {}   |
| <pre>mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed</pre>  | <pre>\xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {}</pre>   |
| <pre>mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed</pre>   | \xtriplerel {} {}<br>\xtwoheadleftarrow {} {}<br>\xtwoheadrightarrow {} {}<br>\mathfraktur<br>\MATHFRAMED [=] {}<br>\inmframed [=] {}<br>\mcframed [=] {}   |
| <pre>mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit</pre> | \xtriplerel {} {}<br>\xtwoheadleftarrow {} {}<br>\xtwoheadrightarrow {} {}<br>\mathfraktur<br>\MATHFRAMED [=] {}<br>\inmframed [=] {}<br>\mcframed [=] {}<br>\mframed [=] {}<br>\mathfunction {}<br>\mathit |
| <pre>mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed</pre>                     | \xtriplerel {} {}<br>\xtwoheadleftarrow {} {}<br>\xtwoheadrightarrow {} {}<br>\mathfraktur<br>\MATHFRAMED [=] {}<br>\inmframed [=] {}<br>\mcframed [=] {}<br>\mframed [=] {}<br>\mathfunction {}            |

| wathamamant.auammla              | \ MATHODHAMENT ( )   |
|----------------------------------|--|
| mathornament:example             | \MATHORNAMENT {}   |
| mathover                         | \mathover [] {} {}   |
| mathoverextensible:example       | \MATHOVEREXTENSIBLE {}   |
| mathovertextextensible:instance  | \MATHOVERTEXTEXTENSIBLE \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| mathradical:example              | \MATHRADICAL [] {}   |
| mathrm                           | \mathrm  |
| mathscript                       | \mathscript  |
| mathsl                           | \mathsl  |
| mathss                           | \mathss  |
| mathtext                         | \mathtext {}   |
| mathtextbf                       | \mathtextbf {}   |
| mathtextbi                       | \mathtextbi {}   |
| mathtextbs                       | \mathtextbs {}   |
| mathtextit                       | \mathtextit {}   |
| mathtextsl                       | \mathtextsl {}   |
| mathtexttf                       | \mathtexttf {}   |
| mathtf                           | \mathtf  |
| mathtriplet                      | \mathtriplet [] {} {}  |
| mathtriplet:example              | \MATHTRIPLET [] {} {}  |
| mathtt                           | \mathtt  |
| mathunder                        | \mathunder [] {} {}  |
| mathunderextensible:example      | \MATHUNDEREXTENSIBLE {}  |
| mathundertextextensible:instance | \MATHUNDERTEXTEXTENSIBLE \{\ldots\}                                    |
| mathunstacked:example            | \MATHUNSTACKED   |
| mathupright                      | \mathupright   |
| mathword                         | \mathword {}   |
| mathwordbf                       | \mathwordbf \{\}   |
|                                  |  |
| mathwordbi                       | \mathwordbi {}   |
| mathwordbs                       | \mathwordbs \{\}   |
| mathwordit                       | \mathwordit {}   |
| mathwordsl                       | \mathwordsl {}   |
| mathwordtf                       | \mathwordtf {}   |
| maxaligned                       | \maxaligned {}   |
| mbox                             | \mbox {}   |
| measure                          | \measure {}  |
| measured                         | \measured {}   |
| medskip                          | \medskip   |
| medspace                         | \medspace  |
| meritko                          | \meritko [] [=] {}   |
| mesic                            | \mesic {}  |
| message                          | \message {}  |
| metaTeX                          | \metaTeX   |
| mezera                           | \mezera  |
| mfence                           | \mfence {}   |
| mfunction                        | \mfunction {}  |
| mfunctionlabeltext               | \mfunctionlabeltext {}   |
| mhbox                            | \mhbox {}  |
| middlealigned                    | \middlealigned {}  |
| middlebox                        | \middlebox {}  |
| midhbox                          | \midhbox {}  |
| midsubsentence                   | \midsubsentence  |
| minimalhbox                      | \minimalhbox {}  |
| mixedcaps                        | \mixedcaps {}  |
| mkvibuffer                       | \mkvibuffer []   |
| moduleparameter                  | \moduleparameter {} {}   |
| molecule                         | \modecule {}   |
| mono                             | \mono  |
| mononormal                       | \monormal  |
|                                  | •                                |
| monotucne                        | \monotucne   |
| monthlong                        | \monthlong {}  |
| monthshort                       | \monthshort {}   |
| mprandomnumber                   | \mprandomnumber  |
| mrizka                           | \mrizka [=]  |
| mtext                            | \mtext {}  |
| NormalizeFontHeight              | \NormalizeFontHeight \ \{\} \{\}                                       |
| NormalizeFontWidth               | \NormalizeFontWidth \ \{\} \{\}  |
| NormalizeTextHeight              | \NormalizeTextHeight {} {}   |
| NormalizeTextWidth               | \NormalizeTextWidth {} {} {}   |
| namedheadnumber                  | \namedheadnumber {}  |
| namedstructureheadlocation       | $\n$   |
| namedstructureuservariable       | $\verb \namedstructureuservariable {} {} $                             |
| namedstructurevariable           | $\n$   |
|                                  |  |

| namedtaggedlabeltexts  | \namedtaggedlabeltexts {} {} {} {} {  |
|--|---|
| nastavbarvu  | \nastavbarvu []   |
| nastavbarvy  | \nastavbarvy [=]  |
| nastavbilamista  | \nastavbilamista []   |
| nastavblok   | \nastavblok [] [=]  |
| nastavbloksekce  | \nastavbloksekce [] [=]   |
| nastavbuffer   | \nastavbuffer [] [=]  |
| nastavcernelinky   | \nastavcernelinky [=]   |
| nastavcislonadpisu   | \nastavcislonadpisu [] []   |
| nastavcislostrany  | \nastavcislostrany [=]  |
| nastavcislovaniodstavcu  | \nastavcislovaniodstavcu [=]  |
| nastavcislovaniradku   | \nastavcislovaniradku [] [=]  |
| nastavcislovanistran   | \nastavcislovanistran [=]   |
| nastavcitaci   | \nastavcitaci [=]   |
| nastavdeleniplvoucichobjektu   | \nastavdeleniplvoucichobjektu [=]   |
| nastavdelitko  | \nastavdelitko [=]  |
| nastavdolnitexty   | \nastavdolnitexty [] [] [] []   |
| nastaveni  | \nastaveni []   |
| nastaveni:direct   | \nastaveni {}   |
| nastavhorejsek   | \nastavhorejsek [] [=]  |
| nastavhornitexty   | \nastavhornitexty [] [] [] []   |
| nastavinterakci  | \nastavinterakci [] [] []   |
| nastavinterakci:name   | \nastavinterakci []   |
|  |   |
| nastavinterakcnilistu  | \nastavinterakcnilistu [] [=]   |
| nastavinterakcnimenu   | \nastavinterakcnimenu [] [=]  |
| nastavinterakcniobrazovku  | \nastavinterakcniobrazovku [=]  |
| nastavjazyk  | \nastavjazyk [] [=]   |
| nastavkapitalky  | \nastavkapitalky [] [=]   |
| nastavkombinovanyseznam  | \nastavkombinovanyseznam [] [=]   |
| nastavkombinovanyseznam:instance   | \nastaveniCOMBINEDLIST [=]  |
| nastavkombinovanyseznam:instance:content   | \nastavenicontent [=]   |
| nastavkomentar   | \nastavkomentar [] [=]  |
| nastavkomentarstrany   | \nastavkomentarstrany [=]   |
| nastavmarginalnilinky  | \nastavmarginalnilinky [] [=]   |
| nastavmeziradkovoumezeru   | \nastavmeziradkovoumezeru [] [=]  |
| nastavmeziradkovoumezeru:argument  | \nastavmeziradkovoumezeru []  |
|  |   |
| nastavmeziradkovoumezeru:name  | \nastavmeziradkovoumezeru []  |
| nastavmeziradkovoumezeru:name nastavnadpis   | \nastavmeziradkovoumezeru [] \nastavnadpis [] [=]   |
|  |   |
| nastavnadpis   | \nastavnadpis [] [=]  |
| nastavnadpis nastavnadpisy   | \nastavnadpis [] [=] \nastavnadpisy [] [=]  |
| nastavnadpis<br>nastavnadpisy<br>nastavodkazovani  | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [=]  |
| nastavnadpis<br>nastavnadpisy<br>nastavodkazovani<br>nastavodsazovani  | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani []  |
| nastavnadpis<br>nastavndpisy<br>nastavodkazovani<br>nastavodsazovani<br>nastavodstavce   | <pre>\nastavnadpis [] [=] \nastavodpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] [=] \nastavodstavce [] [=]</pre>   |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment  | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] [=]</pre>   |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis   | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodstavce [] [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=]</pre>   |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty  | <pre>\nastavnadpis [] [=] \nastavodpisy [] [=] \nastavodkazovani [] \nastavodstavce [] [] [=] \nastavodstavce [] [=] \nastavopis [] [=]</pre>   |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani  | <pre>\nastavnadpis [] [=] \nastavodkazovani [=] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=]</pre>  |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni   | <pre>\nastavnadpis [] [=] \nastavodkazovani [=] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavorez [=]</pre>  |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu  | <pre>\nastavnadpis [] [=] \nastavodkazovani [=] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotoceni [=] \nastavopaletu []</pre>   |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt  | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotoceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=]</pre>   |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty  | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotoceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=]</pre>  |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany  | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotoceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=]</pre>  |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole   | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotoceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpole [] [] [=] [=]</pre>  |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpolozky   | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotoceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpolozky [] [=] [=] [=]</pre>   |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpolozky nastavpopisek   | <pre>\nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [=] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpolozky [] [=] [=] [=] \nastavpolozky [] [=] \nastavpopisek [] [=]</pre>   |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpolozky nastavpopisek nastavpopisek   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpolozky [] [=] [=] [=] \nastavpopisek [] [=] \nastavpopisek [] [=] \nastavpopisek [] [=]   |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpolozky nastavpopisek nastavpopisek nastavpopisky nastavpozadi  | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotceni [] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpolozky [] [=] [=] [=] \nastavpopisek [] [=] \nastavpopisek [] [=] \nastavpopisky [] [=] \nastavpozadi [] [=]   |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpojisek nastavpojisek nastavpojisek nastavpojisky nastavpozadi nastavpozadi:page   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpolozky [] [=] [=] [=] \nastavpopisek [] [=] \nastavpopisek [] [=] \nastavpozadi [] [=] \nastavpozadi [] [=] \nastavpozadi [] [=]  |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpolesky nastavpopisek nastavpopisek nastavpopisek nastavpozadi nastavpozadi:page nastavprechodstrany   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavoramovani [] \nastavoratoceni [] \nastavoletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavplvouciobjekty [] [] \nastavpodcislostrany [] \nastavpolozky [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpozadi [] []   |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpolesk nastavpopisek nastavpopisek nastavpopisky nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok  | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavorez [=] \nastavotceni [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpolozky [] [=] [=] \nastavpopisek [] [=] \nastavpozadi [] [=] \nastavpozadi [] [=] \nastavpozadi [] [=] \nastavprechodstrany [] \nastavprechodstrany [] \nastavpreskok []  |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpolesk nastavpopisek nastavpopisek nastavpopisky nastavpozadi nastavpozadi:page nastavpreskok nastavprogramy   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [=] \nastavopis [] [=] \nastavoramovanetexty [] [=] \nastavoramovani [] [=] \nastavoramovani [] [=] \nastavoramovani [] \nastavopiset [] [=] \nastavpaletu [] \nastavplvouciobjekt [] [=] \nastavplvouciobjekty [] [=] \nastavpodcislostrany [=] \nastavpolozky [] [=] [=] \nastavpopisek [] [=] \nastavpopisek [] [=] \nastavpozadi [] [=] \nastavpozadi [] [=] \nastavprechodstrany [] \nastavpreskok [] \nastavpreskok [] \nastavprogramy [=]  |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavplouciobjekty nastavpodcislostrany nastavpole nastavpolexy nastavpojisek nastavpojisek nastavpojisek nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavoramovani [] \nastavorativoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavplvouciobjekty [] [] \nastavpolozky [] [] \nastavpolozky [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavprechodstrany [] \nastavpreskok [] \nastavprogramy [] \nastavprogramy [] \nastavprogramy [] \nastavpradavoradkovani []  |
| nastavnadpis nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpolesk nastavpojisek nastavpojisek nastavpojisek nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani nastavradky   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavoramovani [] \nastavorez [] \nastavpaletu [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavpodcislostrany [] \nastavpolozky [] [] \nastavpolozky [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavprechodstrany [] \nastavprechodstrany [] \nastavpreskok [] \nastavpregramy [] \nastavpatavadkovani [] \nastavradkovani [] \nastavradky [] []   |
| nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpolezky nastavpojisek nastavpojisek nastavpojisek nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani nastavradky nastavradky nastavrejstrik  | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavorez [] \nastavotoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavplvouciobjekty [] [] \nastavpolozky [] [] \nastavpolozky [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavprechodstrany [] \nastavprechodstrany [] \nastavpreskok [] \nastavpreskok [] \nastavpredatvradkovani [] \nastavradky [] [] \nastavradky [] [] \nastavradky [] [] \nastavradky [] []  |
| nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpolezky nastavpojisek nastavpojisek nastavpojisek nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani nastavradky nastavrejstrik argument   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavoramovani [] \nastavotoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavplvouciobjekty [] [] \nastavpolozky [] [] \nastavpolozky [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavprechodstrany [] \nastavprechodstrany [] \nastavpreskok [] \nastavpogramy [] \nastavradkovani [] \nastavradky [] [] \nastavradky [] [] \nastavrejstrik [] [] \nastavrejstrik [] []   |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpojisek | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavoramovani [] \nastavotoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavplvouciobjekty [] [] \nastavpodcislostrany [] \nastavpolozky [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavpreskok [] \nastavpogramy [] \nastavpogramy [] \nastavradkovani [] \nastavradkovani [] \nastavradkovani [] \nastavrejstrik [] [] \nastavrejstrik [] [] \nastavrejstrik [] [] \nastavopireciolicity [] [] \nastavrejstrik [] [] \nastavopireciolicity [] [] \nastavrejstrik [] [] \nastavopireciolicity [] |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpojisek nastavpopisek nastavpopisek nastavpopisky nastavpozadi nastavpozadi nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani nastavradky nastavrejstrik:argument nastavrejstrik:instance nastavrejstrik:instance:index  | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavoramovani [] \nastavotoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavplvouciobjekty [] [] \nastavpodcislostrany [] \nastavpolozky [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpopisek [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavpreskok [] \nastavpreskok [] \nastavpreskok [] \nastavradky [] [] \nastavradky [] [] \nastavradky [] [] \nastavrigstrik [] [] \nastavenindex [] [] \nastavenindex [] [] \nastavenindex [] []   |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavorez nastavotoceni nastavpaletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpopisek nastavpopisek nastavpopisek nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani nastavradky nastavrejstrik:argument nastavrejstrik:instance nastavrejstrik:instance:index nastavrovnice  | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavorez [] \nastavorez [] \nastavotoceni [] \nastavplvouciobjekt [] [] \nastavplvouciobjekt [] [] \nastavplvouciobjekt [] [] \nastavpodcislostrany [] \nastavpolozky [] [] \nastavpolozky [] [] \nastavpopisk [] [] \nastavpopisky [] [] \nastavpozadi [] []  |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavplvouciobjekty nastavpole nastavpole nastavpole nastavpolozky nastavpopisky nastavpozadi nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani nastavradky nastavrejstrik:argument nastavrejstrik:instance nastavrejstrik:instance nastavrovnice nastavsadusymbolu   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavorez [] \nastavorez [] \nastavotoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavpodcislostrany [] \nastavpolozky [] [] \nastavpolozky [] [] \nastavpopisky [] [] \nastavpopisky [] [] \nastavpozadi [] []  |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavpodcislostrany nastavpole nastavpole nastavpojsek nastavpojsek nastavpojsek nastavpozadi nastavpozadi nastavpozadi nastavprechodstrany nastavpreskok nastavpregramy nastavpreskok nastavprogramy nastavradky nastavrejstrik nastavrejstrik:instance nastavrejstrik:instance:index nastavrovnice nastavsadusymbolu nastavseznam   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavorez [] \nastavorez [] \nastavotoceni [] \nastavpletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavpole [] [] [] \nastavpole [] [] \nastavpolizky [] [] \nastavpopisky [] [] \nastavpopisky [] [] \nastavpozadi [] [] \nastavpozadi [] [] \nastavprechodstrany [] \nastavprechodstrany [] \nastavpreskok [] \nastavpreskok [] \nastavradkovani [] \nastavradkovani [] \nastavradkovani [] \nastavrejstrik [] [] \nastaveniREGISTER [] [] \nastaveniRegistrik [] [] \nastavenindex [] [] \nastavovnice [] [] \nastavsadusymbolu [] \nastavsadusymbolu [] \nastavsadusymbolu [] \nastavsadusymbolu []  |
| nastavnadpis nastavnadpisy nastavodkazovani nastavodsazovani nastavodstavce nastavodstavce:assignment nastavopis nastavoramovanetexty nastavoramovani nastavorez nastavotoceni nastavpletu nastavplvouciobjekt nastavplvouciobjekty nastavplvouciobjekty nastavpole nastavpole nastavpole nastavpolozky nastavpopisky nastavpozadi nastavpozadi nastavpozadi:page nastavprechodstrany nastavpreskok nastavprogramy nastavradkovani nastavradky nastavrejstrik:argument nastavrejstrik:instance nastavrejstrik:instance nastavrovnice nastavsadusymbolu   | \nastavnadpis [] [=] \nastavnadpisy [] [=] \nastavodkazovani [] \nastavodsazovani [] \nastavodstavce [] [] \nastavodstavce [] [] \nastavopis [] [] \nastavoramovanetexty [] [] \nastavoramovani [] [] \nastavorez [] \nastavorez [] \nastavotoceni [] \nastavpaletu [] \nastavplvouciobjekt [] [] \nastavplvouciobjekty [] [] \nastavpodcislostrany [] \nastavpolozky [] [] \nastavpolozky [] [] \nastavpopisky [] [] \nastavpopisky [] [] \nastavpozadi [] []  |

| nastavspodek                         | \nastavspodek [] [=]                          |
|--------------------------------------|---|
| <del>-</del>                         | \nastavsynonyma [] [=]                        |
| nastavsynonyma<br>nastavtabelaci     | \nastavtabelaci [] [=]                        |
| nastavtabelaci                       | \nastavtabelacr [] [] \nastavtabulky [=]      |
| nastavtenkelinky                     | \nastavtenkelinky [=]                         |
| nastavtext                           | \nastavtext [] [=]                            |
| nastavtextovelinky                   | \nastavtextovelinky [=]                       |
| nastavtextpopisku:instance           | \nastaveniLABELtext [] [=]                    |
| nastavtextpopisku:instance:btxlabel  | \nastavenibtxlabeltext [] [=]                 |
| nastavtextpopisku:instance:head      | \nastaveniheadtext [] [=]                     |
| nastavtextpopisku:instance:label     | \nastavenilabeltext [] [=]                    |
| nastavtextpopisku:instance:mathlabel | \nastavenimathlabeltext [] [=]                |
| nastavtextpopisku:instance:operator  | \nastavenioperatortext [] [=]                 |
| nastavtextpopisku:instance:prefix    | \nastaveniprefixtext [] [=]                   |
| nastavtextpopisku:instance:suffix    | \nastavenisuffixtext [] [=]                   |
| nastavtextpopisku:instance:taglabel  | \nastavenitaglabeltext [] [=]                 |
| nastavtextpopisku:instance:unit      | \nastaveniunittext [] [=]                     |
| nastavtexttexty                      | \nastavtexttexty [] [] [] []                  |
| nastavtextyupati                     | \nastavtextyupati [] [] [] []                 |
| nastavtextyzahlavi                   | \nastavtextyzahlavi [] [] [] []               |
| nastavtoleranci                      | \nastavtoleranci []                           |
| nastavtrideni                        | \nastavtrideni [] [=]                         |
| nastavtype                           | \nastavtype [] [=]                            |
| nastavumisteniprotejsku              | \nastavumisteniprotejsku [=]                  |
| nastavumistovani                     | \nastavumistovani [] [=]                      |
| nastavupati                          | \nastavupati [] [=]                           |
| nastavupravu                         | \nastavupravu [] [=]                          |
| nastavurl                            | \nastavurl [=]                                |
| nastavusporadani                     | \nastavusporadani []                          |
| nastavvelikostpapiru                 | \nastavvelikostpapiru [] [=]                  |
| nastavvelikostpapiru:name            | \nastavvelikostpapiru []                      |
| nastavvsechnapole                    | \nastavvsechnapole [] [=] [=]                 |
| nastavvycty                          | \nastavvycty [] [=]                           |
| nastavvyplnovelinky                  | \nastavvyplnovelinky [=]                      |
| nastavvyplnoveradky<br>nastavvzhled  | \nastavvyplnoveradky [=] \nastavvzhled [] [=] |
| nastavvzhled:name                    | \nastavvzhled []                              |
| nastavzahlavi                        | \nastavzahlavi [] [=]                         |
| nastavzakladnifont                   | \nastavzakladnifont []                        |
| nastavzarovnani                      | \nastavzarovnani []                           |
| nastavznaceni                        | \nastavznaceni [] [=]                         |
| nastavzuzeni                         | \nastavzuzeni [] [=]                          |
| nastrane                             | \nastrane []                                  |
| nastred                              | \nastred                                      |
| naturalhbox                          | \naturalhbox {}                               |
| naturalhpack                         | \naturalhpack {}                              |
| naturalvbox                          | \naturalvbox {}                               |
| naturalvcenter                       | \naturalvcenter {}                            |
| naturalvpack                         | \naturalvpack {}                              |
| naturalvtop                          | \naturalvtop {}                               |
| naturalwd                            | \naturalwd                                    |
| negatecolorbox                       | \negatecolorbox                               |
| negated                              | \negated {}                                   |
| negthinspace                         | \negthinspace                                 |
| nejakyradek                          | \nejakyradek []                               |
| nekde                                | \nekde {} []                                  |
| newattribute                         | \newattribute \                               |
| newcatcodetable                      | \newcatcodetable \                            |
| newcounter                           | \newcounter \                                 |
| newevery                             | \newevery \ \                                 |
| newfrenchspacing newmode             | <pre>\newfrenchspacing \newmode {}</pre>      |
|                                      | \newsignal \                                  |
| newsignal newsystemmode              | \newsignar \\newsystemmode \{\}               |
| nextbox                              | \newsystemmode \(\text{()}\)                  |
| nextbox                              | \nextbox \nextboxdp                           |
| nextboxht                            | \nextboxdp                                    |
| nextboxhtdp                          | \nextboxhtdp                                  |
| nextboxwd                            | \nextboxwd                                    |
| nextcounter                          | \nextcounter [] []                            |
| nextcountervalue                     | \nextcountervalue []                          |
| nextdepth                            | \nextdepth                                    |
|                                      |   |

| nextparagraphs                    | \nextparagraphs                           |
|-----------------------------------|---|
| nextparagraphs:example            | \dalsiPARAGRAPHS                          |
| nextrealpage                      | \nextrealpage                             |
| nextrealpagenumber                | \nextrealpagenumber                       |
| nextsubcountervalue               | \nextsubcountervalue [] []                |
| nextsubpagenumber                 | \nextsubpagenumber                        |
| nextuserpage                      | \nextuserpage                             |
| nextuserpagenumber                | \nextuserpagenumber                       |
| neznamo                           | \neznamo                                  |
| nivy                              | \nivy [] {}                               |
| nizky                             | \nizky {}                                 |
| nizky:instance                    | \LOW {}                                   |
| nizky:instance:unitslow           | \unitslow {}                              |
| nocitation                        | \nocitation []                            |
| nocitation:direct                 | \nocitation {}                            |
| nocite                            | \nocite []                                |
| nocite:direct                     | \nocite {}                                |
| nodetostring                      | \nodetostring \ {}                        |
| noffigurepages                    | \noffigurepages                           |
| noflines                          | \noflines                                 |
| noflocalfloats                    | \noflocalfloats                           |
| noheightstrut                     | \noheightstrut                            |
| noindentation                     | \noindentation                            |
| noitem                            | \noitem                                   |
| nokap                             | \nokap {}                                 |
| nonfrenchspacing                  | \nonfrenchspacing                         |
| nonmathematics                    | \nonmathematics {}                        |
| normalboldface                    | \normalboldface                           |
| normalframedwithsettings          | \normalframedwithsettings [=] {}          |
| normalitalicface                  | \normalitalicface                         |
| normalizebodyfontsize             | \normalizebodyfontsize \ {}               |
| normalizedfontsize                | \normalizedfontsize                       |
| normalizefontdepth                | \normalizefontdepth \ \{\} \{\} \{\}      |
| normalizefontheight               | \normalizefontheight \ \{\} \{\}          |
| normalizefontline                 | \normalizefontline \ \{\} \{\}            |
| normalizefontwidth                | \normalizefontwidth \ \{\} \{\}           |
| normalizetextdepth                | \normalizetextdepth {} {} {}              |
| normalizetextheight               | \normalizetextheight {} {} {}             |
| normalizetextline                 | \normalizetextline {} {} {}               |
| normalizetextwidth                | \normalizetextwidth \{\ldots\} \{\ldots\} |
| normalni                          | \normalni                                 |
| normalslantedface                 | \normalslantedface                        |
| normaltypeface                    | \normaltypeface                           |
| notesymbol                        | \notesymbol [] []                         |
| notragged                         | \notragged                                |
| ntimes                            | \ntimes {} {}                             |
| numberofpoints                    | \numberofpoints {}                        |
| obeydepth                         | \obeydepth                                |
| objectdepth                       | \objectdepth                              |
| objectheight                      | \objectheight                             |
| objectmargin                      | \objectmargin                             |
| objectwidth                       | \objectwidth                              |
| obox                              | \obox {}                                  |
| obrazovka                         | \obrazovka []                             |
| odkaz                             | \odkaz [] {}                              |
| odkaznastranu                     | \odkaznastranu []                         |
| odkaznatext                       | \odkaznatext [] {}                        |
| odkazujici                        | \odkazujici (,) (,) []                    |
| offset                            | \offset [=] {}                            |
| offsetbox                         | \offsetbox [=] \ {}                       |
| onedigitrounding                  | \onedigitrounding {}                      |
| opis                              | \opis [=] {}                              |
| opissoubor                        | \opissoubor [] [=] {}                     |
| opis:angles                       | \opis [=] <<>>                            |
| opis:example                      | \OPIS [=] {}                              |
| opis:example:angles               | \OPIS [=] <<>>                            |
| oramovani                         | \oramovani [=] {}                         |
| oramovani:instance                | \FRAMED [=] {}                            |
| oramovani:instance:fitfieldframed | \fitfieldframed [=] {}                    |
| oramovani:instance:unframed       | \unframed [=] {}                          |
| oramovanytext:instance            | $\FRAMEDTEXT [=] {}$                      |
| oramovanytext:instance:framedtext | \framedtext [=] {}                        |
|                                   |   |

| ordinaldaynumber                                | \ordinaldaynumber {}                                    |
|---|---|
| ordinalstr                                      | \ordinalstr {}  |
| oref<br>orez                                    | \oref []<br>\orez [=] {}                                |
| ornamenttext:collector                          | \ornamenttext [=] [=] {} {}                             |
| ornamenttext:direct                             | \ornamenttext [] {} {}                                  |
| ornamenttext:layer                              | \ornamenttext [=] [=] {} {}                             |
| ornament:example                                | \ORNAMENT {} {}   |
| otocit  | \otocit [=] {}  |
| outputfilename                                  | \outputfilename   |
| outputstreambox                                 | \outputstreambox []                                     |
| outputstreamcopy                                | \outputstreamcopy []                                    |
| outputstreamunvbox                              | \outputstreamunvbox []                                  |
| outputstreamunvcopy                             | \outputstreamunvcopy []                                 |
| over  | \over []  |
| overlaybutton                                   | \overlaybutton []                                       |
| overlaybutton:direct                            | \overlaybutton {}                                       |
| overlaycolor                                    | \overlaycolor   |
| overlaydepth                                    | \overlaydepth   |
| overlayfigure                                   | \overlayfigure {}                                       |
| overlayheight                                   | $\operatorname{\ooverlayheight}$                        |
| overlaylinecolor                                | \overlaylinecolor                                       |
| overlaylinewidth                                | \overlaylinewidth                                       |
| overlayoffset                                   | \overlayoffset  |
| overlayrollbutton                               | \overlayrollbutton [] []                                |
| overlaywidth                                    | \overlaywidth   |
| overloaderror                                   | \overloaderror  |
| overset   | \overset {} {}  |
| oznaceni  | \oznaceni (,) (,) [=] {}                                |
| PDFcolor<br>PDFETEX                             | \PDFcolor {} \PDFETEX                                   |
| PDFTEX  | \PDFTEX   |
| PICTEX  | \PICTEX   |
| PiCTeX  | \PiCTeX   |
| PointsToBigPoints                               | \PointsToBigPoints {} \                                 |
| PointsToReal                                    | \PointsToReal {} \                                      |
| PointsToWholeBigPoints                          | \PointsToWholeBigPoints {} \                            |
| PPCHTEX   | \PPCHTEX  |
| PPCHTeX   | \PPCHTeX  |
| PRAGMA  | \PRAGMA   |
| PtToCm  | \PtToCm {}  |
| pagearea  | \pagearea [] []   |
| pagebreak                                       | \pagebreak []   |
| pagefigure                                      | \pagefigure [] [=]                                      |
| pagegridspanwidth                               | $\operatorname{pagegridspanwidth}\ \{\ldots\}$          |
| pageinjection                                   | \pageinjection [] [=]                                   |
| pageinjection:assignment                        | \pageinjection [=] [=]                                  |
| pagestaterealpage                               | \pagestaterealpage {} {}                                |
| paletsize                                       | \paletsize  |
| paragraphs:example                              | \PARAGRAPHS   |
| pdfactualtext                                   | \pdfactualtext {} {}                                    |
| pdfbackendactualtext                            | \pdfbackendactualtext {} {}                             |
| pdfbackendcurrentresources                      | \pdfbackendcurrentresources \pdfbackendsetcatalog {} {} |
| pdfbackendsetcatalog<br>pdfbackendsetcolorspace | \pdfbackendsetcolorspace \{\ldots\}\{\ldots\}           |
| pdfbackendsetextgstate                          | \pdfbackendsetcolorspace \{\dots\} \{\dots\}            |
| pdfbackendsetextgstate                          | \pdfbackendsetextgstate \(\tau\) \(\tau\)               |
| pdfbackendsetname                               | \pdfbackendsetname {} {}                                |
| pdfbackendsetpageattribute                      | \pdfbackendsetpageattribute {} {}                       |
| pdfbackendsetpageresource                       | \pdfbackendsetpageresource {} {}                        |
| pdfbackendsetpagesattribute                     | \pdfbackendsetpagesattribute {} {}                      |
| pdfbackendsetpattern                            | \pdfbackendsetpattern {} {}                             |
| pdfbackendsetshade                              | \pdfbackendsetshade {} {}                               |
| pdfcolor  | \pdfcolor {}  |
| pdfeTeX   | \pdfeTeX  |
| pdfTeX  | \pdfTeX   |
| percent   | \percent  |
| percentdimen                                    | \percentdimen {} {}                                     |
| permitcaretescape                               | \permitcaretescape                                      |
| permitcircumflexescape                          | \permitcircumflexescape                                 |
| permitspacesbetweengroups                       | \permitspacesbetweengroups                              |
| persiandecimals                                 | \persiandecimals {}                                     |
|   |   |

| persiannumerals  | \persiannumerals {}                                     |
|--|---|
| phantom  | \phantom {}   |
| phantombox   | \phantombox [=]   |
| pickupgroupedcommand   | \pickupgroupedcommand \{\ldots\} \{\ldots\} \{\ldots\}  |
| pis  | \pis [=] {}   |
| pis:angles<br>placeattachments                               | <pre>\pis [=.] &lt;&lt;&gt;&gt; \placeattachments</pre> |
| placeattachments<br>placebtxrendering                        | \placebtxrendering [] [=]                               |
| placecitation  | \placecitation []                                       |
| placecomments  | \placecomments  |
| placecurrentformulanumber                                    | \placecurrentformulanumber                              |
| placedbox  | \placedbox {}   |
| placefloat   | \placefloat [] [] {} {}                                 |
| placefloatwithsetups   | lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:                |
| placefloat:instance  | \umistiFLOAT [] [] {}                                   |
| placefloat:instance:figure                                   | \umistifigure [] [] {}                                  |
| placefloat:instance:graphic                                  | \umistigraphic [] [] {}                                 |
| placefloat:instance:chemical                                 | \umistichemical [] {} {} \umistiintermezzo [] [] {} {}  |
| placefloat:instance:intermezzo<br>placefloat:instance:table  | \umistiintermezzo [] [] \\\\\\\\\\\\\\\\\\\\\\\\\\\     |
| placeframed  | \placeframed [] [] \\.\}                                |
| placeheadnumber  | \placeheadnumber []                                     |
| placeheadtext  | \placeheadtext []                                       |
| placehelp  | \placehelp  |
| placeinitial   | \placeinitial []  |
| placelayer   | \placelayer []  |
| placelayeredtext   | \placelayeredtext [] [=] [=] {} {}                      |
| placelistoffloats:instance                                   | \placelistofFLOATS [=]                                  |
| placelistoffloats:instance:figures                           | \placelistoffigures [=]                                 |
| placelistoffloats:instance:graphics                          | \placelistofgraphics [=]                                |
| placelistoffloats:instance:chemicals                         | \placelistofchemicals [=]                               |
| placelistoffloats:instance:intermezzi                        | \placelistofintermezzi [=]                              |
| placelistoffloats:instance:tables<br>placelistofpublications | \placelistoftables [=] \placelistofpublications [] [=]  |
| placelistofsorts   | \placelistofsorts [] [=]                                |
| placelistofsorts:instance                                    | \placelistofSORTS [=]                                   |
| placelistofsorts:instance:logos                              | \placelistoflogos [=]                                   |
| placelistofsynonyms  | \placelistofsynonyms [] [=]                             |
| placelistofsynonyms:instance                                 | \placelistofSYNONYMS [=]                                |
| placelistofsynonyms:instance:abbreviations                   | \placelistofabbreviations [=]                           |
| placelocalnotes  | \placelocalnotes [] [=]                                 |
| placement  | \placement [] [=] {}                                    |
| placement:example  | \PLACEMENT [=] {}                                       |
| placenamedfloat  | \placenamedfloat [] []                                  |
| placenamedformula  | \placenamedformula [] {}                                |
| placenotes<br>placepagenumber                                | \placenotes [] [=] \placepagenumber                     |
| placepagenumbel  | \placepagenumber \placepairedbox [] [=] {} {}           |
| placepairedbox:instance                                      | \umistiPAIREDBOX [=] {} {}                              |
| placepairedbox:instance:legend                               | \umistilegend [=] {}                                    |
| placeparallel  | \placeparallel [] [=]                                   |
| placerawlist   | \placerawlist [] [=]                                    |
| placerenderingwindow   | \placerenderingwindow [] []                             |
| plnezneni  | \plnezneni {}   |
| pole   | \pole [] []   |
| polozka  | \polozka []   |
| polozky  | \polozky [=] {}   |
| popattribute   | \popattribute \   |
| popis:example<br>popmacro                                    | \POPIS [] {} \par \popmacro \                           |
| popmade  | \popmacio \ \popmacio \                                 |
| poppisek:example   | \POPISEK [] {}  |
| popsystemmode  | \popsystemmode {}                                       |
| porovnejpaletu   | \porovnejpaletu []                                      |
| porovnejskupinubarev   | \porovnejskupinubarev []                                |
| positionoverlay  | \positionoverlay {}                                     |
| positionregionoverlay  | \positionregionoverlay $\{\ldots\}$                     |
| poslaednipodstranka  | \poslaednipodstranka                                    |
| postponenotes  | \postponenotes  |
| pozadi   | \pozadi {}  |
| pozadi:example   | \POZADI {} \pozice [ = ] ( ) { }                        |
| 002.11.5   | NOUZ. I CH. 1   |

| poznamka                                       | \poznamka [] []   |
|--|---|
| poznamka:instance                              | \NOTE [] {}   |
| poznamka:instance:assignment                   | \NOTE [=]   |
| poznamka:instance:assignment:endnote           | \endnote [=]  |
| poznamka:instance:assignment:footnote          | \footnote [=]   |
| poznamka:instance:endnote                      | \endnote [] {}  |
| poznamka:instance:footnote                     | \footnote [] {}   |
| pravidelne                                     | \pravidelne   |
| predefinedfont                                 | \predefinedfont []  |
| predefinefont                                  | \predefinefont []   |
| predefinesymbol                                | \predefinesymbol []   |
| pref   | \pref {} {} []  |
| prefixedpagenumber                             | \prefixedpagenumber   |
| prelozit                                       | \prelozit [=]   |
| prependetoks                                   | \prependetoks \to \ \prependgvalue {} {}  |
| prependgvalue prependtocommalist               | \prependgvarue \(\therefore\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| prependtoks                                    | \prependtoks \to \  |
| prependtoksonce                                | \prependtoksonce \to \  |
| prependvalue                                   | \prependvalue {} {}   |
| prepninazakladnifont                           | \prepninazakladnifont []  |
| presetdocument                                 | \presetdocument [=]   |
| presetfieldsymbols                             | \presetfieldsymbols []  |
| presetlabeltext:instance                       | \presetLABELtext [] [=]   |
| <pre>presetlabeltext:instance:btxlabel</pre>   | \presetbtxlabeltext [] [=]  |
| <pre>presetlabeltext:instance:head</pre>       | \presetheadtext [] [=]  |
| <pre>presetlabeltext:instance:label</pre>      | \presetlabeltext [] [=]   |
| <pre>presetlabeltext:instance:mathlabel</pre>  | \presetmathlabeltext [] [=]   |
| <pre>presetlabeltext:instance:operator</pre>   | \presetoperatortext [] [=]  |
| presetlabeltext:instance:prefix                | \presetprefixtext [] [=]  |
| presetlabeltext:instance:suffix                | \presetsuffixtext [] [=]  |
| presetlabeltext:instance:taglabel              | \presettaglabeltext [] [=]  |
| presetlabeltext:instance:unit                  | \presetunittext [] [=]  |
| preskoc  | \prestoccumulist { } \  |
| pretocommalist prettyprintbuffer               | \pretocommalist \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| prevcounter                                    | \prevcounter [] []  |
| prevcountervalue                               | \prevcountervalue []  |
| preventmode                                    | \preventmode []   |
| prevrealpage                                   | \prevrealpage   |
| prevrealpagenumber                             | \prevrealpagenumber   |
| prevsubcountervalue                            | \prevsubcountervalue [] []  |
| prevsubpage                                    | \prevsubpage  |
| prevsubpagenumber                              | \prevsubpagenumber  |
| prevuserpage                                   | \prevuserpage   |
| prevuserpagenumber                             | \prevuserpagenumber   |
| prizpusobivepole                               | \prizpusobivepole [] [=]  |
| prizpusobvzhled                                | \prizpusobvzhled [] [=]   |
| procent  | \procent  |
| processaction<br>processallactionsinset        | \processaction [] [,=>,] \processallactionsinset [] [,=>,]  |
| processassignlist                              | \processassignlist [] \   |
| processassignmentcommand                       | \processassignmentcommand [=] \   |
| processassignmentlist                          | \processassignmentlist [=] \  |
| processbetween                                 | \processbetween {} \  |
| processbodyfontenvironmentlist                 | \processbodyfontenvironmentlist \   |
| processcolorcomponents                         | \processcolorcomponents {}  |
| processcommacommand                            | \processcommacommand [] \   |
| processcommalist                               | \processcommalist [] \  |
| processcommalistwithparameters                 | $\processcommalist with parameters [] \processcommalist with parameters [] \pro$ |
| processcontent                                 | \processcontent {} \  |
| processfile                                    | \processfile {}   |
| processfilemany                                | \processfilemany {}   |
| processfilenone                                | \processfilenone {}   |
| processfileonce                                | \processfileonce {}   |
| processfirstactioninset                        | \processfirstactioninset [] [,=>,]  |
| processisolatedchars                           | \processisolatedchars {} \  |
| processisolatedwords<br>processlinetablebuffer | \processisolatedwords \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| processlinetablefule                           | \processlinetablefile {}  |
| processlist                                    | \processlinetablelile \(\(\cdot\)\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| processMPbuffer                                | \processMPbuffer []   |
| •  |   |

| processMPfigurefile                   | \processMPfigurefile {}  |
|---------------------------------------|--|
| processmonth                          | \processmonth \{\} \{\}  |
| processranges                         | \processranges [] \  |
| processseparatedlist                  | \processseparatedlist [] [] {}                                   |
| processtexbuffer                      | \processTEXbuffer []   |
| processtokens                         | \processtokens {} {} {} {}                                       |
| processuntil                          | \processuntil \  |
| processxtablebuffer                   | \processxtablebuffer []  |
| processyear                           | \processyear \{\} \{\} \{\}                                      |
| produkt                               | \produkt []  |
| <pre>produkt:string profiledbox</pre> | \produkt<br>\profiledbox [] [=] {}                               |
| profilegivenbox                       | \profilegivenbox \{\dots\} \dots                                 |
| program                               | \program []  |
| projekt                               | \projekt []  |
| projekt:string                        | \projekt   |
| prostredi                             | \prostredi []  |
| prostredi:string                      | \prostredi   |
| prvnipodstranka                       | \prvnipodstranka   |
| ${\tt pseudoMixedCapped}$             | \pseudoMixedCapped {}  |
| pseudoSmallCapped                     | \pseudoSmallCapped {}  |
| pseudoSmallcapped                     | \pseudoSmallcapped {}  |
| pseudosmallcapped                     | \pseudosmallcapped {}  |
| purenumber                            | \purenumber {}   |
| pusharrangedpages                     | \pusharrangedpages \poparrangedpages                             |
| pushattribute                         | \pushattribute \   |
| pushbarya                             | \pushbar [] \popbar \pushbarva [] \popbarva                      |
| pushbarva<br>pushbutton               | \pushbutton [] []  |
| pushcatcodetable                      | \pushcatcodetable \popcatcodetable                               |
| pushendofline                         | \pushendofline \popendofline                                     |
| pushindentation                       | \pushindentation \popindentation                                 |
| pushMPdrawing                         | \pushMPdrawing \popMPdrawing                                     |
| pushmacro                             | \pushmacro \   |
| pushmathstyle                         | \pushmathstyle \popmathstyle                                     |
| pushmode                              | \pushmode []   |
| pushoutputstream                      | \pushoutputstream []   |
| pushpath                              | \pushpath [] \poppath  |
| pushpozadi                            | \pushpozadi [] \poppozadi  |
| pushpunctuation                       | \pushpunctuation \poppunctuation                                 |
| pushrandomseed                        | \pushrandomseed \poprandomseed                                   |
| pushreferenceprefix                   | \pushreferenceprefix \\\popreferenceprefix                       |
| pushsystemmode putboxincache          | <pre>\pushsystemmode {} \putboxincache {} {}</pre>               |
| putnextboxincache                     | \putnextboxincache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| qquad                                 | \qquad   |
| quad                                  |  |
| quads                                 | s []   |
| quarterstrut                          | \quarterstrut  |
| quitcommalist                         | \quitcommalist   |
| quitprevcommalist                     | \quitprevcommalist   |
| quittypescriptscanning                | \quittypescriptscanning  |
| ReadFile                              | \ReadFile {}   |
| Rimskecislice                         | \Rimskecislice {}  |
| radek                                 | \radek {}  |
| raggedbottom                          | \raggedbottom  |
| raggedcenter                          | \raggedcenter  |
| raggedleft                            | \raggedleft \raggedright   |
| raggedright raggedwidecenter          | \raggedright \raggedwidecenter                                   |
| raisebox                              | \raisebox {} \ {}  |
| randomizetext                         | \randomizetext {}  |
| randomnumber                          | \randomnumber {} {}  |
| rawcounter                            | \rawcounter []   |
| rawcountervalue                       | \rawcountervalue []  |
| rawdate                               | \rawdate []  |
| rawdoifelseinset                      | $\verb \rawdoifelseinset {} {} {} {} {}$                         |
| rawdoifinset                          | lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:                         |
| rawdoifinsetelse                      | \rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$                           |
| rawgetparameters                      | \rawgetparameters [] [=]   |
| rawprocessaction                      | \rawprocessaction [] [,=>,]                                      |

| rawprocesscommalist          | \rawprocesscommalist [] \  |
|------------------------------|--|
| rawstructurelistuservariable | \rawstructurelistuservariable {}   |
| rawsubcountervalue           | \rawsubcountervalue [] []  |
| rbox                         | \rbox {}   |
| readfile                     | \readfile {} {}  |
|                              | \readfixfile {} {} {}  |
|                              | \readjobfile {} {}   |
|                              | \readlocfile {} {}   |
|                              | \readsetfile {} {} {} {}   |
|                              | \readsysfile {} {} {}  |
|                              |  |
|                              | \readtexfile {} {} {} \readxmlfile {} {}   |
|                              |  |
| 1 0                          | \realpagenumber  |
|                              | \realSmallCapped {}  |
|                              | \realSmallcapped {}  |
| • •                          | \realsmallcapped {}  |
| •                            | \recursedepth  |
|                              | \recurselevel  |
| <u> </u>                     | \recursestring   |
|                              | \redoconvertfont   |
|                              | \ref [] []   |
| referenceformat:example      | \REFERENCEFORMAT {} {} []  |
|                              | \referenceprefix   |
| registerattachment           | \registerattachment [] [=]   |
| registerctxluafile           | \registerctxluafile {} {}  |
| registerexternalfigure       | \registerexternalfigure [] [] [=]  |
| registerfontclass            | \registerfontclass {}  |
| registerhyphenationexception | \registerhyphenationexception [] []  |
|                              | \registerhyphenationpattern [] []  |
| • • • •                      | \registermenubuttons [] []   |
| 9                            | \registersort [] []  |
| 9                            | \registersynonym []  |
|                              | \registerunit [] [=]   |
| 9                            | \REGISTER [] [++]  |
| · ·                          | \index [] [++]   |
| <u> </u>                     | \REGISTER [] {} [++]   |
| · ·                          | \index [] {} [++]  |
| · ·                          |  |
| •                            | \relatemarking [] []   |
|                              | \relateparameterhandlers \{\ldots\} \{\ldots\} \\relaterianglerang |
|                              |  |
| 8                            | \remainingcharacters   |
| <u> </u>                     | \removebottomthings  |
| <u>.</u>                     | \removedepth   |
|                              | \removefromcommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| •                            | \removelastskip  |
| <u>-</u>                     | \removelastspace   |
|                              | \removemarkedcontent []  |
| •                            | \removepunctuation   |
|                              | \removesubstring \from \to \   |
|                              | \removetoks \from \  |
| <u>.</u>                     | \removeunwantedspaces  |
| replacefeature               | \replacefeature []   |
| •                            | \replacefeature {}   |
| replaceincommalist           | \replaceincommalist \ \{\}   |
| replaceword                  | \replaceword [] []   |
| rescan                       | \rescan {}   |
| rescanwithsetup              | \rescanwithsetup {} {}   |
| resetallattributes           | \resetallattributes  |
| resetandaddfeature           | \resetandaddfeature []   |
| resetandaddfeature:direct    | \resetandaddfeature {}   |
| resetbar                     | \resetbar  |
| resetboxesincache            | \resetboxesincache {}  |
|                              | \resetbreakpoints  |
| •                            | \resetbuffer []  |
|                              | \resetcollector []   |
|                              | \resetcounter [] []  |
|                              | \resetdigitsmanipulation   |
| •                            | \resetdirection  |
|                              | \resetfeature  |
|                              | \resetflag {}  |
|                              | \resetfontcolorsheme   |
|                              | ,  |

| resetfontsolution                 | \resetfontsolution                             |
|-----------------------------------|--|
| resethyphenationfeatures          | \resethyphenationfeatures                      |
| resetcharacteralign               | \resetcharacteralign                           |
| resetcharacterkerning             | \resetcharacterkerning                         |
| resetcharacterspacing             | \resetcharacterspacing                         |
| resetcharacterstripping           | \resetcharacterstripping                       |
| resetinjector                     | \resetinjector []                              |
| resetinteractionmenu              | \resetinteractionmenu []                       |
| resetitaliccorrection             | \resetitaliccorrection                         |
| resetlayer                        | \resetlayer []                                 |
| resetlocalfloats                  | \resetlocalfloats                              |
| resetMPdrawing                    | \resetMPdrawing                                |
| resetMPenvironment                | \resetMPenvironment                            |
| resetMPinstance                   | \resetMPinstance []                            |
| resetmarker                       | \resetmarker []                                |
| resetmode                         | \resetmode {}                                  |
| resetpagenumber                   | \resetpagenumber                               |
| resetparallel                     | \resetparallel [] []                           |
| resetpath                         | \resetpath                                     |
| resetpenalties                    | \resetpenalties \                              |
| resetprofile resetrecurselevel    | \resetprofile<br>\resetrecurselevel            |
| resetreference                    | \resetrectiserever \resetreference []          |
| resetreplacement                  | \resettererence []                             |
| resetscript                       | \resetscript                                   |
| resetsetups                       | \resetsetups []                                |
| resetshownsynonyms                | \resetshownsynonyms []                         |
| resetsubpagenumber                | \resetsubpagenumber                            |
| resetsymbolset                    | \resetsymbolset                                |
| resetsystemmode                   | \resetsystemmode {}                            |
| resettimer                        | \resettimer                                    |
| resettrackers                     | \resettrackers                                 |
| resettrialtypesetting             | \resettrialtypesetting                         |
| resetusedsortings                 | \resetusedsortings []                          |
| resetusedsynonyms                 | \resetusedsynonyms []                          |
| resetuserpagenumber               | \resetuserpagenumber                           |
| resetvalue                        | \resetvalue {}                                 |
| resetvisualizers                  | \resetvisualizers                              |
| resetznaceni                      | \resetznaceni []                               |
| reshapebox                        | \reshapebox {}                                 |
| resolvedglyphdirect               | \resolvedglyphdirect $\{\ldots\}$ $\{\ldots\}$ |
| resolvedglyphstyled               | \resolvedglyphstyled $\{\ldots\}$ $\{\ldots\}$ |
| restartcounter                    | \restartcounter [] []                          |
| restorebox                        | \restorebox {} {}                              |
| restorecatcodes                   | \restorecatcodes                               |
| restorecounter                    | \restorecounter []                             |
| restorecurrentattributes          | \restorecurrentattributes {}                   |
| restoreendofline                  | \restoreendofline                              |
| restoreglobalbodyfont             | \restoreglobalbodyfont                         |
| reusableMPgraphic                 | \reusableMPgraphic {} {=}                      |
| reuseMPgraphic                    | \reuseMPgraphic {} {=}                         |
| reuserandomseed                   | \reuserandomseed                               |
| revivefeature rfence              | \revivefeature                                 |
| rhbox                             | \rfence {}<br>\rhbox {}                        |
| rightbottombox                    | \rightbottombox {}                             |
| rightbox                          | \rightbox {}                                   |
| righthbox                         | \righthbox {}                                  |
| rightlabeltext:instance           | \rightLABELtext {}                             |
| rightlabeltext:instance:head      | \rightheadtext {}                              |
| rightlabeltext:instance:label     | \rightlabeltext {}                             |
| rightlabeltext:instance:mathlabel | \rightmathlabeltext {}                         |
| rightline                         | \rightline {}                                  |
| rightorleftpageaction             | \rightorleftpageaction {} {}                   |
| rightskipadaption                 | \rightskipadaption                             |
| rightsubguillemot                 | \rightsubguillemot                             |
| righttoleft                       | \righttoleft                                   |
| righttolefthbox                   | \righttolefthbox {}                            |
| righttoleftvbox                   | \righttoleftvbox {}                            |
| righttoleftvtop                   | \righttoleftvtop {}                            |
| righttopbox                       | \righttopbox {}                                |
| rimskecislice                     | \rimskecislice {}                              |
|                                   |  |

| ring  | \ring {}   |
|---|--|
| rlap  | \rlap {}   |
| robustaddtocommalist                                    | \robustaddtocommalist {} \   |
| robustdoifelseinset                                     | \robustdoifelseinset {} {} {} {}   |
| robustdoifinsetelse                                     | \robustdoifinsetelse {} {} {} {}   |
| robustpretocommalist                                    | \robustpretocommalist {} \   |
| rollbutton:button                                       | \rollbutton [=] []   |
| rollbutton:interactionmenu                              | \rollbutton [] [=] []  |
| rovnice   | \rovnice [] {}   |
| rozdelplvouciobjekt                                     | \rozdelplvouciobjekt [=] {} {}   |
| roztazene   | \roztazene [=] {}  |
| rtop  | \rtop {}   |
| rukopisne   | \rukopisne   |
| ruledhbox   | \ruledhbox {}  |
| ruledhpack  | \ruledhpack {}   |
| ruledmbox   | \ruledmbox {}  |
| ruledtopv   | \ruledtopv {}  |
| ruledtpack  | \ruledtpack {}   |
| ruledvbox   | \ruledvbox {}  |
| ruledvpack  | \ruledvpack {}   |
| ruledvtop   | \ruledvtop {}  |
| runMPbuffer   | \runMPbuffer []  |
| runninghbox   | \runninghbox {}  |
| ScaledPointsToBigPoints                                 | \ScaledPointsToBigPoints {} \  |
| ScaledPointsToWholeBigPoints                            | \ScaledPointsToWholeBigPoints {} \   |
| SLOVA   | \SLOVA {}  |
| SLOVO   | \SLOVO {}  |
| Slova   | \Slova {}  |
| Slovo   | \Slovo {}  |
| Smallcapped   | \Smallcapped {}  |
| safechar  | \safechar {}   |
| samplefile  | \samplefile {}   |
| sans  | \sans  |
| sansnormal  | \sansnormal  |
| sanstucne   | \sanstucne   |
| savebarva   | \savebarva \restorebarva   |
| savebox   | \savebox {} {}   |
| savebtxdataset  | \savebtxdataset [] [] [=]  |
| savebuffer  | \savebuffer [=]  |
| savebuffer:list   | \savebuffer [] []  |
| savecounter   | \savecounter []  |
| savecurrentattributes                                   | \savecurrentattributes {}  |
| savenormalmeaning                                       | \savenormalmeaning \   |
| savetaggedtwopassdata                                   | \savetaggedtwopassdata {} {} {} {}   |
| savetwopassdata   | \savetwopassdata {} {} {}  |
| sbox  | \sbox {}   |
| script:instance   | \SCRIPT  |
| script:instance:ethiopic                                | \ethiopic  |
| script:instance:hangul                                  | \hangul<br>\hanzi  |
| script:instance:hanzi<br>script:instance:latin          | \latin   |
| •   |  |
| <pre>script:instance:nihongo script:instance:test</pre> | \nihongo<br>\test  |
| script:instance:test                                    | \thai  |
| secondoffivearguments                                   | \secondoffivearguments {} {} {} {} {}  |
| secondoffourarguments                                   | \secondoffourarguments \{\\} \{\\} \{\\}   |
| secondofsixarguments                                    | \secondofsixarguments \{\dots\} \{\d |
| secondofthreearguments                                  | \secondofthreearguments {} {}  |
| secondofthreeunexpanded                                 | \secondofthreeunexpanded \{\ldots\} \{\ldots\}   |
| secondoftwoarguments                                    | \secondoftwoarguments {} {}  |
| secondoftwounexpanded                                   | \secondoftwounexpanded {} {}   |
| sedabarva   | \sedabarva [] {}   |
| seeregister:instance                                    | \vizREGISTER [] [++] {}  |
| seeregister:instance:index                              | \vizindex [] [++] {}   |
| sekce:instance  | \SECTION [] {}   |
| sekce:instance:assignment                               | \SECTION [=]   |
| sekce:instance:assignment:chapter                       | \chapter [=]   |
| sekce:instance:assignment:part                          | \part [=]  |
| sekce:instance:assignment:section                       | \section [=]   |
| sekce:instance:assignment:subject                       | \subject [=]   |
| sekce:instance:assignment:subsection                    | \subsection [=]  |
| sekce:instance:assignment:subsubject                    | \subsubject [=]  |
|   |  |

| sekce:instance:assignment:subsubsection  | \subsubsection [=]   |
|--|--|
| sekce:instance:assignment:subsubsubject  | \subsubsubject [=]   |
| sekce:instance:assignment:subsubsection  | \subsubsubsection [=]  |
| sekce:instance:assignment:subsubsubject  | \subsubsubsubject [=]  |
| sekce:instance:assignment:subsubsubsection   | \subsubsubsubsection [=]   |
| sekce:instance:assignment:subsubsubsubsubject  | \subsubsubsubject [=]  |
| sekce:instance:assignment:title  | \title [=]   |
| sekce:instance:chapter   | \chapter [] {}   |
| sekce:instance:ownnumber   | \SECTION [] {}   |
| sekce:instance:ownnumber:chapter   | \chapter [] {} {}  |
| sekce:instance:ownnumber:part  | \part [] {}  |
| sekce:instance:ownnumber:section   | \section [] {} {}  |
| sekce:instance:ownnumber:subject   | \subject [] {}   |
| sekce:instance:ownnumber:subsection  | \subsection [] {} {}   |
| sekce:instance:ownnumber:subsubject sekce:instance:ownnumber:subsubsection   | \subsubject [] {} {} \subsubsection [] {} {}   |
| sekce:instance:ownnumber:subsubsection sekce:instance:ownnumber:subsubsubject  | \subsubsection [] {} {} \subsubsubject [] {}   |
| sekce:instance:ownnumber:subsubsubject sekce:instance:ownnumber:subsubsubsection   | \subsubsubsection [] {} {}   |
| sekce:instance:ownnumber:subsubsubsubject  | \subsubsubsubject [] {} {}   |
| sekce:instance:ownnumber:subsubsubsubsection   | \subsubsubsubsection [] {} {}  |
| sekce:instance:ownnumber:subsubsubsubsubject   | \subsubsubsubsubject [] {} {}  |
| sekce:instance:ownnumber:title   | \title [] {}   |
| sekce:instance:part  | \part [] {}  |
| sekce:instance:section   | \section [] {}   |
| sekce:instance:section sekce:instance:subject  | \subject [] {}   |
| sekce:instance:subsection  | \subsection [] {}  |
| sekce:instance:subsubject  | \subsubject [] {}  |
| sekce:instance:subsubsection   | \subsubsection [] {}   |
| sekce:instance:subsubsubject   | \subsubsubject [] {}   |
| sekce:instance:subsubsubsection  | \subsubsubsection [] {}  |
| sekce:instance:subsubsubject   | \subsubsubsubject [] {}  |
| sekce:instance:subsubsubsection  | \subsubsubsubsection [] {}   |
| sekce:instance:subsubsubsubsubject   | \subsubsubsubject [] {}  |
| sekce:instance:title   | \title [] {}   |
| select   | \select {} {} {} {} {} {}  |
| serializecommalist   | \serializecommalPist [.PT.] OPT OPT OPT  |
|  |  |
| serializedcommalist  | \serializedcommalist   |
| serializedcommalist<br>serif   |  |
|  | \serializedcommalist   |
| serif  | \serializedcommalist \serif  |
| serif<br>serifbold   | \serializedcommalist<br>\serif<br>\serifbold   |
| serif<br>serifbold<br>serifnormal  | \serializedcommalist<br>\serif<br>\serifbold<br>\serifnormal   |
| serif serifbold serifnormal setbar   | \serializedcommalist<br>\serif<br>\serifbold<br>\serifnormal<br>\setbar []   |
| serif serifbold serifnormal setbar setbigbodyfont  | \serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx  | \serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {}   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly  | \serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {}   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints []</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer   | \serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly i</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly i \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \ \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] []</pre>  |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \ \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell []</pre>  |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \ \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] []</pre>  |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcounterown  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \] \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] []</pre>  |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbeakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdefaultpenalties</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation   | <pre>\serializedcommalist \serif \serifoold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \endbuffer \setcapstrut \setcapstrut \setcalector [] [=] {} \setcollector [] [=] {} \setcounter [] [] \setcounter [] [] \setcounter [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdefaultpenalties \setdigitsmanipulation []</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection  | <pre>\serializedcommalist \serif \serifoold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \endbuffer \setcapstrut \setcapstrut \setcalector [] [=] {} \setcollector [] [=] {} \setcounter [] [] \setcounter [] [] \setcounter [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdefaultpenalties \setdigitsmanipulation [] \setdirection []</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdocumentargument   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {}</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdocumentargument setdocumentargument setdocumentargument   | <pre>\serializedcommalist \serif \serifoold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {}</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdocumentargument setdocumentargument setdocumentfilename   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {}</pre>  |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdfaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentfilename {} {} \setdocummyparameter {} {}</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag  | <pre>\serializedcommalist \serif \serifoold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setboxlly \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcounter [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentfilename {} {} \setdocumenteremorttag [] [] []</pre>  |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbeakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdfaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumenteremorttag [] [] \setelementexporttag [] [] \setelementexporttag [] [] \setelemeasure {} {} \setelemeasure {} {}</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolnormodell [] \setcounter [] [] [] \setcounterown [] [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdfaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumenterorttag [] [] [] \setelementexporttag [] [] \setelemeasure {} {} \setevalue {} {} \setevalue {} {}</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbeakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdfaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevalue {} {} \setevariable {} {} \setevariable {} {}</pre>  |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariables  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbeakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentereaprottag [] [] [] \setelementexporttag [] [] [] \setevariable {} {} \setevariable {} {} \setevariables [] [=]</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints settuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline   | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbeakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentereaptrag [] [] [] \setelementexporttag [] [] [] \setevariable {} {} \setevariable {} {} \setevariables [] [=] \setfirstline []</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setervalue setevariable seteristline setflag   | \serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbeakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcollector [] [=] {} \setcolormodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdigitsmanipulation [] \setdirection [] \setdocumentargument {} {} \setdocumentargumentdefault {} {}   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcounterown setcurrentontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setflag setfont  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcolrmodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdirection [] \setdirection [] \setdocumentargument {} {} \se</pre>   |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariable setflag setfont setfontcolorsheme | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcolrmodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdigitsmanipulation [] \setdirection [] \setdocumentargument {} {} \setdocumentargument {} {} \setdocumentfilename {} {} \setdocumentargument {}</pre> |
| serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcollector setcolormodell setcounter setcounterown setcurrentontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setflag setfont  | <pre>\serializedcommalist \serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcolrmodell [] \setcounter [] [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdirection [] \setdirection [] \setdocumentargument {} {} \se</pre>   |

| setfontstrut  | \setfontstrut   |
|---|---|
| setgmeasure   | \setgmeasure {} {}  |
| setgvalue   | \setgvalue {} {}  |
| setgvariable  | \setgvariable {} {}   |
| setgvariables   | \setgvariables [] [=]   |
| sethboxregister   | \sethboxregister {}   |
| sethyphenatedurlafter   | \sethyphenatedurlafter {}   |
| sethyphenatedurlbefore  | \sethyphenatedurlbefore {}  |
| sethyphenatedurlnormal  | \sethyphenatedurlnormal {}  |
| sethyphenationfeatures  | \sethyphenationfeatures []  |
| setcharacteralign   | \setcharacteralign {} {}  |
| setcharactercasing  | \setcharactercasing []  |
| setcharactercleaning  | \setcharactercleaning []  |
| setcharacterkerning   | \setcharacterkerning []   |
| setcharacterspacing   | \setcharacterspacing []   |
| setcharacterstripping   | \setcharacterstripping []   |
| setcharstrut  | \setcharstrut {}  |
| setinitial  | \setinitial [] [=]  |
| setinjector   | \setinjector [] []  |
| setinteraction  | \setinteraction []  |
| setinterfacecommand   | \setinterfacecommand \{\ldots\} \{\ldots\}  |
| setinterfaceconstant  | \setinterfaceconstant \{\ldots\} \{\ldots\}   |
| setinterfaceelement   | \setinterfaceelement \{\ldots\} \{\ldots\}  |
| setinterfacemessage   | \setinterfacemessage $\{\}$ $\{\}$  |
| setinterfacevariable  | \setinterfacevariable {} {}   |
| setinternalrendering  | \setinternalrendering [] [] {}  |
| setitaliccorrection   | \setitaliccorrection []   |
| setJSpreamble   | \setJSpreamble {} {}  |
| setlayer  | \setlayer [] [=] {}   |
| setlayerframed  | \setlayerframed [] [=] [=] {}   |
| setlayerframed:combination  | \setlayerframed [] [=] {}   |
| setlayertext  | \setlayertext [] [=] [=] {}   |
| setlinefiller   | \setlinefiller []   |
| setlocalhsize   | \setlocalhsize []   |
| setMPlayer  | \setMPlayer [] [=] {}   |
| setMPpositiongraphic  | $\st MP position graphic {} {} {}$  |
| setMPpositiongraphicrange   | $\style \$ \setMPpositiongraphicrange $\{\}$ $\{\}$ $\{\}$  |
| setMPtext   | \setMPtext {} {}  |
|   |   |
| setMPvariable   | \setMPvariable [] [=]   |
| setMPvariables  | \setMPvariables [] [=]  |
| setMPvariables<br>setmainbodyfont   | \setMPvariables [] [=] \setmainbodyfont   |
| setMPvariables<br>setmainbodyfont<br>setmainparbuilder  | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder []   |
| setMPvariables<br>setmainbodyfont<br>setmainparbuilder<br>setmarker   | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] []  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking   | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {}  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure   | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut   | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote   | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setnostrut \setnote [] [] {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext   | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] {}</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmesagetext setmode setnostrut setnote setnotetext setnotetext setnotetext setnotetext:assignment setnote:assignment  | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setnotrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] []   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject   | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnote [] [] {} \setnote [] [] {}  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setobject setoldstyle  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [=] \setobject {} {} \ {} \setoldstyle</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setobject setoldstyle setpagegrid  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] []</pre>   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] {} \setpagegrid [] {} \setpagereference {} {}</pre>   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setpagegrid [] {} \setpagegrid [] {} \setpagereference {} {} \setpagestate [] []</pre>  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagegreference setpagestaterealpageno   | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setpagerid [] {} \setpagerid [] {} \setpagerid [] {} \setpagerid [] {} \setpagestate [] [] \setpagestaterealpageno {} {}</pre>   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties  | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnostrut \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagegrid [] {} \setpagegrid [] {} \setpagestaterealpageno {} {} \setpagestaterealpageno {} {} \setpenalties \ {} {}  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen   | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setpagerid [] {} \setpagerid [] {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {}  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagegreference setpagestate setpagestaterealpageno setpenalties setposition  | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagegrid [] {} \setpagegrid [] {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {}  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setposition setpositionbox  | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagegrid [] {} \setpagegrid [] {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {}   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagegreference setpagestate setpagestaterealpageno setpenalties setposition setpositionbox setpositiondata   | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnoted {} {} \ \setpagegrid [=] {} \setpagegrid [=] {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setposition {} \setpositionbox {} \ {} \setpositiondata {} {} {}   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setpositionbox setpositiondata setpositiondataplus  | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnoted {} {} \ \setpagegrid [=] {} \setpagegrid [=] {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiondataplus {} {} {}  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setpositionbox setpositiondata setpositiononly   | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] {} \setpagegrid [] {} \setpagegrid [] {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setposition {} \setpositionbox {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositiononly {}   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setpositionbox setpositiondata setpositiononly setpositionplus   | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnoted {} {} \ {} \setpagegrid [=] {} \setpagegrid [=] {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} {}  |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly setpositionplus setpositionstrut  | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setoldatyle \setpagegrid [] {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setposition {} \setpositiondata {} {} {} \setpositiondataplus {} {} {} \setpositionplus {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {}   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly setpositionplus setpositionstrut setprofile   | <pre>\setMPvariables [] [=] \setmainbodyfont \setmarker [] [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setpagegrid [] {} \setpagegrid [] {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setposition {} \setposition {} \setpositiondata {} {} {} {} \setpositionalta {}</pre>          |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestate setpercentdimen setposition setpositionoly setpositionplus setpositionstrut setpofile setrandomseed  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setpagerid [=] {} \setpagerid [=] {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setposition {} \setposition {} \setpositiondata {} {} {} {} \setpositionalta {} {} \setpositionalta {} {} {} \setpositionalta {} {</pre> |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext:assignment setnote:assignment setnote:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondataplus setpositiononly setpositionstrut setprofile setrandomseed setreference | \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [=] \setnotetext [] [=] \setnotetext [] [=] \setnotetext [] [=] \setpagerdid [=] {} \setpagerdid [=] {} \setpagerdid [] {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setposition {} \setposition {} \setposition {} \setpositiondata {} {} {} {} {} \setpositionataplus {} {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionece {} [=]   |
| setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagegrid setpagereference setpagestate setpagestate setpercentdimen setposition setpositionoly setpositionplus setpositionstrut setpofile setrandomseed  | <pre>\setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setpagerid [=] {} \setpagerid [=] {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setposition {} \setposition {} \setpositiondata {} {} {} {} \setpositionalta {} {} \setpositionalta {} {} {} \setpositionalta {} {</pre> |

| setregisterentry                  | \setregisterentry [] [=] [=]  |
|-----------------------------------|---|
| setreplacement                    | \setreplacement []  |
| setrigidcolumnbalance             | \setrigidcolumnbalance  |
| setrigidcolumnhsize               | \setrigidcolumnhsize {} {} {}   |
| setscript                         | \setscript []   |
| setsectionblock                   | \setsectionblock [] [=]   |
| setsimplecolumnhsize              | \setsimplecolumnhsize [=]   |
| setsmallbodyfont                  | \setsmallbodyfont   |
| setsmallcaps                      | \setsmallcaps   |
| setstackbox                       | \setstackbox {} {} {}   |
| setstructurepageregister          | \setstructurepageregister [] [=] \setstrut                            |
| setstrut<br>setsuperiors          | \setsuperiors   |
| setsystemmode                     | \setsystemmode {}   |
| settabular                        | \settabular   |
| settaggedmetadata                 | \settaggedmetadata [=]  |
| settextcontent                    | \settextcontent [] [] [] []   |
| settightobject                    | \settightobject {} {} \ {}  |
| settightreferencedobject          | \settightreferencedobject {} \ \ \                                    |
| settightunreferencedobject        | \settightunreferencedobject {} \ {}                                   |
| settrialtypesetting               | \settrialtypesetting  |
| setuevalue                        | \setuevalue {} {}   |
| setugvalue                        | \setugvalue {} {}   |
| setunreferencedobject             | \setunreferencedobject \{\ldots\} \\\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| setupalternativestyles            | \setupalternativestyles [=]   |
| setupattachment                   | \setupattachment [] [=]   |
| setupattachments                  | \setupattachments [] [=]  |
| setupbackend                      | \setupbackend [=]   |
| setupbar                          | \setupbar [] [=]  |
| setupbars                         | \setupbars [] [=] \setupbleeding [=]                                  |
| setupbleeding<br>setupbookmark    | \setupboekmark [=]  |
| setupbtx                          | \setupbtx [] [=]  |
| setupbtxdataset                   | \setupbtxdataset [] [=]   |
| setupbtxlist                      | \setupbtxlist [] [=]  |
| setupbtxregister                  | \setupbtxregister [] [=]  |
| setupbtxrendering                 | \setupbtxrendering [] [=]   |
| setupbtx:name                     | \setupbtx []  |
| setupbutton                       | \setupbutton [] [=]   |
| setupcollector                    | \setupcollector [] [=]  |
| setupcolumnspan                   | \setupcolumnspan [=]  |
| setupcombination                  | \setupcombination [] [=]  |
| setupcounter                      | \setupcounter [] [=]  |
| setupdataset                      | \setupdataset [] [=]  |
| setupdelimitedtext                | \setupdelimitedtext [] [=]  |
| setupdescription                  | \setupdescription [] [=] \setupdirections [=]                         |
| setupdirections<br>setupdocument  | \setupdocument [=]  |
| setupeffect                       | \setupeffect [] [=]   |
| setupenumeration                  | \setupenumeration [] [=]  |
| setupenv                          | \setupenv [=]   |
| setupexport                       | \setupexport [=]  |
| setupexternalfigure               | \setupexternalfigure [] [=]   |
| setupexternalsoundtracks          | \setupexternalsoundtracks [=]   |
| setupfieldbody                    | \setupfieldbody [] [=]  |
| setupfieldcategory                | \setupfieldcategory [] [=]  |
| setupfieldcontentframed           | \setupfieldcontentframed [] [=]                                       |
| setupfieldlabelframed             | \setupfieldlabelframed [] [=]   |
| setupfieldtotalframed             | \setupfieldtotalframed [] [=]   |
| setupfiller setupfirstline        | \setupfiller [] [=] \setupfirstline [] [=]                            |
| setupilistime<br>setupfittingpage | \setupfittingpage [] [=]  |
| setupfloatcaption                 | \setupfloatcaption [] [=]   |
| setupfontexpansion                | \setupfontexpansion [] [=]  |
| setupfontprotrusion               | \setupfontprotrusion [] [=]   |
| setupfonts                        | \setupfonts [=]   |
| setupfontsolution                 | \setupfontsolution [] [=]   |
| setupforms                        | \setupforms [=]   |
| setupformula                      | \setupformula [] [=]  |
| setupformulaframed                | \setupformulaframed [] [=]  |
| setupframedcontent                | \setupframedcontent [] [=]  |
| setupframedtable                  | \setupframedtable [] [=]  |
|                                   |   |

| setupframedtablecolumn            | \setupframedtablecolumn [] [] [=] |
|-----------------------------------|-----------------------------------|
| setupframedtablerow               | \setupframedtablerow [] [] [=]    |
| setupframedtext                   | \setupframedtext [] [=]           |
| setupglobalreferenceprefix        | \setupglobalreferenceprefix []    |
| setupheadalternative              | \setupheadalternative [] [=]      |
| setuphelp                         | \setuphelp [] [=]                 |
| setuphigh                         | \setuphigh [] [=]                 |
| setuphighlight                    | \setuphighlight [] [=]            |
| setuphyphenation                  | \setuphyphenation [=]             |
| setupcharacterkerning             | \setupcharacterkerning [] [=]     |
| setupcharacterspacing             | \setupcharacterspacing [] [=]     |
| setupchemical                     | \setupchemical [] [=]             |
| setupchemicalframed               | \setupchemicalframed [] [=]       |
| setupindentedtext                 | \setupindentedtext [] [=]         |
| setupinitial                      | \setupinitial [] [=]              |
| setupinsertion                    | \setupinsertion [] [=]            |
| setupitaliccorrection             | \setupitaliccorrection []         |
| setupitemgroup                    | \setupitemgroup [] [] [] [=]      |
| setupitemgroup:assignment         | \setupitemgroup [] [=]            |
| setupitemgroup:instance           | \nastaveniITEMGROUP [] [] [=]     |
| setupitemgroup:instance:itemize   | \nastaveniitemize [] [] [=]       |
| setuplabel                        | \setuplabel [] [=]                |
| setuplayer                        | \setuplayer [] [=]                |
| setuplayeredtext                  | \setuplayeredtext [] [=]          |
| setuplayouttext                   | \setuplayouttext [] [] [=]        |
| setuplinefiller                   | \setuplinefiller [] [=]           |
| setuplinefillers                  | \setuplinefillers [] [=]          |
| setuplinenote                     | \setuplinenote [] [=]             |
| setuplinetable                    | \setuplinetable [] [] [=]         |
| setuplistalternative              | \setuplistalternative [] [=]      |
| setuplistextra                    | \setuplistextra [] [=]            |
| setuplocalfloats                  | \setuplocalfloats [=]             |
| setuplocalinterlinespace          | \setuplocalinterlinespace [] [=]  |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace []      |
| setuplocalinterlinespace:name     | \setuplocalinterlinespace []      |
| setuplow                          | \setuplow [] [=]                  |
| setuplowhigh                      | \setuplowhigh [] [=]              |
| setuplowmidhigh                   | \setuplowmidhigh [] [=]           |
| setupMPgraphics                   | \setupMPgraphics [=]              |
| setupMPinstance                   | \setupMPinstance [] [=]           |
| setupMPpage                       | \setupMPpage [=]                  |
| setupMPvariables                  | \setupMPvariables [] [=]          |
| setupmarginblock                  | \setupmarginblock [] [=]          |
| setupmargindata                   | \setupmargindata [] [=]           |
| setupmarginframed                 | \setupmarginframed [] [=]         |
| setupmarginrule                   | \setupmarginrule [] [=]           |
| setupmathalignment                | \setupmathalignment [] [=]        |
| setupmathcases                    | \setupmathcases [] [=]            |
| setupmathematics                  | \setupmathematics [] [=]          |
| setupmathfence                    | \setupmathfence [] [=]            |
| setupmathfraction                 | \setupmathfraction [] [=]         |
| setupmathfractions                | \setupmathfractions [] [=]        |
| setupmathframed                   | \setupmathframed [] [=]           |
| setupmathmatrix                   | \setupmathmatrix [] [=]           |
| setupmathornament                 | \setupmathornament [] [=]         |
| setupmathradical                  | \setupmathradical [] [=]          |
| setupmathstackers                 | \setupmathstackers [] [=]         |
| setupmathstyle                    | \setupmathstyle []                |
| setupmixedcolumns                 | \setupmixedcolumns [] [=]         |
| setupmodule                       | \setupmodule [] [=]               |
| setupnotation                     | \setupnotation [] [=]             |
| setupnotations                    | \setupnotations [] [=]            |
| setupnote                         | \setupnote [] [=]                 |
| setupnotes                        | \setupnotes [] [=]                |
| setupoffset                       | \setupoffset [=]                  |
| setupoffsetbox                    | \setupoffsetbox [=]               |
| setupoutputroutine                | \setupoutputroutine [] [=]        |
| setupoutputroutine:name           | \setupoutputroutine []            |
| setuppagegrid                     | \setuppagegrid [] [=]             |
| setuppagegridarea                 | \setuppagegridarea [] [=]         |
| setuppagegridareatext             | \setuppagegridareatext [] []      |
| setuppagegridlines                | \setuppagegridlines [] [] []      |

| setuppagegridspan                       | \setuppagegridspan [] [=]                                    |
|---|--|
| setuppagegridstart                      | \setuppagegridstart [] [] []                                 |
| setuppagechecker                        | \setuppagechecker [] [=]                                     |
| setuppageinjection                      | \setuppageinjection [] [=]                                   |
| setuppageinjectionalternative           | \setuppageinjectionalternative [] [=]                        |
| setuppageshift                          | \setuppageshift [] []  |
| setuppagestate                          | \setuppagestate [] [=]                                       |
| setuppairedbox                          | \setuppairedbox [] [=]                                       |
| setuppairedbox:instance                 | \nastaveniPAIREDBOX [=]                                      |
| setuppairedbox:instance:legend          | \nastavenilegend [=]   |
| setuppaper                              | \setuppaper [=]  |
| setupparagraph                          | \setupparagraph [] [=]                                       |
|   |  |
| setupparagraphintro                     | \setupparagraphintro []                                      |
| setupparallel                           | \setupparallel [] [=]  |
| setupperiods                            | \setupperiods [=]  |
| setupplacement                          | \setupplacement [] [=]                                       |
| setuppositionbar                        | \setuppositionbar [=]  |
| setupprocessor                          | \setupprocessor [] [=]                                       |
| setupprofile                            | \setupprofile [] [=]   |
| setupquotation                          | \setupquotation [=]  |
| setuprealpagenumber                     | \setuprealpagenumber [=]                                     |
| setupreferenceformat                    | \setupreferenceformat [] [=]                                 |
| setupreferenceprefix                    | \setupreferenceprefix []                                     |
| setupreferencestructureprefix           | \setupreferencestructureprefix [] [] [=]                     |
| setupregisters                          | \setupregisters [] [=]                                       |
| setupregisters:argument                 | \setupregisters [] [] [=]                                    |
| setuprenderingwindow                    | \setuprenderingwindow [] [=]                                 |
| setups                                  | \setups []   |
| setupscale                              | \setupscale [] [=]   |
| setupscript                             | \setupscript [] [=]  |
| setupscripts                            | \setupscripts [] [=]   |
| setupselector                           | \setupselector [] [=]  |
| setupshift                              | \setupshift [] [=]   |
| setupsidebar                            | \setupsidebar [] [=]   |
| setupspellchecking                      | \setupspellchecking [=]                                      |
| setupstartstop                          | \setupstartstop [] [=]                                       |
| setupstretched                          | \setupstretched [=]  |
| setupstruts                             | \setupstruts []  |
| setupstyle                              | \setupstyle [] [=]   |
| setupstyle                              | \setupsubformula [] [=]                                      |
| - · · · · · · · · · · · · · · · · · · · | \setupsubformulas [] [=]                                     |
| setupsubformulas                        |  |
| setupsynctex                            | \setupsynctex [=]  |
| setups:direct                           | \setups {}   |
| setupTABLE                              | \setupTABLE [] [=]   |
| setupTEXpage                            | \setupTEXpage [=]  |
| setuptabulation                         | \setuptabulation [] [=]                                      |
| setuptagging                            | \setuptagging [=]  |
| setuptextbackground                     | \setuptextbackground [] [=]                                  |
| setuptextflow                           | \setuptextflow [] [=]  |
| setuptooltip                            | \setuptooltip [] [=]   |
| setupunit                               | \setupunit [] [=]  |
| setupuserpagenumber                     | \setupuserpagenumber [=]                                     |
| setupversion                            | \setupversion []   |
| setupviewerlayer                        | \setupviewerlayer [=]  |
| setupvspacing                           | \setupvspacing []  |
| setupwithargument                       | \setupwithargument {} {}                                     |
| setupwithargumentswapped                | \setupwithargumentswapped $\{\ldots\}$ $\{\ldots\}$          |
| setupxml                                | \setupxml [=]  |
| setupxtable                             | \setupxtable [] [=]  |
| setuvalue                               | \setuvalue {} {}   |
| setuxvalue                              | \setuxvalue {} {}  |
| setvalue                                | \setvalue {} {}  |
| setvariable                             | \setvariable {} {}   |
| setvariables                            | \setvariables [] [=]   |
| setvboxregister                         | \setvboxregister {}  |
| setvisualizerfont                       | \setvisualizerfont []  |
| setvtopregister                         | \setvtopregister {}  |
| setwidthof                              | \setwidthof \to \  |
| setxmeasure                             | \setxmeasure {} {}   |
| setxvalue                               | \setxvalue {} {}   |
| setxvariable                            | \setxvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| setxvariables                           | \setxvariable [] [=]   |
| 2001.41140100                           | /2007/47740700 [] []   |

| shapedhbox  | \shapedhbox {}   |
|---|--|
| shift:instance  | \SHIFT {}  |
| shift:instance:shiftdown  | \shiftdown {}  |
| shift:instance:shiftup  | \shiftup {}  |
| showallmakeup   | \showallmakeup   |
| showattributes  | \showattributes  |
| showboxes   | \showboxes   |
| showbtxdatasetauthors   | \showbtxdatasetauthors [=]   |
| showbtxdatasetauthors:argument  | \showbtxdatasetauthors []  |
| showbtxdatasetcompleteness showbtxdatasetcompleteness:argument  | \showbtxdatasetcompleteness [=] \showbtxdatasetcompleteness []   |
| showbtxdatasetfields  | \showbtxdatasetfields [=]  |
| showbtxdatasetfields:argument   | \showbtxdatasetfields []   |
| showbtxfields   | \showbtxfields [=]   |
| showbtxfields:argument  | \showbtxfields []  |
| showbtxhashedauthors  | \showbtxhashedauthors []   |
| showbtxtables   | \showbtxtables []  |
| showcolorbar  | \showcolorbar []   |
| showcolorcomponents   | \showcolorcomponents []  |
| showcolorset  | \showcolorset []   |
| showcolorstruts   | \showcolorstruts   |
| showcounter   | \showcounter []  |
| showdirectives<br>showdirsinmargin  | \showdirectives \showdirsinmargin  |
| showedebuginfo  | \showedebuginfo  |
| showexperiments   | \showexperiments   |
| showfont  | \showfont [] []  |
| showfontdata  | \showfontdata  |
| showfontexpansion   | \showfontexpansion   |
| showfontitalics   | \showfontitalics   |
| showfontkerns   | \showfontkerns   |
| showfontparameters  | \showfontparameters  |
| showfontstrip   | \showfontstrip []  |
| showfontstyle   | \showfontstyle [] [] []  |
| showglyphdata   | \showglyphdata   |
| showeridenopping  | \showglyphs  |
| showgridsnapping showhelp   | \showgridsnapping \showhelp {} []  |
| showhyphenationtrace  | \showherp \(\text{\cdots}\) \[ \text{\cdots}\] \[ \text{\cdots}\] \[ \text{\cdots}\]   |
| showhyphens   | \showhyphens {}  |
| showchardata  | \showchardata {}   |
| showcharratio   | \showcharratio {}  |
| showinjector  | \showinjector []   |
| showjustification   | \showjustification   |
| showkerning   | \showkerning {}  |
| showlayoutcomponents  | \showlayoutcomponents  |
| showligature  | \showligature {}   |
| showligatures   | \showligatures []  |
| showlogcategories   | \showlogcategories   |
| showmargins shownessage   | \showmargins \showmessage \{\ldots\} \{\ldots\}  |
| showminimalbaseline   | \showminimalbaseline   |
| shownextbox   | \shownextbox \ {}  |
| showotfcomposition  | ,  |
| showparentchain   | \showotfcomposition $\{\ldots\}$ $\{\ldots\}$  |
| <del>-</del>  | \showotfcomposition {} {} {} \showparentchain \ {}   |
| showsetupsdefinition  | \showotfcomposition {} {} {} \showparentchain \ {} \showsetupsdefinition []  |
| showsetupsdefinition showtimer  | \showparentchain \ $\{\}$  |
| -   | \showparentchain \ {} \showsetupsdefinition []   |
| showtimer<br>showtokens<br>showtrackers   | \showparentchain \ {} \showsetupsdefinition [] \showtimer {} \showtokens [] \showtrackers  |
| showtimer showtokens showtrackers showvalue   | \showparentchain \ {} \showsetupsdefinition [] \showtimer {} \showtokens [] \showtrackers \showvalue {}  |
| showtimer showtokens showtrackers showvalue showvariable  | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\}   |
| showtimer showtokens showtrackers showvalue showvariable showwarning  | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\} \{\} \showwarning \{\} \{\}   |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky   | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\} \{\} \showwarning \{\} \{\} \schovejbloky [] []   |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky simplealignedbox  | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\} \{\} \showwarning \{\} \{\} \schovejbloky [] [] \simplealignedbox \{\} \{\}   |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky simplealignedbox simplealignedboxplus   | <pre>\showparentchain \ {} \showsetupsdefinition [] \showtimer {} \showtokens [] \showtrackers \showvalue {} \showvariable {} {} \showwarning {} {} \schovejbloky [] [] \simplealignedbox {} {} {} \simplealignedboxplus {} {} {}</pre>  |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky simplealignedbox  | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\} \{\} \showwarning \{\} \{\} \schovejbloky [] [] \simplealignedbox \{\} \{\} \{\} \simplealignedboxplus \{\} \{\} \{\} \simplealignedspreadbox \{\} \{\} \{\}  |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky simplealignedbox simplealignedboxplus simplealignedspreadbox  | <pre>\showparentchain \ {} \showsetupsdefinition [] \showtimer {} \showtokens [] \showtrackers \showvalue {} \showvariable {} {} \showwarning {} {} \schovejbloky [] [] \simplealignedbox {} {} {} \simplealignedboxplus {} {} {}</pre>  |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky simplealignedbox simplealignedboxplus simplealignedspreadbox simplegroupedcommand   | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\} \{\} \showwarning \{\} \{\} \schovejbloky [] [] \simplealignedbox \{\} \{\} \{\} \simplealignedboxplus \{\} \{\} \{\} \simplealignedspreadbox \{\} \{\} \{\} \simplealignedproupedcommand \{\} \{\}   |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky simplealignedbox simplealignedboxplus simplealignedspreadbox simplegroupedcommand simplereversealignedbox                         | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\} \showvariable \{\} \showvaring \{\} \schovejbloky [] [] \simplealignedbox \{\} \simplealignedbox \{\} \simplealignedboxplus \{\} \simplealignedspreadbox \{\} \simplearoupedcommand \{\} \simplereversealignedboxplus \{\}  |
| showtimer showtokens showtrackers showvalue showvariable showwarning schovejbloky simplealignedbox simplealignedboxplus simplealignedspreadbox simplegroupedcommand simplereversealignedbox simplereversealignedbox | \showparentchain \ \{\} \showsetupsdefinition [] \showtimer \{\} \showtokens [] \showtrackers \showvalue \{\} \showvariable \{\} \showwarning \{\} \schovejbloky [] [] \simplealignedbox \{\} \simplealignedboxplus \{\} \simplealignedspreadbox \{\} \ |

| sklonene                                   | \sklonene   |
|--|---|
| sklonenetucne                              | \sklonenetucne  |
| slantedface                                | \slantedface  |
| slicepages                                 | \slicepages [] [=]  |
| sloupec                                    | \sloupec []   |
| slovenianNumerals                          | \slovenianNumerals {}   |
| sloveniannumerals                          | \sloveniannumerals {}   |
| slovo                                      | \slovo {}   |
| slovovpravo                                | \slovovpravo [] {}  |
| smallbodyfont                              | \smallbodyfont  |
| smallcappedcharacters                      | \smallcappedcharacters {}                                     |
| smallcappedromannumerals                   | \smallcappedromannumerals {}                                  |
| smaller                                    | \smaller  |
|  |   |
| smallskip                                  | \smallskip  |
| smash<br>smashbox                          | \smash [] {}<br>\smashbox                                     |
|  |   |
| smashboxed                                 | \smashboxed   |
| smashedhbox                                | \smashedhbox {}   |
| smashedvbox                                | \smashedvbox {}   |
| snaptogrid                                 | \snaptogrid [] \ {}   |
| snaptogrid:list                            | \snaptogrid [] \ {}   |
| someheadnumber                             | \someheadnumber [] []   |
| somekindoftab                              | \somekindoftab [=]  |
| somelocalfloat                             | \somelocalfloat   |
| somenamedheadnumber                        | \somenamedheadnumber {} {}                                    |
| someplace                                  | \someplace {} {} {} {} []                                     |
| sorting:instance                           | \SORTING [] {}  |
| sorting:instance:logo                      | \logo [] {}   |
| spanishNumerals                            | \spanishNumerals {}   |
| spanishnumerals                            | \spanishnumerals {}   |
| splitatasterisk                            | \splitatasterisk \  |
| splitatcolon                               | \splitatcolon \   |
| splitatcolons                              | \splitatcolons \ \  |
| splitatcomma                               | \splitatcomma \ \   |
| splitatperiod                              | \splitatperiod \  |
| splitdfrac                                 | \splitdfrac {} {}   |
| splitfilename                              | \splitfilename {}   |
| splitfrac                                  | \splitfrac {} {}  |
| splitoffbase                               | \splitoffbase   |
| splitofffull                               | \splitofffull   |
| splitoffkind                               | \splitoffkind   |
| splitoffname                               | \splitoffname   |
| splitoffpath                               | \splitoffpath   |
| splitoffroot                               | \splitoffroot   |
| splitofftokens                             | \splitofftokens \from \to \                                   |
| splitofftype                               | \splitofftype   |
| splitstring                                | \splitstring \at \to \ \and \                                 |
| spreadhbox                                 | \spreadhbox   |
| sqrt                                       | \sqrt [] {}   |
| stackrel                                   | \stackrel {} {}   |
| stanovcislonadpisu                         | \stanovcislonadpisu []  |
| stanovcharakteristickuseznamu              | \stanovcharakteristickuseznamu [] [=]                         |
| startalignment                             | \startalignment [] \stopalignment                             |
| startallmodes                              | \startallmodes [] \stopallmodes                               |
| startattachment:instance                   | \startATTACHMENT [] [=.] \stopATTACHMENT                      |
| startattachment:instance:attachment        | \startattachment [] [=.] \stopattachment                      |
| startar startachment. Instance. attachment | \startbar [] \stopbar   |
|  |   |
| startbarva                                 | \startbarva [] \stopbarva                                     |
| startbbordermatrix                         | \startbbordermatrix \stopbbordermatrix                        |
| startbitmapimage                           | \startbitmapimage [=] \stopbitmapimage                        |
| startbordermatrix                          | \startbordermatrix \stopbordermatrix                          |
| startbtxrenderingdefinitions               | \startbtxrenderingdefinitions [] \stopbtxrenderingdefinitions |
| startbuffer                                | \startbuffer [] \stopbuffer                                   |
| startbuffer:instance                       | \startBUFFER \stopBUFFER                                      |
| startbuffer:instance:hiding                | \starthiding \stophiding                                      |
| startcatcodetable                          | \startcatcodetable \ \stopcatcodetable                        |
| startcenteraligned                         | \startcenteraligned \stopcenteraligned                        |
| startcollect                               | \startcollect \stopcollect                                    |
| startcollecting                            | \startcollecting \stopcollecting                              |
| startcolorintent                           | \startcolorintent [] \stopcolorintent                         |
| startcoloronly                             | \startcoloronly [] \stopcoloronly                             |
| startcolorset                              | \startcolorset [] \stopcolorset                               |
|  |   |

| startcolumnspan                        | \startcolumnspan [=] \stopcolumnspan                            |
|--|---|
|  | \startcombination [] [=] \stopcombination                       |
|  | \startcombination [] [] \stopcombination                        |
|  | \startcontextcode \stopcontextcode                              |
|  | \startcontextdefinitioncode \stopcontextdefinitioncode          |
|  | \startctxfunction \stopctxfunction                              |
|  | \startctxfunctiondefinition \stopctxfunctiondefinition          |
|  | \startcurrentcolor \stopcurrentcolor                            |
|  | \startcurrentlistentrywrapper \stopcurrentlistentrywrapper      |
|  | \startdelimited [] [] \stopdelimited                            |
|  | \startdelimitedtext [] [] \stopdelimitedtext                    |
| startdelimitedtext:instance            | \startDELIMITEDTEXT [] [ \stopDELIMITEDTEXT                     |
| startdelimitedtext:instance:aside      | \startaside [] [] \stopaside                                    |
| startdelimitedtext:instance:blockquote | \startblockquote [] [] \stopblockquote                          |
| startdelimitedtext:instance:quotation  | \startquotation [] [] \stopquotation                            |
| startdelimitedtext:instance:quote      | \startquote [] [] \stopquote                                    |
| startdelimitedtext:instance:speech     | \startspeech [] [] \stopspeech                                  |
| -                                      | \startdisplaymath \stopdisplaymath                              |
|  | \startdmath \stopdmath  |
|  | \startdocument [=] \stopdocument                                |
|  | \starteffect [] \stopeffect                                     |
| starteffect:example                    | \startEFFECT \stopEFFECT  |
| •                                      | \startelement {} [=] \stopelement                               |
|  | \startembeddedxtable [=] \stopembeddedxtable                    |
|  | \startembeddedxtable [] \stopembeddedxtable                     |
|  | \startexceptions [] \stopexceptions                             |
|  | \startexpanded \stopexpanded                                    |
|  | \startexpandedcollect \stopexpandedcollect                      |
|  | \startextendedcatcodetable \ \stopextendedcatcodetable          |
|  | \startexternalfigurecollection [] \stopexternalfigurecollection |
|  | \startfittingpage [] [=] \stopfittingpage                       |
| startfittingpage:instance              | \startFITTINGPAGE [=] \stopFITTINGPAGE                          |
| startfittingpage:instance:MPpage       | \startMPpage [=] \stopMPpage                                    |
| startfittingpage:instance:TEXpage      | \startTEXpage [=] \stopTEXpage                                  |
|  | \startfixne [] \stopfixne                                       |
|  | \startfloatcombination [=] \stopfloatcombination                |
|  | \startfloatcombination [] \stopfloatcombination                 |
| startfloattext:instance                | \startFLOATtext [] [] {} \stopFLOATtext                         |
| startfloattext:instance:figure         | \startfiguretext [] [] \stopfiguretext                          |
| startfloattext:instance:graphic        | \startgraphictext [] [] \stopgraphictext                        |
| startfloattext:instance:chemical       | \startchemicaltext [] [] \stopchemicaltext                      |
| startfloattext:instance:intermezzo     | \startintermezzotext [] [] {} \stopintermezzotext               |
| startfloattext:instance:table          | \starttabletext [] [] {} \stoptabletext                         |
| startfont                              | \startfont [] \stopfont   |
|  | \startfontclass [] \stopfontclass                               |
|  | \startfontsolution [] \stopfontsolution                         |
|  | \startframedcell [=] \stopframedcell                            |
|  | \startframedcontent [] \stopframedcontent                       |
|  | \startframedrow [=] \stopframedrow                              |
|  | \startframedtable [] [=] \stopframedtable                       |
|  | \startgridsnapping [] \stopgridsnapping                         |
|  | \startgridsnapping [] \stopgridsnapping                         |
| 0 11 0                                 | \starthboxestohbox \stophboxestohbox                            |
|  | \starthboxregister \stophboxregister                            |
| starthelp:instance                     | \startHELP [] \stopHELP   |
| starthelp:instance:helptext            | \starthelptext [] \stophelptext                                 |
| •                                      | \starthighlight [] \stophighlight                               |
|  | \starthyphenation [] \stophyphenation                           |
|  | \startcharacteralign [] \stopcharacteralign                     |
|  | \startcheckedfences \stopcheckedfences                          |
|  | \startchemical [] [=] \stopchemical                             |
|  | \startimath \stopimath  |
|  | \startindentedtext [] \stopindentedtext                         |
| startindentedtext:example              | \startINDENTEDTEXT \stopINDENTEDTEXT                            |
|  | \startinterakce [] \stopinterakce                               |
|  | \startinteraktivnimenu [] \stopinteraktivnimenu                 |
|  | \startinterface \stopinterface                                  |
|  | \startinterlace \stopinterlace \startintertext \stopintertext   |
|  | \startitemgroup [] [] [ \stopitemgroup                          |
| startitemgroup:instance                | \startITEMGROUP [] [=.] \stopITEMGROUP                          |
| startitemgroup:instance:itemize        | \startitemize [] [=] \stopitemize                               |
| startJScode                            | \startJScode \stopJScode  |
|  | ,   |

| startJSpreamble                                       | \startJSpreamble \stopJSpreamble  |
|---|---|
| startjdina  | \startjdina [] \stopjdina   |
| startknockout   | \startknockout \stopknockout  |
|   |   |
| startkomentarstranky<br>startkomentar:instance        | \startkomentarstranky \stopkomentarstranky  |
| startkomentar:instance:comment                        | \startCOMMENT [] [=.] \stopCOMMENT  |
|   | \startcomment [] [=.] \stopcomment  |
| startkomponenta                                       | \startkomponenta [] \stopkomponenta   |
| startkomponenta:string                                | \startkomponenta \stopkomponenta  |
| startkonectabulky                                     | \startkonectabulky [] \stopkonectabulky   |
| startlayout   | \startlayout [] \stoplayout   |
| startlinealignment                                    | \startlinealignment [] \stoplinealignment   |
| startlinecorrection                                   | \startlinecorrection [] \stoplinecorrection   |
| startlinefiller                                       | \startlinefiller [] [=] \stoplinefiller   |
| startlinenote:instance                                | \startLINENOTE [] {}  |
| startlinenote:instance:linenote                       | \startlinenote [] {}  |
| startlinenumbering                                    | \startlinenumbering [] [=] \stoplinenumbering   |
| startlinenumbering:argument                           | \startlinenumbering [] [ \stoplinenumbering   |
| startlinetable  | \startlinetable \stoplinetable  |
| startlinetablebody                                    | \startlinetablebody \stoplinetablebody  |
| startlinetablecell                                    | \startlinetablecell [=] \stoplinetablecell  |
| startlinetablehead                                    | \startlinetablehead \stoplinetablehead  |
| startlocalfootnotes                                   | \startlocalfootnotes \stoplocalfootnotes  |
| startlocalheadsetup                                   | \startlocalheadsetup \stoplocalheadsetup  |
| startlocallinecorrection                              | \startlocallinecorrection [] \stoplocallinecorrection   |
| startlocalnotes                                       | \startlocalnotes [] \stoplocalnotes   |
| startlocalsetups                                      | \startlocalsetups [] [] \stoplocalsetups  |
| startlocalsetups:string                               | \startlocalsetups \stoplocalsetups  |
| startlua  | \startlua \stoplua  |
| startluacode  | \startluacode \stopluacode  |
| startluaparameterset                                  | \startluaparameterset [] \stopluaparameterset   |
| startluasetups  | \startluasetups [] [] \stopluasetups  |
| startluasetups:string                                 | \startluasetups \stopluasetups  |
| startMPclip   | \startMPclip {} \stopMPclip   |
| startMPcode   | \startMPcode {} \stopMPcode   |
| startMPdefinitions                                    | \startMPdefinitions {} \stopMPdefinitions   |
| startMPdrawing  | \startMPdrawing [] \stopMPdrawing   |
| startMPenvironment                                    | \startMPenvironment [] \stopMPenvironment   |
| startMPextensions                                     | \startMPextensions {} \stopMPextensions   |
| startMPinclusions                                     | \startMPinclusions [] {} \stopMPinclusions  |
| startMPinitializations                                | \startMPinitializations \stopMPinitializations  |
| startMPpositiongraphic                                | \startMPpositiongraphic {} {} \stopMPpositiongraphic  |
| startMPpositionmethod                                 | \startMPpositionmethod {} \stopMPpositionmethod   |
| startMPrun  | \startMPrun {} \stopMPrun   |
| startmarginalnilinka                                  | \startmarginalnilinka [] \stopmarginalnilinka   |
| startmarginalnilinka:assignment                       | \startmarginalnilinka [=] \stopmarginalnilinka  |
| startmarginblock                                      | \startmarginblock [] \stopmarginblock   |
| startmarkedcontent                                    | \startmarkedcontent [] \stopmarkedcontent   |
| startmathalignment:instance                           | \startMATHALIGNMENT [=] \stopMATHALIGNMENT  |
| startmathalignment:instance:align                     | \startalign [=] \stopalign  |
| startmathalignment:instance:mathalignment             | \startmathalignment [=] \stopmathalignment  |
| startmathcases:instance                               | \startMATHCASES [=] \stopMATHCASES  |
| startmathcases:instance:cases                         | \startcases [=] \stopcases  |
| startmathcases:instance:mathcases                     | \startmathcases [=] \stopmathcases  |
| startmathmatrix:instance                              | \startMATHMATRIX [=] \stopMATHMATRIX  |
| startmathmatrix:instance:mathmatrix                   | \startmathmatrix [=] \stopmathmatrix  |
| startmathmatrix:instance:matrix                       | \startmatrix [=] \stopmatrix  |
| startmathmode   | \startmathmode \stopmathmode  |
| startmathstyle  | \startmathstyle [] \stopmathstyle   |
| startmatrices   | \startmatrices [=] \stopmatrices  |
| startmaxaligned                                       | \startmaxaligned \stopmaxaligned  |
| startmiddlealigned                                    | \startmiddlealigned \stopmiddlealigned  |
| startmixedcolumns                                     | \startmixedcolumns [] [=] \stopmixedcolumns   |
| startmixedcolumns:instance                            | \startMIXEDCOLUMNS [=] \stopMIXEDCOLUMNS  |
| startmixedcolumns:instance:boxedcolumns               | \startboxedcolumns [=] \stopboxedcolumns  |
| startmixedcolumns:instance:itemgroupcolumns           | \startitemgroupcolumns [=] \stopicedcolumns \startitemgroupcolumns  |
| startmixedcorumns.Instance.Itemgroupcorumns startmode | \startmode [] \stopnode   |
| startmodeset  | \startmodeset [] {} \stopmodeset  |
| startmodule   | \startmodule [] \stopmoduset  |
| startmoduletestsection                                | \startmoduletestsection \stopmoduletestsection  |
| startmodule:string                                    | \startmodule \stopmodule \startmodule   |
| startnadpis   | \startnadpis [] {} \stopmodule  |
| startnamedsection                                     | \startnampis [] [ \stopnampis \startnamedsection [] [=] [=] \stopnamedsection   |
| Dual diamondocotton                                   | 'Soar and another first |

| startnamedsubformulas  | \startnamedsubformulas [] {} \stopnamedsubformulas  |
|--|---|
| startnaproti   | \startnaproti \stopnaproti  |
| startnarrower  | \startnarrower [] \stopnarrower   |
| startnarrower:example  | \startNARROWER [] \stopNARROWER   |
| -  | \startnegativ \stopnegativ  |
| startnegativ   |   |
| startnicelyfilledbox   | \startnicelyfilledbox [=] \stopnicelyfilledbox  |
| startnointerference  | \startnointerference \stopnointerference  |
| startnotallmodes   | \startnotallmodes [] \stopnotallmodes   |
| startnotext  | \startnotext \stopnotext  |
| startnotmode   | \startnotmode [] \stopnotmode   |
| startobrazek   | \startobrazek [] [] \stopobrazek  |
| startodlozit   | \startodlozit [] \stopodlozit   |
| startodstavec  | \startodstavec [] [=] \stopodstavec   |
| startoramovani   | \startoramovani [] [=] \stoporamovani   |
|  | \startFRAMEDTEXT [] [=] \stopFRAMEDTEXT   |
| startoramovanytext:instance  |   |
| startoramovanytext:instance:framedtext   | \startframedtext [] [=] \stopframedtext   |
| startoutputstream  | \startoutputstream [] \stopoutputstream   |
| startoverprint   | \startoverprint \stopoverprint  |
| startpagefigure  | \startpagefigure [] [=] \stoppagefigure   |
| startpagegrid  | \startpagegrid [] [=] \stoppagegrid   |
| startpagegridspan  | \startpagegridspan [] [=] \stoppagegridspan   |
| startpagegrid:example  | \startPAGEGRID [=] \stopPAGEGRID  |
| startpagelayout  | \startpagelayout [] \stoppagelayout   |
| startpar   | \startpar [] [=] \stoppar   |
| startparagraphs  | \startparagraphs [] \stopparagraphs   |
|  |   |
| startparagraphscell  | \startparagraphscell \stopparagraphscell  |
| startparagraphs:example  | \startPARAGRAPHS \stopPARAGRAPHS  |
| startparallel:example  | \startPARALLEL \stopPARALLEL  |
| startparbuilder  | \startparbuilder [] \stopparbuilder   |
| startplacefloat  | \startplacefloat [] [=] \stopplacefloat   |
| startplacefloat:instance   | \startumistiFLOAT [=] [=] \stopumistiFLOAT  |
| startplacefloat:instance:figure  | \startumistifigure [=] [=] \stopumistifigure  |
| startplacefloat:instance:graphic   | \startumistigraphic [=] [=] \stopumistigraphic  |
| startplacefloat:instance:chemical  | \startumistichemical [=] [=] \stopumistichemical  |
| startplacefloat:instance:intermezzo  | \startumistiintermezzo [=] [=] \stopumistiintermezzo  |
| startplacefloat:instance:table   | \startumistitable [=] [=] \stopumistitable  |
| <del>-</del>   |   |
| startplacepairedbox  | \startplacepairedbox [] [=] \stopplacepairedbox   |
| startplacepairedbox:instance   | \startumistiPAIREDBOX [=.] \stopumistiPAIREDBOX   |
|  | \startumistilegend [=] \stopumistilegend  |
| startplacepairedbox:instance:legend  |   |
| startpolozka   | \startpolozka [] \stoppolozka   |
| startpolozka<br>startpopis:example   | \startpolozka [] \stoppolozka \startPOPIS [=] \stopPOPIS  |
| startpolozka<br>startpopis:example<br>startpopis:example:title   | \startpOlozka [] \stoppOlozka \startPOPIS [=] \stopPOPIS \startPOPIS [] {} \stopPOPIS   |
| startpolozka<br>startpopis:example<br>startpopis:example:title   | \startpOlozka [] \stoppOlozka \startPOPIS [=] \stopPOPIS \startPOPIS [] {} \stopPOPIS   |
| startpolozka<br>startpopis:example   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=.] \stoppositioning   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv  | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startpoPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi  | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example  | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [=] \stopNOTE \startendnote [=] \stopendnote   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [=] \stopNOTE \startendnote [=] \stopendnote   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositiv startpozadi startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:footnote   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startendnote [=] \stoppodnote \startfootnote [=] \stopfootnote   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:endnote   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startpositioning [] [=.] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=.] \stoppozadi \startpoZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startnotnote [=] \stoppondnote \startfootnote [=] \stopfootnote \startfootnote [] \stopfootnote \startfootnote [] \stopfootnote   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote  | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startpositioning [] [=.] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=.] \stoppozadi \startpozadi [=.] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startnotnote [] \stopnototote \startfootnote [] \stopfootnote  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote  | \startpolozka [] \stoppolozka \startpopis [=.] \stoppopis \startpopis [] {} \stoppopis \startpositioning [] [=] \stoppositioning \startpositiv overlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startnoote [] \stopnote \startnoote [] \stopnote \startnoote [] \stoppodnote \startfootnote [] \stopfootnote \startfootnote [] \stopfootnote \startpotenote [] \stoppocessassignmentcommand \startprocessassignmentcommand [] \stopprocessassignmentcommand   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote  | \startpolozka [] \stoppolozka \startpopis [=.] \stoppopis \startpopis [] {} \stoppopis \startpositioning [] [=] \stoppositioning \startpositiv overlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=.] \stoppozadi \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startnoote [] \stopnoote \startnoote [] \stopnoote \startnoote [] \stoppondnote \startfootnote [] \stoppondnote \startfootnote [] \stoppootnote \startfootnote [] \stoppootnote \startpotenote [] \stoppootnote \startpocessassignmentcommand [] \stopprocessassignmentcommand \startprocessassignmentlist [] \stopprocessassignmentlist   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommacommand  | \startpolozka [] \stoppolozka \startpopis [=.] \stoppopis \startpopis [] {} \stoppopis \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startnoote [] \stopnoote \startnoote [] \stopnoote \startnoote [] \stoppodnote \startfootnote [] \stoppodnote \startfootnote [] \stoppootnote \startpotnote [] \stoppootnote \startpotnoote [] \stoppootnote \startpocessassignmentcommand [] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommacommand startprocesscommalist  | \startpolozka [] \stoppolozka \startpOPIS [=] \stopPOPIS \startpOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startnotnote [=] \stopPodnote \startfootnote [=] \stopfootnote \startfootnote [] \stopfootnote \startfootnote [] \stopfootnote \startprocessassignmentcommand [=] \stopprocessassignmentcommand \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprocesscommalist   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommacommand startprocesscommalist startprodukt   | \startpolozka [] \stoppolozka \startpOPIS [=] \stopPOPIS \startpOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startnotnote [] \stopPodnote \startfootnote [] \stoppodnote \startfootnote [] \stopfootnote \startpotnote [] \stopfootnote \startpotnote [] \stoppocessassignmentcommand \startprocessassignmentlist [] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprocesscommalist \startprodukt [] \stopprodukt  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentlist startprocesscommacommand startprocesscommalist startprodukt startprodukt:string   | \startpolozka [] \stoppolozka \startpopis [=] \stoppopis \startpopis [] {} \stoppopis \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startnOTE [] \stopNOTE \startnOTE [] \stopNOTE \startnotnote [] \stoppodnote \startfootnote [] \stoppodnote \startfootnote [] \stopfootnote \startfootnote [] \stoppodnote \startprocessassignmentcommand [] \stopprocessassignmentcommand \startprocessassignmentlist [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprocesscommalist \startprodukt [] \stopprodukt \startprodukt [] \stopprodukt   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommalist startprodukt startprodukt:string startprojekt  | \startpolozka [] \stoppolozka \startpoppoppoppoppoppoppoppoppoppoppoppoppop   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentlist startprocesscommacommand startprocesscommalist startprodukt startprodukt:string   | \startpolozka [] \stoppolozka \startpoppis [=] \stoppoppis \startpopis [] {} \stoppoppis \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startnotte [] \stopnotte \startnotte [] \stopnotte \startnotte [] \stopnotte \startfootnote [=] \stopfootnote \startfootnote [] \stopfootnote \startpoppocessassignmentcommand [=] \stopprocessassignmentcommand \startprocessassignmentlist [=] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprodukt [] \stopprodukt \startprodukt [] \stopprodukt \startprojekt [] \stopprojekt \startprojekt [] \stopprojekt   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommalist startprodukt startprodukt:string startprojekt  | \startpolozka [] \stoppolozka \startpoproperion \startpopro |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentlist startprocessassignmentlist startprocesscommalist startprodukt startprodukt:string startprojekt startprojekt:string   | \startpolozka [] \stoppolozka \startpoppis [=] \stoppoppis \startpopis [] {} \stoppoppis \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startpozadi [=] \stoppozadi \startnotte [] \stopnotte \startnotte [] \stopnotte \startnotte [] \stopnotte \startfootnote [=] \stopfootnote \startfootnote [] \stopfootnote \startpoppocessassignmentcommand [=] \stopprocessassignmentcommand \startprocessassignmentlist [=] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprodukt [] \stopprodukt \startprodukt [] \stopprodukt \startprojekt [] \stopprojekt \startprojekt [] \stopprojekt   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommalist startprodukt startprodukt:string startprojekt startprojekt:string startprostredi   | \startpolozka [] \stoppolozka \startpoproperion \startpopro |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommalist startprodukt startprodukt:string startprojekt startprostredi startprostredi startprostredi:string  | \startpolozka [] \stoppolozka \startpOPIS [=.] \stopPOPIS \startpOPIS [] {} \stopPOPIS \startpositioning [] [=.] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=.] \stoppozadi \startpOZADI [=.] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startendnote [] \stopNOTE \startendnote [] \stopfootnote \startfootnote [] \stopfootnote \startpotnote [] \stopfootnote \startprocessassignmentcommand [=.] \stopprocessassignmentcommand \startprocessassignmentlist [=.] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprodukt [] \stopprodukt \startprodukt [] \stopprodukt \startprojekt [] \stopprojekt \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprostredi \stopprostredi \startprotectedcolors \stopprotectedcolors   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommalist startprodukt startprodukt:string startprojekt startprojekt:string startprostredi startprostredi:string startprostredi:string startprotectedcolors   | \startpolozka [] \stoppolozka \startpOPIS [=] \stopPOPIS \startpOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startpOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startNOTE [] \stopPOTADI \startpozadi [] \stopendnote \startpoznote [] \stoppozadi \startpoze \startpoz  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositionoverlay startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommalist startprodukt startprodukt:string startprojekt startprojekt:string startprostredi startprostredi:string startprostredi:string startprotectedcolors startpublikace startradek   | \startpolozka [] \stoppolozka \startpOPIS [=] \stopPOPIS \startpOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositionoverlay \startpositiv \stoppozadi \startpozadi [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startnOTE [] \stopNOTE \startendnote [] \stopendnote \startfootnote [] \stopendnote \startfootnote [] \stopfootnote \startpocessassignmentcommand [] \stopprocessassignmentcommand \startprocessassignmentlist [] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprocesscommalist \startprodukt [] \stopprodukt \startprojekt [] \stopprojekt \startprojekt [] \stopprojekt \startprojekt \stopprostredi \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprotectedcolors \stopprotectedcolors \startprotectedcolors \stopprotectedcolors \startprotectedcolors \stopprotectedcolors \startprotectedcolors [] [] \stopprotectedcolors \startprotectedcolors \stopprotectedcolors \startprotectedcolors \stopprotectedcolors \startprotectedcolors [] [] \stopprotectedcolors \startpotectedcolo  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:foo | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stoppozadi \startPOZADI [=] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startendnote [] \stopPotentote \startendnote [] \stopendnote \startfootnote [] \stopfootnote \startpocessassignmentcommand [] \stopprocessassignmentcommand \startprocessassignmentlist [] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprocesscommalist \startprodukt [] \stopprodukt \startprojekt [] \stopprojekt \startprojekt [] \stopprojekt \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprotectedcolors \stopprotectedcolors \startpublikace [] [=.] \stoppublikace \startradek [] \startLINES [=.] \stopLINES   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentlist startprocessassignmentlist startprocesscommacommand startprocesscommalist startprodukt startprodukt startprodukt:string startprojekt startprojekt:string startprostredi startprostredi startprostredi startprotectedcolors startpublikace startradek startradky:instance startradky:instance   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stopPOZADI \startPOZADI [=.] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startcotnote [] \stopPodnote \startfootnote [] \stopfootnote \startfootnote [] \stopfootnote \startprocessassignmentcommand [] \stopprocessassignmentcommand \startprocessassignmentlist [] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprocesscommalist \startprodukt [] \stopprodukt \startprodukt \stopprodukt \startprojekt [] \stopprojekt \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprotectedcolors \stopprostredi \startprotectedcolors \stopprostredi \startprotectedcolors \stopprostredi \startprotectedcolors \stopprostredi \startprodukt [] \stopprostredi \startprotectedcolors \stopprostredi \startprostredi \  |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentcommand startprocessassignmentlist startprocesscommacommand startprocesscommalist startprodukt startprojekt startprojekt startprojekt startprojekt:string startprostredi startprostredi startprostredi startprotectedcolors startpublikace startradky:instance startradky:instance startradomized  | \startpolozka [] \stoppolozka \startPOPIS [=] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \startpositiv \stoppositiv \startpozadi [] \stopPOZADI \startPOZADI [] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \startendnote [] \stopPodanote \startfootnote [] \stopendnote \startfootnote [] \stoppodanote \startpocksastipnentcommand [] \stopprocessassignmentcommand \startprocessassignmentlist [] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprocesscommalist \startprodukt [] \stopprodukt \startprodukt [] \stopprojekt \startprojekt [] \stopprojekt \startprostredi [] \stopprostredi \startprostre   |
| startpolozka startpopis:example startpopis:example:title startpositioning startpositiv startpozadi startpozadi:example startpoznamka:instance startpoznamka:instance:assignment startpoznamka:instance:assignment:endnote startpoznamka:instance:assignment:footnote startpoznamka:instance:endnote startpoznamka:instance:endnote startpoznamka:instance:footnote startpoznamka:instance:footnote startpoznamka:instance:footnote startprocessassignmentlist startprocessassignmentlist startprocesscommacommand startprocesscommalist startprodukt startprodukt startprodukt:string startprojekt startprojekt:string startprostredi startprostredi startprostredi startprotectedcolors startpublikace startradek startradky:instance startradky:instance   | \startpolozka [] \stoppolozka \startPOPIS [=.] \stopPOPIS \startPOPIS [] {} \stopPOPIS \startPOPIS [] {} \stopPOPIS \startpositioning [] [=] \stoppositioning \startpositionoverlay {} \stoppositionoverlay \startpositiv \stoppositiv \startpozadi [=] \stopPOZADI \startPOZADI [=.] \stopPOZADI \startNOTE [] \stopNOTE \startNOTE [] \stopNOTE \starttnOTE [] \stopNOTE \startendnote [] \stopPodnote \startfootnote [] \stopfootnote \startfootnote [] \stopfootnote \startprocessassignmentcommand [] \stopprocessassignmentcommand \startprocessassignmentlist [] \stopprocessassignmentlist \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommacommand [] \stopprocesscommacommand \startprocesscommalist [] \stopprodukt \startprodukt [] \stopprodukt \startprojekt [] \stopprojekt \startprojekt [] \stopprostredi \startprostredi [] \stopprostredi \startprostredi [] \stopprostredi \startprotectedcolors \stopprostredi \startprotectedcolors \stopprostredi \startprotectedcolors \stopprostredi \startprodukce [] [=.] \stoppublikace \startlines [] \stoplines  |

```
startreadingfile
                                                       \startreadingfile ... \stopreadingfile
                                                       \startregime [...] ... \stopregime
startregime
                                                       \startregister [...] [...] [...] [...+...+..]
startregister
startreusableMPgraphic
                                                       \startrovnice [...] ... \stoprovnice
startrovnice
                                                       \startrovnice [..=..] ... \stoprovnice
startrovnice:assignment
                                                        \startFORMULAformula [...] ... \stopFORMULAformula
startrovnice:instance
                                                        \startmdformula [...] ... \stopmdformula
startrovnice:instance:md
                                                        \startmpformula [...] ... \stopmpformula
startrovnice:instance:mp
                                                        \startsdformula [...] ... \stopsdformula
startrovnice:instance:sd
                                                        \startspformula [...] ... \stopspformula
startrovnice:instance:sp
startrozbalene
                                                       \startrozbalene ... \stoprozbalene
                                                       \startscript [...] ... \stopscript
startscript
startsectionblock
                                                       \verb|\startsectionblock| [...] [..=..] ... \verb|\stopsectionblock|
                                                       \startsectionblockenvironment [...] ... \stopsectionblockenvironment
startsectionblockenvironment
startsectionblock:instance
                                                        \startSECTIONBLOCK [..=..] ... \stopSECTIONBLOCK
                                                        \startappendices [..=..] ... \stopappendices
startsectionblock:instance:appendices
                                                        \startbackmatter [..=..] ... \stopbackmatter
startsectionblock:instance:backmatter
startsectionblock:instance:bodymatter
                                                        \startbodymatter [..=..] ... \stopbodymatter
                                                        \startfrontmatter [..=..] ... \stopfrontmatter
startsectionblock:instance:frontmatter
                                                       \verb|\startsectionlevel| [...] [..=..] [..=..] ... \verb|\stopsectionlevel|
startsectionlevel
                                                        \startSECTION [..=..] [..=..] ... \stopSECTION
startsekce:instance
                                                        \startchapter [..=..] [..=..] ... \stopchapter
startsekce:instance:chapter
startsekce:instance:part
                                                        \startpart [..=..] [..=..] ... \stoppart
                                                        \tstartsection [..=..] [..=..] ... \tstopsection
startsekce:instance:section
                                                       \startsubject [..=..] [..=..] ... \stopsubject \startsubsection [..=..] [..=..] ... \stopsubsection \startsubsubject [..=..] [..=..] ... \stopsubsubject
startsekce:instance:subject
startsekce:instance:subsection
startsekce:instance:subsubject
                                                        startsekce:instance:subsubsection
                                                        \startsubsubsubject [..=..] [..=..] ... \stopsubsubsubject
startsekce:instance:subsubsubject
startsekce:instance:subsubsection
                                                        \startsubsubsubsection [..=..] [..=..] ... \stopsubsubsection
                                                        \verb|\startsubsubsubject| [..=..] [..=..] ... \verb|\stopsubsubsubject|
startsekce:instance:subsubsubsubject
                                                        startsekce:instance:subsubsubsubsection
startsekce:instance:subsubsubsubsubject
                                                        \starttitle [..=..] [..=..] ... \stoptitle
startsekce:instance:title
                                                       \startsetups [...] [...] \stopsetups
startsetups
startsetups:string
                                                       \startsetups ... \stopsetups
                                                       \startshift [...] ... \stopshift
startshift
startsidebar
                                                       \startsidebar [...] [..=..] ... \stopsidebar
                                                       \startsimplecolumns [..=..] ... \stopsimplecolumns
startsimplecolumns
                                                       \startsloupce [..=..] ... \stopsloupce
startsloupce
startspecialitem:item
                                                       \startspecialitem [...] [...] \stopspecialitem
                                                       \startspecialitem [...] ... \stopspecialitem
startspecialitem:none
                                                       \startspecialitem [...] {...} \stopspecialitem
startspecialitem:symbol
startsplitformula
                                                       \startsplitformula ... \stopsplitformula
startspread
                                                       \startspread ... \stopspread
                                                       \start [...] ... \stop
startstartstop
startstartstop:example
                                                        \startSTARTSTOP ... \stopSTARTSTOP
startstaticMPfigure
                                                       \startstaticMPfigure {...} ... \stopstaticMPfigure
                                                       \verb|\startstaticMPgraphic {...} {...} ... \verb|\stopstaticMPgraphic||
startstaticMPgraphic
                                                       \STARTSTOP {...}
startstop:example
startstrictinspectnextcharacter
                                                       \verb|\startstrictinspectnextcharacter| \dots \verb|\stopstrictinspectnextcharacter| \\
startstructurepageregister
                                                       \startstructurepageregister [...] [..=..] [..=..]
startstyle
                                                       \startstyle [..=..] ... \stopstyle
startstyle:argument
                                                       \startstyle [...] ... \stopstyle
startstyle:instance
                                                        \startSTYLE ... \stopSTYLE
                                                       \startsubformulas [...] ... \stopsubformulas \startsubjectlevel [...] [..=..] [..=..] ... \stopsubjectlevel
startsubformulas
startsubjectlevel
startsubsentence
                                                       \startsubsentence ... \stopsubsentence
startsubstack
                                                       \startsubstack ... \stopsubstack
                                                       \startsymbolset [...] ... \stopsymbolset
startsymbolset
startTABLE
                                                       \startTABLE [..=..] ... \stopTABLE
                                                       \startTABLEbody [..=..] ... \stopTABLEbody \startTABLEfoot [..=..] ... \stopTABLEfoot \startTABLEhead [..=..] ... \stopTABLEhead
startTABLEbody
startTABLEfoot
startTABLEhead
                                                       \startTABLEnext [..=..] ... \stopTABLEnext
startTABLEnext
starttabelator
                                                       \starttabelator [/.../] [..=..] ... \stoptabelator
                                                       \verb|\startTABULATE| [...]^T [..=..] ... \verb|\stopTABULATE|
starttabelator:instance
                                                       \startfact [...] [..=..] ... \stopfact
starttabelator:instance:fact
starttabelator:instance:legend
                                                        \startlegend [...] [..=..] ... \stoplegend
                                                       starttabulatehead
starttabulatetail
```

| starttabulation:example                                   | \startTABULATION [] [=] \stopTABULATION                   |
|---|---|
| starttabulka  | \starttabulka [  ] [=] \stoptabulka                       |
| starttabulka:name   | \starttabulka [] [=] \stoptabulka                         |
| starttabulky  | \starttabulky [  ] \stoptabulky                           |
| starttabulky:name   | \starttabulky [] \stoptabulky                             |
| starttexcode  | \starttexcode \stoptexcode                                |
| starttexdefinition  | \starttexdefinition \stoptexdefinition                    |
| starttext   | \starttext \stoptext                                      |
| starttextbackground                                       | \starttextbackground [] [=] \stoptextbackground           |
| starttextbackgroundmanual                                 | \starttextbackgroundmanual \stoptextbackgroundmanual      |
| starttextbackground:example                               | \startTEXTBACKGROUND [=] \stopTEXTBACKGROUND              |
|   | \starttextcolor [] \stoptextcolor                         |
|   | \starttextcolorintent \stoptextcolorintent                |
|   | \starttextflow [] \stoptextflow                           |
|   | \starttextnapovedy [] \stoptextnapovedy                   |
| starttextovalinka   | \starttextovalinka {} \stoptextovalinka                   |
| starttextpopisku:instance                                 | \startLABELtext [] [ \stopLABELtext                       |
|   | \startbtxlabeltext [] [] \stopbtxlabeltext                |
| starttextpopisku:instance:head                            | \startheadtext [] [ \stopheadtext                         |
| starttextpopisku:instance:label                           | \startlabeltext [] [] \stoplabeltext                      |
| starttextpopisku:instance:mathlabel                       | \startmathlabeltext [] [ \stopmathlabeltext               |
|   | \startoperatortext [] [ \stopoperatortext                 |
| starttextpopisku:instance:prefix                          | \startprefixtext [] [] \stopprefixtext                    |
| starttextpopisku:instance:suffix                          | \startsuffixtext [] [] \stopsuffixtext                    |
| starttextpopisku:instance:taglabel                        | \starttaglabeltext [] [] \stoptaglabeltext                |
| starttextpopisku:instance:unit                            | \startunittext [] [] \stopunittext                        |
|   | \starttokens [] \stoptokens                               |
|   | \starttransparent [] \stoptransparent                     |
|   | \starttypescript [] [] \stoptypescript                    |
|   | \starttypescriptcollection [] \stoptypescriptcollection   |
| starttyping:instance                                      | \startTYPING [=.] \stopTYPING                             |
| starttyping:instance:argument                             | \startTYPING [] \stopTYPING                               |
| starttyping:instance:argument:LUA                         | \startLUA [] \stopLUA                                     |
| starttyping:instance:argument:MP                          | \startMP [] \stopMP                                       |
| starttyping:instance:argument:PARSEDXML                   | \startPARSEDXML [] \stopPARSEDXML                         |
| -   | \startTEX [] \stopTEX                                     |
| starttyping:instance:argument:typing                      | \starttyping [] \stoptyping                               |
|   | \startXML [] \stopXML                                     |
| starttyping:instance:LUA                                  | \startLUA [=] \stopLUA                                    |
| starttyping:instance:MP<br>starttyping:instance:PARSEDXML | \startMP [=] \stopMP \startPARSEDXML [=] \stopPARSEDXML   |
| V. 9  | \startTEX [=] \stopTEX                                    |
| starttyping:instance:typing                               | \starttyping [=] \stoptyping                              |
| starttyping:instance:XML                                  | \startXML [=] \stopXML                                    |
|   | \startumistirovnici [=] \stopumistirovnici                |
|   | \startumistirovnici [] \stopumistirovnici                 |
| <u> </u>  | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic          |
|   | \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic  |
|   | \startusableMPgraphic {} {} \stopusableMPgraphic          |
|   | \startuseMPgraphic \{\dots\} \\.\\\ \stopuseMPgraphic     |
|   | \startusemathstyleparameter \\stopusemathstyleparameter   |
|   | \startusingbtxspecification [] \stopusingbtxspecification |
|   | \startuzky [] [=] \stopuzky                               |
|   | \startuzky [=] [] \stopuzky                               |
|   | \startuzky [] [] \stopuzky                                |
|   | \startvboxregister\stopvboxregister                       |
|   | \startvboxtohbox \stopvboxtohbox                          |
|   | \startvboxtohboxseparator \stopvboxtohboxseparator        |
|   | \startviewerlayer [] \stopviewerlayer                     |
|   | \startVIEWERLAYER \stopVIEWERLAYER                        |
| startvisici   | \startvisici [=] {} \stopvisici                           |
|   | \startvisici [] {} \stopvisici                            |
| startvtopregister   | \startvtopregister \stopvtopregister                      |
| startvycet:example  | \startVYCET [=] \stopVYCET                                |
| startvycet:example:title                                  | \startVYCET [] {} \stopVYCET                              |
|   | \startxcell [] [=] \stopxcell                             |
|   | \startxcellgroup [] [=] \stopxcellgroup                   |
|   | \startxgroup [] [=] \stopxgroup                           |
|   | $\$ \startxmldisplayverbatim [] \stopxmldisplayverbatim   |
|   | \startxmlinlineverbatim [] \stopxmlinlineverbatim         |
|   | \startxmlraw \stopxmlraw                                  |
| startxmlsetups  | \startxmlsetups [] [] \stopxmlsetups                      |

| gtortyml gotupg gtring          | \startxmlsetups \stopxmlsetups               |
|---------------------------------|--|
| startxmlsetups:string           |  |
| startxrow                       | \startxrow [] [=] \stopxrow                  |
| startxrowgroup                  | \startxrowgroup [] [=] \stopxrowgroup        |
| startxtable                     | \startxtable [=] \stopxtable                 |
| startxtablebody                 | \startxtablebody [=] \stopxtablebody         |
| •                               |  |
| startxtablebody:name            | \startxtablebody [] \stopxtablebody          |
| startxtablefoot                 | \startxtablefoot [=] \stopxtablefoot         |
| startxtablefoot:name            | \startxtablefoot [] \stopxtablefoot          |
| startxtablehead                 | \startxtablehead [=] \stopxtablehead         |
|                                 |  |
| startxtablehead:name            | \startxtablehead [] \stopxtablehead          |
| startxtablenext                 | \startxtablenext [=] \stopxtablenext         |
| startxtablenext:name            | \startxtablenext [] \stopxtablenext          |
| startxtable:example             | \startXTABLE [=] \stopXTABLE                 |
| <u>.</u>                        |  |
| startxtable:name                | \startxtable [] \stopxtable                  |
| startzahlavitabulky             | \startzahlavitabulky [] \stopzahlavitabulky  |
| startzarovnanonastred           | \startzarovnanonastred \stopzarovnanonastred |
| startzarovnanovlevo             | \startzarovnanovlevo \stopzarovnanovlevo     |
|                                 |  |
| startzarovnanovpravo            | \startzarovnanovpravo \stopzarovnanovpravo   |
| startzhustene                   | \startzhustene [] \stopzhustene              |
| startzlom                       | \startzlom [] [=] \stopzlom                  |
| startzlom:instance              | \startMAKEUPzlom [=] \stopMAKEUPzlom         |
|                                 |  |
| startzlom:instance:middle       | \startmiddlezlom [=] \stopmiddlezlom         |
| startzlom:instance:page         | \startpagezlom [=] \stoppagezlom             |
| startzlom:instance:standard     | \startstandardzlom [=] \stopstandardzlom     |
| startzlom:instance:text         | \starttextzlom [=] \stoptextzlom             |
|                                 | <del>-</del>                                 |
| stoplinenote:instance           | \stopLINENOTE []                             |
| stoplinenote:instance:linenote  | \stoplinenote []                             |
| stopradek                       | \stopradek []                                |
| -                               | -  |
| stopregister                    | \stopregister [] []                          |
| stopstructurepageregister       | \stopstructurepageregister [] []             |
| strana                          | \strana []                                   |
| strictdoifelsenextoptional      | \strictdoifelsenextoptional {} {}            |
| <del>-</del>                    |  |
| strictdoifnextoptionalelse      | \strictdoifnextoptionalelse {} {}            |
| stripcharacter                  | \stripcharacter \from \to \                  |
| strippedcsname                  | \strippedcsname \                            |
| strippedcsname:string           | \strippedcsname                              |
|                                 | ==   |
| stripspaces                     | \stripspaces \from \to \                     |
| structurelistuservariable       | \structurelistuservariable {}                |
| structurenumber                 | \structurenumber                             |
| structuretitle                  | \structuretitle                              |
|                                 | •••  |
| structureuservariable           | \structureuservariable {}                    |
| structurevariable               | \structurevariable {}                        |
| strut                           | \strut                                       |
| strutdp                         | \strutdp                                     |
| -                               | · · · · · · · · · · · · · · · · · · ·        |
| strutgap                        | \strutgap                                    |
| strutht                         | \strutht                                     |
| struthtdp                       | \struthtdp                                   |
| struttedbox                     | \struttedbox {}                              |
|                                 |  |
| strutwd                         | \strutwd                                     |
| style                           | \style [=] {}                                |
| styleinstance                   | \styleinstance []                            |
| style:argument                  | \style [] {}                                 |
| •                               | •  |
| style:instance                  | \STYLE {}                                    |
| subpagenumber                   | \subpagenumber                               |
| subsentence                     | \subsentence {}                              |
| substituteincommalist           | \substituteincommalist {} {} \               |
|                                 |  |
| subtractfeature                 | \subtractfeature []                          |
| subtractfeature:direct          | \subtractfeature {}                          |
| swapcounts                      | \swapcounts \ \                              |
| swapdimens                      | \swapdimens \ \                              |
|                                 |  |
| swapface                        | \swapface                                    |
| swapmacros                      | \swapmacros \ \                              |
| swaptypeface                    | \swaptypeface                                |
| switchstyleonly                 | \switchstyleonly []                          |
|                                 |  |
| switchstyleonly:command         | \switchstyleonly \                           |
| switchtocolor                   | \switchtocolor []                            |
| switchtointerlinespace          | \switchtointerlinespace [] [=]               |
| -                               |  |
| switchtointerlinespace:argument | \switchtointerlinespace []                   |
| switchtointerlinespace:name     | \switchtointerlinespace []                   |
| symbol                          | \symbol [] []                                |
| symbolreference                 | \symbolreference []                          |
| •                               |  |
| symbol:direct                   | \symbol {}                                   |

| synctexblockfilename           | \synctexblockfilename {}              |
|--------------------------------|---------------------------------------|
| synctexresetfilename           | \synctexresetfilename                 |
| synctexsetfilename             | \synctexsetfilename {}                |
| ·                              | · ·                                   |
| synchronizeblank               | \synchronizeblank                     |
| synchronizeindenting           | \synchronizeindenting                 |
| synchronizemarking             | \synchronizemarking [] []             |
| synchronizeoutputstreams       | \synchronizeoutputstreams []          |
| synchronizestrut               | \synchronizestrut {}                  |
| synchronizewhitespace          | \synchronizewhitespace                |
| synonym:instance               | \SYNONYM [] {}                        |
| , ,                            |                                       |
| synonym:instance:abbreviation  | \abbreviation [] {}                   |
| systemlog                      | \systemlog {} {}                      |
| systemlogfirst                 | \systemlogfirst {} {}                 |
| systemloglast                  | \systemloglast {} {}                  |
| systemsetups                   | \systemsetups {}                      |
| TABLE                          | \TABLE                                |
| TaBlE                          | \TaB1E                                |
|                                |                                       |
| TEX                            | \TEX                                  |
| TeX                            | TeX                                   |
| TheNormalizedFontSize          | \TheNormalizedFontSize                |
| TransparencyHack               | \TransparencyHack                     |
| tabulateautoline               | \tabulateautoline                     |
| tabulateautorule               | \tabulateautorule                     |
| tabulateline                   | \tabulateline                         |
|                                |                                       |
| tabulaterule                   | tabulaterule                          |
| taggedctxcommand               | \taggedctxcommand {}                  |
| taggedlabeltexts               | \taggedlabeltexts {} {}               |
| tbox                           | \tbox {}                              |
| tecka                          | \tecka {}                             |
| tecky                          | \tecky []                             |
| tecky:assignment               | \tecky [=]                            |
| •                              | · · · · · · · · · · · · · · · · · · · |
| tenkalinka                     | \tenkalinka                           |
| tenkelinky                     | \tenkelinky [=]                       |
| testandsplitstring             | \testandsplitstring \at \to \ \and \  |
| testcolumn                     | \testcolumn [] []                     |
| testfeature                    | \testfeature {} {}                    |
| testfeatureonce                | \testfeatureonce {} {}                |
| testpage                       | \testpage [] []                       |
|                                | \testpageonly []                      |
| testpageonly                   |                                       |
| testpagesync                   | \testpagesync []                      |
| testtokens                     | \testtokens []                        |
| tex                            | \tex {}                               |
| texdefinition                  | \texdefinition {}                     |
| texsetup                       | \texsetup {}                          |
| textbackground:example         | \TEXTBACKGROUND {}                    |
| textcitation                   | \textcitation [=] []                  |
| textcitation:alternative       | \textcitation [] []                   |
|                                |                                       |
| textcitation:userdata          | \textcitation [=] [=]                 |
| textcite                       | \textcite [=] []                      |
| textcite:alternative           | \textcite [] []                       |
| textcite:userdata              | \textcite [=] [=]                     |
| textcontrolspace               | \textcontrolspace                     |
| textflowcollector              | \textflowcollector {}                 |
| textmath                       | \textmath {}                          |
|                                |                                       |
| textminus                      | \textminus                            |
| textnapovedy                   | \textnapovedy [] {} {}                |
| textormathchar                 | \textormathchar {}                    |
| textovalinka                   | \textovalinka [] {}                   |
| textplus                       | \textplus                             |
| textpopisku:instance           | \LABELtext {}                         |
| textpopisku:instance:btxlabel  | \btxlabeltext {}                      |
|                                | \headtext {}                          |
| textpopisku:instance:head      |                                       |
| textpopisku:instance:label     | \labeltext {}                         |
| textpopisku:instance:mathlabel | \mathlabeltext {}                     |
| textpopisku:instance:operator  | \operatortext {}                      |
| textpopisku:instance:prefix    | \prefixtext {}                        |
| textpopisku:instance:suffix    | \suffixtext {}                        |
| textpopisku:instance:taglabel  | \taglabeltext {}                      |
|                                | 9                                     |
| textpopisku:instance:unit      | \unittext {}                          |
| textvisiblespace               | \textvisiblespace                     |
| thainumerals                   | \thainumerals {}                      |
| thefirstcharacter              | \thefirstcharacter {}                 |

| \thenormalizedbodyfontsize {}   |
|---|
| \theremainingcharacters {}  |
| \thickspace   |
| \thinspace  |
| \thirdoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$             |
| \thirdoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$                          |
| \thirdofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| \thirdofthreearguments {} {} {}   |
| \thirdofthreeunexpanded {} {} {}  |
| \threedigitrounding {}  |
| \tibetannumerals {}   |
| \tightlayer []  |
| \tilde {}   |
| \tinyfont   |
| \tlacitko [=] {} []   |
| \tlacitkomenu [=] {} {}   |
| \tlacitkomenu [] [=] {} {}  |
| \BUTTON [=] {} []   |
| \tlap {}  |
| \tloustkacary   |
| \tochar {}  |
| \tolinenote []  |
| \topbox {}  |
| \topleftbox {}  |
| \toplinebox {}  |
| \toprightbox {}   |
| \topskippedbox {}   |
| \tracecatcodetables   |
| \tracedfontname {}  |
| \traceoutputroutines  |
| \tracepositions   |
| \transparencycomponents {}  |
| \transparent [] {}  |
| \tref {} {} []  |
| \triplebond   |
| \truefilename {}  |
| \truefontname {}  |
| \ttraggedright  |
| \tucne  |
| \tucnekurzivni  |
| \tucnesklonene  |
| \tvrdamezera  |
| \tvrdemezery  |
| \twodigitrounding {}  |
| \tx   |
| \txx  |
| \typebuffer [] [=]  |
| \opisBUFFER [=]   |
| \typedefinedbuffer [] [=]   |
| \typeface   |
| \typeinlinebuffer [] [=]  |
| \typescriptone  |
| \typescriptprefix {}  |
| \typescriptthree  |
| \typescripttwo  |
| \typesetbuffer [] [=]   |
| \typesetfile [] [=]   |
| \uconvertnumber {} {}   |
| \uedcatcodecommand \ {}   |
| \ukazbarvu []   |
| \ukazmrizku []  |
| \ukaznastaveni []   |
| \ukazpaletu [] []   |
| \ukazpodpery  |
| \ukazpostredizakladnihofontu []   |
| \ukazramecek [] []  |
| \ukazsadusymbolu []   |
| \ukazskupinubarev [] []   |
| \ukazupravu []  |
| \ukazupiavu [] \ukazvytisk [] [] [=]  |
| \ukazvytisk [] [] \ukazvzhled []  |
| \ukazzakladnifont [ ]   |
|   |

| nmistikombinovanyseznam                              | \umistikombinovanyseznam [] [=]                           |
|--|---|
| mistikombinovanyseznam:instance                      | \umistiCOMBINEDLIST [=]                                   |
| mistikombinovanyseznam:instance:content              | \umisticontent [=]  |
| ımistilokalnipoznamkypodcarou                        | \umistilokalnipoznamkypodcarou [=]                        |
| mistinadsebe   | \umistinadsebe {} {}                                      |
| mistinamrizku  | \umistinamrizku [] {}                                     |
| mistinamrizku:list                                   | <pre>\umistinamrizku [] {} \umistipodrovnici []</pre>     |
| ımistipodrovnici<br>ımistipoznamkypodcarou           | \umistipodrovnici [] \umistipoznamkypodcarou [=]          |
| mistirejstrik  | \umistirejstrik [] [=]                                    |
| mistirejstrik:instance                               | \umistiREGISTER [=]                                       |
| mistirejstrik:instance:index                         | \umistiindex [=]  |
| mistirovnici   | \umistirovnici []   |
| nmistiseznam   | \umistiseznam [] [=]                                      |
| umistivedlesebe                                      | \umistivedlesebe {} {}                                    |
| ımistizalozky  | \umistizalozky [] [] [=]                                  |
| undefinevalue  | \undefinevalue {}   |
| undepthed  | \undepthed {}   |
| underset   | \underset {} {}   |
| ındoassign   | \undoassign [] [=]  |
| nexpandeddocumentvariable                            | \unexpandeddocumentvariable {}                            |
| ınhhbox  | \unhhbox \with {}   |
| nnihex   | <pre>\unihex {} \uniqueMPgraphic {} {=}</pre>             |
| nniqueMPgraphic<br>nniqueMPpagegraphic               | \uniqueMPpagegraphic \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| inprotect  | \unprotect \protect                                       |
| inprotected  | \unprotected \par   |
| nregisterhyphenationpattern                          | \unregisterhyphenationpattern [] []                       |
| unspaceafter   | \unspaceafter \ {}  |
| inspaceargument                                      | \unspaceargument \to \                                    |
| unspaced   | \unspaced {}  |
| nspacestring   | \unspacestring \to \                                      |
| untexargument  | \untexargument {} \to \                                   |
| untexcommand   | \untexcommand {} \to \                                    |
| uppercased   | \uppercased {}  |
| uppercasestring                                      | \uppercasestring \to \                                    |
| upperleftdoubleninequote                             | \upperleftdoubleninequote                                 |
| upperleftdoublesixquote                              | \upperleftdoublesixquote                                  |
| upperleftsingleninequote                             | \upperleftsingleninequote                                 |
| upperleftsinglesixquote<br>upperrightdoubleninequote | \upperleftsinglesixquote<br>\upperrightdoubleninequote    |
| pperrightdoublemmequote<br>pperrightdoublesixquote   | \upperrightdoublesixquote                                 |
| upperrightsingleninequote                            | \upperrightsingleninequote                                |
| pperrightsinglesixquote                              | \upperrightsinglesixquote                                 |
| rcicharakteristikurejstriku                          | \urcicharakteristikurejstriku [] [=]                      |
| ırl  | \url []   |
| usealignparameter                                    | \usealignparameter \                                      |
| ıseblankparameter                                    | \useblankparameter \                                      |
| sebodyfont   | \usebodyfont []   |
| ısebodyfontparameter                                 | \usebodyfontparameter \                                   |
| ısebtxdataset  | \usebtxdataset [] [] [=]                                  |
| sebtxdefinitions                                     | \usebtxdefinitions []                                     |
| secitation   | \usecitation []   |
| secitation:direct                                    | \usecitation {}   |
| secolors   | \usecolors []<br>\usecomponent []                         |
| nsecomponent<br>nsedummycolorparameter               | \usedummycolorparameter {}                                |
| usedummystyleandcolor                                | \usedummystyleandcolor \{\ldots\}                         |
| sedummystyleparameter                                | \usedummystyleparameter {}                                |
| seenvironment  | \useenvironment []  |
| seexternalrendering                                  | \useexternalrendering [] [] []                            |
| ısefigurebase  | \usefigurebase []   |
| usefile  | \usefile [] []  |
| nsegridparameter                                     | \usegridparameter \                                       |
| seindentingparameter                                 | \useindentingparameter \                                  |
| seindentnextparameter                                | \useindentnextparameter \                                 |
| seinterlinespaceparameter                            | \useinterlinespaceparameter \                             |
| ıselanguageparameter                                 | \uselanguageparameter \                                   |
| useluamodule   | \useluamodule []  |
| nseMPenvironmentbuffer                               | \useMPenvironmentbuffer []                                |
| seMPgraphic  | \useMPgraphic {} {=} \useMPlibrary [ ]                    |
| useMPlibrary   | NISEMPLIDAATV LL  |

| useMPrun   | \useMPrun {} {}  |
|--|--|
| useMPvariables   | \useMPvariables [] []  |
| usemathstyleparameter  | \usemathstyleparameter \   |
| useproduct   | \useproduct []   |
| useprofileparameter  | \useprofileparameter \   |
| useproject   | \useproject []   |
| usereferenceparameter<br>userpagenumber  | \usereferenceparameter \\userpagenumber  |
| usesetupsparameter   | \usesetupsparameter \  |
| usestaticMPfigure  | \usestaticMPfigure [=] []  |
| usesubpath   | \usesubpath []   |
| usetexmodule   | \usetexmodule [] [] [=]  |
| usetypescript  | \usetypescript [] []   |
| usetypescriptfile  | \usetypescriptfile []  |
| usezipfile<br>utfchar  | \usezipfile [] []<br>\utfchar {}   |
| utflower   | \utflower {}   |
| utfupper   | \utfupper {}   |
| utilityregisterlength  | \utilityregisterlength   |
| uzijadresar  | \uzijadresar []  |
| uzijbloky  | \uzijbloky [] [=]  |
| uzijexternidokument  | \uzijexternidokument [] []   |
| uzijexterniobraz<br>uzijexternizvuk  | \uzijexterniobraz [] [] [] \uzijexternizvuk [] []  |
| uzijJSscripts  | \uzijJSscripts [] []   |
| uzijmodul  | \uzijmodul [] [=]  |
| uzijsymbol   | \uzijsymbol []   |
| uzijURL  | \uzijURL [] [] []  |
| uzijurl  | \uzijurl [] [] []  |
| VerboseNumber  | \VerboseNumber {}  |
| VSEDNIDEN<br>vboxreference   | \VSEDNIDEN {}  |
| vec  | \vboxreference [] {}<br>\vec {}  |
| velke  | \velke   |
| verbatim   | \verbatim {}   |
| verbatimstring   | \verbatimstring {}   |
|  | \  |
| verbosenumber  | \verbosenumber {}  |
| verticalgrowingbar   | \verticalgrowingbar [=]  |
| verticalgrowingbar verticalpositionbar   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=]</pre>  |
| verticalgrowingbar<br>verticalpositionbar<br>veryraggedcenter  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter</pre>  |
| verticalgrowingbar<br>verticalpositionbar<br>veryraggedcenter<br>veryraggedleft  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft</pre>  |
| verticalgrowingbar<br>verticalpositionbar<br>veryraggedcenter  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter</pre>  |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright</pre>   |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze []</pre>   |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 []</pre>  |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 []</pre>   |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 []</pre>  |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 []</pre>  |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v4 [] \v5 [] \v6 [] \v6 [] \v7 [] \v7 [] \v7 [] \v8 [] \v8</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 []</pre>  |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v4 [] \v5 [] \v6 [] \v6 [] \v7 [] \v7</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v4 [] \v5 [] \v6 [] \v6 [] \v7 [] \v7</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v5 []</pre>       |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed   | <pre>\verticalgrowingbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v5 [] \v5 [] \v5 [] \v6 [] \v6 [] \v8 [] \v8</pre>     |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v5 [] \v5</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v5 [] \v5</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v4 [] \v4 [] \v5 [] \v6 [] \v6 [] \v7 [] \v7</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing   | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v5 [] \v5</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] \v7</pre> |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnovyradek  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] [] [] \v7 [.</pre>   |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnovyradek vysoky  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] {} \v7 [] {.</pre>   |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnovyradek vysoky vysoky:instance  | <pre>\verticalgrowingbar [=] \verticalpositionbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] [] \v7 [] [] \v7 [] {} \v7 [] (] {} \v7 [] (] (] (] (] (] \v7 []</pre>   |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnenytext vyplnovelinky vysoky:instance vysoky:instance vysoky:instance:unitshigh   | <pre>\verticalgrowingbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 [] \v7 [] {} \v7 [] \v7</pre>                 |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnenytext vyplnovelinky vysoky:instance vysoky:instance:unitshigh WidthSpanningText   | <pre>\verticalgrowingbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 []</pre>                 |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnenytext vyplnovelinky vysoky:instance vysoky:instance vysoky:instance:unitshigh   | <pre>\verticalgrowingbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 [] \v7 [] {} \v7 [] \v7</pre>                 |
| verticalgrowingbar verticalpositionbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnenytext vyplnovelinky vysoky:instance vysoky:instance:unitshigh WidthSpanningText wdofstring  | <pre>\verticalgrowingbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v5 [] \v7 [] {} \v7 [] {}</pre>   |
| verticalgrowingbar veryraggedcenter veryraggedleft veryraggedright verze vglue viewerlayer vl vlasovalinka vlevo vphantom vpos vpravo vradku vsedniden vsmash vsmashbox vsmashed vspace vspacing vyberbloky vycet:example vyplnenytext vyplnovyradek vysoky vysoky:instance vysoky:instance vysokysinstance vy | <pre>\verticalgrowingbar [=] \veryraggedcenter \veryraggedleft \veryraggedright \verze [] \vglue \viewerlayer [] {} \v1 [] \v1 [] \v1 [] \v1 [] \v2 [] \v2 [] \v2 [] \v2 [] \v2 [] \v3 [] \v4 [] \v4 [] \v5 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 [] {} \v7 [] \v7 []</pre>                 |

| wordtonumber                               | \wordtonumber {} {}  |
|--|--|
| writedatatolist                            | \writedatatolist [] [=] [=]  |
| writestatus                                | \writestatus {} {}   |
| XETEX                                      | XETEX  |
| XeTeX<br>xdefconvertedargument             | \XeTeX   |
| xmladdindex                                | \xdefconvertedargument \ \{\} \xmladdindex \{\}  |
| xmlafterdocumentsetup                      | \xmlafterdocumentsetup {} {} {}  |
| xmlaftersetup                              | \xmlaftersetup {} {}   |
| xmlall                                     | \xmlall {} {}  |
| xmlappenddocumentsetup                     | $\xspace \xspace \xsp$ |
| xmlappendsetup                             | \xmlappendsetup {}   |
| xmlapplyselectors                          | \xmlapplyselectors {}  |
| xmlatt<br>xmlattdef                        | \xmlatt {} {}<br>\xmlattdef {} {} {}   |
| xmlattribute                               | \xmlattribute \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| xmlattributedef                            | \xmlattributedef {} {} {} {}   |
| xmlbadinclusions                           | \xmlbadinclusions {}   |
| xmlbeforedocumentsetup                     | \xmlbeforedocumentsetup $\{\ldots\}$ $\{\ldots\}$  |
| xmlbeforesetup                             | \xmlbeforesetup {} {}  |
| xmlcommand                                 | \xmlcommand {} {} {}   |
| xmlconcat                                  | \xmlconcat {} {} {}  |
| xmlconcatrange                             | \xmlconcatrange {} {} {} {} {}   |
| xmlcontext<br>xmlcount                     | \xmlcontext {} {}<br>\xmlcount {}  |
| xmldefaulttotext                           | \xmldefaulttotext {}   |
| xmldirectives                              | \xmldirectives {}  |
| xmldirectivesafter                         | \xmldirectivesafter {}   |
| xmldirectivesbefore                        | \xmldirectivesbefore {}  |
| xmldisplayverbatim                         | \xmldisplayverbatim {}   |
| xmldoif                                    | \xmldoif {} {}   |
| xmldoifatt<br>xmldoifelse                  | \xmldoifatt {} {}  |
| xmidoireise<br>xmldoifelseatt              | \xmldoifelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| xmldoifelseempty                           | \xmldoifelseempty {} {} {} {}  |
| xmldoifelseselfempty                       | \xmldoifelseselfempty {} {}  |
| xmldoifelsetext                            | \xmldoifelsetext {} {} {} {}   |
| xmldoifelsevalue                           | $\label{localize} $$ 0 \times 0 = 0 $$ $\{\ldots\} $$ $\{\ldots\} $$ $\{\ldots\} $$$   |
| xmldoifnot                                 | \xmldoifnot {} {} {}   |
| xmldoifnotatt                              | \xmldoifnotatt {} {}   |
| xmldoifnotselfempty<br>xmldoifnottext      | \xmldoifnotselfempty {} {} \xmldoifnottext {} {}   |
| xmldoifselfempty                           | \xmldoifselfempty \{\ldots\}   |
| xmldoiftext                                | \xmldoiftext {} {} {}  |
| xmlelement                                 | \xmlelement {} {}  |
| xmlfilter                                  | \xmlfilter {} {}   |
| xmlfirst                                   | \xmlfirst {} {}  |
| xmlflush                                   | \xmlflush {}   |
| xmlflushdagumantaatung                     | \xmlflushdoownontacture { }  |
| xmlflushdocumentsetups<br>xmlflushlinewise | \xmlflushdocumentsetups {} {} \xmlflushlinewise {}   |
| xmlflushpure                               | \xmlflushpure {}   |
| xmlflushspacewise                          | \xmlflushspacewise {}  |
| xmlflushtext                               | \xmlflushtext {}   |
| xmlchainatt                                | \xmlchainatt {} {}   |
| xmlchainattdef                             | \xmlchainattdef {} {} {}   |
| xmlchecknamespace                          | \xmlchecknamespace {} {}   |
| xmlinclude xmlinclusion                    | \xmlinclude {} {} {} \xmlinclusion {}  |
| xmlinclusions                              | \xmlinclusions {}  |
| xmlinfo                                    | \xmlinfo {}  |
| xmlinjector                                | \xmlinjector {}  |
| xmlinlineprettyprint                       | \xmlinlineprettyprint {} {}  |
| xmlinlineprettyprinttext                   | \xmlinlineprettyprinttext {} {}  |
| xmlinlineverbatim                          | \xmlinlineverbatim {}  |
| xmlinstalldirective                        | \xmlinstalldirective {} {}   |
| xmllast<br>xmllastatt                      | \xmllast {} {} \xmllastatt   |
| xmllastmatch                               | \xmllastmatch  |
| xmllastpar                                 | \xmllastpar  |
| xmlloadbuffer                              | \xmlloadbuffer {} {}   |
| xmlloaddata                                | \xmlloaddata {} {} {}  |
|  |  |

| xmlloaddirectives           | \xmlloaddirectives {}                            |
|-----------------------------|--|
| xmlloadfile                 | \xmlloadfile {} {}                               |
| xmlloadonly                 | \xmlloadonly {} {} {}                            |
| xmlmain                     | \xmlmain {}                                      |
| xmlmapvalue                 | $\mathbf{xmlmapvalue} \ \{\ldots\} \ \{\ldots\}$ |
| xmlname                     | \xmlname {}                                      |
| xmlnamespace                | \xmlnamespace {}                                 |
| xmlnonspace                 | \xmlnonspace {} {}                               |
| xmlpar                      | \xmlpar {} {}                                    |
| xmlparam                    | \xmlparam {} {} {}                               |
| xmlpath                     | \xmlpath {}                                      |
| xmlpos                      | \xmlpos {}                                       |
| xmlposition                 | \xmlposition {} {} {}                            |
| xmlprependdocumentsetup     | \xmlprependdocumentsetup {} {}                   |
| xmlprependsetup             | \xmlprependsetup {}                              |
| xmlprettyprint              | \xmlprettyprint {} {}                            |
| xmlprettyprinttext          | \xmlprettyprinttext {} {}                        |
| xmlprocessbuffer            | \xmlprocessbuffer {} {} {}                       |
| xmlprocessdata              | \xmlprocessdata {} {} {}                         |
| xmlprocessfile              | \xmlprocessfile {} {} {}                         |
| xmlpure                     | \xmlpure {} {}                                   |
| xmlraw                      | \xmlraw {}                                       |
| xmlrefatt                   | \xmlrefatt {} {}                                 |
| xmlregistereddocumentsetups | \xmlregistereddocumentsetups {} {}               |
| xmlregisteredsetups         | \xmlregisteredsetups                             |
| xmlregisterns               | \xmlregisterns {} {}                             |
| xmlremapname                | \xmlremapname {} {} {}                           |
| xmlremapnamespace           | \xmlremapnamespace {} {} {}                      |
| xmlremovedocumentsetup      | \xmlremovedocumentsetup {} {}                    |
| xmlremovesetup              | \xmlremovesetup {}                               |
| xmlresetdocumentsetups      | \xmlresetdocumentsetups {}                       |
| xmlresetinjectors           | \xmlresetinjectors                               |
| xmlresetsetups              | \xmlresetsetups {}                               |
| xmlsave                     | \xmlsave {} {}                                   |
| xmlsetatt                   | \xmlsetatt {} {} {}                              |
| xmlsetattribute             | \xmlsetattribute {} {} {} {}                     |
| xmlsetentity                | \xmlsetentity {} {}                              |
| xmlsetfunction              | \xmlsetfunction $\{\}$ $\{\}$                    |
| xmlsetinjectors             | \xmlsetinjectors []                              |
| xmlsetpar                   | \xmlsetpar {} {}                                 |
| xmlsetparam                 | \xmlsetparam {} {} {} {}                         |
| xmlsetsetup                 | \xmlsetsetup {} {} {}                            |
| xmlsetup                    | \xmlsetup {} {}                                  |
| xmlshow                     | \xmlshow {}                                      |
| xmlsnippet                  | \xmlsnippet {} {}                                |
| xmlstrip                    | \xmlstrip {} {}                                  |
| xmlstripnolines             | \xmlstripnolines {} {}                           |
| xmlstripped                 | \xmlstripped {} {}                               |
| xmlstrippednolines          | $\xim \xim \xim \xim \xim \xim \xim \xim $       |
| xmltag                      | \xmltag {}                                       |
| xmltexentity                | \xmltexentity {} {}                              |
| xmltext                     | \xmltext {} {}                                   |
| xmltobuffer                 | \xmltobuffer {} {} {}                            |
| xmltobufferverbose          | $\xmltobufferverbose {} {} {}$                   |
| xmltofile                   | \xmltofile {} {}                                 |
| xmlvalue                    | \xmlvalue {} {}                                  |
| xmlverbatim                 | \xmlverbatim {}                                  |
| xsplitstring                | \xsplitstring \ {}                               |
| xypos                       | \xypos {}  |
| Znak                        | \Znak {}   |
| Znaky                       | \Znaky {}  |
| zadnamezera                 | \zadnamezera                                     |
| zadnehorniadolniradky       | \zadnehorniadolniradky                           |
| zadnezahlaviaupati          | \zadnezahlaviaupati                              |
| zachovejbloky               | \zachovejbloky [] []                             |
| zalozka                     | \zalozka [] {}                                   |
| zapisdoseznamu              | \zapisdoseznamu [] [=] {} {}                     |
| zapismeziseznam             | \zapismeziseznam [] [=] {}                       |
| zaramovani                  | \zaramovani [=] {}                               |
| zarovnanonastred            | \zarovnanonastred {}                             |
| zarovnanovlevo              | \zarovnanovlevo {}                               |
| zarovnanovpravo             | \zarovnanovpravo {}                              |
|                             |  |

| zasobnikpoli           | \zasobnikpoli [] [] [=]  |
|------------------------|--------------------------|
| ziskejbuffer           | \ziskejbuffer []         |
| ziskejbuffer:instance  | \ziskatBUFFER            |
| ziskejznaceni          | \ziskejznaceni [] [] []  |
| zlomek:instance        | \FRACTION {} {}          |
| zlomek:instance:binom  | \binom {} {}             |
| zlomek:instance:dbinom | \dbinom {} {}            |
| zlomek:instance:dfrac  | \dfrac {} {}             |
| zlomek:instance:frac   | \frac {} {}              |
| zlomek:instance:sfrac  | \sfrac {} {}             |
| zlomek:instance:tbinom | \tbinom {} {}            |
| zlomek:instance:xfrac  | \xfrac {} {}             |
| zlomek:instance:xxfrac | \xxfrac {} {}            |
| znaceni                | \znaceni (,) (,) []      |
| znak                   | \znak {}                 |
| znaky                  | \znaky {}                |
| zpracujbloky           | \zpracujbloky [] [] [=]  |
| zrcadlit               | \zrcadlit {}             |
| zref                   | \zref []                 |
| zvysit                 | \zvysit \                |
| zvysit:argument        | \zvysit cd:parentheses-s |
|                        |                          |

