# ConTeXt

## commands

# EN

# ConTeXt

## commands

| | |
|---|---|
| AfterPar | `\AfterPar {...}` |
| Alphabeticnumerals | `\Alphabeticnumerals {...}` |
| AMSTEX | `\AMSTEX` |
| AmSTeX | `\AmSTeX` |
| And | `\And` |
| abjadnaivenumerals | `\abjadnaivenumerals {...}` |
| abjadnodotnumerals | `\abjadnodotnumerals {...}` |
| abjadnumerals | `\abjadnumerals {...}` |
| about | `\about [...]` |
| activatespacehandler | `\activatespacehandler {...}` |
| actualday | `\actualday` |
| actualmonth | `\actualmonth` |
| actualyear | `\actualyear` |
| acute | `\acute {...}` |
| adaptcollector | `\adaptcollector [...] [..=..]` |
| adaptfontfeature | `\adaptfontfeature [...] [..=..]` |
| adaptlayout | `\adaptlayout [...] [..=..]` |
| adaptpapersize | `\adaptpapersize [...] [...]` |
| addfeature | `\addfeature [...]` |
| addfeature:direct | `\addfeature {...}` |
| addtocommalist | `\addtocommalist {...} \...` |
| addtoJSpreamble | `\addtoJSpreamble {...} {...}` |
| addvalue | `\addvalue {...} {...}` |
| aftersplitstring | `\aftersplitstring ... \at ... \to \...` |
| aftertestandsplitstring | `\aftertestandsplitstring ... \at ... \to \...` |
| alignbottom | `\alignbottom` |
| aligned | `\aligned [...] {...}` |
| alignedbox | `\alignedbox [...] \... {...}` |
| alignedline | `\alignedline {...} {...} {...}` |
| alignhere | `\alignhere` |
| alignmentcharacter | `\alignmentcharacter` |
| allinputpaths | `\allinputpaths` |
| alphabeticnumerals | `\alphabeticnumerals {...}` |
| alwayscitation | `\alwayscitation [..=..] [...]` |
| alwayscitation:alternative | `\alwayscitation [...] [...]` |
| alwayscitation:userdata | `\alwayscitation [..=..] [..=..]` |
| alwayscite | `\alwayscite [..=..] [...]` |
| alwayscite:alternative | `\alwayscite [...] [...]` |
| alwayscite:userdata | `\alwayscite [..=..] [..=..]` |
| ampersand | `\ampersand` |
| anchor | `\anchor [...] [..=..] [..=..] {...}` |
| appendetoks | `\appendetoks ... \to \...` |
| appendgvalue | `\appendgvalue {...} {...}` |
| appendtocommalist | `\appendtocommalist {...} \...` |
| appendtoks | `\appendtoks ... \to \...` |
| appendtoksonce | `\appendtoksonce ... \to \...` |
| appendvalue | `\appendvalue {...} {...}` |
| apply | `\apply {...} {...}` |
| applyalternativestyle | `\applyalternativestyle {...}` |
| applyprocessor | `\applyprocessor {...} {...}` |
| applytocharacters | `\applytocharacters \... {...}` |
| applytofirstcharacter | `\applytofirstcharacter \... {...}` |
| applytosplitstringchar | `\applytosplitstringchar \... {...}` |
| applytosplitstringcharspaced | `\applytosplitstringcharspaced \... {...}` |
| applytosplitstringline | `\applytosplitstringline \... {...}` |
| applytosplitstringlinespaced | `\applytosplitstringlinespaced \... {...}` |
| applytosplitstringword | `\applytosplitstringword \... {...}` |
| applytosplitstringwordspaced | `\applytosplitstringwordspaced \... {...}` |
| applytowords | `\applytowords \... {...}` |
| arabicdecimals | `\arabicdecimals {...}` |
| arabicexnumerals | `\arabicexnumerals {...}` |
| arabicnumerals | `\arabicnumerals {...}` |
| arg | `\arg {...}` |
| asciimode | `\asciimode` |
| asciistr | `\asciistr {...}` |
| assignalfadimension | `\assignalfadimension {...} \... {...} {...} {...}` |
| assigndimen | `\assigndimen \... {...}` |
| assigndimension | `\assigndimension {...} \... {...} {...} {...}` |
| assignifempty | `\assignifempty \... {...}` |
| assigntranslation | `\assigntranslation [..=..] \to \...` |
| assignvalue | `\assignvalue {...} \... {...} {...} {...}` |
| assignwidth | `\assignwidth {...} \... {...} {...}` |

| | |
|---|---|
| assumelongusagecs | `\assumelongusagecs \... {...}` |
| astype | `\astype {...}` |
| at | `\at {...} {...} [...]` |
| atpage | `\atpage [...]` |
| attachment:instance | `\ATTACHMENT [...] [..=..]` |
| attachment:instance:attachment | `\attachment [...] [..=..]` |
| autocap | `\autocap {...}` |
| autodirhbox | `\autodirhbox ... {...}` |
| autodirvbox | `\autodirvbox ... {...}` |
| autodirvtop | `\autodirvtop ... {...}` |
| autoinsertnextspace | `\autoinsertnextspace` |
| autointegral | `\autointegral {...} {...} {...}` |
| automathematics | `\automathematics {...}` |
| autoorientation | `\autoorientation {...}` |
| autopagestaterealpage | `\autopagestaterealpage {...}` |
| autopagestaterealpageorder | `\autopagestaterealpageorder {...}` |
| autorule | `\autorule ... \relax` |
| autosetups | `\autosetups {...}` |
| autostarttext | `\autostarttext ... \autostoptext` |
| availablehsize | `\availablehsize` |
| averagecharwidth | `\averagecharwidth` |
| BeforePar | `\BeforePar {...}` |
| Big | `\Big ...` |
| Bigg | `\Bigg ...` |
| Biggl | `\Biggl ...` |
| Biggm | `\Biggm ...` |
| Biggr | `\Biggr ...` |
| Bigl | `\Bigl ...` |
| Bigm | `\Bigm ...` |
| Bigr | `\Bigr ...` |
| background | `\background {...}` |
| backgroundimage | `\backgroundimage {...} {...} {...} {...}` |
| backgroundimagefill | `\backgroundimagefill {...} {...} {...} {...}` |
| backgroundline | `\backgroundline [...] {...}` |
| background:example | `\BACKGROUND {...}` |
| bar | `\bar {...}` |
| bar:instance | `\BAR {...}` |
| bar:instance:hiddenbar | `\hiddenbar {...}` |
| bar:instance:nobar | `\nobar {...}` |
| bar:instance:overbar | `\overbar {...}` |
| bar:instance:overbars | `\overbars {...}` |
| bar:instance:overstrike | `\overstrike {...}` |
| bar:instance:overstrikes | `\overstrikes {...}` |
| bar:instance:underbar | `\underbar {...}` |
| bar:instance:underbars | `\underbars {...}` |
| bar:instance:underdash | `\underdash {...}` |
| bar:instance:underdashes | `\underdashes {...}` |
| bar:instance:underdot | `\underdot {...}` |
| bar:instance:underdots | `\underdots {...}` |
| bar:instance:underrandom | `\underrandom {...}` |
| bar:instance:underrandoms | `\underrandoms {...}` |
| bar:instance:understrike | `\understrike {...}` |
| bar:instance:understrikes | `\understrikes {...}` |
| basegrid | `\basegrid [..=..]` |
| baselinebottom | `\baselinebottom` |
| baselineleftbox | `\baselineleftbox {...}` |
| baselinemiddlebox | `\baselinemiddlebox {...}` |
| baselinerightbox | `\baselinerightbox {...}` |
| bbordermatrix | `\bbordermatrix {...}` |
| bbox | `\bbox {...}` |
| beforesplitstring | `\beforesplitstring ... \at ... \to \...` |
| beforetestandsplitstring | `\beforetestandsplitstring ... \at ... \to \...` |
| beginblock:example | `\beginBLOCK [...] [..=..] ... \endBLOCK` |
| beginhbox | `\beginhbox ... \endhbox` |
| beginofshapebox | `\beginofshapebox ... \endofshapebox` |
| beginvbox | `\beginvbox ... \endvbox` |
| beginvtop | `\beginvtop ... \endvtop` |
| begstrut | `\begstrut ... \endstrut` |
| big | `\big ...` |
| bigbodyfont | `\bigbodyfont` |
| bigg | `\bigg ...` |
| bigger | `\bigger` |

```
biggl                                    \biggl ...
biggm                                    \biggm ...
biggr                                    \biggr ...
bigl                                     \bigl ...
bigm                                     \bigm ...
bigr                                     \bigr ...
bigskip                                  \bigskip
bitmapimage                              \bitmapimage [..=..] {...}
blackrule                                \blackrule [..=..]
blackrules                               \blackrules [..=..]
blank                                    \blank [...]
blap                                     \blap {...}
bleed                                    \bleed [..=..] {...}
bleedheight                              \bleedheight
bleedwidth                               \bleedwidth
blockligatures                           \blockligatures [...]
blocksynctexfile                         \blocksynctexfile [...]
blockuservariable                        \blockuservariable {...}
bodyfontenvironmentlist                  \bodyfontenvironmentlist
bodyfontsize                             \bodyfontsize
bold                                     \bold
boldface                                 \boldface
bolditalic                               \bolditalic
boldslanted                              \boldslanted
bookmark                                 \bookmark [...] {...}
booleanmodevalue                         \booleanmodevalue {...}
bordermatrix                             \bordermatrix {...}
bottombox                                \bottombox {...}
bottomleftbox                            \bottomleftbox {...}
bottomrightbox                           \bottomrightbox {...}
boxcursor                                \boxcursor
boxmarker                                \boxmarker {...} {...}
boxofsize                                \boxofsize \... ... {...}
boxreference                             \boxreference [...] \... {...}
bpar                                     \bpar ... \epar
bpos                                     \bpos {...}
breakhere                                \breakhere
breve                                    \breve {...}
bTABLE                                   \bTABLE [..=..] ... \eTABLE
bTABLEbody                               \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot                               \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead                               \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnested                             \bTABLEnested [..=..] ... \eTABLEnested
bTABLEnext                               \bTABLEnext [..=..] ... \eTABLEnext
bTC                                      \bTC [..=..] ... \eTC
bTD                                      \bTD [..=..] ... \eTD
bTDs                                     \bTDs [...] ... \eTDs
bTH                                      \bTH [..=..] ... \eTH
bTN                                      \bTN [..=..] ... \eTN
bTR                                      \bTR [..=..] ... \eTR
bTRs                                     \bTRs [...] ... \eTRs
bTX                                      \bTX [..=..] ... \eTX
bTY                                      \bTY [..=..] ... \eTY
btxabbreviatedjournal                    \btxabbreviatedjournal {...}
btxaddjournal                            \btxaddjournal [...] [...]
btxalwayscitation                        \btxalwayscitation [..=..] [...]
btxalwayscitation:alternative            \btxalwayscitation [...] [...]
btxalwayscitation:userdata               \btxalwayscitation [..=..] [..=..]
btxauthorfield                           \btxauthorfield {...}
btxdetail                                \btxdetail {...}
btxdirect                                \btxdirect {...}
btxdoif                                  \btxdoif {...} {...}
btxdoifcombiinlistelse                   \btxdoifcombiinlistelse {...} {...} {...} {...}
btxdoifelse                              \btxdoifelse {...} {...} {...}
btxdoifelsecombiinlist                   \btxdoifelsecombiinlist {...} {...} {...} {...}
btxdoifelsesameasprevious                \btxdoifelsesameasprevious {...} {...} {...}
btxdoifelsesameaspreviouschecked         \btxdoifelsesameaspreviouschecked {...} {...} {...} {...}
btxdoifelseuservariable                  \btxdoifelseuservariable {...} {...} {...}
btxdoifnot                               \btxdoifnot {...} {...}
btxdoifsameaspreviouscheckedelse         \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}
btxdoifsameaspreviouselse                \btxdoifsameaspreviouselse {...} {...} {...}
btxdoifuservariableelse                  \btxdoifuservariableelse {...} {...} {...}
```

```
btxexpandedjournal                      \btxexpandedjournal {...}
btxfield                                 \btxfield {...}
btxfieldname                             \btxfieldname {...}
btxfieldtype                             \btxfieldtype {...}
btxfirstofrange                          \btxfirstofrange {...}
btxflush                                 \btxflush {...}
btxflushauthor                           \btxflushauthor [...] {...}
btxflushauthorinverted                   \btxflushauthorinverted {...}
btxflushauthorinvertedshort              \btxflushauthorinvertedshort {...}
btxflushauthorname                       \btxflushauthorname {...}
btxflushauthornormal                     \btxflushauthornormal {...}
btxflushauthornormalshort                \btxflushauthornormalshort {...}
btxflushsuffix                           \btxflushsuffix
btxfoundname                             \btxfoundname {...}
btxfoundtype                             \btxfoundtype {...}
btxhiddencitation                        \btxhiddencitation [...]
btxhybridcite                            \btxhybridcite [..=..] [...]
btxhybridcite:alternative                \btxhybridcite [...] [...]
btxhybridcite:direct                     \btxhybridcite {...}
btxhybridcite:userdata                   \btxhybridcite [..=..] [..=..]
btxlistcitation                          \btxlistcitation [..=..] [...]
btxlistcitation:alternative              \btxlistcitation [...] [...]
btxlistcitation:userdata                 \btxlistcitation [..=..] [..=..]
btxloadjournalist                        \btxloadjournalist [...]
btxoneorrange                            \btxoneorrange {...} {...} {...}
btxremapauthor                           \btxremapauthor [...] [...]
btxsavejournalist                        \btxsavejournalist [...]
btxsetup                                 \btxsetup {...}
btxsingularorplural                      \btxsingularorplural {...} {...} {...}
btxsingularplural                        \btxsingularplural {...} {...} {...}
btxtextcitation                          \btxtextcitation [..=..] [...]
btxtextcitation:alternative              \btxtextcitation [...] [...]
btxtextcitation:userdata                 \btxtextcitation [..=..] [..=..]
buildmathaccent                          \buildmathaccent {...} {...}
buildtextaccent                          \buildtextaccent {...} {...}
buildtextbottomcomma                     \buildtextbottomcomma {...}
buildtextbottomdot                       \buildtextbottomdot {...}
buildtextcedilla                         \buildtextcedilla {...}
buildtextgrave                           \buildtextgrave {...}
buildtextmacron                          \buildtextmacron {...}
buildtextognek                           \buildtextognek {...}
button                                   \button [..=..] {...} [...]
button:example                           \BUTTON [..=..] {...} [...]
Caps                                     \Caps {...}
Character                                \Character {...}
Characters                               \Characters {...}
CONTEXT                                  \CONTEXT
ConTeXt                                  \ConTeXt
Context                                  \Context
ConvertConstantAfter                     \ConvertConstantAfter \... {...} {...}
ConvertToConstant                        \ConvertToConstant \... {...} {...}
calligraphic                             \calligraphic
camel                                    \camel {...}
cap                                      \cap {...}
capital                                  \capital {...}
catcodetablename                         \catcodetablename
cbox                                     \cbox ... {...}
centeraligned                            \centeraligned {...}
centerbox                                \centerbox ... {...}
centeredbox                              \centeredbox ... {...}
centeredlastline                         \centeredlastline
centerednextbox                          \centerednextbox ... {...}
centerline                               \centerline {...}
cfrac                                    \cfrac [...] {...} {...}
character                                \character {...}
characterkerning:example                 \CHARACTERKERNING [...] {...}
characters                               \characters {...}
chardescription                          \chardescription {...}
charwidthlanguage                        \charwidthlanguage
check                                    \check {...}
checkcharacteralign                      \checkcharacteralign {...}
checkedblank                             \checkedblank [...]
```

4

```
checkedchar                                    \checkedchar {...} {...}
checkedfiller                                  \checkedfiller {...}
checkedstrippedcsname                          \checkedstrippedcsname \...
checkinjector                                  \checkinjector [...]
checknextindentation                           \checknextindentation [...]
checknextinjector                              \checknextinjector [...]
checkpage                                      \checkpage [...] [..=..]
checkparameters                                \checkparameters [...]
checkpreviousinjector                          \checkpreviousinjector [...]
checksoundtrack                                \checksoundtrack {...}
checktwopassdata                               \checktwopassdata {...}
checkvariables                                 \checkvariables [...] [..=..]
chem                                           \chem {...} {...} {...}
chemical                                       \chemical [...] [...] [...]
chemicalbottext                                \chemicalbottext {...}
chemicalmidtext                                \chemicalmidtext {...}
chemicalsymbol                                 \chemicalsymbol [...]
chemicaltext                                   \chemicaltext {...}
chemicaltoptext                                \chemicaltoptext {...}
chineseallnumerals                             \chineseallnumerals {...}
chinesecapnumerals                             \chinesecapnumerals {...}
chinesenumerals                                \chinesenumerals {...}
citation                                       \citation [..=..] [...]
citation:alternative                           \citation [...] [...]
citation:direct                                \citation {...}
citation:userdata                              \citation [..=..] [..=..]
cite                                           \cite [..=..] [...]
cite:alternative                               \cite [...] [...]
cite:direct                                    \cite {...}
cite:userdata                                  \cite [..=..] [..=..]
clap                                           \clap {...}
classfont                                      \classfont {...} {...}
cldcommand                                     \cldcommand {...}
cldcontext                                     \cldcontext {...}
cldloadfile                                    \cldloadfile {...}
cldprocessfile                                 \cldprocessfile {...}
clip                                           \clip [..=..] {...}
clippedoverlayimage                            \clippedoverlayimage {...}
clonefield                                     \clonefield [...] [...] [...] [...]
collect                                        \collect {...}
collectedtext                                  \collectedtext [..=..] [..=..] {...} {...}
collectexpanded                                \collectexpanded {...}
color                                          \color [...] {...}
colorbar                                       \colorbar [...]
colorcomponents                                \colorcomponents {...}
colored                                        \colored [..=..] {...}
colored:name                                   \colored [...] {...}
coloronly                                      \coloronly [...] {...}
colorvalue                                     \colorvalue {...}
column                                         \column [...]
columnbreak                                    \columnbreak [...]
columnsetspanwidth                             \columnsetspanwidth {...}
combinepages                                   \combinepages [...] [..=..]
commalistelement                               \commalistelement
commalistsentence                              \commalistsentence [...] [...]
commalistsize                                  \commalistsize
comment:instance                               \COMMENT [...] [..=..] {...}
comment:instance:comment                       \comment [...] [..=..] {...}
comparecolorgroup                              \comparecolorgroup [...]
comparedimension                               \comparedimension {...} {...}
comparedimensioneps                            \comparedimensioneps {...} {...}
comparepalet                                   \comparepalet [...]
completebtxrendering                           \completebtxrendering [...] [..=..]
completecombinedlist:instance                  \completeCOMBINEDLIST [..=..]
completecombinedlist:instance:content          \completecontent [..=..]
completelist                                   \completelist [...] [..=..]
completelistoffloats:instance                  \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals        \completelistofchemicals [..=..]
completelistoffloats:instance:figures          \completelistoffigures [..=..]
completelistoffloats:instance:graphics         \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi       \completelistofintermezzi [..=..]
completelistoffloats:instance:tables           \completelistoftables [..=..]
```

```
completelistofpublications                      \completelistofpublications [...] [..=..]
completelistofsorts                             \completelistofsorts [...] [..=..]
completelistofsorts:instance                    \completelistofSORTS [..=..]
completelistofsorts:instance:logos              \completelistoflogos [..=..]
completelistofsynonyms                          \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance                 \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations   \completelistofabbreviations [..=..]
completepagenumber                              \completepagenumber
completeregister                                \completeregister [...] [..=..]
completeregister:instance                       \completeREGISTER [..=..]
completeregister:instance:index                 \completeindex [..=..]
complexorsimple                                 \complexorsimple \...
complexorsimpleempty                            \complexorsimpleempty \...
complexorsimpleempty:argument                   \complexorsimpleempty {...}
complexorsimple:argument                        \complexorsimple {...}
component                                        \component [...]
component:string                                \component ...
composedcollector                               \composedcollector {...}
composedlayer                                   \composedlayer {...}
compounddiscretionary                           \compounddiscretionary
compresult                                      \compresult
constantdimen                                   \constantdimen \...
constantdimenargument                           \constantdimenargument \...
constantemptyargument                           \constantemptyargument \...
constantnumber                                  \constantnumber \...
constantnumberargument                          \constantnumberargument \...
contentreference                                \contentreference [...] [..=..] {...}
continuednumber                                 \continuednumber {...}
continueifinputfile                             \continueifinputfile {...}
convertargument                                 \convertargument ... \to \...
convertcommand                                  \convertcommand \... \to \...
convertedcounter                                \convertedcounter [...] [..=..]
converteddimen                                  \converteddimen {...} {...}
convertedsubcounter                             \convertedsubcounter [...] [...] [..=..]
convertmonth                                     \convertmonth {...}
convertnumber                                   \convertnumber {...} {...}
convertvalue                                    \convertvalue ... \to \...
convertvboxtohbox                               \convertvboxtohbox
copyboxfromcache                                \copyboxfromcache {...} {...} ...
copyfield                                        \copyfield [...] [...]
copylabeltext:instance                          \copyLABELtext [...] [..=..]
copylabeltext:instance:btxlabel                 \copybtxlabeltext [...] [..=..]
copylabeltext:instance:head                     \copyheadtext [...] [..=..]
copylabeltext:instance:label                    \copylabeltext [...] [..=..]
copylabeltext:instance:mathlabel                \copymathlabeltext [...] [..=..]
copylabeltext:instance:operator                 \copyoperatortext [...] [..=..]
copylabeltext:instance:prefix                   \copyprefixtext [...] [..=..]
copylabeltext:instance:suffix                   \copysuffixtext [...] [..=..]
copylabeltext:instance:taglabel                 \copytaglabeltext [...] [..=..]
copylabeltext:instance:unit                     \copyunittext [...] [..=..]
copypages                                        \copypages [...] [..=..] [..=..]
copyparameters                                  \copyparameters [...] [...] [...]
copyposition                                    \copyposition {...} {...}
copysetups                                       \copysetups [...] [...]
correctwhitespace                               \correctwhitespace {...}
countersubs                                      \countersubs [...] [...]
counttoken                                       \counttoken ... \in ... \to \...
counttokens                                      \counttokens ... \to \...
cramped                                          \cramped {...}
crampedclap                                      \crampedclap {...}
crampedllap                                      \crampedllap {...}
crampedrlap                                      \crampedrlap {...}
crlf                                             \crlf
crlfplaceholder                                 \crlfplaceholder
ctop                                             \ctop ... {...}
ctxcommand                                       \ctxcommand {...}
ctxdirectcommand                                \ctxdirectcommand {...}
ctxdirectlua                                     \ctxdirectlua {...}
ctxfunction                                      \ctxfunction {...}
ctxfunctiondefinition:example                   \CTXFUNCTIONDEFINITION
ctxfunction:example                             \CTXFUNCTION
ctxlatecommand                                  \ctxlatecommand {...}
```

```
ctxlatelua                              \ctxlatelua {...}
ctxloadluafile                          \ctxloadluafile {...}
ctxlua                                  \ctxlua {...}
ctxluabuffer                            \ctxluabuffer [...]
ctxluacode                              \ctxluacode {...}
ctxreport                               \ctxreport {...}
ctxscanner:example                      \CTXSCANNER
ctxsprint                               \ctxsprint {...}
currentassignmentlistkey                \currentassignmentlistkey
currentassignmentlistvalue              \currentassignmentlistvalue
currentbtxuservariable                  \currentbtxuservariable {...}
currentcommalistitem                    \currentcommalistitem
currentcomponent                        \currentcomponent
currentdate                             \currentdate [...]
currentdate:name                        \currentdate [...]
currentenvironment                      \currentenvironment
currentfeaturetest                      \currentfeaturetest
currentheadnumber                       \currentheadnumber
currentinterface                        \currentinterface
currentlabel:example                    \currentLABEL [...] {...}
currentlanguage                         \currentlanguage
currentlistentrydestinationattribute    \currentlistentrydestinationattribute
currentlistentrylimitedtext             \currentlistentrylimitedtext {...}
currentlistentrynumber                  \currentlistentrynumber
currentlistentrypagenumber              \currentlistentrypagenumber
currentlistentryreferenceattribute      \currentlistentryreferenceattribute {...}
currentlistentrytitle                   \currentlistentrytitle
currentlistentrytitlerendered           \currentlistentrytitlerendered
currentlistsymbol                       \currentlistsymbol
currentmainlanguage                     \currentmainlanguage
currentmessagetext                      \currentmessagetext
currentmoduleparameter                  \currentmoduleparameter {...}
currentoutputstream                     \currentoutputstream
currentproduct                          \currentproduct
currentproject                          \currentproject
currentregime                           \currentregime
currentregisterpageuserdata             \currentregisterpageuserdata {...}
currentresponses                        \currentresponses
currenttime                             \currenttime [...]
currentvalue                            \currentvalue
currentxtablecolumn                     \currentxtablecolumn
currentxtablerow                        \currentxtablerow
DAYLONG                                 \DAYLONG {...}
DAYSHORT                                 \DAYSHORT {...}
d                                       \d {...}
datasetvariable                         \datasetvariable {...} {...} {...}
date                                    \date [..=..] [...]
date:name                               \date [..=..] [...]
daylong                                 \daylong {...}
dayoftheweek                            \dayoftheweek {...} {...} {...}
dayshort                                \dayshort {...}
dayspermonth                            \dayspermonth {...} {...}
dddot                                   \dddot {...}
ddot                                    \ddot {...}
decrement                               \decrement \...
decrementcounter                        \decrementcounter [...] [...]
decrementedcounter                      \decrementedcounter [...]
decrementpagenumber                     \decrementpagenumber
decrementsubpagenumber                  \decrementsubpagenumber
decrementvalue                          \decrementvalue {...}
decrement:argument                      \decrement (...)
defaultinterface                        \defaultinterface
defaultobjectpage                       \defaultobjectpage
defaultobjectreference                  \defaultobjectreference
defcatcodecommand                       \defcatcodecommand \... ... {...}
defconvertedargument                    \defconvertedargument \... {...}
defconvertedcommand                     \defconvertedcommand \... \...
defconvertedvalue                       \defconvertedvalue \... {...}
define                                  \define [...] \... {...}
defineaccent                            \defineaccent ... ... ...
defineactivecharacter                   \defineactivecharacter ... {...}
definealternativestyle                  \definealternativestyle [...] [...] [...]
```

| | |
|---|---|
| defineanchor | \defineanchor [...] [...] [..=..] [..=..] |
| defineattachment | \defineattachment [...] [...] [..=..] |
| defineattribute | \defineattribute [...] [...] |
| definebackground | \definebackground [...] [...] [..=..] |
| definebar | \definebar [...] [...] [..=..] |
| defineblock | \defineblock [...] [...] [..=..] |
| definebodyfont | \definebodyfont [...] [...] [...] [..=..] |
| definebodyfontenvironment | \definebodyfontenvironment [...] [...] [..=..] |
| definebodyfontswitch | \definebodyfontswitch [...] [...] |
| definebodyfont:argument | \definebodyfont [...] [...] [...] [...] |
| definebreakpoint | \definebreakpoint [...] [...] [..=..] |
| definebreakpoints | \definebreakpoints [...] |
| definebtx | \definebtx [...] [...] [..=..] |
| definebtxdataset | \definebtxdataset [...] [...] [..=..] |
| definebtxregister | \definebtxregister [...] [...] [..=..] |
| definebtxrendering | \definebtxrendering [...] [...] [..=..] |
| definebuffer | \definebuffer [...] [...] [..=..] |
| definebutton | \definebutton [...] [...] [..=..] |
| definecapitals | \definecapitals [...] [...] [..=..] |
| definecharacter | \definecharacter ... ... |
| definecharacterkerning | \definecharacterkerning [...] [...] [..=..] |
| definecharacterspacing | \definecharacterspacing [...] |
| definechemical | \definechemical [...] {...} |
| definechemicals | \definechemicals [...] [...] [..=..] |
| definechemicalsymbol | \definechemicalsymbol [...] [...] |
| definecollector | \definecollector [...] [...] [..=..] |
| definecolor | \definecolor [...] [..=..] |
| definecolorgroup | \definecolorgroup [...] [...] [x:y:z,..] |
| definecolor:name | \definecolor [...] [...] |
| definecolumnbreak | \definecolumnbreak [...] [...] |
| definecolumnset | \definecolumnset [...] [...] [..=..] |
| definecolumnsetarea | \definecolumnsetarea [...] [...] [..=..] |
| definecolumnsetspan | \definecolumnsetspan [...] [...] [..=..] |
| definecombination | \definecombination [...] [...] [..=..] |
| definecombinedlist | \definecombinedlist [...] [...] [..=..] |
| definecommand | \definecommand ... ... |
| definecomment | \definecomment [...] [...] [..=..] |
| definecomplexorsimple | \definecomplexorsimple \... |
| definecomplexorsimpleempty | \definecomplexorsimpleempty \... |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...} |
| definecomplexorsimple:argument | \definecomplexorsimple {...} |
| defineconversion | \defineconversion [...] [...] [...] |
| defineconversionset | \defineconversionset [...] [...] [...] |
| defineconversion:list | \defineconversion [...] [...] [...] |
| definecounter | \definecounter [...] [...] [..=..] |
| definedataset | \definedataset [...] [...] [..=..] |
| definedate | \definedate [...] [...] |
| definedelimitedtext | \definedelimitedtext [...] [...] [..=..] |
| definedescription | \definedescription [...] [...] [..=..] |
| definedfont | \definedfont [...] |
| definedocument | \definedocument [...] [...] [..=..] |
| defineeffect | \defineeffect [...] [...] [..=..] |
| defineenumeration | \defineenumeration [...] [...] [..=..] |
| defineexpandable | \defineexpandable [...] \... {...} |
| defineexpansion | \defineexpansion [...] [...] [..=..] |
| defineexternalfigure | \defineexternalfigure [...] [...] [..=..] |
| definefacingfloat | \definefacingfloat [...] [...] [..=..] |
| definefallbackfamily | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset | \definefallbackfamily [...] [...] [...] [...] |
| definefield | \definefield [...] [...] [...] [...] [...] |
| definefieldbody | \definefieldbody [...] [...] [..=..] |
| definefieldbodyset | \definefieldbodyset [...] [...] |
| definefieldcategory | \definefieldcategory [...] [...] [..=..] |
| definefieldstack | \definefieldstack [...] [...] [..=..] |
| definefiguresymbol | \definefiguresymbol [...] [...] [..=..] |
| definefileconstant | \definefileconstant {...} {...} |
| definefilefallback | \definefilefallback [...] [...] |
| definefilesynonym | \definefilesynonym [...] [...] |
| definefiller | \definefiller [...] [...] [..=..] |
| definefirstline | \definefirstline [...] [...] [..=..] |
| definefittingpage | \definefittingpage [...] [...] [..=..] |
| definefloat | \definefloat [...] [...] [..=..] |

```
definefloat:name                    \definefloat [...] [...] [...]
definefont                          \definefont [...] [...] [..=..]
definefontalternative               \definefontalternative [...]
definefontfallback                  \definefontfallback [...] [...] [...] [..=..]
definefontfamily                    \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset              \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name         \definefontfamilypreset [...] [...]
definefontfamily:preset             \definefontfamily [...] [...] [...] [...]
definefontfeature                   \definefontfeature [...] [...] [..=..]
definefontfile                      \definefontfile [...] [...] [..=..]
definefontsize                      \definefontsize [...]
definefontsolution                  \definefontsolution [...] [...] [..=..]
definefontstyle                     \definefontstyle [...] [...]
definefontsynonym                   \definefontsynonym [...] [...] [..=..]
definefont:argument                 \definefont [...] [...] [...]
defineformula                       \defineformula [...] [...] [..=..]
defineformulaalternative            \defineformulaalternative [...] [...] [...]
defineformulaframed                 \defineformulaframed [...] [...] [..=..]
defineframed                        \defineframed [...] [...] [..=..]
defineframedcontent                 \defineframedcontent [...] [...] [..=..]
defineframedtable                   \defineframedtable [...] [...]
defineframedtext                    \defineframedtext [...] [...] [..=..]
definefrozenfont                    \definefrozenfont [...] [...]
defineglobalcolor                   \defineglobalcolor [...] [..=..]
defineglobalcolor:name              \defineglobalcolor [...] [...]
definegraphictypesynonym            \definegraphictypesynonym [...] [...]
definegridsnapping                  \definegridsnapping [...] [...]
definehbox                          \definehbox [...] [...]
definehead                          \definehead [...] [...] [..=..]
defineheadalternative               \defineheadalternative [...] [...] [..=..]
definehelp                          \definehelp [...] [...] [..=..]
definehigh                          \definehigh [...] [...] [..=..]
definehighlight                     \definehighlight [...] [...] [..=..]
definehspace                        \definehspace [...] [...] [...]
definehyphenationfeatures           \definehyphenationfeatures [...] [..=..]
defineindentedtext                  \defineindentedtext [...] [...] [..=..]
defineindenting                     \defineindenting [...] [...]
defineinitial                       \defineinitial [...] [...] [..=..]
defineinsertion                     \defineinsertion [...] [...] [..=..]
defineinteraction                   \defineinteraction [...] [...] [..=..]
defineinteractionbar                \defineinteractionbar [...] [...] [..=..]
defineinteractionmenu               \defineinteractionmenu [...] [...] [..=..]
defineinterfaceconstant             \defineinterfaceconstant {...} {...}
defineinterfaceelement              \defineinterfaceelement {...} {...}
defineinterfacevariable             \defineinterfacevariable {...} {...}
defineinterlinespace                \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor             \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                     \defineitemgroup [...] [...] [..=..]
defineitems                         \defineitems [...] [...] [..=..]
definelabel                         \definelabel [...] [...] [..=..]
definelabelclass                    \definelabelclass [...] [...]
definelayer                         \definelayer [...] [...] [..=..]
definelayerpreset                   \definelayerpreset [...] [..=..]
definelayerpreset:name              \definelayerpreset [...] [...]
definelayout                        \definelayout [...] [...] [..=..]
definelinefiller                    \definelinefiller [...] [...] [..=..]
definelinenote                      \definelinenote [...] [...] [..=..]
definelinenumbering                 \definelinenumbering [...] [...] [..=..]
definelines                         \definelines [...] [...] [..=..]
definelist                          \definelist [...] [...] [..=..]
definelistalternative               \definelistalternative [...] [...] [..=..]
definelistextra                     \definelistextra [...] [...] [..=..]
definelow                           \definelow [...] [...] [..=..]
definelowhigh                       \definelowhigh [...] [...] [..=..]
definelowmidhigh                    \definelowmidhigh [...] [...] [..=..]
defineMPinstance                    \defineMPinstance [...] [...] [..=..]
definemakeup                        \definemakeup [...] [...] [..=..]
definemarginblock                   \definemarginblock [...] [...] [..=..]
definemargindata                    \definemargindata [...] [...] [..=..]
definemarker                        \definemarker [...]
definemarking                       \definemarking [...] [...] [..=..]
definemathaccent                    \definemathaccent ... ...
```

```
definemathalignment              \definemathalignment [...] [...] [..=..]
definemathcases                  \definemathcases [...] [...] [..=..]
definemathcommand                \definemathcommand [...] [...] [...] {...}
definemathdouble                 \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible       \definemathdoubleextensible [...] [...] [...] [...]
definemathematics                \definemathematics [...] [...] [..=..]
definemathextensible             \definemathextensible [...] [...] [...]
definemathfence                  \definemathfence [...] [...] [..=..]
definemathfraction               \definemathfraction [...] [...] [..=..]
definemathframed                 \definemathframed [...] [...] [..=..]
definemathmatrix                 \definemathmatrix [...] [...] [..=..]
definemathornament               \definemathornament [...] [...] [..=..]
definemathover                   \definemathover [...] [...] [...]
definemathoverextensible         \definemathoverextensible [...] [...] [...]
definemathovertextextensible     \definemathovertextextensible [...] [...] [...]
definemathradical                \definemathradical [...] [...] [..=..]
definemathstackers               \definemathstackers [...] [...] [..=..]
definemathstyle                  \definemathstyle [...] [...]
definemathtriplet                \definemathtriplet [...] [...] [...]
definemathunder                  \definemathunder [...] [...] [...]
definemathunderextensible        \definemathunderextensible [...] [...] [...]
definemathundertextextensible    \definemathundertextextensible [...] [...] [...]
definemathunstacked              \definemathunstacked [...] [...] [...]
definemeasure                    \definemeasure [...] [...]
definemessageconstant            \definemessageconstant {...}
definemixedcolumns               \definemixedcolumns [...] [...] [..=..]
definemode                       \definemode [...] [...]
definemulticolumns               \definemulticolumns [...] [...] [..=..]
definemultitonecolor             \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                 \definenamedcolor [...] [..=..]
definenamedcolor:name            \definenamedcolor [...] [...]
definenamespace                  \definenamespace [...] [..=..]
definenarrower                   \definenarrower [...] [...] [..=..]
definenote                       \definenote [...] [...] [..=..]
defineorientation                \defineorientation [...] [...] [..=..]
defineornament:collector         \defineornament [...] [..=..] [..=..]
defineornament:layer             \defineornament [...] [..=..] [..=..]
defineoutputroutine              \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand       \defineoutputroutinecommand [...]
defineoverlay                    \defineoverlay [...] [...] [...]
definepage                       \definepage [...] [...]
definepagebreak                  \definepagebreak [...] [...]
definepagechecker                \definepagechecker [...] [...] [..=..]
definepagecolumns                \definepagecolumns [...] [...] [..=..]
definepageinjection              \definepageinjection [...] [...] [..=..]
definepageinjectionalternative   \definepageinjectionalternative [...] [...] [..=..]
definepageshift                  \definepageshift [...] [...] [...]
definepagestate                  \definepagestate [...] [...] [..=..]
definepairedbox                  \definepairedbox [...] [...] [..=..]
definepalet                      \definepalet [...] [..=..]
definepalet:name                 \definepalet [...] [...]
definepapersize                  \definepapersize [...] [..=..]
definepapersize:name             \definepapersize [...] [...] [...]
defineparagraph                  \defineparagraph [...] [...] [..=..]
defineparagraphs                 \defineparagraphs [...] [...] [..=..]
defineparallel                   \defineparallel [...] [...]
defineparbuilder                 \defineparbuilder [...]
defineperiodkerning              \defineperiodkerning [...] [...] [..=..]
defineplaceholder                \defineplaceholder [...] [...] [..=..]
defineplacement                  \defineplacement [...] [...] [..=..]
definepositioning                \definepositioning [...] [...] [..=..]
defineprefixset                  \defineprefixset [...] [...] [...]
defineprocesscolor               \defineprocesscolor [...] [...] [..=..]
defineprocessor                  \defineprocessor [...] [...] [..=..]
defineprofile                    \defineprofile [...] [...] [..=..]
defineprogram                    \defineprogram [...] [...] [...]
definepushbutton                 \definepushbutton [...] [..=..]
definepushsymbol                 \definepushsymbol [...] [...]
definereference                  \definereference [...] [...]
definereferenceformat            \definereferenceformat [...] [...] [..=..]
defineregister                   \defineregister [...] [...] [..=..]
definerenderingwindow            \definerenderingwindow [...] [...] [..=..]
```

```
defineresetset                        \defineresetset [...] [...] [...]
defineruby                            \defineruby [...] [...] [..=..]
definescale                           \definescale [...] [...] [..=..]
definescript                          \definescript [...] [...] [..=..]
definesection                         \definesection [...]
definesectionblock                    \definesectionblock [...] [...] [..=..]
definesectionlevels                   \definesectionlevels [...] [...]
defineselector                        \defineselector [...] [..=..]
defineseparatorset                    \defineseparatorset [...] [...] [...]
defineshift                           \defineshift [...] [...] [..=..]
definesidebar                         \definesidebar [...] [...] [..=..]
definesort                            \definesort [...] [...] [...] {...}
definesorting                         \definesorting [...] [...] [...]
definespotcolor                       \definespotcolor [...] [...] [..=..]
definestartstop                       \definestartstop [...] [...] [..=..]
definestyle                           \definestyle [...] [...] [..=..]
definestyleinstance                   \definestyleinstance [...] [...] [...] [...]
definesubfield                        \definesubfield [...] [...] [...]
definesubformula                      \definesubformula [...] [...] [..=..]
definesymbol                          \definesymbol [...] [...] [...]
definesynonym                         \definesynonym [...] [...] [...] {...} {...}
definesynonyms                        \definesynonyms [...] [...] [...] [...]
definesystemattribute                 \definesystemattribute [...] [...]
definesystemconstant                  \definesystemconstant {...}
definesystemvariable                  \definesystemvariable {...}
defineTABLEsetup                      \defineTABLEsetup [...] [..=..]
definetabletemplate                   \definetabletemplate [...] [|...|] [...] [...]
definetabulate                        \definetabulate [...] [...] [|...|]
definetext                            \definetext [...] [...] [...] [OPT..] [...] [...] [...]
definetextbackground                  \definetextbackground [...] [...] [..=..]
definetextflow                        \definetextflow [...] [...] [..=..]
definetextnote                        \definetextnote [...] [...] [..=..]
definetokenlist                       \definetokenlist [...]
definetooltip                         \definetooltip [...] [...] [..=..]
definetransparency:1                  \definetransparency [...] [...]
definetransparency:2                  \definetransparency [...] [..=..]
definetransparency:3                  \definetransparency [...] [...]
definetwopasslist                     \definetwopasslist {...}
definetype                            \definetype [...] [...] [..=..]
definetypeface                        \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix                \definetypescriptprefix [...] [...]
definetypescriptsynonym               \definetypescriptsynonym [...] [...]
definetypesetting                     \definetypesetting [...] [...] [..=..]
definetyping                          \definetyping [...] [...] [..=..]
defineunit                            \defineunit [...] [...] [..=..]
defineuserdata                        \defineuserdata [...] [...] [..=..]
defineuserdataalternative             \defineuserdataalternative [...] [...] [..=..]
defineviewerlayer                     \defineviewerlayer [...] [...] [..=..]
definevspace                          \definevspace [...] [...] [...]
definevspacing                        \definevspacing [...] [...]
definevspacingamount                  \definevspacingamount [...] [...] [...]
definextable                          \definextable [...] [...] [..=..]
defrostparagraphproperties            \defrostparagraphproperties
delimited                             \delimited [...] [...] {...}
delimitedtext                         \delimitedtext [...] [...] {...}
delimitedtext:instance                \DELIMITEDTEXT [...] {...}
delimitedtext:instance:aside          \aside [...] {...}
delimitedtext:instance:blockquote     \blockquote [...] {...}
delimitedtext:instance:quotation      \quotation [...] {...}
delimitedtext:instance:quote          \quote [...] {...}
delimitedtext:instance:speech         \speech [...] {...}
depthofstring                         \depthofstring {...}
depthonlybox                          \depthonlybox {...}
depthspanningtext                     \depthspanningtext {...} {...} {...}
depthstrut                            \depthstrut
description:example                   \DESCRIPTION [...] {...} ... \par
determineheadnumber                   \determineheadnumber [...]
determinelistcharacteristics          \determinelistcharacteristics [...] [..=..]
determinenoflines                     \determinenoflines {...}
determineregistercharacteristics      \determineregistercharacteristics [...] [..=..]
devanagarinumerals                    \devanagarinumerals {...}
digits                                \digits {...}
```

```
digits:string                      \digits ...
dimensiontocount                   \dimensiontocount {...} \...
directboxfromcache                 \directboxfromcache {...} {...}
directcolor                        \directcolor [...]
directcolored                      \directcolored [..=..]
directcolored:name                 \directcolored [...]
directconvertedcounter             \directconvertedcounter {...} {...}
directcopyboxfromcache             \directcopyboxfromcache {...} {...}
directdummyparameter               \directdummyparameter {...}
directgetboxllx                    \directgetboxllx ...
directgetboxlly                    \directgetboxlly ...
directhighlight                    \directhighlight {...} {...}
directlocalframed                  \directlocalframed [...] {...}
directluacode                      \directluacode {...}
directparwrapper                   \directparwrapper {...} {...}
directselect                       \directselect {...} {...} {...} {...} {...} {...}
directsetbar                       \directsetbar {...}       OPT      OPT      OPT      OPT      OPT
directsetup                        \directsetup {...}
directsymbol                       \directsymbol {...} {...}
directvspacing                     \directvspacing {...}
dis                                \dis {...}
disabledirectives                  \disabledirectives [...]
disableexperiments                 \disableexperiments [...]
disablemode                        \disablemode [...]
disableoutputstream                \disableoutputstream
disableparpositions                \disableparpositions
disableregime                      \disableregime
disabletrackers                    \disabletrackers [...]
displaymath                        \displaymath {...}
displaymathematics                 \displaymathematics {...}
displaymessage                     \displaymessage {...}
disposeluatable                    \disposeluatable \...
distributedhsize                   \distributedhsize {...} {...} {...}
dividedsize                        \dividedsize {...} {...} {...}
doadaptleftskip                    \doadaptleftskip {...}
doadaptrightskip                   \doadaptrightskip {...}
doaddfeature                       \doaddfeature {...}
doassign                           \doassign [...] [..=..]
doassignempty                      \doassignempty [...] [..=..]
doboundtext                        \doboundtext {...} {...} {...}
docheckassignment                  \docheckassignment {...}
docheckedpair                      \docheckedpair {...}
documentvariable                   \documentvariable {...}
dodoubleargument                   \dodoubleargument \... [...] [...]
dodoubleargumentwithset            \dodoubleargumentwithset \... [...] [...]
dodoubleempty                      \dodoubleempty \... [...] [...]
dodoubleemptywithset               \dodoubleemptywithset \... [...] [...]
dodoublegroupempty                 \dodoublegroupempty \... {...} {...}
doeassign                          \doeassign [...] [..=..]
doexpandedrecurse                  \doexpandedrecurse {...} {...}
dofastloopcs                       \dofastloopcs {...} \...
dogetattribute                     \dogetattribute {...}
dogetattributeid                   \dogetattributeid {...}
dogetcommacommandelement           \dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty                \dogobbledoubleempty [...] [...]
dogobblesingleempty                \dogobblesingleempty [...]
dohyphens                          \dohyphens
doif                               \doif {...} {...} {...}
doifallcommon                      \doifallcommon {...} {...} {...}
doifallcommonelse                  \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse                 \doifalldefinedelse {...} {...} {...}
doifallmodes                       \doifallmodes {...} {...} {...}
doifallmodeselse                   \doifallmodeselse {...} {...} {...}
doifassignmentelse                 \doifassignmentelse {...} {...} {...}
doifassignmentelsecs               \doifassignmentelsecs {...} \... \...
doifblackelse                      \doifblackelse {...} {...} {...}
doifbothsides                      \doifbothsides {...} {...} {...}
doifbothsidesoverruled             \doifbothsidesoverruled {...} {...} {...}
doifboxelse                        \doifboxelse {...} {...} {...} {...}
doifbufferelse                     \doifbufferelse {...} {...} {...}
doifcheckedpagestate               \doifcheckedpagestate {...} {...} {...} {...} {...} {...} {...}
doifcolor                          \doifcolor {...} {...}
```

```
doifcolorelse                        \doifcolorelse {...} {...} {...}
doifcommandhandler                   \doifcommandhandler \... {...} {...}
doifcommandhandlerelse               \doifcommandhandlerelse \... {...} {...} {...}
doifcommon                           \doifcommon {...} {...} {...}
doifcommonelse                       \doifcommonelse {...} {...} {...} {...}
doifcontent                          \doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse            \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse             \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                          \doifcounter {...} {...}
doifcounterelse                      \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse        \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                          \doifdefined {...} {...}
doifdefinedcounter                   \doifdefinedcounter {...} {...}
doifdefinedcounterelse               \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                      \doifdefinedelse {...} {...} {...}
doifdimensionelse                    \doifdimensionelse {...} {...} {...}
doifdimenstringelse                  \doifdimenstringelse {...} {...} {...}
doifdocumentargument                 \doifdocumentargument {...} {...}
doifdocumentargumentelse             \doifdocumentargumentelse {...} {...} {...}
doifdocumentfilename                 \doifdocumentfilename {...} {...}
doifdocumentfilenameelse             \doifdocumentfilenameelse {...} {...} {...}
doifdocumentvariable                 \doifdocumentvariable {...} {...}
doifdocumentvariableelse             \doifdocumentvariableelse {...} {...} {...}
doifdrawingblackelse                 \doifdrawingblackelse {...} {...}
doifelse                             \doifelse {...} {...} {...} {...}
doifelseallcommon                    \doifelseallcommon {...} {...} {...} {...}
doifelsealldefined                   \doifelsealldefined {...} {...} {...}
doifelseallmodes                     \doifelseallmodes {...} {...} {...}
doifelseassignment                   \doifelseassignment {...} {...} {...}
doifelseassignmentcs                 \doifelseassignmentcs {...} \... \...
doifelseblack                        \doifelseblack {...} {...} {...}
doifelsebox                          \doifelsebox {...} {...} {...} {...}
doifelseboxincache                   \doifelseboxincache {...} {...} {...} {...}
doifelsebuffer                       \doifelsebuffer {...} {...} {...}
doifelsecolor                        \doifelsecolor {...} {...} {...}
doifelsecommandhandler               \doifelsecommandhandler \... {...} {...} {...}
doifelsecommon                       \doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined            \doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber             \doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter                      \doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature        \doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused           \doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown          \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused           \doifelsecurrentsynonymused {...} {...}
doifelsedefined                      \doifelsedefined {...} {...} {...}
doifelsedefinedcounter               \doifelsedefinedcounter {...} {...} {...}
doifelsedimension                    \doifelsedimension {...} {...} {...}
doifelsedimenstring                  \doifelsedimenstring {...} {...} {...}
doifelsedocumentargument             \doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename             \doifelsedocumentfilename {...} {...} {...}
doifelsedocumentvariable             \doifelsedocumentvariable {...} {...} {...}
doifelsedrawingblack                 \doifelsedrawingblack {...} {...}
doifelseempty                        \doifelseempty {...} {...} {...}
doifelseemptyvalue                   \doifelseemptyvalue {...} {...} {...}
doifelseemptyvariable                \doifelseemptyvariable {...} {...} {...} {...}
doifelseenv                          \doifelseenv {...} {...} {...}
doifelsefastoptionalcheck            \doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs          \doifelsefastoptionalcheckcs \... \...
doifelsefieldbody                    \doifelsefieldbody {...} {...} {...}
doifelsefieldcategory                \doifelsefieldcategory {...} {...} {...}
doifelsefigure                       \doifelsefigure {...} {...} {...}
doifelsefile                         \doifelsefile {...} {...} {...}
doifelsefiledefined                  \doifelsefiledefined {...} {...} {...}
doifelsefileexists                   \doifelsefileexists {...} {...} {...}
doifelsefirstchar                    \doifelsefirstchar {...} {...} {...} {...}
doifelseflagged                      \doifelseflagged {...} {...} {...}
doifelsefontchar                     \doifelsefontchar {...} {...} {...} {...}
doifelsefontfeature                  \doifelsefontfeature {...} {...} {...}
doifelsefontpresent                  \doifelsefontpresent {...} {...} {...}
doifelsefontsynonym                  \doifelsefontsynonym {...} {...} {...}
doifelseframed                       \doifelseframed \... {...} {...}
doifelsehasspace                     \doifelsehasspace {...} {...} {...}
```

```
doifelsehelp                        \doifelsehelp {...} {...}
doifelseincsname                    \doifelseincsname {...} {...} {...} {...}
doifelseindented                    \doifelseindented {...} {...}
doifelseinelement                   \doifelseinelement {...} {...} {...}
doifelseinputfile                   \doifelseinputfile {...} {...} {...}
doifelseinsertion                   \doifelseinsertion {...} {...} {...}
doifelseinset                       \doifelseinset {...} {...} {...} {...}
doifelseinstring                    \doifelseinstring {...} {...} {...} {...}
doifelseinsymbolset                 \doifelseinsymbolset {...} {...} {...} {...}
doifelseintoks                      \doifelseintoks {...} {...} {...} {...}
doifelseintwopassdata               \doifelseintwopassdata {...} {...} {...} {...}
doifelseitalic                      \doifelseitalic {...} {...}
doifelselanguage                    \doifelselanguage {...} {...} {...}
doifelselayerdata                   \doifelselayerdata {...} {...} {...}
doifelselayoutdefined               \doifelselayoutdefined {...} {...} {...}
doifelselayoutsomeline              \doifelselayoutsomeline {...} {...} {...}
doifelselayouttextline              \doifelselayouttextline {...} {...} {...}
doifelseleapyear                    \doifelseleapyear {...} {...} {...}
doifelselist                        \doifelselist {...} {...} {...}
doifelselocation                    \doifelselocation {...} {...}
doifelselocfile                     \doifelselocfile {...} {...} {...}
doifelseMPgraphic                   \doifelseMPgraphic {...} {...} {...}
doifelsemainfloatbody               \doifelsemainfloatbody {...} {...}
doifelsemarkedcontent               \doifelsemarkedcontent {...} {...} {...}
doifelsemarkedpage                  \doifelsemarkedpage {...} {...} {...}
doifelsemarking                     \doifelsemarking {...} {...} {...}
doifelsemessage                     \doifelsemessage {...} {...} {...} {...}
doifelsemode                        \doifelsemode {...} {...} {...}
doifelsenextbgroup                  \doifelsenextbgroup {...} {...}
doifelsenextbgroupcs                \doifelsenextbgroupcs \... \...
doifelsenextchar                    \doifelsenextchar {...} {...} {...}
doifelsenextoptional                \doifelsenextoptional {...} {...}
doifelsenextoptionalcs              \doifelsenextoptionalcs \... \...
doifelsenextparenthesis             \doifelsenextparenthesis {...} {...}
doifelsenonzeropositive             \doifelsenonzeropositive {...} {...} {...}
doifelsenoteonsamepage              \doifelsenoteonsamepage {...} {...} {...}
doifelsenothing                     \doifelsenothing {...} {...} {...}
doifelsenumber                      \doifelsenumber {...} {...} {...}
doifelseobjectfound                 \doifelseobjectfound {...} {...} {...} {...}
doifelseobjectreferencefound        \doifelseobjectreferencefound {...} {...} {...} {...}
doifelseoddpage                     \doifelseoddpage {...} {...}
doifelseoddpagefloat                \doifelseoddpagefloat {...} {...}
doifelseoldercontext                \doifelseoldercontext {...} {...} {...}
doifelseolderversion                \doifelseolderversion {...} {...} {...} {...}
doifelseorientation                 \doifelseorientation {...} {...} {...}
doifelseoverlapping                 \doifelseoverlapping {...} {...} {...} {...}
doifelseoverlay                     \doifelseoverlay {...} {...} {...}
doifelseparallel                    \doifelseparallel {...} {...} {...} {...}
doifelseparentfile                  \doifelseparentfile {...} {...} {...}
doifelseparwrapper                  \doifelseparwrapper {...} {...} {...}
doifelsepath                        \doifelsepath {...} {...} {...}
doifelsepathexists                  \doifelsepathexists {...} {...} {...}
doifelsepatterns                    \doifelsepatterns {...} {...} {...}
doifelseposition                    \doifelseposition {...} {...} {...}
doifelsepositionaction              \doifelsepositionaction {...} {...} {...}
doifelsepositiononpage              \doifelsepositiononpage {...} {...} {...} {...}
doifelsepositionsonsamepage         \doifelsepositionsonsamepage {...} {...} {...}
doifelsepositionsonthispage         \doifelsepositionsonthispage {...} {...} {...}
doifelsepositionsused               \doifelsepositionsused {...} {...}
doifelsereferencefound              \doifelsereferencefound {...} {...} {...}
doifelserightpage                   \doifelserightpage {...} {...}
doifelserightpagefloat              \doifelserightpagefloat {...} {...}
doifelserighttoleftinbox            \doifelserighttoleftinbox ... {...} {...}
doifelsesamelinereference           \doifelsesamelinereference {...} {...} {...}
doifelsesamestring                  \doifelsesamestring {...} {...} {...} {...}
doifelsesetups                      \doifelsesetups {...} {...} {...}
doifelsesomebackground              \doifelsesomebackground {...} {...} {...}
doifelsesomespace                   \doifelsesomespace {...} {...} {...}
doifelsesomething                   \doifelsesomething {...} {...} {...}
doifelsesometoks                    \doifelsesometoks \... {...} {...}
doifelsestringinstring              \doifelsestringinstring {...} {...} {...} {...}
doifelsestructurelisthasnumber      \doifelsestructurelisthasnumber {...} {...}
```

| | |
|---|---|
| doifelsestructurelisthaspage | `\doifelsestructurelisthaspage {...} {...}` |
| doifelsesymboldefined | `\doifelsesymboldefined {...} {...} {...}` |
| doifelsesymbolset | `\doifelsesymbolset {...} {...} {...}` |
| doifelsetext | `\doifelsetext {...} {...} {...}` |
| doifelsetextflow | `\doifelsetextflow {...} {...} {...}` |
| doifelsetextflowcollector | `\doifelsetextflowcollector {...} {...} {...}` |
| doifelsetopofpage | `\doifelsetopofpage {...} {...}` |
| doifelsetypingfile | `\doifelsetypingfile {...} {...} {...}` |
| doifelseundefined | `\doifelseundefined {...} {...} {...}` |
| doifelseurldefined | `\doifelseurldefined {...} {...} {...}` |
| doifelsevalue | `\doifelsevalue {...} {...} {...} {...}` |
| doifelsevaluenothing | `\doifelsevaluenothing {...} {...} {...}` |
| doifelsevariable | `\doifelsevariable {...} {...} {...} {...}` |
| doifempty | `\doifempty {...} {...}` |
| doifemptyelse | `\doifemptyelse {...} {...} {...}` |
| doifemptytoks | `\doifemptytoks \... {...}` |
| doifemptyvalue | `\doifemptyvalue {...} {...}` |
| doifemptyvalueelse | `\doifemptyvalueelse {...} {...} {...}` |
| doifemptyvariable | `\doifemptyvariable {...} {...} {...}` |
| doifemptyvariableelse | `\doifemptyvariableelse {...} {...} {...} {...}` |
| doifenv | `\doifenv {...} {...}` |
| doifenvelse | `\doifenvelse {...} {...} {...}` |
| doiffastoptionalcheckcselse | `\doiffastoptionalcheckcselse \... \...` |
| doiffastoptionalcheckelse | `\doiffastoptionalcheckelse {...} {...}` |
| doiffieldbodyelse | `\doiffieldbodyelse {...} {...} {...}` |
| doiffieldcategoryelse | `\doiffieldcategoryelse {...} {...} {...}` |
| doiffigureelse | `\doiffigureelse {...} {...} {...}` |
| doiffile | `\doiffile {...} {...}` |
| doiffiledefinedelse | `\doiffiledefinedelse {...} {...} {...}` |
| doiffileelse | `\doiffileelse {...} {...} {...}` |
| doiffileexistselse | `\doiffileexistselse {...} {...} {...}` |
| doiffirstcharelse | `\doiffirstcharelse {...} {...} {...} {...}` |
| doifflaggedelse | `\doifflaggedelse {...} {...} {...}` |
| doiffontcharelse | `\doiffontcharelse {...} {...} {...} {...}` |
| doiffontfeatureelse | `\doiffontfeatureelse {...} {...} {...}` |
| doiffontpresentelse | `\doiffontpresentelse {...} {...} {...}` |
| doiffontsynonymelse | `\doiffontsynonymelse {...} {...} {...}` |
| doifhasspaceelse | `\doifhasspaceelse {...} {...} {...}` |
| doifhelpelse | `\doifhelpelse {...} {...}` |
| doifincsnameelse | `\doifincsnameelse {...} {...} {...} {...}` |
| doifinelementelse | `\doifinelementelse {...} {...} {...}` |
| doifinputfileelse | `\doifinputfileelse {...} {...} {...}` |
| doifinsertionelse | `\doifinsertionelse {...} {...} {...}` |
| doifinset | `\doifinset {...} {...} {...}` |
| doifinsetelse | `\doifinsetelse {...} {...} {...} {...}` |
| doifinstring | `\doifinstring {...} {...} {...}` |
| doifinstringelse | `\doifinstringelse {...} {...} {...} {...}` |
| doifinsymbolset | `\doifinsymbolset {...} {...} {...} {...}` |
| doifinsymbolsetelse | `\doifinsymbolsetelse {...} {...} {...} {...}` |
| doifintokselse | `\doifintokselse {...} {...} {...} {...}` |
| doifintwopassdataelse | `\doifintwopassdataelse {...} {...} {...} {...}` |
| doifitalicelse | `\doifitalicelse {...} {...}` |
| doiflanguageelse | `\doiflanguageelse {...} {...} {...}` |
| doiflayerdataelse | `\doiflayerdataelse {...} {...} {...}` |
| doiflayoutdefinedelse | `\doiflayoutdefinedelse {...} {...} {...}` |
| doiflayoutsomelineelse | `\doiflayoutsomelineelse {...} {...} {...}` |
| doiflayouttextlineelse | `\doiflayouttextlineelse {...} {...} {...}` |
| doifleapyearelse | `\doifleapyearelse {...} {...} {...}` |
| doiflistelse | `\doiflistelse {...} {...} {...}` |
| doiflocationelse | `\doiflocationelse {...} {...}` |
| doiflocfileelse | `\doiflocfileelse {...} {...} {...}` |
| doifMPgraphicelse | `\doifMPgraphicelse {...} {...} {...}` |
| doifmainfloatbodyelse | `\doifmainfloatbodyelse {...} {...}` |
| doifmarkingelse | `\doifmarkingelse {...} {...} {...}` |
| doifmessageelse | `\doifmessageelse {...} {...} {...} {...}` |
| doifmode | `\doifmode {...} {...}` |
| doifmodeelse | `\doifmodeelse {...} {...} {...}` |
| doifnextbgroupcselse | `\doifnextbgroupcselse \... \...` |
| doifnextbgroupelse | `\doifnextbgroupelse {...} {...}` |
| doifnextcharelse | `\doifnextcharelse {...} {...} {...}` |
| doifnextoptionalcselse | `\doifnextoptionalcselse \... \...` |
| doifnextoptionalelse | `\doifnextoptionalelse {...} {...}` |

```
doifnextparenthesiselse          \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse          \doifnonzeropositiveelse {...} {...} {...}
doifnot                          \doifnot {...} {...} {...}
doifnotallcommon                 \doifnotallcommon {...} {...} {...}
doifnotallmodes                  \doifnotallmodes {...} {...} {...}
doifnotcommandhandler            \doifnotcommandhandler \... {...} {...}
doifnotcommon                    \doifnotcommon {...} {...} {...}
doifnotcounter                   \doifnotcounter {...} {...}
doifnotdocumentargument          \doifnotdocumentargument {...} {...}
doifnotdocumentfilename          \doifnotdocumentfilename {...} {...}
doifnotdocumentvariable          \doifnotdocumentvariable {...} {...}
doifnotempty                     \doifnotempty {...} {...}
doifnotemptyvalue                \doifnotemptyvalue {...} {...}
doifnotemptyvariable             \doifnotemptyvariable {...} {...} {...}
doifnotenv                       \doifnotenv {...} {...}
doifnoteonsamepageelse           \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected               \doifnotescollected {...} {...}
doifnotfile                      \doifnotfile {...} {...}
doifnotflagged                   \doifnotflagged {...} {...}
doifnothing                      \doifnothing {...} {...}
doifnothingelse                  \doifnothingelse {...} {...} {...}
doifnotinset                     \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat          \doifnotinsidesplitfloat {...}
doifnotinstring                  \doifnotinstring {...} {...} {...}
doifnotmode                      \doifnotmode {...} {...}
doifnotnumber                    \doifnotnumber {...} {...}
doifnotsamestring                \doifnotsamestring {...} {...} {...}
doifnotsetups                    \doifnotsetups {...} {...}
doifnotvalue                     \doifnotvalue {...} {...} {...}
doifnotvariable                  \doifnotvariable {...} {...} {...}
doifnumber                       \doifnumber {...} {...}
doifnumberelse                   \doifnumberelse {...} {...} {...}
doifobjectfoundelse              \doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse     \doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpageelse                  \doifoddpageelse {...} {...}
doifoddpagefloatelse             \doifoddpagefloatelse {...} {...}
doifoldercontextelse             \doifoldercontextelse {...} {...} {...}
doifolderversionelse             \doifolderversionelse {...} {...} {...} {...}
doifoutervmode                   \doifoutervmode {...}
doifoverlappingelse              \doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse                  \doifoverlayelse {...} {...} {...}
doifparallelelse                 \doifparallelelse {...} {...} {...} {...}
doifparentfileelse               \doifparentfileelse {...} {...} {...}
doifpathelse                     \doifpathelse {...} {...} {...}
doifpathexistselse               \doifpathexistselse {...} {...} {...}
doifpatternselse                 \doifpatternselse {...} {...} {...}
doifposition                     \doifposition {...} {...} {...}
doifpositionaction               \doifpositionaction {...} {...} {...}
doifpositionactionelse           \doifpositionactionelse {...} {...} {...}
doifpositionelse                 \doifpositionelse {...} {...} {...}
doifpositiononpageelse           \doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse      \doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse      \doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse            \doifpositionsusedelse {...} {...}
doifreferencefoundelse           \doifreferencefoundelse {...} {...} {...}
doifrightpageelse                \doifrightpageelse {...} {...}
doifrightpagefloatelse           \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse         \doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse        \doifsamelinereferenceelse {...} {...} {...}
doifsamestring                   \doifsamestring {...} {...} {...}
doifsamestringelse               \doifsamestringelse {...} {...} {...} {...}
doifsetups                       \doifsetups {...} {...}
doifsetupselse                   \doifsetupselse {...} {...} {...}
doifsomebackground               \doifsomebackground {...} {...} {...}
doifsomebackgroundelse           \doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse                \doifsomespaceelse {...} {...} {...}
doifsomething                    \doifsomething {...} {...}
doifsomethingelse                \doifsomethingelse {...} {...} {...}
doifsometoks                     \doifsometoks \... {...}
doifsometokselse                 \doifsometokselse \... {...} {...}
doifstringinstringelse           \doifstringinstringelse {...} {...} {...} {...}
doifstructurelisthasnumberelse   \doifstructurelisthasnumberelse {...} {...}
```

| | |
|---|---|
| doifstructurelisthaspageelse | `\doifstructurelisthaspageelse {...} {...}` |
| doifsymboldefinedelse | `\doifsymboldefinedelse {...} {...} {...}` |
| doifsymbolsetelse | `\doifsymbolsetelse {...} {...} {...}` |
| doiftext | `\doiftext {...} {...} {...}` |
| doiftextelse | `\doiftextelse {...} {...} {...}` |
| doiftextflowcollectorelse | `\doiftextflowcollectorelse {...} {...} {...}` |
| doiftextflowelse | `\doiftextflowelse {...} {...} {...}` |
| doiftopofpageelse | `\doiftopofpageelse {...} {...}` |
| doiftypingfileelse | `\doiftypingfileelse {...} {...} {...}` |
| doifundefined | `\doifundefined {...} {...}` |
| doifundefinedcounter | `\doifundefinedcounter {...} {...}` |
| doifundefinedelse | `\doifundefinedelse {...} {...} {...}` |
| doifunknownfontfeature | `\doifunknownfontfeature {...} {...} {...}` |
| doifurldefinedelse | `\doifurldefinedelse {...} {...} {...}` |
| doifvalue | `\doifvalue {...} {...} {...}` |
| doifvalueelse | `\doifvalueelse {...} {...} {...} {...}` |
| doifvaluenothing | `\doifvaluenothing {...} {...}` |
| doifvaluenothingelse | `\doifvaluenothingelse {...} {...} {...}` |
| doifvaluesomething | `\doifvaluesomething {...} {...}` |
| doifvariable | `\doifvariable {...} {...} {...}` |
| doifvariableelse | `\doifvariableelse {...} {...} {...} {...}` |
| doindentation | `\doindentation` |
| dollar | `\dollar` |
| doloop | `\doloop {...}` |
| doloopoverlist | `\doloopoverlist {...} {...}` |
| donothing | `\donothing` |
| dontconvertfont | `\dontconvertfont` |
| dontleavehmode | `\dontleavehmode` |
| dontpermitspacesbetweengroups | `\dontpermitspacesbetweengroups` |
| dopositionaction | `\dopositionaction {...}` |
| doprocesslocalsetups | `\doprocesslocalsetups {...}` |
| doquadrupleargument | `\doquadrupleargument \... [...] [...] [...] [...]` |
| doquadrupleempty | `\doquadrupleempty \... [...] [...] [...] [...]` |
| doquadruplegroupempty | `\doquadruplegroupempty \... {...} {...} {...} {...}` |
| doquintupleargument | `\doquintupleargument \... [...] [...] [...] [...] [...]` |
| doquintupleempty | `\doquintupleempty \... [...] [...] [...] [...] [...]` |
| doquintuplegroupempty | `\doquintuplegroupempty \... {...} {...} {...} {...} {...}` |
| dorechecknextindentation | `\dorechecknextindentation` |
| dorecurse | `\dorecurse {...} {...}` |
| dorepeatwithcommand | `\dorepeatwithcommand [...] \...` |
| doreplacefeature | `\doreplacefeature {...}` |
| doresetandafffeature | `\doresetandafffeature {...}` |
| doresetattribute | `\doresetattribute {...}` |
| dorotatebox | `\dorotatebox {...} \... {...}` |
| dosetattribute | `\dosetattribute {...} {...}` |
| dosetleftskipadaption | `\dosetleftskipadaption {...}` |
| dosetrightskipadaption | `\dosetrightskipadaption {...}` |
| dosetupcheckedinterlinespace | `\dosetupcheckedinterlinespace {..=..}` |
| dosetupcheckedinterlinespace:argument | `\dosetupcheckedinterlinespace {...}` |
| dosetupcheckedinterlinespace:name | `\dosetupcheckedinterlinespace {...}` |
| doseventupleargument | `\doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]` |
| doseventupleempty | `\doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]` |
| dosingleargument | `\dosingleargument \... [...]` |
| dosingleempty | `\dosingleempty \... [...]` |
| dosinglegroupempty | `\dosinglegroupempty \... {...}` |
| dosixtupleargument | `\dosixtupleargument \... [...] [...] [...] [...] [...] [...]` |
| dosixtupleempty | `\dosixtupleempty \... [...] [...] [...] [...] [...] [...]` |
| dosomebreak | `\dosomebreak \...` |
| dostarttagged | `\dostarttagged {...} {...} ... \dostoptagged` |
| dostepwiserecurse | `\dostepwiserecurse {...} {...} {...} {...}` |
| dosubtractfeature | `\dosubtractfeature {...}` |
| dot | `\dot {...}` |
| dotfill | `\dotfill` |
| dotfskip | `\dotfskip {...}` |
| dotoks | `\dotoks \...` |
| dotripleargument | `\dotripleargument \... [...] [...] [...]` |
| dotripleargumentwithset | `\dotripleargumentwithset \... [...] [...] [...]` |
| dotripleempty | `\dotripleempty \... [...] [...] [...]` |
| dotripleemptywithset | `\dotripleemptywithset \... [...] [...] [...]` |
| dotriplegroupempty | `\dotriplegroupempty \... {...} {...} {...}` |
| doublebond | `\doublebond` |
| dowith | `\dowith {...} {...}` |

| | |
|---|---|
| dowithnextbox | `\dowithnextbox {...} \... {...}` |
| dowithnextboxcontent | `\dowithnextboxcontent {...} {...} \... {...}` |
| dowithnextboxcontentcs | `\dowithnextboxcontentcs \... \... \... {...}` |
| dowithnextboxcs | `\dowithnextboxcs \... \... {...}` |
| dowithpargument | `\dowithpargument \...` |
| dowithrange | `\dowithrange {...} \...` |
| dowithwargument | `\dowithwargument \...` |
| dpofstring | `\dpofstring {...}` |
| dummydigit | `\dummydigit` |
| dummyparameter | `\dummyparameter {...}` |
| ETEX | `\ETEX` |
| EveryLine | `\EveryLine {...}` |
| EveryPar | `\EveryPar {...}` |
| edefconvertedargument | `\edefconvertedargument \... {...}` |
| efcmaxheight | `\efcmaxheight {...}` |
| efcmaxwidth | `\efcmaxwidth {...}` |
| efcminheight | `\efcminheight {...}` |
| efcminwidth | `\efcminwidth {...}` |
| efcparameter | `\efcparameter {...} {...}` |
| effect | `\effect [...] {...}` |
| elapsedseconds | `\elapsedseconds` |
| elapsedsteptime | `\elapsedsteptime` |
| elapsedtime | `\elapsedtime` |
| em | `\em` |
| emphasisboldface | `\emphasisboldface` |
| emphasistypeface | `\emphasistypeface` |
| emptylines | `\emptylines [...]` |
| emspace | `\emspace` |
| enableasciimode | `\enableasciimode` |
| enabledirectives | `\enabledirectives [...]` |
| enableexperiments | `\enableexperiments [...]` |
| enablemode | `\enablemode [...]` |
| enableoutputstream | `\enableoutputstream [...]` |
| enableparpositions | `\enableparpositions` |
| enableregime | `\enableregime [...]` |
| enabletrackers | `\enabletrackers [...]` |
| enskip | `\enskip` |
| enspace | `\enspace` |
| enumeration:example | `\ENUMERATION [...] {...} ... \par` |
| env | `\env {...}` |
| environment | `\environment [...]` |
| environment:string | `\environment ...` |
| envvar | `\envvar {...} {...}` |
| epos | `\epos {...}` |
| equaldigits | `\equaldigits {...}` |
| eTeX | `\eTeX` |
| executeifdefined | `\executeifdefined {...} {...}` |
| exitloop | `\exitloop` |
| exitloopnow | `\exitloopnow` |
| expandcheckedcsname | `\expandcheckedcsname \... {...} {...}` |
| expanded | `\expanded {...}` |
| expandeddoif | `\expandeddoif {...} {...} {...}` |
| expandeddoifelse | `\expandeddoifelse {...} {...} {...} {...}` |
| expandeddoifnot | `\expandeddoifnot {...} {...} {...}` |
| expandfontsynonym | `\expandfontsynonym \... {...}` |
| expdoif | `\expdoif {...} {...} {...}` |
| expdoifcommonelse | `\expdoifcommonelse {...} {...} {...} {...}` |
| expdoifelse | `\expdoifelse {...} {...} {...} {...}` |
| expdoifelsecommon | `\expdoifelsecommon {...} {...} {...} {...}` |
| expdoifelseinset | `\expdoifelseinset {...} {...} {...} {...}` |
| expdoifinsetelse | `\expdoifinsetelse {...} {...} {...} {...}` |
| expdoifnot | `\expdoifnot {...} {...} {...}` |
| externalfigure | `\externalfigure [...] [...] [..=..]` |
| externalfigurecollectionmaxheight | `\externalfigurecollectionmaxheight {...}` |
| externalfigurecollectionmaxwidth | `\externalfigurecollectionmaxwidth {...}` |
| externalfigurecollectionminheight | `\externalfigurecollectionminheight {...}` |
| externalfigurecollectionminwidth | `\externalfigurecollectionminwidth {...}` |
| externalfigurecollectionparameter | `\externalfigurecollectionparameter {...} {...}` |
| fakebox | `\fakebox ...` |
| fastdecrement | `\fastdecrement \...` |
| fastincrement | `\fastincrement \...` |
| fastlocalframed | `\fastlocalframed [...] [..=..] {...}` |

```
fastloopfinal                          \fastloopfinal
fastloopindex                          \fastloopindex
fastscale                              \fastscale {...} {...}
fastsetup                              \fastsetup {...}
fastsetupwithargument                  \fastsetupwithargument {...} {...}
fastsetupwithargumentswapped           \fastsetupwithargumentswapped {...} {...}
fastswitchtobodyfont                   \fastswitchtobodyfont {...}
fastsxsy                               \fastsxsy {...} {...} {...}
feature                                \feature [...] [...]
feature:direct                         \feature {...} {...}
fence                                  \fence
fenced                                 \fenced [...] {...}
fence:example                          \FENCE {...}
fetchallmarkings                       \fetchallmarkings [...] [...]
fetchallmarks                          \fetchallmarks [...]
fetchmark                              \fetchmark [...] [...]
fetchmarking                           \fetchmarking [...] [...] [...]
fetchonemark                           \fetchonemark [...] [...]
fetchonemarking                        \fetchonemarking [...] [...] [...]
fetchruntinecommand                    \fetchruntinecommand \... {...}
fetchtwomarkings                       \fetchtwomarkings [...] [...]
fetchtwomarks                          \fetchtwomarks [...]
field                                  \field [...] [...]
fieldbody                              \fieldbody [...] [..=..]
fieldstack                             \fieldstack [...] [...] [..=..]
fifthoffivearguments                   \fifthoffivearguments {...} {...} {...} {...} {...}
fifthofsixarguments                    \fifthofsixarguments {...} {...} {...} {...} {...} {...}
figurefilename                         \figurefilename
figurefilepath                         \figurefilepath
figurefiletype                         \figurefiletype
figurefullname                         \figurefullname
figureheight                           \figureheight
figurenaturalheight                    \figurenaturalheight
figurenaturalwidth                     \figurenaturalwidth
figuresymbol                           \figuresymbol [...] [..=..]
figurewidth                            \figurewidth
filename                               \filename {...}
filledhboxb                            \filledhboxb ... {...}
filledhboxc                            \filledhboxc ... {...}
filledhboxg                            \filledhboxg ... {...}
filledhboxk                            \filledhboxk ... {...}
filledhboxm                            \filledhboxm ... {...}
filledhboxr                            \filledhboxr ... {...}
filledhboxy                            \filledhboxy ... {...}
filler                                 \filler [...]
fillinline                             \fillinline [..=..]
fillinrules                            \fillinrules [..=..] {...} {...}
fillintext                             \fillintext [..=..] {...} {...}
fillupto                               \fillupto [...] {...}
filterfromnext                         \filterfromnext {...} {...} {...} {...} {...} {...} {...}
filterfromvalue                        \filterfromvalue {...} {...} {...} OPT    OPT    OPT    OPT
filterpages                            \filterpages [...] [...] [..=..]
filterreference                        \filterreference {...}
findtwopassdata                        \findtwopassdata {...} {...}
finishregisterentry                    \finishregisterentry [...] [..=..] [..=..]
firstcharacter                         \firstcharacter
firstcounter                           \firstcounter [...] [...]
firstcountervalue                      \firstcountervalue [...]
firstinlist                            \firstinlist [...]
firstoffivearguments                   \firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments                   \firstoffourarguments {...} {...} {...} {...}
firstofoneargument                     \firstofoneargument {...}
firstofoneunexpanded                   \firstofoneunexpanded {...}
firstofsixarguments                    \firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments                  \firstofthreearguments {...} {...} {...}
firstofthreeunexpanded                 \firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments                    \firstoftwoarguments {...} {...}
firstoftwounexpanded                   \firstoftwounexpanded {...} {...}
firstrealpage                          \firstrealpage
firstrealpagenumber                    \firstrealpagenumber
firstsubcountervalue                   \firstsubcountervalue [...] [...]
firstsubpage                           \firstsubpage
```

19

```
firstsubpagenumber                          \firstsubpagenumber
firstuserpage                               \firstuserpage
firstuserpagenumber                         \firstuserpagenumber
fitfield                                    \fitfield [...] [..=..]
fitfieldframed                              \fitfieldframed [..=..] {...}
fittopbaselinegrid                          \fittopbaselinegrid {...}
fixedspace                                  \fixedspace
fixedspaces                                 \fixedspaces
flag                                        \flag {...}
floatuserdataparameter                      \floatuserdataparameter {...}
flushbox                                    \flushbox {...} {...}
flushboxregister                            \flushboxregister ...
flushcollector                              \flushcollector [...]
flushedrightlastline                        \flushedrightlastline
flushlayer                                  \flushlayer [...]
flushlocalfloats                            \flushlocalfloats
flushnextbox                                \flushnextbox
flushnotes                                  \flushnotes
flushoutputstream                           \flushoutputstream [...]
flushshapebox                               \flushshapebox
flushtextflow                               \flushtextflow {...}
flushtokens                                 \flushtokens [...]
flushtoks                                   \flushtoks \...
fontalternative                             \fontalternative
fontbody                                    \fontbody
fontchar                                    \fontchar {...}
fontcharbyindex                             \fontcharbyindex {...}
fontclass                                   \fontclass
fontclassname                               \fontclassname {...} {...}
fontface                                    \fontface
fontfeaturelist                             \fontfeaturelist [...] [...]
fontsize                                    \fontsize
fontstyle                                   \fontstyle
footnotetext                                \footnotetext [...] {...}
footnotetext:assignment                     \footnotetext [..=..]
forcecharacterstripping                     \forcecharacterstripping
forcelocalfloats                            \forcelocalfloats
forgeteverypar                              \forgeteverypar
forgetparagraphfreezing                     \forgetparagraphfreezing
forgetparameters                            \forgetparameters [...] [..=..]
forgetparskip                               \forgetparskip
forgetparwrapper                            \forgetparwrapper
forgetragged                                \forgetragged
formula                                     \formula [...] {...}
formulanumber                               \formulanumber [...]
foundbox                                    \foundbox {...} {...}
fourthoffivearguments                       \fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments                       \fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments                        \fourthofsixarguments {...} {...} {...} {...} {...} {...}
fraction:instance                           \FRACTION {...} {...}
fraction:instance:binom                     \binom {...} {...}
fraction:instance:dbinom                    \dbinom {...} {...}
fraction:instance:dfrac                     \dfrac {...} {...}
fraction:instance:frac                      \frac {...} {...}
fraction:instance:sfrac                     \sfrac {...} {...}
fraction:instance:tbinom                    \tbinom {...} {...}
fraction:instance:xfrac                     \xfrac {...} {...}
fraction:instance:xxfrac                    \xxfrac {...} {...}
framed                                      \framed [..=..] {...}
frameddimension                             \frameddimension {...}
framedparameter                             \framedparameter {...}
framedtext:instance                         \FRAMEDTEXT [..=..] {...}
framedtext:instance:framedtext              \framedtext [..=..] {...}
framed:instance                             \FRAMED [..=..] {...}
framed:instance:fitfieldframed              \fitfieldframed [..=..] {...}
framed:instance:unframed                    \unframed [..=..] {...}
freezedimenmacro                            \freezedimenmacro \... \...
freezemeasure                               \freezemeasure [...] [...]
freezeparagraphproperties                   \freezeparagraphproperties
frenchspacing                               \frenchspacing
from                                        \from [...]
fromlinenote                                \fromlinenote [...] {...}
```

```
frozenhbox                        \frozenhbox {...}
frule                             \frule ... \relax
GetPar                            \GetPar
GotoPar                           \GotoPar
Greeknumerals                     \Greeknumerals {...}
gdefconvertedargument             \gdefconvertedargument \... {...}
gdefconvertedcommand              \gdefconvertedcommand \... \...
getboxfromcache                   \getboxfromcache {...} {...} ...
getboxllx                         \getboxllx ...
getboxlly                         \getboxlly ...
getbuffer                         \getbuffer [...]
getbufferdata                     \getbufferdata [...]
getbuffer:instance                \getBUFFER
getcommacommandsize               \getcommacommandsize [...]
getcommalistsize                  \getcommalistsize [...]
getdatavalue                      \getdatavalue {...}
getdayoftheweek                   \getdayoftheweek {...} {...} {...}
getdayspermonth                   \getdayspermonth {...} {...}
getdefinedbuffer                  \getdefinedbuffer [...]
getdocumentargument               \getdocumentargument {...}
getdocumentargumentdefault        \getdocumentargumentdefault {...} {...}
getdocumentfilename               \getdocumentfilename {...}
getdummyparameters                \getdummyparameters [..=..]
getemptyparameters                \getemptyparameters [...] [..=..]
geteparameters                    \geteparameters [...] [..=..]
getexpandedparameters             \getexpandedparameters [...] [..=..]
getfiguredimensions               \getfiguredimensions [...] [..=..]
getfirstcharacter                 \getfirstcharacter {...}
getfirsttwopassdata               \getfirsttwopassdata {...}
getfromcommacommand               \getfromcommacommand [...] [...]
getfromcommalist                  \getfromcommalist [...] [...]
getfromluatable                   \getfromluatable \... {...}
getfromtwopassdata                \getfromtwopassdata {...} {...}
getglyphdirect                    \getglyphdirect {...} {...}
getglyphstyled                    \getglyphstyled {...} {...}
getgparameters                    \getgparameters [...] [..=..]
getinlineuserdata                 \getinlineuserdata
getlasttwopassdata                \getlasttwopassdata {...}
getlocalfloat                     \getlocalfloat {...}
getlocalfloats                    \getlocalfloats
getMPdrawing                      \getMPdrawing
getMPlayer                        \getMPlayer [...] [..=..] {...}
getmarking                        \getmarking [...] [...] [...]
getmessage                        \getmessage {...} {...}
getnamedglyphdirect               \getnamedglyphdirect {...} {...}
getnamedglyphstyled               \getnamedglyphstyled {...} {...}
getnamedtwopassdatalist           \getnamedtwopassdatalist \... {...}
getnaturaldimensions              \getnaturaldimensions ...
getnoflines                       \getnoflines {...}
getobject                         \getobject {...} {...}
getobjectdimensions               \getobjectdimensions {...} {...}
getpaletsize                      \getpaletsize [...]
getparameters                     \getparameters [...] [..=..]
getparwrapper                     \getparwrapper {...}
getprivatechar                    \getprivatechar {...}
getprivateslot                    \getprivateslot {...}
getrandomcount                    \getrandomcount \... {...} {...}
getrandomdimen                    \getrandomdimen \... {...} {...}
getrandomfloat                    \getrandomfloat \... {...} {...}
getrandomnumber                   \getrandomnumber \... {...} {...}
getrandomseed                     \getrandomseed \...
getraweparameters                 \getraweparameters [...] [..=..]
getrawgparameters                 \getrawgparameters [...] [..=..]
getrawnoflines                    \getrawnoflines {...}
getrawparameters                  \getrawparameters [...] [..=..]
getrawxparameters                 \getrawxparameters [...] [..=..]
getreference                      \getreference [...] [...]
getreferenceentry                 \getreferenceentry {...}
getroundednoflines                \getroundednoflines {...}
getsubstring                      \getsubstring {...} {...} {...}
gettokenlist                      \gettokenlist [...]
gettwopassdata                    \gettwopassdata {...}
```

| | |
|---|---|
| gettwopassdatalist | `\gettwopassdatalist {...}` |
| getuserdata | `\getuserdata` |
| getuvalue | `\getuvalue {...}` |
| getvalue | `\getvalue {...}` |
| getvariable | `\getvariable {...} {...}` |
| getvariabledefault | `\getvariabledefault {...} {...} {...}` |
| getxparameters | `\getxparameters [...] [..=..]` |
| globaldisablemode | `\globaldisablemode [...]` |
| globalenablemode | `\globalenablemode [...]` |
| globalletempty | `\globalletempty \...` |
| globalpopbox | `\globalpopbox ...` |
| globalpopmacro | `\globalpopmacro \...` |
| globalpreventmode | `\globalpreventmode [...]` |
| globalprocesscommalist | `\globalprocesscommalist [...] \...` |
| globalpushbox | `\globalpushbox ...` |
| globalpushmacro | `\globalpushmacro \...` |
| globalpushreferenceprefix | `\globalpushreferenceprefix {...} ... \globalpopreferenceprefix` |
| globalswapcounts | `\globalswapcounts \... \...` |
| globalswapdimens | `\globalswapdimens \... \...` |
| globalswapmacros | `\globalswapmacros \... \...` |
| globalundefine | `\globalundefine {...}` |
| glyphfontfile | `\glyphfontfile {...}` |
| gobbledoubleempty | `\gobbledoubleempty [...] [...]` |
| gobbleeightarguments | `\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}` |
| gobblefivearguments | `\gobblefivearguments {...} {...} {...} {...} {...}` |
| gobblefiveoptionals | `\gobblefiveoptionals [...] [...] [...] [...] [...]` |
| gobblefourarguments | `\gobblefourarguments {...} {...} {...} {...}` |
| gobblefouroptionals | `\gobblefouroptionals [...] [...] [...] [...]` |
| gobbleninearguments | `\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {` |
| gobbleoneargument | `\gobbleoneargument {...}` |
| gobbleoneoptional | `\gobbleoneoptional [...]` |
| gobblesevenarguments | `\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}` |
| gobblesingleempty | `\gobblesingleempty [...]` |
| gobblesixarguments | `\gobblesixarguments {...} {...} {...} {...} {...} {...}` |
| gobblespacetokens | `\gobblespacetokens` |
| gobbletenarguments | `\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {.` |
| gobblethreearguments | `\gobblethreearguments {...} {...} {...}` |
| gobblethreeoptionals | `\gobblethreeoptionals [...] [...] [...]` |
| gobbletwoarguments | `\gobbletwoarguments {...} {...}` |
| gobbletwooptionals | `\gobbletwooptionals [...] [...]` |
| gobbleuntil | `\gobbleuntil \...` |
| gobbleuntilrelax | `\gobbleuntilrelax ... \relax` |
| godown | `\godown [...]` |
| goto | `\goto {...} [...]` |
| gotobox | `\gotobox {...} [...]` |
| gotopage | `\gotopage {...} [...]` |
| grabbufferdata | `\grabbufferdata [...] [...] [...] [...]` |
| grabbufferdatadirect | `\grabbufferdatadirect {...} {...} {...}` |
| grabuntil | `\grabuntil {...} \...` |
| grave | `\grave {...}` |
| graycolor | `\graycolor [...] {...}` |
| grayvalue | `\grayvalue {...}` |
| greedysplitstring | `\greedysplitstring ... \at ... \to \... \and \...` |
| greeknumerals | `\greeknumerals {...}` |
| grid | `\grid [..=..]` |
| groupedcommand | `\groupedcommand {...} {...}` |
| gsetboxllx | `\gsetboxllx ... {...}` |
| gsetboxlly | `\gsetboxlly ... {...}` |
| gujaratinumerals | `\gujaratinumerals {...}` |
| gurmurkhinumerals | `\gurmurkhinumerals {...}` |
| hairline | `\hairline` |
| hairspace | `\hairspace` |
| halflinestrut | `\halflinestrut` |
| halfstrut | `\halfstrut` |
| halfwaybox | `\halfwaybox {...}` |
| handletokens | `\handletokens ... \with \...` |
| handwritten | `\handwritten` |
| hash | `\hash` |
| hat | `\hat {...}` |
| hboxofvbox | `\hboxofvbox ...` |
| hboxreference | `\hboxreference [...] {...}` |
| hbox:example | `\hboxBOX {...}` |

```
hdofstring                          \hdofstring {...}
headhbox                            \headhbox ... {...}
headnumber                          \headnumber [...] [...]
headnumbercontent                   \headnumbercontent
headnumberdistance                  \headnumberdistance
headnumberwidth                     \headnumberwidth
headreferenceattributes             \headreferenceattributes
headsetupspacing                    \headsetupspacing
headtextcontent                     \headtextcontent
headtextdistance                    \headtextdistance
headtextwidth                       \headtextwidth
headvbox                            \headvbox ... {...}
headwidth                           \headwidth
hebrewnumerals                      \hebrewnumerals {...}
heightanddepthofstring              \heightanddepthofstring {...}
heightofstring                      \heightofstring {...}
heightspanningtext                  \heightspanningtext {...} {...} {...}
helptext                            \helptext [...] {...} {...}
help:instance                       \HELP [...] {...} {...}
help:instance:helptext              \helptext [...] {...} {...}
hexnumber                           \hexnumber {...}
hexstringtonumber                   \hexstringtonumber {...}
hglue                               \hglue ...
hiddencitation                      \hiddencitation [...]
hiddencite                          \hiddencite [...]
hideblocks                          \hideblocks [...] [...]
high                                \high {...}
highlight                           \highlight [...] {...}
highlight:example                   \HIGHLIGHT {...}
highordinalstr                      \highordinalstr {...}
high:instance                       \HIGH {...}
high:instance:unitshigh             \unitshigh {...}
hilo                                \hilo [...] {...} {...}
himilo                              \himilo {...} {...} {...}
hl                                  \hl [...]
horizontalgrowingbar                \horizontalgrowingbar [..=..]
horizontalpositionbar               \horizontalpositionbar [..=..]
hpackbox                            \hpackbox
hpackedbox                          \hpackedbox
hphantom                            \hphantom {...}
hpos                                \hpos {...} {...}
hsizefraction                       \hsizefraction {...} {...}
hsmash                              \hsmash {...}
hsmashbox                           \hsmashbox ...
hsmashed                            \hsmashed {...}
hspace                              \hspace [...] [...]
htdpofstring                        \htdpofstring {...}
htofstring                          \htofstring {...}
hyphen                              \hyphen
hyphenatedcoloredword               \hyphenatedcoloredword {...}
hyphenatedfile                      \hyphenatedfile {...}
hyphenatedfilename                  \hyphenatedfilename {...}
hyphenatedhbox                      \hyphenatedhbox {...}
hyphenatedpar                       \hyphenatedpar {...}
hyphenatedurl                       \hyphenatedurl {...}
hyphenatedword                      \hyphenatedword {...}
INRSTEX                             \INRSTEX
ibox                                \ibox {...}
idxfromluatable                     \idxfromluatable \... ...
ifassignment                        \ifassignment ... \else ... \fi
iff                                 \iff
ifinobject                          \ifinobject ... \else ... \fi
ifinoutputstream                    \ifinoutputstream ... \else ... \fi
ifparameters                        \ifparameters ... \else ... \fi
iftrialtypesetting                  \iftrialtypesetting ... \else ... \fi
ignoreimplicitspaces                \ignoreimplicitspaces
ignoretagsinexport                  \ignoretagsinexport [...]
ignorevalue                         \ignorevalue {...}
immediatesavetwopassdata            \immediatesavetwopassdata {...} {...} {...}
impliedby                           \impliedby
implies                             \implies
in                                  \in {...} {...} [...]
```

```
includemenu                         \includemenu [...]
includesvgbuffer                    \includesvgbuffer [...] [..=..]
includesvgfile                      \includesvgfile [...] [..=..]
includeversioninfo                  \includeversioninfo {...}
increment                           \increment \...
incrementcounter                    \incrementcounter [...] [...]
incrementedcounter                  \incrementedcounter [...]
incrementpagenumber                 \incrementpagenumber
incrementsubpagenumber              \incrementsubpagenumber
incrementvalue                      \incrementvalue {...}
increment:argument                  \increment (...)
indentation                         \indentation
infofont                            \infofont
infofontbold                        \infofontbold
inframed                            \inframed [..=..] {...}
infull                              \infull {...}
inheritparameter                    \inheritparameter [...] [...] [...]
inhibitblank                        \inhibitblank
initializeboxstack                  \initializeboxstack {...}
inline                              \inline {...} [...]
inlinebuffer                        \inlinebuffer [...]
inlinedbox                          \inlinedbox {...}
inlinemath                          \inlinemath {...}
inlinemathematics                   \inlinemathematics {...}
inlinemessage                       \inlinemessage {...}
inlineordisplaymath                 \inlineordisplaymath {...} {...}
inlineprettyprintbuffer             \inlineprettyprintbuffer {...} {...}
inlinerange                         \inlinerange [...]
innerflushshapebox                  \innerflushshapebox
input                               \input {...}
inputfilebarename                   \inputfilebarename
inputfilename                       \inputfilename
inputfilerealsuffix                 \inputfilerealsuffix
inputfilesuffix                     \inputfilesuffix
inputgivenfile                      \inputgivenfile {...}
input:string                        \input ...
insertpages                         \insertpages [...] [...] [..=..]
inspectluatable                     \inspectluatable \...
installactionhandler                \installactionhandler {...}
installactivecharacter              \installactivecharacter ...
installanddefineactivecharacter     \installanddefineactivecharacter ... {...}
installattributestack               \installattributestack \...
installautocommandhandler           \installautocommandhandler \... {...} \...
installautosetuphandler             \installautosetuphandler \... {...}
installbasicautosetuphandler        \installbasicautosetuphandler \... {...} \...
installbasicparameterhandler        \installbasicparameterhandler \... {...}
installbottomframerenderer          \installbottomframerenderer {...} {...}
installcommandhandler               \installcommandhandler \... {...} \...
installcorenamespace                \installcorenamespace {...}
installctxfunction                  \installctxfunction \... {...}
installctxscanner                   \installctxscanner \... {...}
installdefinehandler                \installdefinehandler \... {...} \...
installdefinitionset                \installdefinitionset \... {...}
installdefinitionsetmember          \installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler         \installdirectcommandhandler \... {...}
installdirectparameterhandler       \installdirectparameterhandler \... {...}
installdirectparametersethandler    \installdirectparametersethandler \... {...}
installdirectsetuphandler           \installdirectsetuphandler \... {...}
installdirectstyleandcolorhandler   \installdirectstyleandcolorhandler \... {...}
installframedautocommandhandler     \installframedautocommandhandler \... {...} \...
installframedcommandhandler         \installframedcommandhandler \... {...} \...
installglobalmacrostack             \installglobalmacrostack \...
installlanguage                     \installlanguage [...] [..=..]
installlanguage:name                \installlanguage [...] [...]
installleftframerenderer            \installleftframerenderer {...} {...}
installmacrostack                   \installmacrostack \...
installnamespace                    \installnamespace {...}
installoutputroutine                \installoutputroutine \... {...}
installpagearrangement              \installpagearrangement ... {...}
installparameterhandler             \installparameterhandler \... {...}
installparameterhashhandler         \installparameterhashhandler \... {...}
installparametersethandler          \installparametersethandler \... {...}
```

| | |
|---|---|
| installparentinjector | `\installparentinjector \... {...}` |
| installprotectedctxfunction | `\installprotectedctxfunction \... {...}` |
| installprotectedctxscanner | `\installprotectedctxscanner \... {...}` |
| installrightframerenderer | `\installrightframerenderer {...} {...}` |
| installrootparameterhandler | `\installrootparameterhandler \... {...}` |
| installsetuphandler | `\installsetuphandler \... {...}` |
| installsetuponlycommandhandler | `\installsetuponlycommandhandler \... {...}` |
| installshipoutmethod | `\installshipoutmethod {...} {...}` |
| installsimplecommandhandler | `\installsimplecommandhandler \... {...} \...` |
| installsimpleframedcommandhandler | `\installsimpleframedcommandhandler \... {...} \...` |
| installstyleandcolorhandler | `\installstyleandcolorhandler \... {...}` |
| installswitchcommandhandler | `\installswitchcommandhandler \... {...} \...` |
| installswitchsetuphandler | `\installswitchsetuphandler \... {...}` |
| installtexdirective | `\installtexdirective {...} {...} {...}` |
| installtextracker | `\installtextracker {...} {...} {...}` |
| installtopframerenderer | `\installtopframerenderer {...} {...}` |
| installunitsseparator | `\installunitsseparator {...} {...}` |
| installunitsspace | `\installunitsspace {...} {...}` |
| installversioninfo | `\installversioninfo {...} {...}` |
| integerrounding | `\integerrounding {...}` |
| interactionbar | `\interactionbar [...] [..=..]` |
| interactionbuttons | `\interactionbuttons [..=..] [...]` |
| interactionmenu | `\interactionmenu [...] [..=..]` |
| intertext | `\intertext {...}` |
| interwordspaceafter | `\interwordspaceafter` |
| interwordspacebefore | `\interwordspacebefore` |
| interwordspaces | `\interwordspaces {...}` |
| interwordspacesafter | `\interwordspacesafter {...}` |
| interwordspacesbefore | `\interwordspacesbefore {...}` |
| invokepagehandler | `\invokepagehandler {...} {...}` |
| italic | `\italic` |
| italicbold | `\italicbold` |
| italiccorrection | `\italiccorrection` |
| italicface | `\italicface` |
| item | `\item [...]` |
| items | `\items [..=..] {...}` |
| itemtag | `\itemtag [...]` |
| jobfilename | `\jobfilename` |
| jobfilesuffix | `\jobfilesuffix` |
| kap | `\kap {...}` |
| keepblocks | `\keepblocks [...] [...]` |
| keeplinestogether | `\keeplinestogether {...}` |
| keepunwantedspaces | `\keepunwantedspaces` |
| kerncharacters | `\kerncharacters [...] {...}` |
| koreancirclenumerals | `\koreancirclenumerals {...}` |
| koreannumerals | `\koreannumerals {...}` |
| koreannumeralsc | `\koreannumeralsc {...}` |
| koreannumeralsp | `\koreannumeralsp {...}` |
| koreanparentnumerals | `\koreanparentnumerals {...}` |
| LAMSTEX | `\LAMSTEX` |
| LATEX | `\LATEX` |
| LamSTeX | `\LamSTeX` |
| LaTeX | `\LaTeX` |
| LUAJITTEX | `\LUAJITTEX` |
| LUAMETATEX | `\LUAMETATEX` |
| LUATEX | `\LUATEX` |
| Lua | `\Lua` |
| LuajitTeX | `\LuajitTeX` |
| LuaMetaTeX | `\LuaMetaTeX` |
| LuaTeX | `\LuaTeX` |
| labellanguage:instance | *`\LABELlanguage`* |
| labellanguage:instance:btxlabel | *`\btxlabellanguage`* |
| labellanguage:instance:head | *`\headlanguage`* |
| labellanguage:instance:label | *`\labellanguage`* |
| labellanguage:instance:mathlabel | *`\mathlabellanguage`* |
| labellanguage:instance:operator | *`\operatorlanguage`* |
| labellanguage:instance:prefix | *`\prefixlanguage`* |
| labellanguage:instance:suffix | *`\suffixlanguage`* |
| labellanguage:instance:taglabel | *`\taglabellanguage`* |
| labellanguage:instance:unit | *`\unitlanguage`* |
| labeltexts:instance | *`\LABELtexts {...} {...}`* |
| labeltexts:instance:head | *`\headtexts {...} {...}`* |

| | |
|---|---|
| labeltexts:instance:label | \labeltexts {...} {...} |
| labeltexts:instance:mathlabel | \mathlabeltexts {...} {...} |
| labeltext:instance | \LABELtext {...} |
| labeltext:instance:btxlabel | \btxlabeltext {...} |
| labeltext:instance:head | \headtext {...} |
| labeltext:instance:label | \labeltext {...} |
| labeltext:instance:mathlabel | \mathlabeltext {...} |
| labeltext:instance:operator | \operatortext {...} |
| labeltext:instance:prefix | \prefixtext {...} |
| labeltext:instance:suffix | \suffixtext {...} |
| labeltext:instance:taglabel | \taglabeltext {...} |
| labeltext:instance:unit | \unittext {...} |
| label:example | \LABEL [...] {...} |
| language | \language [...] |
| languageCharacters | \languageCharacters {...} |
| languagecharacters | \languagecharacters {...} |
| languagecharwidth | \languagecharwidth {...} |
| language:example | \LANGUAGE |
| lastcounter | \lastcounter [...] [...] |
| lastcountervalue | \lastcountervalue [...] |
| lastdigit | \lastdigit {...} |
| lastlinewidth | \lastlinewidth |
| lastnaturalboxdp | \lastnaturalboxdp |
| lastnaturalboxht | \lastnaturalboxht |
| lastnaturalboxwd | \lastnaturalboxwd |
| lastparwrapper | \lastparwrapper {...} |
| lastpredefinedsymbol | \lastpredefinedsymbol |
| lastrealpage | \lastrealpage |
| lastrealpagenumber | \lastrealpagenumber |
| lastsubcountervalue | \lastsubcountervalue [...] [...] |
| lastsubpage | \lastsubpage |
| lastsubpagenumber | \lastsubpagenumber |
| lasttwodigits | \lasttwodigits {...} |
| lastuserpage | \lastuserpage |
| lastuserpagenumber | \lastuserpagenumber |
| lateluacode | \lateluacode {...} |
| layeredtext | \layeredtext [..=..] [..=..] {...} {...} |
| layerheight | \layerheight |
| layerwidth | \layerwidth |
| lazysavetaggedtwopassdata | \lazysavetaggedtwopassdata {...} {...} {...} {...} |
| lazysavetwopassdata | \lazysavetwopassdata {...} {...} {...} |
| lbox | \lbox ... {...} |
| lchexnumber | \lchexnumber {...} |
| lchexnumbers | \lchexnumbers {...} |
| left | \left ... |
| leftaligned | \leftaligned {...} |
| leftbottombox | \leftbottombox {...} |
| leftbox | \leftbox {...} |
| lefthbox | \lefthbox {...} |
| leftlabeltext:instance | \leftLABELtext {...} |
| leftlabeltext:instance:head | \leftheadtext {...} |
| leftlabeltext:instance:label | \leftlabeltext {...} |
| leftlabeltext:instance:mathlabel | \leftmathlabeltext {...} |
| leftline | \leftline {...} |
| leftorrighthbox | \leftorrighthbox ... {...} |
| leftorrightvbox | \leftorrightvbox ... {...} |
| leftorrightvtop | \leftorrightvtop ... {...} |
| leftskipadaption | \leftskipadaption |
| leftsubguillemot | \leftsubguillemot |
| lefttopbox | \lefttopbox {...} |
| lefttoright | \lefttoright |
| lefttorighthbox | \lefttorighthbox ... {...} |
| lefttorightvbox | \lefttorightvbox ... {...} |
| lefttorightvtop | \lefttorightvtop ... {...} |
| letbeundefined | \letbeundefined {...} |
| letcatcodecommand | \letcatcodecommand \... ... \... |
| letcscsname | \letcscsname \... \csname ... \endcsname |
| letcsnamecs | \letcsnamecs \csname ... \endcsname \... |
| letcsnamecsname | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummyparameter | \letdummyparameter {...} \... |
| letempty | \letempty \... |
| letgvalue | \letgvalue {...} \... |

| | |
|---|---|
| letgvalueempty | \letgvalueempty {...} |
| letgvalurelax | \letgvalurelax {...} |
| letterampersand | \letterampersand |
| letterat | \letterat |
| letterbackslash | \letterbackslash |
| letterbar | \letterbar |
| letterbgroup | \letterbgroup |
| letterclosebrace | \letterclosebrace |
| lettercolon | \lettercolon |
| letterdollar | \letterdollar |
| letterdoublequote | \letterdoublequote |
| letteregroup | \letteregroup |
| letterescape | \letterescape |
| letterexclamationmark | \letterexclamationmark |
| letterhash | \letterhash |
| letterhat | \letterhat |
| letterleftbrace | \letterleftbrace |
| letterleftbracket | \letterleftbracket |
| letterleftparenthesis | \letterleftparenthesis |
| letterless | \letterless |
| lettermore | \lettermore |
| letteropenbrace | \letteropenbrace |
| letterpercent | \letterpercent |
| letterquestionmark | \letterquestionmark |
| letterrightbrace | \letterrightbrace |
| letterrightbracket | \letterrightbracket |
| letterrightparenthesis | \letterrightparenthesis |
| lettersinglequote | \lettersinglequote |
| letterslash | \letterslash |
| letterspacing | \letterspacing [...] {...} |
| lettertilde | \lettertilde |
| letterunderscore | \letterunderscore |
| letvalue | \letvalue {...} \... |
| letvalueempty | \letvalueempty {...} |
| letvaluerelax | \letvaluerelax {...} |
| lfence | \lfence {...} |
| lhbox | \lhbox {...} |
| limitatefirstline | \limitatefirstline {...} {...} {...} |
| limitatelines | \limitatelines {...} {...} {...} |
| limitatetext | \limitatetext {...} {...} {...} |
| limitatetext:list | \limitatetext {...} {...} {...} |
| line | \line {...} |
| linebox | \linebox {...} |
| linefillerhbox | \linefillerhbox [...] ... {...} |
| linefillervbox | \linefillervbox [...] ... {...} |
| linefillervtop | \linefillervtop [...] ... {...} |
| linenote:instance | *\LINENOTE* {...} |
| linenote:instance:linenote | *\linenote* {...} |
| linespanningtext | \linespanningtext {...} {...} {...} |
| linewidth | \linewidth |
| listcitation | \listcitation [..=..] [...] |
| listcitation:alternative | \listcitation [...] [...] |
| listcitation:userdata | \listcitation [..=..] [..=..] |
| listcite | \listcite [..=..] [...] |
| listcite:alternative | \listcite [...] [...] |
| listcite:userdata | \listcite [..=..] [..=..] |
| listlength | \listlength |
| listnamespaces | \listnamespaces |
| literalmode | \literalmode |
| llap | \llap {...} |
| loadanyfile | \loadanyfile [...] |
| loadanyfileonce | \loadanyfileonce [...] |
| loadbtxdefinitionfile | \loadbtxdefinitionfile [...] |
| loadbtxreplacementfile | \loadbtxreplacementfile [...] |
| loadcldfile | \loadcldfile [...] |
| loadcldfileonce | \loadcldfileonce [...] |
| loadfontgoodies | \loadfontgoodies [...] |
| loadluafile | \loadluafile [...] |
| loadluafileonce | \loadluafileonce [...] |
| loadspellchecklist | \loadspellchecklist [...] [...] |
| loadtexfile | \loadtexfile [...] |
| loadtexfileonce | \loadtexfileonce [...] |

```
loadtypescriptfile              \loadtypescriptfile [...]
localframed                     \localframed [...] [..=..] {...}
localframedwithsettings         \localframedwithsettings [...] [..=..] {...}
localhsize                      \localhsize
localpopbox                     \localpopbox ...
localpopmacro                   \localpopmacro \...
localpushbox                    \localpushbox ...
localpushmacro                  \localpushmacro \...
localundefine                   \localundefine {...}
locatedfilepath                 \locatedfilepath
locatefilepath                  \locatefilepath {...}
locfilename                     \locfilename {...}
lohi                            \lohi [...] {...} {...}
lomihi                          \lomihi {...} {...} {...}
low                             \low {...}
lowerbox                        \lowerbox {...} \... {...}
lowercased                      \lowercased {...}
lowercasestring                 \lowercasestring ... \to \...
lowercasing                     \lowercasing
lowerleftdoubleninequote        \lowerleftdoubleninequote
lowerleftsingleninequote        \lowerleftsingleninequote
lowerrightdoubleninequote       \lowerrightdoubleninequote
lowerrightsingleninequote       \lowerrightsingleninequote
lowhigh:instance                \LOWHIGH [...] {...} {...}
lowmidhigh:instance             \LOWMIDHIGH {...} {...} {...}
low:instance                    \LOW {...}
low:instance:unitslow           \unitslow {...}
lrtbbox                         \lrtbbox {...} {...} {...} {...} {...}
ltop                            \ltop ... {...}
ltrhbox                         \ltrhbox ... {...}
ltrvbox                         \ltrvbox ... {...}
ltrvtop                         \ltrvtop ... {...}
luacode                         \luacode {...}
luaconditional                  \luaconditional \...
luaenvironment                  \luaenvironment ...
luaexpanded                     \luaexpanded {...}
luaexpr                         \luaexpr {...}
luafunction                     \luafunction {...}
luajitTeX                       \luajitTeX
luamajorversion                 \luamajorversion
luametaTeX                      \luametaTeX
luaminorversion                 \luaminorversion
luaparameterset                 \luaparameterset {...} {...}
luasetup                        \luasetup {...}
luaTeX                          \luaTeX
luaversion                      \luaversion
METAFONT                        \METAFONT
METAFUN                         \METAFUN
METAPOST                        \METAPOST
MetaFont                        \MetaFont
MetaFun                         \MetaFun
MetaPost                        \MetaPost
MKII                            \MKII
MKIV                            \MKIV
MKIX                            \MKIX
MKLX                            \MKLX
MKVI                            \MKVI
MKXI                            \MKXI
MKXL                            \MKXL
MONTH                           \MONTH {...}
MONTHLONG                       \MONTHLONG {...}
MONTHSHORT                      \MONTHSHORT {...}
MPanchor                        \MPanchor {...}
MPbetex                         \MPbetex {...}
MPc                             \MPc {...}
MPcode                          \MPcode {...} {...}
MPcolor                         \MPcolor {...}
MPcoloronly                     \MPcoloronly {...}
MPcolumn                        \MPcolumn {...}
MPd                             \MPd {...}
MPdrawing                       \MPdrawing {...}
MPfontsizehskip                 \MPfontsizehskip {...}
```

```
MPgetmultipars                      \MPgetmultipars {...} {...}
MPgetmultishape                     \MPgetmultishape {...} {...}
MPgetposboxes                       \MPgetposboxes {...} {...}
MPh                                 \MPh {...}
MPII                                \MPII
MPIV                                \MPIV
MPinclusions                        \MPinclusions [...] {...} {...}
MPLX                                \MPLX
MPleftskip                          \MPleftskip {...}
MPll                                \MPll {...}
MPlr                                \MPlr {...}
MPls                                \MPls {...}
MPmenubuttons                       \MPmenubuttons {...}
MPn                                 \MPn {...}
MPoptions                           \MPoptions {...}
MPoverlayanchor                     \MPoverlayanchor {...}
MPp                                 \MPp {...}
MPpage                              \MPpage {...}
MPpardata                           \MPpardata {...}
MPplus                              \MPplus {...} {...} {...}
MPpos                               \MPpos {...}
MPpositiongraphic                   \MPpositiongraphic {...} {..=..}
MPposset                            \MPposset {...}
MPr                                 \MPr {...}
MPrawvar                            \MPrawvar {...} {...}
MPregion                            \MPregion {...}
MPrest                              \MPrest {...} {...}
MPrightskip                         \MPrightskip {...}
MPrs                                \MPrs {...}
MPstring                            \MPstring {...}
MPtext                              \MPtext {...}
MPtransparency                      \MPtransparency {...}
MPul                                \MPul {...}
MPur                                \MPur {...}
MPVI                                \MPVI
MPv                                 \MPv {...} {...} {...}
MPvar                               \MPvar {...}
MPvariable                          \MPvariable {...}
MPvv                                \MPvv {...} {...}
MPw                                 \MPw {...}
MPwhd                               \MPwhd {...}
MPXL                                \MPXL
MPx                                 \MPx {...}
MPxy                                \MPxy {...}
MPxywhd                             \MPxywhd {...}
MPy                                 \MPy {...}
m                                   \m [...] {...}
mainlanguage                        \mainlanguage [...]
makecharacteractive                 \makecharacteractive ...
makerawcommalist                    \makerawcommalist [...] \...
makestrutofbox                      \makestrutofbox ...
mapfontsize                         \mapfontsize [...] [...]
margindata                          \margindata [...] [..=..] [..=..] {...}
margindata:instance                 \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin    \atleftmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin   \atrightmargin [..=..] [..=..] {...}
margindata:instance:ininner         \ininner [..=..] [..=..] {...}
margindata:instance:ininneredge     \ininneredge [..=..] [..=..] {...}
margindata:instance:ininnermargin   \ininnermargin [..=..] [..=..] {...}
margindata:instance:inleft          \inleft [..=..] [..=..] {...}
margindata:instance:inleftedge      \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftmargin    \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin        \inmargin [..=..] [..=..] {...}
margindata:instance:inother         \inother [..=..] [..=..] {...}
margindata:instance:inouter         \inouter [..=..] [..=..] {...}
margindata:instance:inouteredge     \inouteredge [..=..] [..=..] {...}
margindata:instance:inoutermargin   \inoutermargin [..=..] [..=..] {...}
margindata:instance:inright         \inright [..=..] [..=..] {...}
margindata:instance:inrightedge     \inrightedge [..=..] [..=..] {...}
margindata:instance:inrightmargin   \inrightmargin [..=..] [..=..] {...}
margindata:instance:margintext      \margintext [..=..] [..=..] {...}
markcontent                         \markcontent [...] {...}
```

| | |
|---|---|
| markedpages | `\markedpages [...]` |
| marking | `\marking (...,...) (...,...) [...]` |
| markinjector | `\markinjector [...]` |
| markpage | `\markpage [...] [...]` |
| markreferencepage | `\markreferencepage` |
| mat | `\mat {...}` |
| math | `\math [...] {...}` |
| mathbf | `\mathbf` |
| mathbi | `\mathbi` |
| mathblackboard | `\mathblackboard` |
| mathbs | `\mathbs` |
| mathcommand:example | `\MATHCOMMAND {...} {...}` |
| mathdefault | `\mathdefault` |
| mathdouble | `\mathdouble [...] {...} {...} {...}` |
| mathdoubleextensible:instance | `\MATHDOUBLEEXTENSIBLE {...} {...}` |
| mathdoubleextensible:instance:doublebar | `\doublebar {...} {...}` |
| mathdoubleextensible:instance:doublebrace | `\doublebrace {...} {...}` |
| mathdoubleextensible:instance:doublebracket | `\doublebracket {...} {...}` |
| mathdoubleextensible:instance:doubleparent | `\doubleparent {...} {...}` |
| mathdoubleextensible:instance:overbarunderbar | `\overbarunderbar {...} {...}` |
| mathdoubleextensible:instance:overbraceunderbrace | `\overbraceunderbrace {...} {...}` |
| mathdoubleextensible:instance:overbracketunderbracket | `\overbracketunderbracket {...} {...}` |
| mathdoubleextensible:instance:overparentunderparent | `\overparentunderparent {...} {...}` |
| mathematics | `\mathematics [...] {...}` |
| mathematics:assignment | `\mathematics [..=..] {...}` |
| mathextensible:instance | `\MATHEXTENSIBLE {...} {...}` |
| mathextensible:instance:cleftarrow | `\cleftarrow {...} {...}` |
| mathextensible:instance:crightarrow | `\crightarrow {...} {...}` |
| mathextensible:instance:crightoverleftarrow | `\crightoverleftarrow {...} {...}` |
| mathextensible:instance:eleftarrowfill | `\eleftarrowfill {...} {...}` |
| mathextensible:instance:eleftharpoondownfill | `\eleftharpoondownfill {...} {...}` |
| mathextensible:instance:eleftharpoonupfill | `\eleftharpoonupfill {...} {...}` |
| mathextensible:instance:eleftrightarrowfill | `\eleftrightarrowfill {...} {...}` |
| mathextensible:instance:eoverbarfill | `\eoverbarfill {...} {...}` |
| mathextensible:instance:eoverbracefill | `\eoverbracefill {...} {...}` |
| mathextensible:instance:eoverbracketfill | `\eoverbracketfill {...} {...}` |
| mathextensible:instance:eoverparentfill | `\eoverparentfill {...} {...}` |
| mathextensible:instance:erightarrowfill | `\erightarrowfill {...} {...}` |
| mathextensible:instance:erightharpoondownfill | `\erightharpoondownfill {...} {...}` |
| mathextensible:instance:erightharpoonupfill | `\erightharpoonupfill {...} {...}` |
| mathextensible:instance:etwoheadrightarrowfill | `\etwoheadrightarrowfill {...} {...}` |
| mathextensible:instance:eunderbarfill | `\eunderbarfill {...} {...}` |
| mathextensible:instance:eunderbracefill | `\eunderbracefill {...} {...}` |
| mathextensible:instance:eunderbracketfill | `\eunderbracketfill {...} {...}` |
| mathextensible:instance:eunderparentfill | `\eunderparentfill {...} {...}` |
| mathextensible:instance:mequal | `\mequal {...} {...}` |
| mathextensible:instance:mhookleftarrow | `\mhookleftarrow {...} {...}` |
| mathextensible:instance:mhookrightarrow | `\mhookrightarrow {...} {...}` |
| mathextensible:instance:mLeftarrow | `\mLeftarrow {...} {...}` |
| mathextensible:instance:mLeftrightarrow | `\mLeftrightarrow {...} {...}` |
| mathextensible:instance:mleftarrow | `\mleftarrow {...} {...}` |
| mathextensible:instance:mleftharpoondown | `\mleftharpoondown {...} {...}` |
| mathextensible:instance:mleftharpoonup | `\mleftharpoonup {...} {...}` |
| mathextensible:instance:mleftrightarrow | `\mleftrightarrow {...} {...}` |
| mathextensible:instance:mleftrightharpoons | `\mleftrightharpoons {...} {...}` |
| mathextensible:instance:mmapsto | `\mmapsto {...} {...}` |
| mathextensible:instance:mRightarrow | `\mRightarrow {...} {...}` |
| mathextensible:instance:mrel | `\mrel {...} {...}` |
| mathextensible:instance:mrightarrow | `\mrightarrow {...} {...}` |
| mathextensible:instance:mrightharpoondown | `\mrightharpoondown {...} {...}` |
| mathextensible:instance:mrightharpoonup | `\mrightharpoonup {...} {...}` |
| mathextensible:instance:mrightleftharpoons | `\mrightleftharpoons {...} {...}` |
| mathextensible:instance:mrightoverleftarrow | `\mrightoverleftarrow {...} {...}` |
| mathextensible:instance:mtriplerel | `\mtriplerel {...} {...}` |
| mathextensible:instance:mtwoheadleftarrow | `\mtwoheadleftarrow {...} {...}` |
| mathextensible:instance:mtwoheadrightarrow | `\mtwoheadrightarrow {...} {...}` |
| mathextensible:instance:tequal | `\tequal {...} {...}` |
| mathextensible:instance:thookleftarrow | `\thookleftarrow {...} {...}` |
| mathextensible:instance:thookrightarrow | `\thookrightarrow {...} {...}` |
| mathextensible:instance:tLeftarrow | `\tLeftarrow {...} {...}` |
| mathextensible:instance:tLeftrightarrow | `\tLeftrightarrow {...} {...}` |
| mathextensible:instance:tleftarrow | `\tleftarrow {...} {...}` |

| | |
|---|---|
| mathextensible:instance:tleftharpoondown | `\tleftharpoondown {...} {...}` |
| mathextensible:instance:tleftharpoonup | `\tleftharpoonup {...} {...}` |
| mathextensible:instance:tleftrightarrow | `\tleftrightarrow {...} {...}` |
| mathextensible:instance:tleftrightharpoons | `\tleftrightharpoons {...} {...}` |
| mathextensible:instance:tmapsto | `\tmapsto {...} {...}` |
| mathextensible:instance:tRightarrow | `\tRightarrow {...} {...}` |
| mathextensible:instance:trel | `\trel {...} {...}` |
| mathextensible:instance:trightarrow | `\trightarrow {...} {...}` |
| mathextensible:instance:trightharpoondown | `\trightharpoondown {...} {...}` |
| mathextensible:instance:trightharpoonup | `\trightharpoonup {...} {...}` |
| mathextensible:instance:trightleftharpoons | `\trightleftharpoons {...} {...}` |
| mathextensible:instance:trightoverleftarrow | `\trightoverleftarrow {...} {...}` |
| mathextensible:instance:ttriplerel | `\ttriplerel {...} {...}` |
| mathextensible:instance:ttwoheadleftarrow | `\ttwoheadleftarrow {...} {...}` |
| mathextensible:instance:ttwoheadrightarrow | `\ttwoheadrightarrow {...} {...}` |
| mathextensible:instance:xequal | `\xequal {...} {...}` |
| mathextensible:instance:xhookleftarrow | `\xhookleftarrow {...} {...}` |
| mathextensible:instance:xhookrightarrow | `\xhookrightarrow {...} {...}` |
| mathextensible:instance:xLeftarrow | `\xLeftarrow {...} {...}` |
| mathextensible:instance:xLeftrightarrow | `\xLeftrightarrow {...} {...}` |
| mathextensible:instance:xleftarrow | `\xleftarrow {...} {...}` |
| mathextensible:instance:xleftharpoondown | `\xleftharpoondown {...} {...}` |
| mathextensible:instance:xleftharpoonup | `\xleftharpoonup {...} {...}` |
| mathextensible:instance:xleftrightarrow | `\xleftrightarrow {...} {...}` |
| mathextensible:instance:xleftrightharpoons | `\xleftrightharpoons {...} {...}` |
| mathextensible:instance:xmapsto | `\xmapsto {...} {...}` |
| mathextensible:instance:xRightarrow | `\xRightarrow {...} {...}` |
| mathextensible:instance:xrel | `\xrel {...} {...}` |
| mathextensible:instance:xrightarrow | `\xrightarrow {...} {...}` |
| mathextensible:instance:xrightharpoondown | `\xrightharpoondown {...} {...}` |
| mathextensible:instance:xrightharpoonup | `\xrightharpoonup {...} {...}` |
| mathextensible:instance:xrightleftharpoons | `\xrightleftharpoons {...} {...}` |
| mathextensible:instance:xrightoverleftarrow | `\xrightoverleftarrow {...} {...}` |
| mathextensible:instance:xtriplerel | `\xtriplerel {...} {...}` |
| mathextensible:instance:xtwoheadleftarrow | `\xtwoheadleftarrow {...} {...}` |
| mathextensible:instance:xtwoheadrightarrow | `\xtwoheadrightarrow {...} {...}` |
| mathfraktur | `\mathfraktur` |
| mathframed:instance | `\MATHFRAMED [..=..] {...}` |
| mathframed:instance:inmframed | `\inmframed [..=..] {...}` |
| mathframed:instance:mcframed | `\mcframed [..=..] {...}` |
| mathframed:instance:mframed | `\mframed [..=..] {...}` |
| mathfunction | `\mathfunction {...}` |
| mathit | `\mathit` |
| mathitalic | `\mathitalic` |
| mathmatrix:instance | `\MATHMATRIX [..=..] {...}` |
| mathmatrix:instance:thematrix | `\thematrix [..=..] {...}` |
| mathop | `\mathop {...}` |
| mathornament:example | `\MATHORNAMENT {...}` |
| mathover | `\mathover [...] {...} {...}` |
| mathoverextensible:example | `\MATHOVEREXTENSIBLE {...}` |
| mathovertextextensible:instance | `\MATHOVERTEXTEXTENSIBLE {...} {...}` |
| mathovertextextensible:instance:overbar | `\overbar {...} {...}` |
| mathovertextextensible:instance:overbartext | `\overbartext {...} {...}` |
| mathovertextextensible:instance:overbrace | `\overbrace {...} {...}` |
| mathovertextextensible:instance:overbracetext | `\overbracetext {...} {...}` |
| mathovertextextensible:instance:overbracket | `\overbracket {...} {...}` |
| mathovertextextensible:instance:overbrackettext | `\overbrackettext {...} {...}` |
| mathovertextextensible:instance:overleftarrow | `\overleftarrow {...} {...}` |
| mathovertextextensible:instance:overleftharpoondown | `\overleftharpoondown {...} {...}` |
| mathovertextextensible:instance:overleftharpoonup | `\overleftharpoonup {...} {...}` |
| mathovertextextensible:instance:overleftrightarrow | `\overleftrightarrow {...} {...}` |
| mathovertextextensible:instance:overparent | `\overparent {...} {...}` |
| mathovertextextensible:instance:overparenttext | `\overparenttext {...} {...}` |
| mathovertextextensible:instance:overrightarrow | `\overrightarrow {...} {...}` |
| mathovertextextensible:instance:overrightharpoondown | `\overrightharpoondown {...} {...}` |
| mathovertextextensible:instance:overrightharpoonup | `\overrightharpoonup {...} {...}` |
| mathovertextextensible:instance:overtwoheadleftarrow | `\overtwoheadleftarrow {...} {...}` |
| mathovertextextensible:instance:overtwoheadrightarrow | `\overtwoheadrightarrow {...} {...}` |
| mathradical:example | `\MATHRADICAL [...] {...}` |
| mathrm | `\mathrm` |
| mathscript | `\mathscript` |
| mathsl | `\mathsl` |

```
mathss                                              \mathss
mathtext                                            \mathtext ... {...}
mathtextbf                                          \mathtextbf ... {...}
mathtextbi                                          \mathtextbi ... {...}
mathtextbs                                          \mathtextbs ... {...}
mathtextit                                          \mathtextit ... {...}
mathtextsl                                          \mathtextsl ... {...}
mathtextttf                                         \mathtextttf ... {...}
mathtf                                              \mathtf
mathtriplet                                         \mathtriplet [...] {...} {...} {...}
mathtriplet:example                                 \MATHTRIPLET [...] {...} {...} {...}
mathtt                                              \mathtt
mathunder                                           \mathunder [...] {...} {...}
mathunderextensible:example                         \MATHUNDEREXTENSIBLE {...}
mathundertextextensible:instance                    \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathundertextextensible:instance:underbar           \underbar {...} {...}
mathundertextextensible:instance:underbartext       \underbartext {...} {...}
mathundertextextensible:instance:underbrace         \underbrace {...} {...}
mathundertextextensible:instance:underbracetext     \underbracetext {...} {...}
mathundertextextensible:instance:underbracket       \underbracket {...} {...}
mathundertextextensible:instance:underbrackettext   \underbrackettext {...} {...}
mathundertextextensible:instance:underleftarrow     \underleftarrow {...} {...}
mathundertextextensible:instance:underleftharpoondown \underleftharpoondown {...} {...}
mathundertextextensible:instance:underleftharpoonup \underleftharpoonup {...} {...}
mathundertextextensible:instance:underleftrightarrow \underleftrightarrow {...} {...}
mathundertextextensible:instance:underparent        \underparent {...} {...}
mathundertextextensible:instance:underparenttext    \underparenttext {...} {...}
mathundertextextensible:instance:underrightarrow    \underrightarrow {...} {...}
mathundertextextensible:instance:underrightharpoondown \underrightharpoondown {...} {...}
mathundertextextensible:instance:underrightharpoonup \underrightharpoonup {...} {...}
mathundertextextensible:instance:undertwoheadleftarrow \undertwoheadleftarrow {...} {...}
mathundertextextensible:instance:undertwoheadrightarrow \undertwoheadrightarrow {...} {...}
mathunstacked:example                               \MATHUNSTACKED
mathupright                                         \mathupright
mathword                                            \mathword ... {...}
mathwordbf                                          \mathwordbf ... {...}
mathwordbi                                          \mathwordbi ... {...}
mathwordbs                                          \mathwordbs ... {...}
mathwordit                                          \mathwordit ... {...}
mathwordsl                                          \mathwordsl ... {...}
mathwordtf                                          \mathwordtf ... {...}
math:assignment                                     \math [..=..] {...}
maxaligned                                          \maxaligned {...}
mbox                                                \mbox {...}
measure                                             \measure {...}
measured                                            \measured {...}
medskip                                             \medskip
medspace                                            \medspace
menubutton:button                                   \menubutton [..=..] {...} {...}
menubutton:interactionmenu                          \menubutton [...] [..=..] {...} {...}
message                                             \message {...}
mfence                                              \mfence {...}
mfunction                                           \mfunction {...}
mfunctionlabeltext                                  \mfunctionlabeltext {...}
mhbox                                               \mhbox {...}
midaligned                                          \midaligned {...}
middle                                              \middle ...
middlealigned                                       \middlealigned {...}
middlebox                                           \middlebox {...}
midhbox                                             \midhbox {...}
midsubsentence                                      \midsubsentence
minimalhbox                                         \minimalhbox ... {...}
mirror                                              \mirror {...}
mixedcaps                                           \mixedcaps {...}
mkvibuffer                                          \mkvibuffer [...]
moduleparameter                                     \moduleparameter {...} {...}
molecule                                            \molecule {...}
mono                                                \mono
monobold                                            \monobold
mononormal                                          \mononormal
month                                               \month {...}
monthlong                                           \monthlong {...}
```

```
monthshort                              \monthshort {...}
mprandomnumber                          \mprandomnumber
mtext                                   \mtext {...}
m:assignment                            \m [..=..] {...}
NormalizeFontHeight                     \NormalizeFontHeight \... {...} {...} {...}
NormalizeFontWidth                      \NormalizeFontWidth \... {...} {...} {...}
NormalizeTextHeight                     \NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth                      \NormalizeTextWidth {...} {...} {...}
Numbers                                 \Numbers {...}
namedheadnumber                         \namedheadnumber {...}
namedstructureheadlocation              \namedstructureheadlocation {...}
namedstructureuservariable              \namedstructureuservariable {...} {...}
namedstructurevariable                  \namedstructurevariable {...} {...}
namedtaggedlabeltexts                   \namedtaggedlabeltexts {...} {...} {...} {...} {...}
naturalhbox                             \naturalhbox ... {...}
naturalhpack                            \naturalhpack ... {...}
naturaltpack                            \naturaltpack ... {...}
naturalvbox                             \naturalvbox ... {...}
naturalvcenter                          \naturalvcenter ... {...}
naturalvpack                            \naturalvpack ... {...}
naturalvtop                             \naturalvtop ... {...}
naturalwd                               \naturalwd ...
negatecolorbox                          \negatecolorbox ...
negated                                 \negated {...}
negemspace                              \negemspace
negenspace                              \negenspace
negthinspace                            \negthinspace
newattribute                            \newattribute \...
newcatcodetable                         \newcatcodetable \...
newcounter                              \newcounter \...
newevery                                \newevery \... \...
newfrenchspacing                        \newfrenchspacing
newluatable                             \newluatable \...
newmode                                 \newmode {...}
newsignal                               \newsignal \...
newsystemmode                           \newsystemmode {...}
nextbox                                 \nextbox
nextboxdp                               \nextboxdp
nextboxht                               \nextboxht
nextboxhtdp                             \nextboxhtdp
nextboxwd                               \nextboxwd
nextcounter                             \nextcounter [...] [...]
nextcountervalue                        \nextcountervalue [...]
nextdepth                               \nextdepth
nextparagraphs                          \nextparagraphs
nextparagraphs:example                  \nextPARAGRAPHS
nextrealpage                            \nextrealpage
nextrealpagenumber                      \nextrealpagenumber
nextsubcountervalue                     \nextsubcountervalue [...] [...]
nextsubpage                             \nextsubpage
nextsubpagenumber                       \nextsubpagenumber
nextuserpage                            \nextuserpage
nextuserpagenumber                      \nextuserpagenumber
nocharacteralign                        \nocharacteralign
nocitation                              \nocitation [...]
nocitation:direct                       \nocitation {...}
nocite                                  \nocite [...]
nocite:direct                           \nocite {...}
nodetostring                            \nodetostring \... {...}
noffigurepages                          \noffigurepages
noflines                                \noflines
noflinesinbox                           \noflinesinbox ...
noflocalfloats                          \noflocalfloats
noheaderandfooterlines                  \noheaderandfooterlines
noheightstrut                           \noheightstrut
nohyphens                               \nohyphens
noindentation                           \noindentation
noitem                                  \noitem
nonfrenchspacing                        \nonfrenchspacing
nonmathematics                          \nonmathematics {...}
nonvalidassignment                      \nonvalidassignment {...}
normal                                  \normal
```

| | |
|---|---|
| normalboldface | `\normalboldface` |
| normalframedwithsettings | `\normalframedwithsettings [..=..] {...}` |
| normalitalicface | `\normalitalicface` |
| normalizebodyfontsize | `\normalizebodyfontsize \... {...}` |
| normalizedfontsize | `\normalizedfontsize` |
| normalizefontdepth | `\normalizefontdepth \... {...} {...} {...}` |
| normalizefontheight | `\normalizefontheight \... {...} {...} {...}` |
| normalizefontline | `\normalizefontline \... {...} {...} {...}` |
| normalizefontwidth | `\normalizefontwidth \... {...} {...} {...}` |
| normalizetextdepth | `\normalizetextdepth {...} {...} {...}` |
| normalizetextheight | `\normalizetextheight {...} {...} {...}` |
| normalizetextline | `\normalizetextline {...} {...} {...}` |
| normalizetextwidth | `\normalizetextwidth {...} {...} {...}` |
| normalslantedface | `\normalslantedface` |
| normaltypeface | `\normaltypeface` |
| nospace | `\nospace` |
| note | `\note [...] [...]` |
| notesymbol | `\notesymbol [...] [...]` |
| note:instance | `\NOTE [...] {...}` |
| note:instance:assignment | `\NOTE [..=..]` |
| note:instance:assignment:endnote | `\endnote [..=..]` |
| note:instance:assignment:footnote | `\footnote [..=..]` |
| note:instance:endnote | `\endnote [...] {...}` |
| note:instance:footnote | `\footnote [...] {...}` |
| notopandbottomlines | `\notopandbottomlines` |
| notragged | `\notragged` |
| notsmallcapped | `\notsmallcapped {...}` |
| ntimes | `\ntimes {...} {...}` |
| numberofpoints | `\numberofpoints {...}` |
| numbers | `\numbers {...}` |
| obeydepth | `\obeydepth` |
| objectdepth | `\objectdepth` |
| objectheight | `\objectheight` |
| objectmargin | `\objectmargin` |
| objectwidth | `\objectwidth` |
| obox | `\obox {...}` |
| octnumber | `\octnumber {...}` |
| octstringtonumber | `\octstringtonumber {...}` |
| offset | `\offset [..=..] {...}` |
| offsetbox | `\offsetbox [..=..] \... {...}` |
| onedigitrounding | `\onedigitrounding {...}` |
| ordinaldaynumber | `\ordinaldaynumber {...}` |
| ordinalstr | `\ordinalstr {...}` |
| ornamenttext:collector | `\ornamenttext [..=..] [..=..] {...} {...}` |
| ornamenttext:direct | `\ornamenttext [...] {...} {...}` |
| ornamenttext:layer | `\ornamenttext [..=..] [..=..] {...} {...}` |
| ornament:example | `\ORNAMENT {...} {...}` |
| outputfilename | `\outputfilename` |
| outputstreambox | `\outputstreambox [...]` |
| outputstreamcopy | `\outputstreamcopy [...]` |
| outputstreamunvbox | `\outputstreamunvbox [...]` |
| outputstreamunvcopy | `\outputstreamunvcopy [...]` |
| over | `\over [...]` |
| overlaybutton | `\overlaybutton [...]` |
| overlaybutton:direct | `\overlaybutton {...}` |
| overlaycolor | `\overlaycolor` |
| overlaydepth | `\overlaydepth` |
| overlayfigure | `\overlayfigure {...}` |
| overlayheight | `\overlayheight` |
| overlayimage | `\overlayimage {...}` |
| overlaylinecolor | `\overlaylinecolor` |
| overlaylinewidth | `\overlaylinewidth` |
| overlayoffset | `\overlayoffset` |
| overlayrollbutton | `\overlayrollbutton [...] [...]` |
| overlaywidth | `\overlaywidth` |
| overloaderror | `\overloaderror` |
| overset | `\overset {...} {...}` |
| PDFcolor | `\PDFcolor {...}` |
| PDFETEX | `\PDFETEX` |
| PDFTEX | `\PDFTEX` |
| PICTEX | `\PICTEX` |
| PiCTeX | `\PiCTeX` |

| | |
|---|---|
| PointsToBigPoints | `\PointsToBigPoints {...} \...` |
| PointsToReal | `\PointsToReal {...} \...` |
| PointsToWholeBigPoints | `\PointsToWholeBigPoints {...} \...` |
| PPCHTEX | `\PPCHTEX` |
| PPCHTeX | `\PPCHTeX` |
| PRAGMA | `\PRAGMA` |
| PtToCm | `\PtToCm {...}` |
| page | `\page [...]` |
| pagearea | `\pagearea [...] [...] [...]` |
| pagebreak | `\pagebreak [...]` |
| pagefigure | `\pagefigure [...] [..=..]` |
| pageinjection | `\pageinjection [...] [..=..]` |
| pageinjection:assignment | `\pageinjection [..=..] [..=..]` |
| pagenumber | `\pagenumber` |
| pagereference | `\pagereference [...]` |
| pagestaterealpage | `\pagestaterealpage {...} {...}` |
| pagestaterealpageorder | `\pagestaterealpageorder {...} {...}` |
| paletsize | `\paletsize` |
| paragraphs:example | `\PARAGRAPHS` |
| pdfactualtext | `\pdfactualtext {...} {...}` |
| pdfbackendactualtext | `\pdfbackendactualtext {...} {...}` |
| pdfbackendcurrentresources | `\pdfbackendcurrentresources` |
| pdfbackendsetcatalog | `\pdfbackendsetcatalog {...} {...}` |
| pdfbackendsetcolorspace | `\pdfbackendsetcolorspace {...} {...}` |
| pdfbackendsetextgstate | `\pdfbackendsetextgstate {...} {...}` |
| pdfbackendsetinfo | `\pdfbackendsetinfo {...} {...}` |
| pdfbackendsetname | `\pdfbackendsetname {...} {...}` |
| pdfbackendsetpageattribute | `\pdfbackendsetpageattribute {...} {...}` |
| pdfbackendsetpageresource | `\pdfbackendsetpageresource {...} {...}` |
| pdfbackendsetpagesattribute | `\pdfbackendsetpagesattribute {...} {...}` |
| pdfbackendsetpattern | `\pdfbackendsetpattern {...} {...}` |
| pdfbackendsetshade | `\pdfbackendsetshade {...} {...}` |
| pdfcolor | `\pdfcolor {...}` |
| pdfeTeX | `\pdfeTeX` |
| pdfTeX | `\pdfTeX` |
| percent | `\percent` |
| percentdimen | `\percentdimen {...} {...}` |
| periods | `\periods [...]` |
| periods:assignment | `\periods [..=..]` |
| permitcaretescape | `\permitcaretescape` |
| permitcircumflexescape | `\permitcircumflexescape` |
| permitspacesbetweengroups | `\permitspacesbetweengroups` |
| persiandecimals | `\persiandecimals {...}` |
| persiannumerals | `\persiannumerals {...}` |
| phantom | `\phantom {...}` |
| phantombox | `\phantombox [..=..]` |
| pickupgroupedcommand | `\pickupgroupedcommand {...} {...} {...}` |
| placeattachments | `\placeattachments` |
| placebookmarks | `\placebookmarks [...] [...] [..=..]` |
| placebtxrendering | `\placebtxrendering [...] [..=..]` |
| placecitation | `\placecitation [...]` |
| placecombinedlist | `\placecombinedlist [...] [..=..]` |
| placecombinedlist:instance | `\placeCOMBINEDLIST [..=..]` |
| placecombinedlist:instance:content | `\placecontent [..=..]` |
| placecomments | `\placecomments` |
| placecurrentformulanumber | `\placecurrentformulanumber` |
| placedbox | `\placedbox {...}` |
| placefloat | `\placefloat [...] [...] [...] {...} {...}` |
| placefloatcaption | `\placefloatcaption [...] [..=..] [..=..]` |
| placefloatwithsetups | `\placefloatwithsetups [...] [...] [...] {...} {...}` |
| placefloat:instance | `\placeFLOAT [...] [...] {...} {...}` |
| placefloat:instance:chemical | `\placechemical [...] [...] {...} {...}` |
| placefloat:instance:figure | `\placefigure [...] [...] {...} {...}` |
| placefloat:instance:graphic | `\placegraphic [...] [...] {...} {...}` |
| placefloat:instance:intermezzo | `\placeintermezzo [...] [...] {...} {...}` |
| placefloat:instance:table | `\placetable [...] [...] {...} {...}` |
| placefootnotes | `\placefootnotes [..=..]` |
| placeformula | `\placeformula [...] {...}` |
| placeframed | `\placeframed [...] [..=..] {...}` |
| placeheadnumber | `\placeheadnumber [...]` |
| placeheadtext | `\placeheadtext [...]` |
| placehelp | `\placehelp` |

```
placeholder                                   \placeholder [...]
placeinitial                                  \placeinitial [...]
placelayer                                    \placelayer [...]
placelayeredtext                              \placelayeredtext [...] [..=..] [..=..] {...} {...}
placelist                                     \placelist [...] [..=..]
placelistoffloats:instance                    \placelistofFLOATS [..=..]
placelistoffloats:instance:chemicals          \placelistofchemicals [..=..]
placelistoffloats:instance:figures            \placelistoffigures [..=..]
placelistoffloats:instance:graphics           \placelistofgraphics [..=..]
placelistoffloats:instance:intermezzi         \placelistofintermezzi [..=..]
placelistoffloats:instance:tables             \placelistoftables [..=..]
placelistofpublications                       \placelistofpublications [...] [..=..]
placelistofsorts                              \placelistofsorts [...] [..=..]
placelistofsorts:instance                     \placelistofSORTS [..=..]
placelistofsorts:instance:logos               \placelistoflogos [..=..]
placelistofsynonyms                           \placelistofsynonyms [...] [..=..]
placelistofsynonyms:instance                  \placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations    \placelistofabbreviations [..=..]
placelocalfootnotes                           \placelocalfootnotes [..=..]
placelocalnotes                               \placelocalnotes [...] [..=..]
placement                                     \placement [...] [..=..] {...}
placement:example                             \PLACEMENT [..=..] {...}
placenamedfloat                               \placenamedfloat [...] [...]
placenamedformula                             \placenamedformula [...] {...} {...}
placenotes                                    \placenotes [...] [..=..]
placeongrid                                   \placeongrid [...] {...}
placeongrid:list                              \placeongrid [...] {...}
placeontopofeachother                         \placeontopofeachother {...} {...}
placepagenumber                               \placepagenumber
placepairedbox                                \placepairedbox [...] [..=..] {...} {...}
placepairedbox:instance                       \placePAIREDBOX [..=..] {...} {...}
placepairedbox:instance:legend                \placelegend [..=..] {...} {...}
placeparallel                                 \placeparallel [...] [...] [..=..]
placerawheaddata                              \placerawheaddata [...]
placerawheadnumber                            \placerawheadnumber [...]
placerawheadtext                              \placerawheadtext [...]
placerawlist                                  \placerawlist [...] [..=..]
placeregister                                 \placeregister [...] [..=..]
placeregister:instance                        \placeREGISTER [..=..]
placeregister:instance:index                  \placeindex [..=..]
placerenderingwindow                          \placerenderingwindow [...] [...]
placesidebyside                               \placesidebyside {...} {...}
placesubformula                               \placesubformula [...] {...}
popattribute                                  \popattribute \...
popmacro                                      \popmacro \...
popmode                                       \popmode [...]
popsystemmode                                 \popsystemmode {...}
position                                      \position [..=..] (...,...) {...}
positionoverlay                               \positionoverlay {...}
positionregionoverlay                         \positionregionoverlay {...} {...}
postponenotes                                 \postponenotes
predefinedfont                                \predefinedfont [...]
predefinefont                                 \predefinefont [...] [...]
predefinesymbol                               \predefinesymbol [...]
prefixedpagenumber                            \prefixedpagenumber
prependetoks                                  \prependetoks ... \to \...
prependgvalue                                 \prependgvalue {...} {...}
prependtocommalist                            \prependtocommalist {...} \...
prependtoks                                   \prependtoks ... \to \...
prependtoksonce                               \prependtoksonce ... \to \...
prependvalue                                  \prependvalue {...} {...}
prerollblank                                  \prerollblank [...]
presetdocument                                \presetdocument [...] [..=..]
presetfieldsymbols                            \presetfieldsymbols [...]
presetlabeltext:instance                      \presetLABELtext [...] [..=..]
presetlabeltext:instance:btxlabel             \presetbtxlabeltext [...] [..=..]
presetlabeltext:instance:head                 \presetheadtext [...] [..=..]
presetlabeltext:instance:label                \presetlabeltext [...] [..=..]
presetlabeltext:instance:mathlabel            \presetmathlabeltext [...] [..=..]
presetlabeltext:instance:operator             \presetoperatortext [...] [..=..]
presetlabeltext:instance:prefix               \presetprefixtext [...] [..=..]
presetlabeltext:instance:suffix               \presetsuffixtext [...] [..=..]
```

| | |
|---|---|
| presetlabeltext:instance:taglabel | *\presettaglabeltext* [...] [..=..] |
| presetlabeltext:instance:unit | *\presetunittext* [...] [..=..] |
| pretocommalist | \pretocommalist {...} \... |
| prettyprintbuffer | \prettyprintbuffer {...} {...} |
| prevcounter | \prevcounter [...] [...] |
| prevcountervalue | \prevcountervalue [...] |
| preventmode | \preventmode [...] |
| prevrealpage | \prevrealpage |
| prevrealpagenumber | \prevrealpagenumber |
| prevsubcountervalue | \prevsubcountervalue [...] [...] |
| prevsubpage | \prevsubpage |
| prevsubpagenumber | \prevsubpagenumber |
| prevuserpage | \prevuserpage |
| prevuserpagenumber | \prevuserpagenumber |
| procent | \procent |
| processaction | \processaction [...] [..,..=>..,..] |
| processallactionsinset | \processallactionsinset [...] [..,..=>..,..] |
| processassignlist | \processassignlist [...] \... |
| processassignmentcommand | \processassignmentcommand [..=..] \... |
| processassignmentlist | \processassignmentlist [..=..] \... |
| processbetween | \processbetween {...} \... |
| processblocks | \processblocks [...] [...] [..=..] |
| processbodyfontenvironmentlist | \processbodyfontenvironmentlist \... |
| processcolorcomponents | \processcolorcomponents {...} |
| processcommacommand | \processcommacommand [...] \... |
| processcommalist | \processcommalist [...] \... |
| processcommalistwithparameters | \processcommalistwithparameters [...] \... |
| processcontent | \processcontent {...} \... |
| processfile | \processfile {...} |
| processfilemany | \processfilemany {...} |
| processfilenone | \processfilenone {...} |
| processfileonce | \processfileonce {...} |
| processfirstactioninset | \processfirstactioninset [...] [..,..=>..,..] |
| processisolatedchars | \processisolatedchars {...} \... |
| processisolatedwords | \processisolatedwords {...} \... |
| processlinetablebuffer | \processlinetablebuffer [...] |
| processlinetablefile | \processlinetablefile {...} |
| processlist | \processlist {...} {...} {...} \... |
| processMPbuffer | \processMPbuffer [...] |
| processMPfigurefile | \processMPfigurefile {...} |
| processmonth | \processmonth {...} {...} {...} |
| processranges | \processranges [...] \... |
| processseparatedlist | \processseparatedlist [...] [...] {...} |
| processtexbuffer | \processTEXbuffer [...] |
| processtokens | \processtokens {...} {...} {...} {...} {...} |
| processuntil | \processuntil \... |
| processxtablebuffer | \processxtablebuffer [...] |
| processyear | \processyear {...} {...} {...} {...} |
| product | \product [...] |
| product:string | \product ... |
| profiledbox | \profiledbox [...] [..=..] {...} |
| profilegivenbox | \profilegivenbox {...} ... |
| program | \program [...] |
| project | \project [...] |
| project:string | \project ... |
| pseudoMixedCapped | \pseudoMixedCapped {...} |
| pseudoSmallCapped | \pseudoSmallCapped {...} |
| pseudoSmallcapped | \pseudoSmallcapped {...} |
| pseudosmallcapped | \pseudosmallcapped {...} |
| purenumber | \purenumber {...} |
| pusharrangedpages | \pusharrangedpages ... \poparrangedpages |
| pushattribute | \pushattribute \... |
| pushbackground | \pushbackground [...] ... \popbackground |
| pushbar | \pushbar [...] ... \popbar |
| pushbutton | \pushbutton [...] [...] |
| pushcatcodetable | \pushcatcodetable ... \popcatcodetable |
| pushcolor | \pushcolor [...] ... \popcolor |
| pushendofline | \pushendofline ... \popendofline |
| pushindentation | \pushindentation ... \popindentation |
| pushMPdrawing | \pushMPdrawing ... \popMPdrawing |
| pushmacro | \pushmacro \... |
| pushmathstyle | \pushmathstyle ... \popmathstyle |

| | |
|---|---|
| pushmode | \pushmode [...] |
| pushoutputstream | \pushoutputstream [...] |
| pushpath | \pushpath [...] ... \poppath |
| pushpunctuation | \pushpunctuation ... \poppunctuation |
| pushrandomseed | \pushrandomseed ... \poprandomseed |
| pushreferenceprefix | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsystemmode | \pushsystemmode {...} |
| putboxincache | \putboxincache {...} {...} ... |
| putnextboxincache | \putnextboxincache {...} {...} \... {...} |
| qquad | \qquad |
| quad | \quad |
| quads | \quads [...] |
| quarterstrut | \quarterstrut |
| quitcommalist | \quitcommalist |
| quitprevcommalist | \quitprevcommalist |
| quittypescriptscanning | \quittypescriptscanning |
| ReadFile | \ReadFile {...} |
| Romannumerals | \Romannumerals {...} |
| raggedbottom | \raggedbottom |
| raggedcenter | \raggedcenter |
| raggedleft | \raggedleft |
| raggedright | \raggedright |
| raggedwidecenter | \raggedwidecenter |
| raisebox | \raisebox {...} \... {...} |
| randomizetext | \randomizetext {...} |
| randomnumber | \randomnumber {...} {...} |
| rawcounter | \rawcounter [...] [...] |
| rawcountervalue | \rawcountervalue [...] |
| rawdate | \rawdate [...] |
| rawdoifelseinset | \rawdoifelseinset {...} {...} {...} {...} |
| rawdoifinset | \rawdoifinset {...} {...} {...} |
| rawdoifinsetelse | \rawdoifinsetelse {...} {...} {...} {...} |
| rawgetparameters | \rawgetparameters [...] [..=..] |
| rawprocessaction | \rawprocessaction [...] [..,..=>..,..] |
| rawprocesscommacommand | \rawprocesscommacommand [...] \... |
| rawprocesscommalist | \rawprocesscommalist [...] \... |
| rawstructurelistuservariable | \rawstructurelistuservariable {...} |
| rawsubcountervalue | \rawsubcountervalue [...] [...] |
| rbox | \rbox ... {...} |
| readfile | \readfile {...} {...} {...} |
| readfixfile | \readfixfile {...} {...} {...} {...} |
| readjobfile | \readjobfile {...} {...} {...} |
| readlocfile | \readlocfile {...} {...} {...} |
| readsetfile | \readsetfile {...} {...} {...} {...} |
| readsysfile | \readsysfile {...} {...} {...} |
| readtexfile | \readtexfile {...} {...} {...} |
| readxmlfile | \readxmlfile {...} {...} {...} |
| realpagenumber | \realpagenumber |
| realSmallCapped | \realSmallCapped {...} |
| realSmallcapped | \realSmallcapped {...} |
| realsmallcapped | \realsmallcapped {...} |
| recursedepth | \recursedepth |
| recurselevel | \recurselevel |
| recursestring | \recursestring |
| redoconvertfont | \redoconvertfont |
| ref | \ref [...] [...] |
| reference | \reference [...] {...} |
| referencecolumnnumber | \referencecolumnnumber |
| referenceformat:example | *\REFERENCEFORMAT* {...} {...} [...] |
| referencepagedetail | \referencepagedetail |
| referencepagestate | \referencepagestate |
| referenceprefix | \referenceprefix |
| referencerealpage | \referencerealpage |
| referencesymbol | \referencesymbol |
| referring | \referring (...,...) (...,...) [...] |
| registerattachment | \registerattachment [...] [..=..] |
| registerctxluafile | \registerctxluafile {...} {...} |
| registerexternalfigure | \registerexternalfigure [...] [...] [..=..] |
| registerfontclass | \registerfontclass {...} |
| registerhyphenationexception | \registerhyphenationexception [...] [...] |
| registerhyphenationpattern | \registerhyphenationpattern [...] [...] |
| registermenubuttons | \registermenubuttons [...] [...] |

```
registerparwrapper                          \registerparwrapper {...} {...} {...}
registerparwrapperreverse                   \registerparwrapperreverse {...} {...} {...}
registersort                                \registersort [...] [...]
registersynonym                             \registersynonym [...] [...]
registerunit                                \registerunit [...] [..=..]
register:instance                           \REGISTER [...] {..+...+..}
register:instance:index                     \index [...] {..+...+..}
register:instance:ownnumber                 \REGISTER [...] {...} {..+...+..}
register:instance:ownnumber:index           \index [...] {...} {..+...+..}
regular                                     \regular
relatemarking                               \relatemarking [...] [...]
relateparameterhandlers                     \relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined                       \relaxvalueifundefined {...}
remainingcharacters                         \remainingcharacters
remark                                      \remark (...,...) (...,...) [..=..] {...}
removebottomthings                          \removebottomthings
removedepth                                 \removedepth
removefromcommalist                         \removefromcommalist {...} \...
removelastskip                              \removelastskip
removelastspace                             \removelastspace
removemarkedcontent                         \removemarkedcontent [...]
removepunctuation                           \removepunctuation
removesubstring                             \removesubstring ... \from ... \to \...
removetoks                                  \removetoks ... \from \...
removeunwantedspaces                        \removeunwantedspaces
repeathead                                  \repeathead [...]
replacefeature                              \replacefeature [...]
replacefeature:direct                       \replacefeature {...}
replaceincommalist                          \replaceincommalist \... {...}
replaceword                                 \replaceword [...] [...] [...]
rescan                                      \rescan {...}
rescanwithsetup                             \rescanwithsetup {...} {...}
resetallattributes                          \resetallattributes
resetandaddfeature                          \resetandaddfeature [...]
resetandaddfeature:direct                   \resetandaddfeature {...}
resetbar                                    \resetbar
resetboxesincache                           \resetboxesincache {...}
resetbreakpoints                            \resetbreakpoints
resetbuffer                                 \resetbuffer [...]
resetcharacteralign                         \resetcharacteralign
resetcharacterkerning                       \resetcharacterkerning
resetcharacterspacing                       \resetcharacterspacing
resetcharacterstripping                     \resetcharacterstripping
resetcollector                              \resetcollector [...]
resetcounter                                \resetcounter [...] [...]
resetctxscanner                             \resetctxscanner \...
resetdigitsmanipulation                     \resetdigitsmanipulation
resetdirection                              \resetdirection
resetfeature                                \resetfeature
resetflag                                   \resetflag {...}
resetfontcolorsheme                         \resetfontcolorsheme
resetfontfallback                           \resetfontfallback [...] [...]
resetfontsolution                           \resetfontsolution
resethyphenationfeatures                    \resethyphenationfeatures
resetinjector                               \resetinjector [...]
resetinteractionmenu                        \resetinteractionmenu [...]
resetitaliccorrection                       \resetitaliccorrection
resetlayer                                  \resetlayer [...]
resetlocalfloats                            \resetlocalfloats
resetlocalshowmakeup                        \resetlocalshowmakeup
resetMPdrawing                              \resetMPdrawing
resetMPenvironment                          \resetMPenvironment
resetMPinstance                             \resetMPinstance [...]
resetmarker                                 \resetmarker [...]
resetmarking                                \resetmarking [...]
resetmode                                   \resetmode {...}
resetpagenumber                             \resetpagenumber
resetparallel                               \resetparallel [...] [...]
resetpath                                   \resetpath
resetpenalties                              \resetpenalties \...
resetperiodkerning                          \resetperiodkerning
resetprofile                                \resetprofile
```

```
resetrecurselevel                      \resetrecurselevel
resetreference                         \resetreference [...]
resetreplacements                      \resetreplacements
resetscript                            \resetscript
resetsetups                            \resetsetups [...]
resetshownsynonyms                     \resetshownsynonyms [...]
resetsubpagenumber                     \resetsubpagenumber
resetsymbolset                         \resetsymbolset
resetsystemmode                        \resetsystemmode {...}
resettimer                             \resettimer
resettokenlist                         \resettokenlist [...]
resettrackers                          \resettrackers
resettrialtypesetting                  \resettrialtypesetting
resetusedsortings                      \resetusedsortings [...]
resetusedsynonyms                      \resetusedsynonyms [...]
resetuserpagenumber                    \resetuserpagenumber
resetvalue                             \resetvalue {...}
resetvisualizers                       \resetvisualizers
reshapebox                             \reshapebox {...}
resolvedglyphdirect                    \resolvedglyphdirect {...} {...}
resolvedglyphstyled                    \resolvedglyphstyled {...} {...}
restartcounter                         \restartcounter [...] [...] [...]
restorebox                             \restorebox {...} {...}
restorecatcodes                        \restorecatcodes
restorecounter                         \restorecounter [...]
restorecurrentattributes               \restorecurrentattributes {...}
restoreendofline                       \restoreendofline
restoreglobalbodyfont                  \restoreglobalbodyfont
retestfeature                          \retestfeature
reusableMPgraphic                      \reusableMPgraphic {...} {..=..}
reuseMPgraphic                         \reuseMPgraphic {...} {..=..}
reuserandomseed                        \reuserandomseed
reversehbox                            \reversehbox ... {...}
reversehpack                           \reversehpack ... {...}
reversetpack                           \reversetpack ... {...}
reversevbox                            \reversevbox ... {...}
reversevboxcontent                     \reversevboxcontent ...
reversevpack                           \reversevpack ... {...}
reversevtop                            \reversevtop ... {...}
revivefeature                          \revivefeature
rfence                                 \rfence {...}
rhbox                                  \rhbox {...}
right                                  \right ...
rightaligned                           \rightaligned {...}
rightbottombox                         \rightbottombox {...}
rightbox                               \rightbox {...}
righthbox                              \righthbox {...}
rightlabeltext:instance                \rightLABELtext {...}
rightlabeltext:instance:head           \rightheadtext {...}
rightlabeltext:instance:label          \rightlabeltext {...}
rightlabeltext:instance:mathlabel      \rightmathlabeltext {...}
rightline                              \rightline {...}
rightorleftpageaction                  \rightorleftpageaction {...} {...}
rightpageorder                         \rightpageorder
rightskipadaption                      \rightskipadaption
rightsubguillemot                      \rightsubguillemot
righttoleft                            \righttoleft
righttolefthbox                        \righttolefthbox ... {...}
righttoleftvbox                        \righttoleftvbox ... {...}
righttoleftvtop                        \righttoleftvtop ... {...}
righttopbox                            \righttopbox {...}
ring                                   \ring {...}
rlap                                   \rlap {...}
robustaddtocommalist                   \robustaddtocommalist {...} \...
robustdoifelseinset                    \robustdoifelseinset {...} {...} {...} {...}
robustdoifinsetelse                    \robustdoifinsetelse {...} {...} {...} {...}
robustpretocommalist                   \robustpretocommalist {...} \...
rollbutton:button                      \rollbutton [..=..] ... [...]
rollbutton:interactionmenu             \rollbutton [...] [..=..] ... [...]
roman                                  \roman
romannumerals                          \romannumerals {...}
rotate                                 \rotate [..=..] {...}
```

```
rtlhbox                                          \rtlhbox ... {...}
rtlvbox                                          \rtlvbox ... {...}
rtlvtop                                          \rtlvtop ... {...}
rtop                                             \rtop ... {...}
ruby                                             \ruby [...] {...} {...}
ruledhbox                                        \ruledhbox ... {...}
ruledhpack                                       \ruledhpack ... {...}
ruledmbox                                        \ruledmbox {...}
ruledtopv                                        \ruledtopv ... {...}
ruledtpack                                       \ruledtpack ... {...}
ruledvbox                                        \ruledvbox ... {...}
ruledvpack                                       \ruledvpack ... {...}
ruledvtop                                        \ruledvtop ... {...}
runMPbuffer                                      \runMPbuffer [...]
runninghbox                                      \runninghbox {...}
russianNumerals                                  \russianNumerals {...}
russiannumerals                                  \russiannumerals {...}
ScaledPointsToBigPoints                          \ScaledPointsToBigPoints {...} \...
ScaledPointsToWholeBigPoints                     \ScaledPointsToWholeBigPoints {...} \...
SmallCapped                                      \SmallCapped {...}
Smallcapped                                      \Smallcapped {...}
safechar                                         \safechar {...}
samplefile                                       \samplefile {...}
sans                                             \sans
sansbold                                         \sansbold
sansnormal                                       \sansnormal
sansserif                                        \sansserif
savebox                                          \savebox {...} {...} {...}
savebtxdataset                                   \savebtxdataset [...] [...] [..=..]
savebuffer                                       \savebuffer [..=..]
savebuffer:list                                  \savebuffer [...] [...]
savecolor                                        \savecolor ... \restorecolor
savecounter                                      \savecounter [...]
savecurrentattributes                            \savecurrentattributes {...}
savenormalmeaning                                \savenormalmeaning \...
savetaggedtwopassdata                            \savetaggedtwopassdata {...} {...} {...} {...}
savetwopassdata                                  \savetwopassdata {...} {...} {...}
sbox                                             \sbox {...}
scale                                            \scale [...] [..=..] {...}
screen                                           \screen [...]
script:instance                                  \SCRIPT
script:instance:ethiopic                         \ethiopic
script:instance:hangul                           \hangul
script:instance:hanzi                            \hanzi
script:instance:latin                            \latin
script:instance:nihongo                          \nihongo
script:instance:test                             \test
script:instance:thai                             \thai
secondoffivearguments                            \secondoffivearguments {...} {...} {...} {...} {...}
secondoffourarguments                            \secondoffourarguments {...} {...} {...} {...}
secondofsixarguments                             \secondofsixarguments {...} {...} {...} {...} {...} {...}
secondofthreearguments                           \secondofthreearguments {...} {...} {...}
secondofthreeunexpanded                          \secondofthreeunexpanded {...} {...} {...}
secondoftwoarguments                             \secondoftwoarguments {...} {...}
secondoftwounexpanded                            \secondoftwounexpanded {...} {...}
section:instance                                 \SECTION [...] {...}
section:instance:assignment                      \SECTION [..=..]
section:instance:assignment:chapter             \chapter [..=..]
section:instance:assignment:part                \part [..=..]
section:instance:assignment:section             \section [..=..]
section:instance:assignment:subject             \subject [..=..]
section:instance:assignment:subsection          \subsection [..=..]
section:instance:assignment:subsubject          \subsubject [..=..]
section:instance:assignment:subsubsection       \subsubsection [..=..]
section:instance:assignment:subsubsubject       \subsubsubject [..=..]
section:instance:assignment:subsubsubsection    \subsubsubsection [..=..]
section:instance:assignment:subsubsubsubject    \subsubsubsubject [..=..]
section:instance:assignment:title               \title [..=..]
section:instance:chapter                        \chapter [...] {...}
section:instance:ownnumber                      \SECTION [...] {...} {...}
```

| | |
|---|---|
| section:instance:ownnumber:chapter | `\chapter [...] {...} {...}` |
| section:instance:ownnumber:part | `\part [...] {...} {...}` |
| section:instance:ownnumber:section | `\section [...] {...} {...}` |
| section:instance:ownnumber:subject | `\subject [...] {...} {...}` |
| section:instance:ownnumber:subsection | `\subsection [...] {...} {...}` |
| section:instance:ownnumber:subsubject | `\subsubject [...] {...} {...}` |
| section:instance:ownnumber:subsubsection | `\subsubsection [...] {...} {...}` |
| section:instance:ownnumber:subsubsubject | `\subsubsubject [...] {...} {...}` |
| section:instance:ownnumber:subsubsubsection | `\subsubsubsection [...] {...} {...}` |
| section:instance:ownnumber:subsubsubsubject | `\subsubsubsubject [...] {...} {...}` |
| section:instance:ownnumber:subsubsubsubsection | `\subsubsubsubsection [...] {...} {...}` |
| section:instance:ownnumber:subsubsubsubject | `\subsubsubsubject [...] {...} {...}` |
| section:instance:ownnumber:title | `\title [...] {...} {...}` |
| section:instance:part | `\part [...] {...}` |
| section:instance:section | `\section [...] {...}` |
| section:instance:subject | `\subject [...] {...}` |
| section:instance:subsection | `\subsection [...] {...}` |
| section:instance:subsubject | `\subsubject [...] {...}` |
| section:instance:subsubsection | `\subsubsection [...] {...}` |
| section:instance:subsubsubject | `\subsubsubject [...] {...}` |
| section:instance:subsubsubsection | `\subsubsubsection [...] {...}` |
| section:instance:subsubsubsubject | `\subsubsubsubject [...] {...}` |
| section:instance:subsubsubsubsection | `\subsubsubsubsection [...] {...}` |
| section:instance:subsubsubsubject | `\subsubsubsubject [...] {...}` |
| section:instance:title | `\title [...] {...}` |
| seeregister:instance | `\seeREGISTER [...] {..+...+..} {...}` |
| seeregister:instance:index | `\seeindex [...] {..+...+..} {...}` |
| select | `\select {...} {...} {...} {...} {...} {...}` |
| selectblocks | `\selectblocks [.ᴼᴾᵀ.] [.ᴼᴾᵀ.] [.ᴼᴾᵀ.=..] ᴼᴾᵀ     ᴼᴾᵀ` |
| serializecommalist | `\serializecommalist [...]` |
| serializedcommalist | `\serializedcommalist` |
| serif | `\serif` |
| serifbold | `\serifbold` |
| serifnormal | `\serifnormal` |
| setautopagestaterealpageno | `\setautopagestaterealpageno {...}` |
| setbar | `\setbar [...]` |
| setbigbodyfont | `\setbigbodyfont` |
| setboxllx | `\setboxllx ... {...}` |
| setboxlly | `\setboxlly ... {...}` |
| setbreakpoints | `\setbreakpoints [...]` |
| setbuffer | `\setbuffer [...] ... \endbuffer` |
| setcapstrut | `\setcapstrut` |
| setcatcodetable | `\setcatcodetable \...` |
| setcharacteralign | `\setcharacteralign {...} {...}` |
| setcharacteraligndetail | `\setcharacteraligndetail {...} {...} {...} {...}` |
| setcharactercasing | `\setcharactercasing [...]` |
| setcharactercleaning | `\setcharactercleaning [...]` |
| setcharacterkerning | `\setcharacterkerning [...]` |
| setcharacterspacing | `\setcharacterspacing [...]` |
| setcharacterstripping | `\setcharacterstripping [...]` |
| setcharstrut | `\setcharstrut {...}` |
| setcollector | `\setcollector [...] [..=..] {...}` |
| setcolormodell | `\setcolormodell [...]` |
| setcounter | `\setcounter [...] [...] [...]` |
| setcounterown | `\setcounterown [...] [...] [...]` |
| setctxluafunction | `\setctxluafunction {...} {...}` |
| setcurrentfontclass | `\setcurrentfontclass {...}` |
| setdataset | `\setdataset [...] [...] [..=..]` |
| setdatavalue | `\setdatavalue {...} {...}` |
| setdefaultpenalties | `\setdefaultpenalties` |
| setdigitsmanipulation | `\setdigitsmanipulation [...]` |
| setdirection | `\setdirection [...]` |
| setdocumentargument | `\setdocumentargument {...} {...}` |
| setdocumentargumentdefault | `\setdocumentargumentdefault {...} {...}` |
| setdocumentfilename | `\setdocumentfilename {...} {...}` |
| setdummyparameter | `\setdummyparameter {...} {...}` |
| setelementexporttag | `\setelementexporttag [...] [...] [...]` |
| setemeasure | `\setemeasure {...} {...}` |
| setevalue | `\setevalue {...} {...}` |
| setevariable | `\setevariable {...} {...} {...}` |
| setevariables | `\setevariables [...] [..=..]` |
| setexpansion | `\setexpansion [...]` |

```
setfirstline                      \setfirstline [...]
setfirstpasscharacteralign        \setfirstpasscharacteralign
setflag                           \setflag {...}
setfont                           \setfont ...
setfontcolorsheme                 \setfontcolorsheme [...]
setfontfeature                    \setfontfeature {...}
setfontsolution                   \setfontsolution [...]
setfontstrut                      \setfontstrut
setfractions                      \setfractions
setglobalscript                   \setglobalscript [...]
setgmeasure                       \setgmeasure {...} {...}
setgvalue                         \setgvalue {...} {...}
setgvariable                      \setgvariable {...} {...} {...}
setgvariables                     \setgvariables [...] [..=..]
sethboxregister                   \sethboxregister ... {...}
sethyphenatedurlafter             \sethyphenatedurlafter {...}
sethyphenatedurlbefore            \sethyphenatedurlbefore {...}
sethyphenatedurlnormal            \sethyphenatedurlnormal {...}
sethyphenationfeatures            \sethyphenationfeatures [...]
setinitial                        \setinitial [...] [..=..]
setinjector                       \setinjector [...] [...] [...]
setinteraction                    \setinteraction [...]
setinterfacecommand               \setinterfacecommand {...} {...}
setinterfaceconstant              \setinterfaceconstant {...} {...}
setinterfaceelement               \setinterfaceelement {...} {...}
setinterfacemessage               \setinterfacemessage {...} {...} {...}
setinterfacevariable              \setinterfacevariable {...} {...}
setinternalrendering              \setinternalrendering [...] [...] {...}
setitaliccorrection               \setitaliccorrection [...]
setJSpreamble                     \setJSpreamble {...} {...}
setlayer                          \setlayer [...] [...] [..=..] {...}
setlayerframed                    \setlayerframed [...] [..=..] [..=..] {...}
setlayerframed:combination        \setlayerframed [...] [..=..] {...}
setlayertext                      \setlayertext [...] [..=..] [..=..] {...}
setlinefiller                     \setlinefiller [...]
setlocalhsize                     \setlocalhsize [...]
setlocalscript                    \setlocalscript [...]
setlocalshowmakeup                \setlocalshowmakeup
setluatable                       \setluatable \... {...}
setMPlayer                        \setMPlayer [...] [...] [..=..] {...}
setMPpositiongraphic              \setMPpositiongraphic {...} {...} {..=..}
setMPpositiongraphicrange         \setMPpositiongraphicrange {...} {...} {...} {..=..}
setMPtext                         \setMPtext {...} {...}
setMPvariable                     \setMPvariable [...] [..=..]
setMPvariables                    \setMPvariables [...] [..=..]
setmainbodyfont                   \setmainbodyfont
setmainparbuilder                 \setmainparbuilder [...]
setmarker                         \setmarker [...] [...]
setmarking                        \setmarking [...] {...}
setmathstyle                      \setmathstyle {...}
setmeasure                        \setmeasure {...} {...}
setmessagetext                    \setmessagetext {...} {...}
setmode                           \setmode {...}
setnostrut                        \setnostrut
setnote                           \setnote [...] [...] {...}
setnotetext                       \setnotetext [...] [...] {...}
setnotetext:assignment            \setnotetext [...] [..=..]
setnote:assignment                \setnote [...] [..=..]
setobject                         \setobject {...} {...} \... {...}
setoldstyle                       \setoldstyle
setpagereference                  \setpagereference {...} {...}
setpagestate                      \setpagestate [...] [...]
setpagestaterealpageno            \setpagestaterealpageno {...} {...}
setparagraphfreezing              \setparagraphfreezing
setpenalties                      \setpenalties \... {...} {...}
setpercentdimen                   \setpercentdimen {...} {...}
setperiodkerning                  \setperiodkerning [...]
setposition                       \setposition {...}
setpositionbox                    \setpositionbox {...} \... {...}
setpositiondata                   \setpositiondata {...} {...} {...} {...}
setpositiondataplus               \setpositiondataplus {...} {...} {...} {...} {...}
setpositiononly                   \setpositiononly {...}
```

| | |
|---|---|
| setpositionplus | `\setpositionplus {...} {...} \... {...}` |
| setpositionstrut | `\setpositionstrut {...}` |
| setprofile | `\setprofile [...]` |
| setrandomseed | `\setrandomseed {...}` |
| setreference | `\setreference [...] [..=..]` |
| setreferencedobject | `\setreferencedobject {...} {...} \... {...}` |
| setregisterentry | `\setregisterentry [...] [..=..] [..=..]` |
| setreplacements | `\setreplacements [...] [...]` |
| setrigidcolumnbalance | `\setrigidcolumnbalance ...` |
| setrigidcolumnhsize | `\setrigidcolumnhsize {...} {...} {...}` |
| setscript | `\setscript [...]` |
| setsecondpasscharacteralign | `\setsecondpasscharacteralign` |
| setsectionblock | `\setsectionblock [...] [..=..]` |
| setsimplecolumnshsize | `\setsimplecolumnshsize [..=..]` |
| setsmallbodyfont | `\setsmallbodyfont` |
| setsmallcaps | `\setsmallcaps` |
| setstackbox | `\setstackbox {...} {...} {...}` |
| setstructurepageregister | `\setstructurepageregister [...] [..=..] [..=..]` |
| setstrut | `\setstrut` |
| setsuperiors | `\setsuperiors` |
| setsystemmode | `\setsystemmode {...}` |
| settabular | `\settabular` |
| settaggedmetadata | `\settaggedmetadata [..=..]` |
| settestcrlf | `\settestcrlf` |
| settextcontent | `\settextcontent [...] [...] [...] [...] [...]` |
| settightobject | `\settightobject {...} {...} \... {...}` |
| settightreferencedobject | `\settightreferencedobject {...} {...} \... {...}` |
| settightstrut | `\settightstrut` |
| settightunreferencedobject | `\settightunreferencedobject {...} {...} \... {...}` |
| settokenlist | `\settokenlist [...] {...}` |
| settrialtypesetting | `\settrialtypesetting` |
| setuevalue | `\setuevalue {...} {...}` |
| setugvalue | `\setugvalue {...} {...}` |
| setunreferencedobject | `\setunreferencedobject {...} {...} \... {...}` |
| setup | `\setup [...]` |
| setupalign | `\setupalign [...]` |
| setupalternativestyles | `\setupalternativestyles [..=..]` |
| setuparranging | `\setuparranging [...]` |
| setupattachment | `\setupattachment [...] [..=..]` |
| setupattachments | `\setupattachments [...] [..=..]` |
| setupbackend | `\setupbackend [..=..]` |
| setupbackground | `\setupbackground [...] [..=..]` |
| setupbackgrounds | `\setupbackgrounds [...] [...] [..=..]` |
| setupbackgrounds:page | `\setupbackgrounds [...] [..=..]` |
| setupbar | `\setupbar [...] [..=..]` |
| setupbars | `\setupbars [...] [..=..]` |
| setupblackrules | `\setupblackrules [..=..]` |
| setupblank | `\setupblank [...]` |
| setupbleeding | `\setupbleeding [..=..]` |
| setupblock | `\setupblock [...] [..=..]` |
| setupbodyfont | `\setupbodyfont [...]` |
| setupbodyfontenvironment | `\setupbodyfontenvironment [...] [...] [..=..]` |
| setupbookmark | `\setupbookmark [..=..]` |
| setupbottom | `\setupbottom [...] [..=..]` |
| setupbottomtexts | `\setupbottomtexts [...] [...] [...] [...] [...]` |
| setupbtx | `\setupbtx [...] [..=..]` |
| setupbtxdataset | `\setupbtxdataset [...] [..=..]` |
| setupbtxlist | `\setupbtxlist [...] [..=..]` |
| setupbtxregister | `\setupbtxregister [...] [..=..]` |
| setupbtxrendering | `\setupbtxrendering [...] [..=..]` |
| setupbtx:name | `\setupbtx [...]` |
| setupbuffer | `\setupbuffer [...] [..=..]` |
| setupbutton | `\setupbutton [...] [..=..]` |
| setupcapitals | `\setupcapitals [...] [..=..]` |
| setupcaption | `\setupcaption [...] [..=..]` |
| setupcaptions | `\setupcaptions [...] [..=..]` |
| setupcharacteralign | `\setupcharacteralign [..=..]` |
| setupcharacterkerning | `\setupcharacterkerning [...] [..=..]` |
| setupcharacterspacing | `\setupcharacterspacing [...] [...] [..=..]` |
| setupchemical | `\setupchemical [...] [..=..]` |
| setupchemicalframed | `\setupchemicalframed [...] [..=..]` |
| setupclipping | `\setupclipping [..=..]` |

```
setupcollector                          \setupcollector [...] [..=..]
setupcolor                              \setupcolor [...]
setupcolors                             \setupcolors [..=..]
setupcolumns                            \setupcolumns [..=..]
setupcolumnset                          \setupcolumnset [...] [..=..]
setupcolumnsetarea                      \setupcolumnsetarea [...] [..=..]
setupcolumnsetareatext                  \setupcolumnsetareatext [...] [...]
setupcolumnsetlines                     \setupcolumnsetlines [...] [...] [...] [...]
setupcolumnsetspan                      \setupcolumnsetspan [...] [..=..]
setupcolumnsetstart                     \setupcolumnsetstart [...] [...] [...] [...]
setupcombination                        \setupcombination [...] [..=..]
setupcombinedlist                       \setupcombinedlist [...] [..=..]
setupcombinedlist:instance              \setupCOMBINEDLIST [..=..]
setupcombinedlist:instance:content      \setupcontent [..=..]
setupcomment                            \setupcomment [...] [..=..]
setupcounter                            \setupcounter [...] [..=..]
setupdataset                            \setupdataset [...] [..=..]
setupdelimitedtext                      \setupdelimitedtext [...] [..=..]
setupdescription                        \setupdescription [...] [..=..]
setupdescriptions                       \setupdescriptions [...] [..=..]
setupdirections                         \setupdirections [..=..]
setupdocument                           \setupdocument [...] [..=..]
setupeffect                             \setupeffect [...] [..=..]
setupenumeration                        \setupenumeration [...] [..=..]
setupenumerations                       \setupenumerations [...] [..=..]
setupenv                                \setupenv [..=..]
setupexpansion                          \setupexpansion [...] [..=..]
setupexport                             \setupexport [..=..]
setupexternalfigure                     \setupexternalfigure [...] [..=..]
setupexternalfigures                    \setupexternalfigures [...] [..=..]
setupexternalsoundtracks                \setupexternalsoundtracks [..=..]
setupfacingfloat                        \setupfacingfloat [...] [..=..]
setupfield                              \setupfield [...] [...] [..=..] [..=..] [..=..]
setupfieldbody                          \setupfieldbody [...] [..=..]
setupfieldcategory                      \setupfieldcategory [...] [..=..]
setupfieldcontentframed                 \setupfieldcontentframed [...] [..=..]
setupfieldlabelframed                   \setupfieldlabelframed [...] [..=..]
setupfields                             \setupfields [...] [..=..] [..=..] [..=..]
setupfieldtotalframed                   \setupfieldtotalframed [...] [..=..]
setupfiller                             \setupfiller [...] [..=..]
setupfillinlines                        \setupfillinlines [..=..]
setupfillinrules                        \setupfillinrules [..=..]
setupfirstline                          \setupfirstline [...] [..=..]
setupfittingpage                        \setupfittingpage [...] [..=..]
setupfloat                              \setupfloat [...] [..=..]
setupfloatframed                        \setupfloatframed [...] [..=..]
setupfloats                             \setupfloats [...] [..=..]
setupfloatsplitting                     \setupfloatsplitting [..=..]
setupfontexpansion                      \setupfontexpansion [...] [..=..]
setupfontprotrusion                     \setupfontprotrusion [...] [..=..]
setupfonts                              \setupfonts [..=..]
setupfontsolution                       \setupfontsolution [...] [..=..]
setupfooter                             \setupfooter [...] [..=..]
setupfootertexts                        \setupfootertexts [...] [...] [...] [...] [...]
setupfootnotes                          \setupfootnotes [..=..]
setupforms                              \setupforms [..=..]
setupformula                            \setupformula [...] [..=..]
setupformulaframed                      \setupformulaframed [...] [..=..]
setupformulas                           \setupformulas [...] [..=..]
setupframed                             \setupframed [...] [..=..]
setupframedcontent                      \setupframedcontent [...] [..=..]
setupframedtable                        \setupframedtable [...] [..=..]
setupframedtablecolumn                  \setupframedtablecolumn [...] [...] [..=..]
setupframedtablerow                     \setupframedtablerow [...] [...] [..=..]
setupframedtext                         \setupframedtext [...] [..=..]
setupframedtexts                        \setupframedtexts [...] [..=..]
setupglobalreferenceprefix              \setupglobalreferenceprefix [...]
setuphead                               \setuphead [...] [..=..]
setupheadalternative                    \setupheadalternative [...] [..=..]
setupheader                             \setupheader [...] [..=..]
setupheadertexts                        \setupheadertexts [...] [...] [...] [...] [...]
setupheadnumber                         \setupheadnumber [...] [...]
```

```
setupheads                              \setupheads [...] [..=..]
setuphelp                               \setuphelp [...] [..=..]
setuphigh                               \setuphigh [...] [..=..]
setuphighlight                          \setuphighlight [...] [..=..]
setuphyphenation                        \setuphyphenation [..=..]
setuphyphenmark                         \setuphyphenmark [..=..]
setupindentedtext                       \setupindentedtext [...] [..=..]
setupindenting                          \setupindenting [...]
setupinitial                            \setupinitial [...] [..=..]
setupinsertion                          \setupinsertion [...] [..=..]
setupinteraction                        \setupinteraction [...] [..=..]
setupinteractionbar                     \setupinteractionbar [...] [..=..]
setupinteractionmenu                    \setupinteractionmenu [...] [..=..]
setupinteractionscreen                  \setupinteractionscreen [..=..]
setupinteraction:name                   \setupinteraction [...]
setupinterlinespace                     \setupinterlinespace [...] [..=..]
setupinterlinespace:argument            \setupinterlinespace [...]
setupinterlinespace:name                \setupinterlinespace [...]
setupitaliccorrection                   \setupitaliccorrection [...]
setupitemgroup                          \setupitemgroup [...] [...] [...] [..=..]
setupitemgroups                         \setupitemgroups [...] [..=..]
setupitemgroup:assignment               \setupitemgroup [...] [..=..]
setupitemgroup:instance                 \setupITEMGROUP [...] [...] [..=..]
setupitemgroup:instance:itemize         \setupitemize [...] [...] [..=..]
setupitems                              \setupitems [...] [..=..]
setuplabel                              \setuplabel [...] [..=..]
setuplabeltext:instance                 \setupLABELtext [...] [..=..]
setuplabeltext:instance:btxlabel        \setupbtxlabeltext [...] [..=..]
setuplabeltext:instance:head            \setupheadtext [...] [..=..]
setuplabeltext:instance:label           \setuplabeltext [...] [..=..]
setuplabeltext:instance:mathlabel       \setupmathlabeltext [...] [..=..]
setuplabeltext:instance:operator        \setupoperatortext [...] [..=..]
setuplabeltext:instance:prefix          \setupprefixtext [...] [..=..]
setuplabeltext:instance:suffix          \setupsuffixtext [...] [..=..]
setuplabeltext:instance:taglabel        \setuptaglabeltext [...] [..=..]
setuplabeltext:instance:unit            \setupunittext [...] [..=..]
setuplanguage                           \setuplanguage [...] [..=..]
setuplayer                              \setuplayer [...] [..=..]
setuplayeredtext                        \setuplayeredtext [...] [..=..]
setuplayout                             \setuplayout [...] [..=..]
setuplayouttext                         \setuplayouttext [...] [...] [..=..]
setuplayout:name                        \setuplayout [...]
setuplinefiller                         \setuplinefiller [...] [..=..]
setuplinefillers                        \setuplinefillers [...] [..=..]
setuplinenote                           \setuplinenote [...] [..=..]
setuplinenumbering                      \setuplinenumbering [...] [..=..]
setuplines                              \setuplines [...] [..=..]
setuplinetable                          \setuplinetable [...] [...] [..=..]
setuplinewidth                          \setuplinewidth [...]
setuplist                               \setuplist [...] [..=..]
setuplistalternative                    \setuplistalternative [...] [..=..]
setuplistextra                          \setuplistextra [...] [..=..]
setuplocalfloats                        \setuplocalfloats [..=..]
setuplocalinterlinespace                \setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace:argument       \setuplocalinterlinespace [...]
setuplocalinterlinespace:name           \setuplocalinterlinespace [...]
setuplow                                \setuplow [...] [..=..]
setuplowhigh                            \setuplowhigh [...] [..=..]
setuplowmidhigh                         \setuplowmidhigh [...] [..=..]
setupMPgraphics                         \setupMPgraphics [..=..]
setupMPinstance                         \setupMPinstance [...] [..=..]
setupMPpage                             \setupMPpage [..=..]
setupMPvariables                        \setupMPvariables [...] [..=..]
setupmakeup                             \setupmakeup [...] [..=..]
setupmarginblock                        \setupmarginblock [...] [..=..]
setupmargindata                         \setupmargindata [...] [..=..]
setupmarginframed                       \setupmarginframed [...] [..=..]
setupmarginrule                         \setupmarginrule [...] [..=..]
setupmarginrules                        \setupmarginrules [...] [..=..]
setupmarking                            \setupmarking [...] [..=..]
setupmathalignment                      \setupmathalignment [...] [..=..]
setupmathcases                          \setupmathcases [...] [..=..]
```

| | |
|---|---|
| setupmathematics | `\setupmathematics [...] [..=..]` |
| setupmathfence | `\setupmathfence [...] [..=..]` |
| setupmathfraction | `\setupmathfraction [...] [..=..]` |
| setupmathfractions | `\setupmathfractions [...] [..=..]` |
| setupmathframed | `\setupmathframed [...] [..=..]` |
| setupmathmatrix | `\setupmathmatrix [...] [..=..]` |
| setupmathornament | `\setupmathornament [...] [..=..]` |
| setupmathradical | `\setupmathradical [...] [..=..]` |
| setupmathstackers | `\setupmathstackers [...] [..=..]` |
| setupmathstyle | `\setupmathstyle [...]` |
| setupmixedcolumns | `\setupmixedcolumns [...] [..=..]` |
| setupmodule | `\setupmodule [...] [..=..]` |
| setupmulticolumns | `\setupmulticolumns [...] [..=..]` |
| setupnarrower | `\setupnarrower [...] [..=..]` |
| setupnotation | `\setupnotation [...] [..=..]` |
| setupnotations | `\setupnotations [...] [..=..]` |
| setupnote | `\setupnote [...] [..=..]` |
| setupnotes | `\setupnotes [...] [..=..]` |
| setupoffset | `\setupoffset [..=..]` |
| setupoffsetbox | `\setupoffsetbox [..=..]` |
| setupoppositeplacing | `\setupoppositeplacing [..=..]` |
| setuporientation | `\setuporientation [...] [..=..]` |
| setupoutput | `\setupoutput [...]` |
| setupoutputroutine | `\setupoutputroutine [...] [..=..]` |
| setupoutputroutine:name | `\setupoutputroutine [...]` |
| setuppagechecker | `\setuppagechecker [...] [..=..]` |
| setuppagecolumns | `\setuppagecolumns [...] [..=..]` |
| setuppagecomment | `\setuppagecomment [..=..]` |
| setuppageinjection | `\setuppageinjection [...] [..=..]` |
| setuppageinjectionalternative | `\setuppageinjectionalternative [...] [..=..]` |
| setuppagenumber | `\setuppagenumber [..=..]` |
| setuppagenumbering | `\setuppagenumbering [..=..]` |
| setuppageshift | `\setuppageshift [...] [...] [...]` |
| setuppagestate | `\setuppagestate [...] [..=..]` |
| setuppagetransitions | `\setuppagetransitions [...]` |
| setuppairedbox | `\setuppairedbox [...] [..=..]` |
| setuppairedbox:instance | *`\setupPAIREDBOX [..=..]`* |
| setuppairedbox:instance:legend | *`\setuplegend [..=..]`* |
| setuppalet | `\setuppalet [...]` |
| setuppaper | `\setuppaper [..=..]` |
| setuppapersize | `\setuppapersize [...] [..=..]` |
| setuppapersize:name | `\setuppapersize [...] [...]` |
| setupparagraph | `\setupparagraph [...] [..=..]` |
| setupparagraphintro | `\setupparagraphintro [...] [...]` |
| setupparagraphnumbering | `\setupparagraphnumbering [..=..]` |
| setupparagraphs | `\setupparagraphs [...] [...] [..=..]` |
| setupparagraphs:assignment | `\setupparagraphs [...] [..=..]` |
| setupparallel | `\setupparallel [...] [...] [..=..]` |
| setupperiodkerning | `\setupperiodkerning [...] [..=..]` |
| setupperiods | `\setupperiods [..=..]` |
| setupplaceholder | `\setupplaceholder [...] [..=..]` |
| setupplacement | `\setupplacement [...] [..=..]` |
| setuppositionbar | `\setuppositionbar [..=..]` |
| setuppositioning | `\setuppositioning [...] [..=..]` |
| setupprocessor | `\setupprocessor [...] [..=..]` |
| setupprofile | `\setupprofile [...] [..=..]` |
| setupprograms | `\setupprograms [..=..]` |
| setupquotation | `\setupquotation [..=..]` |
| setupquote | `\setupquote [..=..]` |
| setuprealpagenumber | `\setuprealpagenumber [..=..]` |
| setupreferenceformat | `\setupreferenceformat [...] [..=..]` |
| setupreferenceprefix | `\setupreferenceprefix [...]` |
| setupreferencestructureprefix | `\setupreferencestructureprefix [...] [...] [..=..]` |
| setupreferencing | `\setupreferencing [..=..]` |
| setupregister | `\setupregister [...] [..=..]` |
| setupregisters | `\setupregisters [...] [..=..]` |
| setupregisters:argument | `\setupregisters [...] [...] [..=..]` |
| setupregister:argument | `\setupregister [...] [...] [..=..]` |
| setupregister:instance | *`\setupREGISTER [...] [..=..]`* |
| setupregister:instance:index | *`\setupindex [...] [..=..]`* |
| setuprenderingwindow | `\setuprenderingwindow [...] [..=..]` |
| setuprotate | `\setuprotate [..=..]` |

| | |
|---|---|
| setupruby | `\setupruby [...] [..=..]` |
| setups | `\setups [...]` |
| setupscale | `\setupscale [...] [..=..]` |
| setupscript | `\setupscript [...] [..=..]` |
| setupscripts | `\setupscripts [...] [..=..]` |
| setupsectionblock | `\setupsectionblock [...] [..=..]` |
| setupselector | `\setupselector [...] [..=..]` |
| setupshift | `\setupshift [...] [..=..]` |
| setupsidebar | `\setupsidebar [...] [..=..]` |
| setupsorting | `\setupsorting [...] [..=..]` |
| setupspacing | `\setupspacing [...]` |
| setupspellchecking | `\setupspellchecking [..=..]` |
| setupstartstop | `\setupstartstop [...] [..=..]` |
| setupstretched | `\setupstretched [..=..]` |
| setupstrut | `\setupstrut [...]` |
| setupstyle | `\setupstyle [...] [..=..]` |
| setupsubformula | `\setupsubformula [...] [..=..]` |
| setupsubformulas | `\setupsubformulas [...] [..=..]` |
| setupsubpagenumber | `\setupsubpagenumber [..=..]` |
| setupsymbols | `\setupsymbols [..=..]` |
| setupsymbolset | `\setupsymbolset [...]` |
| setupsynctex | `\setupsynctex [..=..]` |
| setupsynonyms | `\setupsynonyms [...] [..=..]` |
| setupsystem | `\setupsystem [..=..]` |
| setups:direct | `\setups {...}` |
| setupTABLE | `\setupTABLE [...] [...] [..=..]` |
| setupTEXpage | `\setupTEXpage [..=..]` |
| setuptables | `\setuptables [..=..]` |
| setuptabulate | `\setuptabulate [...] [...] [..=..]` |
| setuptagging | `\setuptagging [..=..]` |
| setuptext | `\setuptext [...] [..=..]` |
| setuptextbackground | `\setuptextbackground [...] [..=..]` |
| setuptextflow | `\setuptextflow [...] [..=..]` |
| setuptextnote | `\setuptextnote [...] [..=..]` |
| setuptextrules | `\setuptextrules [..=..]` |
| setuptexttexts | `\setuptexttexts [...] [...] [...] [...] [...]` |
| setupthinrules | `\setupthinrules [..=..]` |
| setuptolerance | `\setuptolerance [...]` |
| setuptooltip | `\setuptooltip [...] [..=..]` |
| setuptop | `\setuptop [...] [..=..]` |
| setuptoptexts | `\setuptoptexts [...] [...] [...] [...] [...]` |
| setuptype | `\setuptype [...] [..=..]` |
| setuptyping | `\setuptyping [...] [..=..]` |
| setupunit | `\setupunit [...] [..=..]` |
| setupurl | `\setupurl [..=..]` |
| setupuserdata | `\setupuserdata [...] [..=..]` |
| setupuserdataalternative | `\setupuserdataalternative [...] [..=..]` |
| setupuserpagenumber | `\setupuserpagenumber [..=..]` |
| setupversion | `\setupversion [...]` |
| setupviewerlayer | `\setupviewerlayer [..=..]` |
| setupvspacing | `\setupvspacing [...]` |
| setupwhitespace | `\setupwhitespace [...]` |
| setupwithargument | `\setupwithargument {...} {...}` |
| setupwithargumentswapped | `\setupwithargumentswapped {...} {...}` |
| setupxml | `\setupxml [..=..]` |
| setupxtable | `\setupxtable [...] [..=..]` |
| setup:direct | `\setup {...}` |
| setuvalue | `\setuvalue {...} {...}` |
| setuxvalue | `\setuxvalue {...} {...}` |
| setvalue | `\setvalue {...} {...}` |
| setvariable | `\setvariable {...} {...} {...}` |
| setvariables | `\setvariables [...] [..=..]` |
| setvboxregister | `\setvboxregister ... {...}` |
| setvisualizerfont | `\setvisualizerfont [...]` |
| setvtopregister | `\setvtopregister ... {...}` |
| setwidthof | `\setwidthof ... \to \...` |
| setxmeasure | `\setxmeasure {...} {...}` |
| setxvalue | `\setxvalue {...} {...}` |
| setxvariable | `\setxvariable {...} {...} {...}` |
| setxvariables | `\setxvariables [...] [..=..]` |
| shapedhbox | `\shapedhbox {...}` |
| shiftbox | `\shiftbox {...}` |

```
shift:instance                           \SHIFT {...}
shift:instance:shiftdown                 \shiftdown {...}
shift:instance:shiftup                   \shiftup {...}
showallmakeup                            \showallmakeup
showattributes                           \showattributes
showbodyfont                             \showbodyfont [...]
showbodyfontenvironment                  \showbodyfontenvironment [...]
showboxes                                \showboxes
showbtxdatasetauthors                    \showbtxdatasetauthors [..=..]
showbtxdatasetauthors:argument           \showbtxdatasetauthors [...]
showbtxdatasetcompleteness               \showbtxdatasetcompleteness [..=..]
showbtxdatasetcompleteness:argument      \showbtxdatasetcompleteness [...]
showbtxdatasetfields                     \showbtxdatasetfields [..=..]
showbtxdatasetfields:argument            \showbtxdatasetfields [...]
showbtxfields                            \showbtxfields [..=..]
showbtxfields:argument                   \showbtxfields [...]
showbtxhashedauthors                     \showbtxhashedauthors [...]
showbtxtables                            \showbtxtables [...]
showchardata                             \showchardata {...}
showcharratio                            \showcharratio {...}
showcolor                                \showcolor [...]
showcolorbar                             \showcolorbar [...]
showcolorcomponents                      \showcolorcomponents [...]
showcolorgroup                           \showcolorgroup [...] [...]
showcolorset                             \showcolorset [...]
showcolorstruts                          \showcolorstruts
showcounter                              \showcounter [...]
showdirectives                           \showdirectives
showdirsinmargin                         \showdirsinmargin
showedebuginfo                           \showedebuginfo
showexperiments                          \showexperiments
showfont                                 \showfont [...] [...]
showfontdata                             \showfontdata
showfontexpansion                        \showfontexpansion
showfontitalics                          \showfontitalics
showfontkerns                            \showfontkerns
showfontparameters                       \showfontparameters
showfontstrip                            \showfontstrip [...]
showfontstyle                            \showfontstyle [...] [...] [...] [...]
showframe                                \showframe [...] [...]
showglyphdata                            \showglyphdata
showglyphs                               \showglyphs
showgrid                                 \showgrid [...]
showgridsnapping                         \showgridsnapping
showhelp                                 \showhelp {...} [...]
showhyphenationtrace                     \showhyphenationtrace [...] [...]
showhyphens                              \showhyphens {...}
showinjector                             \showinjector [...]
showjustification                        \showjustification
showkerning                              \showkerning {...}
showlayout                               \showlayout [...]
showlayoutcomponents                     \showlayoutcomponents
showligature                             \showligature {...}
showligatures                            \showligatures [...]
showlogcategories                        \showlogcategories
showluatables                            \showluatables
showmakeup                               \showmakeup [...]
showmargins                              \showmargins
showmessage                              \showmessage {...} {...} {...}
showminimalbaseline                      \showminimalbaseline
shownextbox                              \shownextbox \... {...}
showotfcomposition                       \showotfcomposition {...} {...} {...}
showpalet                                \showpalet [...] [...]
showparentchain                          \showparentchain \... {...}
showparwrapperstate                      \showparwrapperstate {...}
showprint                                \showprint [...] [...] [..=..]
showsetups                               \showsetups [...]
showsetupsdefinition                     \showsetupsdefinition [...]
showstruts                               \showstruts
showsymbolset                            \showsymbolset [...]
showtimer                                \showtimer {...}
showtokens                               \showtokens [...]
```

| | |
|---|---|
| showtrackers | \showtrackers |
| showvalue | \showvalue {...} |
| showvariable | \showvariable {...} {...} |
| showwarning | \showwarning {...} {...} {...} |
| signalrightpage | \signalrightpage |
| simplealignedbox | \simplealignedbox {...} {...} {...} |
| simplealignedboxplus | \simplealignedboxplus {...} {...} {...} {...} |
| simplealignedspreadbox | \simplealignedspreadbox {...} {...} {...} |
| simplegroupedcommand | \simplegroupedcommand {...} {...} |
| simplereversealignedbox | \simplereversealignedbox {...} {...} {...} |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...} |
| singalcharacteralign | \singalcharacteralign {...} {...} |
| singlebond | \singlebond |
| sixthofsixarguments | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slanted | \slanted |
| slantedbold | \slantedbold |
| slantedface | \slantedface |
| slicepages | \slicepages [...] [..=..] [..=..] |
| slovenianNumerals | \slovenianNumerals {...} |
| sloveniannumerals | \sloveniannumerals {...} |
| small | \small |
| smallbodyfont | \smallbodyfont |
| smallbold | \smallbold |
| smallbolditalic | \smallbolditalic |
| smallboldslanted | \smallboldslanted |
| smallcapped | \smallcapped {...} |
| smallcappedcharacters | \smallcappedcharacters {...} |
| smallcappedromannumerals | \smallcappedromannumerals {...} |
| smallcaps | \smallcaps {...} |
| smaller | \smaller |
| smallitalicbold | \smallitalicbold |
| smallnormal | \smallnormal |
| smallskip | \smallskip |
| smallslanted | \smallslanted |
| smallslantedbold | \smallslantedbold |
| smalltype | \smalltype |
| smash | \smash [...] {...} |
| smashbox | \smashbox ... |
| smashboxed | \smashboxed ... |
| smashedhbox | \smashedhbox ... {...} |
| smashedvbox | \smashedvbox ... {...} |
| snaptogrid | \snaptogrid [...] \... {...} |
| snaptogrid:list | \snaptogrid [...] \... {...} |
| someheadnumber | \someheadnumber [...] [...] |
| somekindoftab | \somekindoftab [..=..] |
| someline | \someline [...] |
| somelocalfloat | \somelocalfloat |
| somenamedheadnumber | \somenamedheadnumber {...} {...} |
| someplace | \someplace {...} {...} {...} {...} {...} [...] |
| somewhere | \somewhere {...} {...} [...] |
| sorting:instance | \SORTING [...] {...} |
| sorting:instance:logo | \logo [...] {...} |
| space | \space |
| spaceddigits | \spaceddigits {...} |
| spaceddigitsmethod | \spaceddigitsmethod |
| spaceddigitsseparator | \spaceddigitsseparator |
| spaceddigitssymbol | \spaceddigitssymbol |
| spanishNumerals | \spanishNumerals {...} |
| spanishnumerals | \spanishnumerals {...} |
| splitatasterisk | \splitatasterisk ... \... \... |
| splitatcolon | \splitatcolon ... \... \... |
| splitatcolons | \splitatcolons ... \... \... |
| splitatcomma | \splitatcomma ... \... \... |
| splitatperiod | \splitatperiod ... \... \... |
| splitdfrac | \splitdfrac {...} {...} |
| splitfilename | \splitfilename {...} |
| splitfloat | \splitfloat [..=..] {...} {...} |
| splitfrac | \splitfrac {...} {...} |
| splitoffbase | \splitoffbase |
| splitofffull | \splitofffull |
| splitoffkind | \splitoffkind |
| splitoffname | \splitoffname |

| | |
|---|---|
| splitoffpath | `\splitoffpath` |
| splitoffroot | `\splitoffroot` |
| splitofftokens | `\splitofftokens ... \from ... \to \...` |
| splitofftype | `\splitofftype` |
| splitstring | `\splitstring ... \at ... \to \... \and \...` |
| spreadhbox | `\spreadhbox ...` |
| sqrt | `\sqrt [...] {...}` |
| stackrel | `\stackrel {...} {...}` |
| stackscripts | `\stackscripts` |
| start | `\start [...] ... \stop` |
| startalignment | `\startalignment [...] ... \stopalignment` |
| startallmodes | `\startallmodes [...] ... \stopallmodes` |
| startasciimode | `\startasciimode ... \stopasciimode` |
| startattachment:instance | *\startATTACHMENT [...] [..=..] ... \stopATTACHMENT* |
| startattachment:instance:attachment | *\startattachment [...] [..=..] ... \stopattachment* |
| startbackground | `\startbackground [..=..] ... \stopbackground` |
| startbackground:example | *\startBACKGROUND [..=..] ... \stopBACKGROUND* |
| startbar | `\startbar [...] ... \stopbar` |
| startbbordermatrix | `\startbbordermatrix ... \stopbbordermatrix` |
| startbitmapimage | `\startbitmapimage [..=..] ... \stopbitmapimage` |
| startbordermatrix | `\startbordermatrix ... \stopbordermatrix` |
| startbtxrenderingdefinitions | `\startbtxrenderingdefinitions [...] ... \stopbtxrenderingdefinitions` |
| startbuffer | `\startbuffer [...] ... \stopbuffer` |
| startbuffer:instance | *\startBUFFER ... \stopBUFFER* |
| startbuffer:instance:hiding | *\starthiding ... \stophiding* |
| startcatcodetable | `\startcatcodetable \... ... \stopcatcodetable` |
| startcenteraligned | `\startcenteraligned ... \stopcenteraligned` |
| startcharacteralign | `\startcharacteralign [..=..] ... \stopcharacteralign` |
| startcharacteralign:argument | `\startcharacteralign [...] ... \stopcharacteralign` |
| startcheckedfences | `\startcheckedfences ... \stopcheckedfences` |
| startchemical | `\startchemical [...] [..=..] ... \stopchemical` |
| startcollect | `\startcollect ... \stopcollect` |
| startcollecting | `\startcollecting ... \stopcollecting` |
| startcolor | `\startcolor [...] ... \stopcolor` |
| startcolorintent | `\startcolorintent [...] ... \stopcolorintent` |
| startcoloronly | `\startcoloronly [...] ... \stopcoloronly` |
| startcolorset | `\startcolorset [...] ... \stopcolorset` |
| startcolumnset | `\startcolumnset [...] [..=..] ... \stopcolumnset` |
| startcolumnsetspan | `\startcolumnsetspan [...] [..=..] ... \stopcolumnsetspan` |
| startcolumnset:example | *\startCOLUMNSET [..=..] ... \stopCOLUMNSET* |
| startcombination | `\startcombination [...] [..=..] ... \stopcombination` |
| startcombination:matrix | `\startcombination [...] [...] ... \stopcombination` |
| startcomment:instance | *\startCOMMENT [...] [..=..] ... \stopCOMMENT* |
| startcomment:instance:comment | *\startcomment [...] [..=..] ... \stopcomment* |
| startcomponent | `\startcomponent [...] ... \stopcomponent` |
| startcomponent:string | `\startcomponent ... ... \stopcomponent` |
| startcontextcode | `\startcontextcode ... \stopcontextcode` |
| startcontextdefinitioncode | `\startcontextdefinitioncode ... \stopcontextdefinitioncode` |
| startctxfunction | `\startctxfunction ... ... \stopctxfunction` |
| startctxfunctiondefinition | `\startctxfunctiondefinition ... ... \stopctxfunctiondefinition` |
| startcurrentcolor | `\startcurrentcolor ... \stopcurrentcolor` |
| startcurrentlistentrywrapper | `\startcurrentlistentrywrapper ... \stopcurrentlistentrywrapper` |
| startdelimited | `\startdelimited [...] [...] [...] ... \stopdelimited` |
| startdelimitedtext | `\startdelimitedtext [...] [...] [...] ... \stopdelimitedtext` |
| startdelimitedtext:instance | *\startDELIMITEDTEXT [...] [...] ... \stopDELIMITEDTEXT* |
| startdelimitedtext:instance:aside | *\startaside [...] [...] ... \stopaside* |
| startdelimitedtext:instance:blockquote | *\startblockquote [...] [...] ... \stopblockquote* |
| startdelimitedtext:instance:quotation | *\startquotation [...] [...] ... \stopquotation* |
| startdelimitedtext:instance:quote | *\startquote [...] [...] ... \stopquote* |
| startdelimitedtext:instance:speech | *\startspeech [...] [...] ... \stopspeech* |
| startdescription:example | *\startDESCRIPTION [..=..] ... \stopDESCRIPTION* |
| startdescription:example:title | *\startDESCRIPTION [...] {...} ... \stopDESCRIPTION* |
| startdisplaymath | `\startdisplaymath ... \stopdisplaymath` |
| startdmath | `\startdmath ... \stopdmath` |
| startdocument | `\startdocument [...] [..=..] ... \stopdocument` |
| startdocument:example | *\startdocument [...] [..=..] ... \stopdocument* |
| starteffect | `\starteffect [...] ... \stopeffect` |
| starteffect:example | *\startEFFECT ... \stopEFFECT* |
| startelement | `\startelement {...} [..=..] ... \stopelement` |
| startembeddedxtable | `\startembeddedxtable [..=..] ... \stopembeddedxtable` |
| startembeddedxtable:name | `\startembeddedxtable [...] ... \stopembeddedxtable` |
| startenumeration:example | *\startENUMERATION [..=..] ... \stopENUMERATION* |

```
startenumeration:example:title          \startENUMERATION [...] {...} ... \stopENUMERATION
startenvironment                         \startenvironment [...] ... \stopenvironment
startenvironment:string                  \startenvironment ... ... \stopenvironment
startexceptions                          \startexceptions [...] ... \stopexceptions
startexpanded                            \startexpanded ... \stopexpanded
startexpandedcollect                     \startexpandedcollect ... \stopexpandedcollect
startextendedcatcodetable                \startextendedcatcodetable \... ... \stopextendedcatcodetable
startexternalfigurecollection            \startexternalfigurecollection [...] ... \stopexternalfigurecollection
startfacingfloat                         \startfacingfloat [...] ... \stopfacingfloat
startfigure                              \startfigure [...] [...] [..=..] ... \stopfigure
startfittingpage                         \startfittingpage [...] [..=..] ... \stopfittingpage
startfittingpage:instance                \startFITTINGPAGE [..=..] ... \stopFITTINGPAGE
startfittingpage:instance:MPpage         \startMPpage [..=..] ... \stopMPpage
startfittingpage:instance:TEXpage        \startTEXpage [..=..] ... \stopTEXpage
startfixed                               \startfixed [...] ... \stopfixed
startfloatcombination                    \startfloatcombination [..=..] ... \stopfloatcombination
startfloatcombination:matrix             \startfloatcombination [...] ... \stopfloatcombination
startfloattext:instance                  \startFLOATtext [...] [...] {...} ... \stopFLOATtext
startfloattext:instance:chemical         \startchemicaltext [...] [...] {...} ... \stopchemicaltext
startfloattext:instance:figure           \startfiguretext [...] [...] {...} ... \stopfiguretext
startfloattext:instance:graphic          \startgraphictext [...] [...] {...} ... \stopgraphictext
startfloattext:instance:intermezzo       \startintermezzotext [...] [...] {...} ... \stopintermezzotext
startfloattext:instance:table            \starttabletext [...] [...] {...} ... \stoptabletext
startfont                                \startfont [...] ... \stopfont
startfontclass                           \startfontclass [...] ... \stopfontclass
startfontsolution                        \startfontsolution [...] ... \stopfontsolution
startformula                             \startformula [...] ... \stopformula
startformulas                            \startformulas [...] ... \stopformulas
startformula:assignment                  \startformula [..=..] ... \stopformula
startformula:instance                    \startFORMULAformula [...] ... \stopFORMULAformula
startformula:instance:md                 \startmdformula [...] ... \stopmdformula
startformula:instance:mp                 \startmpformula [...] ... \stopmpformula
startformula:instance:sd                 \startsdformula [...] ... \stopsdformula
startformula:instance:sp                 \startspformula [...] ... \stopspformula
startframed                              \startframed [...] [..=..] ... \stopframed
startframedcell                          \startframedcell [..=..] ... \stopframedcell
startframedcontent                       \startframedcontent [...] ... \stopframedcontent
startframedrow                           \startframedrow [..=..] ... \stopframedrow
startframedtable                         \startframedtable [...] [..=..] ... \stopframedtable
startframedtext:instance                 \startFRAMEDTEXT [...] [..=..] ... \stopFRAMEDTEXT
startframedtext:instance:framedtext      \startframedtext [...] [..=..] ... \stopframedtext
startgoto                                \startgoto [...] ... \stopgoto
startgridsnapping                        \startgridsnapping [...] ... \stopgridsnapping
startgridsnapping:list                   \startgridsnapping [...] ... \stopgridsnapping
starthanging                             \starthanging [..=..] {...} ... \stophanging
starthanging:argument                    \starthanging [...] {...} ... \stophanging
starthboxestohbox                        \starthboxestohbox ... \stophboxestohbox
starthboxregister                        \starthboxregister ... ... \stophboxregister
starthead                                \starthead [...] {...} ... \stophead
starthelptext                            \starthelptext [...] ... \stophelptext
starthelp:instance                       \startHELP [...] ... \stopHELP
starthelp:instance:helptext              \starthelptext [...] ... \stophelptext
starthighlight                           \starthighlight [...] ... \stophighlight
starthyphenation                         \starthyphenation [...] ... \stophyphenation
startimath                               \startimath ... \stopimath
startindentedtext                        \startindentedtext [...] ... \stopindentedtext
startindentedtext:example                \startINDENTEDTEXT ... \stopINDENTEDTEXT
startinteraction                         \startinteraction [...] ... \stopinteraction
startinteractionmenu                     \startinteractionmenu [...] ... \stopinteractionmenu
startinterface                           \startinterface ... ... \stopinterface
startintertext                           \startintertext ... \stopintertext
startitem                                \startitem [...] ... \stopitem
startitemgroup                           \startitemgroup [...] [...] [..=..] ... \stopitemgroup
startitemgroup:instance                  \startITEMGROUP [...] [..=..] ... \stopITEMGROUP
startitemgroup:instance:itemize          \startitemize [...] [..=..] ... \stopitemize
startJScode                              \startJScode ... ... ... ... \stopJScode
startJSpreamble                          \startJSpreamble ... ... ... ... \stopJSpreamble
startknockout                            \startknockout ... \stopknockout
startlabeltext:instance                  \startLABELtext [...] [...] ... \stopLABELtext
startlabeltext:instance:btxlabel         \startbtxlabeltext [...] [...] ... \stopbtxlabeltext
startlabeltext:instance:head             \startheadtext [...] [...] ... \stopheadtext
startlabeltext:instance:label            \startlabeltext [...] [...] ... \stoplabeltext
```

| | |
|---|---|
| startlabeltext:instance:mathlabel | \startmathlabeltext [...] [...] ... \stopmathlabeltext |
| startlabeltext:instance:operator | \startoperatortext [...] [...] ... \stopoperatortext |
| startlabeltext:instance:prefix | \startprefixtext [...] [...] ... \stopprefixtext |
| startlabeltext:instance:suffix | \startsuffixtext [...] [...] ... \stopsuffixtext |
| startlabeltext:instance:taglabel | \starttaglabeltext [...] [...] ... \stoptaglabeltext |
| startlabeltext:instance:unit | \startunittext [...] [...] ... \stopunittext |
| startlanguage | \startlanguage [...] ... \stoplanguage |
| startlayout | \startlayout [...] ... \stoplayout |
| startleftaligned | \startleftaligned ... \stopleftaligned |
| startline | \startline [...] |
| startlinealignment | \startlinealignment [...] ... \stoplinealignment |
| startlinecorrection | \startlinecorrection [...] ... \stoplinecorrection |
| startlinefiller | \startlinefiller [...] [..=..] ... \stoplinefiller |
| startlinenote:instance | \startLINENOTE [...] {...} |
| startlinenote:instance:linenote | \startlinenote [...] {...} |
| startlinenumbering | \startlinenumbering [...] [..=..] ... \stoplinenumbering |
| startlinenumbering:argument | \startlinenumbering [...] [...] ... \stoplinenumbering |
| startlines:instance | \startLINES [..=..] ... \stopLINES |
| startlines:instance:lines | \startlines [..=..] ... \stoplines |
| startlinetable | \startlinetable ... \stoplinetable |
| startlinetablebody | \startlinetablebody ... \stoplinetablebody |
| startlinetablecell | \startlinetablecell [..=..] ... \stoplinetablecell |
| startlinetablehead | \startlinetablehead ... \stoplinetablehead |
| startlocalfootnotes | \startlocalfootnotes ... \stoplocalfootnotes |
| startlocalheadsetup | \startlocalheadsetup ... \stoplocalheadsetup |
| startlocallinecorrection | \startlocallinecorrection [...] ... \stoplocallinecorrection |
| startlocalnotes | \startlocalnotes [...] ... \stoplocalnotes |
| startlocalsetups | \startlocalsetups [...] [...] ... \stoplocalsetups |
| startlocalsetups:string | \startlocalsetups ... ... \stoplocalsetups |
| startlua | \startlua ... \stoplua |
| startluacode | \startluacode ... \stopluacode |
| startluaparameterset | \startluaparameterset [...] ... \stopluaparameterset |
| startluasetups | \startluasetups [...] [...] ... \stopluasetups |
| startluasetups:string | \startluasetups ... ... \stopluasetups |
| startMPclip | \startMPclip {...} ... \stopMPclip |
| startMPcode | \startMPcode {...} ... \stopMPcode |
| startMPdefinitions | \startMPdefinitions {...} ... \stopMPdefinitions |
| startMPdrawing | \startMPdrawing [...] ... \stopMPdrawing |
| startMPenvironment | \startMPenvironment [...] ... \stopMPenvironment |
| startMPextensions | \startMPextensions {...} ... \stopMPextensions |
| startMPinclusions | \startMPinclusions [...] {...} ... \stopMPinclusions |
| startMPinitializations | \startMPinitializations ... \stopMPinitializations |
| startMPpositiongraphic | \startMPpositiongraphic {...} {...} ... \stopMPpositiongraphic |
| startMPpositionmethod | \startMPpositionmethod {...} ... \stopMPpositionmethod |
| startMPrun | \startMPrun {...} ... \stopMPrun |
| startmakeup | \startmakeup [...] [..=..] ... \stopmakeup |
| startmakeup:instance | \startMAKEUPmakeup [..=..] ... \stopMAKEUPmakeup |
| startmakeup:instance:middle | \startmiddlemakeup [..=..] ... \stopmiddlemakeup |
| startmakeup:instance:page | \startpagemakeup [..=..] ... \stoppagemakeup |
| startmakeup:instance:standard | \startstandardmakeup [..=..] ... \stopstandardmakeup |
| startmakeup:instance:text | \starttextmakeup [..=..] ... \stoptextmakeup |
| startmarginblock | \startmarginblock [...] ... \stopmarginblock |
| startmarginrule | \startmarginrule [...] ... \stopmarginrule |
| startmarginrule:assignment | \startmarginrule [..=..] ... \stopmarginrule |
| startmarkedcontent | \startmarkedcontent [...] ... \stopmarkedcontent |
| startmarkpages | \startmarkpages [...] ... \stopmarkpages |
| startmathalignment:instance | \startMATHALIGNMENT [..=..] ... \stopMATHALIGNMENT |
| startmathalignment:instance:align | \startalign [..=..] ... \stopalign |
| startmathalignment:instance:mathalignment | \startmathalignment [..=..] ... \stopmathalignment |
| startmathcases:instance | \startMATHCASES [..=..] ... \stopMATHCASES |
| startmathcases:instance:cases | \startcases [..=..] ... \stopcases |
| startmathcases:instance:mathcases | \startmathcases [..=..] ... \stopmathcases |
| startmathmatrix:instance | \startMATHMATRIX [..=..] ... \stopMATHMATRIX |
| startmathmatrix:instance:mathmatrix | \startmathmatrix [..=..] ... \stopmathmatrix |
| startmathmatrix:instance:matrix | \startmatrix [..=..] ... \stopmatrix |
| startmathmatrix:instance:thematrix | \startthematrix [..=..] ... \stopthematrix |
| startmathmode | \startmathmode ... \stopmathmode |
| startmathstyle | \startmathstyle [...] ... \stopmathstyle |
| startmatrices | \startmatrices [..=..] ... \stopmatrices |
| startmaxaligned | \startmaxaligned ... \stopmaxaligned |
| startmidaligned | \startmidaligned ... \stopmidaligned |
| startmiddlealigned | \startmiddlealigned ... \stopmiddlealigned |

| | |
|---|---|
| startmixedcolumns | `\startmixedcolumns [...] [..=..] ... \stopmixedcolumns` |
| startmixedcolumns:instance | *`\startMIXEDCOLUMNS [..=..] ... \stopMIXEDCOLUMNS`* |
| startmixedcolumns:instance:boxedcolumns | *`\startboxedcolumns [..=..] ... \stopboxedcolumns`* |
| startmixedcolumns:instance:columns | *`\startcolumns [..=..] ... \stopcolumns`* |
| startmixedcolumns:instance:itemgroupcolumns | *`\startitemgroupcolumns [..=..] ... \stopitemgroupcolumns`* |
| startmode | `\startmode [...] ... \stopmode` |
| startmodeset | `\startmodeset [...] {...} ... \stopmodeset` |
| startmodule | `\startmodule [...] ... \stopmodule` |
| startmoduletestsection | `\startmoduletestsection ... \stopmoduletestsection` |
| startmodule:string | `\startmodule ... ... \stopmodule` |
| startmulticolumns | `\startmulticolumns [..=..] ... \stopmulticolumns` |
| startnamedsection | `\startnamedsection [...] [..=..] [..=..] ... \stopnamedsection` |
| startnamedsubformulas | `\startnamedsubformulas [...] {...} ... \stopnamedsubformulas` |
| startnarrow | `\startnarrow [...] [..=..] ... \stopnarrow` |
| startnarrower | `\startnarrower [...] ... \stopnarrower` |
| startnarrower:example | *`\startNARROWER [...] ... \stopNARROWER`* |
| startnarrow:assignment | `\startnarrow [..=..] [...] ... \stopnarrow` |
| startnarrow:name | `\startnarrow [...] [...] ... \stopnarrow` |
| startnegative | `\startnegative ... \stopnegative` |
| startnicelyfilledbox | `\startnicelyfilledbox [..=..] ... \stopnicelyfilledbox` |
| startnointerference | `\startnointerference ... \stopnointerference` |
| startnotallmodes | `\startnotallmodes [...] ... \stopnotallmodes` |
| startnotext | `\startnotext ... \stopnotext` |
| startnote:instance | *`\startNOTE [...] ... \stopNOTE`* |
| startnote:instance:assignment | *`\startNOTE [..=..] ... \stopNOTE`* |
| startnote:instance:assignment:endnote | *`\startendnote [..=..] ... \stopendnote`* |
| startnote:instance:assignment:footnote | *`\startfootnote [..=..] ... \stopfootnote`* |
| startnote:instance:endnote | *`\startendnote [...] ... \stopendnote`* |
| startnote:instance:footnote | *`\startfootnote [...] ... \stopfootnote`* |
| startnotmode | `\startnotmode [...] ... \stopnotmode` |
| startopposite | `\startopposite ... \stopopposite` |
| startoutputstream | `\startoutputstream [...] ... \stopoutputstream` |
| startoverlay | `\startoverlay ... \stopoverlay` |
| startoverprint | `\startoverprint ... \stopoverprint` |
| startpacked | `\startpacked [...] ... \stoppacked` |
| startpagecolumns | `\startpagecolumns [..=..] ... \stoppagecolumns` |
| startpagecolumns:instance | *`\startPAGECOLUMNS ... \stopPAGECOLUMNS`* |
| startpagecolumns:name | `\startpagecolumns [...] ... \stoppagecolumns` |
| startpagecomment | `\startpagecomment ... \stoppagecomment` |
| startpagefigure | `\startpagefigure [...] [..=..] ... \stoppagefigure` |
| startpagelayout | `\startpagelayout [...] ... \stoppagelayout` |
| startpar | `\startpar [...] [..=..] ... \stoppar` |
| startparagraph | `\startparagraph [...] [..=..] ... \stopparagraph` |
| startparagraphs | `\startparagraphs [...] ... \stopparagraphs` |
| startparagraphscell | `\startparagraphscell ... \stopparagraphscell` |
| startparagraphs:example | *`\startPARAGRAPHS ... \stopPARAGRAPHS`* |
| startparallel:example | *`\startPARALLEL ... \stopPARALLEL`* |
| startparbuilder | `\startparbuilder [...] ... \stopparbuilder` |
| startplacefloat | `\startplacefloat [...] [..=..] [..=..] ... \stopplacefloat` |
| startplacefloat:instance | *`\startplaceFLOAT [..=..] [..=..] ... \stopplaceFLOAT`* |
| startplacefloat:instance:chemical | *`\startplacechemical [..=..] [..=..] ... \stopplacechemical`* |
| startplacefloat:instance:figure | *`\startplacefigure [..=..] [..=..] ... \stopplacefigure`* |
| startplacefloat:instance:graphic | *`\startplacegraphic [..=..] [..=..] ... \stopplacegraphic`* |
| startplacefloat:instance:intermezzo | *`\startplaceintermezzo [..=..] [..=..] ... \stopplaceintermezzo`* |
| startplacefloat:instance:table | *`\startplacetable [..=..] [..=..] ... \stopplacetable`* |
| startplaceformula | `\startplaceformula [..=..] ... \stopplaceformula` |
| startplaceformula:argument | `\startplaceformula [...] ... \stopplaceformula` |
| startplacepairedbox | `\startplacepairedbox [...] [..=..] ... \stopplacepairedbox` |
| startplacepairedbox:instance | *`\startplacePAIREDBOX [..=..] ... \stopplacePAIREDBOX`* |
| startplacepairedbox:instance:legend | *`\startplacelegend [..=..] ... \stopplacelegend`* |
| startpositioning | `\startpositioning [...] [..=..] ... \stoppositioning` |
| startpositionoverlay | `\startpositionoverlay {...} ... \stoppositionoverlay` |
| startpositive | `\startpositive ... \stoppositive` |
| startpostponing | `\startpostponing [...] ... \stoppostponing` |
| startpostponingnotes | `\startpostponingnotes ... \stoppostponingnotes` |
| startprocessassignmentcommand | `\startprocessassignmentcommand [..=..] ... \stopprocessassignmentcomma` |
| startprocessassignmentlist | `\startprocessassignmentlist [..=..] ... \stopprocessassignmentlist` |
| startprocesscommacommand | `\startprocesscommacommand [...] ... \stopprocesscommacommand` |
| startprocesscommalist | `\startprocesscommalist [...] ... \stopprocesscommalist` |
| startproduct | `\startproduct [...] ... \stopproduct` |
| startproduct:string | `\startproduct ... ... \stopproduct` |
| startproject | `\startproject [...] ... \stopproject` |

```
startproject:string                              \startproject ... ... \stopproject
startprotectedcolors                             \startprotectedcolors ... \stopprotectedcolors
startpublication                                 \startpublication [...] [..=..] ... \stoppublication
startrandomized                                  \startrandomized ... \stoprandomized
startrawsetups                                   \startrawsetups [...] [...] ... \stoprawsetups
startrawsetups:string                            \startrawsetups ... ... \stoprawsetups
startreadingfile                                 \startreadingfile ... \stopreadingfile
startregime                                      \startregime [...] ... \stopregime
startregister                                    \startregister [...] [...] [...] [...] {..+...+..} ... \stopregister |
startreusableMPgraphic                           \startreusableMPgraphic {...} {...} ... \stopreusableMPgraphic
startrightaligned                                \startrightaligned ... \stoprightaligned
startruby                                         \startruby [...] ... \stopruby
startscript                                       \startscript [...] ... \stopscript
startsectionblock                                \startsectionblock [...] [..=..] ... \stopsectionblock
startsectionblockenvironment                     \startsectionblockenvironment [...] ... \stopsectionblockenvironment
startsectionblock:instance                       \startSECTIONBLOCK [..=..] ... \stopSECTIONBLOCK
startsectionblock:instance:appendices            \startappendices [..=..] ... \stopappendices
startsectionblock:instance:backmatter            \startbackmatter [..=..] ... \stopbackmatter
startsectionblock:instance:bodymatter            \startbodymatter [..=..] ... \stopbodymatter
startsectionblock:instance:frontmatter           \startfrontmatter [..=..] ... \stopfrontmatter
startsectionlevel                                \startsectionlevel [...] [..=..] [..=..] ... \stopsectionlevel
startsection:instance                            \startSECTION [..=..] [..=..] ... \stopSECTION
startsection:instance:chapter                    \startchapter [..=..] [..=..] ... \stopchapter
startsection:instance:part                       \startpart [..=..] [..=..] ... \stoppart
startsection:instance:section                    \startsection [..=..] [..=..] ... \stopsection
startsection:instance:subject                    \startsubject [..=..] [..=..] ... \stopsubject
startsection:instance:subsection                 \startsubsection [..=..] [..=..] ... \stopsubsection
startsection:instance:subsubject                 \startsubsubject [..=..] [..=..] ... \stopsubsubject
startsection:instance:subsubsection              \startsubsubsection [..=..] [..=..] ... \stopsubsubsection
startsection:instance:subsubsubject              \startsubsubsubject [..=..] [..=..] ... \stopsubsubsubject
startsection:instance:subsubsubsection           \startsubsubsubsection [..=..] [..=..] ... \stopsubsubsubsection
startsection:instance:subsubsubsubject           \startsubsubsubsubject [..=..] [..=..] ... \stopsubsubsubsubject
startsection:instance:subsubsubsubsection        \startsubsubsubsubsection [..=..] [..=..] ... \stopsubsubsubsubsection
startsection:instance:subsubsubsubsubject        \startsubsubsubsubsubject [..=..] [..=..] ... \stopsubsubsubsubsubject
startsection:instance:title                      \starttitle [..=..] [..=..] ... \stoptitle
startsetups                                       \startsetups [...] [...] ... \stopsetups
startsetups:string                               \startsetups ... ... \stopsetups
startshift                                        \startshift [...] ... \stopshift
startsidebar                                      \startsidebar [...] [..=..] ... \stopsidebar
startsimplecolumns                               \startsimplecolumns [..=..] ... \stopsimplecolumns
startspecialitem:item                            \startspecialitem [...] [...] ... \stopspecialitem
startspecialitem:none                            \startspecialitem [...] ... \stopspecialitem
startspecialitem:symbol                          \startspecialitem [...] {...} ... \stopspecialitem
startsplitformula                                \startsplitformula ... \stopsplitformula
startsplittext                                    \startsplittext ... \stopsplittext
startspread                                       \startspread ... \stopspread
startstartstop:example                           \startSTARTSTOP ... \stopSTARTSTOP
startstaticMPfigure                              \startstaticMPfigure {...} ... \stopstaticMPfigure
startstaticMPgraphic                             \startstaticMPgraphic {...} {...} ... \stopstaticMPgraphic
startstop:example                                \STARTSTOP {...}
startstrictinspectnextcharacter                  \startstrictinspectnextcharacter ... \stopstrictinspectnextcharacter
startstructurepageregister                       \startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstruc
startstyle                                        \startstyle [..=..] ... \stopstyle
startstyle:argument                              \startstyle [...] ... \stopstyle
startstyle:instance                              \startSTYLE ... \stopSTYLE
startsubformulas                                 \startsubformulas [...] ... \stopsubformulas
startsubjectlevel                                \startsubjectlevel [...] [..=..] [..=..] ... \stopsubjectlevel
startsubsentence                                 \startsubsentence ... \stopsubsentence
startsubstack                                     \startsubstack ... \stopsubstack
startsymbolset                                    \startsymbolset [...] [..=..] ... \stopsymbolset
startTABLE                                        \startTABLE [..=..] ... \stopTABLE
startTABLEbody                                    \startTABLEbody [..=..] ... \stopTABLEbody
startTABLEfoot                                    \startTABLEfoot [..=..] ... \stopTABLEfoot
startTABLEhead                                    \startTABLEhead [..=..] ... \stopTABLEhead
startTABLEnext                                    \startTABLEnext [..=..] ... \stopTABLEnext
starttable                                        \starttable [|...|] [..=..] ... \stoptable
starttablehead                                    \starttablehead [...] ... \stoptablehead
starttables                                       \starttables [|...|] ... \stoptables
starttables:name                                  \starttables [...] ... \stoptables
starttabletail                                    \starttabletail [...] ... \stoptabletail
starttable:name                                   \starttable [...] [..=..] ... \stoptable
starttabulate                                     \starttabulate [|...|] [..=..] ... \stoptabulate
                                                              OPT
```

| | |
|---|---|
| starttabulatehead | `\starttabulatehead [...] ... \stoptabulatehead` |
| starttabulatetail | `\starttabulatetail [...] ... \stoptabulatetail` |
| starttabulate:instance | *\startTABULATE* [...] [..=..] ... *\stopTABULATE* |
| starttabulate:instance:fact | *\startfact* [...] [..=..] ... *\stopfact* |
| starttabulate:instance:legend | *\startlegend* [...] [..=..] ... *\stoplegend* |
| starttexcode | `\starttexcode ... \stoptexcode` |
| starttexdefinition | `\starttexdefinition ... .. .. .. .. .. .. .. \stoptexdefinition` |
| starttext | `\starttext ... \stoptext` |
| starttextbackground | `\starttextbackground [...] [..=..] ... \stoptextbackground` |
| starttextbackgroundmanual | `\starttextbackgroundmanual ... \stoptextbackgroundmanual` |
| starttextbackground:example | *\startTEXTBACKGROUND* [..=..] ... *\stopTEXTBACKGROUND* |
| starttextcolor | `\starttextcolor [...] ... \stoptextcolor` |
| starttextcolorintent | `\starttextcolorintent ... \stoptextcolorintent` |
| starttextflow | `\starttextflow [...] ... \stoptextflow` |
| starttextrule | `\starttextrule {...} ... \stoptextrule` |
| starttokenlist | `\starttokenlist [...] ... \stoptokenlist` |
| starttokens | `\starttokens [...] ... \stoptokens` |
| starttransparent | `\starttransparent [...] ... \stoptransparent` |
| starttypescript | `\starttypescript [...] [...] [...] ... \stoptypescript` |
| starttypescriptcollection | `\starttypescriptcollection [...] ... \stoptypescriptcollection` |
| starttyping:instance | *\startTYPING* [..=..] ... *\stopTYPING* |
| starttyping:instance:argument | *\startTYPING* [...] ... *\stopTYPING* |
| starttyping:instance:argument:LUA | *\startLUA* [...] ... *\stopLUA* |
| starttyping:instance:argument:MP | *\startMP* [...] ... *\stopMP* |
| starttyping:instance:argument:PARSEDXML | *\startPARSEDXML* [...] ... *\stopPARSEDXML* |
| starttyping:instance:argument:TEX | *\startTEX* [...] ... *\stopTEX* |
| starttyping:instance:argument:typing | *\starttyping* [...] ... *\stoptyping* |
| starttyping:instance:argument:XML | *\startXML* [...] ... *\stopXML* |
| starttyping:instance:LUA | *\startLUA* [..=..] ... *\stopLUA* |
| starttyping:instance:MP | *\startMP* [..=..] ... *\stopMP* |
| starttyping:instance:PARSEDXML | *\startPARSEDXML* [..=..] ... *\stopPARSEDXML* |
| starttyping:instance:TEX | *\startTEX* [..=..] ... *\stopTEX* |
| starttyping:instance:typing | *\starttyping* [..=..] ... *\stoptyping* |
| starttyping:instance:XML | *\startXML* [..=..] ... *\stopXML* |
| startuniqueMPgraphic | `\startuniqueMPgraphic {...} {...} ... \stopuniqueMPgraphic` |
| startuniqueMPpagegraphic | `\startuniqueMPpagegraphic {...} {...} ... \stopuniqueMPpagegraphic` |
| startunpacked | `\startunpacked ... \stopunpacked` |
| startusableMPgraphic | `\startusableMPgraphic {...} {...} ... \stopusableMPgraphic` |
| startuseMPgraphic | `\startuseMPgraphic {...} {...} ... \stopuseMPgraphic` |
| startusemathstyleparameter | `\startusemathstyleparameter \... ... \stopusemathstyleparameter` |
| startuserdata | `\startuserdata [...] [..=..] ... \stopuserdata` |
| startusingbtxspecification | `\startusingbtxspecification [...] ... \stopusingbtxspecification` |
| startvboxregister | `\startvboxregister ... ... \stopvboxregister` |
| startvboxtohbox | `\startvboxtohbox ... \stopvboxtohbox` |
| startvboxtohboxseparator | `\startvboxtohboxseparator ... \stopvboxtohboxseparator` |
| startviewerlayer | `\startviewerlayer [...] ... \stopviewerlayer` |
| startviewerlayer:example | *\startVIEWERLAYER* ... *\stopVIEWERLAYER* |
| startvtopregister | `\startvtopregister ... ... \stopvtopregister` |
| startxcell | `\startxcell [...] [..=..] ... \stopxcell` |
| startxcellgroup | `\startxcellgroup [...] [..=..] ... \stopxcellgroup` |
| startxcolumn | `\startxcolumn [..=..] ... \stopxcolumn` |
| startxcolumn:name | `\startxcolumn [...] ... \stopxcolumn` |
| startxgroup | `\startxgroup [...] [..=..] ... \stopxgroup` |
| startxmldisplayverbatim | `\startxmldisplayverbatim [...] ... \stopxmldisplayverbatim` |
| startxmlinlineverbatim | `\startxmlinlineverbatim [...] ... \stopxmlinlineverbatim` |
| startxmlraw | `\startxmlraw ... \stopxmlraw` |
| startxmlsetups | `\startxmlsetups [...] [...] ... \stopxmlsetups` |
| startxmlsetups:string | `\startxmlsetups ... ... \stopxmlsetups` |
| startxrow | `\startxrow [...] [..=..] ... \stopxrow` |
| startxrowgroup | `\startxrowgroup [...] [..=..] ... \stopxrowgroup` |
| startxtable | `\startxtable [..=..] ... \stopxtable` |
| startxtablebody | `\startxtablebody [..=..] ... \stopxtablebody` |
| startxtablebody:name | `\startxtablebody [...] ... \stopxtablebody` |
| startxtablefoot | `\startxtablefoot [..=..] ... \stopxtablefoot` |
| startxtablefoot:name | `\startxtablefoot [...] ... \stopxtablefoot` |
| startxtablehead | `\startxtablehead [..=..] ... \stopxtablehead` |
| startxtablehead:name | `\startxtablehead [...] ... \stopxtablehead` |
| startxtablenext | `\startxtablenext [..=..] ... \stopxtablenext` |
| startxtablenext:name | `\startxtablenext [...] ... \stopxtablenext` |
| startxtable:example | *\startXTABLE* [..=..] ... *\stopXTABLE* |
| startxtable:name | `\startxtable [...] ... \stopxtable` |
| stopline | `\stopline [...]` |

| | |
|---|---|
| stoplinenote:instance | \stopLINENOTE [...] |
| stoplinenote:instance:linenote | \stoplinenote [...] |
| stretched | \stretched [..=..] {...} |
| strictdoifelsenextoptional | \strictdoifelsenextoptional {...} {...} |
| strictdoifnextoptionalelse | \strictdoifnextoptionalelse {...} {...} |
| stripcharacter | \stripcharacter ... \from ... \to \... |
| strippedcsname | \strippedcsname \... |
| strippedcsname:string | \strippedcsname ... |
| stripspaces | \stripspaces \from ... \to \... |
| structurelistuservariable | \structurelistuservariable {...} |
| structurenumber | \structurenumber |
| structuretitle | \structuretitle |
| structureuservariable | \structureuservariable {...} |
| structurevariable | \structurevariable {...} |
| strut | \strut |
| strutdp | \strutdp |
| strutgap | \strutgap |
| strutht | \strutht |
| struthtdp | \struthtdp |
| struttedbox | \struttedbox {...} |
| strutwd | \strutwd |
| style | \style [..=..] {...} |
| styleinstance | \styleinstance [...] |
| style:argument | \style [...] {...} |
| style:instance | \STYLE {...} |
| subpagenumber | \subpagenumber |
| subsentence | \subsentence {...} |
| substituteincommalist | \substituteincommalist {...} {...} \... |
| subtractfeature | \subtractfeature [...] |
| subtractfeature:direct | \subtractfeature {...} |
| swapcounts | \swapcounts \... \... |
| swapdimens | \swapdimens \... \... |
| swapface | \swapface |
| swapmacros | \swapmacros \... \... |
| swaptypeface | \swaptypeface |
| switchstyleonly | \switchstyleonly [...] |
| switchstyleonly:command | \switchstyleonly \... |
| switchtobodyfont | \switchtobodyfont [...] |
| switchtocolor | \switchtocolor [...] |
| switchtointerlinespace | \switchtointerlinespace [...] [..=..] |
| switchtointerlinespace:argument | \switchtointerlinespace [...] |
| switchtointerlinespace:name | \switchtointerlinespace [...] |
| symbol | \symbol [...] [...] |
| symbolreference | \symbolreference [...] |
| symbol:direct | \symbol {...} |
| synchronizeblank | \synchronizeblank |
| synchronizeindenting | \synchronizeindenting |
| synchronizemarking | \synchronizemarking [...] [...] [...] |
| synchronizeoutputstreams | \synchronizeoutputstreams [...] |
| synchronizestrut | \synchronizestrut {...} |
| synchronizewhitespace | \synchronizewhitespace |
| synctexblockfilename | \synctexblockfilename {...} |
| synctexresetfilename | \synctexresetfilename |
| synctexsetfilename | \synctexsetfilename {...} |
| synonym:instance | \SYNONYM [...] {...} {...} |
| synonym:instance:abbreviation | \abbreviation [...] {...} {...} |
| systemlog | \systemlog {...} {...} {...} |
| systemlogfirst | \systemlogfirst {...} {...} {...} |
| systemloglast | \systemloglast {...} {...} {...} |
| systemsetups | \systemsetups {...} |
| TABLE | \TABLE |
| TaBlE | \TaBlE |
| TEX | \TEX |
| TeX | \TeX |
| TheNormalizedFontSize | \TheNormalizedFontSize |
| TransparencyHack | \TransparencyHack |
| tabulateautoline | \tabulateautoline |
| tabulateautorule | \tabulateautorule |
| tabulateline | \tabulateline |
| tabulaterule | \tabulaterule |
| taggedctxcommand | \taggedctxcommand {...} |
| taggedlabeltexts | \taggedlabeltexts {...} {...} {...} |

| | |
|---|---|
| tbox | `\tbox {...}` |
| testandsplitstring | `\testandsplitstring ... \at ... \to \... \and \...` |
| testcolumn | `\testcolumn [...] [...]` |
| testfeature | `\testfeature {...} {...}` |
| testfeatureonce | `\testfeatureonce {...} {...}` |
| testpage | `\testpage [...] [...]` |
| testpageonly | `\testpageonly [...] [...]` |
| testpagesync | `\testpagesync [...] [...]` |
| testtokens | `\testtokens [...]` |
| tex | `\tex {...}` |
| texdefinition | `\texdefinition {...}` |
| texsetup | `\texsetup {...}` |
| textbackground:example | *\TEXTBACKGROUND* `{...}` |
| textcitation | `\textcitation [..=..] [...]` |
| textcitation:alternative | `\textcitation [...] [...]` |
| textcitation:userdata | `\textcitation [..=..] [..=..]` |
| textcite | `\textcite [..=..] [...]` |
| textcite:alternative | `\textcite [...] [...]` |
| textcite:userdata | `\textcite [..=..] [..=..]` |
| textcontrolspace | `\textcontrolspace` |
| textflowcollector | `\textflowcollector {...}` |
| textmath | `\textmath {...}` |
| textminus | `\textminus` |
| textnote:example | *\textnote* `[..=..] {...}` |
| textormathchar | `\textormathchar {...}` |
| textormathchars | `\textormathchars {...}` |
| textplus | `\textplus` |
| textreference | `\textreference [...] {...}` |
| textrule | `\textrule [...] {...}` |
| textvisiblespace | `\textvisiblespace` |
| thainumerals | `\thainumerals {...}` |
| thedatavalue | `\thedatavalue {...}` |
| thefirstcharacter | `\thefirstcharacter {...}` |
| thenormalizedbodyfontsize | `\thenormalizedbodyfontsize {...}` |
| theorientation | `\theorientation {...}` |
| theremainingcharacters | `\theremainingcharacters {...}` |
| thickspace | `\thickspace` |
| thinrule | `\thinrule` |
| thinrules | `\thinrules [..=..]` |
| thinspace | `\thinspace` |
| thirdoffivearguments | `\thirdoffivearguments {...} {...} {...} {...} {...}` |
| thirdoffourarguments | `\thirdoffourarguments {...} {...} {...} {...}` |
| thirdofsixarguments | `\thirdofsixarguments {...} {...} {...} {...} {...} {...}` |
| thirdofthreearguments | `\thirdofthreearguments {...} {...} {...}` |
| thirdofthreeunexpanded | `\thirdofthreeunexpanded {...} {...} {...}` |
| threedigitrounding | `\threedigitrounding {...}` |
| tibetannumerals | `\tibetannumerals {...}` |
| tightlayer | `\tightlayer [...]` |
| tilde | `\tilde {...}` |
| tinyfont | `\tinyfont` |
| tlap | `\tlap {...}` |
| tochar | `\tochar {...}` |
| tolinenote | `\tolinenote [...]` |
| tooltip:instance | *\TOOLTIP* `[..=..] {...} {...}` |
| tooltip:instance:argument | *\TOOLTIP* `[...] {...} {...}` |
| tooltip:instance:argument:tooltip | *\tooltip* `[...] {...} {...}` |
| tooltip:instance:tooltip | *\tooltip* `[..=..] {...} {...}` |
| topbox | `\topbox {...}` |
| topleftbox | `\topleftbox {...}` |
| toplinebox | `\toplinebox {...}` |
| toprightbox | `\toprightbox {...}` |
| topskippedbox | `\topskippedbox {...}` |
| tracecatcodetables | `\tracecatcodetables` |
| tracedfontname | `\tracedfontname {...}` |
| tracedpagestate | `\tracedpagestate` |
| traceoutputroutines | `\traceoutputroutines` |
| tracepositions | `\tracepositions` |
| translate | `\translate [..=..]` |
| transparencycomponents | `\transparencycomponents {...}` |
| transparent | `\transparent [...] {...}` |
| triplebond | `\triplebond` |
| truefilename | `\truefilename {...}` |

| | |
|---|---|
| truefontname | `\truefontname {...}` |
| ttraggedright | `\ttraggedright` |
| twodigitrounding | `\twodigitrounding {...}` |
| tx | `\tx` |
| txx | `\txx` |
| typ | `\typ [..=..] {...}` |
| type | `\type [..=..] {...}` |
| typebuffer | `\typebuffer [...] [..=..]` |
| typebuffer:instance | `\typeBUFFER [..=..]` |
| typedefinedbuffer | `\typedefinedbuffer [...] [..=..]` |
| typeface | `\typeface` |
| typefile | `\typefile [...] [..=..] {...}` |
| typeinlinebuffer | `\typeinlinebuffer [...] [..=..]` |
| typescriptone | `\typescriptone` |
| typescriptprefix | `\typescriptprefix {...}` |
| typescriptthree | `\typescriptthree` |
| typescripttwo | `\typescripttwo` |
| typesetbuffer | `\typesetbuffer [...] [..=..]` |
| typesetbufferonly | `\typesetbufferonly [...]` |
| typesetfile | `\typesetfile [...] [...] [..=..]` |
| type:angles | `\type [..=..] <<...>>` |
| type:example | `\TYPE [..=..] {...}` |
| type:example:angles | `\TYPE [..=..] <<...>>` |
| typ:angles | `\typ [..=..] <<...>>` |
| uchexnumber | `\uchexnumber {...}` |
| uchexnumbers | `\uchexnumbers {...}` |
| uconvertnumber | `\uconvertnumber {...} {...}` |
| uedcatcodecommand | `\uedcatcodecommand \... ... {...}` |
| undefinevalue | `\undefinevalue {...}` |
| undepthed | `\undepthed {...}` |
| underset | `\underset {...} {...}` |
| undoassign | `\undoassign [...] [..=..]` |
| unexpandeddocumentvariable | `\unexpandeddocumentvariable {...}` |
| unhhbox | `\unhhbox ... \with {...}` |
| unihex | `\unihex {...}` |
| uniqueMPgraphic | `\uniqueMPgraphic {...} {..=..}` |
| uniqueMPpagegraphic | `\uniqueMPpagegraphic {...} {..=..}` |
| unit:instance | `\UNIT {...}` |
| unit:instance:unit | `\unit {...}` |
| unknown | `\unknown` |
| unprotect | `\unprotect ... \protect` |
| unprotected | `\unprotected ... \par` |
| unregisterhyphenationpattern | `\unregisterhyphenationpattern [...] [...]` |
| unregisterparwrapper | `\unregisterparwrapper {...}` |
| unspaceafter | `\unspaceafter \... {...}` |
| unspaceargument | `\unspaceargument ... \to \...` |
| unspaced | `\unspaced {...}` |
| unspacestring | `\unspacestring ... \to \...` |
| unstackscripts | `\unstackscripts` |
| untexargument | `\untexargument {...} \to \...` |
| untexcommand | `\untexcommand {...} \to \...` |
| updateparagraphdemerits | `\updateparagraphdemerits` |
| updateparagraphpenalties | `\updateparagraphpenalties` |
| updateparagraphproperties | `\updateparagraphproperties` |
| updateparagraphshapes | `\updateparagraphshapes` |
| uppercased | `\uppercased {...}` |
| uppercasestring | `\uppercasestring ... \to \...` |
| uppercasing | `\uppercasing` |
| upperleftdoubleninequote | `\upperleftdoubleninequote` |
| upperleftdoublesixquote | `\upperleftdoublesixquote` |
| upperleftsingleninequote | `\upperleftsingleninequote` |
| upperleftsinglesixquote | `\upperleftsinglesixquote` |
| upperrightdoubleninequote | `\upperrightdoubleninequote` |
| upperrightdoublesixquote | `\upperrightdoublesixquote` |
| upperrightsingleninequote | `\upperrightsingleninequote` |
| upperrightsinglesixquote | `\upperrightsinglesixquote` |
| url | `\url [...]` |
| usealignparameter | `\usealignparameter \...` |
| useblankparameter | `\useblankparameter \...` |
| useblocks | `\useblocks [...] [...] [..=..]` |
| usebodyfont | `\usebodyfont [...]` |
| usebodyfontparameter | `\usebodyfontparameter \...` |

| | |
|---|---|
| usebtxdataset | `\usebtxdataset [...] [...] [..=..]` |
| usebtxdefinitions | `\usebtxdefinitions [...]` |
| usecitation | `\usecitation [...]` |
| usecitation:direct | `\usecitation {...}` |
| usecolors | `\usecolors [...]` |
| usecomponent | `\usecomponent [...]` |
| usedummycolorparameter | `\usedummycolorparameter {...}` |
| usedummystyleandcolor | `\usedummystyleandcolor {...} {...}` |
| usedummystyleparameter | `\usedummystyleparameter {...}` |
| useenvironment | `\useenvironment [...]` |
| useexternaldocument | `\useexternaldocument [...] [...] [...]` |
| useexternalfigure | `\useexternalfigure [...] [...] [...] [..=..]` |
| useexternalrendering | `\useexternalrendering [...] [...] [...] [...]` |
| useexternalsoundtrack | `\useexternalsoundtrack [...] [...]` |
| usefigurebase | `\usefigurebase [...]` |
| usefile | `\usefile [...] [...] [...]` |
| usefontpath | `\usefontpath [...]` |
| usegridparameter | `\usegridparameter \...` |
| usehyphensparameter | `\usehyphensparameter \...` |
| useindentingparameter | `\useindentingparameter \...` |
| useindentnextparameter | `\useindentnextparameter \...` |
| useinterlinespaceparameter | `\useinterlinespaceparameter \...` |
| useJSscripts | `\useJSscripts [...] [...]` |
| uselanguageparameter | `\uselanguageparameter \...` |
| useluamodule | `\useluamodule [...]` |
| useluatable | `\useluatable \...` |
| useMPenvironmentbuffer | `\useMPenvironmentbuffer [...]` |
| useMPgraphic | `\useMPgraphic {...} {..=..}` |
| useMPlibrary | `\useMPlibrary [...]` |
| useMPrun | `\useMPrun {...} {...}` |
| useMPvariables | `\useMPvariables [...] [...]` |
| usemathstyleparameter | `\usemathstyleparameter \...` |
| usemodule | `\usemodule [...] [...] [..=..]` |
| usepath | `\usepath [...]` |
| useproduct | `\useproduct [...]` |
| useprofileparameter | `\useprofileparameter \...` |
| useproject | `\useproject [...]` |
| usereferenceparameter | `\usereferenceparameter \...` |
| userpagenumber | `\userpagenumber` |
| usesetupsparameter | `\usesetupsparameter \...` |
| usestaticMPfigure | `\usestaticMPfigure [..=..] [...]` |
| usesubpath | `\usesubpath [...]` |
| usesymbols | `\usesymbols [...]` |
| usetexmodule | `\usetexmodule [...] [...] [..=..]` |
| usetypescript | `\usetypescript [...] [...] [...]` |
| usetypescriptfile | `\usetypescriptfile [...]` |
| useURL | `\useURL [...] [...] [...] [...]` |
| useurl | `\useurl [...] [...] [...] [...]` |
| usezipfile | `\usezipfile [...] [...]` |
| utfchar | `\utfchar {...}` |
| utflower | `\utflower {...}` |
| utfupper | `\utfupper {...}` |
| utilityregisterlength | `\utilityregisterlength` |
| VerboseNumber | `\VerboseNumber {...}` |
| validassignment | `\validassignment {...}` |
| vboxreference | `\vboxreference [...] {...}` |
| vec | `\vec {...}` |
| verbatim | `\verbatim {...}` |
| verbatimstring | `\verbatimstring {...}` |
| verbosenumber | `\verbosenumber {...}` |
| version | `\version [...]` |
| verticalgrowingbar | `\verticalgrowingbar [..=..]` |
| verticalpositionbar | `\verticalpositionbar [..=..]` |
| veryraggedcenter | `\veryraggedcenter` |
| veryraggedleft | `\veryraggedleft` |
| veryraggedright | `\veryraggedright` |
| vglue | `\vglue ...` |
| viewerlayer | `\viewerlayer [...] {...}` |
| vl | `\vl [...]` |
| vpackbox | `\vpackbox` |
| vpackedbox | `\vpackedbox` |
| vphantom | `\vphantom {...}` |

```
vpos                          \vpos {...} {...}
vsmash                        \vsmash {...}
vsmashbox                     \vsmashbox ...
vsmashed                      \vsmashed {...}
vspace                        \vspace [...] [...]
vspacing                      \vspacing [...]
WEEKDAY                       \WEEKDAY {...}
WidthSpanningText             \WidthSpanningText {...} {...} {...}
WORD                          \WORD {...}
WORDS                         \WORDS {...}
Word                          \Word {...}
Words                         \Words {...}
wdofstring                    \wdofstring {...}
weekday                       \weekday {...}
widthofstring                 \widthofstring {...}
widthspanningtext             \widthspanningtext {...} {...} {...}
withoutpt                     \withoutpt {...}
word                          \word {...}
wordright                     \wordright [...] {...}
words                         \words {...}
wordtonumber                  \wordtonumber {...} {...}
writebetweenlist              \writebetweenlist [...] [..=..] {...}
writedatatolist               \writedatatolist [...] [..=..] [..=..]
writestatus                   \writestatus {...} {...}
writetolist                   \writetolist [...] [..=..] {...} {...}
XETEX                         \XETEX
XeTeX                         \XeTeX
xdefconvertedargument         \xdefconvertedargument \... {...}
xmladdindex                   \xmladdindex {...}
xmlafterdocumentsetup         \xmlafterdocumentsetup {...} {...} {...}
xmlaftersetup                 \xmlaftersetup {...} {...}
xmlall                        \xmlall {...} {...}
xmlappenddocumentsetup        \xmlappenddocumentsetup {...} {...}
xmlappendsetup                \xmlappendsetup {...}
xmlapplyselectors             \xmlapplyselectors {...}
xmlatt                        \xmlatt {...} {...}
xmlattdef                     \xmlattdef {...} {...} {...}
xmlattribute                  \xmlattribute {...} {...} {...}
xmlattributedef               \xmlattributedef {...} {...} {...} {...}
xmlbadinclusions              \xmlbadinclusions {...}
xmlbeforedocumentsetup        \xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup                \xmlbeforesetup {...} {...}
xmlchainatt                   \xmlchainatt {...} {...}
xmlchainattdef                \xmlchainattdef {...} {...} {...}
xmlchecknamespace             \xmlchecknamespace {...} {...}
xmlcommand                    \xmlcommand {...} {...} {...}
xmlconcat                     \xmlconcat {...} {...} {...}
xmlconcatrange                \xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext                    \xmlcontext {...} {...}
xmlcount                      \xmlcount {...}
xmldefaulttotext              \xmldefaulttotext {...}
xmldepth                      \xmldepth {...}
xmldirectives                 \xmldirectives {...}
xmldirectivesafter            \xmldirectivesafter {...}
xmldirectivesbefore           \xmldirectivesbefore {...}
xmldisplayverbatim            \xmldisplayverbatim {...}
xmldoif                       \xmldoif {...} {...} {...}
xmldoifatt                    \xmldoifatt {...} {...}
xmldoifelse                   \xmldoifelse {...} {...} {...} {...}
xmldoifelseatt                \xmldoifelseatt {...} {...} {...}
xmldoifelseempty              \xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty          \xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext               \xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue              \xmldoifelsevalue {...} {...} {...} {...}
xmldoifnot                    \xmldoifnot {...} {...} {...}
xmldoifnotatt                 \xmldoifnotatt {...} {...}
xmldoifnotselfempty           \xmldoifnotselfempty {...} {...}
xmldoifnottext                \xmldoifnottext {...} {...} {...}
xmldoifselfempty              \xmldoifselfempty {...} {...}
xmldoiftext                   \xmldoiftext {...} {...} {...}
xmlelement                    \xmlelement {...} {...}
xmlfilter                     \xmlfilter {...} {...}
```

```
xmlfirst                      \xmlfirst {...} {...}
xmlflush                      \xmlflush {...}
xmlflushcontext               \xmlflushcontext {...}
xmlflushdocumentsetups        \xmlflushdocumentsetups {...} {...}
xmlflushlinewise              \xmlflushlinewise {...}
xmlflushpure                  \xmlflushpure {...}
xmlflushspacewise             \xmlflushspacewise {...}
xmlflushtext                  \xmlflushtext {...}
xmlinclude                    \xmlinclude {...} {...} {...}
xmlinclusion                  \xmlinclusion {...}
xmlinclusions                 \xmlinclusions {...}
xmlinfo                       \xmlinfo {...}
xmlinjector                   \xmlinjector {...}
xmlinlineprettyprint          \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext      \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim             \xmlinlineverbatim {...}
xmlinstalldirective           \xmlinstalldirective {...} {...}
xmllast                       \xmllast {...} {...}
xmllastatt                    \xmllastatt
xmllastmatch                  \xmllastmatch
xmllastpar                    \xmllastpar
xmlloadbuffer                 \xmlloadbuffer {...} {...} {...}
xmlloaddata                   \xmlloaddata {...} {...} {...}
xmlloaddirectives             \xmlloaddirectives {...}
xmlloadfile                   \xmlloadfile {...} {...} {...}
xmlloadonly                   \xmlloadonly {...} {...} {...}
xmlmain                       \xmlmain {...}
xmlmapvalue                   \xmlmapvalue {...} {...} {...}
xmlname                       \xmlname {...}
xmlnamespace                  \xmlnamespace {...}
xmlnonspace                   \xmlnonspace {...} {...}
xmlpar                        \xmlpar {...} {...}
xmlparam                      \xmlparam {...} {...} {...}
xmlpath                       \xmlpath {...}
xmlpos                        \xmlpos {...}
xmlposition                   \xmlposition {...} {...} {...}
xmlprependdocumentsetup       \xmlprependdocumentsetup {...} {...}
xmlprependsetup               \xmlprependsetup {...}
xmlprettyprint                \xmlprettyprint {...} {...}
xmlprettyprinttext            \xmlprettyprinttext {...} {...}
xmlprocessbuffer              \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                \xmlprocessdata {...} {...} {...}
xmlprocessfile                \xmlprocessfile {...} {...} {...}
xmlpure                       \xmlpure {...} {...}
xmlraw                        \xmlraw {...}
xmlrefatt                     \xmlrefatt {...} {...}
xmlregistereddocumentsetups   \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups           \xmlregisteredsetups
xmlregisterns                 \xmlregisterns {...} {...}
xmlremapname                  \xmlremapname {...} {...} {...} {...}
xmlremapnamespace             \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup        \xmlremovedocumentsetup {...} {...}
xmlremovesetup                \xmlremovesetup {...}
xmlresetdocumentsetups        \xmlresetdocumentsetups {...}
xmlresetinjectors             \xmlresetinjectors
xmlresetsetups                \xmlresetsetups {...}
xmlsave                       \xmlsave {...} {...}
xmlsetatt                     \xmlsetatt {...} {...} {...}
xmlsetattribute               \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                  \xmlsetentity {...} {...}
xmlsetfunction                \xmlsetfunction {...} {...} {...}
xmlsetinjectors               \xmlsetinjectors [...]
xmlsetpar                     \xmlsetpar {...} {...} {...}
xmlsetparam                   \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                   \xmlsetsetup {...} {...} {...}
xmlsetup                      \xmlsetup {...} {...}
xmlshow                       \xmlshow {...}
xmlsnippet                    \xmlsnippet {...} {...}
xmlstrip                      \xmlstrip {...} {...}
xmlstripnolines               \xmlstripnolines {...} {...}
xmlstripped                   \xmlstripped {...} {...}
xmlstrippednolines            \xmlstrippednolines {...} {...}
```

| | |
|---|---|
| xmltag | \xmltag {...} |
| xmltexentity | \xmltexentity {...} {...} |
| xmltext | \xmltext {...} {...} |
| xmltobuffer | \xmltobuffer {...} {...} {...} |
| xmltobufferverbose | \xmltobufferverbose {...} {...} {...} |
| xmltofile | \xmltofile {...} {...} {...} |
| xmlvalue | \xmlvalue {...} {...} {...} |
| xmlverbatim | \xmlverbatim {...} |
| xsplitstring | \xsplitstring \... {...} |
| xypos | \xypos {...} |
| yiddishnumerals | \yiddishnumerals {...} |
| zeronumberconversion | \zeronumberconversion {...} |